



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
ANM14.002.02.018AB	SOW	600V	2X18AWG	29/0.19	9.6	122.83	21.8 Ω/km
ANM14.002.03.018AB	SOW	600V	3X18AWG	29/0.19	10.1	140.43	21.8 Ω/km
ANM14.002.04.018AB	SOW	600V	4X18AWG	29/0.19	10.8	163.93	21.8 Ω/km
ANM14.002.05.018AB	SOW	600V	5X18AWG	29/0.19	12.8	225.93	21.8 Ω/km
ANM14.002.06.018AB	SOW	600V	6X18AWG	29/0.19	13.6	257.03	21.8 Ω/km
ANM14.002.07.018AB	SOW	600V	7X18AWG	29/0.19	13.6	262.93	21.8 Ω/km
ANM14.002.08.018AB	SOW	600V	8X18AWG	29/0.19	14.5	299.23	21.8 Ω/km
ANM14.002.09.018AB	SOW	600V	9X18AWG	29/0.19	15.7	348.63	21.8 Ω/km
ANM14.002.10.018AB	SOW	600V	10X18AWG	29/0.19	16.5	385.53	21.8 Ω/km
ANM14.002.11.018AB	SOW	600V	11X18AWG	29/0.19	17	411.43	21.8 Ω/km
ANM14.002.12.018AB	SOW	600V	12X18AWG	29/0.19	17	417.23	21.8 Ω/km
ANM14.002.13.018AB	SOW	600V	13X18AWG	29/0.19	18.7	495.53	21.8 Ω/km
ANM14.002.14.018AB	SOW	600V	14X18AWG	29/0.19	18.7	501.33	21.8 Ω/km
ANM14.002.15.018AB	SOW	600V	15X18AWG	29/0.19	19.5	543.93	21.8 Ω/km
ANM14.002.16.018AB	SOW	600V	16X18AWG	29/0.19	19.5	549.83	21.8 Ω/km
ANM14.002.17.018AB	SOW	600V	17X18AWG	29/0.19	20.3	593.83	21.8 Ω/km
ANM14.002.18.018AB	SOW	600V	18X18AWG	29/0.19	20.3	599.73	21.8 Ω/km
ANM14.002.19.018AB	SOW	600V	19X18AWG	29/0.19	20.3	605.63	21.8 Ω/km
ANM14.002.20.018AB	SOW	600V	20X18AWG	29/0.19	20.8	636.13	21.8 Ω/km
ANM14.002.21.018AB	SOW	600V	21X18AWG	29/0.19	21.2	662.23	21.8 Ω/km
ANM14.002.22.018AB	SOW	600V	22X18AWG	29/0.19	22.3	725.73	21.8 Ω/km
ANM14.002.23.018AB	SOW	600V	23X18AWG	29/0.19	23.1	775.13	21.8 Ω/km
ANM14.002.24.018AB	SOW	600V	24X18AWG	29/0.19	23.1	781.03	21.8 Ω/km
ANM14.002.25.018AB	SOW	600V	25X18AWG	29/0.19	23.6	815.03	21.8 Ω/km
ANM14.002.26.018AB	SOW	600V	26X18AWG	29/0.19	23.6	820.83	21.8 Ω/km
ANM14.002.27.018AB	SOW	600V	27X18AWG	29/0.19	23.6	826.73	21.8 Ω/km
ANM14.002.28.018AB	SOW	600V	28X18AWG	29/0.19	24.3	872.93	21.8 Ω/km
ANM14.002.29.018AB	SOW	600V	29X18AWG	29/0.19	24.3	878.83	21.8 Ω/km
ANM14.002.30.018AB	SOW	600V	30X18AWG	29/0.19	24.3	884.73	21.8 Ω/km
ANM14.002.31.018AB	SOW	600V	31X18AWG	29/0.19	25.1	937.93	21.8 Ω/km
ANM14.002.32.018AB	SOW	600V	32X18AWG	29/0.19	25.1	943.93	21.8 Ω/km
ANM14.002.33.018AB	SOW	600V	33X18AWG	29/0.19	25.1	949.83	21.8 Ω/km
ANM14.002.34.018AB	SOW	600V	34X18AWG	29/0.19	26.7	1054.63	21.8 Ω/km
ANM14.002.35.018AB	SOW	600V	35X18AWG	29/0.19	26.7	1060.53	21.8 Ω/km
ANM14.002.36.018AB	SOW	600V	36X18AWG	29/0.19	26.7	1066.43	21.8 Ω/km
ANM14.002.37.018AB	SOW	600V	37X18AWG	29/0.19	26.7	1072.23	21.8 Ω/km
ANM14.002.02.017AB	SOW	600V	2X17AWG	37/0.19	9.8	130.54	17.3 Ω/km
ANM14.002.03.017AB	SOW	600V	3X17AWG	37/0.19	10.3	149.84	17.3 Ω/km
ANM14.002.04.017AB	SOW	600V	4X17AWG	37/0.19	11.1	177.64	17.3 Ω/km



ANM14.002.05.017AB	SOW	600V	5X17AWG	37/0.19	12.9	236.34	17.3Ω/km
ANM14.002.06.017AB	SOW	600V	6X17AWG	37/0.19	14.2	285.74	17.3Ω/km
ANM14.002.07.017AB	SOW	600V	7X17AWG	37/0.19	14.2	292.94	17.3Ω/km
ANM14.002.08.017AB	SOW	600V	8X17AWG	37/0.19	15.1	331.94	17.3Ω/km
ANM14.002.09.017AB	SOW	600V	9X17AWG	37/0.19	16.4	388.54	17.3Ω/km
ANM14.002.10.017AB	SOW	600V	10X17AWG	37/0.19	17.3	432.14	17.3Ω/km
ANM14.002.11.017AB	SOW	600V	11X17AWG	37/0.19	18.8	503.94	17.3Ω/km
ANM14.002.12.017AB	SOW	600V	12X17AWG	37/0.19	18.8	511.14	17.3Ω/km
ANM14.002.13.017AB	SOW	600V	13X17AWG	37/0.19	19.6	555.24	17.3Ω/km
ANM14.002.14.017AB	SOW	600V	14X17AWG	37/0.19	19.6	562.64	17.3Ω/km
ANM14.002.15.017AB	SOW	600V	15X17AWG	37/0.19	20.4	608.24	17.3Ω/km
ANM14.002.16.017AB	SOW	600V	16X17AWG	37/0.19	20.4	615.54	17.3Ω/km
ANM14.002.17.017AB	SOW	600V	17X17AWG	37/0.19	21.3	667.84	17.3Ω/km
ANM14.002.18.017AB	SOW	600V	18X17AWG	37/0.19	21.3	675.14	17.3Ω/km
ANM14.002.19.017AB	SOW	600V	19X17AWG	37/0.19	21.3	682.54	17.3Ω/km
ANM14.002.20.017AB	SOW	600V	20X17AWG	37/0.19	21.8	715.64	17.3Ω/km
ANM14.002.21.017AB	SOW	600V	21X17AWG	37/0.19	22.2	744.04	17.3Ω/km
ANM14.002.22.017AB	SOW	600V	22X17AWG	37/0.19	23.4	817.24	17.3Ω/km
ANM14.002.23.017AB	SOW	600V	23X17AWG	37/0.19	24.3	876.04	17.3Ω/km
ANM14.002.24.017AB	SOW	600V	24X17AWG	37/0.19	24.3	883.34	17.3Ω/km
ANM14.002.25.017AB	SOW	600V	25X17AWG	37/0.19	24.8	920.14	17.3Ω/km
ANM14.002.26.017AB	SOW	600V	26X17AWG	37/0.19	24.8	927.34	17.3Ω/km
ANM14.002.27.017AB	SOW	600V	27X17AWG	37/0.19	24.8	934.74	17.3Ω/km
ANM14.002.28.017AB	SOW	600V	28X17AWG	37/0.19	26.4	1039.74	17.3Ω/km
ANM14.002.29.017AB	SOW	600V	29X17AWG	37/0.19	26.4	1047.04	17.3Ω/km
ANM14.002.30.017AB	SOW	600V	30X17AWG	37/0.19	26.4	1054.24	17.3Ω/km
ANM14.002.31.017AB	SOW	600V	31X17AWG	37/0.19	27.2	1113.04	17.3Ω/km
ANM14.002.32.017AB	SOW	600V	32X17AWG	37/0.19	27.2	1120.44	17.3Ω/km
ANM14.002.33.017AB	SOW	600V	33X17AWG	37/0.19	27.2	1127.64	17.3Ω/km
ANM14.002.34.017AB	SOW	600V	34X17AWG	37/0.19	28.1	1194.74	17.3Ω/km
ANM14.002.35.017AB	SOW	600V	35X17AWG	37/0.19	28.1	1202.04	17.3Ω/km
ANM14.002.36.017AB	SOW	600V	36X17AWG	37/0.19	28.1	1209.34	17.3Ω/km
ANM14.002.37.017AB	SOW	600V	37X17AWG	37/0.19	28.1	1216.64	17.3Ω/km
ANM14.002.38.017AB	SOW	600V	38X17AWG	37/0.19	29	1285.74	17.3Ω/km
ANM14.002.39.017AB	SOW	600V	39X17AWG	37/0.19	29	1292.94	17.3Ω/km
ANM14.002.40.017AB	SOW	600V	40X17AWG	37/0.19	29	1300.24	17.3Ω/km
ANM14.002.41.017AB	SOW	600V	41X17AWG	37/0.19	31.1	1459.34	17.3Ω/km
ANM14.002.42.017AB	SOW	600V	42X17AWG	37/0.19	31.1	1466.64	17.3Ω/km
ANM14.002.43.017AB	SOW	600V	43X17AWG	37/0.19	31.1	1473.94	17.3Ω/km
ANM14.002.44.017AB	SOW	600V	44X17AWG	37/0.19	31.1	1481.14	17.3Ω/km
ANM14.002.45.017AB	SOW	600V	45X17AWG	37/0.19	31.6	1526.34	17.3Ω/km
ANM14.002.46.017AB	SOW	600V	46X17AWG	37/0.19	31.6	1533.54	17.3Ω/km



ANM14.002.47.017AB	SOW	600V	47X17AWG	37/0.19	31.6	1540.74	17.3Ω/km
ANM14.002.48.017AB	SOW	600V	48X17AWG	37/0.19	31.6	1548.04	17.3Ω/km
ANM14.002.49.017AB	SOW	600V	49X17AWG	37/0.19	33.4	1694.84	17.3Ω/km
ANM14.002.50.017AB	SOW	600V	50X17AWG	37/0.19	33.4	1702.14	17.3Ω/km
ANM14.002.51.017AB	SOW	600V	51X17AWG	37/0.19	33.4	1709.44	17.3Ω/km
ANM14.002.52.017AB	SOW	600V	52X17AWG	37/0.19	33.4	1716.64	17.3Ω/km
ANM14.002.53.017AB	SOW	600V	53X17AWG	37/0.19	34.2	1789.14	17.3Ω/km
ANM14.002.54.017AB	SOW	600V	54X17AWG	37/0.19	34.2	1796.34	17.3Ω/km
ANM14.002.55.017AB	SOW	600V	55X17AWG	37/0.19	34.2	1803.54	17.3Ω/km
ANM14.002.56.017AB	SOW	600V	56X17AWG	37/0.19	34.2	1810.84	17.3Ω/km
ANM14.002.57.017AB	SOW	600V	57X17AWG	37/0.19	35.1	1893.14	17.3Ω/km
ANM14.002.58.017AB	SOW	600V	58X17AWG	37/0.19	35.1	1900.44	17.3Ω/km
ANM14.002.59.017AB	SOW	600V	59X17AWG	37/0.19	35.1	1907.64	17.3Ω/km
ANM14.002.60.017AB	SOW	600V	60X17AWG	37/0.19	35.1	1914.94	17.3Ω/km
ANM14.002.61.017AB	SOW	600V	61X17AWG	37/0.19	35.1	1922.24	17.3Ω/km
ANM14.002.62.017AB	SOW	600V	62X17AWG	37/0.19	38.1	2193.94	17.3Ω/km
ANM14.002.63.017AB	SOW	600V	63X17AWG	37/0.19	38.1	2201.14	17.3Ω/km
ANM14.002.64.017AB	SOW	600V	64X17AWG	37/0.19	38.1	2208.44	17.3Ω/km
ANM14.002.65.017AB	SOW	600V	65X17AWG	37/0.19	38.1	2215.64	17.3Ω/km
ANM14.002.02.016AB	SOW	600V	2X16AWG	27/0.25	10.2	144.71	13.7Ω/km
ANM14.002.03.016AB	SOW	600V	3X16AWG	27/0.25	10.7	166.71	13.7Ω/km
ANM14.002.04.016AB	SOW	600V	4X16AWG	27/0.25	11.5	197.51	13.7Ω/km
ANM14.002.05.016AB	SOW	600V	5X16AWG	27/0.25	13.6	269.61	13.7Ω/km
ANM14.002.06.016AB	SOW	600V	6X16AWG	27/0.25	14.5	309.61	13.7Ω/km
ANM14.002.07.016AB	SOW	600V	7X16AWG	27/0.25	14.5	319.01	13.7Ω/km
ANM14.002.08.016AB	SOW	600V	8X16AWG	27/0.25	15.6	368.21	13.7Ω/km
ANM14.002.09.016AB	SOW	600V	9X16AWG	27/0.25	16.8	424.41	13.7Ω/km
ANM14.002.10.016AB	SOW	600V	10X16AWG	27/0.25	18.7	514.21	13.7Ω/km
ANM14.002.11.016AB	SOW	600V	11X16AWG	27/0.25	19.2	546.41	13.7Ω/km
ANM14.002.12.016AB	SOW	600V	12X16AWG	27/0.25	19.2	556.01	13.7Ω/km
ANM14.002.13.016AB	SOW	600V	13X16AWG	27/0.25	20	603.11	13.7Ω/km
ANM14.002.14.016AB	SOW	600V	14X16AWG	27/0.25	20	612.61	13.7Ω/km
ANM14.002.15.016AB	SOW	600V	15X16AWG	27/0.25	20.9	666.21	13.7Ω/km
ANM14.002.16.016AB	SOW	600V	16X16AWG	27/0.25	20.9	675.71	13.7Ω/km
ANM14.002.17.016AB	SOW	600V	17X16AWG	27/0.25	21.8	731.21	13.7Ω/km
ANM14.002.18.016AB	SOW	600V	18X16AWG	27/0.25	21.8	740.81	13.7Ω/km
ANM14.002.19.016AB	SOW	600V	19X16AWG	27/0.25	21.8	750.21	13.7Ω/km
ANM14.002.20.016AB	SOW	600V	20X16AWG	27/0.25	22.3	786.21	13.7Ω/km
ANM14.002.21.016AB	SOW	600V	21X16AWG	27/0.25	22.8	822.81	13.7Ω/km
ANM14.002.22.016AB	SOW	600V	22X16AWG	27/0.25	24	899.71	13.7Ω/km
ANM14.002.23.016AB	SOW	600V	23X16AWG	27/0.25	24.9	962.21	13.7Ω/km
ANM14.002.24.016AB	SOW	600V	24X16AWG	27/0.25	24.9	971.71	13.7Ω/km



ANM14.002.25.016AB	SOW	600V	25X16AWG	27/0.25	26.2	1060.31	13.7 Ω/km
ANM14.002.26.016AB	SOW	600V	26X16AWG	27/0.25	26.2	1069.81	13.7 Ω/km
ANM14.002.27.016AB	SOW	600V	27X16AWG	27/0.25	26.2	1079.11	13.7 Ω/km
ANM14.002.28.016AB	SOW	600V	28X16AWG	27/0.25	27	1139.81	13.7 Ω/km
ANM14.002.29.016AB	SOW	600V	29X16AWG	27/0.25	27	1149.21	13.7 Ω/km
ANM14.002.30.016AB	SOW	600V	30X16AWG	27/0.25	27	1158.81	13.7 Ω/km
ANM14.002.31.016AB	SOW	600V	31X16AWG	27/0.25	27.9	1227.71	13.7 Ω/km
ANM14.002.32.016AB	SOW	600V	32X16AWG	27/0.25	27.9	1237.11	13.7 Ω/km
ANM14.002.33.016AB	SOW	600V	33X16AWG	27/0.25	27.9	1246.61	13.7 Ω/km
ANM14.002.34.016AB	SOW	600V	34X16AWG	27/0.25	28.8	1317.41	13.7 Ω/km
ANM14.002.35.016AB	SOW	600V	35X16AWG	27/0.25	28.8	1326.81	13.7 Ω/km
ANM14.002.36.016AB	SOW	600V	36X16AWG	27/0.25	28.8	1336.41	13.7 Ω/km
ANM14.002.37.016AB	SOW	600V	37X16AWG	27/0.25	28.8	1345.81	13.7 Ω/km
ANM14.002.38.016AB	SOW	600V	38X16AWG	27/0.25	29.8	1425.81	13.7 Ω/km
ANM14.002.39.016AB	SOW	600V	39X16AWG	27/0.25	29.8	1435.21	13.7 Ω/km
ANM14.002.40.016AB	SOW	600V	40X16AWG	27/0.25	29.8	1444.61	13.7 Ω/km
ANM14.002.41.016AB	SOW	600V	41X16AWG	27/0.25	31.9	1610.11	13.7 Ω/km
ANM14.002.42.016AB	SOW	600V	42X16AWG	27/0.25	31.9	1619.61	13.7 Ω/km
ANM14.002.43.016AB	SOW	600V	43X16AWG	27/0.25	31.9	1629.01	13.7 Ω/km
ANM14.002.44.016AB	SOW	600V	44X16AWG	27/0.25	31.9	1638.41	13.7 Ω/km
ANM14.002.45.016AB	SOW	600V	45X16AWG	27/0.25	33.4	1764.61	13.7 Ω/km
ANM14.002.46.016AB	SOW	600V	46X16AWG	27/0.25	33.4	1773.91	13.7 Ω/km
ANM14.002.47.016AB	SOW	600V	47X16AWG	27/0.25	33.4	1783.51	13.7 Ω/km
ANM14.002.48.016AB	SOW	600V	48X16AWG	27/0.25	33.4	1793.01	13.7 Ω/km
ANM14.002.49.016AB	SOW	600V	49X16AWG	27/0.25	34.2	1867.51	13.7 Ω/km
ANM14.002.50.016AB	SOW	600V	50X16AWG	27/0.25	34.2	1877.01	13.7 Ω/km
ANM14.002.51.016AB	SOW	600V	51X16AWG	27/0.25	34.2	1886.31	13.7 Ω/km
ANM14.002.52.016AB	SOW	600V	52X16AWG	27/0.25	34.2	1895.81	13.7 Ω/km
ANM14.002.53.016AB	SOW	600V	53X16AWG	27/0.25	35.1	1980.41	13.7 Ω/km
ANM14.002.54.016AB	SOW	600V	54X16AWG	27/0.25	35.1	1989.81	13.7 Ω/km
ANM14.002.55.016AB	SOW	600V	55X16AWG	27/0.25	35.1	1999.31	13.7 Ω/km
ANM14.002.56.016AB	SOW	600V	56X16AWG	27/0.25	35.1	2008.71	13.7 Ω/km
ANM14.002.57.016AB	SOW	600V	57X16AWG	27/0.25	36	2095.21	13.7 Ω/km
ANM14.002.58.016AB	SOW	600V	58X16AWG	27/0.25	36	2104.51	13.7 Ω/km
ANM14.002.59.016AB	SOW	600V	59X16AWG	27/0.25	36	2114.11	13.7 Ω/km
ANM14.002.60.016AB	SOW	600V	60X16AWG	27/0.25	36	2123.61	13.7 Ω/km
ANM14.002.61.016AB	SOW	600V	61X16AWG	27/0.25	36	2133.01	13.7 Ω/km
ANM14.002.62.016AB	SOW	600V	62X16AWG	27/0.25	39.4	2451.31	13.7 Ω/km
ANM14.002.63.016AB	SOW	600V	63X16AWG	27/0.25	39.4	2460.61	13.7 Ω/km
ANM14.002.64.016AB	SOW	600V	64X16AWG	27/0.25	39.4	2470.11	13.7 Ω/km
ANM14.002.65.016AB	SOW	600V	65X16AWG	27/0.25	39.4	2479.71	13.7 Ω/km
ANM14.002.02.015AB	SOW	600V	2X15AWG	34/0.25	12.8	220.75	10.9 Ω/km



ANM14.002.03.015AB	SOW	600V	3X15AWG	34/0.25	13.4	251.55	10.9Ω/km
ANM14.002.04.015AB	SOW	600V	4X15AWG	34/0.25	14.8	310.45	10.9Ω/km
ANM14.002.05.015AB	SOW	600V	5X15AWG	34/0.25	15.8	359.05	10.9Ω/km
ANM14.002.06.015AB	SOW	600V	6X15AWG	34/0.25	15.1	345.65	10.9Ω/km
ANM14.002.07.015AB	SOW	600V	7X15AWG	34/0.25	15.1	357.55	10.9Ω/km
ANM14.002.08.015AB	SOW	600V	8X15AWG	34/0.25	16.2	410.85	10.9Ω/km
ANM14.002.09.015AB	SOW	600V	9X15AWG	34/0.25	17.6	479.45	10.9Ω/km
ANM14.002.10.015AB	SOW	600V	10X15AWG	34/0.25	19.5	575.55	10.9Ω/km
ANM14.002.11.015AB	SOW	600V	11X15AWG	34/0.25	20.1	615.95	10.9Ω/km
ANM14.002.12.015AB	SOW	600V	12X15AWG	34/0.25	20.1	627.85	10.9Ω/km
ANM14.002.13.015AB	SOW	600V	13X15AWG	34/0.25	20.9	679.05	10.9Ω/km
ANM14.002.14.015AB	SOW	600V	14X15AWG	34/0.25	20.9	691.05	10.9Ω/km
ANM14.002.15.015AB	SOW	600V	15X15AWG	34/0.25	21.9	754.35	10.9Ω/km
ANM14.002.16.015AB	SOW	600V	16X15AWG	34/0.25	21.9	766.25	10.9Ω/km
ANM14.002.17.015AB	SOW	600V	17X15AWG	34/0.25	22.8	826.45	10.9Ω/km
ANM14.002.18.015AB	SOW	600V	18X15AWG	34/0.25	22.8	838.25	10.9Ω/km
ANM14.002.19.015AB	SOW	600V	19X15AWG	34/0.25	22.8	850.25	10.9Ω/km
ANM14.002.20.015AB	SOW	600V	20X15AWG	34/0.25	23.4	895.45	10.9Ω/km
ANM14.002.21.015AB	SOW	600V	21X15AWG	34/0.25	23.8	929.95	10.9Ω/km
ANM14.002.22.015AB	SOW	600V	22X15AWG	34/0.25	26	1072.95	10.9Ω/km
ANM14.002.23.015AB	SOW	600V	23X15AWG	34/0.25	26.9	1142.15	10.9Ω/km
ANM14.002.24.015AB	SOW	600V	24X15AWG	34/0.25	26.9	1153.95	10.9Ω/km
ANM14.002.25.015AB	SOW	600V	25X15AWG	34/0.25	27.5	1204.95	10.9Ω/km
ANM14.002.26.015AB	SOW	600V	26X15AWG	34/0.25	27.5	1216.95	10.9Ω/km
ANM14.002.27.015AB	SOW	600V	27X15AWG	34/0.25	27.5	1228.75	10.9Ω/km
ANM14.002.28.015AB	SOW	600V	28X15AWG	34/0.25	28.3	1294.35	10.9Ω/km
ANM14.002.29.015AB	SOW	600V	29X15AWG	34/0.25	28.3	1306.25	10.9Ω/km
ANM14.002.30.015AB	SOW	600V	30X15AWG	34/0.25	28.3	1318.05	10.9Ω/km
ANM14.002.31.015AB	SOW	600V	31X15AWG	34/0.25	29.3	1399.25	10.9Ω/km
ANM14.002.32.015AB	SOW	600V	32X15AWG	34/0.25	29.3	1411.25	10.9Ω/km
ANM14.002.33.015AB	SOW	600V	33X15AWG	34/0.25	29.3	1422.95	10.9Ω/km
ANM14.002.34.015AB	SOW	600V	34X15AWG	34/0.25	30.2	1499.35	10.9Ω/km
ANM14.002.35.015AB	SOW	600V	35X15AWG	34/0.25	30.2	1511.25	10.9Ω/km
ANM14.002.36.015AB	SOW	600V	36X15AWG	34/0.25	30.2	1523.15	10.9Ω/km
ANM14.002.37.015AB	SOW	600V	37X15AWG	34/0.25	30.2	1534.95	10.9Ω/km
ANM14.002.38.015AB	SOW	600V	38X15AWG	34/0.25	31.2	1620.75	10.9Ω/km
ANM14.002.39.015AB	SOW	600V	39X15AWG	34/0.25	31.2	1632.65	10.9Ω/km
ANM14.002.40.015AB	SOW	600V	40X15AWG	34/0.25	31.2	1644.55	10.9Ω/km
ANM14.002.41.015AB	SOW	600V	41X15AWG	34/0.25	34.5	1916.15	10.9Ω/km
ANM14.002.42.015AB	SOW	600V	42X15AWG	34/0.25	34.5	1927.95	10.9Ω/km
ANM14.002.43.015AB	SOW	600V	43X15AWG	34/0.25	34.5	1939.85	10.9Ω/km
ANM14.002.44.015AB	SOW	600V	44X15AWG	34/0.25	34.5	1951.85	10.9Ω/km



ANM14.002.45.015AB	SOW	600V	45X15AWG	34/0.25	35.1	2013.85	10.9Ω/km
ANM14.002.46.015AB	SOW	600V	46X15AWG	34/0.25	35.1	2025.75	10.9Ω/km
ANM14.002.47.015AB	SOW	600V	47X15AWG	34/0.25	35.1	2037.65	10.9Ω/km
ANM14.002.48.015AB	SOW	600V	48X15AWG	34/0.25	35.1	2049.55	10.9Ω/km
ANM14.002.49.015AB	SOW	600V	49X15AWG	34/0.25	35.9	2129.75	10.9Ω/km
ANM14.002.50.015AB	SOW	600V	50X15AWG	34/0.25	35.9	2141.65	10.9Ω/km
ANM14.002.51.015AB	SOW	600V	51X15AWG	34/0.25	35.9	2153.45	10.9Ω/km
ANM14.002.52.015AB	SOW	600V	52X15AWG	34/0.25	35.9	2165.45	10.9Ω/km
ANM14.002.53.015AB	SOW	600V	53X15AWG	34/0.25	36.9	2264.95	10.9Ω/km
ANM14.002.54.015AB	SOW	600V	54X15AWG	34/0.25	36.9	2276.75	10.9Ω/km
ANM14.002.55.015AB	SOW	600V	55X15AWG	34/0.25	36.9	2288.65	10.9Ω/km
ANM14.002.56.015AB	SOW	600V	56X15AWG	34/0.25	36.9	2300.65	10.9Ω/km
ANM14.002.57.015AB	SOW	600V	57X15AWG	34/0.25	37.8	2393.25	10.9Ω/km
ANM14.002.58.015AB	SOW	600V	58X15AWG	34/0.25	37.8	2405.25	10.9Ω/km
ANM14.002.59.015AB	SOW	600V	59X15AWG	34/0.25	37.8	2417.05	10.9Ω/km
ANM14.002.60.015AB	SOW	600V	60X15AWG	34/0.25	37.8	2428.95	10.9Ω/km
ANM14.002.61.015AB	SOW	600V	61X15AWG	34/0.25	37.8	2440.75	10.9Ω/km
ANM14.002.62.015AB	SOW	600V	62X15AWG	34/0.25	41.4	2796.05	10.9Ω/km
ANM14.002.63.015AB	SOW	600V	63X15AWG	34/0.25	41.4	2807.95	10.9Ω/km
ANM14.002.64.015AB	SOW	600V	64X15AWG	34/0.25	41.4	2819.95	10.9Ω/km
ANM14.002.65.015AB	SOW	600V	65X15AWG	34/0.25	41.4	2831.65	10.9Ω/km
ANM14.002.02.014AB	SOW	600V	2X14AWG	43/0.25	13.8	259.58	8.62Ω/km
ANM14.002.03.014AB	SOW	600V	3X14AWG	43/0.25	14.5	298.18	8.62Ω/km
ANM14.002.04.014AB	SOW	600V	4X14AWG	43/0.25	15.7	356.58	8.62Ω/km
ANM14.002.05.014AB	SOW	600V	5X14AWG	43/0.25	17	422.68	8.62Ω/km
ANM14.002.06.014AB	SOW	600V	6X14AWG	43/0.25	19.2	532.58	8.62Ω/km
ANM14.002.07.014AB	SOW	600V	7X14AWG	43/0.25	19.2	547.38	8.62Ω/km
ANM14.002.08.014AB	SOW	600V	8X14AWG	43/0.25	20.5	624.28	8.62Ω/km
ANM14.002.09.014AB	SOW	600V	9X14AWG	43/0.25	22.3	731.98	8.62Ω/km
ANM14.002.10.014AB	SOW	600V	10X14AWG	43/0.25	23.5	812.88	8.62Ω/km
ANM14.002.11.014AB	SOW	600V	11X14AWG	43/0.25	24.2	867.98	8.62Ω/km
ANM14.002.12.014AB	SOW	600V	12X14AWG	43/0.25	24.2	882.78	8.62Ω/km
ANM14.002.13.014AB	SOW	600V	13X14AWG	43/0.25	26.1	1011.98	8.62Ω/km
ANM14.002.14.014AB	SOW	600V	14X14AWG	43/0.25	26.1	1026.88	8.62Ω/km
ANM14.002.15.014AB	SOW	600V	15X14AWG	43/0.25	27.4	1125.38	8.62Ω/km
ANM14.002.16.014AB	SOW	600V	16X14AWG	43/0.25	27.4	1140.18	8.62Ω/km
ANM14.002.17.014AB	SOW	600V	17X14AWG	43/0.25	28.6	1236.08	8.62Ω/km
ANM14.002.18.014AB	SOW	600V	18X14AWG	43/0.25	28.6	1250.98	8.62Ω/km
ANM14.002.19.014AB	SOW	600V	19X14AWG	43/0.25	28.6	1265.78	8.62Ω/km
ANM14.002.20.014AB	SOW	600V	20X14AWG	43/0.25	29.3	1329.38	8.62Ω/km
ANM14.002.21.014AB	SOW	600V	21X14AWG	43/0.25	29.9	1386.98	8.62Ω/km
ANM14.002.22.014AB	SOW	600V	22X14AWG	43/0.25	31.7	1535.48	8.62Ω/km



ANM14.002.23.014AB	SOW	600V	23X14AWG	43/0.25	33.9	1722.78	8.62 Ω/km
ANM14.002.24.014AB	SOW	600V	24X14AWG	43/0.25	33.9	1737.58	8.62 Ω/km
ANM14.002.25.014AB	SOW	600V	25X14AWG	43/0.25	34.6	1810.28	8.62 Ω/km
ANM14.002.26.014AB	SOW	600V	26X14AWG	43/0.25	34.6	1825.18	8.62 Ω/km
ANM14.002.27.014AB	SOW	600V	27X14AWG	43/0.25	34.6	1840.08	8.62 Ω/km
ANM14.002.28.014AB	SOW	600V	28X14AWG	43/0.25	35.7	1948.08	8.62 Ω/km
ANM14.002.29.014AB	SOW	600V	29X14AWG	43/0.25	35.7	1962.88	8.62 Ω/km
ANM14.002.30.014AB	SOW	600V	30X14AWG	43/0.25	35.7	1977.78	8.62 Ω/km
ANM14.002.31.014AB	SOW	600V	31X14AWG	43/0.25	37	2106.48	8.62 Ω/km
ANM14.002.32.014AB	SOW	600V	32X14AWG	43/0.25	37	2121.38	8.62 Ω/km
ANM14.002.33.014AB	SOW	600V	33X14AWG	43/0.25	37	2136.18	8.62 Ω/km
ANM14.002.34.014AB	SOW	600V	34X14AWG	43/0.25	38.5	2287.48	8.62 Ω/km
ANM14.002.35.014AB	SOW	600V	35X14AWG	43/0.25	38.5	2302.38	8.62 Ω/km
ANM14.002.36.014AB	SOW	600V	36X14AWG	43/0.25	38.5	2317.28	8.62 Ω/km
ANM14.002.37.014AB	SOW	600V	37X14AWG	43/0.25	38.5	2332.08	8.62 Ω/km
ANM14.002.38.014AB	SOW	600V	38X14AWG	43/0.25	39.8	2469.68	8.62 Ω/km
ANM14.002.39.014AB	SOW	600V	39X14AWG	43/0.25	39.8	2484.58	8.62 Ω/km
ANM14.002.40.014AB	SOW	600V	40X14AWG	43/0.25	39.8	2499.48	8.62 Ω/km
ANM14.002.41.014AB	SOW	600V	41X14AWG	43/0.25	42.8	2812.88	8.62 Ω/km
ANM14.002.42.014AB	SOW	600V	42X14AWG	43/0.25	42.8	2827.68	8.62 Ω/km
ANM14.002.43.014AB	SOW	600V	43X14AWG	43/0.25	42.8	2842.68	8.62 Ω/km
ANM14.002.44.014AB	SOW	600V	44X14AWG	43/0.25	42.8	2857.48	8.62 Ω/km
ANM14.002.45.014AB	SOW	600V	45X14AWG	43/0.25	43.5	2945.18	8.62 Ω/km
ANM14.002.46.014AB	SOW	600V	46X14AWG	43/0.25	43.5	2959.98	8.62 Ω/km
ANM14.002.47.014AB	SOW	600V	47X14AWG	43/0.25	43.5	2974.98	8.62 Ω/km
ANM14.002.48.014AB	SOW	600V	48X14AWG	43/0.25	43.5	2989.78	8.62 Ω/km
ANM14.002.49.014AB	SOW	600V	49X14AWG	43/0.25	44.6	3121.48	8.62 Ω/km
ANM14.002.50.014AB	SOW	600V	50X14AWG	43/0.25	44.6	3136.28	8.62 Ω/km
ANM14.002.51.014AB	SOW	600V	51X14AWG	43/0.25	44.6	3151.28	8.62 Ω/km
ANM14.002.52.014AB	SOW	600V	52X14AWG	43/0.25	44.6	3166.08	8.62 Ω/km
ANM14.002.02.013AB	SOW	600V	2X13AWG	54/0.25	14	274.23	6.82 Ω/km
ANM14.002.03.013AB	SOW	600V	3X13AWG	54/0.25	14.8	320.53	6.82 Ω/km
ANM14.002.04.013AB	SOW	600V	4X13AWG	54/0.25	15.9	379.73	6.82 Ω/km
ANM14.002.05.013AB	SOW	600V	5X13AWG	54/0.25	17.4	458.33	6.82 Ω/km
ANM14.002.06.013AB	SOW	600V	6X13AWG	54/0.25	20.1	597.63	6.82 Ω/km
ANM14.002.07.013AB	SOW	600V	7X13AWG	54/0.25	20.1	616.23	6.82 Ω/km
ANM14.002.08.013AB	SOW	600V	8X13AWG	54/0.25	21.5	704.73	6.82 Ω/km
ANM14.002.09.013AB	SOW	600V	9X13AWG	54/0.25	23.4	825.93	6.82 Ω/km
ANM14.002.10.013AB	SOW	600V	10X13AWG	54/0.25	24.7	919.73	6.82 Ω/km
ANM14.002.11.013AB	SOW	600V	11X13AWG	54/0.25	26.3	1035.63	6.82 Ω/km
ANM14.002.12.013AB	SOW	600V	12X13AWG	54/0.25	26.3	1054.13	6.82 Ω/km
ANM14.002.13.013AB	SOW	600V	13X13AWG	54/0.25	27.5	1150.33	6.82 Ω/km



ANM14.002.14.013AB	SOW	600V	14X13AWG	54/0.25	27.5	1168.93	6.82 Ω/km
ANM14.002.15.013AB	SOW	600V	15X13AWG	54/0.25	28.8	1275.63	6.82 Ω/km
ANM14.002.16.013AB	SOW	600V	16X13AWG	54/0.25	28.8	1294.13	6.82 Ω/km
ANM14.002.17.013AB	SOW	600V	17X13AWG	54/0.25	30.1	1404.73	6.82 Ω/km
ANM14.002.18.013AB	SOW	600V	18X13AWG	54/0.25	30.1	1423.43	6.82 Ω/km
ANM14.002.19.013AB	SOW	600V	19X13AWG	54/0.25	30.1	1441.93	6.82 Ω/km
ANM14.002.20.013AB	SOW	600V	20X13AWG	54/0.25	30.9	1519.23	6.82 Ω/km
ANM14.002.21.013AB	SOW	600V	21X13AWG	54/0.25	31.5	1582.93	6.82 Ω/km
ANM14.002.22.013AB	SOW	600V	22X13AWG	54/0.25	34.4	1830.23	6.82 Ω/km
ANM14.002.23.013AB	SOW	600V	23X13AWG	54/0.25	35.7	1958.43	6.82 Ω/km
ANM14.002.24.013AB	SOW	600V	24X13AWG	54/0.25	35.7	1976.93	6.82 Ω/km
ANM14.002.25.013AB	SOW	600V	25X13AWG	54/0.25	36.5	2065.13	6.82 Ω/km
ANM14.002.26.013AB	SOW	600V	26X13AWG	54/0.25	36.5	2083.63	6.82 Ω/km
ANM14.002.27.013AB	SOW	600V	27X13AWG	54/0.25	36.5	2102.23	6.82 Ω/km
ANM14.002.28.013AB	SOW	600V	28X13AWG	54/0.25	37.7	2228.13	6.82 Ω/km
ANM14.002.29.013AB	SOW	600V	29X13AWG	54/0.25	37.7	2246.63	6.82 Ω/km
ANM14.002.30.013AB	SOW	600V	30X13AWG	54/0.25	37.7	2265.13	6.82 Ω/km
ANM14.002.31.013AB	SOW	600V	31X13AWG	54/0.25	39.3	2432.03	6.82 Ω/km
ANM14.002.32.013AB	SOW	600V	32X13AWG	54/0.25	39.3	2450.53	6.82 Ω/km
ANM14.002.33.013AB	SOW	600V	33X13AWG	54/0.25	39.3	2469.03	6.82 Ω/km
ANM14.002.34.013AB	SOW	600V	34X13AWG	54/0.25	40.6	2612.63	6.82 Ω/km
ANM14.002.35.013AB	SOW	600V	35X13AWG	54/0.25	40.6	2631.23	6.82 Ω/km
ANM14.002.36.013AB	SOW	600V	36X13AWG	54/0.25	40.6	2649.83	6.82 Ω/km
ANM14.002.37.013AB	SOW	600V	37X13AWG	54/0.25	40.6	2668.33	6.82 Ω/km
ANM14.002.38.013AB	SOW	600V	38X13AWG	54/0.25	42	2826.33	6.82 Ω/km
ANM14.002.39.013AB	SOW	600V	39X13AWG	54/0.25	42	2844.83	6.82 Ω/km
ANM14.002.40.013AB	SOW	600V	40X13AWG	54/0.25	42	2863.33	6.82 Ω/km
ANM14.002.41.013AB	SOW	600V	41X13AWG	54/0.25	45.2	3218.03	6.82 Ω/km
ANM14.002.42.013AB	SOW	600V	42X13AWG	54/0.25	45.2	3236.73	6.82 Ω/km
ANM14.002.43.013AB	SOW	600V	43X13AWG	54/0.25	45.2	3255.23	6.82 Ω/km
ANM14.002.44.013AB	SOW	600V	44X13AWG	54/0.25	45.2	3273.83	6.82 Ω/km
ANM14.002.45.013AB	SOW	600V	45X13AWG	54/0.25	47	3490.53	6.82 Ω/km
ANM14.002.46.013AB	SOW	600V	46X13AWG	54/0.25	47	3509.03	6.82 Ω/km
ANM14.002.47.013AB	SOW	600V	47X13AWG	54/0.25	47	3527.53	6.82 Ω/km
ANM14.002.48.013AB	SOW	600V	48X13AWG	54/0.25	47	3546.03	6.82 Ω/km
ANM14.002.49.013AB	SOW	600V	49X13AWG	54/0.25	48.2	3702.33	6.82 Ω/km
ANM14.002.50.013AB	SOW	600V	50X13AWG	54/0.25	48.2	3720.83	6.82 Ω/km
ANM14.002.51.013AB	SOW	600V	51X13AWG	54/0.25	48.2	3739.33	6.82 Ω/km
ANM14.002.52.013AB	SOW	600V	52X13AWG	54/0.25	48.2	3757.93	6.82 Ω/km
ANM14.002.02.012AB	SOW	600V	2X12AWG	68/0.25	15.2	327.21	5.43 Ω/km
ANM14.002.03.012AB	SOW	600V	3X12AWG	68/0.25	16.1	384.81	5.43 Ω/km
ANM14.002.04.012AB	SOW	600V	4X12AWG	68/0.25	17.3	456.91	5.43 Ω/km



ANM14.002.05.012AB	SOW	600V	5X12AWG	68/0.25	18.7	541.31	5.43 Ω/km
ANM14.002.06.012AB	SOW	600V	6X12AWG	68/0.25	20.7	659.31	5.43 Ω/km
ANM14.002.07.012AB	SOW	600V	7X12AWG	68/0.25	20.7	683.11	5.43 Ω/km
ANM14.002.08.012AB	SOW	600V	8X12AWG	68/0.25	22.2	784.41	5.43 Ω/km
ANM14.002.09.012AB	SOW	600V	9X12AWG	68/0.25	24.1	914.01	5.43 Ω/km
ANM14.002.10.012AB	SOW	600V	10X12AWG	68/0.25	26.3	1070.51	5.43 Ω/km
ANM14.002.11.012AB	SOW	600V	11X12AWG	68/0.25	27.1	1145.71	5.43 Ω/km
ANM14.002.12.012AB	SOW	600V	12X12AWG	68/0.25	27.1	1169.61	5.43 Ω/km
ANM14.002.13.012AB	SOW	600V	13X12AWG	68/0.25	28.3	1273.41	5.43 Ω/km
ANM14.002.14.012AB	SOW	600V	14X12AWG	68/0.25	28.3	1297.21	5.43 Ω/km
ANM14.002.15.012AB	SOW	600V	15X12AWG	68/0.25	29.7	1418.71	5.43 Ω/km
ANM14.002.16.012AB	SOW	600V	16X12AWG	68/0.25	29.7	1442.71	5.43 Ω/km
ANM14.002.17.012AB	SOW	600V	17X12AWG	68/0.25	31.1	1568.91	5.43 Ω/km
ANM14.002.18.012AB	SOW	600V	18X12AWG	68/0.25	31.1	1592.61	5.43 Ω/km
ANM14.002.19.012AB	SOW	600V	19X12AWG	68/0.25	31.1	1616.61	5.43 Ω/km
ANM14.002.20.012AB	SOW	600V	20X12AWG	68/0.25	31.9	1701.11	5.43 Ω/km
ANM14.002.21.012AB	SOW	600V	21X12AWG	68/0.25	33.6	1857.61	5.43 Ω/km
ANM14.002.22.012AB	SOW	600V	22X12AWG	68/0.25	35.5	2039.51	5.43 Ω/km
ANM14.002.23.012AB	SOW	600V	23X12AWG	68/0.25	36.9	2185.51	5.43 Ω/km
ANM14.002.24.012AB	SOW	600V	24X12AWG	68/0.25	36.9	2209.31	5.43 Ω/km
ANM14.002.25.012AB	SOW	600V	25X12AWG	68/0.25	37.7	2305.01	5.43 Ω/km
ANM14.002.26.012AB	SOW	600V	26X12AWG	68/0.25	37.7	2328.81	5.43 Ω/km
ANM14.002.27.012AB	SOW	600V	27X12AWG	68/0.25	37.7	2352.71	5.43 Ω/km
ANM14.002.28.012AB	SOW	600V	28X12AWG	68/0.25	39.2	2515.41	5.43 Ω/km
ANM14.002.29.012AB	SOW	600V	29X12AWG	68/0.25	39.2	2539.21	5.43 Ω/km
ANM14.002.30.012AB	SOW	600V	30X12AWG	68/0.25	39.2	2563.01	5.43 Ω/km
ANM14.002.31.012AB	SOW	600V	31X12AWG	68/0.25	40.6	2721.41	5.43 Ω/km
ANM14.002.32.012AB	SOW	600V	32X12AWG	68/0.25	40.6	2745.21	5.43 Ω/km
ANM14.002.33.012AB	SOW	600V	33X12AWG	68/0.25	40.6	2769.01	5.43 Ω/km
ANM14.002.34.012AB	SOW	600V	34X12AWG	68/0.25	42	2932.31	5.43 Ω/km
ANM14.002.35.012AB	SOW	600V	35X12AWG	68/0.25	42	2956.11	5.43 Ω/km
ANM14.002.36.012AB	SOW	600V	36X12AWG	68/0.25	42	2979.81	5.43 Ω/km
ANM14.002.37.012AB	SOW	600V	37X12AWG	68/0.25	42	3003.71	5.43 Ω/km
ANM14.002.02.011AB	SOW	600V	2X11AWG	85/0.25	16.3	380.57	4.30 Ω/km
ANM14.002.03.011AB	SOW	600V	3X11AWG	85/0.25	17	438.27	4.30 Ω/km
ANM14.002.04.011AB	SOW	600V	4X11AWG	85/0.25	18.3	522.67	4.30 Ω/km
ANM14.002.05.011AB	SOW	600V	5X11AWG	85/0.25	19.8	620.77	4.30 Ω/km
ANM14.002.06.011AB	SOW	600V	6X11AWG	85/0.25	21.9	755.07	4.30 Ω/km
ANM14.002.07.011AB	SOW	600V	7X11AWG	85/0.25	21.9	784.37	4.30 Ω/km
ANM14.002.08.011AB	SOW	600V	8X11AWG	85/0.25	23.5	901.17	4.30 Ω/km
ANM14.002.09.011AB	SOW	600V	9X11AWG	85/0.25	26.4	1103.77	4.30 Ω/km
ANM14.002.10.011AB	SOW	600V	10X11AWG	85/0.25	27.9	1231.27	4.30 Ω/km



ANM14.002.11.011AB	SOW	600V	11X11AWG	85/0.25	28.8	1322.07	4.30 Ω/km
ANM14.002.12.011AB	SOW	600V	12X11AWG	85/0.25	28.8	1351.37	4.30 Ω/km
ANM14.002.13.011AB	SOW	600V	13X11AWG	85/0.25	30.1	1472.97	4.30 Ω/km
ANM14.002.14.011AB	SOW	600V	14X11AWG	85/0.25	30.1	1502.27	4.30 Ω/km
ANM14.002.15.011AB	SOW	600V	15X11AWG	85/0.25	31.6	1643.17	4.30 Ω/km
ANM14.002.16.011AB	SOW	600V	16X11AWG	85/0.25	31.6	1672.57	4.30 Ω/km
ANM14.002.17.011AB	SOW	600V	17X11AWG	85/0.25	34.1	1898.27	4.30 Ω/km
ANM14.002.18.011AB	SOW	600V	18X11AWG	85/0.25	34.1	1927.77	4.30 Ω/km
ANM14.002.19.011AB	SOW	600V	19X11AWG	85/0.25	34.1	1957.07	4.30 Ω/km
ANM14.002.20.011AB	SOW	600V	20X11AWG	85/0.25	35	2061.37	4.30 Ω/km
ANM14.002.21.011AB	SOW	600V	21X11AWG	85/0.25	35.7	2150.27	4.30 Ω/km
ANM14.002.22.011AB	SOW	600V	22X11AWG	85/0.25	37.8	2365.47	4.30 Ω/km
ANM14.002.23.011AB	SOW	600V	23X11AWG	85/0.25	39.6	2562.77	4.30 Ω/km
ANM14.002.24.011AB	SOW	600V	24X11AWG	85/0.25	39.6	2592.07	4.30 Ω/km
ANM14.002.25.011AB	SOW	600V	25X11AWG	85/0.25	40.5	2708.27	4.30 Ω/km
ANM14.002.26.011AB	SOW	600V	26X11AWG	85/0.25	40.5	2737.67	4.30 Ω/km
ANM14.002.27.011AB	SOW	600V	27X11AWG	85/0.25	40.5	2766.97	4.30 Ω/km
ANM14.002.28.011AB	SOW	600V	28X11AWG	85/0.25	41.8	2925.37	4.30 Ω/km
ANM14.002.29.011AB	SOW	600V	29X11AWG	85/0.25	41.8	2954.67	4.30 Ω/km
ANM14.002.30.011AB	SOW	600V	30X11AWG	85/0.25	41.8	2984.07	4.30 Ω/km
ANM14.002.31.011AB	SOW	600V	31X11AWG	85/0.25	43.3	3167.27	4.30 Ω/km
ANM14.002.32.011AB	SOW	600V	32X11AWG	85/0.25	43.3	3196.57	4.30 Ω/km
ANM14.002.33.011AB	SOW	600V	33X11AWG	85/0.25	43.3	3226.07	4.30 Ω/km
ANM14.002.34.011AB	SOW	600V	34X11AWG	85/0.25	44.8	3414.57	4.30 Ω/km
ANM14.002.35.011AB	SOW	600V	35X11AWG	85/0.25	44.8	3443.97	4.30 Ω/km
ANM14.002.36.011AB	SOW	600V	36X11AWG	85/0.25	44.8	3473.37	4.30 Ω/km
ANM14.002.37.011AB	SOW	600V	37X11AWG	85/0.25	44.8	3502.67	4.30 Ω/km
ANM14.002.02.010AB	SOW	600V	2X10AWG	108/0.25	17.3	433.77	3.409 Ω/km
ANM14.002.03.010AB	SOW	600V	3X10AWG	108/0.25	18.2	507.17	3.409 Ω/km
ANM14.002.04.010AB	SOW	600V	4X10AWG	108/0.25	19.6	606.07	3.409 Ω/km
ANM14.002.05.010AB	SOW	600V	5X10AWG	108/0.25	21.2	719.67	3.409 Ω/km
ANM14.002.06.010AB	SOW	600V	6X10AWG	108/0.25	23.7	889.27	3.409 Ω/km
ANM14.002.07.010AB	SOW	600V	7X10AWG	108/0.25	23.7	924.37	3.409 Ω/km
ANM14.002.08.010AB	SOW	600V	8X10AWG	108/0.25	26.3	1115.07	3.409 Ω/km
ANM14.002.09.010AB	SOW	600V	9X10AWG	108/0.25	28.6	1302.07	3.409 Ω/km
ANM14.002.10.010AB	SOW	600V	10X10AWG	108/0.25	30.3	1457.67	3.409 Ω/km
ANM14.002.11.010AB	SOW	600V	11X10AWG	108/0.25	31.2	1559.37	3.409 Ω/km
ANM14.002.12.010AB	SOW	600V	12X10AWG	108/0.25	31.2	1594.47	3.409 Ω/km
ANM14.002.13.010AB	SOW	600V	13X10AWG	108/0.25	33.8	1831.77	3.409 Ω/km
ANM14.002.14.010AB	SOW	600V	14X10AWG	108/0.25	33.8	1866.87	3.409 Ω/km
ANM14.002.15.010AB	SOW	600V	15X10AWG	108/0.25	35.4	2035.27	3.409 Ω/km
ANM14.002.16.010AB	SOW	600V	16X10AWG	108/0.25	35.4	2070.47	3.409 Ω/km



ANM14.002.17.010AB	SOW	600V	17X10AWG	108/0.25	37.1	2253.87	3.409 Ω/km
ANM14.002.18.010AB	SOW	600V	18X10AWG	108/0.25	37.1	2288.97	3.409 Ω/km
ANM14.002.19.010AB	SOW	600V	19X10AWG	108/0.25	37.1	2324.07	3.409 Ω/km
ANM14.002.20.010AB	SOW	600V	20X10AWG	108/0.25	38	2440.57	3.409 Ω/km
ANM14.002.21.010AB	SOW	600V	21X10AWG	108/0.25	39.2	2587.17	3.409 Ω/km
ANM14.002.22.010AB	SOW	600V	22X10AWG	108/0.25	41.5	2845.97	3.409 Ω/km
ANM14.002.23.010AB	SOW	600V	23X10AWG	108/0.25	43.2	3054.47	3.409 Ω/km
ANM14.002.24.010AB	SOW	600V	24X10AWG	108/0.25	43.2	3089.67	3.409 Ω/km
ANM14.002.25.010AB	SOW	600V	25X10AWG	108/0.25	44.1	3219.37	3.409 Ω/km
ANM14.002.26.010AB	SOW	600V	26X10AWG	108/0.25	44.1	3254.47	3.409 Ω/km
ANM14.002.27.010AB	SOW	600V	27X10AWG	108/0.25	44.1	3289.47	3.409 Ω/km
ANM14.002.28.010AB	SOW	600V	28X10AWG	108/0.25	45.7	3497.87	3.409 Ω/km
ANM14.002.29.010AB	SOW	600V	29X10AWG	108/0.25	45.7	3532.97	3.409 Ω/km
ANM14.002.30.010AB	SOW	600V	30X10AWG	108/0.25	45.7	3568.07	3.409 Ω/km
ANM14.002.31.010AB	SOW	600V	31X10AWG	108/0.25	48.3	3895.77	3.409 Ω/km
ANM14.002.32.010AB	SOW	600V	32X10AWG	108/0.25	48.3	3930.87	3.409 Ω/km
ANM14.002.33.010AB	SOW	600V	33X10AWG	108/0.25	48.3	3965.87	3.409 Ω/km
ANM14.002.34.010AB	SOW	600V	34X10AWG	108/0.25	50	4202.27	3.409 Ω/km
ANM14.002.35.010AB	SOW	600V	35X10AWG	108/0.25	50	4237.37	3.409 Ω/km
ANM14.002.36.010AB	SOW	600V	36X10AWG	108/0.25	50	4272.57	3.409 Ω/km
ANM14.002.37.010AB	SOW	600V	37X10AWG	108/0.25	50	4307.57	3.409 Ω/km
ANM14.002.02.009AB	SOW	600V	2X9AWG	136/0.25	18.1	487.84	2.705 Ω/km
ANM14.002.03.009AB	SOW	600V	3X9AWG	136/0.25	19.1	577.04	2.705 Ω/km
ANM14.002.04.009AB	SOW	600V	4X9AWG	136/0.25	20.5	688.44	2.705 Ω/km
ANM14.002.05.009AB	SOW	600V	5X9AWG	136/0.25	22.3	825.64	2.705 Ω/km
ANM14.002.06.009AB	SOW	600V	6X9AWG	136/0.25	24.9	1017.04	2.705 Ω/km
ANM14.002.07.009AB	SOW	600V	7X9AWG	136/0.25	24.9	1061.44	2.705 Ω/km
ANM14.002.08.009AB	SOW	600V	8X9AWG	136/0.25	27.6	1275.94	2.705 Ω/km
ANM14.002.09.009AB	SOW	600V	9X9AWG	136/0.25	30.1	1493.94	2.705 Ω/km
ANM14.002.10.009AB	SOW	600V	10X9AWG	136/0.25	31.9	1672.74	2.705 Ω/km
ANM14.002.11.009AB	SOW	600V	11X9AWG	136/0.25	33.9	1874.44	2.705 Ω/km
ANM14.002.12.009AB	SOW	600V	12X9AWG	136/0.25	33.9	1918.94	2.705 Ω/km
ANM14.002.13.009AB	SOW	600V	13X9AWG	136/0.25	35.5	2097.14	2.705 Ω/km
ANM14.002.14.009AB	SOW	600V	14X9AWG	136/0.25	35.5	2141.54	2.705 Ω/km
ANM14.002.15.009AB	SOW	600V	15X9AWG	136/0.25	37.3	2343.84	2.705 Ω/km
ANM14.002.16.009AB	SOW	600V	16X9AWG	136/0.25	37.3	2388.44	2.705 Ω/km
ANM14.002.17.009AB	SOW	600V	17X9AWG	136/0.25	39.4	2626.84	2.705 Ω/km
ANM14.002.18.009AB	SOW	600V	18X9AWG	136/0.25	39.4	2671.34	2.705 Ω/km
ANM14.002.19.009AB	SOW	600V	19X9AWG	136/0.25	39.4	2715.74	2.705 Ω/km
ANM14.002.20.009AB	SOW	600V	20X9AWG	136/0.25	40.4	2856.44	2.705 Ω/km
ANM14.002.21.009AB	SOW	600V	21X9AWG	136/0.25	41.3	2989.54	2.705 Ω/km
ANM14.002.22.009AB	SOW	600V	22X9AWG	136/0.25	43.8	3290.34	2.705 Ω/km



ANM14.002.23.009AB	SOW	600V	23X9AWG	136/0.25	45.6	3528.74	2.705 Ω/km
ANM14.002.24.009AB	SOW	600V	24X9AWG	136/0.25	45.6	3573.24	2.705 Ω/km
ANM14.002.25.009AB	SOW	600V	25X9AWG	136/0.25	47.6	3840.54	2.705 Ω/km
ANM14.002.26.009AB	SOW	600V	26X9AWG	136/0.25	47.6	3884.94	2.705 Ω/km
ANM14.002.27.009AB	SOW	600V	27X9AWG	136/0.25	47.6	3929.44	2.705 Ω/km
ANM14.002.28.009AB	SOW	600V	28X9AWG	136/0.25	49.2	4160.44	2.705 Ω/km
ANM14.002.29.009AB	SOW	600V	29X9AWG	136/0.25	49.2	4205.04	2.705 Ω/km
ANM14.002.30.009AB	SOW	600V	30X9AWG	136/0.25	49.2	4249.54	2.705 Ω/km
ANM14.002.31.009AB	SOW	600V	31X9AWG	136/0.25	51	4511.24	2.705 Ω/km
ANM14.002.32.009AB	SOW	600V	32X9AWG	136/0.25	51	4555.84	2.705 Ω/km
ANM14.002.33.009AB	SOW	600V	33X9AWG	136/0.25	51	4600.24	2.705 Ω/km
ANM14.002.34.009AB	SOW	600V	34X9AWG	136/0.25	52.8	4870.04	2.705 Ω/km
ANM14.002.35.009AB	SOW	600V	35X9AWG	136/0.25	52.8	4914.44	2.705 Ω/km
ANM14.002.36.009AB	SOW	600V	36X9AWG	136/0.25	52.8	4959.04	2.705 Ω/km
ANM14.002.37.009AB	SOW	600V	37X9AWG	136/0.25	52.8	5003.54	2.705 Ω/km
ANM14.002.02.008AB	SOW	600V	2X8AWG	171/0.25	21.7	687.27	2.144 Ω/km
ANM14.002.03.008AB	SOW	600V	3X8AWG	171/0.25	22.9	809.27	2.144 Ω/km
ANM14.002.04.008AB	SOW	600V	4X8AWG	171/0.25	25.8	1035.87	2.144 Ω/km
ANM14.002.05.008AB	SOW	600V	5X8AWG	171/0.25	27.9	1229.07	2.144 Ω/km
ANM14.002.06.008AB	SOW	600V	6X8AWG	171/0.25	30.4	1461.67	2.144 Ω/km
ANM14.002.07.008AB	SOW	600V	7X8AWG	171/0.25	30.4	1519.37	2.144 Ω/km
ANM14.002.08.008AB	SOW	600V	8X8AWG	171/0.25	32.6	1743.67	2.144 Ω/km
ANM14.002.09.008AB	SOW	600V	9X8AWG	171/0.25	36.6	2133.17	2.144 Ω/km
ANM14.002.10.008AB	SOW	600V	10X8AWG	171/0.25	38.7	2381.17	2.144 Ω/km
ANM14.002.11.008AB	SOW	600V	11X8AWG	171/0.25	40.2	2581.27	2.144 Ω/km
ANM14.002.12.008AB	SOW	600V	12X8AWG	171/0.25	40.2	2638.97	2.144 Ω/km
ANM14.002.13.008AB	SOW	600V	13X8AWG	171/0.25	43.1	2985.77	2.144 Ω/km
ANM14.002.14.008AB	SOW	600V	14X8AWG	171/0.25	43.1	3043.47	2.144 Ω/km
ANM14.002.15.008AB	SOW	600V	15X8AWG	171/0.25	45.2	3324.37	2.144 Ω/km
ANM14.002.16.008AB	SOW	600V	16X8AWG	171/0.25	45.2	3382.07	2.144 Ω/km
ANM14.002.17.008AB	SOW	600V	17X8AWG	171/0.25	47.3	3673.67	2.144 Ω/km
ANM14.002.18.008AB	SOW	600V	18X8AWG	171/0.25	47.3	3731.37	2.144 Ω/km
ANM14.002.19.008AB	SOW	600V	19X8AWG	171/0.25	47.3	3789.07	2.144 Ω/km
ANM14.002.20.008AB	SOW	600V	20X8AWG	171/0.25	49.7	4124.67	2.144 Ω/km
ANM14.002.21.008AB	SOW	600V	21X8AWG	171/0.25	50.7	4303.27	2.144 Ω/km
ANM14.002.22.008AB	SOW	600V	22X8AWG	171/0.25	53.7	4737.97	2.144 Ω/km
ANM14.002.23.008AB	SOW	600V	23X8AWG	171/0.25	56.8	5205.97	2.144 Ω/km
ANM14.002.24.008AB	SOW	600V	24X8AWG	171/0.25	56.8	5263.67	2.144 Ω/km
ANM14.002.25.008AB	SOW	600V	25X8AWG	171/0.25	58	5487.27	2.144 Ω/km
ANM14.002.26.008AB	SOW	600V	26X8AWG	171/0.25	58	5544.87	2.144 Ω/km
ANM14.002.27.008AB	SOW	600V	27X8AWG	171/0.25	58	5602.67	2.144 Ω/km
ANM14.002.28.008AB	SOW	600V	28X8AWG	171/0.25	59.9	5930.07	2.144 Ω/km



ANM14.002.29.008AB	SOW	600V	29X8AWG	171/0.25	59.9	5987.67	2.144 Ω/km
ANM14.002.30.008AB	SOW	600V	30X8AWG	171/0.25	59.9	6045.47	2.144 Ω/km
ANM14.002.31.008AB	SOW	600V	31X8AWG	171/0.25	62	6411.27	2.144 Ω/km
ANM14.002.32.008AB	SOW	600V	32X8AWG	171/0.25	62	6469.07	2.144 Ω/km
ANM14.002.33.008AB	SOW	600V	33X8AWG	171/0.25	62	6526.77	2.144 Ω/km
ANM14.002.34.008AB	SOW	600V	34X8AWG	171/0.25	64.9	7025.77	2.144 Ω/km
ANM14.002.35.008AB	SOW	600V	35X8AWG	171/0.25	64.9	7083.37	2.144 Ω/km
ANM14.002.36.008AB	SOW	600V	36X8AWG	171/0.25	64.9	7141.17	2.144 Ω/km
ANM14.002.37.008AB	SOW	600V	37X8AWG	171/0.25	64.9	7198.77	2.144 Ω/km
ANM14.002.02.007AB	SOW	600V	2X7AWG	84/0.4	23.3	803.85	1.700 Ω/km
ANM14.002.03.007AB	SOW	600V	3X7AWG	84/0.4	24.6	950.45	1.700 Ω/km
ANM14.002.04.007AB	SOW	600V	4X7AWG	84/0.4	26.6	1145.45	1.700 Ω/km
ANM14.002.05.007AB	SOW	600V	5X7AWG	84/0.4	28.9	1370.75	1.700 Ω/km
ANM14.002.06.007AB	SOW	600V	6X7AWG	84/0.4	32.2	1684.05	1.700 Ω/km
ANM14.002.07.007AB	SOW	600V	7X7AWG	84/0.4	32.2	1755.85	1.700 Ω/km
ANM14.002.08.007AB	SOW	600V	8X7AWG	84/0.4	35.6	2103.65	1.700 Ω/km
ANM14.002.09.007AB	SOW	600V	9X7AWG	84/0.4	38.8	2461.95	1.700 Ω/km
ANM14.002.10.007AB	SOW	600V	10X7AWG	84/0.4	42.4	2884.05	1.700 Ω/km
ANM14.002.11.007AB	SOW	600V	11X7AWG	84/0.4	43.7	3090.55	1.700 Ω/km
ANM14.002.12.007AB	SOW	600V	12X7AWG	84/0.4	43.7	3162.35	1.700 Ω/km
ANM14.002.13.007AB	SOW	600V	13X7AWG	84/0.4	45.7	3449.35	1.700 Ω/km
ANM14.002.14.007AB	SOW	600V	14X7AWG	84/0.4	45.7	3521.15	1.700 Ω/km
ANM14.002.15.007AB	SOW	600V	15X7AWG	84/0.4	48	3852.55	1.700 Ω/km
ANM14.002.16.007AB	SOW	600V	16X7AWG	84/0.4	48	3924.25	1.700 Ω/km
ANM14.002.17.007AB	SOW	600V	17X7AWG	84/0.4	51.5	4412.95	1.700 Ω/km
ANM14.002.18.007AB	SOW	600V	18X7AWG	84/0.4	51.5	4484.75	1.700 Ω/km
ANM14.002.19.007AB	SOW	600V	19X7AWG	84/0.4	51.5	4556.55	1.700 Ω/km
ANM14.002.02.006AB	SOW	600V	2X6AWG	106/0.4	24.5	912.8	1.348 Ω/km
ANM14.002.03.006AB	SOW	600V	3X6AWG	106/0.4	25.9	1088	1.348 Ω/km
ANM14.002.04.006AB	SOW	600V	4X6AWG	106/0.4	29.1	1388.9	1.348 Ω/km
ANM14.002.05.006AB	SOW	600V	5X6AWG	106/0.4	31.5	1654.3	1.348 Ω/km
ANM14.002.06.006AB	SOW	600V	6X6AWG	106/0.4	35	2023.4	1.348 Ω/km
ANM14.002.07.006AB	SOW	600V	7X6AWG	106/0.4	35	2113.8	1.348 Ω/km
ANM14.002.08.006AB	SOW	600V	8X6AWG	106/0.4	37.6	2431.3	1.348 Ω/km
ANM14.002.09.006AB	SOW	600V	9X6AWG	106/0.4	42.3	2972.2	1.348 Ω/km
ANM14.002.10.006AB	SOW	600V	10X6AWG	106/0.4	44.8	3324.7	1.348 Ω/km
ANM14.002.11.006AB	SOW	600V	11X6AWG	106/0.4	46.2	3568.3	1.348 Ω/km
ANM14.002.12.006AB	SOW	600V	12X6AWG	106/0.4	46.2	3658.7	1.348 Ω/km
ANM14.002.13.006AB	SOW	600V	13X6AWG	106/0.4	49.6	4139	1.348 Ω/km
ANM14.002.14.006AB	SOW	600V	14X6AWG	106/0.4	49.6	4229.4	1.348 Ω/km
ANM14.002.15.006AB	SOW	600V	15X6AWG	106/0.4	52	4613.3	1.348 Ω/km
ANM14.002.16.006AB	SOW	600V	16X6AWG	106/0.4	52	4703.7	1.348 Ω/km



ANM14.002.17.006AB	SOW	600V	17X6AWG	106/0.4	54.5	5114.7	1.348 Ω/km
ANM14.002.18.006AB	SOW	600V	18X6AWG	106/0.4	54.5	5205	1.348 Ω/km
ANM14.002.19.006AB	SOW	600V	19X6AWG	106/0.4	54.5	5295.4	1.348 Ω/km
ANM14.002.02.005AB	SOW	600V	2X5AWG	134/0.4	26.9	1109.77	1.070 Ω/km
ANM14.002.03.005AB	SOW	600V	3X5AWG	134/0.4	28.4	1322.97	1.070 Ω/km
ANM14.002.04.005AB	SOW	600V	4X5AWG	134/0.4	30.8	1607.17	1.070 Ω/km
ANM14.002.05.005AB	SOW	600V	5X5AWG	134/0.4	33.4	1921.47	1.070 Ω/km
ANM14.002.06.005AB	SOW	600V	6X5AWG	134/0.4	37.1	2347.37	1.070 Ω/km
ANM14.002.07.005AB	SOW	600V	7X5AWG	134/0.4	37.1	2460.77	1.070 Ω/km
ANM14.002.08.005AB	SOW	600V	8X5AWG	134/0.4	40.2	2862.67	1.070 Ω/km
ANM14.002.09.005AB	SOW	600V	9X5AWG	134/0.4	44.9	3455.97	1.070 Ω/km
ANM14.002.10.005AB	SOW	600V	10X5AWG	134/0.4	47.6	3869.97	1.070 Ω/km
ANM14.002.11.005AB	SOW	600V	11X5AWG	134/0.4	50.3	4299.37	1.070 Ω/km
ANM14.002.12.005AB	SOW	600V	12X5AWG	134/0.4	50.3	4412.87	1.070 Ω/km
ANM14.002.13.005AB	SOW	600V	13X5AWG	134/0.4	52.7	4824.07	1.070 Ω/km
ANM14.002.14.005AB	SOW	600V	14X5AWG	134/0.4	52.7	4937.47	1.070 Ω/km
ANM14.002.15.005AB	SOW	600V	15X5AWG	134/0.4	55.3	5388.97	1.070 Ω/km
ANM14.002.16.005AB	SOW	600V	16X5AWG	134/0.4	55.3	5502.47	1.070 Ω/km
ANM14.002.17.005AB	SOW	600V	17X5AWG	134/0.4	59	6122.87	1.070 Ω/km
ANM14.002.18.005AB	SOW	600V	18X5AWG	134/0.4	59	6236.37	1.070 Ω/km
ANM14.002.19.005AB	SOW	600V	19X5AWG	134/0.4	59	6349.77	1.070 Ω/km
ANM14.002.02.004AB	SOW	600V	2X4AWG	169/0.4	28.5	1278.25	0.8481 Ω/km
ANM14.002.03.004AB	SOW	600V	3X4AWG	169/0.4	30.1	1533.25	0.8481 Ω/km
ANM14.002.04.004AB	SOW	600V	4X4AWG	169/0.4	33.7	1950.55	0.8481 Ω/km
ANM14.002.05.004AB	SOW	600V	5X4AWG	169/0.4	36.5	2329.15	0.8481 Ω/km
ANM14.002.06.004AB	SOW	600V	6X4AWG	169/0.4	39.5	2745.85	0.8481 Ω/km
ANM14.002.07.004AB	SOW	600V	7X4AWG	169/0.4	39.5	2888.15	0.8481 Ω/km
ANM14.002.08.004AB	SOW	600V	8X4AWG	169/0.4	43.8	3459.85	0.8481 Ω/km
ANM14.002.09.004AB	SOW	600V	9X4AWG	169/0.4	47.8	4043.25	0.8481 Ω/km
ANM14.002.10.004AB	SOW	600V	10X4AWG	169/0.4	52	4687.85	0.8481 Ω/km
ANM14.002.11.004AB	SOW	600V	11X4AWG	169/0.4	53.6	5033.45	0.8481 Ω/km
ANM14.002.12.004AB	SOW	600V	12X4AWG	169/0.4	53.6	5175.75	0.8481 Ω/km
ANM14.002.13.004AB	SOW	600V	13X4AWG	169/0.4	57.2	5796.15	0.8481 Ω/km
ANM14.002.14.004AB	SOW	600V	14X4AWG	169/0.4	57.2	5938.55	0.8481 Ω/km
ANM14.002.15.004AB	SOW	600V	15X4AWG	169/0.4	60	6475.75	0.8481 Ω/km
ANM14.002.16.004AB	SOW	600V	16X4AWG	169/0.4	60	6618.05	0.8481 Ω/km
ANM14.002.17.004AB	SOW	600V	17X4AWG	169/0.4	63	7204.75	0.8481 Ω/km
ANM14.002.18.004AB	SOW	600V	18X4AWG	169/0.4	63	7347.05	0.8481 Ω/km
ANM14.002.19.004AB	SOW	600V	19X4AWG	169/0.4	63	7489.25	0.8481 Ω/km
ANM14.002.02.003AB	SOW	600V	2X3AWG	213/0.4	30.5	1511.57	0.6727 Ω/km
ANM14.002.03.003AB	SOW	600V	3X3AWG	213/0.4	32.2	1825.27	0.6727 Ω/km
ANM14.002.04.003AB	SOW	600V	4X3AWG	213/0.4	34.9	2228.97	0.6727 Ω/km



ANM14.002.05.003AB	SOW	600V	5X3AWG	213/0.4	37.9	2677.47	0.6727 Ω/km
ANM14.002.06.003AB	SOW	600V	6X3AWG	213/0.4	42.3	3286.37	0.6727 Ω/km
ANM14.002.07.003AB	SOW	600V	7X3AWG	213/0.4	42.3	3472.07	0.6727 Ω/km
ANM14.002.08.003AB	SOW	600V	8X3AWG	213/0.4	45.5	3995.87	0.6727 Ω/km
ANM14.002.09.003AB	SOW	600V	9X3AWG	213/0.4	50.9	4806.07	0.6727 Ω/km
ANM14.002.10.003AB	SOW	600V	10X3AWG	213/0.4	54	5383.27	0.6727 Ω/km
ANM14.002.11.003AB	SOW	600V	11X3AWG	213/0.4	55.7	5793.57	0.6727 Ω/km
ANM14.002.12.003AB	SOW	600V	12X3AWG	213/0.4	55.7	5979.27	0.6727 Ω/km
ANM14.002.13.003AB	SOW	600V	13X3AWG	213/0.4	59.4	6675.67	0.6727 Ω/km
ANM14.002.14.003AB	SOW	600V	14X3AWG	213/0.4	59.4	6861.37	0.6727 Ω/km
ANM14.002.15.003AB	SOW	600V	15X3AWG	213/0.4	62.4	7487.17	0.6727 Ω/km
ANM14.002.16.003AB	SOW	600V	16X3AWG	213/0.4	62.4	7672.87	0.6727 Ω/km
ANM14.002.17.003AB	SOW	600V	17X3AWG	213/0.4	66.3	8461.07	0.6727 Ω/km
ANM14.002.18.003AB	SOW	600V	18X3AWG	213/0.4	66.3	8646.77	0.6727 Ω/km
ANM14.002.19.003AB	SOW	600V	19X3AWG	213/0.4	66.3	8832.47	0.6727 Ω/km
ANM14.002.02.002AB	SOW	600V	2X2AWG	268/0.4	33.1	1797.92	0.5335 Ω/km
ANM14.002.03.002AB	SOW	600V	3X2AWG	268/0.4	35	2179.62	0.5335 Ω/km
ANM14.002.04.002AB	SOW	600V	4X2AWG	268/0.4	39	2760.32	0.5335 Ω/km
ANM14.002.05.002AB	SOW	600V	5X2AWG	268/0.4	42.7	3350.12	0.5335 Ω/km
ANM14.002.06.002AB	SOW	600V	6X2AWG	268/0.4	46.2	3950.82	0.5335 Ω/km
ANM14.002.07.002AB	SOW	600V	7X2AWG	268/0.4	46.2	4176.92	0.5335 Ω/km
ANM14.002.08.002AB	SOW	600V	8X2AWG	268/0.4	51	4962.42	0.5335 Ω/km
ANM14.002.09.002AB	SOW	600V	9X2AWG	268/0.4	55.7	5792.32	0.5335 Ω/km
ANM14.002.10.002AB	SOW	600V	10X2AWG	268/0.4	60.2	6644.32	0.5335 Ω/km
ANM14.002.11.002AB	SOW	600V	11X2AWG	268/0.4	62.1	7150.12	0.5335 Ω/km
ANM14.002.12.002AB	SOW	600V	12X2AWG	268/0.4	62.1	7376.22	0.5335 Ω/km
ANM14.002.13.002AB	SOW	600V	13X2AWG	268/0.4	65.9	8186.22	0.5335 Ω/km
ANM14.002.14.002AB	SOW	600V	14X2AWG	268/0.4	65.9	8412.12	0.5335 Ω/km
ANM14.002.15.002AB	SOW	600V	15X2AWG	268/0.4	69.3	9192.02	0.5335 Ω/km
ANM14.002.16.002AB	SOW	600V	16X2AWG	268/0.4	69.3	9418.02	0.5335 Ω/km
ANM14.002.17.002AB	SOW	600V	17X2AWG	268/0.4	73.8	10417.02	0.5335 Ω/km
ANM14.002.18.002AB	SOW	600V	18X2AWG	268/0.4	73.8	10643.02	0.5335 Ω/km
ANM14.002.19.002AB	SOW	600V	19X2AWG	268/0.4	73.8	10869.22	0.5335 Ω/km