



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω /km
芯线 PVC 材质							
ANM10.002.02.019AB	UL20234	1000V	2X19AWG	43/0.14	7.4	73.46	27.4 Ω /km
ANM10.002.03.019AB	UL20234	1000V	3X19AWG	43/0.14	7.7	83.36	27.4 Ω /km
ANM10.002.04.019AB	UL20234	1000V	4X19AWG	43/0.14	8.2	97.36	27.4 Ω /km
ANM10.002.05.019AB	UL20234	1000V	5X19AWG	43/0.14	8.8	113.86	27.4 Ω /km
ANM10.002.06.019AB	UL20234	1000V	6X19AWG	43/0.14	9.3	129.16	27.4 Ω /km
ANM10.002.07.019AB	UL20234	1000V	7X19AWG	43/0.14	9.3	133.66	27.4 Ω /km
ANM10.002.08.019AB	UL20234	1000V	8X19AWG	43/0.14	9.9	151.96	27.4 Ω /km
ANM10.002.09.019AB	UL20234	1000V	9X19AWG	43/0.14	10.7	175.86	27.4 Ω /km
ANM10.002.10.019AB	UL20234	1000V	10X19AWG	43/0.14	11.2	193.56	27.4 Ω /km
ANM10.002.11.019AB	UL20234	1000V	11X19AWG	43/0.14	11.5	206.16	27.4 Ω /km
ANM10.002.12.019AB	UL20234	1000V	12X19AWG	43/0.14	11.5	210.86	27.4 Ω /km
ANM10.002.13.019AB	UL20234	1000V	13X19AWG	43/0.14	12	229.26	27.4 Ω /km
ANM10.002.14.019AB	UL20234	1000V	14X19AWG	43/0.14	12	233.96	27.4 Ω /km
ANM10.002.15.019AB	UL20234	1000V	15X19AWG	43/0.14	12.6	255.96	27.4 Ω /km
ANM10.002.16.019AB	UL20234	1000V	16X19AWG	43/0.14	12.6	260.66	27.4 Ω /km
ANM10.002.17.019AB	UL20234	1000V	17X19AWG	43/0.14	13.1	280.46	27.4 Ω /km
ANM10.002.18.019AB	UL20234	1000V	18X19AWG	43/0.14	13.1	285.16	27.4 Ω /km
ANM10.002.19.019AB	UL20234	1000V	19X19AWG	43/0.14	13.1	289.76	27.4 Ω /km
ANM10.002.20.019AB	UL20234	1000V	20X19AWG	43/0.14	13.4	303.86	27.4 Ω /km
ANM10.002.21.019AB	UL20234	1000V	21X19AWG	43/0.14	13.8	321.26	27.4 Ω /km
ANM10.002.22.019AB	UL20234	1000V	22X19AWG	43/0.14	14.6	352.96	27.4 Ω /km
ANM10.002.23.019AB	UL20234	1000V	23X19AWG	43/0.14	15.1	375.16	27.4 Ω /km
ANM10.002.24.019AB	UL20234	1000V	24X19AWG	43/0.14	15.1	379.86	27.4 Ω /km
ANM10.002.25.019AB	UL20234	1000V	25X19AWG	43/0.14	15.4	395.36	27.4 Ω /km
ANM10.002.26.019AB	UL20234	1000V	26X19AWG	43/0.14	15.4	400.06	27.4 Ω /km
ANM10.002.27.019AB	UL20234	1000V	27X19AWG	43/0.14	15.4	404.56	27.4 Ω /km
ANM10.002.28.019AB	UL20234	1000V	28X19AWG	43/0.14	15.9	427.76	27.4 Ω /km
ANM10.002.29.019AB	UL20234	1000V	29X19AWG	43/0.14	15.9	432.36	27.4 Ω /km
ANM10.002.30.019AB	UL20234	1000V	30X19AWG	43/0.14	15.9	436.96	27.4 Ω /km
ANM10.002.31.019AB	UL20234	1000V	31X19AWG	43/0.14	16.5	464.86	27.4 Ω /km
ANM10.002.32.019AB	UL20234	1000V	32X19AWG	43/0.14	16.5	469.46	27.4 Ω /km
ANM10.002.33.019AB	UL20234	1000V	33X19AWG	43/0.14	16.5	474.06	27.4 Ω /km
ANM10.002.34.019AB	UL20234	1000V	34X19AWG	43/0.14	17	498.66	27.4 Ω /km
ANM10.002.35.019AB	UL20234	1000V	35X19AWG	43/0.14	17	503.16	27.4 Ω /km
ANM10.002.36.019AB	UL20234	1000V	36X19AWG	43/0.14	17	507.96	27.4 Ω /km
ANM10.002.37.019AB	UL20234	1000V	37X19AWG	43/0.14	17	512.46	27.4 Ω /km
ANM10.002.38.019AB	UL20234	1000V	38X19AWG	43/0.14	17.6	541.86	27.4 Ω /km
ANM10.002.39.019AB	UL20234	1000V	39X19AWG	43/0.14	17.6	546.36	27.4 Ω /km
ANM10.002.40.019AB	UL20234	1000V	40X19AWG	43/0.14	17.6	551.16	27.4 Ω /km



ANM10.002.41.019AB	UL20234	1000V	41X19AWG	43/0.14	18.9	612.26	27.4Ω/km
ANM10.002.42.019AB	UL20234	1000V	42X19AWG	43/0.14	18.9	616.86	27.4Ω/km
ANM10.002.43.019AB	UL20234	1000V	43X19AWG	43/0.14	18.9	621.56	27.4Ω/km
ANM10.002.44.019AB	UL20234	1000V	44X19AWG	43/0.14	18.9	626.16	27.4Ω/km
ANM10.002.45.019AB	UL20234	1000V	45X19AWG	43/0.14	19.2	644.46	27.4Ω/km
ANM10.002.46.019AB	UL20234	1000V	46X19AWG	43/0.14	19.2	649.06	27.4Ω/km
ANM10.002.47.019AB	UL20234	1000V	47X19AWG	43/0.14	19.2	653.66	27.4Ω/km
ANM10.002.48.019AB	UL20234	1000V	48X19AWG	43/0.14	19.2	658.36	27.4Ω/km
ANM10.002.49.019AB	UL20234	1000V	49X19AWG	43/0.14	19.7	686.06	27.4Ω/km
ANM10.002.50.019AB	UL20234	1000V	50X19AWG	43/0.14	19.7	690.76	27.4Ω/km
ANM10.002.51.019AB	UL20234	1000V	51X19AWG	43/0.14	19.7	695.26	27.4Ω/km
ANM10.002.52.019AB	UL20234	1000V	52X19AWG	43/0.14	19.7	700.06	27.4Ω/km
ANM10.002.53.019AB	UL20234	1000V	53X19AWG	43/0.14	21.3	782.66	27.4Ω/km
ANM10.002.54.019AB	UL20234	1000V	54X19AWG	43/0.14	21.3	787.16	27.4Ω/km
ANM10.002.55.019AB	UL20234	1000V	55X19AWG	43/0.14	21.3	791.96	27.4Ω/km
ANM10.002.56.019AB	UL20234	1000V	56X19AWG	43/0.14	21.3	796.46	27.4Ω/km
ANM10.002.57.019AB	UL20234	1000V	57X19AWG	43/0.14	21.8	826.86	27.4Ω/km
ANM10.002.58.019AB	UL20234	1000V	58X19AWG	43/0.14	21.8	831.36	27.4Ω/km
ANM10.002.59.019AB	UL20234	1000V	59X19AWG	43/0.14	21.8	836.06	27.4Ω/km
ANM10.002.60.019AB	UL20234	1000V	60X19AWG	43/0.14	21.8	840.66	27.4Ω/km
ANM10.002.61.019AB	UL20234	1000V	61X19AWG	43/0.14	21.8	845.26	27.4Ω/km
ANM10.002.62.019AB	UL20234	1000V	62X19AWG	43/0.14	22.4	881.56	27.4Ω/km
ANM10.002.63.019AB	UL20234	1000V	63X19AWG	43/0.14	22.4	886.26	27.4Ω/km
ANM10.002.64.019AB	UL20234	1000V	64X19AWG	43/0.14	22.4	890.86	27.4Ω/km
ANM10.002.65.019AB	UL20234	1000V	65X19AWG	43/0.14	22.4	895.46	27.4Ω/km
ANM10.002.02.018AB	UL20234	1000V	2X18AWG	29/0.19	7.6	79.73	21.8Ω/km
ANM10.002.03.018AB	UL20234	1000V	3X18AWG	29/0.19	8	92.93	21.8Ω/km
ANM10.002.04.018AB	UL20234	1000V	4X18AWG	29/0.19	8.5	108.73	21.8Ω/km
ANM10.002.05.018AB	UL20234	1000V	5X18AWG	29/0.19	9	124.83	21.8Ω/km
ANM10.002.06.018AB	UL20234	1000V	6X18AWG	29/0.19	9.6	143.83	21.8Ω/km
ANM10.002.07.018AB	UL20234	1000V	7X18AWG	29/0.19	9.6	149.93	21.8Ω/km
ANM10.002.08.018AB	UL20234	1000V	8X18AWG	29/0.19	10.2	169.83	21.8Ω/km
ANM10.002.09.018AB	UL20234	1000V	9X18AWG	29/0.19	11	195.73	21.8Ω/km
ANM10.002.10.018AB	UL20234	1000V	10X18AWG	29/0.19	11.6	217.83	21.8Ω/km
ANM10.002.11.018AB	UL20234	1000V	11X18AWG	29/0.19	12	234.93	21.8Ω/km
ANM10.002.12.018AB	UL20234	1000V	12X18AWG	29/0.19	12	240.73	21.8Ω/km
ANM10.002.13.018AB	UL20234	1000V	13X18AWG	29/0.19	12.5	261.33	21.8Ω/km
ANM10.002.14.018AB	UL20234	1000V	14X18AWG	29/0.19	12.5	267.23	21.8Ω/km
ANM10.002.15.018AB	UL20234	1000V	15X18AWG	29/0.19	13	288.23	21.8Ω/km
ANM10.002.16.018AB	UL20234	1000V	16X18AWG	29/0.19	13	294.33	21.8Ω/km
ANM10.002.17.018AB	UL20234	1000V	17X18AWG	29/0.19	13.6	319.03	21.8Ω/km
ANM10.002.18.018AB	UL20234	1000V	18X18AWG	29/0.19	13.6	325.03	21.8Ω/km



ANM10.002.19.018AB	UL20234	1000V	19X18AWG	29/0.19	13.6	331.13	21.8 Ω/km
ANM10.002.20.018AB	UL20234	1000V	20X18AWG	29/0.19	14.1	353.43	21.8 Ω/km
ANM10.002.21.018AB	UL20234	1000V	21X18AWG	29/0.19	14.3	366.13	21.8 Ω/km
ANM10.002.22.018AB	UL20234	1000V	22X18AWG	29/0.19	15.1	400.13	21.8 Ω/km
ANM10.002.23.018AB	UL20234	1000V	23X18AWG	29/0.19	15.7	427.93	21.8 Ω/km
ANM10.002.24.018AB	UL20234	1000V	24X18AWG	29/0.19	15.7	433.83	21.8 Ω/km
ANM10.002.25.018AB	UL20234	1000V	25X18AWG	29/0.19	16.1	455.13	21.8 Ω/km
ANM10.002.26.018AB	UL20234	1000V	26X18AWG	29/0.19	16.1	460.93	21.8 Ω/km
ANM10.002.27.018AB	UL20234	1000V	27X18AWG	29/0.19	16.1	466.93	21.8 Ω/km
ANM10.002.28.018AB	UL20234	1000V	28X18AWG	29/0.19	16.6	492.23	21.8 Ω/km
ANM10.002.29.018AB	UL20234	1000V	29X18AWG	29/0.19	16.6	498.33	21.8 Ω/km
ANM10.002.30.018AB	UL20234	1000V	30X18AWG	29/0.19	16.6	504.33	21.8 Ω/km
ANM10.002.31.018AB	UL20234	1000V	31X18AWG	29/0.19	17.1	530.13	21.8 Ω/km
ANM10.002.32.018AB	UL20234	1000V	32X18AWG	29/0.19	17.1	536.13	21.8 Ω/km
ANM10.002.33.018AB	UL20234	1000V	33X18AWG	29/0.19	17.1	542.13	21.8 Ω/km
ANM10.002.34.018AB	UL20234	1000V	34X18AWG	29/0.19	17.7	572.93	21.8 Ω/km
ANM10.002.35.018AB	UL20234	1000V	35X18AWG	29/0.19	17.7	579.03	21.8 Ω/km
ANM10.002.36.018AB	UL20234	1000V	36X18AWG	29/0.19	17.7	584.93	21.8 Ω/km
ANM10.002.37.018AB	UL20234	1000V	37X18AWG	29/0.19	17.7	590.83	21.8 Ω/km
ANM10.002.38.018AB	UL20234	1000V	38X18AWG	29/0.19	18.3	622.53	21.8 Ω/km
ANM10.002.39.018AB	UL20234	1000V	39X18AWG	29/0.19	18.3	628.53	21.8 Ω/km
ANM10.002.40.018AB	UL20234	1000V	40X18AWG	29/0.19	18.3	634.43	21.8 Ω/km
ANM10.002.41.018AB	UL20234	1000V	41X18AWG	29/0.19	19.7	703.83	21.8 Ω/km
ANM10.002.42.018AB	UL20234	1000V	42X18AWG	29/0.19	19.7	709.73	21.8 Ω/km
ANM10.002.43.018AB	UL20234	1000V	43X18AWG	29/0.19	19.7	715.73	21.8 Ω/km
ANM10.002.44.018AB	UL20234	1000V	44X18AWG	29/0.19	19.7	721.73	21.8 Ω/km
ANM10.002.45.018AB	UL20234	1000V	45X18AWG	29/0.19	20.1	746.73	21.8 Ω/km
ANM10.002.46.018AB	UL20234	1000V	46X18AWG	29/0.19	20.1	752.63	21.8 Ω/km
ANM10.002.47.018AB	UL20234	1000V	47X18AWG	29/0.19	20.1	758.73	21.8 Ω/km
ANM10.002.48.018AB	UL20234	1000V	48X18AWG	29/0.19	20.1	764.53	21.8 Ω/km
ANM10.002.49.018AB	UL20234	1000V	49X18AWG	29/0.19	21.6	844.83	21.8 Ω/km
ANM10.002.50.018AB	UL20234	1000V	50X18AWG	29/0.19	21.6	850.93	21.8 Ω/km
ANM10.002.51.018AB	UL20234	1000V	51X18AWG	29/0.19	21.6	856.73	21.8 Ω/km
ANM10.002.52.018AB	UL20234	1000V	52X18AWG	29/0.19	21.6	862.73	21.8 Ω/km
ANM10.002.53.018AB	UL20234	1000V	53X18AWG	29/0.19	22.1	894.73	21.8 Ω/km
ANM10.002.54.018AB	UL20234	1000V	54X18AWG	29/0.19	22.1	900.63	21.8 Ω/km
ANM10.002.55.018AB	UL20234	1000V	55X18AWG	29/0.19	22.1	906.63	21.8 Ω/km
ANM10.002.56.018AB	UL20234	1000V	56X18AWG	29/0.19	22.1	912.43	21.8 Ω/km
ANM10.002.57.018AB	UL20234	1000V	57X18AWG	29/0.19	22.7	950.63	21.8 Ω/km
ANM10.002.58.018AB	UL20234	1000V	58X18AWG	29/0.19	22.7	956.63	21.8 Ω/km
ANM10.002.59.018AB	UL20234	1000V	59X18AWG	29/0.19	22.7	962.53	21.8 Ω/km
ANM10.002.60.018AB	UL20234	1000V	60X18AWG	29/0.19	22.7	968.53	21.8 Ω/km



ANM10.002.61.018AB	UL20234	1000V	61X18AWG	29/0.19	22.7	974.53	21.8 Ω/km
ANM10.002.62.018AB	UL20234	1000V	62X18AWG	29/0.19	23.3	1013.33	21.8 Ω/km
ANM10.002.63.018AB	UL20234	1000V	63X18AWG	29/0.19	23.3	1019.43	21.8 Ω/km
ANM10.002.64.018AB	UL20234	1000V	64X18AWG	29/0.19	23.3	1025.43	21.8 Ω/km
ANM10.002.65.018AB	UL20234	1000V	65X18AWG	29/0.19	23.3	1031.23	21.8 Ω/km
ANM10.002.02.017AB	UL20234	1000V	2X17AWG	37/0.19	8	90.14	17.3 Ω/km
ANM10.002.03.017AB	UL20234	1000V	3X17AWG	37/0.19	8.4	105.14	17.3 Ω/km
ANM10.002.04.017AB	UL20234	1000V	4X17AWG	37/0.19	9	124.74	17.3 Ω/km
ANM10.002.05.017AB	UL20234	1000V	5X17AWG	37/0.19	9.6	145.24	17.3 Ω/km
ANM10.002.06.017AB	UL20234	1000V	6X17AWG	37/0.19	10.2	166.54	17.3 Ω/km
ANM10.002.07.017AB	UL20234	1000V	7X17AWG	37/0.19	10.2	173.84	17.3 Ω/km
ANM10.002.08.017AB	UL20234	1000V	8X17AWG	37/0.19	10.9	198.64	17.3 Ω/km
ANM10.002.09.017AB	UL20234	1000V	9X17AWG	37/0.19	11.8	230.24	17.3 Ω/km
ANM10.002.10.017AB	UL20234	1000V	10X17AWG	37/0.19	12.4	254.84	17.3 Ω/km
ANM10.002.11.017AB	UL20234	1000V	11X17AWG	37/0.19	12.8	274.04	17.3 Ω/km
ANM10.002.12.017AB	UL20234	1000V	12X17AWG	37/0.19	12.8	281.44	17.3 Ω/km
ANM10.002.13.017AB	UL20234	1000V	13X17AWG	37/0.19	13.4	307.44	17.3 Ω/km
ANM10.002.14.017AB	UL20234	1000V	14X17AWG	37/0.19	13.4	314.74	17.3 Ω/km
ANM10.002.15.017AB	UL20234	1000V	15X17AWG	37/0.19	14.1	344.94	17.3 Ω/km
ANM10.002.16.017AB	UL20234	1000V	16X17AWG	37/0.19	14.1	352.34	17.3 Ω/km
ANM10.002.17.017AB	UL20234	1000V	17X17AWG	37/0.19	14.7	380.14	17.3 Ω/km
ANM10.002.18.017AB	UL20234	1000V	18X17AWG	37/0.19	14.7	387.54	17.3 Ω/km
ANM10.002.19.017AB	UL20234	1000V	19X17AWG	37/0.19	14.7	395.04	17.3 Ω/km
ANM10.002.20.017AB	UL20234	1000V	20X17AWG	37/0.19	15.1	416.54	17.3 Ω/km
ANM10.002.21.017AB	UL20234	1000V	21X17AWG	37/0.19	15.4	434.84	17.3 Ω/km
ANM10.002.22.017AB	UL20234	1000V	22X17AWG	37/0.19	16.3	476.04	17.3 Ω/km
ANM10.002.23.017AB	UL20234	1000V	23X17AWG	37/0.19	16.9	507.04	17.3 Ω/km
ANM10.002.24.017AB	UL20234	1000V	24X17AWG	37/0.19	16.9	514.44	17.3 Ω/km
ANM10.002.25.017AB	UL20234	1000V	25X17AWG	37/0.19	17.3	538.14	17.3 Ω/km
ANM10.002.26.017AB	UL20234	1000V	26X17AWG	37/0.19	17.3	545.44	17.3 Ω/km
ANM10.002.27.017AB	UL20234	1000V	27X17AWG	37/0.19	17.3	552.94	17.3 Ω/km
ANM10.002.28.017AB	UL20234	1000V	28X17AWG	37/0.19	17.9	585.44	17.3 Ω/km
ANM10.002.29.017AB	UL20234	1000V	29X17AWG	37/0.19	17.9	592.84	17.3 Ω/km
ANM10.002.30.017AB	UL20234	1000V	30X17AWG	37/0.19	17.9	600.14	17.3 Ω/km
ANM10.002.31.017AB	UL20234	1000V	31X17AWG	37/0.19	18.5	633.64	17.3 Ω/km
ANM10.002.32.017AB	UL20234	1000V	32X17AWG	37/0.19	18.5	640.94	17.3 Ω/km
ANM10.002.33.017AB	UL20234	1000V	33X17AWG	37/0.19	18.5	648.24	17.3 Ω/km
ANM10.002.34.017AB	UL20234	1000V	34X17AWG	37/0.19	19.1	682.44	17.3 Ω/km
ANM10.002.35.017AB	UL20234	1000V	35X17AWG	37/0.19	19.1	689.84	17.3 Ω/km
ANM10.002.36.017AB	UL20234	1000V	36X17AWG	37/0.19	19.1	697.24	17.3 Ω/km
ANM10.002.37.017AB	UL20234	1000V	37X17AWG	37/0.19	19.1	704.74	17.3 Ω/km
ANM10.002.38.017AB	UL20234	1000V	38X17AWG	37/0.19	19.8	744.54	17.3 Ω/km



ANM10.002.39.017AB	UL20234	1000V	39X17AWG	37/0.19	19.8	751.94	17.3 Ω/km
ANM10.002.40.017AB	UL20234	1000V	40X17AWG	37/0.19	19.8	759.24	17.3 Ω/km
ANM10.002.41.017AB	UL20234	1000V	41X17AWG	37/0.19	22.3	891.84	17.3 Ω/km
ANM10.002.42.017AB	UL20234	1000V	42X17AWG	37/0.19	22.3	899.14	17.3 Ω/km
ANM10.002.43.017AB	UL20234	1000V	43X17AWG	37/0.19	22.3	906.54	17.3 Ω/km
ANM10.002.44.017AB	UL20234	1000V	44X17AWG	37/0.19	22.3	913.84	17.3 Ω/km
ANM10.002.45.017AB	UL20234	1000V	45X17AWG	37/0.19	22.7	942.84	17.3 Ω/km
ANM10.002.46.017AB	UL20234	1000V	46X17AWG	37/0.19	22.7	950.24	17.3 Ω/km
ANM10.002.47.017AB	UL20234	1000V	47X17AWG	37/0.19	22.7	957.64	17.3 Ω/km
ANM10.002.48.017AB	UL20234	1000V	48X17AWG	37/0.19	22.7	964.94	17.3 Ω/km
ANM10.002.49.017AB	UL20234	1000V	49X17AWG	37/0.19	23.3	1005.34	17.3 Ω/km
ANM10.002.50.017AB	UL20234	1000V	50X17AWG	37/0.19	23.3	1012.64	17.3 Ω/km
ANM10.002.51.017AB	UL20234	1000V	51X17AWG	37/0.19	23.3	1019.94	17.3 Ω/km
ANM10.002.52.017AB	UL20234	1000V	52X17AWG	37/0.19	23.3	1027.34	17.3 Ω/km
ANM10.002.53.017AB	UL20234	1000V	53X17AWG	37/0.19	23.9	1068.54	17.3 Ω/km
ANM10.002.54.017AB	UL20234	1000V	54X17AWG	37/0.19	23.9	1075.84	17.3 Ω/km
ANM10.002.55.017AB	UL20234	1000V	55X17AWG	37/0.19	23.9	1083.34	17.3 Ω/km
ANM10.002.56.017AB	UL20234	1000V	56X17AWG	37/0.19	23.9	1090.64	17.3 Ω/km
ANM10.002.57.017AB	UL20234	1000V	57X17AWG	37/0.19	24.5	1132.74	17.3 Ω/km
ANM10.002.58.017AB	UL20234	1000V	58X17AWG	37/0.19	24.5	1140.14	17.3 Ω/km
ANM10.002.59.017AB	UL20234	1000V	59X17AWG	37/0.19	24.5	1147.44	17.3 Ω/km
ANM10.002.60.017AB	UL20234	1000V	60X17AWG	37/0.19	24.5	1154.84	17.3 Ω/km
ANM10.002.61.017AB	UL20234	1000V	61X17AWG	37/0.19	24.5	1162.14	17.3 Ω/km
ANM10.002.62.017AB	UL20234	1000V	62X17AWG	37/0.19	25.2	1211.24	17.3 Ω/km
ANM10.002.63.017AB	UL20234	1000V	63X17AWG	37/0.19	25.2	1218.54	17.3 Ω/km
ANM10.002.64.017AB	UL20234	1000V	64X17AWG	37/0.19	25.2	1226.04	17.3 Ω/km
ANM10.002.65.017AB	UL20234	1000V	65X17AWG	37/0.19	25.2	1233.34	17.3 Ω/km
ANM10.002.02.016AB	UL20234	1000V	2X16AWG	27/0.25	8.6	106.31	13.7 Ω/km
ANM10.002.03.016AB	UL20234	1000V	3X16AWG	27/0.25	9	124.11	13.7 Ω/km
ANM10.002.04.016AB	UL20234	1000V	4X16AWG	27/0.25	9.7	149.01	13.7 Ω/km
ANM10.002.05.016AB	UL20234	1000V	5X16AWG	27/0.25	10.4	175.11	13.7 Ω/km
ANM10.002.06.016AB	UL20234	1000V	6X16AWG	27/0.25	11.1	202.51	13.7 Ω/km
ANM10.002.07.016AB	UL20234	1000V	7X16AWG	27/0.25	11.1	212.01	13.7 Ω/km
ANM10.002.08.016AB	UL20234	1000V	8X16AWG	27/0.25	11.9	243.31	13.7 Ω/km
ANM10.002.09.016AB	UL20234	1000V	9X16AWG	27/0.25	12.9	282.21	13.7 Ω/km
ANM10.002.10.016AB	UL20234	1000V	10X16AWG	27/0.25	13.6	313.61	13.7 Ω/km
ANM10.002.11.016AB	UL20234	1000V	11X16AWG	27/0.25	14.1	339.71	13.7 Ω/km
ANM10.002.12.016AB	UL20234	1000V	12X16AWG	27/0.25	14.1	349.21	13.7 Ω/km
ANM10.002.13.016AB	UL20234	1000V	13X16AWG	27/0.25	14.8	382.71	13.7 Ω/km
ANM10.002.14.016AB	UL20234	1000V	14X16AWG	27/0.25	14.8	392.31	13.7 Ω/km
ANM10.002.15.016AB	UL20234	1000V	15X16AWG	27/0.25	15.5	426.91	13.7 Ω/km
ANM10.002.16.016AB	UL20234	1000V	16X16AWG	27/0.25	15.5	436.61	13.7 Ω/km



ANM10.002.17.016AB	UL20234	1000V	17X16AWG	27/0.25	16.2	472.41	13.7 Ω/km
ANM10.002.18.016AB	UL20234	1000V	18X16AWG	27/0.25	16.2	481.91	13.7 Ω/km
ANM10.002.19.016AB	UL20234	1000V	19X16AWG	27/0.25	16.2	491.61	13.7 Ω/km
ANM10.002.20.016AB	UL20234	1000V	20X16AWG	27/0.25	16.6	516.71	13.7 Ω/km
ANM10.002.21.016AB	UL20234	1000V	21X16AWG	27/0.25	17	542.21	13.7 Ω/km
ANM10.002.22.016AB	UL20234	1000V	22X16AWG	27/0.25	18	593.51	13.7 Ω/km
ANM10.002.23.016AB	UL20234	1000V	23X16AWG	27/0.25	18.7	633.61	13.7 Ω/km
ANM10.002.24.016AB	UL20234	1000V	24X16AWG	27/0.25	18.7	643.31	13.7 Ω/km
ANM10.002.25.016AB	UL20234	1000V	25X16AWG	27/0.25	19.1	670.71	13.7 Ω/km
ANM10.002.26.016AB	UL20234	1000V	26X16AWG	27/0.25	19.1	680.21	13.7 Ω/km
ANM10.002.27.016AB	UL20234	1000V	27X16AWG	27/0.25	19.1	689.81	13.7 Ω/km
ANM10.002.28.016AB	UL20234	1000V	28X16AWG	27/0.25	19.8	731.81	13.7 Ω/km
ANM10.002.29.016AB	UL20234	1000V	29X16AWG	27/0.25	19.8	741.21	13.7 Ω/km
ANM10.002.30.016AB	UL20234	1000V	30X16AWG	27/0.25	19.8	750.91	13.7 Ω/km
ANM10.002.31.016AB	UL20234	1000V	31X16AWG	27/0.25	21.5	843.91	13.7 Ω/km
ANM10.002.32.016AB	UL20234	1000V	32X16AWG	27/0.25	21.5	853.41	13.7 Ω/km
ANM10.002.33.016AB	UL20234	1000V	33X16AWG	27/0.25	21.5	863.01	13.7 Ω/km
ANM10.002.34.016AB	UL20234	1000V	34X16AWG	27/0.25	22.2	908.91	13.7 Ω/km
ANM10.002.35.016AB	UL20234	1000V	35X16AWG	27/0.25	22.2	918.51	13.7 Ω/km
ANM10.002.36.016AB	UL20234	1000V	36X16AWG	27/0.25	22.2	928.01	13.7 Ω/km
ANM10.002.37.016AB	UL20234	1000V	37X16AWG	27/0.25	22.2	937.51	13.7 Ω/km
ANM10.002.38.016AB	UL20234	1000V	38X16AWG	27/0.25	23	990.31	13.7 Ω/km
ANM10.002.39.016AB	UL20234	1000V	39X16AWG	27/0.25	23	999.81	13.7 Ω/km
ANM10.002.40.016AB	UL20234	1000V	40X16AWG	27/0.25	23	1009.41	13.7 Ω/km
ANM10.002.41.016AB	UL20234	1000V	41X16AWG	27/0.25	24.7	1115.81	13.7 Ω/km
ANM10.002.42.016AB	UL20234	1000V	42X16AWG	27/0.25	24.7	1125.31	13.7 Ω/km
ANM10.002.43.016AB	UL20234	1000V	43X16AWG	27/0.25	24.7	1134.91	13.7 Ω/km
ANM10.002.44.016AB	UL20234	1000V	44X16AWG	27/0.25	24.7	1144.41	13.7 Ω/km
ANM10.002.45.016AB	UL20234	1000V	45X16AWG	27/0.25	25.1	1177.71	13.7 Ω/km
ANM10.002.46.016AB	UL20234	1000V	46X16AWG	27/0.25	25.1	1187.31	13.7 Ω/km
ANM10.002.47.016AB	UL20234	1000V	47X16AWG	27/0.25	25.1	1196.81	13.7 Ω/km
ANM10.002.48.016AB	UL20234	1000V	48X16AWG	27/0.25	25.1	1206.51	13.7 Ω/km
ANM10.002.49.016AB	UL20234	1000V	49X16AWG	27/0.25	25.8	1258.41	13.7 Ω/km
ANM10.002.50.016AB	UL20234	1000V	50X16AWG	27/0.25	25.8	1268.01	13.7 Ω/km
ANM10.002.51.016AB	UL20234	1000V	51X16AWG	27/0.25	25.8	1277.51	13.7 Ω/km
ANM10.002.52.016AB	UL20234	1000V	52X16AWG	27/0.25	25.8	1287.11	13.7 Ω/km
ANM10.002.53.016AB	UL20234	1000V	53X16AWG	27/0.25	26.5	1340.41	13.7 Ω/km
ANM10.002.54.016AB	UL20234	1000V	54X16AWG	27/0.25	26.5	1350.01	13.7 Ω/km
ANM10.002.55.016AB	UL20234	1000V	55X16AWG	27/0.25	26.5	1359.51	13.7 Ω/km
ANM10.002.56.016AB	UL20234	1000V	56X16AWG	27/0.25	26.5	1369.11	13.7 Ω/km
ANM10.002.57.016AB	UL20234	1000V	57X16AWG	27/0.25	27.2	1423.61	13.7 Ω/km
ANM10.002.58.016AB	UL20234	1000V	58X16AWG	27/0.25	27.2	1433.11	13.7 Ω/km



ANM10.002.59.016AB	UL20234	1000V	59X16AWG	27/0.25	27.2	1442.71	13.7 Ω/km
ANM10.002.60.016AB	UL20234	1000V	60X16AWG	27/0.25	27.2	1452.21	13.7 Ω/km
ANM10.002.61.016AB	UL20234	1000V	61X16AWG	27/0.25	27.2	1461.71	13.7 Ω/km
ANM10.002.62.016AB	UL20234	1000V	62X16AWG	27/0.25	28	1524.11	13.7 Ω/km
ANM10.002.63.016AB	UL20234	1000V	63X16AWG	27/0.25	28	1533.61	13.7 Ω/km
ANM10.002.64.016AB	UL20234	1000V	64X16AWG	27/0.25	28	1543.21	13.7 Ω/km
ANM10.002.65.016AB	UL20234	1000V	65X16AWG	27/0.25	28	1552.71	13.7 Ω/km
ANM10.002.02.015AB	UL20234	1000V	2X15AWG	34/0.25	9	119.75	10.9 Ω/km
ANM10.002.03.015AB	UL20234	1000V	3X15AWG	34/0.25	9.5	142.55	10.9 Ω/km
ANM10.002.04.015AB	UL20234	1000V	4X15AWG	34/0.25	10.2	170.75	10.9 Ω/km
ANM10.002.05.015AB	UL20234	1000V	5X15AWG	34/0.25	10.9	200.15	10.9 Ω/km
ANM10.002.06.015AB	UL20234	1000V	6X15AWG	34/0.25	11.7	233.45	10.9 Ω/km
ANM10.002.07.015AB	UL20234	1000V	7X15AWG	34/0.25	11.7	245.45	10.9 Ω/km
ANM10.002.08.015AB	UL20234	1000V	8X15AWG	34/0.25	12.6	283.25	10.9 Ω/km
ANM10.002.09.015AB	UL20234	1000V	9X15AWG	34/0.25	13.6	326.25	10.9 Ω/km
ANM10.002.10.015AB	UL20234	1000V	10X15AWG	34/0.25	14.5	368.25	10.9 Ω/km
ANM10.002.11.015AB	UL20234	1000V	11X15AWG	34/0.25	15	397.75	10.9 Ω/km
ANM10.002.12.015AB	UL20234	1000V	12X15AWG	34/0.25	15	409.65	10.9 Ω/km
ANM10.002.13.015AB	UL20234	1000V	13X15AWG	34/0.25	15.7	447.15	10.9 Ω/km
ANM10.002.14.015AB	UL20234	1000V	14X15AWG	34/0.25	15.7	459.15	10.9 Ω/km
ANM10.002.15.015AB	UL20234	1000V	15X15AWG	34/0.25	16.4	497.75	10.9 Ω/km
ANM10.002.16.015AB	UL20234	1000V	16X15AWG	34/0.25	16.4	509.75	10.9 Ω/km
ANM10.002.17.015AB	UL20234	1000V	17X15AWG	34/0.25	17.2	553.75	10.9 Ω/km
ANM10.002.18.015AB	UL20234	1000V	18X15AWG	34/0.25	17.2	565.75	10.9 Ω/km
ANM10.002.19.015AB	UL20234	1000V	19X15AWG	34/0.25	17.2	577.75	10.9 Ω/km
ANM10.002.20.015AB	UL20234	1000V	20X15AWG	34/0.25	17.7	610.45	10.9 Ω/km
ANM10.002.21.015AB	UL20234	1000V	21X15AWG	34/0.25	18.1	639.35	10.9 Ω/km
ANM10.002.22.015AB	UL20234	1000V	22X15AWG	34/0.25	19.1	695.75	10.9 Ω/km
ANM10.002.23.015AB	UL20234	1000V	23X15AWG	34/0.25	19.9	744.95	10.9 Ω/km
ANM10.002.24.015AB	UL20234	1000V	24X15AWG	34/0.25	19.9	756.85	10.9 Ω/km
ANM10.002.25.015AB	UL20234	1000V	25X15AWG	34/0.25	21.4	842.45	10.9 Ω/km
ANM10.002.26.015AB	UL20234	1000V	26X15AWG	34/0.25	21.4	854.35	10.9 Ω/km
ANM10.002.27.015AB	UL20234	1000V	27X15AWG	34/0.25	21.4	866.35	10.9 Ω/km
ANM10.002.28.015AB	UL20234	1000V	28X15AWG	34/0.25	22.1	914.65	10.9 Ω/km
ANM10.002.29.015AB	UL20234	1000V	29X15AWG	34/0.25	22.1	926.65	10.9 Ω/km
ANM10.002.30.015AB	UL20234	1000V	30X15AWG	34/0.25	22.1	938.55	10.9 Ω/km
ANM10.002.31.015AB	UL20234	1000V	31X15AWG	34/0.25	22.8	988.05	10.9 Ω/km
ANM10.002.32.015AB	UL20234	1000V	32X15AWG	34/0.25	22.8	1000.05	10.9 Ω/km
ANM10.002.33.015AB	UL20234	1000V	33X15AWG	34/0.25	22.8	1011.95	10.9 Ω/km
ANM10.002.34.015AB	UL20234	1000V	34X15AWG	34/0.25	23.6	1068.15	10.9 Ω/km
ANM10.002.35.015AB	UL20234	1000V	35X15AWG	34/0.25	23.6	1080.15	10.9 Ω/km
ANM10.002.36.015AB	UL20234	1000V	36X15AWG	34/0.25	23.6	1092.15	10.9 Ω/km



ANM10.002.37.015AB	UL20234	1000V	37X15AWG	34/0.25	23.6	1104.15	10.9Ω/km
ANM10.002.38.015AB	UL20234	1000V	38X15AWG	34/0.25	24.5	1167.85	10.9Ω/km
ANM10.002.39.015AB	UL20234	1000V	39X15AWG	34/0.25	24.5	1179.75	10.9Ω/km
ANM10.002.40.015AB	UL20234	1000V	40X15AWG	34/0.25	24.5	1191.75	10.9Ω/km
ANM10.002.41.015AB	UL20234	1000V	41X15AWG	34/0.25	26.3	1313.05	10.9Ω/km
ANM10.002.42.015AB	UL20234	1000V	42X15AWG	34/0.25	26.3	1324.95	10.9Ω/km
ANM10.002.43.015AB	UL20234	1000V	43X15AWG	34/0.25	26.3	1336.95	10.9Ω/km
ANM10.002.44.015AB	UL20234	1000V	44X15AWG	34/0.25	26.3	1348.95	10.9Ω/km
ANM10.002.45.015AB	UL20234	1000V	45X15AWG	34/0.25	26.8	1392.75	10.9Ω/km
ANM10.002.46.015AB	UL20234	1000V	46X15AWG	34/0.25	26.8	1404.65	10.9Ω/km
ANM10.002.47.015AB	UL20234	1000V	47X15AWG	34/0.25	26.8	1416.65	10.9Ω/km
ANM10.002.48.015AB	UL20234	1000V	48X15AWG	34/0.25	26.8	1428.55	10.9Ω/km
ANM10.002.49.015AB	UL20234	1000V	49X15AWG	34/0.25	27.5	1485.95	10.9Ω/km
ANM10.002.50.015AB	UL20234	1000V	50X15AWG	34/0.25	27.5	1497.95	10.9Ω/km
ANM10.002.51.015AB	UL20234	1000V	51X15AWG	34/0.25	27.5	1509.85	10.9Ω/km
ANM10.002.52.015AB	UL20234	1000V	52X15AWG	34/0.25	27.5	1521.85	10.9Ω/km
ANM10.002.53.015AB	UL20234	1000V	53X15AWG	34/0.25	28.2	1580.45	10.9Ω/km
ANM10.002.54.015AB	UL20234	1000V	54X15AWG	34/0.25	28.2	1592.45	10.9Ω/km
ANM10.002.55.015AB	UL20234	1000V	55X15AWG	34/0.25	28.2	1604.45	10.9Ω/km
ANM10.002.56.015AB	UL20234	1000V	56X15AWG	34/0.25	28.2	1616.45	10.9Ω/km
ANM10.002.57.015AB	UL20234	1000V	57X15AWG	34/0.25	29	1683.15	10.9Ω/km
ANM10.002.58.015AB	UL20234	1000V	58X15AWG	34/0.25	29	1695.15	10.9Ω/km
ANM10.002.59.015AB	UL20234	1000V	59X15AWG	34/0.25	29	1707.05	10.9Ω/km
ANM10.002.60.015AB	UL20234	1000V	60X15AWG	34/0.25	29	1719.05	10.9Ω/km
ANM10.002.61.015AB	UL20234	1000V	61X15AWG	34/0.25	29	1730.95	10.9Ω/km
ANM10.002.62.015AB	UL20234	1000V	62X15AWG	34/0.25	31.1	1893.05	10.9Ω/km
ANM10.002.63.015AB	UL20234	1000V	63X15AWG	34/0.25	31.1	1905.05	10.9Ω/km
ANM10.002.64.015AB	UL20234	1000V	64X15AWG	34/0.25	31.1	1917.05	10.9Ω/km
ANM10.002.65.015AB	UL20234	1000V	65X15AWG	34/0.25	31.1	1928.95	10.9Ω/km
ANM10.002.02.014AB	UL20234	1000V	2X14AWG	43/0.25	9.4	135.18	8.62Ω/km
ANM10.002.03.014AB	UL20234	1000V	3X14AWG	43/0.25	9.9	161.68	8.62Ω/km
ANM10.002.04.014AB	UL20234	1000V	4X14AWG	43/0.25	10.7	196.18	8.62Ω/km
ANM10.002.05.014AB	UL20234	1000V	5X14AWG	43/0.25	11.5	232.38	8.62Ω/km
ANM10.002.06.014AB	UL20234	1000V	6X14AWG	43/0.25	12.3	270.08	8.62Ω/km
ANM10.002.07.014AB	UL20234	1000V	7X14AWG	43/0.25	12.3	285.18	8.62Ω/km
ANM10.002.08.014AB	UL20234	1000V	8X14AWG	43/0.25	13.2	327.38	8.62Ω/km
ANM10.002.09.014AB	UL20234	1000V	9X14AWG	43/0.25	14.5	385.28	8.62Ω/km
ANM10.002.10.014AB	UL20234	1000V	10X14AWG	43/0.25	15.3	428.78	8.62Ω/km
ANM10.002.11.014AB	UL20234	1000V	11X14AWG	43/0.25	15.8	462.38	8.62Ω/km
ANM10.002.12.014AB	UL20234	1000V	12X14AWG	43/0.25	15.8	477.58	8.62Ω/km
ANM10.002.13.014AB	UL20234	1000V	13X14AWG	43/0.25	16.6	523.58	8.62Ω/km
ANM10.002.14.014AB	UL20234	1000V	14X14AWG	43/0.25	16.6	538.68	8.62Ω/km



ANM10.002.15.014AB	UL20234	1000V	15X14AWG	43/0.25	17.4	586.08	8.62 Ω/km
ANM10.002.16.014AB	UL20234	1000V	16X14AWG	43/0.25	17.4	601.28	8.62 Ω/km
ANM10.002.17.014AB	UL20234	1000V	17X14AWG	43/0.25	18.2	650.38	8.62 Ω/km
ANM10.002.18.014AB	UL20234	1000V	18X14AWG	43/0.25	18.2	665.58	8.62 Ω/km
ANM10.002.19.014AB	UL20234	1000V	19X14AWG	43/0.25	18.2	680.68	8.62 Ω/km
ANM10.002.20.014AB	UL20234	1000V	20X14AWG	43/0.25	18.7	717.78	8.62 Ω/km
ANM10.002.21.014AB	UL20234	1000V	21X14AWG	43/0.25	19.1	750.88	8.62 Ω/km
ANM10.002.22.014AB	UL20234	1000V	22X14AWG	43/0.25	21.3	871.68	8.62 Ω/km
ANM10.002.23.014AB	UL20234	1000V	23X14AWG	43/0.25	22.1	928.28	8.62 Ω/km
ANM10.002.24.014AB	UL20234	1000V	24X14AWG	43/0.25	22.1	943.48	8.62 Ω/km
ANM10.002.25.014AB	UL20234	1000V	25X14AWG	43/0.25	22.6	985.28	8.62 Ω/km
ANM10.002.26.014AB	UL20234	1000V	26X14AWG	43/0.25	22.6	1000.38	8.62 Ω/km
ANM10.002.27.014AB	UL20234	1000V	27X14AWG	43/0.25	22.6	1015.48	8.62 Ω/km
ANM10.002.28.014AB	UL20234	1000V	28X14AWG	43/0.25	23.4	1074.68	8.62 Ω/km
ANM10.002.29.014AB	UL20234	1000V	29X14AWG	43/0.25	23.4	1089.78	8.62 Ω/km
ANM10.002.30.014AB	UL20234	1000V	30X14AWG	43/0.25	23.4	1104.88	8.62 Ω/km
ANM10.002.31.014AB	UL20234	1000V	31X14AWG	43/0.25	24.2	1165.58	8.62 Ω/km
ANM10.002.32.014AB	UL20234	1000V	32X14AWG	43/0.25	24.2	1180.68	8.62 Ω/km
ANM10.002.33.014AB	UL20234	1000V	33X14AWG	43/0.25	24.2	1195.88	8.62 Ω/km
ANM10.002.34.014AB	UL20234	1000V	34X14AWG	43/0.25	25	1257.98	8.62 Ω/km
ANM10.002.35.014AB	UL20234	1000V	35X14AWG	43/0.25	25	1273.08	8.62 Ω/km
ANM10.002.36.014AB	UL20234	1000V	36X14AWG	43/0.25	25	1288.28	8.62 Ω/km
ANM10.002.37.014AB	UL20234	1000V	37X14AWG	43/0.25	25	1303.48	8.62 Ω/km
ANM10.002.38.014AB	UL20234	1000V	38X14AWG	43/0.25	25.9	1373.28	8.62 Ω/km
ANM10.002.39.014AB	UL20234	1000V	39X14AWG	43/0.25	25.9	1388.38	8.62 Ω/km
ANM10.002.40.014AB	UL20234	1000V	40X14AWG	43/0.25	25.9	1403.68	8.62 Ω/km
ANM10.002.41.014AB	UL20234	1000V	41X14AWG	43/0.25	27.9	1547.48	8.62 Ω/km
ANM10.002.42.014AB	UL20234	1000V	42X14AWG	43/0.25	27.9	1562.58	8.62 Ω/km
ANM10.002.43.014AB	UL20234	1000V	43X14AWG	43/0.25	27.9	1577.68	8.62 Ω/km
ANM10.002.44.014AB	UL20234	1000V	44X14AWG	43/0.25	27.9	1592.78	8.62 Ω/km
ANM10.002.45.014AB	UL20234	1000V	45X14AWG	43/0.25	28.4	1641.78	8.62 Ω/km
ANM10.002.46.014AB	UL20234	1000V	46X14AWG	43/0.25	28.4	1656.88	8.62 Ω/km
ANM10.002.47.014AB	UL20234	1000V	47X14AWG	43/0.25	28.4	1671.88	8.62 Ω/km
ANM10.002.48.014AB	UL20234	1000V	48X14AWG	43/0.25	28.4	1687.08	8.62 Ω/km
ANM10.002.49.014AB	UL20234	1000V	49X14AWG	43/0.25	29.2	1757.48	8.62 Ω/km
ANM10.002.50.014AB	UL20234	1000V	50X14AWG	43/0.25	29.2	1772.58	8.62 Ω/km
ANM10.002.51.014AB	UL20234	1000V	51X14AWG	43/0.25	29.2	1787.78	8.62 Ω/km
ANM10.002.52.014AB	UL20234	1000V	52X14AWG	43/0.25	29.2	1802.88	8.62 Ω/km
ANM10.002.02.013AB	UL20234	1000V	2X13AWG	54/0.25	10	156.83	6.82 Ω/km
ANM10.002.03.013AB	UL20234	1000V	3X13AWG	54/0.25	10.5	187.73	6.82 Ω/km
ANM10.002.04.013AB	UL20234	1000V	4X13AWG	54/0.25	11.4	229.73	6.82 Ω/km
ANM10.002.05.013AB	UL20234	1000V	5X13AWG	54/0.25	12.3	273.83	6.82 Ω/km



ANM10.002.06.013AB	UL20234	1000V	6X13AWG	54/0.25	13.2	319.83	6.82 Ω /km
ANM10.002.07.013AB	UL20234	1000V	7X13AWG	54/0.25	13.2	338.63	6.82 Ω /km
ANM10.002.08.013AB	UL20234	1000V	8X13AWG	54/0.25	14.3	393.33	6.82 Ω /km
ANM10.002.09.013AB	UL20234	1000V	9X13AWG	54/0.25	15.6	458.43	6.82 Ω /km
ANM10.002.10.013AB	UL20234	1000V	10X13AWG	54/0.25	16.5	511.63	6.82 Ω /km
ANM10.002.11.013AB	UL20234	1000V	11X13AWG	54/0.25	17	550.33	6.82 Ω /km
ANM10.002.12.013AB	UL20234	1000V	12X13AWG	54/0.25	17	569.13	6.82 Ω /km
ANM10.002.13.013AB	UL20234	1000V	13X13AWG	54/0.25	17.9	625.33	6.82 Ω /km
ANM10.002.14.013AB	UL20234	1000V	14X13AWG	54/0.25	17.9	644.23	6.82 Ω /km
ANM10.002.15.013AB	UL20234	1000V	15X13AWG	54/0.25	18.8	702.33	6.82 Ω /km
ANM10.002.16.013AB	UL20234	1000V	16X13AWG	54/0.25	18.8	721.13	6.82 Ω /km
ANM10.002.17.013AB	UL20234	1000V	17X13AWG	54/0.25	19.7	781.33	6.82 Ω /km
ANM10.002.18.013AB	UL20234	1000V	18X13AWG	54/0.25	19.7	800.23	6.82 Ω /km
ANM10.002.19.013AB	UL20234	1000V	19X13AWG	54/0.25	19.7	819.03	6.82 Ω /km
ANM10.002.20.013AB	UL20234	1000V	20X13AWG	54/0.25	20.2	861.63	6.82 Ω /km
ANM10.002.21.013AB	UL20234	1000V	21X13AWG	54/0.25	21.7	955.13	6.82 Ω /km
ANM10.002.22.013AB	UL20234	1000V	22X13AWG	54/0.25	23	1043.33	6.82 Ω /km
ANM10.002.23.013AB	UL20234	1000V	23X13AWG	54/0.25	23.9	1112.53	6.82 Ω /km
ANM10.002.24.013AB	UL20234	1000V	24X13AWG	54/0.25	23.9	1131.23	6.82 Ω /km
ANM10.002.25.013AB	UL20234	1000V	25X13AWG	54/0.25	24.4	1178.93	6.82 Ω /km
ANM10.002.26.013AB	UL20234	1000V	26X13AWG	54/0.25	24.4	1197.73	6.82 Ω /km
ANM10.002.27.013AB	UL20234	1000V	27X13AWG	54/0.25	24.4	1216.63	6.82 Ω /km
ANM10.002.28.013AB	UL20234	1000V	28X13AWG	54/0.25	25.3	1289.03	6.82 Ω /km
ANM10.002.29.013AB	UL20234	1000V	29X13AWG	54/0.25	25.3	1307.83	6.82 Ω /km
ANM10.002.30.013AB	UL20234	1000V	30X13AWG	54/0.25	25.3	1326.63	6.82 Ω /km
ANM10.002.31.013AB	UL20234	1000V	31X13AWG	54/0.25	26.2	1400.83	6.82 Ω /km
ANM10.002.32.013AB	UL20234	1000V	32X13AWG	54/0.25	26.2	1419.63	6.82 Ω /km
ANM10.002.33.013AB	UL20234	1000V	33X13AWG	54/0.25	26.2	1438.43	6.82 Ω /km
ANM10.002.34.013AB	UL20234	1000V	34X13AWG	54/0.25	27.1	1514.73	6.82 Ω /km
ANM10.002.35.013AB	UL20234	1000V	35X13AWG	54/0.25	27.1	1533.53	6.82 Ω /km
ANM10.002.36.013AB	UL20234	1000V	36X13AWG	54/0.25	27.1	1552.43	6.82 Ω /km
ANM10.002.37.013AB	UL20234	1000V	37X13AWG	54/0.25	27.1	1571.23	6.82 Ω /km
ANM10.002.38.013AB	UL20234	1000V	38X13AWG	54/0.25	28.1	1656.13	6.82 Ω /km
ANM10.002.39.013AB	UL20234	1000V	39X13AWG	54/0.25	28.1	1674.93	6.82 Ω /km
ANM10.002.40.013AB	UL20234	1000V	40X13AWG	54/0.25	28.1	1693.73	6.82 Ω /km
ANM10.002.41.013AB	UL20234	1000V	41X13AWG	54/0.25	31.5	1954.23	6.82 Ω /km
ANM10.002.42.013AB	UL20234	1000V	42X13AWG	54/0.25	31.5	1973.03	6.82 Ω /km
ANM10.002.43.013AB	UL20234	1000V	43X13AWG	54/0.25	31.5	1991.83	6.82 Ω /km
ANM10.002.44.013AB	UL20234	1000V	44X13AWG	54/0.25	31.5	2010.73	6.82 Ω /km
ANM10.002.45.013AB	UL20234	1000V	45X13AWG	54/0.25	32	2067.63	6.82 Ω /km
ANM10.002.46.013AB	UL20234	1000V	46X13AWG	54/0.25	32	2086.43	6.82 Ω /km
ANM10.002.47.013AB	UL20234	1000V	47X13AWG	54/0.25	32	2105.13	6.82 Ω /km



ANM10.002.48.013AB	UL20234	1000V	48X13AWG	54/0.25	32	2123.93	6.82 Ω/km
ANM10.002.49.013AB	UL20234	1000V	49X13AWG	54/0.25	32.9	2212.73	6.82 Ω/km
ANM10.002.50.013AB	UL20234	1000V	50X13AWG	54/0.25	32.9	2231.53	6.82 Ω/km
ANM10.002.51.013AB	UL20234	1000V	51X13AWG	54/0.25	32.9	2250.33	6.82 Ω/km
ANM10.002.52.013AB	UL20234	1000V	52X13AWG	54/0.25	32.9	2269.13	6.82 Ω/km
ANM10.002.02.012AB	UL20234	1000V	2X12AWG	68/0.25	10.8	187.61	5.43 Ω/km
ANM10.002.03.012AB	UL20234	1000V	3X12AWG	68/0.25	11.4	227.31	5.43 Ω/km
ANM10.002.04.012AB	UL20234	1000V	4X12AWG	68/0.25	12.3	276.91	5.43 Ω/km
ANM10.002.05.012AB	UL20234	1000V	5X12AWG	68/0.25	13.4	334.31	5.43 Ω/km
ANM10.002.06.012AB	UL20234	1000V	6X12AWG	68/0.25	14.5	394.71	5.43 Ω/km
ANM10.002.07.012AB	UL20234	1000V	7X12AWG	68/0.25	14.5	418.71	5.43 Ω/km
ANM10.002.08.012AB	UL20234	1000V	8X12AWG	68/0.25	15.6	482.41	5.43 Ω/km
ANM10.002.09.012AB	UL20234	1000V	9X12AWG	68/0.25	17.1	564.71	5.43 Ω/km
ANM10.002.10.012AB	UL20234	1000V	10X12AWG	68/0.25	18.1	630.71	5.43 Ω/km
ANM10.002.11.012AB	UL20234	1000V	11X12AWG	68/0.25	18.7	681.21	5.43 Ω/km
ANM10.002.12.012AB	UL20234	1000V	12X12AWG	68/0.25	18.7	705.31	5.43 Ω/km
ANM10.002.13.012AB	UL20234	1000V	13X12AWG	68/0.25	19.6	770.41	5.43 Ω/km
ANM10.002.14.012AB	UL20234	1000V	14X12AWG	68/0.25	19.6	794.41	5.43 Ω/km
ANM10.002.15.012AB	UL20234	1000V	15X12AWG	68/0.25	21.7	921.61	5.43 Ω/km
ANM10.002.16.012AB	UL20234	1000V	16X12AWG	68/0.25	21.7	945.71	5.43 Ω/km
ANM10.002.17.012AB	UL20234	1000V	17X12AWG	68/0.25	22.7	1022.81	5.43 Ω/km
ANM10.002.18.012AB	UL20234	1000V	18X12AWG	68/0.25	22.7	1046.81	5.43 Ω/km
ANM10.002.19.012AB	UL20234	1000V	19X12AWG	68/0.25	22.7	1071.11	5.43 Ω/km
ANM10.002.20.012AB	UL20234	1000V	20X12AWG	68/0.25	23.3	1128.11	5.43 Ω/km
ANM10.002.21.012AB	UL20234	1000V	21X12AWG	68/0.25	23.8	1180.21	5.43 Ω/km
ANM10.002.22.012AB	UL20234	1000V	22X12AWG	68/0.25	25.3	1292.41	5.43 Ω/km
ANM10.002.23.012AB	UL20234	1000V	23X12AWG	68/0.25	26.3	1378.21	5.43 Ω/km
ANM10.002.24.012AB	UL20234	1000V	24X12AWG	68/0.25	26.3	1402.21	5.43 Ω/km
ANM10.002.25.012AB	UL20234	1000V	25X12AWG	68/0.25	26.9	1464.51	5.43 Ω/km
ANM10.002.26.012AB	UL20234	1000V	26X12AWG	68/0.25	26.9	1488.61	5.43 Ω/km
ANM10.002.27.012AB	UL20234	1000V	27X12AWG	68/0.25	26.9	1512.71	5.43 Ω/km
ANM10.002.28.012AB	UL20234	1000V	28X12AWG	68/0.25	27.8	1595.61	5.43 Ω/km
ANM10.002.29.012AB	UL20234	1000V	29X12AWG	68/0.25	27.8	1619.61	5.43 Ω/km
ANM10.002.30.012AB	UL20234	1000V	30X12AWG	68/0.25	27.8	1643.81	5.43 Ω/km
ANM10.002.31.012AB	UL20234	1000V	31X12AWG	68/0.25	28.9	1742.61	5.43 Ω/km
ANM10.002.32.012AB	UL20234	1000V	32X12AWG	68/0.25	28.9	1766.71	5.43 Ω/km
ANM10.002.33.012AB	UL20234	1000V	33X12AWG	68/0.25	28.9	1790.81	5.43 Ω/km
ANM10.002.34.012AB	UL20234	1000V	34X12AWG	68/0.25	31.1	1972.01	5.43 Ω/km
ANM10.002.35.012AB	UL20234	1000V	35X12AWG	68/0.25	31.1	1996.01	5.43 Ω/km
ANM10.002.36.012AB	UL20234	1000V	36X12AWG	68/0.25	31.1	2020.01	5.43 Ω/km
ANM10.002.37.012AB	UL20234	1000V	37X12AWG	68/0.25	31.1	2044.21	5.43 Ω/km
ANM10.002.02.011AB	UL20234	1000V	2X11AWG	85/0.25	11.6	220.87	4.30 Ω/km



ANM10.002.03.011AB	UL20234	1000V	3X11AWG	85/0.25	12.3	270.27	4.30 Ω/km
ANM10.002.04.011AB	UL20234	1000V	4X11AWG	85/0.25	13.3	330.17	4.30 Ω/km
ANM10.002.05.011AB	UL20234	1000V	5X11AWG	85/0.25	14.5	399.37	4.30 Ω/km
ANM10.002.06.011AB	UL20234	1000V	6X11AWG	85/0.25	15.7	472.07	4.30 Ω/km
ANM10.002.07.011AB	UL20234	1000V	7X11AWG	85/0.25	15.7	501.77	4.30 Ω/km
ANM10.002.08.011AB	UL20234	1000V	8X11AWG	85/0.25	16.9	578.07	4.30 Ω/km
ANM10.002.09.011AB	UL20234	1000V	9X11AWG	85/0.25	18.5	675.17	4.30 Ω/km
ANM10.002.10.011AB	UL20234	1000V	10X11AWG	85/0.25	19.7	759.37	4.30 Ω/km
ANM10.002.11.011AB	UL20234	1000V	11X11AWG	85/0.25	21.4	872.17	4.30 Ω/km
ANM10.002.12.011AB	UL20234	1000V	12X11AWG	85/0.25	21.4	901.77	4.30 Ω/km
ANM10.002.13.011AB	UL20234	1000V	13X11AWG	85/0.25	22.4	983.77	4.30 Ω/km
ANM10.002.14.011AB	UL20234	1000V	14X11AWG	85/0.25	22.4	1013.37	4.30 Ω/km
ANM10.002.15.011AB	UL20234	1000V	15X11AWG	85/0.25	23.5	1103.27	4.30 Ω/km
ANM10.002.16.011AB	UL20234	1000V	16X11AWG	85/0.25	23.5	1133.07	4.30 Ω/km
ANM10.002.17.011AB	UL20234	1000V	17X11AWG	85/0.25	24.7	1231.67	4.30 Ω/km
ANM10.002.18.011AB	UL20234	1000V	18X11AWG	85/0.25	24.7	1261.37	4.30 Ω/km
ANM10.002.19.011AB	UL20234	1000V	19X11AWG	85/0.25	24.7	1291.07	4.30 Ω/km
ANM10.002.20.011AB	UL20234	1000V	20X11AWG	85/0.25	25.4	1362.57	4.30 Ω/km
ANM10.002.21.011AB	UL20234	1000V	21X11AWG	85/0.25	25.9	1422.97	4.30 Ω/km
ANM10.002.22.011AB	UL20234	1000V	22X11AWG	85/0.25	27.5	1554.77	4.30 Ω/km
ANM10.002.23.011AB	UL20234	1000V	23X11AWG	85/0.25	28.7	1665.27	4.30 Ω/km
ANM10.002.24.011AB	UL20234	1000V	24X11AWG	85/0.25	28.7	1694.87	4.30 Ω/km
ANM10.002.25.011AB	UL20234	1000V	25X11AWG	85/0.25	30.6	1858.47	4.30 Ω/km
ANM10.002.26.011AB	UL20234	1000V	26X11AWG	85/0.25	30.6	1888.07	4.30 Ω/km
ANM10.002.27.011AB	UL20234	1000V	27X11AWG	85/0.25	30.6	1917.77	4.30 Ω/km
ANM10.002.28.011AB	UL20234	1000V	28X11AWG	85/0.25	31.6	2021.97	4.30 Ω/km
ANM10.002.29.011AB	UL20234	1000V	29X11AWG	85/0.25	31.6	2051.57	4.30 Ω/km
ANM10.002.30.011AB	UL20234	1000V	30X11AWG	85/0.25	31.6	2081.17	4.30 Ω/km
ANM10.002.31.011AB	UL20234	1000V	31X11AWG	85/0.25	32.7	2195.67	4.30 Ω/km
ANM10.002.32.011AB	UL20234	1000V	32X11AWG	85/0.25	32.7	2225.27	4.30 Ω/km
ANM10.002.33.011AB	UL20234	1000V	33X11AWG	85/0.25	32.7	2254.97	4.30 Ω/km
ANM10.002.34.011AB	UL20234	1000V	34X11AWG	85/0.25	33.9	2380.27	4.30 Ω/km
ANM10.002.35.011AB	UL20234	1000V	35X11AWG	85/0.25	33.9	2409.87	4.30 Ω/km
ANM10.002.36.011AB	UL20234	1000V	36X11AWG	85/0.25	33.9	2439.67	4.30 Ω/km
ANM10.002.37.011AB	UL20234	1000V	37X11AWG	85/0.25	33.9	2469.17	4.30 Ω/km
ANM10.002.02.010AB	UL20234	1000V	2X10AWG	108/0.25	12.8	267.97	3.409 Ω/km
ANM10.002.03.010AB	UL20234	1000V	3X10AWG	108/0.25	13.6	328.47	3.409 Ω/km
ANM10.002.04.010AB	UL20234	1000V	4X10AWG	108/0.25	14.9	407.87	3.409 Ω/km
ANM10.002.05.010AB	UL20234	1000V	5X10AWG	108/0.25	16.2	491.37	3.409 Ω/km
ANM10.002.06.010AB	UL20234	1000V	6X10AWG	108/0.25	17.5	578.97	3.409 Ω/km
ANM10.002.07.010AB	UL20234	1000V	7X10AWG	108/0.25	17.5	614.37	3.409 Ω/km
ANM10.002.08.010AB	UL20234	1000V	8X10AWG	108/0.25	18.9	710.47	3.409 Ω/km



ANM10.002.09.010AB	UL20234	1000V	9X10AWG	108/0.25	21.8	886.27	3.409 Ω/km
ANM10.002.10.010AB	UL20234	1000V	10X10AWG	108/0.25	23.1	991.57	3.409 Ω/km
ANM10.002.11.010AB	UL20234	1000V	11X10AWG	108/0.25	23.9	1071.67	3.409 Ω/km
ANM10.002.12.010AB	UL20234	1000V	12X10AWG	108/0.25	23.9	1107.07	3.409 Ω/km
ANM10.002.13.010AB	UL20234	1000V	13X10AWG	108/0.25	25.1	1212.97	3.409 Ω/km
ANM10.002.14.010AB	UL20234	1000V	14X10AWG	108/0.25	25.1	1248.27	3.409 Ω/km
ANM10.002.15.010AB	UL20234	1000V	15X10AWG	108/0.25	26.4	1363.77	3.409 Ω/km
ANM10.002.16.010AB	UL20234	1000V	16X10AWG	108/0.25	26.4	1399.27	3.409 Ω/km
ANM10.002.17.010AB	UL20234	1000V	17X10AWG	108/0.25	27.7	1518.67	3.409 Ω/km
ANM10.002.18.010AB	UL20234	1000V	18X10AWG	108/0.25	27.7	1554.07	3.409 Ω/km
ANM10.002.19.010AB	UL20234	1000V	19X10AWG	108/0.25	27.7	1589.57	3.409 Ω/km
ANM10.002.20.010AB	UL20234	1000V	20X10AWG	108/0.25	28.5	1678.87	3.409 Ω/km
ANM10.002.21.010AB	UL20234	1000V	21X10AWG	108/0.25	29.1	1755.57	3.409 Ω/km
ANM10.002.22.010AB	UL20234	1000V	22X10AWG	108/0.25	32.2	2017.67	3.409 Ω/km
ANM10.002.23.010AB	UL20234	1000V	23X10AWG	108/0.25	33.5	2155.37	3.409 Ω/km
ANM10.002.24.010AB	UL20234	1000V	24X10AWG	108/0.25	33.5	2190.67	3.409 Ω/km
ANM10.002.25.010AB	UL20234	1000V	25X10AWG	108/0.25	34.3	2291.27	3.409 Ω/km
ANM10.002.26.010AB	UL20234	1000V	26X10AWG	108/0.25	34.3	2326.67	3.409 Ω/km
ANM10.002.27.010AB	UL20234	1000V	27X10AWG	108/0.25	34.3	2361.97	3.409 Ω/km
ANM10.002.28.010AB	UL20234	1000V	28X10AWG	108/0.25	35.5	2497.87	3.409 Ω/km
ANM10.002.29.010AB	UL20234	1000V	29X10AWG	108/0.25	35.5	2533.27	3.409 Ω/km
ANM10.002.30.010AB	UL20234	1000V	30X10AWG	108/0.25	35.5	2568.67	3.409 Ω/km
ANM10.002.31.010AB	UL20234	1000V	31X10AWG	108/0.25	37.1	2743.37	3.409 Ω/km
ANM10.002.32.010AB	UL20234	1000V	32X10AWG	108/0.25	37.1	2778.77	3.409 Ω/km
ANM10.002.33.010AB	UL20234	1000V	33X10AWG	108/0.25	37.1	2814.17	3.409 Ω/km
ANM10.002.34.010AB	UL20234	1000V	34X10AWG	108/0.25	38.4	2967.17	3.409 Ω/km
ANM10.002.35.010AB	UL20234	1000V	35X10AWG	108/0.25	38.4	3002.67	3.409 Ω/km
ANM10.002.36.010AB	UL20234	1000V	36X10AWG	108/0.25	38.4	3038.07	3.409 Ω/km
ANM10.002.37.010AB	UL20234	1000V	37X10AWG	108/0.25	38.4	3073.37	3.409 Ω/km
ANM10.002.02.009AB	UL20234	1000V	2X9AWG	136/0.25	14.3	338.14	2.705 Ω/km
ANM10.002.03.009AB	UL20234	1000V	3X9AWG	136/0.25	15.2	415.14	2.705 Ω/km
ANM10.002.04.009AB	UL20234	1000V	4X9AWG	136/0.25	16.5	509.94	2.705 Ω/km
ANM10.002.05.009AB	UL20234	1000V	5X9AWG	136/0.25	18.1	621.34	2.705 Ω/km
ANM10.002.06.009AB	UL20234	1000V	6X9AWG	136/0.25	19.6	734.54	2.705 Ω/km
ANM10.002.07.009AB	UL20234	1000V	7X9AWG	136/0.25	19.6	780.04	2.705 Ω/km
ANM10.002.02.008AB	UL20234	1000V	2X8AWG	171/0.25	15.1	392.87	2.144 Ω/km
ANM10.002.03.008AB	UL20234	1000V	3X8AWG	171/0.25	16	484.47	2.144 Ω/km
ANM10.002.04.008AB	UL20234	1000V	4X8AWG	171/0.25	17.5	602.37	2.144 Ω/km
ANM10.002.05.008AB	UL20234	1000V	5X8AWG	171/0.25	19.1	730.37	2.144 Ω/km
ANM10.002.06.008AB	UL20234	1000V	6X8AWG	171/0.25	21.8	920.07	2.144 Ω/km
ANM10.002.07.008AB	UL20234	1000V	7X8AWG	171/0.25	21.8	978.17	2.144 Ω/km
ANM10.002.02.007AB	UL20234	1000V	2X7AWG	84/0.4	15.9	457.25	1.700 Ω/km



ANM10.002.03.007AB	UL20234	1000V	3X7AWG	84/0.4	16.9	570.95	1.700 Ω/km
ANM10.002.04.007AB	UL20234	1000V	4X7AWG	84/0.4	18.5	713.15	1.700 Ω/km
ANM10.002.05.007AB	UL20234	1000V	5X7AWG	84/0.4	20.2	866.15	1.700 Ω/km
ANM10.002.06.007AB	UL20234	1000V	6X7AWG	84/0.4	23	1084.85	1.700 Ω/km
ANM10.002.07.007AB	UL20234	1000V	7X7AWG	84/0.4	23	1159.55	1.700 Ω/km
ANM10.002.02.006AB	UL20234	1000V	2X6AWG	106/0.4	17.3	550.8	1.348 Ω/km
ANM10.002.03.006AB	UL20234	1000V	3X6AWG	106/0.4	18.4	689.9	1.348 Ω/km
ANM10.002.04.006AB	UL20234	1000V	4X6AWG	106/0.4	20.2	864.9	1.348 Ω/km
ANM10.002.05.006AB	UL20234	1000V	5X6AWG	106/0.4	23.1	1106.9	1.348 Ω/km
ANM10.002.06.006AB	UL20234	1000V	6X6AWG	106/0.4	25.1	1314.3	1.348 Ω/km
ANM10.002.07.006AB	UL20234	1000V	7X6AWG	106/0.4	25.1	1406.6	1.348 Ω/km
ANM10.002.02.005AB	UL20234	1000V	2X5AWG	134/0.4	18.5	654.97	1.070 Ω/km
ANM10.002.03.005AB	UL20234	1000V	3X5AWG	134/0.4	19.7	826.47	1.070 Ω/km
ANM10.002.04.005AB	UL20234	1000V	4X5AWG	134/0.4	22.6	1089.57	1.070 Ω/km
ANM10.002.05.005AB	UL20234	1000V	5X5AWG	134/0.4	24.7	1325.17	1.070 Ω/km
ANM10.002.06.005AB	UL20234	1000V	6X5AWG	134/0.4	26.9	1577.97	1.070 Ω/km
ANM10.002.07.005AB	UL20234	1000V	7X5AWG	134/0.4	26.9	1694.87	1.070 Ω/km
ANM10.002.02.004AB	UL20234	1000V	2X4AWG	169/0.4	22.1	894.45	0.8481 Ω/km
ANM10.002.03.004AB	UL20234	1000V	3X4AWG	169/0.4	23.5	1118.25	0.8481 Ω/km
ANM10.002.04.004AB	UL20234	1000V	4X4AWG	169/0.4	25.8	1401.45	0.8481 Ω/km
ANM10.002.05.004AB	UL20234	1000V	5X4AWG	169/0.4	28.2	1704.05	0.8481 Ω/km
ANM10.002.06.004AB	UL20234	1000V	6X4AWG	169/0.4	32	2124.55	0.8481 Ω/km
ANM10.002.07.004AB	UL20234	1000V	7X4AWG	169/0.4	32	2272.25	0.8481 Ω/km
ANM10.002.02.003AB	UL20234	1000V	2X3AWG	213/0.4	23.7	1064.77	0.6727 Ω/km
ANM10.002.03.003AB	UL20234	1000V	3X3AWG	213/0.4	25.2	1338.77	0.6727 Ω/km
ANM10.002.04.003AB	UL20234	1000V	4X3AWG	213/0.4	27.7	1682.97	0.6727 Ω/km
ANM10.002.05.003AB	UL20234	1000V	5X3AWG	213/0.4	31.6	2145.27	0.6727 Ω/km
ANM10.002.06.003AB	UL20234	1000V	6X3AWG	213/0.4	34.4	2552.87	0.6727 Ω/km
ANM10.002.07.003AB	UL20234	1000V	7X3AWG	213/0.4	34.4	2739.17	0.6727 Ω/km
ANM10.002.02.002AB	UL20234	1000V	2X2AWG	268/0.4	25.5	1274.82	0.5335 Ω/km
ANM10.002.03.002AB	UL20234	1000V	3X2AWG	268/0.4	27.2	1616.72	0.5335 Ω/km
ANM10.002.04.002AB	UL20234	1000V	4X2AWG	268/0.4	31.1	2122.82	0.5335 Ω/km
ANM10.002.05.002AB	UL20234	1000V	5X2AWG	268/0.4	34	2583.82	0.5335 Ω/km
ANM10.002.06.002AB	UL20234	1000V	6X2AWG	268/0.4	37.4	3109.62	0.5335 Ω/km
ANM10.002.07.002AB	UL20234	1000V	7X2AWG	268/0.4	37.4	3344.42	0.5335 Ω/km
ANM10.002.02.001AB	UL20234	1000V	2X1AWG	338/0.4	28.1	1577.81	0.4230 Ω/km
ANM10.002.03.001AB	UL20234	1000V	3X1AWG	338/0.4	31.2	2095.51	0.4230 Ω/km
ANM10.002.04.001AB	UL20234	1000V	4X1AWG	338/0.4	34.2	2629.21	0.4230 Ω/km
ANM10.002.05.001AB	UL20234	1000V	5X1AWG	338/0.4	37.8	3238.51	0.4230 Ω/km
ANM10.002.06.001AB	UL20234	1000V	6X1AWG	338/0.4	41.3	3869.31	0.4230 Ω/km
ANM10.002.07.001AB	UL20234	1000V	7X1AWG	338/0.4	41.3	4167.91	0.4230 Ω/km
ANM10.002.02.1/0AB	UL20234	1000V	2X1/0AWG	426/0.4	31.9	2008.39	0.3354 Ω/km



ANM10.002.03.1/OAB	UL20234	1000V	3X1/OAWG	426/0.4	34	2546.39	0.3354 Ω/km
ANM10.002.04.1/OAB	UL20234	1000V	4X1/OAWG	426/0.4	37.6	3227.79	0.3354 Ω/km
ANM10.002.05.1/OAB	UL20234	1000V	5X1/OAWG	426/0.4	41.3	3950.29	0.3354 Ω/km
ANM10.002.06.1/OAB	UL20234	1000V	6X1/OAWG	426/0.4	47	4924.19	0.3354 Ω/km
ANM10.002.07.1/OAB	UL20234	1000V	7X1/OAWG	426/0.4	47	5296.49	0.3354 Ω/km
ANM10.002.02.2/OAB	UL20234	1000V	2X2/OAWG	537/0.4	34.5	2422.33	0.2660 Ω/km
ANM10.002.03.2/OAB	UL20234	1000V	3X2/OAWG	537/0.4	37.1	3114.43	0.2660 Ω/km
ANM10.002.04.2/OAB	UL20234	1000V	4X2/OAWG	537/0.4	40.8	3929.13	0.2660 Ω/km
ANM10.002.05.2/OAB	UL20234	1000V	5X2/OAWG	537/0.4	46.7	5015.13	0.2660 Ω/km
ANM10.002.06.2/OAB	UL20234	1000V	6X2/OAWG	537/0.4	50.9	5976.33	0.2660 Ω/km
ANM10.002.07.2/OAB	UL20234	1000V	7X2/OAWG	537/0.4	50.9	6445.13	0.2660 Ω/km
ANM10.002.02.3/OAB	UL20234	1000V	2X3/OAWG	677/0.4	37.4	2943.61	0.2110 Ω/km
ANM10.002.03.3/OAB	UL20234	1000V	3X3/OAWG	677/0.4	39.9	3771.21	0.2110 Ω/km
ANM10.002.04.3/OAB	UL20234	1000V	4X3/OAWG	677/0.4	45.7	4960.31	0.2110 Ω/km
ANM10.002.05.3/OAB	UL20234	1000V	5X3/OAWG	677/0.4	50.2	6074.21	0.2110 Ω/km
ANM10.002.06.3/OAB	UL20234	1000V	6X3/OAWG	677/0.4	54.8	7250.31	0.2110 Ω/km
ANM10.002.07.3/OAB	UL20234	1000V	7X3/OAWG	677/0.4	54.8	7845.81	0.2110 Ω/km
ANM10.002.02.4/OAB	UL20234	1000V	2X4/OAWG	854/0.4	40.6	3576.7	0.1673 Ω/km
ANM10.002.03.4/OAB	UL20234	1000V	3X4/OAWG	854/0.4	43.3	4600.1	0.1673 Ω/km
ANM10.002.04.4/OAB	UL20234	1000V	4X4/OAWG	854/0.4	49.6	6051.5	0.1673 Ω/km
ANM10.002.05.4/OAB	UL20234	1000V	5X4/OAWG	854/0.4	54.5	7415.9	0.1673 Ω/km
ANM10.002.06.4/OAB	UL20234	1000V	6X4/OAWG	854/0.4	59.6	8866.7	0.1673 Ω/km
ANM10.002.07.4/OAB	UL20234	1000V	7X4/OAWG	854/0.4	59.6	9618.1	0.1673 Ω/km
ANM10.002.02.250kV	UL20234	1000V	2X250kcmil	1007/0.4	46.6	4482.7	0.1416 Ω/km
ANM10.002.03.250kV	UL20234	1000V	3X250kcmil	1007/0.4	49.6	5711	0.1416 Ω/km
ANM10.002.04.250kV	UL20234	1000V	4X250kcmil	1007/0.4	54.6	7218.6	0.1416 Ω/km
ANM10.002.05.250kV	UL20234	1000V	5X250kcmil	1007/0.4	60.2	8873.2	0.1416 Ω/km
ANM10.002.02.300kV	UL20234	1000V	2X300kcmil	1184/0.4	48.8	5142.4	0.1180 Ω/km
ANM10.002.03.300kV	UL20234	1000V	3X300kcmil	1184/0.4	52	6603	0.1180 Ω/km
ANM10.002.04.300kV	UL20234	1000V	4X300kcmil	1184/0.4	57.3	8372.2	0.1180 Ω/km
ANM10.002.05.300kV	UL20234	1000V	5X300kcmil	1184/0.4	63.1	10285.1	0.1180 Ω/km
ANM10.002.02.350kV	UL20234	1000V	2X350kcmil	1406/0.4	51.8	5870.8	0.1011 Ω/km
ANM10.002.03.350kV	UL20234	1000V	3X350kcmil	1406/0.4	55.2	7551.6	0.1011 Ω/km
ANM10.002.04.350kV	UL20234	1000V	4X350kcmil	1406/0.4	60.9	9590.8	0.1011 Ω/km
ANM10.002.05.350kV	UL20234	1000V	5X350kcmil	1406/0.4	67.2	11805.1	0.1011 Ω/km
ANM10.002.02.400kV	UL20234	1000V	2X400kcmil	1628/0.4	54.8	6630.1	0.08851 Ω/km
ANM10.002.03.400kV	UL20234	1000V	3X400kcmil	1628/0.4	58.5	8552.1	0.08851 Ω/km
ANM10.002.04.400kV	UL20234	1000V	4X400kcmil	1628/0.4	64.5	10857.6	0.08851 Ω/km
ANM10.002.05.400kV	UL20234	1000V	5X400kcmil	1628/0.4	73.6	13781.4	0.08851 Ω/km
ANM10.002.02.450kV	UL20234	1000V	2X450kcmil	1830/0.4	57.2	7328.7	0.07867 Ω/km
ANM10.002.03.450kV	UL20234	1000V	3X450kcmil	1830/0.4	61	9462.1	0.07867 Ω/km
ANM10.002.04.450kV	UL20234	1000V	4X450kcmil	1830/0.4	67.4	12044	0.07867 Ω/km



ANM10.002.05.450kV	UL20234	1000V	5X450kcmil	1830/0.4	76.9	15280.2	0.07867 Ω/km
ANM10.002.02.500kV	UL20234	1000V	2X500kcmil	2013/0.4	59.2	7999	0.07080 Ω/km
ANM10.002.03.500kV	UL20234	1000V	3X500kcmil	2013/0.4	63.2	10363.8	0.07080 Ω/km
ANM10.002.04.500kV	UL20234	1000V	4X500kcmil	2013/0.4	69.8	13196	0.07080 Ω/km
ANM10.002.05.500kV	UL20234	1000V	5X500kcmil	2013/0.4	79.6	16727.3	0.07080 Ω/km
ANM10.002.03.01.013AB	UL20234	1000V	3X13AWG+1X15AWG	54/0.25	10.8	209.85	6.82 Ω/km
ANM10.002.03.01.012AB	UL20234	1000V	3X12AWG+1X14AWG	68/0.25	11.7	253.58	5.43 Ω/km
ANM10.002.03.01.011AB	UL20234	1000V	3X11AWG+1X14AWG	85/0.25	12.4	290.58	4.30 Ω/km
ANM10.002.03.01.010AB	UL20234	1000V	3X10AWG+1X13AWG	108/0.25	13.8	356.33	3.409 Ω/km
ANM10.002.03.01.009AB	UL20234	1000V	3X9AWG+1X12AWG	136/0.25	15.3	445.31	2.705 Ω/km
ANM10.002.03.01.008AB	UL20234	1000V	3X8AWG+1X11AWG	171/0.25	16.3	527.67	2.144 Ω/km
ANM10.002.03.01.007AB	UL20234	1000V	3X7AWG+1X10AWG	84/0.4	17.4	628.37	1.700 Ω/km
ANM10.002.03.01.006AB	UL20234	1000V	3X6AWG+1X9AWG	106/0.4	19	763.04	1.348 Ω/km
ANM10.002.03.01.005AB	UL20234	1000V	3X5AWG+1X8AWG	134/0.4	21.4	967.67	1.070 Ω/km
ANM10.002.03.01.004AB	UL20234	1000V	3X4AWG+1X7AWG	169/0.4	24	1220.25	0.8481 Ω/km
ANM10.002.03.01.003AB	UL20234	1000V	3X3AWG+1X6AWG	213/0.4	25.9	1470.7	0.6727 Ω/km
ANM10.002.03.01.002AB	UL20234	1000V	3X2AWG+1X5AWG	268/0.4	27.9	1774.47	0.5335 Ω/km
ANM10.002.03.01.001AB	UL20234	1000V	3X1AWG+1X4AWG	338/0.4	32.2	2310.75	0.4230 Ω/km
ANM10.002.03.01.1/0AB	UL20234	1000V	3X1/0AWG+1X3AWG	426/0.4	35	2802.77	0.3354 Ω/km
ANM10.002.03.01.2/0AB	UL20234	1000V	3X2/0AWG+1X2AWG	537/0.4	38.2	3430.52	0.2660 Ω/km
ANM10.002.03.01.3/0AB	UL20234	1000V	3X3/0AWG+1X1AWG	677/0.4	41.4	4190.91	0.2110 Ω/km
ANM10.002.03.01.4/0AB	UL20234	1000V	3X4/0AWG+1X1/0AWG	854/0.4	46.9	5324.99	0.1673 Ω/km
ANM10.002.03.01.250kV	UL20234	1000V	3X250kcmil+1X2/0AWG	1007/0.4	51.5	6372.33	0.1416 Ω/km
ANM10.002.03.01.300kV	UL20234	1000V	3X300kcmil+1X3/0AWG	1184/0.4	54.3	7448.01	0.1180 Ω/km
ANM10.002.03.01.350kV	UL20234	1000V	3X350kcmil+1X4/0AWG	1406/0.4	58	8638.7	0.1011 Ω/km
ANM10.002.03.01.400kV	UL20234	1000V	3X400kcmil+1X250kcmil	1628/0.4	61.9	9876.6	0.08851 Ω/km
ANM10.002.03.01.450kV	UL20234	1000V	3X450kcmil+1X300kcmil	1830/0.4	64.8	11062	0.07867 Ω/km
ANM10.002.03.01.500kV	UL20234	1000V	3X500kcmil+1X350kcmil	2013/0.4	67.5	12236.8	0.07080 Ω/km
ANM10.002.03.02.013AB	UL20234	1000V	3X13AWG+2X15AWG	54/0.25	11.5	240.65	6.82 Ω/km
ANM10.002.03.02.012AB	UL20234	1000V	3X12AWG+2X14AWG	68/0.25	12.4	289.08	5.43 Ω/km
ANM10.002.03.02.011AB	UL20234	1000V	3X11AWG+2X14AWG	85/0.25	13	324.08	4.30 Ω/km
ANM10.002.03.02.010AB	UL20234	1000V	3X10AWG+2X13AWG	108/0.25	14.4	395.53	3.409 Ω/km
ANM10.002.03.02.009AB	UL20234	1000V	3X9AWG+2X12AWG	136/0.25	16	495.91	2.705 Ω/km
ANM10.002.03.02.008AB	UL20234	1000V	3X8AWG+2X11AWG	171/0.25	17.1	589.37	2.144 Ω/km
ANM10.002.03.02.007AB	UL20234	1000V	3X7AWG+2X10AWG	84/0.4	18.4	706.97	1.700 Ω/km
ANM10.002.03.02.006AB	UL20234	1000V	3X6AWG+2X9AWG	106/0.4	20.2	865.54	1.348 Ω/km
ANM10.002.03.02.005AB	UL20234	1000V	3X5AWG+2X8AWG	134/0.4	22.6	1089.37	1.070 Ω/km
ANM10.002.03.02.004AB	UL20234	1000V	3X4AWG+2X7AWG	169/0.4	25.2	1365.95	0.8481 Ω/km
ANM10.002.03.02.003AB	UL20234	1000V	3X3AWG+2X6AWG	213/0.4	27.2	1646.4	0.6727 Ω/km
ANM10.002.03.02.002AB	UL20234	1000V	3X2AWG+2X5AWG	268/0.4	30.5	2072.97	0.5335 Ω/km
ANM10.002.03.02.001AB	UL20234	1000V	3X1AWG+2X4AWG	338/0.4	34.1	2610.15	0.4230 Ω/km
ANM10.002.03.02.1/0AB	UL20234	1000V	3X1/0AWG+2X3AWG	426/0.4	37.3	3189.47	0.3354 Ω/km



ANM10.002.03.02.2/0AB	UL20234	1000V	3X2/OAWG+2X2AWG	537/0.4	40.4	3874.02	0.2660 Ω/km
ANM10.002.03.02.3/0AB	UL20234	1000V	3X3/OAWG+2X1AWG	677/0.4	45.7	4937.81	0.2110 Ω/km
ANM10.002.03.02.4/0AB	UL20234	1000V	3X4/OAWG+2X1/OAWG	854/0.4	49.7	6023.49	0.1673 Ω/km
ANM10.002.03.02.250kB	UL20234	1000V	3X250kcmil+2X2/OAWG	1007/0.4	54.5	7224.83	0.1416 Ω/km
ANM10.002.03.02.300kB	UL20234	1000V	3X300kcmil+2X3/OAWG	1184/0.4	57.7	8503.21	0.1180 Ω/km
ANM10.002.03.02.350kB	UL20234	1000V	3X350kcmil+2X4/OAWG	1406/0.4	61.9	9954.4	0.1011 Ω/km
ANM10.002.03.02.400kB	UL20234	1000V	3X400kcmil+2X250kcmil	1628/0.4	66.6	11486.9	0.08851 Ω/km
ANM10.002.03.02.450kB	UL20234	1000V	3X450kcmil+2X300kcmil	1830/0.4	69.7	12930.5	0.07867 Ω/km
ANM10.002.03.02.500kB	UL20234	1000V	3X500kcmil+2X350kcmil	2013/0.4	75.3	14816.6	0.07080 Ω/km
ANM10.002.01.01.013AB	UL20234	1000V	4X13AWG+1X15AWG	54/0.25	11.8	255.85	6.82 Ω/km
ANM10.002.01.01.012AB	UL20234	1000V	4X12AWG+1X14AWG	68/0.25	12.7	306.98	5.43 Ω/km
ANM10.002.01.01.011AB	UL20234	1000V	4X11AWG+1X14AWG	85/0.25	13.7	361.08	4.30 Ω/km
ANM10.002.01.01.010AB	UL20234	1000V	4X10AWG+1X13AWG	108/0.25	15.2	440.53	3.409 Ω/km
ANM10.002.01.01.009AB	UL20234	1000V	4X9AWG+1X12AWG	136/0.25	16.9	553.11	2.705 Ω/km
ANM10.002.01.01.008AB	UL20234	1000V	4X8AWG+1X11AWG	171/0.25	18	656.07	2.144 Ω/km
ANM10.002.01.01.007AB	UL20234	1000V	4X7AWG+1X10AWG	84/0.4	19.2	782.47	1.700 Ω/km
ANM10.002.01.01.006AB	UL20234	1000V	4X6AWG+1X9AWG	106/0.4	22.1	1008.14	1.348 Ω/km
ANM10.002.01.01.005AB	UL20234	1000V	4X5AWG+1X8AWG	134/0.4	23.6	1203.77	1.070 Ω/km
ANM10.002.01.01.001AB	UL20234	1000V	4X4AWG+1X7AWG	169/0.4	26.6	1526.35	0.8481 Ω/km
ANM10.002.01.01.003AB	UL20234	1000V	4X3AWG+1X6AWG	213/0.4	28.7	1841.3	0.6727 Ω/km
ANM10.002.01.01.002AB	UL20234	1000V	4X2AWG+1X5AWG	268/0.4	32.2	2319.27	0.5335 Ω/km
ANM10.002.01.01.001AB	UL20234	1000V	4X1AWG+1X4AWG	338/0.4	35.7	2895.95	0.4230 Ω/km
ANM10.002.01.01.1/0AB	UL20234	1000V	4X1/OAWG+1X3AWG	426/0.4	39.2	3550.97	0.3354 Ω/km
ANM10.002.01.01.2/0AB	UL20234	1000V	4X2/OAWG+1X2AWG	537/0.4	42.5	4318.02	0.2660 Ω/km
ANM10.002.01.01.3/0AB	UL20234	1000V	4X3/OAWG+1X1AWG	677/0.4	47.8	5471.61	0.2110 Ω/km
ANM10.002.01.01.4/0AB	UL20234	1000V	4X4/OAWG+1X1/OAWG	854/0.4	52	6684.69	0.1673 Ω/km
ANM10.002.01.01.250kB	UL20234	1000V	4X250kcmil+1X2/OAWG	1007/0.4	57.2	8001.53	0.1416 Ω/km
ANM10.002.01.01.300kB	UL20234	1000V	4X300kcmil+1X3/OAWG	1184/0.4	60.3	9350.81	0.1180 Ω/km
ANM10.002.01.01.350kB	UL20234	1000V	4X350kcmil+1X4/OAWG	1406/0.4	64.4	10827.5	0.1011 Ω/km
ANM10.002.01.01.400kB	UL20234	1000V	4X400kcmil+1X250kcmil	1628/0.4	68.8	12382.8	0.08851 Ω/km
ANM10.002.01.01.450kB	UL20234	1000V	4X450kcmil+1X300kcmil	1830/0.4	74.4	14260.2	0.07867 Ω/km
ANM10.002.01.01.500kB	UL20234	1000V	4X500kcmil+1X350kcmil	2013/0.4	77.3	15717.2	0.07080 Ω/km
ANM10.002.03.03.013AB	UL20234	1000V	3X13AWG+3X18AWG	54/0.25	11.1	222.93	6.82 Ω/km
ANM10.002.03.03.012AB	UL20234	1000V	3X12AWG+3X17AWG	68/0.25	12	268.14	5.43 Ω/km
ANM10.002.03.03.011AB	UL20234	1000V	3X11AWG+3X16AWG	85/0.25	13.1	324.81	4.30 Ω/km
ANM10.002.03.03.010AB	UL20234	1000V	3X10AWG+3X15AWG	108/0.25	14.3	389.15	3.409 Ω/km
ANM10.002.03.03.009AB	UL20234	1000V	3X9AWG+3X14AWG	136/0.25	15.6	476.78	2.705 Ω/km
ANM10.002.03.03.008AB	UL20234	1000V	3X8AWG+3X13AWG	171/0.25	16.6	564.93	2.144 Ω/km
ANM10.002.03.03.007AB	UL20234	1000V	3X7AWG+3X12AWG	84/0.4	17.8	680.11	1.700 Ω/km
ANM10.002.03.03.006AB	UL20234	1000V	3X6AWG+3X11AWG	106/0.4	19.5	827.27	1.348 Ω/km
ANM10.002.03.03.005AB	UL20234	1000V	3X5AWG+3X10AWG	134/0.4	22.3	1059.87	1.070 Ω/km
ANM10.002.03.03.004AB	UL20234	1000V	3X4AWG+3X9AWG	169/0.4	25.2	1349.74	0.8481 Ω/km



ANM10.002.03.03.003AB	UL20234	1000V	3X3AWG+3X8AWG	213/0.4	27	1618.37	0.6727 Ω/km
ANM10.002.03.03.002AB	UL20234	1000V	3X2AWG+3X7AWG	268/0.4	28.8	1936.55	0.5335 Ω/km
ANM10.002.03.03.001AB	UL20234	1000V	3X1AWG+3X6AWG	338/0.4	33	2495	0.4230 Ω/km
ANM10.002.03.03.1/0AB	UL20234	1000V	3X1/0AWG+3X5AWG	426/0.4	35.7	3017.37	0.3354 Ω/km
ANM10.002.03.03.2/0AB	UL20234	1000V	3X2/0AWG+3X4AWG	537/0.4	40	3795.85	0.2660 Ω/km
ANM10.002.03.03.3/0AB	UL20234	1000V	3X3/0AWG+3X3AWG	677/0.4	43.1	4608.47	0.2110 Ω/km
ANM10.002.03.03.4/0AB	UL20234	1000V	3X4/0AWG+3X2AWG	854/0.4	48.6	5833.02	0.1673 Ω/km
ANM10.002.03.03.250kB	UL20234	1000V	3X250kcmil+3X1AWG	1007/0.4	53.6	7040.41	0.1416 Ω/km
ANM10.002.03.03.300kB	UL20234	1000V	3X300kcmil+3X1/0AWG	1184/0.4	57.3	8341.59	0.1180 Ω/km
ANM10.002.03.03.350kB	UL20234	1000V	3X350kcmil+3X1/0AWG	1406/0.4	59.3	9134.39	0.1011 Ω/km
ANM10.002.03.03.400kB	UL20234	1000V	3X400kcmil+3X2/0AWG	1628/0.4	63.5	10583.93	0.08851 Ω/km
ANM10.002.03.03.450kB	UL20234	1000V	3X450kcmil+3X3/0AWG	1830/0.4	67.3	12107.61	0.07867 Ω/km
ANM10.002.03.03.500kB	UL20234	1000V	3X500kcmil+3X3/0AWG	2013/0.4	68.7	12885.41	0.07080 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 XLPE 材质							
ANM10.005.02.019AB	UL20234	1000V	2X19AWG	43/0.14	9	103.96	27.4 Ω/km
ANM10.005.03.019AB	UL20234	1000V	3X19AWG	43/0.14	9.5	119.36	27.4 Ω/km
ANM10.005.04.019AB	UL20234	1000V	4X19AWG	43/0.14	10.2	140.16	27.4 Ω/km
ANM10.005.05.019AB	UL20234	1000V	5X19AWG	43/0.14	10.9	162.06	27.4 Ω/km
ANM10.005.06.019AB	UL20234	1000V	6X19AWG	43/0.14	11.7	188.06	27.4 Ω/km
ANM10.005.07.019AB	UL20234	1000V	7X19AWG	43/0.14	11.7	192.56	27.4 Ω/km
ANM10.005.08.019AB	UL20234	1000V	8X19AWG	43/0.14	12.6	222.96	27.4 Ω/km
ANM10.005.09.019AB	UL20234	1000V	9X19AWG	43/0.14	13.6	258.46	27.4 Ω/km
ANM10.005.10.019AB	UL20234	1000V	10X19AWG	43/0.14	14.5	293.06	27.4 Ω/km
ANM10.005.11.019AB	UL20234	1000V	11X19AWG	43/0.14	15	315.06	27.4 Ω/km
ANM10.005.12.019AB	UL20234	1000V	12X19AWG	43/0.14	15	319.66	27.4 Ω/km
ANM10.005.13.019AB	UL20234	1000V	13X19AWG	43/0.14	15.7	349.66	27.4 Ω/km
ANM10.005.14.019AB	UL20234	1000V	14X19AWG	43/0.14	15.7	354.26	27.4 Ω/km
ANM10.005.15.019AB	UL20234	1000V	15X19AWG	43/0.14	16.4	385.46	27.4 Ω/km
ANM10.005.16.019AB	UL20234	1000V	16X19AWG	43/0.14	16.4	390.06	27.4 Ω/km
ANM10.005.17.019AB	UL20234	1000V	17X19AWG	43/0.14	17.2	426.56	27.4 Ω/km
ANM10.005.18.019AB	UL20234	1000V	18X19AWG	43/0.14	17.2	431.16	27.4 Ω/km
ANM10.005.19.019AB	UL20234	1000V	19X19AWG	43/0.14	17.2	435.66	27.4 Ω/km
ANM10.005.20.019AB	UL20234	1000V	20X19AWG	43/0.14	17.7	460.96	27.4 Ω/km
ANM10.005.21.019AB	UL20234	1000V	21X19AWG	43/0.14	18.1	482.46	27.4 Ω/km
ANM10.005.22.019AB	UL20234	1000V	22X19AWG	43/0.14	19.1	531.46	27.4 Ω/km
ANM10.005.23.019AB	UL20234	1000V	23X19AWG	43/0.14	19.9	573.16	27.4 Ω/km
ANM10.005.24.019AB	UL20234	1000V	24X19AWG	43/0.14	19.9	577.76	27.4 Ω/km
ANM10.005.25.019AB	UL20234	1000V	25X19AWG	43/0.14	21.4	655.86	27.4 Ω/km
ANM10.005.26.019AB	UL20234	1000V	26X19AWG	43/0.14	21.4	660.36	27.4 Ω/km
ANM10.005.27.019AB	UL20234	1000V	27X19AWG	43/0.14	21.4	664.86	27.4 Ω/km



ANM10.005.28.019AB	UL20234	1000V	28X19AWG	43/0.14	22.1	705.76	27.4Ω/km
ANM10.005.29.019AB	UL20234	1000V	29X19AWG	43/0.14	22.1	710.26	27.4Ω/km
ANM10.005.30.019AB	UL20234	1000V	30X19AWG	43/0.14	22.1	714.86	27.4Ω/km
ANM10.005.31.019AB	UL20234	1000V	31X19AWG	43/0.14	22.8	756.86	27.4Ω/km
ANM10.005.32.019AB	UL20234	1000V	32X19AWG	43/0.14	22.8	761.46	27.4Ω/km
ANM10.005.33.019AB	UL20234	1000V	33X19AWG	43/0.14	22.8	765.96	27.4Ω/km
ANM10.005.34.019AB	UL20234	1000V	34X19AWG	43/0.14	23.6	814.76	27.4Ω/km
ANM10.005.35.019AB	UL20234	1000V	35X19AWG	43/0.14	23.6	819.26	27.4Ω/km
ANM10.005.36.019AB	UL20234	1000V	36X19AWG	43/0.14	23.6	823.86	27.4Ω/km
ANM10.005.37.019AB	UL20234	1000V	37X19AWG	43/0.14	23.6	828.36	27.4Ω/km
ANM10.005.38.019AB	UL20234	1000V	38X19AWG	43/0.14	24.5	884.66	27.4Ω/km
ANM10.005.39.019AB	UL20234	1000V	39X19AWG	43/0.14	24.5	889.16	27.4Ω/km
ANM10.005.40.019AB	UL20234	1000V	40X19AWG	43/0.14	24.5	893.76	27.4Ω/km
ANM10.005.41.019AB	UL20234	1000V	41X19AWG	43/0.14	26.3	1007.56	27.4Ω/km
ANM10.005.42.019AB	UL20234	1000V	42X19AWG	43/0.14	26.3	1012.16	27.4Ω/km
ANM10.005.43.019AB	UL20234	1000V	43X19AWG	43/0.14	26.3	1016.66	27.4Ω/km
ANM10.005.44.019AB	UL20234	1000V	44X19AWG	43/0.14	26.3	1021.26	27.4Ω/km
ANM10.005.45.019AB	UL20234	1000V	45X19AWG	43/0.14	26.8	1057.56	27.4Ω/km
ANM10.005.46.019AB	UL20234	1000V	46X19AWG	43/0.14	26.8	1062.06	27.4Ω/km
ANM10.005.47.019AB	UL20234	1000V	47X19AWG	43/0.14	26.8	1066.56	27.4Ω/km
ANM10.005.48.019AB	UL20234	1000V	48X19AWG	43/0.14	26.8	1071.16	27.4Ω/km
ANM10.005.49.019AB	UL20234	1000V	49X19AWG	43/0.14	27.5	1121.06	27.4Ω/km
ANM10.005.50.019AB	UL20234	1000V	50X19AWG	43/0.14	27.5	1125.66	27.4Ω/km
ANM10.005.51.019AB	UL20234	1000V	51X19AWG	43/0.14	27.5	1130.16	27.4Ω/km
ANM10.005.52.019AB	UL20234	1000V	52X19AWG	43/0.14	27.5	1134.76	27.4Ω/km
ANM10.005.53.019AB	UL20234	1000V	53X19AWG	43/0.14	28.2	1185.96	27.4Ω/km
ANM10.005.54.019AB	UL20234	1000V	54X19AWG	43/0.14	28.2	1190.46	27.4Ω/km
ANM10.005.55.019AB	UL20234	1000V	55X19AWG	43/0.14	28.2	1195.06	27.4Ω/km
ANM10.005.56.019AB	UL20234	1000V	56X19AWG	43/0.14	28.2	1199.56	27.4Ω/km
ANM10.005.57.019AB	UL20234	1000V	57X19AWG	43/0.14	29	1258.96	27.4Ω/km
ANM10.005.58.019AB	UL20234	1000V	58X19AWG	43/0.14	29	1263.46	27.4Ω/km
ANM10.005.59.019AB	UL20234	1000V	59X19AWG	43/0.14	29	1268.06	27.4Ω/km
ANM10.005.60.019AB	UL20234	1000V	60X19AWG	43/0.14	29	1272.56	27.4Ω/km
ANM10.005.61.019AB	UL20234	1000V	61X19AWG	43/0.14	29	1277.06	27.4Ω/km
ANM10.005.62.019AB	UL20234	1000V	62X19AWG	43/0.14	31.1	1431.76	27.4Ω/km
ANM10.005.63.019AB	UL20234	1000V	63X19AWG	43/0.14	31.1	1436.26	27.4Ω/km
ANM10.005.64.019AB	UL20234	1000V	64X19AWG	43/0.14	31.1	1440.76	27.4Ω/km
ANM10.005.65.019AB	UL20234	1000V	65X19AWG	43/0.14	31.1	1445.36	27.4Ω/km
ANM10.005.02.018AB	UL20234	1000V	2X18AWG	29/0.19	9.2	111.13	21.8Ω/km
ANM10.005.03.018AB	UL20234	1000V	3X18AWG	29/0.19	9.7	127.93	21.8Ω/km
ANM10.005.04.018AB	UL20234	1000V	4X18AWG	29/0.19	10.4	150.53	21.8Ω/km
ANM10.005.05.018AB	UL20234	1000V	5X18AWG	29/0.19	11.2	176.73	21.8Ω/km



ANM10.005.06.018AB	UL20234	1000V	6X18AWG	29/0.19	12	204.43	21.8 Ω/km
ANM10.005.07.018AB	UL20234	1000V	7X18AWG	29/0.19	12	210.33	21.8 Ω/km
ANM10.005.08.018AB	UL20234	1000V	8X18AWG	29/0.19	12.9	242.73	21.8 Ω/km
ANM10.005.09.018AB	UL20234	1000V	9X18AWG	29/0.19	14.1	287.03	21.8 Ω/km
ANM10.005.10.018AB	UL20234	1000V	10X18AWG	29/0.19	14.9	320.53	21.8 Ω/km
ANM10.005.11.018AB	UL20234	1000V	11X18AWG	29/0.19	15.4	344.33	21.8 Ω/km
ANM10.005.12.018AB	UL20234	1000V	12X18AWG	29/0.19	15.4	350.13	21.8 Ω/km
ANM10.005.13.018AB	UL20234	1000V	13X18AWG	29/0.19	16.1	382.33	21.8 Ω/km
ANM10.005.14.018AB	UL20234	1000V	14X18AWG	29/0.19	16.1	388.13	21.8 Ω/km
ANM10.005.15.018AB	UL20234	1000V	15X18AWG	29/0.19	16.9	425.33	21.8 Ω/km
ANM10.005.16.018AB	UL20234	1000V	16X18AWG	29/0.19	16.9	431.23	21.8 Ω/km
ANM10.005.17.018AB	UL20234	1000V	17X18AWG	29/0.19	17.7	470.03	21.8 Ω/km
ANM10.005.18.018AB	UL20234	1000V	18X18AWG	29/0.19	17.7	475.93	21.8 Ω/km
ANM10.005.19.018AB	UL20234	1000V	19X18AWG	29/0.19	17.7	481.83	21.8 Ω/km
ANM10.005.20.018AB	UL20234	1000V	20X18AWG	29/0.19	18.2	509.03	21.8 Ω/km
ANM10.005.21.018AB	UL20234	1000V	21X18AWG	29/0.19	18.6	532.43	21.8 Ω/km
ANM10.005.22.018AB	UL20234	1000V	22X18AWG	29/0.19	19.7	588.53	21.8 Ω/km
ANM10.005.23.018AB	UL20234	1000V	23X18AWG	29/0.19	21.5	682.53	21.8 Ω/km
ANM10.005.24.018AB	UL20234	1000V	24X18AWG	29/0.19	21.5	688.43	21.8 Ω/km
ANM10.005.25.018AB	UL20234	1000V	25X18AWG	29/0.19	22	720.23	21.8 Ω/km
ANM10.005.26.018AB	UL20234	1000V	26X18AWG	29/0.19	22	726.03	21.8 Ω/km
ANM10.005.27.018AB	UL20234	1000V	27X18AWG	29/0.19	22	731.93	21.8 Ω/km
ANM10.005.28.018AB	UL20234	1000V	28X18AWG	29/0.19	22.7	775.13	21.8 Ω/km
ANM10.005.29.018AB	UL20234	1000V	29X18AWG	29/0.19	22.7	781.03	21.8 Ω/km
ANM10.005.30.018AB	UL20234	1000V	30X18AWG	29/0.19	22.7	786.93	21.8 Ω/km
ANM10.005.31.018AB	UL20234	1000V	31X18AWG	29/0.19	23.5	836.83	21.8 Ω/km
ANM10.005.32.018AB	UL20234	1000V	32X18AWG	29/0.19	23.5	842.83	21.8 Ω/km
ANM10.005.33.018AB	UL20234	1000V	33X18AWG	29/0.19	23.5	848.73	21.8 Ω/km
ANM10.005.34.018AB	UL20234	1000V	34X18AWG	29/0.19	24.3	900.13	21.8 Ω/km
ANM10.005.35.018AB	UL20234	1000V	35X18AWG	29/0.19	24.3	906.03	21.8 Ω/km
ANM10.005.36.018AB	UL20234	1000V	36X18AWG	29/0.19	24.3	911.93	21.8 Ω/km
ANM10.005.37.018AB	UL20234	1000V	37X18AWG	29/0.19	24.3	917.73	21.8 Ω/km
ANM10.005.38.018AB	UL20234	1000V	38X18AWG	29/0.19	25.2	976.93	21.8 Ω/km
ANM10.005.39.018AB	UL20234	1000V	39X18AWG	29/0.19	25.2	982.83	21.8 Ω/km
ANM10.005.40.018AB	UL20234	1000V	40X18AWG	29/0.19	25.2	988.63	21.8 Ω/km
ANM10.005.41.018AB	UL20234	1000V	41X18AWG	29/0.19	27.1	1113.33	21.8 Ω/km
ANM10.005.42.018AB	UL20234	1000V	42X18AWG	29/0.19	27.1	1119.13	21.8 Ω/km
ANM10.005.43.018AB	UL20234	1000V	43X18AWG	29/0.19	27.1	1125.03	21.8 Ω/km
ANM10.005.44.018AB	UL20234	1000V	44X18AWG	29/0.19	27.1	1131.03	21.8 Ω/km
ANM10.005.45.018AB	UL20234	1000V	45X18AWG	29/0.19	27.6	1169.43	21.8 Ω/km
ANM10.005.46.018AB	UL20234	1000V	46X18AWG	29/0.19	27.6	1175.33	21.8 Ω/km
ANM10.005.47.018AB	UL20234	1000V	47X18AWG	29/0.19	27.6	1181.23	21.8 Ω/km



ANM10.005.48.018AB	UL20234	1000V	48X18AWG	29/0.19	27.6	1187.03	21.8 Ω/km
ANM10.005.49.018AB	UL20234	1000V	49X18AWG	29/0.19	28.3	1239.83	21.8 Ω/km
ANM10.005.50.018AB	UL20234	1000V	50X18AWG	29/0.19	28.3	1245.73	21.8 Ω/km
ANM10.005.51.018AB	UL20234	1000V	51X18AWG	29/0.19	28.3	1251.43	21.8 Ω/km
ANM10.005.52.018AB	UL20234	1000V	52X18AWG	29/0.19	28.3	1257.33	21.8 Ω/km
ANM10.005.53.018AB	UL20234	1000V	53X18AWG	29/0.19	29.1	1318.33	21.8 Ω/km
ANM10.005.54.018AB	UL20234	1000V	54X18AWG	29/0.19	29.1	1324.13	21.8 Ω/km
ANM10.005.55.018AB	UL20234	1000V	55X18AWG	29/0.19	29.1	1330.03	21.8 Ω/km
ANM10.005.56.018AB	UL20234	1000V	56X18AWG	29/0.19	29.1	1335.73	21.8 Ω/km
ANM10.005.57.018AB	UL20234	1000V	57X18AWG	29/0.19	31.1	1484.83	21.8 Ω/km
ANM10.005.58.018AB	UL20234	1000V	58X18AWG	29/0.19	31.1	1490.73	21.8 Ω/km
ANM10.005.59.018AB	UL20234	1000V	59X18AWG	29/0.19	31.1	1496.63	21.8 Ω/km
ANM10.005.60.018AB	UL20234	1000V	60X18AWG	29/0.19	31.1	1502.53	21.8 Ω/km
ANM10.005.61.018AB	UL20234	1000V	61X18AWG	29/0.19	31.1	1508.33	21.8 Ω/km
ANM10.005.62.018AB	UL20234	1000V	62X18AWG	29/0.19	32	1582.13	21.8 Ω/km
ANM10.005.63.018AB	UL20234	1000V	63X18AWG	29/0.19	32	1588.03	21.8 Ω/km
ANM10.005.64.018AB	UL20234	1000V	64X18AWG	29/0.19	32	1593.93	21.8 Ω/km
ANM10.005.65.018AB	UL20234	1000V	65X18AWG	29/0.19	32	1599.83	21.8 Ω/km
ANM10.005.02.017AB	UL20234	1000V	2X17AWG	37/0.19	9.6	122.94	17.3 Ω/km
ANM10.005.03.017AB	UL20234	1000V	3X17AWG	37/0.19	10.1	141.84	17.3 Ω/km
ANM10.005.04.017AB	UL20234	1000V	4X17AWG	37/0.19	10.9	168.74	17.3 Ω/km
ANM10.005.05.017AB	UL20234	1000V	5X17AWG	37/0.19	11.7	197.34	17.3 Ω/km
ANM10.005.06.017AB	UL20234	1000V	6X17AWG	37/0.19	12.6	230.54	17.3 Ω/km
ANM10.005.07.017AB	UL20234	1000V	7X17AWG	37/0.19	12.6	237.74	17.3 Ω/km
ANM10.005.08.017AB	UL20234	1000V	8X17AWG	37/0.19	13.5	272.94	17.3 Ω/km
ANM10.005.09.017AB	UL20234	1000V	9X17AWG	37/0.19	14.8	323.94	17.3 Ω/km
ANM10.005.10.017AB	UL20234	1000V	10X17AWG	37/0.19	15.7	363.74	17.3 Ω/km
ANM10.005.11.017AB	UL20234	1000V	11X17AWG	37/0.19	16.2	390.04	17.3 Ω/km
ANM10.005.12.017AB	UL20234	1000V	12X17AWG	37/0.19	16.2	397.24	17.3 Ω/km
ANM10.005.13.017AB	UL20234	1000V	13X17AWG	37/0.19	17	436.04	17.3 Ω/km
ANM10.005.14.017AB	UL20234	1000V	14X17AWG	37/0.19	17	443.44	17.3 Ω/km
ANM10.005.15.017AB	UL20234	1000V	15X17AWG	37/0.19	17.8	483.74	17.3 Ω/km
ANM10.005.16.017AB	UL20234	1000V	16X17AWG	37/0.19	17.8	491.04	17.3 Ω/km
ANM10.005.17.017AB	UL20234	1000V	17X17AWG	37/0.19	18.7	537.44	17.3 Ω/km
ANM10.005.18.017AB	UL20234	1000V	18X17AWG	37/0.19	18.7	544.74	17.3 Ω/km
ANM10.005.19.017AB	UL20234	1000V	19X17AWG	37/0.19	18.7	552.14	17.3 Ω/km
ANM10.005.20.017AB	UL20234	1000V	20X17AWG	37/0.19	19.2	581.94	17.3 Ω/km
ANM10.005.21.017AB	UL20234	1000V	21X17AWG	37/0.19	19.6	607.64	17.3 Ω/km
ANM10.005.22.017AB	UL20234	1000V	22X17AWG	37/0.19	21.8	723.24	17.3 Ω/km
ANM10.005.23.017AB	UL20234	1000V	23X17AWG	37/0.19	22.7	778.24	17.3 Ω/km
ANM10.005.24.017AB	UL20234	1000V	24X17AWG	37/0.19	22.7	785.54	17.3 Ω/km
ANM10.005.25.017AB	UL20234	1000V	25X17AWG	37/0.19	23.2	820.24	17.3 Ω/km



ANM10.005.26.017AB	UL20234	1000V	26X17AWG	37/0.19	23.2	827.44	17.3 Ω/km
ANM10.005.27.017AB	UL20234	1000V	27X17AWG	37/0.19	23.2	834.84	17.3 Ω/km
ANM10.005.28.017AB	UL20234	1000V	28X17AWG	37/0.19	24	887.14	17.3 Ω/km
ANM10.005.29.017AB	UL20234	1000V	29X17AWG	37/0.19	24	894.44	17.3 Ω/km
ANM10.005.30.017AB	UL20234	1000V	30X17AWG	37/0.19	24	901.64	17.3 Ω/km
ANM10.005.31.017AB	UL20234	1000V	31X17AWG	37/0.19	24.8	955.54	17.3 Ω/km
ANM10.005.32.017AB	UL20234	1000V	32X17AWG	37/0.19	24.8	962.94	17.3 Ω/km
ANM10.005.33.017AB	UL20234	1000V	33X17AWG	37/0.19	24.8	970.14	17.3 Ω/km
ANM10.005.34.017AB	UL20234	1000V	34X17AWG	37/0.19	25.7	1031.64	17.3 Ω/km
ANM10.005.35.017AB	UL20234	1000V	35X17AWG	37/0.19	25.7	1038.94	17.3 Ω/km
ANM10.005.36.017AB	UL20234	1000V	36X17AWG	37/0.19	25.7	1046.24	17.3 Ω/km
ANM10.005.37.017AB	UL20234	1000V	37X17AWG	37/0.19	25.7	1053.54	17.3 Ω/km
ANM10.005.38.017AB	UL20234	1000V	38X17AWG	37/0.19	26.6	1117.14	17.3 Ω/km
ANM10.005.39.017AB	UL20234	1000V	39X17AWG	37/0.19	26.6	1124.34	17.3 Ω/km
ANM10.005.40.017AB	UL20234	1000V	40X17AWG	37/0.19	26.6	1131.64	17.3 Ω/km
ANM10.005.41.017AB	UL20234	1000V	41X17AWG	37/0.19	28.7	1277.84	17.3 Ω/km
ANM10.005.42.017AB	UL20234	1000V	42X17AWG	37/0.19	28.7	1285.14	17.3 Ω/km
ANM10.005.43.017AB	UL20234	1000V	43X17AWG	37/0.19	28.7	1292.44	17.3 Ω/km
ANM10.005.44.017AB	UL20234	1000V	44X17AWG	37/0.19	28.7	1299.64	17.3 Ω/km
ANM10.005.45.017AB	UL20234	1000V	45X17AWG	37/0.19	29.2	1341.74	17.3 Ω/km
ANM10.005.46.017AB	UL20234	1000V	46X17AWG	37/0.19	29.2	1348.94	17.3 Ω/km
ANM10.005.47.017AB	UL20234	1000V	47X17AWG	37/0.19	29.2	1356.14	17.3 Ω/km
ANM10.005.48.017AB	UL20234	1000V	48X17AWG	37/0.19	29.2	1363.44	17.3 Ω/km
ANM10.005.49.017AB	UL20234	1000V	49X17AWG	37/0.19	31.2	1514.34	17.3 Ω/km
ANM10.005.50.017AB	UL20234	1000V	50X17AWG	37/0.19	31.2	1521.64	17.3 Ω/km
ANM10.005.51.017AB	UL20234	1000V	51X17AWG	37/0.19	31.2	1528.94	17.3 Ω/km
ANM10.005.52.017AB	UL20234	1000V	52X17AWG	37/0.19	31.2	1536.14	17.3 Ω/km
ANM10.005.53.017AB	UL20234	1000V	53X17AWG	37/0.19	32	1604.04	17.3 Ω/km
ANM10.005.54.017AB	UL20234	1000V	54X17AWG	37/0.19	32	1611.24	17.3 Ω/km
ANM10.005.55.017AB	UL20234	1000V	55X17AWG	37/0.19	32	1618.44	17.3 Ω/km
ANM10.005.56.017AB	UL20234	1000V	56X17AWG	37/0.19	32	1625.74	17.3 Ω/km
ANM10.005.57.017AB	UL20234	1000V	57X17AWG	37/0.19	32.9	1702.94	17.3 Ω/km
ANM10.005.58.017AB	UL20234	1000V	58X17AWG	37/0.19	32.9	1710.24	17.3 Ω/km
ANM10.005.59.017AB	UL20234	1000V	59X17AWG	37/0.19	32.9	1717.44	17.3 Ω/km
ANM10.005.60.017AB	UL20234	1000V	60X17AWG	37/0.19	32.9	1724.74	17.3 Ω/km
ANM10.005.61.017AB	UL20234	1000V	61X17AWG	37/0.19	32.9	1732.04	17.3 Ω/km
ANM10.005.62.017AB	UL20234	1000V	62X17AWG	37/0.19	33.8	1811.34	17.3 Ω/km
ANM10.005.63.017AB	UL20234	1000V	63X17AWG	37/0.19	33.8	1818.54	17.3 Ω/km
ANM10.005.64.017AB	UL20234	1000V	64X17AWG	37/0.19	33.8	1825.84	17.3 Ω/km
ANM10.005.65.017AB	UL20234	1000V	65X17AWG	37/0.19	33.8	1833.04	17.3 Ω/km
ANM10.005.02.016AB	UL20234	1000V	2X16AWG	27/0.25	9.8	132.11	13.7 Ω/km
ANM10.005.03.016AB	UL20234	1000V	3X16AWG	27/0.25	10.3	153.41	13.7 Ω/km



ANM10.005.04.016AB	UL20234	1000V	4X16AWG	27/0.25	11.1	183.11	13.7 Ω/km
ANM10.005.05.016AB	UL20234	1000V	5X16AWG	27/0.25	12	217.01	13.7 Ω/km
ANM10.005.06.016AB	UL20234	1000V	6X16AWG	27/0.25	12.9	253.11	13.7 Ω/km
ANM10.005.07.016AB	UL20234	1000V	7X16AWG	27/0.25	12.9	262.51	13.7 Ω/km
ANM10.005.08.016AB	UL20234	1000V	8X16AWG	27/0.25	14	307.01	13.7 Ω/km
ANM10.005.09.016AB	UL20234	1000V	9X16AWG	27/0.25	15.2	358.11	13.7 Ω/km
ANM10.005.10.016AB	UL20234	1000V	10X16AWG	27/0.25	16.1	401.01	13.7 Ω/km
ANM10.005.11.016AB	UL20234	1000V	11X16AWG	27/0.25	16.6	429.91	13.7 Ω/km
ANM10.005.12.016AB	UL20234	1000V	12X16AWG	27/0.25	16.6	439.51	13.7 Ω/km
ANM10.005.13.016AB	UL20234	1000V	13X16AWG	27/0.25	17.4	481.21	13.7 Ω/km
ANM10.005.14.016AB	UL20234	1000V	14X16AWG	27/0.25	17.4	490.71	13.7 Ω/km
ANM10.005.15.016AB	UL20234	1000V	15X16AWG	27/0.25	18.3	538.31	13.7 Ω/km
ANM10.005.16.016AB	UL20234	1000V	16X16AWG	27/0.25	18.3	547.81	13.7 Ω/km
ANM10.005.17.016AB	UL20234	1000V	17X16AWG	27/0.25	19.2	597.51	13.7 Ω/km
ANM10.005.18.016AB	UL20234	1000V	18X16AWG	27/0.25	19.2	607.11	13.7 Ω/km
ANM10.005.19.016AB	UL20234	1000V	19X16AWG	27/0.25	19.2	616.51	13.7 Ω/km
ANM10.005.20.016AB	UL20234	1000V	20X16AWG	27/0.25	19.7	649.01	13.7 Ω/km
ANM10.005.21.016AB	UL20234	1000V	21X16AWG	27/0.25	20.2	682.31	13.7 Ω/km
ANM10.005.22.016AB	UL20234	1000V	22X16AWG	27/0.25	22.4	803.21	13.7 Ω/km
ANM10.005.23.016AB	UL20234	1000V	23X16AWG	27/0.25	23.3	861.91	13.7 Ω/km
ANM10.005.24.016AB	UL20234	1000V	24X16AWG	27/0.25	23.3	871.41	13.7 Ω/km
ANM10.005.25.016AB	UL20234	1000V	25X16AWG	27/0.25	23.8	908.91	13.7 Ω/km
ANM10.005.26.016AB	UL20234	1000V	26X16AWG	27/0.25	23.8	918.41	13.7 Ω/km
ANM10.005.27.016AB	UL20234	1000V	27X16AWG	27/0.25	23.8	927.71	13.7 Ω/km
ANM10.005.28.016AB	UL20234	1000V	28X16AWG	27/0.25	24.6	983.51	13.7 Ω/km
ANM10.005.29.016AB	UL20234	1000V	29X16AWG	27/0.25	24.6	992.91	13.7 Ω/km
ANM10.005.30.016AB	UL20234	1000V	30X16AWG	27/0.25	24.6	1002.51	13.7 Ω/km
ANM10.005.31.016AB	UL20234	1000V	31X16AWG	27/0.25	25.5	1065.91	13.7 Ω/km
ANM10.005.32.016AB	UL20234	1000V	32X16AWG	27/0.25	25.5	1075.31	13.7 Ω/km
ANM10.005.33.016AB	UL20234	1000V	33X16AWG	27/0.25	25.5	1084.81	13.7 Ω/km
ANM10.005.34.016AB	UL20234	1000V	34X16AWG	27/0.25	26.4	1150.01	13.7 Ω/km
ANM10.005.35.016AB	UL20234	1000V	35X16AWG	27/0.25	26.4	1159.41	13.7 Ω/km
ANM10.005.36.016AB	UL20234	1000V	36X16AWG	27/0.25	26.4	1169.01	13.7 Ω/km
ANM10.005.37.016AB	UL20234	1000V	37X16AWG	27/0.25	26.4	1178.41	13.7 Ω/km
ANM10.005.38.016AB	UL20234	1000V	38X16AWG	27/0.25	27.4	1252.31	13.7 Ω/km
ANM10.005.39.016AB	UL20234	1000V	39X16AWG	27/0.25	27.4	1261.71	13.7 Ω/km
ANM10.005.40.016AB	UL20234	1000V	40X16AWG	27/0.25	27.4	1271.11	13.7 Ω/km
ANM10.005.41.016AB	UL20234	1000V	41X16AWG	27/0.25	30.7	1509.21	13.7 Ω/km
ANM10.005.42.016AB	UL20234	1000V	42X16AWG	27/0.25	30.7	1518.71	13.7 Ω/km
ANM10.005.43.016AB	UL20234	1000V	43X16AWG	27/0.25	30.7	1528.11	13.7 Ω/km
ANM10.005.44.016AB	UL20234	1000V	44X16AWG	27/0.25	30.7	1537.51	13.7 Ω/km
ANM10.005.45.016AB	UL20234	1000V	45X16AWG	27/0.25	31.2	1584.11	13.7 Ω/km



ANM10.005.46.016AB	UL20234	1000V	46X16AWG	27/0.25	31.2	1593.41	13.7 Ω/km
ANM10.005.47.016AB	UL20234	1000V	47X16AWG	27/0.25	31.2	1603.01	13.7 Ω/km
ANM10.005.48.016AB	UL20234	1000V	48X16AWG	27/0.25	31.2	1612.51	13.7 Ω/km
ANM10.005.49.016AB	UL20234	1000V	49X16AWG	27/0.25	32	1682.41	13.7 Ω/km
ANM10.005.50.016AB	UL20234	1000V	50X16AWG	27/0.25	32	1691.91	13.7 Ω/km
ANM10.005.51.016AB	UL20234	1000V	51X16AWG	27/0.25	32	1701.21	13.7 Ω/km
ANM10.005.52.016AB	UL20234	1000V	52X16AWG	27/0.25	32	1710.71	13.7 Ω/km
ANM10.005.53.016AB	UL20234	1000V	53X16AWG	27/0.25	32.9	1790.21	13.7 Ω/km
ANM10.005.54.016AB	UL20234	1000V	54X16AWG	27/0.25	32.9	1799.61	13.7 Ω/km
ANM10.005.55.016AB	UL20234	1000V	55X16AWG	27/0.25	32.9	1809.11	13.7 Ω/km
ANM10.005.56.016AB	UL20234	1000V	56X16AWG	27/0.25	32.9	1818.51	13.7 Ω/km
ANM10.005.57.016AB	UL20234	1000V	57X16AWG	27/0.25	33.8	1900.01	13.7 Ω/km
ANM10.005.58.016AB	UL20234	1000V	58X16AWG	27/0.25	33.8	1909.31	13.7 Ω/km
ANM10.005.59.016AB	UL20234	1000V	59X16AWG	27/0.25	33.8	1918.91	13.7 Ω/km
ANM10.005.60.016AB	UL20234	1000V	60X16AWG	27/0.25	33.8	1928.41	13.7 Ω/km
ANM10.005.61.016AB	UL20234	1000V	61X16AWG	27/0.25	33.8	1937.81	13.7 Ω/km
ANM10.005.62.016AB	UL20234	1000V	62X16AWG	27/0.25	34.8	2029.51	13.7 Ω/km
ANM10.005.63.016AB	UL20234	1000V	63X16AWG	27/0.25	34.8	2038.91	13.7 Ω/km
ANM10.005.64.016AB	UL20234	1000V	64X16AWG	27/0.25	34.8	2048.31	13.7 Ω/km
ANM10.005.65.016AB	UL20234	1000V	65X16AWG	27/0.25	34.8	2057.91	13.7 Ω/km
ANM10.005.02.015AB	UL20234	1000V	2X15AWG	34/0.25	10.2	146.65	10.9 Ω/km
ANM10.005.03.015AB	UL20234	1000V	3X15AWG	34/0.25	10.8	173.45	10.9 Ω/km
ANM10.005.04.015AB	UL20234	1000V	4X15AWG	34/0.25	11.6	206.55	10.9 Ω/km
ANM10.005.05.015AB	UL20234	1000V	5X15AWG	34/0.25	12.6	246.95	10.9 Ω/km
ANM10.005.06.015AB	UL20234	1000V	6X15AWG	34/0.25	13.5	286.65	10.9 Ω/km
ANM10.005.07.015AB	UL20234	1000V	7X15AWG	34/0.25	13.5	298.55	10.9 Ω/km
ANM10.005.08.015AB	UL20234	1000V	8X15AWG	34/0.25	14.6	347.15	10.9 Ω/km
ANM10.005.09.015AB	UL20234	1000V	9X15AWG	34/0.25	16	409.75	10.9 Ω/km
ANM10.005.10.015AB	UL20234	1000V	10X15AWG	34/0.25	16.9	456.95	10.9 Ω/km
ANM10.005.11.015AB	UL20234	1000V	11X15AWG	34/0.25	17.5	493.45	10.9 Ω/km
ANM10.005.12.015AB	UL20234	1000V	12X15AWG	34/0.25	17.5	505.35	10.9 Ω/km
ANM10.005.13.015AB	UL20234	1000V	13X15AWG	34/0.25	18.3	551.15	10.9 Ω/km
ANM10.005.14.015AB	UL20234	1000V	14X15AWG	34/0.25	18.3	563.15	10.9 Ω/km
ANM10.005.15.015AB	UL20234	1000V	15X15AWG	34/0.25	19.3	619.85	10.9 Ω/km
ANM10.005.16.015AB	UL20234	1000V	16X15AWG	34/0.25	19.3	631.75	10.9 Ω/km
ANM10.005.17.015AB	UL20234	1000V	17X15AWG	34/0.25	20.2	685.95	10.9 Ω/km
ANM10.005.18.015AB	UL20234	1000V	18X15AWG	34/0.25	20.2	697.75	10.9 Ω/km
ANM10.005.19.015AB	UL20234	1000V	19X15AWG	34/0.25	20.2	709.75	10.9 Ω/km
ANM10.005.20.015AB	UL20234	1000V	20X15AWG	34/0.25	21.8	801.45	10.9 Ω/km
ANM10.005.21.015AB	UL20234	1000V	21X15AWG	34/0.25	22.2	834.25	10.9 Ω/km
ANM10.005.22.015AB	UL20234	1000V	22X15AWG	34/0.25	23.6	922.75	10.9 Ω/km
ANM10.005.23.015AB	UL20234	1000V	23X15AWG	34/0.25	24.5	986.45	10.9 Ω/km



ANM10.005.24.015AB	UL20234	1000V	24X15AWG	34/0.25	24.5	998.25	10.9Ω/km
ANM10.005.25.015AB	UL20234	1000V	25X15AWG	34/0.25	25.1	1045.65	10.9Ω/km
ANM10.005.26.015AB	UL20234	1000V	26X15AWG	34/0.25	25.1	1057.65	10.9Ω/km
ANM10.005.27.015AB	UL20234	1000V	27X15AWG	34/0.25	25.1	1069.45	10.9Ω/km
ANM10.005.28.015AB	UL20234	1000V	28X15AWG	34/0.25	25.9	1130.05	10.9Ω/km
ANM10.005.29.015AB	UL20234	1000V	29X15AWG	34/0.25	25.9	1141.95	10.9Ω/km
ANM10.005.30.015AB	UL20234	1000V	30X15AWG	34/0.25	25.9	1153.75	10.9Ω/km
ANM10.005.31.015AB	UL20234	1000V	31X15AWG	34/0.25	26.9	1228.85	10.9Ω/km
ANM10.005.32.015AB	UL20234	1000V	32X15AWG	34/0.25	26.9	1240.85	10.9Ω/km
ANM10.005.33.015AB	UL20234	1000V	33X15AWG	34/0.25	26.9	1252.55	10.9Ω/km
ANM10.005.34.015AB	UL20234	1000V	34X15AWG	34/0.25	27.8	1323.35	10.9Ω/km
ANM10.005.35.015AB	UL20234	1000V	35X15AWG	34/0.25	27.8	1335.25	10.9Ω/km
ANM10.005.36.015AB	UL20234	1000V	36X15AWG	34/0.25	27.8	1347.15	10.9Ω/km
ANM10.005.37.015AB	UL20234	1000V	37X15AWG	34/0.25	27.8	1358.95	10.9Ω/km
ANM10.005.38.015AB	UL20234	1000V	38X15AWG	34/0.25	28.8	1438.65	10.9Ω/km
ANM10.005.39.015AB	UL20234	1000V	39X15AWG	34/0.25	28.8	1450.55	10.9Ω/km
ANM10.005.40.015AB	UL20234	1000V	40X15AWG	34/0.25	28.8	1462.45	10.9Ω/km
ANM10.005.41.015AB	UL20234	1000V	41X15AWG	34/0.25	32.3	1729.45	10.9Ω/km
ANM10.005.42.015AB	UL20234	1000V	42X15AWG	34/0.25	32.3	1741.25	10.9Ω/km
ANM10.005.43.015AB	UL20234	1000V	43X15AWG	34/0.25	32.3	1753.15	10.9Ω/km
ANM10.005.44.015AB	UL20234	1000V	44X15AWG	34/0.25	32.3	1765.15	10.9Ω/km
ANM10.005.45.015AB	UL20234	1000V	45X15AWG	34/0.25	32.9	1823.65	10.9Ω/km
ANM10.005.46.015AB	UL20234	1000V	46X15AWG	34/0.25	32.9	1835.55	10.9Ω/km
ANM10.005.47.015AB	UL20234	1000V	47X15AWG	34/0.25	32.9	1847.45	10.9Ω/km
ANM10.005.48.015AB	UL20234	1000V	48X15AWG	34/0.25	32.9	1859.35	10.9Ω/km
ANM10.005.49.015AB	UL20234	1000V	49X15AWG	34/0.25	33.7	1935.05	10.9Ω/km
ANM10.005.50.015AB	UL20234	1000V	50X15AWG	34/0.25	33.7	1946.95	10.9Ω/km
ANM10.005.51.015AB	UL20234	1000V	51X15AWG	34/0.25	33.7	1958.75	10.9Ω/km
ANM10.005.52.015AB	UL20234	1000V	52X15AWG	34/0.25	33.7	1970.75	10.9Ω/km
ANM10.005.53.015AB	UL20234	1000V	53X15AWG	34/0.25	34.7	2064.55	10.9Ω/km
ANM10.005.54.015AB	UL20234	1000V	54X15AWG	34/0.25	34.7	2076.35	10.9Ω/km
ANM10.005.55.015AB	UL20234	1000V	55X15AWG	34/0.25	34.7	2088.25	10.9Ω/km
ANM10.005.56.015AB	UL20234	1000V	56X15AWG	34/0.25	34.7	2100.25	10.9Ω/km
ANM10.005.57.015AB	UL20234	1000V	57X15AWG	34/0.25	35.6	2187.75	10.9Ω/km
ANM10.005.58.015AB	UL20234	1000V	58X15AWG	34/0.25	35.6	2199.75	10.9Ω/km
ANM10.005.59.015AB	UL20234	1000V	59X15AWG	34/0.25	35.6	2211.55	10.9Ω/km
ANM10.005.60.015AB	UL20234	1000V	60X15AWG	34/0.25	35.6	2223.45	10.9Ω/km
ANM10.005.61.015AB	UL20234	1000V	61X15AWG	34/0.25	35.6	2235.25	10.9Ω/km
ANM10.005.62.015AB	UL20234	1000V	62X15AWG	34/0.25	36.9	2360.15	10.9Ω/km
ANM10.005.63.015AB	UL20234	1000V	63X15AWG	34/0.25	36.9	2372.05	10.9Ω/km
ANM10.005.64.015AB	UL20234	1000V	64X15AWG	34/0.25	36.9	2383.95	10.9Ω/km
ANM10.005.65.015AB	UL20234	1000V	65X15AWG	34/0.25	36.9	2395.65	10.9Ω/km



ANM10.005.02.014AB	UL20234	1000V	2X14AWG	43/0.25	10.6	163.28	8.62 Ω /km
ANM10.005.03.014AB	UL20234	1000V	3X14AWG	43/0.25	11.2	193.68	8.62 Ω /km
ANM10.005.04.014AB	UL20234	1000V	4X14AWG	43/0.25	12.1	233.48	8.62 Ω /km
ANM10.005.05.014AB	UL20234	1000V	5X14AWG	43/0.25	13.1	278.48	8.62 Ω /km
ANM10.005.06.014AB	UL20234	1000V	6X14AWG	43/0.25	14.2	329.08	8.62 Ω /km
ANM10.005.07.014AB	UL20234	1000V	7X14AWG	43/0.25	14.2	344.18	8.62 Ω /km
ANM10.005.08.014AB	UL20234	1000V	8X14AWG	43/0.25	15.3	397.68	8.62 Ω /km
ANM10.005.09.014AB	UL20234	1000V	9X14AWG	43/0.25	16.7	466.08	8.62 Ω /km
ANM10.005.10.014AB	UL20234	1000V	10X14AWG	43/0.25	17.7	522.08	8.62 Ω /km
ANM10.005.11.014AB	UL20234	1000V	11X14AWG	43/0.25	18.3	562.78	8.62 Ω /km
ANM10.005.12.014AB	UL20234	1000V	12X14AWG	43/0.25	18.3	577.78	8.62 Ω /km
ANM10.005.13.014AB	UL20234	1000V	13X14AWG	43/0.25	19.2	633.18	8.62 Ω /km
ANM10.005.14.014AB	UL20234	1000V	14X14AWG	43/0.25	19.2	648.28	8.62 Ω /km
ANM10.005.15.014AB	UL20234	1000V	15X14AWG	43/0.25	20.2	710.18	8.62 Ω /km
ANM10.005.16.014AB	UL20234	1000V	16X14AWG	43/0.25	20.2	725.28	8.62 Ω /km
ANM10.005.17.014AB	UL20234	1000V	17X14AWG	43/0.25	22.2	841.08	8.62 Ω /km
ANM10.005.18.014AB	UL20234	1000V	18X14AWG	43/0.25	22.2	856.18	8.62 Ω /km
ANM10.005.19.014AB	UL20234	1000V	19X14AWG	43/0.25	22.2	871.28	8.62 Ω /km
ANM10.005.20.014AB	UL20234	1000V	20X14AWG	43/0.25	22.8	918.48	8.62 Ω /km
ANM10.005.21.014AB	UL20234	1000V	21X14AWG	43/0.25	23.3	961.08	8.62 Ω /km
ANM10.005.22.014AB	UL20234	1000V	22X14AWG	43/0.25	24.7	1056.38	8.62 Ω /km
ANM10.005.23.014AB	UL20234	1000V	23X14AWG	43/0.25	25.7	1131.68	8.62 Ω /km
ANM10.005.24.014AB	UL20234	1000V	24X14AWG	43/0.25	25.7	1146.68	8.62 Ω /km
ANM10.005.25.014AB	UL20234	1000V	25X14AWG	43/0.25	26.3	1199.08	8.62 Ω /km
ANM10.005.26.014AB	UL20234	1000V	26X14AWG	43/0.25	26.3	1214.08	8.62 Ω /km
ANM10.005.27.014AB	UL20234	1000V	27X14AWG	43/0.25	26.3	1229.18	8.62 Ω /km
ANM10.005.28.014AB	UL20234	1000V	28X14AWG	43/0.25	27.2	1301.88	8.62 Ω /km
ANM10.005.29.014AB	UL20234	1000V	29X14AWG	43/0.25	27.2	1316.88	8.62 Ω /km
ANM10.005.30.014AB	UL20234	1000V	30X14AWG	43/0.25	27.2	1331.88	8.62 Ω /km
ANM10.005.31.014AB	UL20234	1000V	31X14AWG	43/0.25	28.2	1413.38	8.62 Ω /km
ANM10.005.32.014AB	UL20234	1000V	32X14AWG	43/0.25	28.2	1428.28	8.62 Ω /km
ANM10.005.33.014AB	UL20234	1000V	33X14AWG	43/0.25	28.2	1443.28	8.62 Ω /km
ANM10.005.34.014AB	UL20234	1000V	34X14AWG	43/0.25	29.2	1527.18	8.62 Ω /km
ANM10.005.35.014AB	UL20234	1000V	35X14AWG	43/0.25	29.2	1542.18	8.62 Ω /km
ANM10.005.36.014AB	UL20234	1000V	36X14AWG	43/0.25	29.2	1557.28	8.62 Ω /km
ANM10.005.37.014AB	UL20234	1000V	37X14AWG	43/0.25	29.2	1572.28	8.62 Ω /km
ANM10.005.38.014AB	UL20234	1000V	38X14AWG	43/0.25	31.5	1753.48	8.62 Ω /km
ANM10.005.39.014AB	UL20234	1000V	39X14AWG	43/0.25	31.5	1768.48	8.62 Ω /km
ANM10.005.40.014AB	UL20234	1000V	40X14AWG	43/0.25	31.5	1783.58	8.62 Ω /km
ANM10.005.41.014AB	UL20234	1000V	41X14AWG	43/0.25	33.9	1986.68	8.62 Ω /km
ANM10.005.42.014AB	UL20234	1000V	42X14AWG	43/0.25	33.9	2001.58	8.62 Ω /km
ANM10.005.43.014AB	UL20234	1000V	43X14AWG	43/0.25	33.9	2016.68	8.62 Ω /km



ANM10.005.44.014AB	UL20234	1000V	44X14AWG	43/0.25	33.9	2031.68	8.62 Ω /km
ANM10.005.45.014AB	UL20234	1000V	45X14AWG	43/0.25	34.5	2095.98	8.62 Ω /km
ANM10.005.46.014AB	UL20234	1000V	46X14AWG	43/0.25	34.5	2111.08	8.62 Ω /km
ANM10.005.47.014AB	UL20234	1000V	47X14AWG	43/0.25	34.5	2126.08	8.62 Ω /km
ANM10.005.48.014AB	UL20234	1000V	48X14AWG	43/0.25	34.5	2141.08	8.62 Ω /km
ANM10.005.49.014AB	UL20234	1000V	49X14AWG	43/0.25	35.4	2231.58	8.62 Ω /km
ANM10.005.50.014AB	UL20234	1000V	50X14AWG	43/0.25	35.4	2246.58	8.62 Ω /km
ANM10.005.51.014AB	UL20234	1000V	51X14AWG	43/0.25	35.4	2261.58	8.62 Ω /km
ANM10.005.52.014AB	UL20234	1000V	52X14AWG	43/0.25	35.4	2276.68	8.62 Ω /km
ANM10.005.02.013AB	UL20234	1000V	2X13AWG	54/0.25	11.2	186.63	6.82 Ω /km
ANM10.005.03.013AB	UL20234	1000V	3X13AWG	54/0.25	11.8	221.73	6.82 Ω /km
ANM10.005.04.013AB	UL20234	1000V	4X13AWG	54/0.25	12.8	269.43	6.82 Ω /km
ANM10.005.05.013AB	UL20234	1000V	5X13AWG	54/0.25	14	326.23	6.82 Ω /km
ANM10.005.06.013AB	UL20234	1000V	6X13AWG	54/0.25	15.1	383.03	6.82 Ω /km
ANM10.005.07.013AB	UL20234	1000V	7X13AWG	54/0.25	15.1	401.73	6.82 Ω /km
ANM10.005.08.013AB	UL20234	1000V	8X13AWG	54/0.25	16.3	465.23	6.82 Ω /km
ANM10.005.09.013AB	UL20234	1000V	9X13AWG	54/0.25	17.8	544.93	6.82 Ω /km
ANM10.005.10.013AB	UL20234	1000V	10X13AWG	54/0.25	18.9	611.83	6.82 Ω /km
ANM10.005.11.013AB	UL20234	1000V	11X13AWG	54/0.25	19.5	657.83	6.82 Ω /km
ANM10.005.12.013AB	UL20234	1000V	12X13AWG	54/0.25	19.5	676.63	6.82 Ω /km
ANM10.005.13.013AB	UL20234	1000V	13X13AWG	54/0.25	21.5	792.93	6.82 Ω /km
ANM10.005.14.013AB	UL20234	1000V	14X13AWG	54/0.25	21.5	811.53	6.82 Ω /km
ANM10.005.15.013AB	UL20234	1000V	15X13AWG	54/0.25	22.6	888.13	6.82 Ω /km
ANM10.005.16.013AB	UL20234	1000V	16X13AWG	54/0.25	22.6	906.83	6.82 Ω /km
ANM10.005.17.013AB	UL20234	1000V	17X13AWG	54/0.25	23.7	986.33	6.82 Ω /km
ANM10.005.18.013AB	UL20234	1000V	18X13AWG	54/0.25	23.7	1005.13	6.82 Ω /km
ANM10.005.19.013AB	UL20234	1000V	19X13AWG	54/0.25	23.7	1023.83	6.82 Ω /km
ANM10.005.20.013AB	UL20234	1000V	20X13AWG	54/0.25	24.3	1077.03	6.82 Ω /km
ANM10.005.21.013AB	UL20234	1000V	21X13AWG	54/0.25	24.9	1131.03	6.82 Ω /km
ANM10.005.22.013AB	UL20234	1000V	22X13AWG	54/0.25	26.4	1241.73	6.82 Ω /km
ANM10.005.23.013AB	UL20234	1000V	23X13AWG	54/0.25	27.5	1331.43	6.82 Ω /km
ANM10.005.24.013AB	UL20234	1000V	24X13AWG	54/0.25	27.5	1350.03	6.82 Ω /km
ANM10.005.25.013AB	UL20234	1000V	25X13AWG	54/0.25	28.1	1408.73	6.82 Ω /km
ANM10.005.26.013AB	UL20234	1000V	26X13AWG	54/0.25	28.1	1427.43	6.82 Ω /km
ANM10.005.27.013AB	UL20234	1000V	27X13AWG	54/0.25	28.1	1446.23	6.82 Ω /km
ANM10.005.28.013AB	UL20234	1000V	28X13AWG	54/0.25	29.1	1533.43	6.82 Ω /km
ANM10.005.29.013AB	UL20234	1000V	29X13AWG	54/0.25	29.1	1552.23	6.82 Ω /km
ANM10.005.30.013AB	UL20234	1000V	30X13AWG	54/0.25	29.1	1570.93	6.82 Ω /km
ANM10.005.31.013AB	UL20234	1000V	31X13AWG	54/0.25	31.4	1755.23	6.82 Ω /km
ANM10.005.32.013AB	UL20234	1000V	32X13AWG	54/0.25	31.4	1774.03	6.82 Ω /km
ANM10.005.33.013AB	UL20234	1000V	33X13AWG	54/0.25	31.4	1792.73	6.82 Ω /km
ANM10.005.34.013AB	UL20234	1000V	34X13AWG	54/0.25	32.5	1895.43	6.82 Ω /km



ANM10.005.35.013AB	UL20234	1000V	35X13AWG	54/0.25	32.5	1914.23	6.82 Ω/km
ANM10.005.36.013AB	UL20234	1000V	36X13AWG	54/0.25	32.5	1933.03	6.82 Ω/km
ANM10.005.37.013AB	UL20234	1000V	37X13AWG	54/0.25	32.5	1951.63	6.82 Ω/km
ANM10.005.38.013AB	UL20234	1000V	38X13AWG	54/0.25	33.7	2065.63	6.82 Ω/km
ANM10.005.39.013AB	UL20234	1000V	39X13AWG	54/0.25	33.7	2084.33	6.82 Ω/km
ANM10.005.40.013AB	UL20234	1000V	40X13AWG	54/0.25	33.7	2103.13	6.82 Ω/km
ANM10.005.41.013AB	UL20234	1000V	41X13AWG	54/0.25	36.6	2366.13	6.82 Ω/km
ANM10.005.42.013AB	UL20234	1000V	42X13AWG	54/0.25	36.6	2384.83	6.82 Ω/km
ANM10.005.43.013AB	UL20234	1000V	43X13AWG	54/0.25	36.6	2403.63	6.82 Ω/km
ANM10.005.44.013AB	UL20234	1000V	44X13AWG	54/0.25	36.6	2422.33	6.82 Ω/km
ANM10.005.45.013AB	UL20234	1000V	45X13AWG	54/0.25	37.2	2494.23	6.82 Ω/km
ANM10.005.46.013AB	UL20234	1000V	46X13AWG	54/0.25	37.2	2512.93	6.82 Ω/km
ANM10.005.47.013AB	UL20234	1000V	47X13AWG	54/0.25	37.2	2531.53	6.82 Ω/km
ANM10.005.48.013AB	UL20234	1000V	48X13AWG	54/0.25	37.2	2550.33	6.82 Ω/km
ANM10.005.49.013AB	UL20234	1000V	49X13AWG	54/0.25	38.2	2659.43	6.82 Ω/km
ANM10.005.50.013AB	UL20234	1000V	50X13AWG	54/0.25	38.2	2678.13	6.82 Ω/km
ANM10.005.51.013AB	UL20234	1000V	51X13AWG	54/0.25	38.2	2696.73	6.82 Ω/km
ANM10.005.52.013AB	UL20234	1000V	52X13AWG	54/0.25	38.2	2715.53	6.82 Ω/km
ANM10.005.02.012AB	UL20234	1000V	2X12AWG	68/0.25	11.6	208.71	5.43 Ω/km
ANM10.005.03.012AB	UL20234	1000V	3X12AWG	68/0.25	12.3	252.41	5.43 Ω/km
ANM10.005.04.012AB	UL20234	1000V	4X12AWG	68/0.25	13.3	306.81	5.43 Ω/km
ANM10.005.05.012AB	UL20234	1000V	5X12AWG	68/0.25	14.5	370.31	5.43 Ω/km
ANM10.005.06.012AB	UL20234	1000V	6X12AWG	68/0.25	15.7	437.31	5.43 Ω/km
ANM10.005.07.012AB	UL20234	1000V	7X12AWG	68/0.25	15.7	461.31	5.43 Ω/km
ANM10.005.08.012AB	UL20234	1000V	8X12AWG	68/0.25	16.9	532.01	5.43 Ω/km
ANM10.005.09.012AB	UL20234	1000V	9X12AWG	68/0.25	18.5	623.51	5.43 Ω/km
ANM10.005.10.012AB	UL20234	1000V	10X12AWG	68/0.25	19.7	702.01	5.43 Ω/km
ANM10.005.11.012AB	UL20234	1000V	11X12AWG	68/0.25	21.4	809.11	5.43 Ω/km
ANM10.005.12.012AB	UL20234	1000V	12X12AWG	68/0.25	21.4	833.21	5.43 Ω/km
ANM10.005.13.012AB	UL20234	1000V	13X12AWG	68/0.25	22.4	909.41	5.43 Ω/km
ANM10.005.14.012AB	UL20234	1000V	14X12AWG	68/0.25	22.4	933.31	5.43 Ω/km
ANM10.005.15.012AB	UL20234	1000V	15X12AWG	68/0.25	23.5	1017.71	5.43 Ω/km
ANM10.005.16.012AB	UL20234	1000V	16X12AWG	68/0.25	23.5	1041.81	5.43 Ω/km
ANM10.005.17.012AB	UL20234	1000V	17X12AWG	68/0.25	24.7	1134.81	5.43 Ω/km
ANM10.005.18.012AB	UL20234	1000V	18X12AWG	68/0.25	24.7	1158.81	5.43 Ω/km
ANM10.005.19.012AB	UL20234	1000V	19X12AWG	68/0.25	24.7	1182.91	5.43 Ω/km
ANM10.005.20.012AB	UL20234	1000V	20X12AWG	68/0.25	25.4	1248.81	5.43 Ω/km
ANM10.005.21.012AB	UL20234	1000V	21X12AWG	68/0.25	25.9	1303.41	5.43 Ω/km
ANM10.005.22.012AB	UL20234	1000V	22X12AWG	68/0.25	27.5	1429.61	5.43 Ω/km
ANM10.005.23.012AB	UL20234	1000V	23X12AWG	68/0.25	28.7	1534.51	5.43 Ω/km
ANM10.005.24.012AB	UL20234	1000V	24X12AWG	68/0.25	28.7	1558.41	5.43 Ω/km
ANM10.005.25.012AB	UL20234	1000V	25X12AWG	68/0.25	30.6	1716.41	5.43 Ω/km



ANM10.005.26.012AB	UL20234	1000V	26X12AWG	68/0.25	30.6	1740.31	5.43 Ω/km
ANM10.005.27.012AB	UL20234	1000V	27X12AWG	68/0.25	30.6	1764.41	5.43 Ω/km
ANM10.005.28.012AB	UL20234	1000V	28X12AWG	68/0.25	31.6	1862.81	5.43 Ω/km
ANM10.005.29.012AB	UL20234	1000V	29X12AWG	68/0.25	31.6	1886.91	5.43 Ω/km
ANM10.005.30.012AB	UL20234	1000V	30X12AWG	68/0.25	31.6	1910.81	5.43 Ω/km
ANM10.005.31.012AB	UL20234	1000V	31X12AWG	68/0.25	32.7	2019.61	5.43 Ω/km
ANM10.005.32.012AB	UL20234	1000V	32X12AWG	68/0.25	32.7	2043.61	5.43 Ω/km
ANM10.005.33.012AB	UL20234	1000V	33X12AWG	68/0.25	32.7	2067.61	5.43 Ω/km
ANM10.005.34.012AB	UL20234	1000V	34X12AWG	68/0.25	33.9	2187.41	5.43 Ω/km
ANM10.005.35.012AB	UL20234	1000V	35X12AWG	68/0.25	33.9	2211.31	5.43 Ω/km
ANM10.005.36.012AB	UL20234	1000V	36X12AWG	68/0.25	33.9	2235.41	5.43 Ω/km
ANM10.005.37.012AB	UL20234	1000V	37X12AWG	68/0.25	33.9	2259.31	5.43 Ω/km
ANM10.005.02.011AB	UL20234	1000V	2X11AWG	85/0.25	12.4	243.27	4.30 Ω/km
ANM10.005.03.011AB	UL20234	1000V	3X11AWG	85/0.25	13.1	294.07	4.30 Ω/km
ANM10.005.04.011AB	UL20234	1000V	4X11AWG	85/0.25	14.4	365.97	4.30 Ω/km
ANM10.005.05.011AB	UL20234	1000V	5X11AWG	85/0.25	15.6	438.37	4.30 Ω/km
ANM10.005.06.011AB	UL20234	1000V	6X11AWG	85/0.25	16.9	518.17	4.30 Ω/km
ANM10.005.07.011AB	UL20234	1000V	7X11AWG	85/0.25	16.9	547.77	4.30 Ω/km
ANM10.005.08.011AB	UL20234	1000V	8X11AWG	85/0.25	18.3	635.97	4.30 Ω/km
ANM10.005.09.011AB	UL20234	1000V	9X11AWG	85/0.25	20	743.17	4.30 Ω/km
ANM10.005.10.011AB	UL20234	1000V	10X11AWG	85/0.25	22.3	888.47	4.30 Ω/km
ANM10.005.11.011AB	UL20234	1000V	11X11AWG	85/0.25	23	955.97	4.30 Ω/km
ANM10.005.12.011AB	UL20234	1000V	12X11AWG	85/0.25	23	985.57	4.30 Ω/km
ANM10.005.13.011AB	UL20234	1000V	13X11AWG	85/0.25	24.2	1082.77	4.30 Ω/km
ANM10.005.14.011AB	UL20234	1000V	14X11AWG	85/0.25	24.2	1112.37	4.30 Ω/km
ANM10.005.15.011AB	UL20234	1000V	15X11AWG	85/0.25	25.4	1213.07	4.30 Ω/km
ANM10.005.16.011AB	UL20234	1000V	16X11AWG	85/0.25	25.4	1242.77	4.30 Ω/km
ANM10.005.17.011AB	UL20234	1000V	17X11AWG	85/0.25	26.7	1353.27	4.30 Ω/km
ANM10.005.18.011AB	UL20234	1000V	18X11AWG	85/0.25	26.7	1382.77	4.30 Ω/km
ANM10.005.19.011AB	UL20234	1000V	19X11AWG	85/0.25	26.7	1412.37	4.30 Ω/km
ANM10.005.20.011AB	UL20234	1000V	20X11AWG	85/0.25	27.4	1487.27	4.30 Ω/km
ANM10.005.21.011AB	UL20234	1000V	21X11AWG	85/0.25	28.1	1563.37	4.30 Ω/km
ANM10.005.22.011AB	UL20234	1000V	22X11AWG	85/0.25	31	1797.07	4.30 Ω/km
ANM10.005.23.011AB	UL20234	1000V	23X11AWG	85/0.25	32.3	1925.37	4.30 Ω/km
ANM10.005.24.011AB	UL20234	1000V	24X11AWG	85/0.25	32.3	1954.87	4.30 Ω/km
ANM10.005.25.011AB	UL20234	1000V	25X11AWG	85/0.25	33	2039.17	4.30 Ω/km
ANM10.005.26.011AB	UL20234	1000V	26X11AWG	85/0.25	33	2068.77	4.30 Ω/km
ANM10.005.27.011AB	UL20234	1000V	27X11AWG	85/0.25	33	2098.27	4.30 Ω/km
ANM10.005.28.011AB	UL20234	1000V	28X11AWG	85/0.25	34.2	2224.57	4.30 Ω/km
ANM10.005.29.011AB	UL20234	1000V	29X11AWG	85/0.25	34.2	2254.07	4.30 Ω/km
ANM10.005.30.011AB	UL20234	1000V	30X11AWG	85/0.25	34.2	2283.67	4.30 Ω/km
ANM10.005.31.011AB	UL20234	1000V	31X11AWG	85/0.25	35.4	2413.27	4.30 Ω/km



ANM10.005.32.011AB	UL20234	1000V	32X11AWG	85/0.25	35.4	2442.87	4.30 Ω/km
ANM10.005.33.011AB	UL20234	1000V	33X11AWG	85/0.25	35.4	2472.47	4.30 Ω/km
ANM10.005.34.011AB	UL20234	1000V	34X11AWG	85/0.25	37	2640.87	4.30 Ω/km
ANM10.005.35.011AB	UL20234	1000V	35X11AWG	85/0.25	37	2670.47	4.30 Ω/km
ANM10.005.36.011AB	UL20234	1000V	36X11AWG	85/0.25	37	2700.07	4.30 Ω/km
ANM10.005.37.011AB	UL20234	1000V	37X11AWG	85/0.25	37	2729.67	4.30 Ω/km
ANM10.005.02.010AB	UL20234	1000V	2X10AWG	108/0.25	13.6	292.87	3.409 Ω/km
ANM10.005.03.010AB	UL20234	1000V	3X10AWG	108/0.25	14.5	358.17	3.409 Ω/km
ANM10.005.04.010AB	UL20234	1000V	4X10AWG	108/0.25	15.8	440.37	3.409 Ω/km
ANM10.005.05.010AB	UL20234	1000V	5X10AWG	108/0.25	17.2	530.57	3.409 Ω/km
ANM10.005.06.010AB	UL20234	1000V	6X10AWG	108/0.25	18.7	630.17	3.409 Ω/km
ANM10.005.07.010AB	UL20234	1000V	7X10AWG	108/0.25	18.7	665.47	3.409 Ω/km
ANM10.005.08.010AB	UL20234	1000V	8X10AWG	108/0.25	20.2	770.27	3.409 Ω/km
ANM10.005.09.010AB	UL20234	1000V	9X10AWG	108/0.25	23.2	960.67	3.409 Ω/km
ANM10.005.10.010AB	UL20234	1000V	10X10AWG	108/0.25	24.7	1081.87	3.409 Ω/km
ANM10.005.11.010AB	UL20234	1000V	11X10AWG	108/0.25	25.5	1165.17	3.409 Ω/km
ANM10.005.12.010AB	UL20234	1000V	12X10AWG	108/0.25	25.5	1200.57	3.409 Ω/km
ANM10.005.13.010AB	UL20234	1000V	13X10AWG	108/0.25	26.8	1317.17	3.409 Ω/km
ANM10.005.14.010AB	UL20234	1000V	14X10AWG	108/0.25	26.8	1352.47	3.409 Ω/km
ANM10.005.15.010AB	UL20234	1000V	15X10AWG	108/0.25	28.2	1479.87	3.409 Ω/km
ANM10.005.16.010AB	UL20234	1000V	16X10AWG	108/0.25	28.2	1515.27	3.409 Ω/km
ANM10.005.17.010AB	UL20234	1000V	17X10AWG	108/0.25	30.9	1740.77	3.409 Ω/km
ANM10.005.18.010AB	UL20234	1000V	18X10AWG	108/0.25	30.9	1776.07	3.409 Ω/km
ANM10.005.19.010AB	UL20234	1000V	19X10AWG	108/0.25	30.9	1811.37	3.409 Ω/km
ANM10.005.20.010AB	UL20234	1000V	20X10AWG	108/0.25	31.7	1906.57	3.409 Ω/km
ANM10.005.21.010AB	UL20234	1000V	21X10AWG	108/0.25	32.4	1995.67	3.409 Ω/km
ANM10.005.22.010AB	UL20234	1000V	22X10AWG	108/0.25	34.4	2190.97	3.409 Ω/km
ANM10.005.23.010AB	UL20234	1000V	23X10AWG	108/0.25	35.9	2352.77	3.409 Ω/km
ANM10.005.24.010AB	UL20234	1000V	24X10AWG	108/0.25	35.9	2388.07	3.409 Ω/km
ANM10.005.25.010AB	UL20234	1000V	25X10AWG	108/0.25	37	2519.57	3.409 Ω/km
ANM10.005.26.010AB	UL20234	1000V	26X10AWG	108/0.25	37	2554.87	3.409 Ω/km
ANM10.005.27.010AB	UL20234	1000V	27X10AWG	108/0.25	37	2590.17	3.409 Ω/km
ANM10.005.28.010AB	UL20234	1000V	28X10AWG	108/0.25	38.3	2742.97	3.409 Ω/km
ANM10.005.29.010AB	UL20234	1000V	29X10AWG	108/0.25	38.3	2778.27	3.409 Ω/km
ANM10.005.30.010AB	UL20234	1000V	30X10AWG	108/0.25	38.3	2813.47	3.409 Ω/km
ANM10.005.31.010AB	UL20234	1000V	31X10AWG	108/0.25	39.7	2979.87	3.409 Ω/km
ANM10.005.32.010AB	UL20234	1000V	32X10AWG	108/0.25	39.7	3015.17	3.409 Ω/km
ANM10.005.33.010AB	UL20234	1000V	33X10AWG	108/0.25	39.7	3050.37	3.409 Ω/km
ANM10.005.34.010AB	UL20234	1000V	34X10AWG	108/0.25	41.2	3231.47	3.409 Ω/km
ANM10.005.35.010AB	UL20234	1000V	35X10AWG	108/0.25	41.2	3266.77	3.409 Ω/km
ANM10.005.36.010AB	UL20234	1000V	36X10AWG	108/0.25	41.2	3302.07	3.409 Ω/km
ANM10.005.37.010AB	UL20234	1000V	37X10AWG	108/0.25	41.2	3337.27	3.409 Ω/km



ANM10.005.02.009AB	UL20234	1000V	2X9AWG	136/0.25	14.3	338.14	2.705 Ω/km
ANM10.005.03.009AB	UL20234	1000V	3X9AWG	136/0.25	15.2	415.14	2.705 Ω/km
ANM10.005.04.009AB	UL20234	1000V	4X9AWG	136/0.25	16.5	509.94	2.705 Ω/km
ANM10.005.05.009AB	UL20234	1000V	5X9AWG	136/0.25	18.1	621.34	2.705 Ω/km
ANM10.005.06.009AB	UL20234	1000V	6X9AWG	136/0.25	19.6	734.54	2.705 Ω/km
ANM10.005.07.009AB	UL20234	1000V	7X9AWG	136/0.25	19.6	780.04	2.705 Ω/km
ANM10.005.02.008AB	UL20234	1000V	2X8AWG	171/0.25	16.7	452.87	2.144 Ω/km
ANM10.005.03.008AB	UL20234	1000V	3X8AWG	171/0.25	17.8	555.97	2.144 Ω/km
ANM10.005.04.008AB	UL20234	1000V	4X8AWG	171/0.25	19.4	685.07	2.144 Ω/km
ANM10.005.05.008AB	UL20234	1000V	5X8AWG	171/0.25	22.3	886.87	2.144 Ω/km
ANM10.005.06.008AB	UL20234	1000V	6X8AWG	171/0.25	24.2	1050.37	2.144 Ω/km
ANM10.005.07.008AB	UL20234	1000V	7X8AWG	171/0.25	24.2	1108.37	2.144 Ω/km
ANM10.005.02.007AB	UL20234	1000V	2X7AWG	84/0.4	17.5	520.45	1.700 Ω/km
ANM10.005.03.007AB	UL20234	1000V	3X7AWG	84/0.4	18.6	642.05	1.700 Ω/km
ANM10.005.04.007AB	UL20234	1000V	4X7AWG	84/0.4	21.4	849.85	1.700 Ω/km
ANM10.005.05.007AB	UL20234	1000V	5X7AWG	84/0.4	23.4	1031.15	1.700 Ω/km
ANM10.005.06.007AB	UL20234	1000V	6X7AWG	84/0.4	25.4	1222.05	1.700 Ω/km
ANM10.005.07.007AB	UL20234	1000V	7X7AWG	84/0.4	25.4	1296.55	1.700 Ω/km
ANM10.005.02.006AB	UL20234	1000V	2X6AWG	106/0.4	18.9	619.2	1.348 Ω/km
ANM10.005.03.006AB	UL20234	1000V	3X6AWG	106/0.4	20.1	767.1	1.348 Ω/km
ANM10.005.04.006AB	UL20234	1000V	4X6AWG	106/0.4	23.1	1013.4	1.348 Ω/km
ANM10.005.05.006AB	UL20234	1000V	5X6AWG	106/0.4	25.3	1232.7	1.348 Ω/km
ANM10.005.06.006AB	UL20234	1000V	6X6AWG	106/0.4	27.5	1463.6	1.348 Ω/km
ANM10.005.07.006AB	UL20234	1000V	7X6AWG	106/0.4	27.5	1555.5	1.348 Ω/km
ANM10.005.02.005AB	UL20234	1000V	2X5AWG	134/0.4	20.1	727.87	1.070 Ω/km
ANM10.005.03.005AB	UL20234	1000V	3X5AWG	134/0.4	22.4	960.77	1.070 Ω/km
ANM10.005.04.005AB	UL20234	1000V	4X5AWG	134/0.4	24.5	1195.17	1.070 Ω/km
ANM10.005.05.005AB	UL20234	1000V	5X5AWG	134/0.4	26.9	1459.37	1.070 Ω/km
ANM10.005.06.005AB	UL20234	1000V	6X5AWG	134/0.4	30.5	1822.47	1.070 Ω/km
ANM10.005.07.005AB	UL20234	1000V	7X5AWG	134/0.4	30.5	1939.17	1.070 Ω/km
ANM10.005.02.004AB	UL20234	1000V	2X4AWG	169/0.4	22.5	915.55	0.8481 Ω/km
ANM10.005.03.004AB	UL20234	1000V	3X4AWG	169/0.4	23.9	1140.65	0.8481 Ω/km
ANM10.005.04.004AB	UL20234	1000V	4X4AWG	169/0.4	26.2	1425.85	0.8481 Ω/km
ANM10.005.05.004AB	UL20234	1000V	5X4AWG	169/0.4	28.8	1744.55	0.8481 Ω/km
ANM10.005.06.004AB	UL20234	1000V	6X4AWG	169/0.4	32.6	2170.55	0.8481 Ω/km
ANM10.005.07.004AB	UL20234	1000V	7X4AWG	169/0.4	32.6	2318.05	0.8481 Ω/km
ANM10.005.02.003AB	UL20234	1000V	2X3AWG	213/0.4	24.1	1087.37	0.6727 Ω/km
ANM10.005.03.003AB	UL20234	1000V	3X3AWG	213/0.4	25.6	1362.57	0.6727 Ω/km
ANM10.005.04.003AB	UL20234	1000V	4X3AWG	213/0.4	28.2	1716.17	0.6727 Ω/km
ANM10.005.05.003AB	UL20234	1000V	5X3AWG	213/0.4	32.1	2182.97	0.6727 Ω/km
ANM10.005.06.003AB	UL20234	1000V	6X3AWG	213/0.4	35	2602.27	0.6727 Ω/km
ANM10.005.07.003AB	UL20234	1000V	7X3AWG	213/0.4	35	2788.37	0.6727 Ω/km



ANM10.005.02.002AB	UL20234	1000V	2X2AWG	268/0.4	25.9	1299.02	0.5335 Ω/km
ANM10.005.03.002AB	UL20234	1000V	3X2AWG	268/0.4	27.6	1642.72	0.5335 Ω/km
ANM10.005.04.002AB	UL20234	1000V	4X2AWG	268/0.4	31.5	2152.32	0.5335 Ω/km
ANM10.005.05.002AB	UL20234	1000V	5X2AWG	268/0.4	34.6	2632.52	0.5335 Ω/km
ANM10.005.06.002AB	UL20234	1000V	6X2AWG	268/0.4	38	3163.32	0.5335 Ω/km
ANM10.005.07.002AB	UL20234	1000V	7X2AWG	268/0.4	38	3397.92	0.5335 Ω/km
ANM10.005.02.001AB	UL20234	1000V	2X1AWG	338/0.4	28.5	1604.61	0.4230 Ω/km
ANM10.005.03.001AB	UL20234	1000V	3X1AWG	338/0.4	31.6	2125.21	0.4230 Ω/km
ANM10.005.04.001AB	UL20234	1000V	4X1AWG	338/0.4	34.7	2670.01	0.4230 Ω/km
ANM10.005.05.001AB	UL20234	1000V	5X1AWG	338/0.4	38.4	3292.81	0.4230 Ω/km
ANM10.005.06.001AB	UL20234	1000V	6X1AWG	338/0.4	41.9	3928.51	0.4230 Ω/km
ANM10.005.07.001AB	UL20234	1000V	7X1AWG	338/0.4	41.9	4227.01	0.4230 Ω/km
ANM10.005.02.1/0AB	UL20234	1000V	2X1/0AWG	426/0.4	32.3	2038.89	0.3354 Ω/km
ANM10.005.03.1/0AB	UL20234	1000V	3X1/0AWG	426/0.4	34.4	2578.69	0.3354 Ω/km
ANM10.005.04.1/0AB	UL20234	1000V	4X1/0AWG	426/0.4	38.1	3272.59	0.3354 Ω/km
ANM10.005.05.1/0AB	UL20234	1000V	5X1/0AWG	426/0.4	41.9	4009.69	0.3354 Ω/km
ANM10.005.06.1/0AB	UL20234	1000V	6X1/0AWG	426/0.4	47.6	4991.59	0.3354 Ω/km
ANM10.005.07.1/0AB	UL20234	1000V	7X1/0AWG	426/0.4	47.6	5363.79	0.3354 Ω/km
ANM10.005.02.2/0AB	UL20234	1000V	2X2/0AWG	537/0.4	34.9	2455.23	0.2660 Ω/km
ANM10.005.03.2/0AB	UL20234	1000V	3X2/0AWG	537/0.4	37.5	3149.83	0.2660 Ω/km
ANM10.005.04.2/0AB	UL20234	1000V	4X2/0AWG	537/0.4	41.3	3977.83	0.2660 Ω/km
ANM10.005.05.2/0AB	UL20234	1000V	5X2/0AWG	537/0.4	47.2	5070.83	0.2660 Ω/km
ANM10.005.06.2/0AB	UL20234	1000V	6X2/0AWG	537/0.4	51.5	6049.23	0.2660 Ω/km
ANM10.005.07.2/0AB	UL20234	1000V	7X2/0AWG	537/0.4	51.5	6517.93	0.2660 Ω/km
ANM10.005.02.3/0AB	UL20234	1000V	2X3/0AWG	677/0.4	37.8	2979.31	0.2110 Ω/km
ANM10.005.03.3/0AB	UL20234	1000V	3X3/0AWG	677/0.4	40.3	3809.21	0.2110 Ω/km
ANM10.005.04.3/0AB	UL20234	1000V	4X3/0AWG	677/0.4	46.2	5014.81	0.2110 Ω/km
ANM10.005.05.3/0AB	UL20234	1000V	5X3/0AWG	677/0.4	50.7	6133.91	0.2110 Ω/km
ANM10.005.06.3/0AB	UL20234	1000V	6X3/0AWG	677/0.4	55.4	7328.71	0.2110 Ω/km
ANM10.005.07.3/0AB	UL20234	1000V	7X3/0AWG	677/0.4	55.4	7924.21	0.2110 Ω/km
ANM10.005.02.4/0AB	UL20234	1000V	2X4/0AWG	854/0.4	41	3615.6	0.1673 Ω/km
ANM10.005.03.4/0AB	UL20234	1000V	3X4/0AWG	854/0.4	45.5	4831.5	0.1673 Ω/km
ANM10.005.04.4/0AB	UL20234	1000V	4X4/0AWG	854/0.4	50.1	6110.7	0.1673 Ω/km
ANM10.005.05.4/0AB	UL20234	1000V	5X4/0AWG	854/0.4	55	7480.9	0.1673 Ω/km
ANM10.005.06.4/0AB	UL20234	1000V	6X4/0AWG	854/0.4	60.2	8952.2	0.1673 Ω/km
ANM10.005.07.4/0AB	UL20234	1000V	7X4/0AWG	854/0.4	60.2	9703.4	0.1673 Ω/km
ANM10.005.02.250kV	UL20234	1000V	2X250kcmil	1007/0.4	47	4527.2	0.1416 Ω/km
ANM10.005.03.250kV	UL20234	1000V	3X250kcmil	1007/0.4	50.1	5770.2	0.1416 Ω/km
ANM10.005.04.250kV	UL20234	1000V	4X250kcmil	1007/0.4	55.1	7283.8	0.1416 Ω/km
ANM10.005.05.250kV	UL20234	1000V	5X250kcmil	1007/0.4	60.7	8944.9	0.1416 Ω/km
ANM10.005.02.300kV	UL20234	1000V	2X300kcmil	1184/0.4	49.2	5189.1	0.1180 Ω/km
ANM10.005.03.300kV	UL20234	1000V	3X300kcmil	1184/0.4	52.4	6652.5	0.1180 Ω/km



ANM10.005.04.300kV	UL20234	1000V	4X300kcmil	1184/0.4	57.8	8440.5	0.1180 Ω/km
ANM10.005.05.300kV	UL20234	1000V	5X300kcmil	1184/0.4	63.7	10375.6	0.1180 Ω/km
ANM10.005.02.350kV	UL20234	1000V	2X350kcmil	1406/0.4	52.2	5920.3	0.1011 Ω/km
ANM10.005.03.350kV	UL20234	1000V	3X350kcmil	1406/0.4	55.7	7617.5	0.1011 Ω/km
ANM10.005.04.350kV	UL20234	1000V	4X350kcmil	1406/0.4	61.4	9663.3	0.1011 Ω/km
ANM10.005.05.350kV	UL20234	1000V	5X350kcmil	1406/0.4	67.7	11885.2	0.1011 Ω/km
ANM10.005.02.400kV	UL20234	1000V	2X400kcmil	1628/0.4	55.2	6682.5	0.08851 Ω/km
ANM10.005.03.400kV	UL20234	1000V	3X400kcmil	1628/0.4	58.9	8607.8	0.08851 Ω/km
ANM10.005.04.400kV	UL20234	1000V	4X400kcmil	1628/0.4	65	10934.6	0.08851 Ω/km
ANM10.005.05.400kV	UL20234	1000V	5X400kcmil	1628/0.4	74.2	13886.8	0.08851 Ω/km
ANM10.005.02.450kV	UL20234	1000V	2X450kcmil	1830/0.4	57.6	7383.4	0.07867 Ω/km
ANM10.005.03.450kV	UL20234	1000V	3X450kcmil	1830/0.4	61.5	9535	0.07867 Ω/km
ANM10.005.04.450kV	UL20234	1000V	4X450kcmil	1830/0.4	67.9	12124.4	0.07867 Ω/km
ANM10.005.05.450kV	UL20234	1000V	5X450kcmil	1830/0.4	77.4	15371.8	0.07867 Ω/km
ANM10.005.02.500kV	UL20234	1000V	2X500kcmil	2013/0.4	59.6	8055.6	0.07080 Ω/km
ANM10.005.03.500kV	UL20234	1000V	3X500kcmil	2013/0.4	63.6	10424.1	0.07080 Ω/km
ANM10.005.04.500kV	UL20234	1000V	4X500kcmil	2013/0.4	72.7	13685.8	0.07080 Ω/km
ANM10.005.05.500kV	UL20234	1000V	5X500kcmil	2013/0.4	80.1	16822.1	0.07080 Ω/km
ANM10.005.03.01.013AB	UL20234	1000V	3X13AWG+1X15AWG	54/0.25	12.3	251.15	6.82 Ω/km
ANM10.005.03.01.012AB	UL20234	1000V	3X12AWG+1X14AWG	68/0.25	12.8	285.68	5.43 Ω/km
ANM10.005.03.01.011AB	UL20234	1000V	3X11AWG+1X14AWG	85/0.25	13.6	327.78	4.30 Ω/km
ANM10.005.03.01.010AB	UL20234	1000V	3X10AWG+1X13AWG	108/0.25	14.9	393.93	3.409 Ω/km
ANM10.005.03.01.009AB	UL20234	1000V	3X9AWG+1X12AWG	136/0.25	15.5	452.71	2.705 Ω/km
ANM10.005.03.01.008AB	UL20234	1000V	3X8AWG+1X11AWG	171/0.25	18	597.17	2.144 Ω/km
ANM10.005.03.01.007AB	UL20234	1000V	3X7AWG+1X10AWG	84/0.4	19	697.67	1.700 Ω/km
ANM10.005.03.01.006AB	UL20234	1000V	3X6AWG+1X9AWG	106/0.4	21.5	883.54	1.348 Ω/km
ANM10.005.03.01.005AB	UL20234	1000V	3X5AWG+1X8AWG	134/0.4	23.3	1068.77	1.070 Ω/km
ANM10.005.03.01.004AB	UL20234	1000V	3X4AWG+1X7AWG	169/0.4	24.8	1266.75	0.8481 Ω/km
ANM10.005.03.01.003AB	UL20234	1000V	3X3AWG+1X6AWG	213/0.4	26.7	1520.9	0.6727 Ω/km
ANM10.005.03.01.002AB	UL20234	1000V	3X2AWG+1X5AWG	268/0.4	28.7	1828.47	0.5335 Ω/km
ANM10.005.03.01.001AB	UL20234	1000V	3X1AWG+1X4AWG	338/0.4	32.7	2349.35	0.4230 Ω/km
ANM10.005.03.01.1/0AB	UL20234	1000V	3X1/0AWG+1X3AWG	426/0.4	35.5	2844.77	0.3354 Ω/km
ANM10.005.03.01.2/0AB	UL20234	1000V	3X2/0AWG+1X2AWG	537/0.4	38.7	3476.32	0.2660 Ω/km
ANM10.005.03.01.3/0AB	UL20234	1000V	3X3/0AWG+1X1AWG	677/0.4	41.9	4240.51	0.2110 Ω/km
ANM10.005.03.01.4/0AB	UL20234	1000V	3X4/0AWG+1X1/0AWG	854/0.4	47.4	5381.29	0.1673 Ω/km
ANM10.005.03.01.250kV	UL20234	1000V	3X250kcmil+1X2/0AWG	1007/0.4	52	6433.93	0.1416 Ω/km
ANM10.005.03.01.300kV	UL20234	1000V	3X300kcmil+1X3/0AWG	1184/0.4	54.7	7500.01	0.1180 Ω/km
ANM10.005.03.01.350kV	UL20234	1000V	3X350kcmil+1X4/0AWG	1406/0.4	58.4	8694.1	0.1011 Ω/km
ANM10.005.03.01.400kV	UL20234	1000V	3X400kcmil+1X250kcmil	1628/0.4	62.4	9950.5	0.08851 Ω/km
ANM10.005.03.01.450kV	UL20234	1000V	3X450kcmil+1X300kcmil	1830/0.4	65.3	11139.6	0.07867 Ω/km
ANM10.005.03.01.500kV	UL20234	1000V	3X500kcmil+1X350kcmil	2013/0.4	68	12317.4	0.07080 Ω/km
ANM10.005.03.02.013AB	UL20234	1000V	3X13AWG+2X15AWG	54/0.25	13.1	287.45	6.82 Ω/km



ANM10.005.03.02.012AB	UL20234	1000V	3X12AWG+2X14AWG	68/0.25	13.8	332.78	5.43 Ω/km
ANM10.005.03.02.011AB	UL20234	1000V	3X11AWG+2X14AWG	85/0.25	14.4	369.78	4.30 Ω/km
ANM10.005.03.02.010AB	UL20234	1000V	3X10AWG+2X13AWG	108/0.25	15.7	442.03	3.409 Ω/km
ANM10.005.03.02.009AB	UL20234	1000V	3X9AWG+2X12AWG	136/0.25	16.4	511.41	2.705 Ω/km
ANM10.005.03.02.008AB	UL20234	1000V	3X8AWG+2X11AWG	171/0.25	18.8	662.07	2.144 Ω/km
ANM10.005.03.02.007AB	UL20234	1000V	3X7AWG+2X10AWG	84/0.4	20.1	784.87	1.700 Ω/km
ANM10.005.03.02.006AB	UL20234	1000V	3X6AWG+2X9AWG	106/0.4	22.5	982.14	1.348 Ω/km
ANM10.005.03.02.005AB	UL20234	1000V	3X5AWG+2X8AWG	134/0.4	24.8	1213.57	1.070 Ω/km
ANM10.005.03.02.004AB	UL20234	1000V	3X4AWG+2X7AWG	169/0.4	26.4	1439.85	0.8481 Ω/km
ANM10.005.03.02.003AB	UL20234	1000V	3X3AWG+2X6AWG	213/0.4	28.4	1725.9	0.6727 Ω/km
ANM10.005.03.02.002AB	UL20234	1000V	3X2AWG+2X5AWG	268/0.4	31.7	2162.07	0.5335 Ω/km
ANM10.005.03.02.001AB	UL20234	1000V	3X1AWG+2X4AWG	338/0.4	34.6	2651.05	0.4230 Ω/km
ANM10.005.03.02.1/OAB	UL20234	1000V	3X1/OAWG+2X3AWG	426/0.4	37.9	3243.37	0.3354 Ω/km
ANM10.005.03.02.2/OAB	UL20234	1000V	3X2/OAWG+2X2AWG	537/0.4	40.9	3922.32	0.2660 Ω/km
ANM10.005.03.02.3/OAB	UL20234	1000V	3X3/OAWG+2X1AWG	677/0.4	46.2	4992.41	0.2110 Ω/km
ANM10.005.03.02.4/OAB	UL20234	1000V	3X4/OAWG+2X1/OAWG	854/0.4	50.2	6082.89	0.1673 Ω/km
ANM10.005.03.02.250kB	UL20234	1000V	3X250kcmil+2X2/OAWG	1007/0.4	55.1	7303.23	0.1416 Ω/km
ANM10.005.03.02.300kB	UL20234	1000V	3X300kcmil+2X3/OAWG	1184/0.4	58.2	8572.21	0.1180 Ω/km
ANM10.005.03.02.350kB	UL20234	1000V	3X350kcmil+2X4/OAWG	1406/0.4	62.4	10028.4	0.1011 Ω/km
ANM10.005.03.02.400kB	UL20234	1000V	3X400kcmil+2X250kcmil	1628/0.4	67.1	11566.5	0.08851 Ω/km
ANM10.005.03.02.450kB	UL20234	1000V	3X450kcmil+2X300kcmil	1830/0.4	70.2	13013.7	0.07867 Ω/km
ANM10.005.03.02.500kB	UL20234	1000V	3X500kcmil+2X350kcmil	2013/0.4	75.9	14924.8	0.07080 Ω/km
ANM10.005.01.01.013AB	UL20234	1000V	4X13AWG+1X15AWG	54/0.25	13.4	303.95	6.82 Ω/km
ANM10.005.01.01.012AB	UL20234	1000V	4X12AWG+1X14AWG	68/0.25	14	348.38	5.43 Ω/km
ANM10.005.01.01.011AB	UL20234	1000V	4X11AWG+1X14AWG	85/0.25	14.9	401.98	4.30 Ω/km
ANM10.005.01.01.010AB	UL20234	1000V	4X10AWG+1X13AWG	108/0.25	16.4	485.73	3.409 Ω/km
ANM10.005.01.01.009AB	UL20234	1000V	4X9AWG+1X12AWG	136/0.25	17.1	561.21	2.705 Ω/km
ANM10.005.01.01.008AB	UL20234	1000V	4X8AWG+1X11AWG	171/0.25	19.9	741.77	2.144 Ω/km
ANM10.005.01.01.007AB	UL20234	1000V	4X7AWG+1X10AWG	84/0.4	22.1	924.67	1.700 Ω/km
ANM10.005.01.01.006AB	UL20234	1000V	4X6AWG+1X9AWG	106/0.4	23.8	1100.94	1.348 Ω/km
ANM10.005.01.01.005AB	UL20234	1000V	4X5AWG+1X8AWG	134/0.4	25.7	1327.07	1.070 Ω/km
ANM10.005.01.01.001AB	UL20234	1000V	4X4AWG+1X7AWG	169/0.4	27.5	1584.45	0.8481 Ω/km
ANM10.005.01.01.003AB	UL20234	1000V	4X3AWG+1X6AWG	213/0.4	30.8	1989.7	0.6727 Ω/km
ANM10.005.01.01.002AB	UL20234	1000V	4X2AWG+1X5AWG	268/0.4	33	2381.37	0.5335 Ω/km
ANM10.005.01.01.001AB	UL20234	1000V	4X1AWG+1X4AWG	338/0.4	36.5	2964.95	0.4230 Ω/km
ANM10.005.01.01.1/OAB	UL20234	1000V	4X1/OAWG+1X3AWG	426/0.4	39.8	3607.47	0.3354 Ω/km
ANM10.005.01.01.2/OAB	UL20234	1000V	4X2/OAWG+1X2AWG	537/0.4	43	4368.82	0.2660 Ω/km
ANM10.005.01.01.3/OAB	UL20234	1000V	4X3/OAWG+1X1AWG	677/0.4	48.4	5540.41	0.2110 Ω/km
ANM10.005.01.01.4/OAB	UL20234	1000V	4X4/OAWG+1X1/OAWG	854/0.4	52.5	6746.89	0.1673 Ω/km
ANM10.005.01.01.250kB	UL20234	1000V	4X250kcmil+1X2/OAWG	1007/0.4	57.8	8083.83	0.1416 Ω/km
ANM10.005.01.01.300kB	UL20234	1000V	4X300kcmil+1X3/OAWG	1184/0.4	60.8	9422.81	0.1180 Ω/km
ANM10.005.01.01.350kB	UL20234	1000V	4X350kcmil+1X4/OAWG	1406/0.4	64.9	10904.4	0.1011 Ω/km



ANM10.005.01.01.400kB	UL20234	1000V	4X400kcmil+1X250kcmil	1628/0.4	69.3	12465	0.08851 Ω/km
ANM10.005.01.01.450kB	UL20234	1000V	4X450kcmil+1X300kcmil	1830/0.4	74.9	14349	0.07867 Ω/km
ANM10.005.01.01.500kB	UL20234	1000V	4X500kcmil+1X350kcmil	2013/0.4	77.9	15828.4	0.07080 Ω/km
ANM10.005.03.03.013AB	UL20234	1000V	3X13AWG+3X18AWG	54/0.25	13.1	280.53	6.82 Ω/km
ANM10.005.03.03.012AB	UL20234	1000V	3X12AWG+3X17AWG	68/0.25	13.7	320.14	5.43 Ω/km
ANM10.005.03.03.011AB	UL20234	1000V	3X11AWG+3X16AWG	85/0.25	14.4	367.31	4.30 Ω/km
ANM10.005.03.03.010AB	UL20234	1000V	3X10AWG+3X15AWG	108/0.25	15.6	435.45	3.409 Ω/km
ANM10.005.03.03.009AB	UL20234	1000V	3X9AWG+3X14AWG	136/0.25	16.3	503.28	2.705 Ω/km
ANM10.005.03.03.008AB	UL20234	1000V	3X8AWG+3X13AWG	171/0.25	18.4	639.73	2.144 Ω/km
ANM10.005.03.03.007AB	UL20234	1000V	3X7AWG+3X12AWG	84/0.4	19.3	746.21	1.700 Ω/km
ANM10.005.03.03.006AB	UL20234	1000V	3X6AWG+3X11AWG	106/0.4	21.9	944.87	1.348 Ω/km
ANM10.005.03.03.005AB	UL20234	1000V	3X5AWG+3X10AWG	134/0.4	23.7	1136.27	1.070 Ω/km
ANM10.005.03.03.004AB	UL20234	1000V	3X4AWG+3X9AWG	169/0.4	25.2	1349.44	0.8481 Ω/km
ANM10.005.03.03.003AB	UL20234	1000V	3X3AWG+3X8AWG	213/0.4	28.3	1703.97	0.6727 Ω/km
ANM10.005.03.03.002AB	UL20234	1000V	3X2AWG+3X7AWG	268/0.4	31.4	2122.65	0.5335 Ω/km
ANM10.005.03.03.001AB	UL20234	1000V	3X1AWG+3X6AWG	338/0.4	34.3	2599.3	0.4230 Ω/km
ANM10.005.03.03.1/OAB	UL20234	1000V	3X1/OAWG+3X5AWG	426/0.4	37.1	3138.87	0.3354 Ω/km
ANM10.005.03.03.2/OAB	UL20234	1000V	3X2/OAWG+3X4AWG	537/0.4	40	3795.05	0.2660 Ω/km
ANM10.005.03.03.3/OAB	UL20234	1000V	3X3/OAWG+3X3AWG	677/0.4	43.1	4607.67	0.2110 Ω/km
ANM10.005.03.03.4/OAB	UL20234	1000V	3X4/OAWG+3X2AWG	854/0.4	48.6	5832.12	0.1673 Ω/km
ANM10.005.03.03.250kB	UL20234	1000V	3X250kcmil+3X1AWG	1007/0.4	53.6	7039.41	0.1416 Ω/km
ANM10.005.03.03.300kB	UL20234	1000V	3X300kcmil+3X1/OAWG	1184/0.4	57.3	8340.59	0.1180 Ω/km
ANM10.005.03.03.350kB	UL20234	1000V	3X350kcmil+3X1/OAWG	1406/0.4	59.3	9133.29	0.1011 Ω/km
ANM10.005.03.03.400kB	UL20234	1000V	3X400kcmil+3X2/OAWG	1628/0.4	63.5	10582.73	0.08851 Ω/km
ANM10.005.03.03.450kB	UL20234	1000V	3X450kcmil+3X3/OAWG	1830/0.4	67.3	12106.41	0.07867 Ω/km
ANM10.005.03.03.500kB	UL20234	1000V	3X500kcmil+3X3/OAWG	2013/0.4	68.7	12884.21	0.07080 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 TPE 材质							
ANM10.009.02.019AB	UL20234	600V	2X19AWG	43/0.14	7.4	73.46	27.4 Ω/km
ANM10.009.03.019AB	UL20234	600V	3X19AWG	43/0.14	7.7	83.36	27.4 Ω/km
ANM10.009.04.019AB	UL20234	600V	4X19AWG	43/0.14	8.2	97.36	27.4 Ω/km
ANM10.009.05.019AB	UL20234	600V	5X19AWG	43/0.14	8.8	113.86	27.4 Ω/km
ANM10.009.06.019AB	UL20234	600V	6X19AWG	43/0.14	9.3	129.16	27.4 Ω/km
ANM10.009.07.019AB	UL20234	600V	7X19AWG	43/0.14	9.3	133.66	27.4 Ω/km
ANM10.009.08.019AB	UL20234	600V	8X19AWG	43/0.14	9.9	151.96	27.4 Ω/km
ANM10.009.09.019AB	UL20234	600V	9X19AWG	43/0.14	10.7	175.86	27.4 Ω/km
ANM10.009.10.019AB	UL20234	600V	10X19AWG	43/0.14	11.2	193.56	27.4 Ω/km
ANM10.009.11.019AB	UL20234	600V	11X19AWG	43/0.14	11.5	206.16	27.4 Ω/km
ANM10.009.12.019AB	UL20234	600V	12X19AWG	43/0.14	11.5	210.86	27.4 Ω/km
ANM10.009.13.019AB	UL20234	600V	13X19AWG	43/0.14	12	229.26	27.4 Ω/km
ANM10.009.14.019AB	UL20234	600V	14X19AWG	43/0.14	12	233.96	27.4 Ω/km



ANM10.009.15.019AB	UL20234	600V	15X19AWG	43/0.14	12.6	255.96	27.4Ω/km
ANM10.009.16.019AB	UL20234	600V	16X19AWG	43/0.14	12.6	260.66	27.4Ω/km
ANM10.009.17.019AB	UL20234	600V	17X19AWG	43/0.14	13.1	280.46	27.4Ω/km
ANM10.009.18.019AB	UL20234	600V	18X19AWG	43/0.14	13.1	285.16	27.4Ω/km
ANM10.009.19.019AB	UL20234	600V	19X19AWG	43/0.14	13.1	289.76	27.4Ω/km
ANM10.009.20.019AB	UL20234	600V	20X19AWG	43/0.14	13.4	303.86	27.4Ω/km
ANM10.009.21.019AB	UL20234	600V	21X19AWG	43/0.14	13.8	321.26	27.4Ω/km
ANM10.009.22.019AB	UL20234	600V	22X19AWG	43/0.14	14.6	352.96	27.4Ω/km
ANM10.009.23.019AB	UL20234	600V	23X19AWG	43/0.14	15.1	375.16	27.4Ω/km
ANM10.009.24.019AB	UL20234	600V	24X19AWG	43/0.14	15.1	379.86	27.4Ω/km
ANM10.009.25.019AB	UL20234	600V	25X19AWG	43/0.14	15.4	395.36	27.4Ω/km
ANM10.009.26.019AB	UL20234	600V	26X19AWG	43/0.14	15.4	400.06	27.4Ω/km
ANM10.009.27.019AB	UL20234	600V	27X19AWG	43/0.14	15.4	404.56	27.4Ω/km
ANM10.009.28.019AB	UL20234	600V	28X19AWG	43/0.14	15.9	427.76	27.4Ω/km
ANM10.009.29.019AB	UL20234	600V	29X19AWG	43/0.14	15.9	432.36	27.4Ω/km
ANM10.009.30.019AB	UL20234	600V	30X19AWG	43/0.14	15.9	436.96	27.4Ω/km
ANM10.009.31.019AB	UL20234	600V	31X19AWG	43/0.14	16.5	464.86	27.4Ω/km
ANM10.009.32.019AB	UL20234	600V	32X19AWG	43/0.14	16.5	469.46	27.4Ω/km
ANM10.009.33.019AB	UL20234	600V	33X19AWG	43/0.14	16.5	474.06	27.4Ω/km
ANM10.009.34.019AB	UL20234	600V	34X19AWG	43/0.14	17	498.66	27.4Ω/km
ANM10.009.35.019AB	UL20234	600V	35X19AWG	43/0.14	17	503.16	27.4Ω/km
ANM10.009.36.019AB	UL20234	600V	36X19AWG	43/0.14	17	507.96	27.4Ω/km
ANM10.009.37.019AB	UL20234	600V	37X19AWG	43/0.14	17	512.46	27.4Ω/km
ANM10.009.38.019AB	UL20234	600V	38X19AWG	43/0.14	17.6	541.86	27.4Ω/km
ANM10.009.39.019AB	UL20234	600V	39X19AWG	43/0.14	17.6	546.36	27.4Ω/km
ANM10.009.40.019AB	UL20234	600V	40X19AWG	43/0.14	17.6	551.16	27.4Ω/km
ANM10.009.41.019AB	UL20234	600V	41X19AWG	43/0.14	18.9	612.26	27.4Ω/km
ANM10.009.42.019AB	UL20234	600V	42X19AWG	43/0.14	18.9	616.86	27.4Ω/km
ANM10.009.43.019AB	UL20234	600V	43X19AWG	43/0.14	18.9	621.56	27.4Ω/km
ANM10.009.44.019AB	UL20234	600V	44X19AWG	43/0.14	18.9	626.16	27.4Ω/km
ANM10.009.45.019AB	UL20234	600V	45X19AWG	43/0.14	19.2	644.46	27.4Ω/km
ANM10.009.46.019AB	UL20234	600V	46X19AWG	43/0.14	19.2	649.06	27.4Ω/km
ANM10.009.47.019AB	UL20234	600V	47X19AWG	43/0.14	19.2	653.66	27.4Ω/km
ANM10.009.48.019AB	UL20234	600V	48X19AWG	43/0.14	19.2	658.36	27.4Ω/km
ANM10.009.49.019AB	UL20234	600V	49X19AWG	43/0.14	19.7	686.06	27.4Ω/km
ANM10.009.50.019AB	UL20234	600V	50X19AWG	43/0.14	19.7	690.76	27.4Ω/km
ANM10.009.51.019AB	UL20234	600V	51X19AWG	43/0.14	19.7	695.26	27.4Ω/km
ANM10.009.52.019AB	UL20234	600V	52X19AWG	43/0.14	19.7	700.06	27.4Ω/km
ANM10.009.53.019AB	UL20234	600V	53X19AWG	43/0.14	21.3	782.66	27.4Ω/km
ANM10.009.54.019AB	UL20234	600V	54X19AWG	43/0.14	21.3	787.16	27.4Ω/km
ANM10.009.55.019AB	UL20234	600V	55X19AWG	43/0.14	21.3	791.96	27.4Ω/km
ANM10.009.56.019AB	UL20234	600V	56X19AWG	43/0.14	21.3	796.46	27.4Ω/km



ANM10.009.57.019AB	UL20234	600V	57X19AWG	43/0.14	21.8	826.86	27.4Ω/km
ANM10.009.58.019AB	UL20234	600V	58X19AWG	43/0.14	21.8	831.36	27.4Ω/km
ANM10.009.59.019AB	UL20234	600V	59X19AWG	43/0.14	21.8	836.06	27.4Ω/km
ANM10.009.60.019AB	UL20234	600V	60X19AWG	43/0.14	21.8	840.66	27.4Ω/km
ANM10.009.61.019AB	UL20234	600V	61X19AWG	43/0.14	21.8	845.26	27.4Ω/km
ANM10.009.62.019AB	UL20234	600V	62X19AWG	43/0.14	22.4	881.56	27.4Ω/km
ANM10.009.63.019AB	UL20234	600V	63X19AWG	43/0.14	22.4	886.26	27.4Ω/km
ANM10.009.64.019AB	UL20234	600V	64X19AWG	43/0.14	22.4	890.86	27.4Ω/km
ANM10.009.65.019AB	UL20234	600V	65X19AWG	43/0.14	22.4	895.46	27.4Ω/km
ANM10.009.02.018AB	UL20234	600V	2X18AWG	29/0.19	7.6	79.73	21.8Ω/km
ANM10.009.03.018AB	UL20234	600V	3X18AWG	29/0.19	8	92.93	21.8Ω/km
ANM10.009.04.018AB	UL20234	600V	4X18AWG	29/0.19	8.5	108.73	21.8Ω/km
ANM10.009.05.018AB	UL20234	600V	5X18AWG	29/0.19	9	124.83	21.8Ω/km
ANM10.009.06.018AB	UL20234	600V	6X18AWG	29/0.19	9.6	143.83	21.8Ω/km
ANM10.009.07.018AB	UL20234	600V	7X18AWG	29/0.19	9.6	149.93	21.8Ω/km
ANM10.009.08.018AB	UL20234	600V	8X18AWG	29/0.19	10.2	169.83	21.8Ω/km
ANM10.009.09.018AB	UL20234	600V	9X18AWG	29/0.19	11	195.73	21.8Ω/km
ANM10.009.10.018AB	UL20234	600V	10X18AWG	29/0.19	11.6	217.83	21.8Ω/km
ANM10.009.11.018AB	UL20234	600V	11X18AWG	29/0.19	12	234.93	21.8Ω/km
ANM10.009.12.018AB	UL20234	600V	12X18AWG	29/0.19	12	240.73	21.8Ω/km
ANM10.009.13.018AB	UL20234	600V	13X18AWG	29/0.19	12.5	261.33	21.8Ω/km
ANM10.009.14.018AB	UL20234	600V	14X18AWG	29/0.19	12.5	267.23	21.8Ω/km
ANM10.009.15.018AB	UL20234	600V	15X18AWG	29/0.19	13	288.23	21.8Ω/km
ANM10.009.16.018AB	UL20234	600V	16X18AWG	29/0.19	13	294.33	21.8Ω/km
ANM10.009.17.018AB	UL20234	600V	17X18AWG	29/0.19	13.6	319.03	21.8Ω/km
ANM10.009.18.018AB	UL20234	600V	18X18AWG	29/0.19	13.6	325.03	21.8Ω/km
ANM10.009.19.018AB	UL20234	600V	19X18AWG	29/0.19	13.6	331.13	21.8Ω/km
ANM10.009.20.018AB	UL20234	600V	20X18AWG	29/0.19	14.1	353.43	21.8Ω/km
ANM10.009.21.018AB	UL20234	600V	21X18AWG	29/0.19	14.3	366.13	21.8Ω/km
ANM10.009.22.018AB	UL20234	600V	22X18AWG	29/0.19	15.1	400.13	21.8Ω/km
ANM10.009.23.018AB	UL20234	600V	23X18AWG	29/0.19	15.7	427.93	21.8Ω/km
ANM10.009.24.018AB	UL20234	600V	24X18AWG	29/0.19	15.7	433.83	21.8Ω/km
ANM10.009.25.018AB	UL20234	600V	25X18AWG	29/0.19	16.1	455.13	21.8Ω/km
ANM10.009.26.018AB	UL20234	600V	26X18AWG	29/0.19	16.1	460.93	21.8Ω/km
ANM10.009.27.018AB	UL20234	600V	27X18AWG	29/0.19	16.1	466.93	21.8Ω/km
ANM10.009.28.018AB	UL20234	600V	28X18AWG	29/0.19	16.6	492.23	21.8Ω/km
ANM10.009.29.018AB	UL20234	600V	29X18AWG	29/0.19	16.6	498.33	21.8Ω/km
ANM10.009.30.018AB	UL20234	600V	30X18AWG	29/0.19	16.6	504.33	21.8Ω/km
ANM10.009.31.018AB	UL20234	600V	31X18AWG	29/0.19	17.1	530.13	21.8Ω/km
ANM10.009.32.018AB	UL20234	600V	32X18AWG	29/0.19	17.1	536.13	21.8Ω/km
ANM10.009.33.018AB	UL20234	600V	33X18AWG	29/0.19	17.1	542.13	21.8Ω/km
ANM10.009.34.018AB	UL20234	600V	34X18AWG	29/0.19	17.7	572.93	21.8Ω/km



ANM10.009.35.018AB	UL20234	600V	35X18AWG	29/0.19	17.7	579.03	21.8 Ω/km
ANM10.009.36.018AB	UL20234	600V	36X18AWG	29/0.19	17.7	584.93	21.8 Ω/km
ANM10.009.37.018AB	UL20234	600V	37X18AWG	29/0.19	17.7	590.83	21.8 Ω/km
ANM10.009.38.018AB	UL20234	600V	38X18AWG	29/0.19	18.3	622.53	21.8 Ω/km
ANM10.009.39.018AB	UL20234	600V	39X18AWG	29/0.19	18.3	628.53	21.8 Ω/km
ANM10.009.40.018AB	UL20234	600V	40X18AWG	29/0.19	18.3	634.43	21.8 Ω/km
ANM10.009.41.018AB	UL20234	600V	41X18AWG	29/0.19	19.7	703.83	21.8 Ω/km
ANM10.009.42.018AB	UL20234	600V	42X18AWG	29/0.19	19.7	709.73	21.8 Ω/km
ANM10.009.43.018AB	UL20234	600V	43X18AWG	29/0.19	19.7	715.73	21.8 Ω/km
ANM10.009.44.018AB	UL20234	600V	44X18AWG	29/0.19	19.7	721.73	21.8 Ω/km
ANM10.009.45.018AB	UL20234	600V	45X18AWG	29/0.19	20.1	746.73	21.8 Ω/km
ANM10.009.46.018AB	UL20234	600V	46X18AWG	29/0.19	20.1	752.63	21.8 Ω/km
ANM10.009.47.018AB	UL20234	600V	47X18AWG	29/0.19	20.1	758.73	21.8 Ω/km
ANM10.009.48.018AB	UL20234	600V	48X18AWG	29/0.19	20.1	764.53	21.8 Ω/km
ANM10.009.49.018AB	UL20234	600V	49X18AWG	29/0.19	21.6	844.83	21.8 Ω/km
ANM10.009.50.018AB	UL20234	600V	50X18AWG	29/0.19	21.6	850.93	21.8 Ω/km
ANM10.009.51.018AB	UL20234	600V	51X18AWG	29/0.19	21.6	856.73	21.8 Ω/km
ANM10.009.52.018AB	UL20234	600V	52X18AWG	29/0.19	21.6	862.73	21.8 Ω/km
ANM10.009.53.018AB	UL20234	600V	53X18AWG	29/0.19	22.1	894.73	21.8 Ω/km
ANM10.009.54.018AB	UL20234	600V	54X18AWG	29/0.19	22.1	900.63	21.8 Ω/km
ANM10.009.55.018AB	UL20234	600V	55X18AWG	29/0.19	22.1	906.63	21.8 Ω/km
ANM10.009.56.018AB	UL20234	600V	56X18AWG	29/0.19	22.1	912.43	21.8 Ω/km
ANM10.009.57.018AB	UL20234	600V	57X18AWG	29/0.19	22.7	950.63	21.8 Ω/km
ANM10.009.58.018AB	UL20234	600V	58X18AWG	29/0.19	22.7	956.63	21.8 Ω/km
ANM10.009.59.018AB	UL20234	600V	59X18AWG	29/0.19	22.7	962.53	21.8 Ω/km
ANM10.009.60.018AB	UL20234	600V	60X18AWG	29/0.19	22.7	968.53	21.8 Ω/km
ANM10.009.61.018AB	UL20234	600V	61X18AWG	29/0.19	22.7	974.53	21.8 Ω/km
ANM10.009.62.018AB	UL20234	600V	62X18AWG	29/0.19	23.3	1013.33	21.8 Ω/km
ANM10.009.63.018AB	UL20234	600V	63X18AWG	29/0.19	23.3	1019.43	21.8 Ω/km
ANM10.009.64.018AB	UL20234	600V	64X18AWG	29/0.19	23.3	1025.43	21.8 Ω/km
ANM10.009.65.018AB	UL20234	600V	65X18AWG	29/0.19	23.3	1031.23	21.8 Ω/km
ANM10.009.02.017AB	UL20234	600V	2X17AWG	37/0.19	8	90.14	17.3 Ω/km
ANM10.009.03.017AB	UL20234	600V	3X17AWG	37/0.19	8.4	105.14	17.3 Ω/km
ANM10.009.04.017AB	UL20234	600V	4X17AWG	37/0.19	9	124.74	17.3 Ω/km
ANM10.009.05.017AB	UL20234	600V	5X17AWG	37/0.19	9.6	145.24	17.3 Ω/km
ANM10.009.06.017AB	UL20234	600V	6X17AWG	37/0.19	10.2	166.54	17.3 Ω/km
ANM10.009.07.017AB	UL20234	600V	7X17AWG	37/0.19	10.2	173.84	17.3 Ω/km
ANM10.009.08.017AB	UL20234	600V	8X17AWG	37/0.19	10.9	198.64	17.3 Ω/km
ANM10.009.09.017AB	UL20234	600V	9X17AWG	37/0.19	11.8	230.24	17.3 Ω/km
ANM10.009.10.017AB	UL20234	600V	10X17AWG	37/0.19	12.4	254.84	17.3 Ω/km
ANM10.009.11.017AB	UL20234	600V	11X17AWG	37/0.19	12.8	274.04	17.3 Ω/km
ANM10.009.12.017AB	UL20234	600V	12X17AWG	37/0.19	12.8	281.44	17.3 Ω/km



ANM10.009.13.017AB	UL20234	600V	13X17AWG	37/0.19	13.4	307.44	17.3 Ω/km
ANM10.009.14.017AB	UL20234	600V	14X17AWG	37/0.19	13.4	314.74	17.3 Ω/km
ANM10.009.15.017AB	UL20234	600V	15X17AWG	37/0.19	14.1	344.94	17.3 Ω/km
ANM10.009.16.017AB	UL20234	600V	16X17AWG	37/0.19	14.1	352.34	17.3 Ω/km
ANM10.009.17.017AB	UL20234	600V	17X17AWG	37/0.19	14.7	380.14	17.3 Ω/km
ANM10.009.18.017AB	UL20234	600V	18X17AWG	37/0.19	14.7	387.54	17.3 Ω/km
ANM10.009.19.017AB	UL20234	600V	19X17AWG	37/0.19	14.7	395.04	17.3 Ω/km
ANM10.009.20.017AB	UL20234	600V	20X17AWG	37/0.19	15.1	416.54	17.3 Ω/km
ANM10.009.21.017AB	UL20234	600V	21X17AWG	37/0.19	15.4	434.84	17.3 Ω/km
ANM10.009.22.017AB	UL20234	600V	22X17AWG	37/0.19	16.3	476.04	17.3 Ω/km
ANM10.009.23.017AB	UL20234	600V	23X17AWG	37/0.19	16.9	507.04	17.3 Ω/km
ANM10.009.24.017AB	UL20234	600V	24X17AWG	37/0.19	16.9	514.44	17.3 Ω/km
ANM10.009.25.017AB	UL20234	600V	25X17AWG	37/0.19	17.3	538.14	17.3 Ω/km
ANM10.009.26.017AB	UL20234	600V	26X17AWG	37/0.19	17.3	545.44	17.3 Ω/km
ANM10.009.27.017AB	UL20234	600V	27X17AWG	37/0.19	17.3	552.94	17.3 Ω/km
ANM10.009.28.017AB	UL20234	600V	28X17AWG	37/0.19	17.9	585.44	17.3 Ω/km
ANM10.009.29.017AB	UL20234	600V	29X17AWG	37/0.19	17.9	592.84	17.3 Ω/km
ANM10.009.30.017AB	UL20234	600V	30X17AWG	37/0.19	17.9	600.14	17.3 Ω/km
ANM10.009.31.017AB	UL20234	600V	31X17AWG	37/0.19	18.5	633.64	17.3 Ω/km
ANM10.009.32.017AB	UL20234	600V	32X17AWG	37/0.19	18.5	640.94	17.3 Ω/km
ANM10.009.33.017AB	UL20234	600V	33X17AWG	37/0.19	18.5	648.24	17.3 Ω/km
ANM10.009.34.017AB	UL20234	600V	34X17AWG	37/0.19	19.1	682.44	17.3 Ω/km
ANM10.009.35.017AB	UL20234	600V	35X17AWG	37/0.19	19.1	689.84	17.3 Ω/km
ANM10.009.36.017AB	UL20234	600V	36X17AWG	37/0.19	19.1	697.24	17.3 Ω/km
ANM10.009.37.017AB	UL20234	600V	37X17AWG	37/0.19	19.1	704.74	17.3 Ω/km
ANM10.009.38.017AB	UL20234	600V	38X17AWG	37/0.19	19.8	744.54	17.3 Ω/km
ANM10.009.39.017AB	UL20234	600V	39X17AWG	37/0.19	19.8	751.94	17.3 Ω/km
ANM10.009.40.017AB	UL20234	600V	40X17AWG	37/0.19	19.8	759.24	17.3 Ω/km
ANM10.009.41.017AB	UL20234	600V	41X17AWG	37/0.19	22.3	891.84	17.3 Ω/km
ANM10.009.42.017AB	UL20234	600V	42X17AWG	37/0.19	22.3	899.14	17.3 Ω/km
ANM10.009.43.017AB	UL20234	600V	43X17AWG	37/0.19	22.3	906.54	17.3 Ω/km
ANM10.009.44.017AB	UL20234	600V	44X17AWG	37/0.19	22.3	913.84	17.3 Ω/km
ANM10.009.45.017AB	UL20234	600V	45X17AWG	37/0.19	22.7	942.84	17.3 Ω/km
ANM10.009.46.017AB	UL20234	600V	46X17AWG	37/0.19	22.7	950.24	17.3 Ω/km
ANM10.009.47.017AB	UL20234	600V	47X17AWG	37/0.19	22.7	957.64	17.3 Ω/km
ANM10.009.48.017AB	UL20234	600V	48X17AWG	37/0.19	22.7	964.94	17.3 Ω/km
ANM10.009.49.017AB	UL20234	600V	49X17AWG	37/0.19	23.3	1005.34	17.3 Ω/km
ANM10.009.50.017AB	UL20234	600V	50X17AWG	37/0.19	23.3	1012.64	17.3 Ω/km
ANM10.009.51.017AB	UL20234	600V	51X17AWG	37/0.19	23.3	1019.94	17.3 Ω/km
ANM10.009.52.017AB	UL20234	600V	52X17AWG	37/0.19	23.3	1027.34	17.3 Ω/km
ANM10.009.53.017AB	UL20234	600V	53X17AWG	37/0.19	23.9	1068.54	17.3 Ω/km
ANM10.009.54.017AB	UL20234	600V	54X17AWG	37/0.19	23.9	1075.84	17.3 Ω/km



ANM10.009.55.017AB	UL20234	600V	55X17AWG	37/0.19	23.9	1083.34	17.3 Ω/km
ANM10.009.56.017AB	UL20234	600V	56X17AWG	37/0.19	23.9	1090.64	17.3 Ω/km
ANM10.009.57.017AB	UL20234	600V	57X17AWG	37/0.19	24.5	1132.74	17.3 Ω/km
ANM10.009.58.017AB	UL20234	600V	58X17AWG	37/0.19	24.5	1140.14	17.3 Ω/km
ANM10.009.59.017AB	UL20234	600V	59X17AWG	37/0.19	24.5	1147.44	17.3 Ω/km
ANM10.009.60.017AB	UL20234	600V	60X17AWG	37/0.19	24.5	1154.84	17.3 Ω/km
ANM10.009.61.017AB	UL20234	600V	61X17AWG	37/0.19	24.5	1162.14	17.3 Ω/km
ANM10.009.62.017AB	UL20234	600V	62X17AWG	37/0.19	25.2	1211.24	17.3 Ω/km
ANM10.009.63.017AB	UL20234	600V	63X17AWG	37/0.19	25.2	1218.54	17.3 Ω/km
ANM10.009.64.017AB	UL20234	600V	64X17AWG	37/0.19	25.2	1226.04	17.3 Ω/km
ANM10.009.65.017AB	UL20234	600V	65X17AWG	37/0.19	25.2	1233.34	17.3 Ω/km
ANM10.009.02.016AB	UL20234	600V	2X16AWG	27/0.25	8.2	98.61	13.7 Ω/km
ANM10.009.03.016AB	UL20234	600V	3X16AWG	27/0.25	8.6	116.01	13.7 Ω/km
ANM10.009.04.016AB	UL20234	600V	4X16AWG	27/0.25	9.2	138.11	13.7 Ω/km
ANM10.009.05.016AB	UL20234	600V	5X16AWG	27/0.25	9.9	163.41	13.7 Ω/km
ANM10.009.06.016AB	UL20234	600V	6X16AWG	27/0.25	10.5	187.31	13.7 Ω/km
ANM10.009.07.016AB	UL20234	600V	7X16AWG	27/0.25	10.5	196.91	13.7 Ω/km
ANM10.009.08.016AB	UL20234	600V	8X16AWG	27/0.25	11.2	224.41	13.7 Ω/km
ANM10.009.09.016AB	UL20234	600V	9X16AWG	27/0.25	12.2	261.61	13.7 Ω/km
ANM10.009.10.016AB	UL20234	600V	10X16AWG	27/0.25	12.8	288.81	13.7 Ω/km
ANM10.009.11.016AB	UL20234	600V	11X16AWG	27/0.25	13.2	310.81	13.7 Ω/km
ANM10.009.12.016AB	UL20234	600V	12X16AWG	27/0.25	13.2	320.41	13.7 Ω/km
ANM10.009.13.016AB	UL20234	600V	13X16AWG	27/0.25	13.9	352.41	13.7 Ω/km
ANM10.009.14.016AB	UL20234	600V	14X16AWG	27/0.25	13.9	362.01	13.7 Ω/km
ANM10.009.15.016AB	UL20234	600V	15X16AWG	27/0.25	14.6	395.21	13.7 Ω/km
ANM10.009.16.016AB	UL20234	600V	16X16AWG	27/0.25	14.6	404.81	13.7 Ω/km
ANM10.009.17.016AB	UL20234	600V	17X16AWG	27/0.25	15.2	435.51	13.7 Ω/km
ANM10.009.18.016AB	UL20234	600V	18X16AWG	27/0.25	15.2	445.11	13.7 Ω/km
ANM10.009.19.016AB	UL20234	600V	19X16AWG	27/0.25	15.2	454.71	13.7 Ω/km
ANM10.009.20.016AB	UL20234	600V	20X16AWG	27/0.25	15.6	478.91	13.7 Ω/km
ANM10.009.21.016AB	UL20234	600V	21X16AWG	27/0.25	15.9	499.71	13.7 Ω/km
ANM10.009.22.016AB	UL20234	600V	22X16AWG	27/0.25	16.9	548.21	13.7 Ω/km
ANM10.009.23.016AB	UL20234	600V	23X16AWG	27/0.25	17.5	582.51	13.7 Ω/km
ANM10.009.24.016AB	UL20234	600V	24X16AWG	27/0.25	17.5	592.11	13.7 Ω/km
ANM10.009.25.016AB	UL20234	600V	25X16AWG	27/0.25	17.9	618.41	13.7 Ω/km
ANM10.009.26.016AB	UL20234	600V	26X16AWG	27/0.25	17.9	628.01	13.7 Ω/km
ANM10.009.27.016AB	UL20234	600V	27X16AWG	27/0.25	17.9	637.51	13.7 Ω/km
ANM10.009.28.016AB	UL20234	600V	28X16AWG	27/0.25	18.5	673.21	13.7 Ω/km
ANM10.009.29.016AB	UL20234	600V	29X16AWG	27/0.25	18.5	682.71	13.7 Ω/km
ANM10.009.30.016AB	UL20234	600V	30X16AWG	27/0.25	18.5	692.31	13.7 Ω/km
ANM10.009.31.016AB	UL20234	600V	31X16AWG	27/0.25	19.2	733.31	13.7 Ω/km
ANM10.009.32.016AB	UL20234	600V	32X16AWG	27/0.25	19.2	742.81	13.7 Ω/km



ANM10.009.33.016AB	UL20234	600V	33X16AWG	27/0.25	19.2	752.41	13.7 Ω/km
ANM10.009.34.016AB	UL20234	600V	34X16AWG	27/0.25	19.8	789.81	13.7 Ω/km
ANM10.009.35.016AB	UL20234	600V	35X16AWG	27/0.25	19.8	799.41	13.7 Ω/km
ANM10.009.36.016AB	UL20234	600V	36X16AWG	27/0.25	19.8	809.01	13.7 Ω/km
ANM10.009.37.016AB	UL20234	600V	37X16AWG	27/0.25	19.8	818.51	13.7 Ω/km
ANM10.009.38.016AB	UL20234	600V	38X16AWG	27/0.25	21.5	911.61	13.7 Ω/km
ANM10.009.39.016AB	UL20234	600V	39X16AWG	27/0.25	21.5	921.11	13.7 Ω/km
ANM10.009.40.016AB	UL20234	600V	40X16AWG	27/0.25	21.5	930.71	13.7 Ω/km
ANM10.009.41.016AB	UL20234	600V	41X16AWG	27/0.25	23.1	1025.51	13.7 Ω/km
ANM10.009.42.016AB	UL20234	600V	42X16AWG	27/0.25	23.1	1035.01	13.7 Ω/km
ANM10.009.43.016AB	UL20234	600V	43X16AWG	27/0.25	23.1	1044.61	13.7 Ω/km
ANM10.009.44.016AB	UL20234	600V	44X16AWG	27/0.25	23.1	1054.11	13.7 Ω/km
ANM10.009.45.016AB	UL20234	600V	45X16AWG	27/0.25	23.5	1086.01	13.7 Ω/km
ANM10.009.46.016AB	UL20234	600V	46X16AWG	27/0.25	23.5	1095.51	13.7 Ω/km
ANM10.009.47.016AB	UL20234	600V	47X16AWG	27/0.25	23.5	1105.11	13.7 Ω/km
ANM10.009.48.016AB	UL20234	600V	48X16AWG	27/0.25	23.5	1114.71	13.7 Ω/km
ANM10.009.49.016AB	UL20234	600V	49X16AWG	27/0.25	24.1	1158.21	13.7 Ω/km
ANM10.009.50.016AB	UL20234	600V	50X16AWG	27/0.25	24.1	1167.81	13.7 Ω/km
ANM10.009.51.016AB	UL20234	600V	51X16AWG	27/0.25	24.1	1177.31	13.7 Ω/km
ANM10.009.52.016AB	UL20234	600V	52X16AWG	27/0.25	24.1	1186.91	13.7 Ω/km
ANM10.009.53.016AB	UL20234	600V	53X16AWG	27/0.25	24.8	1237.51	13.7 Ω/km
ANM10.009.54.016AB	UL20234	600V	54X16AWG	27/0.25	24.8	1247.01	13.7 Ω/km
ANM10.009.55.016AB	UL20234	600V	55X16AWG	27/0.25	24.8	1256.61	13.7 Ω/km
ANM10.009.56.016AB	UL20234	600V	56X16AWG	27/0.25	24.8	1266.11	13.7 Ω/km
ANM10.009.57.016AB	UL20234	600V	57X16AWG	27/0.25	25.4	1311.71	13.7 Ω/km
ANM10.009.58.016AB	UL20234	600V	58X16AWG	27/0.25	25.4	1321.21	13.7 Ω/km
ANM10.009.59.016AB	UL20234	600V	59X16AWG	27/0.25	25.4	1330.81	13.7 Ω/km
ANM10.009.60.016AB	UL20234	600V	60X16AWG	27/0.25	25.4	1340.41	13.7 Ω/km
ANM10.009.61.016AB	UL20234	600V	61X16AWG	27/0.25	25.4	1349.91	13.7 Ω/km
ANM10.009.62.016AB	UL20234	600V	62X16AWG	27/0.25	26.1	1402.61	13.7 Ω/km
ANM10.009.63.016AB	UL20234	600V	63X16AWG	27/0.25	26.1	1412.11	13.7 Ω/km
ANM10.009.64.016AB	UL20234	600V	64X16AWG	27/0.25	26.1	1421.71	13.7 Ω/km
ANM10.009.65.016AB	UL20234	600V	65X16AWG	27/0.25	26.1	1431.31	13.7 Ω/km
ANM10.009.02.015AB	UL20234	600V	2X15AWG	34/0.25	8.6	111.55	10.9 Ω/km
ANM10.009.03.015AB	UL20234	600V	3X15AWG	34/0.25	9	131.75	10.9 Ω/km
ANM10.009.04.015AB	UL20234	600V	4X15AWG	34/0.25	9.7	159.15	10.9 Ω/km
ANM10.009.05.015AB	UL20234	600V	5X15AWG	34/0.25	10.4	187.75	10.9 Ω/km
ANM10.009.06.015AB	UL20234	600V	6X15AWG	34/0.25	11.1	217.45	10.9 Ω/km
ANM10.009.07.015AB	UL20234	600V	7X15AWG	34/0.25	11.1	229.45	10.9 Ω/km
ANM10.009.08.015AB	UL20234	600V	8X15AWG	34/0.25	11.9	263.25	10.9 Ω/km
ANM10.009.09.015AB	UL20234	600V	9X15AWG	34/0.25	12.9	304.55	10.9 Ω/km
ANM10.009.10.015AB	UL20234	600V	10X15AWG	34/0.25	13.6	338.45	10.9 Ω/km



ANM10.009.11.015AB	UL20234	600V	11X15AWG	34/0.25	14.1	366.95	10.9Ω/km
ANM10.009.12.015AB	UL20234	600V	12X15AWG	34/0.25	14.1	378.85	10.9Ω/km
ANM10.009.13.015AB	UL20234	600V	13X15AWG	34/0.25	14.8	414.95	10.9Ω/km
ANM10.009.14.015AB	UL20234	600V	14X15AWG	34/0.25	14.8	426.95	10.9Ω/km
ANM10.009.15.015AB	UL20234	600V	15X15AWG	34/0.25	15.5	463.95	10.9Ω/km
ANM10.009.16.015AB	UL20234	600V	16X15AWG	34/0.25	15.5	476.05	10.9Ω/km
ANM10.009.17.015AB	UL20234	600V	17X15AWG	34/0.25	16.2	514.45	10.9Ω/km
ANM10.009.18.015AB	UL20234	600V	18X15AWG	34/0.25	16.2	526.35	10.9Ω/km
ANM10.009.19.015AB	UL20234	600V	19X15AWG	34/0.25	16.2	538.45	10.9Ω/km
ANM10.009.20.015AB	UL20234	600V	20X15AWG	34/0.25	16.6	566.05	10.9Ω/km
ANM10.009.21.015AB	UL20234	600V	21X15AWG	34/0.25	17	593.95	10.9Ω/km
ANM10.009.22.015AB	UL20234	600V	22X15AWG	34/0.25	18	647.75	10.9Ω/km
ANM10.009.23.015AB	UL20234	600V	23X15AWG	34/0.25	18.7	690.35	10.9Ω/km
ANM10.009.24.015AB	UL20234	600V	24X15AWG	34/0.25	18.7	702.35	10.9Ω/km
ANM10.009.25.015AB	UL20234	600V	25X15AWG	34/0.25	19.1	732.25	10.9Ω/km
ANM10.009.26.015AB	UL20234	600V	26X15AWG	34/0.25	19.1	744.25	10.9Ω/km
ANM10.009.27.015AB	UL20234	600V	27X15AWG	34/0.25	19.1	756.25	10.9Ω/km
ANM10.009.28.015AB	UL20234	600V	28X15AWG	34/0.25	19.8	800.75	10.9Ω/km
ANM10.009.29.015AB	UL20234	600V	29X15AWG	34/0.25	19.8	812.75	10.9Ω/km
ANM10.009.30.015AB	UL20234	600V	30X15AWG	34/0.25	19.8	824.65	10.9Ω/km
ANM10.009.31.015AB	UL20234	600V	31X15AWG	34/0.25	21.5	920.15	10.9Ω/km
ANM10.009.32.015AB	UL20234	600V	32X15AWG	34/0.25	21.5	932.15	10.9Ω/km
ANM10.009.33.015AB	UL20234	600V	33X15AWG	34/0.25	21.5	944.15	10.9Ω/km
ANM10.009.34.015AB	UL20234	600V	34X15AWG	34/0.25	22.2	992.65	10.9Ω/km
ANM10.009.35.015AB	UL20234	600V	35X15AWG	34/0.25	22.2	1004.55	10.9Ω/km
ANM10.009.36.015AB	UL20234	600V	36X15AWG	34/0.25	22.2	1016.45	10.9Ω/km
ANM10.009.37.015AB	UL20234	600V	37X15AWG	34/0.25	22.2	1028.55	10.9Ω/km
ANM10.009.38.015AB	UL20234	600V	38X15AWG	34/0.25	23	1083.75	10.9Ω/km
ANM10.009.39.015AB	UL20234	600V	39X15AWG	34/0.25	23	1095.75	10.9Ω/km
ANM10.009.40.015AB	UL20234	600V	40X15AWG	34/0.25	23	1107.65	10.9Ω/km
ANM10.009.41.015AB	UL20234	600V	41X15AWG	34/0.25	24.7	1216.55	10.9Ω/km
ANM10.009.42.015AB	UL20234	600V	42X15AWG	34/0.25	24.7	1228.55	10.9Ω/km
ANM10.009.43.015AB	UL20234	600V	43X15AWG	34/0.25	24.7	1240.55	10.9Ω/km
ANM10.009.44.015AB	UL20234	600V	44X15AWG	34/0.25	24.7	1252.55	10.9Ω/km
ANM10.009.45.015AB	UL20234	600V	45X15AWG	34/0.25	25.1	1288.25	10.9Ω/km
ANM10.009.46.015AB	UL20234	600V	46X15AWG	34/0.25	25.1	1300.35	10.9Ω/km
ANM10.009.47.015AB	UL20234	600V	47X15AWG	34/0.25	25.1	1312.35	10.9Ω/km
ANM10.009.48.015AB	UL20234	600V	48X15AWG	34/0.25	25.1	1324.35	10.9Ω/km
ANM10.009.49.015AB	UL20234	600V	49X15AWG	34/0.25	25.8	1378.75	10.9Ω/km
ANM10.009.50.015AB	UL20234	600V	50X15AWG	34/0.25	25.8	1390.85	10.9Ω/km
ANM10.009.51.015AB	UL20234	600V	51X15AWG	34/0.25	25.8	1402.75	10.9Ω/km
ANM10.009.52.015AB	UL20234	600V	52X15AWG	34/0.25	25.8	1414.85	10.9Ω/km



ANM10.009.53.015AB	UL20234	600V	53X15AWG	34/0.25	26.5	1470.65	10.9Ω/km
ANM10.009.54.015AB	UL20234	600V	54X15AWG	34/0.25	26.5	1482.55	10.9Ω/km
ANM10.009.55.015AB	UL20234	600V	55X15AWG	34/0.25	26.5	1494.55	10.9Ω/km
ANM10.009.56.015AB	UL20234	600V	56X15AWG	34/0.25	26.5	1506.65	10.9Ω/km
ANM10.009.57.015AB	UL20234	600V	57X15AWG	34/0.25	27.2	1563.55	10.9Ω/km
ANM10.009.58.015AB	UL20234	600V	58X15AWG	34/0.25	27.2	1575.65	10.9Ω/km
ANM10.009.59.015AB	UL20234	600V	59X15AWG	34/0.25	27.2	1587.45	10.9Ω/km
ANM10.009.60.015AB	UL20234	600V	60X15AWG	34/0.25	27.2	1599.45	10.9Ω/km
ANM10.009.61.015AB	UL20234	600V	61X15AWG	34/0.25	27.2	1611.55	10.9Ω/km
ANM10.009.62.015AB	UL20234	600V	62X15AWG	34/0.25	28	1676.25	10.9Ω/km
ANM10.009.63.015AB	UL20234	600V	63X15AWG	34/0.25	28	1688.35	10.9Ω/km
ANM10.009.64.015AB	UL20234	600V	64X15AWG	34/0.25	28	1700.25	10.9Ω/km
ANM10.009.65.015AB	UL20234	600V	65X15AWG	34/0.25	28	1712.15	10.9Ω/km
ANM10.009.02.014AB	UL20234	600V	2X14AWG	43/0.25	9	126.58	8.62Ω/km
ANM10.009.03.014AB	UL20234	600V	3X14AWG	43/0.25	9.5	152.58	8.62Ω/km
ANM10.009.04.014AB	UL20234	600V	4X14AWG	43/0.25	10.2	183.98	8.62Ω/km
ANM10.009.05.014AB	UL20234	600V	5X14AWG	43/0.25	10.9	216.58	8.62Ω/km
ANM10.009.06.014AB	UL20234	600V	6X14AWG	43/0.25	11.7	253.18	8.62Ω/km
ANM10.009.07.014AB	UL20234	600V	7X14AWG	43/0.25	11.7	268.38	8.62Ω/km
ANM10.009.08.014AB	UL20234	600V	8X14AWG	43/0.25	12.6	309.28	8.62Ω/km
ANM10.009.09.014AB	UL20234	600V	9X14AWG	43/0.25	13.6	355.58	8.62Ω/km
ANM10.009.10.014AB	UL20234	600V	10X14AWG	43/0.25	14.5	400.68	8.62Ω/km
ANM10.009.11.014AB	UL20234	600V	11X14AWG	43/0.25	15	433.38	8.62Ω/km
ANM10.009.12.014AB	UL20234	600V	12X14AWG	43/0.25	15	448.58	8.62Ω/km
ANM10.009.13.014AB	UL20234	600V	13X14AWG	43/0.25	15.7	489.18	8.62Ω/km
ANM10.009.14.014AB	UL20234	600V	14X14AWG	43/0.25	15.7	504.48	8.62Ω/km
ANM10.009.15.014AB	UL20234	600V	15X14AWG	43/0.25	16.4	546.28	8.62Ω/km
ANM10.009.16.014AB	UL20234	600V	16X14AWG	43/0.25	16.4	561.48	8.62Ω/km
ANM10.009.17.014AB	UL20234	600V	17X14AWG	43/0.25	17.2	608.58	8.62Ω/km
ANM10.009.18.014AB	UL20234	600V	18X14AWG	43/0.25	17.2	623.88	8.62Ω/km
ANM10.009.19.014AB	UL20234	600V	19X14AWG	43/0.25	17.2	639.08	8.62Ω/km
ANM10.009.20.014AB	UL20234	600V	20X14AWG	43/0.25	17.7	674.88	8.62Ω/km
ANM10.009.21.014AB	UL20234	600V	21X14AWG	43/0.25	18.1	707.08	8.62Ω/km
ANM10.009.22.014AB	UL20234	600V	22X14AWG	43/0.25	19.1	766.58	8.62Ω/km
ANM10.009.23.014AB	UL20234	600V	23X14AWG	43/0.25	19.9	819.08	8.62Ω/km
ANM10.009.24.014AB	UL20234	600V	24X14AWG	43/0.25	19.9	834.28	8.62Ω/km
ANM10.009.25.014AB	UL20234	600V	25X14AWG	43/0.25	21.4	922.98	8.62Ω/km
ANM10.009.26.014AB	UL20234	600V	26X14AWG	43/0.25	21.4	938.08	8.62Ω/km
ANM10.009.27.014AB	UL20234	600V	27X14AWG	43/0.25	21.4	953.28	8.62Ω/km
ANM10.009.28.014AB	UL20234	600V	28X14AWG	43/0.25	22.1	1004.78	8.62Ω/km
ANM10.009.29.014AB	UL20234	600V	29X14AWG	43/0.25	22.1	1019.88	8.62Ω/km
ANM10.009.30.014AB	UL20234	600V	30X14AWG	43/0.25	22.1	1035.08	8.62Ω/km



ANM10.009.31.014AB	UL20234	600V	31X14AWG	43/0.25	22.8	1087.88	8.62 Ω/km
ANM10.009.32.014AB	UL20234	600V	32X14AWG	43/0.25	22.8	1102.98	8.62 Ω/km
ANM10.009.33.014AB	UL20234	600V	33X14AWG	43/0.25	22.8	1118.18	8.62 Ω/km
ANM10.009.34.014AB	UL20234	600V	34X14AWG	43/0.25	23.6	1177.48	8.62 Ω/km
ANM10.009.35.014AB	UL20234	600V	35X14AWG	43/0.25	23.6	1192.68	8.62 Ω/km
ANM10.009.36.014AB	UL20234	600V	36X14AWG	43/0.25	23.6	1207.98	8.62 Ω/km
ANM10.009.37.014AB	UL20234	600V	37X14AWG	43/0.25	23.6	1223.08	8.62 Ω/km
ANM10.009.38.014AB	UL20234	600V	38X14AWG	43/0.25	24.5	1289.98	8.62 Ω/km
ANM10.009.39.014AB	UL20234	600V	39X14AWG	43/0.25	24.5	1305.08	8.62 Ω/km
ANM10.009.40.014AB	UL20234	600V	40X14AWG	43/0.25	24.5	1320.38	8.62 Ω/km
ANM10.009.41.014AB	UL20234	600V	41X14AWG	43/0.25	26.3	1444.78	8.62 Ω/km
ANM10.009.42.014AB	UL20234	600V	42X14AWG	43/0.25	26.3	1459.98	8.62 Ω/km
ANM10.009.43.014AB	UL20234	600V	43X14AWG	43/0.25	26.3	1475.18	8.62 Ω/km
ANM10.009.44.014AB	UL20234	600V	44X14AWG	43/0.25	26.3	1490.28	8.62 Ω/km
ANM10.009.45.014AB	UL20234	600V	45X14AWG	43/0.25	26.8	1537.38	8.62 Ω/km
ANM10.009.46.014AB	UL20234	600V	46X14AWG	43/0.25	26.8	1552.38	8.62 Ω/km
ANM10.009.47.014AB	UL20234	600V	47X14AWG	43/0.25	26.8	1567.58	8.62 Ω/km
ANM10.009.48.014AB	UL20234	600V	48X14AWG	43/0.25	26.8	1582.78	8.62 Ω/km
ANM10.009.49.014AB	UL20234	600V	49X14AWG	43/0.25	27.5	1643.38	8.62 Ω/km
ANM10.009.50.014AB	UL20234	600V	50X14AWG	43/0.25	27.5	1658.58	8.62 Ω/km
ANM10.009.51.014AB	UL20234	600V	51X14AWG	43/0.25	27.5	1673.68	8.62 Ω/km
ANM10.009.52.014AB	UL20234	600V	52X14AWG	43/0.25	27.5	1688.88	8.62 Ω/km
ANM10.009.02.013AB	UL20234	600V	2X13AWG	54/0.25	9.6	147.73	6.82 Ω/km
ANM10.009.03.013AB	UL20234	600V	3X13AWG	54/0.25	10.1	178.13	6.82 Ω/km
ANM10.009.04.013AB	UL20234	600V	4X13AWG	54/0.25	10.9	216.73	6.82 Ω/km
ANM10.009.05.013AB	UL20234	600V	5X13AWG	54/0.25	11.7	256.93	6.82 Ω/km
ANM10.009.06.013AB	UL20234	600V	6X13AWG	54/0.25	12.6	301.63	6.82 Ω/km
ANM10.009.07.013AB	UL20234	600V	7X13AWG	54/0.25	12.6	320.43	6.82 Ω/km
ANM10.009.08.013AB	UL20234	600V	8X13AWG	54/0.25	13.5	367.23	6.82 Ω/km
ANM10.009.09.013AB	UL20234	600V	9X13AWG	54/0.25	14.8	429.83	6.82 Ω/km
ANM10.009.10.013AB	UL20234	600V	10X13AWG	54/0.25	15.7	481.23	6.82 Ω/km
ANM10.009.11.013AB	UL20234	600V	11X13AWG	54/0.25	16.2	519.03	6.82 Ω/km
ANM10.009.12.013AB	UL20234	600V	12X13AWG	54/0.25	16.2	537.93	6.82 Ω/km
ANM10.009.13.013AB	UL20234	600V	13X13AWG	54/0.25	17	588.33	6.82 Ω/km
ANM10.009.14.013AB	UL20234	600V	14X13AWG	54/0.25	17	607.23	6.82 Ω/km
ANM10.009.15.013AB	UL20234	600V	15X13AWG	54/0.25	17.8	659.23	6.82 Ω/km
ANM10.009.16.013AB	UL20234	600V	16X13AWG	54/0.25	17.8	678.03	6.82 Ω/km
ANM10.009.17.013AB	UL20234	600V	17X13AWG	54/0.25	18.7	736.03	6.82 Ω/km
ANM10.009.18.013AB	UL20234	600V	18X13AWG	54/0.25	18.7	754.93	6.82 Ω/km
ANM10.009.19.013AB	UL20234	600V	19X13AWG	54/0.25	18.7	773.93	6.82 Ω/km
ANM10.009.20.013AB	UL20234	600V	20X13AWG	54/0.25	19.2	815.33	6.82 Ω/km
ANM10.009.21.013AB	UL20234	600V	21X13AWG	54/0.25	19.6	852.63	6.82 Ω/km



ANM10.009.22.013AB	UL20234	600V	22X13AWG	54/0.25	21.8	979.73	6.82 Ω/km
ANM10.009.23.013AB	UL20234	600V	23X13AWG	54/0.25	22.7	1046.43	6.82 Ω/km
ANM10.009.24.013AB	UL20234	600V	24X13AWG	54/0.25	22.7	1065.23	6.82 Ω/km
ANM10.009.25.013AB	UL20234	600V	25X13AWG	54/0.25	23.2	1111.53	6.82 Ω/km
ANM10.009.26.013AB	UL20234	600V	26X13AWG	54/0.25	23.2	1130.43	6.82 Ω/km
ANM10.009.27.013AB	UL20234	600V	27X13AWG	54/0.25	23.2	1149.33	6.82 Ω/km
ANM10.009.28.013AB	UL20234	600V	28X13AWG	54/0.25	24	1213.23	6.82 Ω/km
ANM10.009.29.013AB	UL20234	600V	29X13AWG	54/0.25	24	1232.03	6.82 Ω/km
ANM10.009.30.013AB	UL20234	600V	30X13AWG	54/0.25	24	1250.93	6.82 Ω/km
ANM10.009.31.013AB	UL20234	600V	31X13AWG	54/0.25	24.8	1316.43	6.82 Ω/km
ANM10.009.32.013AB	UL20234	600V	32X13AWG	54/0.25	24.8	1335.33	6.82 Ω/km
ANM10.009.33.013AB	UL20234	600V	33X13AWG	54/0.25	24.8	1354.13	6.82 Ω/km
ANM10.009.34.013AB	UL20234	600V	34X13AWG	54/0.25	25.7	1427.33	6.82 Ω/km
ANM10.009.35.013AB	UL20234	600V	35X13AWG	54/0.25	25.7	1446.13	6.82 Ω/km
ANM10.009.36.013AB	UL20234	600V	36X13AWG	54/0.25	25.7	1465.03	6.82 Ω/km
ANM10.009.37.013AB	UL20234	600V	37X13AWG	54/0.25	25.7	1483.93	6.82 Ω/km
ANM10.009.38.013AB	UL20234	600V	38X13AWG	54/0.25	26.6	1559.13	6.82 Ω/km
ANM10.009.39.013AB	UL20234	600V	39X13AWG	54/0.25	26.6	1577.93	6.82 Ω/km
ANM10.009.40.013AB	UL20234	600V	40X13AWG	54/0.25	26.6	1596.73	6.82 Ω/km
ANM10.009.41.013AB	UL20234	600V	41X13AWG	54/0.25	28.7	1754.63	6.82 Ω/km
ANM10.009.42.013AB	UL20234	600V	42X13AWG	54/0.25	28.7	1773.53	6.82 Ω/km
ANM10.009.43.013AB	UL20234	600V	43X13AWG	54/0.25	28.7	1792.33	6.82 Ω/km
ANM10.009.44.013AB	UL20234	600V	44X13AWG	54/0.25	28.7	1811.23	6.82 Ω/km
ANM10.009.45.013AB	UL20234	600V	45X13AWG	54/0.25	29.2	1864.83	6.82 Ω/km
ANM10.009.46.013AB	UL20234	600V	46X13AWG	54/0.25	29.2	1883.63	6.82 Ω/km
ANM10.009.47.013AB	UL20234	600V	47X13AWG	54/0.25	29.2	1902.43	6.82 Ω/km
ANM10.009.48.013AB	UL20234	600V	48X13AWG	54/0.25	29.2	1921.23	6.82 Ω/km
ANM10.009.49.013AB	UL20234	600V	49X13AWG	54/0.25	31.2	2083.83	6.82 Ω/km
ANM10.009.50.013AB	UL20234	600V	50X13AWG	54/0.25	31.2	2102.63	6.82 Ω/km
ANM10.009.51.013AB	UL20234	600V	51X13AWG	54/0.25	31.2	2121.53	6.82 Ω/km
ANM10.009.52.013AB	UL20234	600V	52X13AWG	54/0.25	31.2	2140.43	6.82 Ω/km
ANM10.009.02.012AB	UL20234	600V	2X12AWG	68/0.25	10	168.21	5.43 Ω/km
ANM10.009.03.012AB	UL20234	600V	3X12AWG	68/0.25	10.5	204.41	5.43 Ω/km
ANM10.009.04.012AB	UL20234	600V	4X12AWG	68/0.25	11.4	251.81	5.43 Ω/km
ANM10.009.05.012AB	UL20234	600V	5X12AWG	68/0.25	12.3	301.21	5.43 Ω/km
ANM10.009.06.012AB	UL20234	600V	6X12AWG	68/0.25	13.2	352.51	5.43 Ω/km
ANM10.009.07.012AB	UL20234	600V	7X12AWG	68/0.25	13.2	376.61	5.43 Ω/km
ANM10.009.08.012AB	UL20234	600V	8X12AWG	68/0.25	14.3	436.71	5.43 Ω/km
ANM10.009.09.012AB	UL20234	600V	9X12AWG	68/0.25	15.6	507.01	5.43 Ω/km
ANM10.009.10.012AB	UL20234	600V	10X12AWG	68/0.25	16.5	565.51	5.43 Ω/km
ANM10.009.11.012AB	UL20234	600V	11X12AWG	68/0.25	17	609.51	5.43 Ω/km
ANM10.009.12.012AB	UL20234	600V	12X12AWG	68/0.25	17	633.71	5.43 Ω/km



ANM10.009.13.012AB	UL20234	600V	13X12AWG	68/0.25	17.9	695.21	5.43 Ω/km
ANM10.009.14.012AB	UL20234	600V	14X12AWG	68/0.25	17.9	719.41	5.43 Ω/km
ANM10.009.15.012AB	UL20234	600V	15X12AWG	68/0.25	18.8	782.81	5.43 Ω/km
ANM10.009.16.012AB	UL20234	600V	16X12AWG	68/0.25	18.8	807.01	5.43 Ω/km
ANM10.009.17.012AB	UL20234	600V	17X12AWG	68/0.25	19.7	872.61	5.43 Ω/km
ANM10.009.18.012AB	UL20234	600V	18X12AWG	68/0.25	19.7	896.71	5.43 Ω/km
ANM10.009.19.012AB	UL20234	600V	19X12AWG	68/0.25	19.7	920.91	5.43 Ω/km
ANM10.009.20.012AB	UL20234	600V	20X12AWG	68/0.25	20.2	968.81	5.43 Ω/km
ANM10.009.21.012AB	UL20234	600V	21X12AWG	68/0.25	21.7	1067.61	5.43 Ω/km
ANM10.009.22.012AB	UL20234	600V	22X12AWG	68/0.25	23	1161.11	5.43 Ω/km
ANM10.009.23.012AB	UL20234	600V	23X12AWG	68/0.25	23.9	1235.71	5.43 Ω/km
ANM10.009.24.012AB	UL20234	600V	24X12AWG	68/0.25	23.9	1259.81	5.43 Ω/km
ANM10.009.25.012AB	UL20234	600V	25X12AWG	68/0.25	24.4	1312.81	5.43 Ω/km
ANM10.009.26.012AB	UL20234	600V	26X12AWG	68/0.25	24.4	1336.91	5.43 Ω/km
ANM10.009.27.012AB	UL20234	600V	27X12AWG	68/0.25	24.4	1361.11	5.43 Ω/km
ANM10.009.28.012AB	UL20234	600V	28X12AWG	68/0.25	25.3	1438.81	5.43 Ω/km
ANM10.009.29.012AB	UL20234	600V	29X12AWG	68/0.25	25.3	1462.91	5.43 Ω/km
ANM10.009.30.012AB	UL20234	600V	30X12AWG	68/0.25	25.3	1487.01	5.43 Ω/km
ANM10.009.31.012AB	UL20234	600V	31X12AWG	68/0.25	26.2	1566.61	5.43 Ω/km
ANM10.009.32.012AB	UL20234	600V	32X12AWG	68/0.25	26.2	1590.71	5.43 Ω/km
ANM10.009.33.012AB	UL20234	600V	33X12AWG	68/0.25	26.2	1614.81	5.43 Ω/km
ANM10.009.34.012AB	UL20234	600V	34X12AWG	68/0.25	27.1	1696.61	5.43 Ω/km
ANM10.009.35.012AB	UL20234	600V	35X12AWG	68/0.25	27.1	1720.71	5.43 Ω/km
ANM10.009.36.012AB	UL20234	600V	36X12AWG	68/0.25	27.1	1744.81	5.43 Ω/km
ANM10.009.37.012AB	UL20234	600V	37X12AWG	68/0.25	27.1	1768.91	5.43 Ω/km
ANM10.009.02.011AB	UL20234	600V	2X11AWG	85/0.25	11.6	220.87	4.30 Ω/km
ANM10.009.03.011AB	UL20234	600V	3X11AWG	85/0.25	12.3	270.27	4.30 Ω/km
ANM10.009.04.011AB	UL20234	600V	4X11AWG	85/0.25	13.3	330.17	4.30 Ω/km
ANM10.009.05.011AB	UL20234	600V	5X11AWG	85/0.25	14.5	399.37	4.30 Ω/km
ANM10.009.06.011AB	UL20234	600V	6X11AWG	85/0.25	15.7	472.07	4.30 Ω/km
ANM10.009.07.011AB	UL20234	600V	7X11AWG	85/0.25	15.7	501.77	4.30 Ω/km
ANM10.009.08.011AB	UL20234	600V	8X11AWG	85/0.25	16.9	578.07	4.30 Ω/km
ANM10.009.09.011AB	UL20234	600V	9X11AWG	85/0.25	18.5	675.17	4.30 Ω/km
ANM10.009.10.011AB	UL20234	600V	10X11AWG	85/0.25	19.7	759.37	4.30 Ω/km
ANM10.009.11.011AB	UL20234	600V	11X11AWG	85/0.25	21.4	872.17	4.30 Ω/km
ANM10.009.12.011AB	UL20234	600V	12X11AWG	85/0.25	21.4	901.77	4.30 Ω/km
ANM10.009.13.011AB	UL20234	600V	13X11AWG	85/0.25	22.4	983.77	4.30 Ω/km
ANM10.009.14.011AB	UL20234	600V	14X11AWG	85/0.25	22.4	1013.37	4.30 Ω/km
ANM10.009.15.011AB	UL20234	600V	15X11AWG	85/0.25	23.5	1103.27	4.30 Ω/km
ANM10.009.16.011AB	UL20234	600V	16X11AWG	85/0.25	23.5	1133.07	4.30 Ω/km
ANM10.009.17.011AB	UL20234	600V	17X11AWG	85/0.25	24.7	1231.67	4.30 Ω/km
ANM10.009.18.011AB	UL20234	600V	18X11AWG	85/0.25	24.7	1261.37	4.30 Ω/km



ANM10.009.19.011AB	UL20234	600V	19X11AWG	85/0.25	24.7	1291.07	4.30 Ω/km
ANM10.009.20.011AB	UL20234	600V	20X11AWG	85/0.25	25.4	1362.57	4.30 Ω/km
ANM10.009.21.011AB	UL20234	600V	21X11AWG	85/0.25	25.9	1422.97	4.30 Ω/km
ANM10.009.22.011AB	UL20234	600V	22X11AWG	85/0.25	27.5	1554.77	4.30 Ω/km
ANM10.009.23.011AB	UL20234	600V	23X11AWG	85/0.25	28.7	1665.27	4.30 Ω/km
ANM10.009.24.011AB	UL20234	600V	24X11AWG	85/0.25	28.7	1694.87	4.30 Ω/km
ANM10.009.25.011AB	UL20234	600V	25X11AWG	85/0.25	30.6	1858.47	4.30 Ω/km
ANM10.009.26.011AB	UL20234	600V	26X11AWG	85/0.25	30.6	1888.07	4.30 Ω/km
ANM10.009.27.011AB	UL20234	600V	27X11AWG	85/0.25	30.6	1917.77	4.30 Ω/km
ANM10.009.28.011AB	UL20234	600V	28X11AWG	85/0.25	31.6	2021.97	4.30 Ω/km
ANM10.009.29.011AB	UL20234	600V	29X11AWG	85/0.25	31.6	2051.57	4.30 Ω/km
ANM10.009.30.011AB	UL20234	600V	30X11AWG	85/0.25	31.6	2081.17	4.30 Ω/km
ANM10.009.31.011AB	UL20234	600V	31X11AWG	85/0.25	32.7	2195.67	4.30 Ω/km
ANM10.009.32.011AB	UL20234	600V	32X11AWG	85/0.25	32.7	2225.27	4.30 Ω/km
ANM10.009.33.011AB	UL20234	600V	33X11AWG	85/0.25	32.7	2254.97	4.30 Ω/km
ANM10.009.34.011AB	UL20234	600V	34X11AWG	85/0.25	33.9	2380.27	4.30 Ω/km
ANM10.009.35.011AB	UL20234	600V	35X11AWG	85/0.25	33.9	2409.87	4.30 Ω/km
ANM10.009.36.011AB	UL20234	600V	36X11AWG	85/0.25	33.9	2439.67	4.30 Ω/km
ANM10.009.37.011AB	UL20234	600V	37X11AWG	85/0.25	33.9	2469.17	4.30 Ω/km
ANM10.009.02.010AB	UL20234	600V	2X10AWG	108/0.25	12.8	267.97	3.409 Ω/km
ANM10.009.03.010AB	UL20234	600V	3X10AWG	108/0.25	13.6	328.47	3.409 Ω/km
ANM10.009.04.010AB	UL20234	600V	4X10AWG	108/0.25	14.9	407.87	3.409 Ω/km
ANM10.009.05.010AB	UL20234	600V	5X10AWG	108/0.25	16.2	491.37	3.409 Ω/km
ANM10.009.06.010AB	UL20234	600V	6X10AWG	108/0.25	17.5	578.97	3.409 Ω/km
ANM10.009.07.010AB	UL20234	600V	7X10AWG	108/0.25	17.5	614.37	3.409 Ω/km
ANM10.009.08.010AB	UL20234	600V	8X10AWG	108/0.25	18.9	710.47	3.409 Ω/km
ANM10.009.09.010AB	UL20234	600V	9X10AWG	108/0.25	21.8	886.27	3.409 Ω/km
ANM10.009.10.010AB	UL20234	600V	10X10AWG	108/0.25	23.1	991.57	3.409 Ω/km
ANM10.009.11.010AB	UL20234	600V	11X10AWG	108/0.25	23.9	1071.67	3.409 Ω/km
ANM10.009.12.010AB	UL20234	600V	12X10AWG	108/0.25	23.9	1107.07	3.409 Ω/km
ANM10.009.13.010AB	UL20234	600V	13X10AWG	108/0.25	25.1	1212.97	3.409 Ω/km
ANM10.009.14.010AB	UL20234	600V	14X10AWG	108/0.25	25.1	1248.27	3.409 Ω/km
ANM10.009.15.010AB	UL20234	600V	15X10AWG	108/0.25	26.4	1363.77	3.409 Ω/km
ANM10.009.16.010AB	UL20234	600V	16X10AWG	108/0.25	26.4	1399.27	3.409 Ω/km
ANM10.009.17.010AB	UL20234	600V	17X10AWG	108/0.25	27.7	1518.67	3.409 Ω/km
ANM10.009.18.010AB	UL20234	600V	18X10AWG	108/0.25	27.7	1554.07	3.409 Ω/km
ANM10.009.19.010AB	UL20234	600V	19X10AWG	108/0.25	27.7	1589.57	3.409 Ω/km
ANM10.009.20.010AB	UL20234	600V	20X10AWG	108/0.25	28.5	1678.87	3.409 Ω/km
ANM10.009.21.010AB	UL20234	600V	21X10AWG	108/0.25	29.1	1755.57	3.409 Ω/km
ANM10.009.22.010AB	UL20234	600V	22X10AWG	108/0.25	32.2	2017.67	3.409 Ω/km
ANM10.009.23.010AB	UL20234	600V	23X10AWG	108/0.25	33.5	2155.37	3.409 Ω/km
ANM10.009.24.010AB	UL20234	600V	24X10AWG	108/0.25	33.5	2190.67	3.409 Ω/km



ANM10.009.25.010AB	UL20234	600V	25X10AWG	108/0.25	34.3	2291.27	3.409 Ω/km
ANM10.009.26.010AB	UL20234	600V	26X10AWG	108/0.25	34.3	2326.67	3.409 Ω/km
ANM10.009.27.010AB	UL20234	600V	27X10AWG	108/0.25	34.3	2361.97	3.409 Ω/km
ANM10.009.28.010AB	UL20234	600V	28X10AWG	108/0.25	35.5	2497.87	3.409 Ω/km
ANM10.009.29.010AB	UL20234	600V	29X10AWG	108/0.25	35.5	2533.27	3.409 Ω/km
ANM10.009.30.010AB	UL20234	600V	30X10AWG	108/0.25	35.5	2568.67	3.409 Ω/km
ANM10.009.31.010AB	UL20234	600V	31X10AWG	108/0.25	37.1	2743.37	3.409 Ω/km
ANM10.009.32.010AB	UL20234	600V	32X10AWG	108/0.25	37.1	2778.77	3.409 Ω/km
ANM10.009.33.010AB	UL20234	600V	33X10AWG	108/0.25	37.1	2814.17	3.409 Ω/km
ANM10.009.34.010AB	UL20234	600V	34X10AWG	108/0.25	38.4	2967.17	3.409 Ω/km
ANM10.009.35.010AB	UL20234	600V	35X10AWG	108/0.25	38.4	3002.67	3.409 Ω/km
ANM10.009.36.010AB	UL20234	600V	36X10AWG	108/0.25	38.4	3038.07	3.409 Ω/km
ANM10.009.37.010AB	UL20234	600V	37X10AWG	108/0.25	38.4	3073.37	3.409 Ω/km
ANM10.009.02.009AB	UL20234	600V	2X9AWG	136/0.25	14.3	338.14	2.705 Ω/km
ANM10.009.03.009AB	UL20234	600V	3X9AWG	136/0.25	15.2	415.14	2.705 Ω/km
ANM10.009.04.009AB	UL20234	600V	4X9AWG	136/0.25	16.5	509.94	2.705 Ω/km
ANM10.009.05.009AB	UL20234	600V	5X9AWG	136/0.25	18.1	621.34	2.705 Ω/km
ANM10.009.06.009AB	UL20234	600V	6X9AWG	136/0.25	19.6	734.54	2.705 Ω/km
ANM10.009.07.009AB	UL20234	600V	7X9AWG	136/0.25	19.6	780.04	2.705 Ω/km
ANM10.009.02.008AB	UL20234	600V	2X8AWG	171/0.25	15.1	392.87	2.144 Ω/km
ANM10.009.03.008AB	UL20234	600V	3X8AWG	171/0.25	16	484.47	2.144 Ω/km
ANM10.009.04.008AB	UL20234	600V	4X8AWG	171/0.25	17.5	602.37	2.144 Ω/km
ANM10.009.05.008AB	UL20234	600V	5X8AWG	171/0.25	19.1	730.37	2.144 Ω/km
ANM10.009.06.008AB	UL20234	600V	6X8AWG	171/0.25	21.8	920.07	2.144 Ω/km
ANM10.009.07.008AB	UL20234	600V	7X8AWG	171/0.25	21.8	978.17	2.144 Ω/km
ANM10.009.02.007AB	UL20234	600V	2X7AWG	84/0.4	15.9	457.25	1.700 Ω/km
ANM10.009.03.007AB	UL20234	600V	3X7AWG	84/0.4	16.9	570.95	1.700 Ω/km
ANM10.009.04.007AB	UL20234	600V	4X7AWG	84/0.4	18.5	713.15	1.700 Ω/km
ANM10.009.05.007AB	UL20234	600V	5X7AWG	84/0.4	20.2	866.15	1.700 Ω/km
ANM10.009.06.007AB	UL20234	600V	6X7AWG	84/0.4	23	1084.85	1.700 Ω/km
ANM10.009.07.007AB	UL20234	600V	7X7AWG	84/0.4	23	1159.55	1.700 Ω/km
ANM10.009.02.006AB	UL20234	600V	2X6AWG	106/0.4	17.3	550.8	1.348 Ω/km
ANM10.009.03.006AB	UL20234	600V	3X6AWG	106/0.4	18.4	689.9	1.348 Ω/km
ANM10.009.04.006AB	UL20234	600V	4X6AWG	106/0.4	20.2	864.9	1.348 Ω/km
ANM10.009.05.006AB	UL20234	600V	5X6AWG	106/0.4	23.1	1106.9	1.348 Ω/km
ANM10.009.06.006AB	UL20234	600V	6X6AWG	106/0.4	25.1	1314.3	1.348 Ω/km
ANM10.009.07.006AB	UL20234	600V	7X6AWG	106/0.4	25.1	1406.6	1.348 Ω/km
ANM10.009.02.005AB	UL20234	600V	2X5AWG	134/0.4	18.5	654.97	1.070 Ω/km
ANM10.009.03.005AB	UL20234	600V	3X5AWG	134/0.4	19.7	826.47	1.070 Ω/km
ANM10.009.04.005AB	UL20234	600V	4X5AWG	134/0.4	22.6	1089.57	1.070 Ω/km
ANM10.009.05.005AB	UL20234	600V	5X5AWG	134/0.4	24.7	1325.17	1.070 Ω/km
ANM10.009.06.005AB	UL20234	600V	6X5AWG	134/0.4	26.9	1577.97	1.070 Ω/km



ANM10.009.07.005AB	UL20234	600V	7X5AWG	134/0.4	26.9	1694.87	1.070 Ω/km
ANM10.009.02.004AB	UL20234	600V	2X4AWG	169/0.4	22.1	894.45	0.8481 Ω/km
ANM10.009.03.004AB	UL20234	600V	3X4AWG	169/0.4	23.5	1118.25	0.8481 Ω/km
ANM10.009.04.004AB	UL20234	600V	4X4AWG	169/0.4	25.8	1401.45	0.8481 Ω/km
ANM10.009.05.004AB	UL20234	600V	5X4AWG	169/0.4	28.2	1704.05	0.8481 Ω/km
ANM10.009.06.004AB	UL20234	600V	6X4AWG	169/0.4	32	2124.55	0.8481 Ω/km
ANM10.009.07.004AB	UL20234	600V	7X4AWG	169/0.4	32	2272.25	0.8481 Ω/km
ANM10.009.02.003AB	UL20234	600V	2X3AWG	213/0.4	23.7	1064.77	0.6727 Ω/km
ANM10.009.03.003AB	UL20234	600V	3X3AWG	213/0.4	25.2	1338.77	0.6727 Ω/km
ANM10.009.04.003AB	UL20234	600V	4X3AWG	213/0.4	27.7	1682.97	0.6727 Ω/km
ANM10.009.05.003AB	UL20234	600V	5X3AWG	213/0.4	31.6	2145.27	0.6727 Ω/km
ANM10.009.06.003AB	UL20234	600V	6X3AWG	213/0.4	34.4	2552.87	0.6727 Ω/km
ANM10.009.07.003AB	UL20234	600V	7X3AWG	213/0.4	34.4	2739.17	0.6727 Ω/km
ANM10.009.02.002AB	UL20234	600V	2X2AWG	268/0.4	25.5	1274.82	0.5335 Ω/km
ANM10.009.03.002AB	UL20234	600V	3X2AWG	268/0.4	27.2	1616.72	0.5335 Ω/km
ANM10.009.04.002AB	UL20234	600V	4X2AWG	268/0.4	31.1	2122.82	0.5335 Ω/km
ANM10.009.05.002AB	UL20234	600V	5X2AWG	268/0.4	34	2583.82	0.5335 Ω/km
ANM10.009.06.002AB	UL20234	600V	6X2AWG	268/0.4	37.4	3109.62	0.5335 Ω/km
ANM10.009.07.002AB	UL20234	600V	7X2AWG	268/0.4	37.4	3344.42	0.5335 Ω/km
ANM10.009.02.001AB	UL20234	600V	2X1AWG	338/0.4	28.1	1577.81	0.4230 Ω/km
ANM10.009.03.001AB	UL20234	600V	3X1AWG	338/0.4	31.2	2095.51	0.4230 Ω/km
ANM10.009.04.001AB	UL20234	600V	4X1AWG	338/0.4	34.2	2629.21	0.4230 Ω/km
ANM10.009.05.001AB	UL20234	600V	5X1AWG	338/0.4	37.8	3238.51	0.4230 Ω/km
ANM10.009.06.001AB	UL20234	600V	6X1AWG	338/0.4	41.3	3869.31	0.4230 Ω/km
ANM10.009.07.001AB	UL20234	600V	7X1AWG	338/0.4	41.3	4167.91	0.4230 Ω/km
ANM10.009.02.1/0AB	UL20234	600V	2X1/0AWG	426/0.4	31.9	2008.39	0.3354 Ω/km
ANM10.009.03.1/0AB	UL20234	600V	3X1/0AWG	426/0.4	34	2546.39	0.3354 Ω/km
ANM10.009.04.1/0AB	UL20234	600V	4X1/0AWG	426/0.4	37.6	3227.79	0.3354 Ω/km
ANM10.009.05.1/0AB	UL20234	600V	5X1/0AWG	426/0.4	41.3	3950.29	0.3354 Ω/km
ANM10.009.06.1/0AB	UL20234	600V	6X1/0AWG	426/0.4	47	4924.19	0.3354 Ω/km
ANM10.009.07.1/0AB	UL20234	600V	7X1/0AWG	426/0.4	47	5296.49	0.3354 Ω/km
ANM10.009.02.2/0AB	UL20234	600V	2X2/0AWG	537/0.4	34.5	2422.33	0.2660 Ω/km
ANM10.009.03.2/0AB	UL20234	600V	3X2/0AWG	537/0.4	37.1	3114.43	0.2660 Ω/km
ANM10.009.04.2/0AB	UL20234	600V	4X2/0AWG	537/0.4	40.8	3929.13	0.2660 Ω/km
ANM10.009.05.2/0AB	UL20234	600V	5X2/0AWG	537/0.4	46.7	5015.13	0.2660 Ω/km
ANM10.009.06.2/0AB	UL20234	600V	6X2/0AWG	537/0.4	50.9	5976.33	0.2660 Ω/km
ANM10.009.07.2/0AB	UL20234	600V	7X2/0AWG	537/0.4	50.9	6445.13	0.2660 Ω/km
ANM10.009.02.3/0AB	UL20234	600V	2X3/0AWG	677/0.4	37.4	2943.61	0.2110 Ω/km
ANM10.009.03.3/0AB	UL20234	600V	3X3/0AWG	677/0.4	39.9	3771.21	0.2110 Ω/km
ANM10.009.04.3/0AB	UL20234	600V	4X3/0AWG	677/0.4	45.7	4960.31	0.2110 Ω/km
ANM10.009.05.3/0AB	UL20234	600V	5X3/0AWG	677/0.4	50.2	6074.21	0.2110 Ω/km
ANM10.009.06.3/0AB	UL20234	600V	6X3/0AWG	677/0.4	54.8	7250.31	0.2110 Ω/km



ANM10.009.07.3/0AB	UL20234	600V	7X3/0AWG	677/0.4	54.8	7845.81	0.2110 Ω/km
ANM10.009.02.4/0AB	UL20234	600V	2X4/0AWG	854/0.4	40.6	3576.7	0.1673 Ω/km
ANM10.009.03.4/0AB	UL20234	600V	3X4/0AWG	854/0.4	43.3	4600.1	0.1673 Ω/km
ANM10.009.04.4/0AB	UL20234	600V	4X4/0AWG	854/0.4	49.6	6051.5	0.1673 Ω/km
ANM10.009.05.4/0AB	UL20234	600V	5X4/0AWG	854/0.4	54.5	7415.9	0.1673 Ω/km
ANM10.009.06.4/0AB	UL20234	600V	6X4/0AWG	854/0.4	59.6	8866.7	0.1673 Ω/km
ANM10.009.07.4/0AB	UL20234	600V	7X4/0AWG	854/0.4	59.6	9618.1	0.1673 Ω/km
ANM10.009.02.250kCB	UL20234	600V	2X250kcmil	1007/0.4	47	4527.2	0.1416 Ω/km
ANM10.009.03.250kCB	UL20234	600V	3X250kcmil	1007/0.4	50.1	5770.2	0.1416 Ω/km
ANM10.009.04.250kCB	UL20234	600V	4X250kcmil	1007/0.4	55.1	7283.8	0.1416 Ω/km
ANM10.009.05.250kCB	UL20234	600V	5X250kcmil	1007/0.4	60.7	8944.9	0.1416 Ω/km
ANM10.009.02.300kCB	UL20234	600V	2X300kcmil	1184/0.4	49.2	5189.1	0.1180 Ω/km
ANM10.009.03.300kCB	UL20234	600V	3X300kcmil	1184/0.4	52.4	6652.5	0.1180 Ω/km
ANM10.009.04.300kCB	UL20234	600V	4X300kcmil	1184/0.4	57.8	8440.5	0.1180 Ω/km
ANM10.009.05.300kCB	UL20234	600V	5X300kcmil	1184/0.4	63.7	10375.6	0.1180 Ω/km
ANM10.009.02.350kCB	UL20234	600V	2X350kcmil	1406/0.4	52.2	5920.3	0.1011 Ω/km
ANM10.009.03.350kCB	UL20234	600V	3X350kcmil	1406/0.4	55.7	7617.5	0.1011 Ω/km
ANM10.009.04.350kCB	UL20234	600V	4X350kcmil	1406/0.4	61.4	9663.3	0.1011 Ω/km
ANM10.009.05.350kCB	UL20234	600V	5X350kcmil	1406/0.4	67.7	11885.2	0.1011 Ω/km
ANM10.009.02.400kCB	UL20234	600V	2X400kcmil	1628/0.4	55.2	6682.5	0.08851 Ω/km
ANM10.009.03.400kCB	UL20234	600V	3X400kcmil	1628/0.4	58.9	8607.8	0.08851 Ω/km
ANM10.009.04.400kCB	UL20234	600V	4X400kcmil	1628/0.4	65	10934.6	0.08851 Ω/km
ANM10.009.05.400kCB	UL20234	600V	5X400kcmil	1628/0.4	74.2	13886.8	0.08851 Ω/km
ANM10.009.02.450kCB	UL20234	600V	2X450kcmil	1830/0.4	57.6	7383.4	0.07867 Ω/km
ANM10.009.03.450kCB	UL20234	600V	3X450kcmil	1830/0.4	61.5	9535	0.07867 Ω/km
ANM10.009.04.450kCB	UL20234	600V	4X450kcmil	1830/0.4	67.9	12124.4	0.07867 Ω/km
ANM10.009.05.450kCB	UL20234	600V	5X450kcmil	1830/0.4	77.4	15371.8	0.07867 Ω/km
ANM10.009.02.500kCB	UL20234	600V	2X500kcmil	2013/0.4	59.6	8055.6	0.07080 Ω/km
ANM10.009.03.500kCB	UL20234	600V	3X500kcmil	2013/0.4	63.6	10424.1	0.07080 Ω/km
ANM10.009.04.500kCB	UL20234	600V	4X500kcmil	2013/0.4	72.7	13685.8	0.07080 Ω/km
ANM10.009.05.500kCB	UL20234	600V	5X500kcmil	2013/0.4	80.1	16822.1	0.07080 Ω/km
ANM10.009.03.01.013AB	UL20234	1000V	3X13AWG+1X15AWG	54/0.25	10.4	199.85	6.82 Ω/km
ANM10.009.03.01.012AB	UL20234	1000V	3X12AWG+1X14AWG	68/0.25	10.8	229.48	5.43 Ω/km
ANM10.009.03.01.011AB	UL20234	1000V	3X11AWG+1X14AWG	85/0.25	12.3	287.68	4.30 Ω/km
ANM10.009.03.01.010AB	UL20234	1000V	3X10AWG+1X13AWG	108/0.25	13.7	353.03	3.409 Ω/km
ANM10.009.03.01.009AB	UL20234	1000V	3X9AWG+1X12AWG	136/0.25	15.1	438.11	2.705 Ω/km
ANM10.009.03.01.008AB	UL20234	1000V	3X8AWG+1X11AWG	171/0.25	16.3	527.67	2.144 Ω/km
ANM10.009.03.01.007AB	UL20234	1000V	3X7AWG+1X10AWG	84/0.4	17.4	628.37	1.700 Ω/km
ANM10.009.03.01.006AB	UL20234	1000V	3X6AWG+1X9AWG	106/0.4	19	763.04	1.348 Ω/km
ANM10.009.03.01.005AB	UL20234	1000V	3X5AWG+1X8AWG	134/0.4	21.4	967.67	1.070 Ω/km
ANM10.009.03.01.004AB	UL20234	1000V	3X4AWG+1X7AWG	169/0.4	24	1220.25	0.8481 Ω/km
ANM10.009.03.01.003AB	UL20234	1000V	3X3AWG+1X6AWG	213/0.4	25.9	1470.7	0.6727 Ω/km



ANM10.009.03.01.002AB	UL20234	1000V	3X2AWG+1X5AWG	268/0.4	27.9	1774.47	0.5335 Ω/km
ANM10.009.03.01.001AB	UL20234	1000V	3X1AWG+1X4AWG	338/0.4	32.2	2310.75	0.4230 Ω/km
ANM10.009.03.01.1/0AB	UL20234	1000V	3X1/0AWG+1X3AWG	426/0.4	35	2802.77	0.3354 Ω/km
ANM10.009.03.01.2/0AB	UL20234	1000V	3X2/0AWG+1X2AWG	537/0.4	38.2	3430.52	0.2660 Ω/km
ANM10.009.03.01.3/0AB	UL20234	1000V	3X3/0AWG+1X1AWG	677/0.4	41.4	4190.91	0.2110 Ω/km
ANM10.009.03.01.4/0AB	UL20234	1000V	3X4/0AWG+1X1/0AWG	854/0.4	46.9	5324.99	0.1673 Ω/km
ANM10.009.03.01.250kB	UL20234	1000V	3X250kcmil+1X2/0AWG	1007/0.4	51.8	6409.13	0.1416 Ω/km
ANM10.009.03.01.300kB	UL20234	1000V	3X300kcmil+1X3/0AWG	1184/0.4	54.6	7487.01	0.1180 Ω/km
ANM10.009.03.01.350kB	UL20234	1000V	3X350kcmil+1X4/0AWG	1406/0.4	58.3	8680.2	0.1011 Ω/km
ANM10.009.03.01.400kB	UL20234	1000V	3X400kcmil+1X250kcmil	1628/0.4	62.4	9950.5	0.08851 Ω/km
ANM10.009.03.01.450kB	UL20234	1000V	3X450kcmil+1X300kcmil	1830/0.4	65.3	11139.6	0.07867 Ω/km
ANM10.009.03.01.500kB	UL20234	1000V	3X500kcmil+1X350kcmil	2013/0.4	68	12317.4	0.07080 Ω/km
ANM10.009.03.02.013AB	UL20234	1000V	3X13AWG+2X15AWG	54/0.25	11	227.25	6.82 Ω/km
ANM10.009.03.02.012AB	UL20234	1000V	3X12AWG+2X14AWG	68/0.25	11.5	263.48	5.43 Ω/km
ANM10.009.03.02.011AB	UL20234	1000V	3X11AWG+2X14AWG	85/0.25	12.8	317.88	4.30 Ω/km
ANM10.009.03.02.010AB	UL20234	1000V	3X10AWG+2X13AWG	108/0.25	14.2	388.73	3.409 Ω/km
ANM10.009.03.02.009AB	UL20234	1000V	3X9AWG+2X12AWG	136/0.25	15.5	477.01	2.705 Ω/km
ANM10.009.03.02.008AB	UL20234	1000V	3X8AWG+2X11AWG	171/0.25	17.1	589.37	2.144 Ω/km
ANM10.009.03.02.007AB	UL20234	1000V	3X7AWG+2X10AWG	84/0.4	18.4	706.97	1.700 Ω/km
ANM10.009.03.02.006AB	UL20234	1000V	3X6AWG+2X9AWG	106/0.4	20.2	865.54	1.348 Ω/km
ANM10.009.03.02.005AB	UL20234	1000V	3X5AWG+2X8AWG	134/0.4	22.6	1089.37	1.070 Ω/km
ANM10.009.03.02.004AB	UL20234	1000V	3X4AWG+2X7AWG	169/0.4	25.2	1365.95	0.8481 Ω/km
ANM10.009.03.02.003AB	UL20234	1000V	3X3AWG+2X6AWG	213/0.4	27.2	1646.4	0.6727 Ω/km
ANM10.009.03.02.002AB	UL20234	1000V	3X2AWG+2X5AWG	268/0.4	30.5	2072.97	0.5335 Ω/km
ANM10.009.03.02.001AB	UL20234	1000V	3X1AWG+2X4AWG	338/0.4	34.1	2610.15	0.4230 Ω/km
ANM10.009.03.02.1/0AB	UL20234	1000V	3X1/0AWG+2X3AWG	426/0.4	37.3	3189.47	0.3354 Ω/km
ANM10.009.03.02.2/0AB	UL20234	1000V	3X2/0AWG+2X2AWG	537/0.4	40.4	3874.02	0.2660 Ω/km
ANM10.009.03.02.3/0AB	UL20234	1000V	3X3/0AWG+2X1AWG	677/0.4	45.7	4937.81	0.2110 Ω/km
ANM10.009.03.02.4/0AB	UL20234	1000V	3X4/0AWG+2X1/0AWG	854/0.4	49.7	6023.49	0.1673 Ω/km
ANM10.009.03.02.250kB	UL20234	1000V	3X250kcmil+2X2/0AWG	1007/0.4	54.8	7263.83	0.1416 Ω/km
ANM10.009.03.02.300kB	UL20234	1000V	3X300kcmil+2X3/0AWG	1184/0.4	58	8544.41	0.1180 Ω/km
ANM10.009.03.02.350kB	UL20234	1000V	3X350kcmil+2X4/0AWG	1406/0.4	62.2	9998.7	0.1011 Ω/km
ANM10.009.03.02.400kB	UL20234	1000V	3X400kcmil+2X250kcmil	1628/0.4	67.1	11566.5	0.08851 Ω/km
ANM10.009.03.02.450kB	UL20234	1000V	3X450kcmil+2X300kcmil	1830/0.4	70.2	13013.7	0.07867 Ω/km
ANM10.009.03.02.500kB	UL20234	1000V	3X500kcmil+2X350kcmil	2013/0.4	75.9	14924.8	0.07080 Ω/km
ANM10.009.01.01.013AB	UL20234	1000V	4X13AWG+1X15AWG	54/0.25	11.2	239.45	6.82 Ω/km
ANM10.009.01.01.012AB	UL20234	1000V	4X12AWG+1X14AWG	68/0.25	11.8	280.78	5.43 Ω/km
ANM10.009.01.01.011AB	UL20234	1000V	4X11AWG+1X14AWG	85/0.25	13.6	357.78	4.30 Ω/km
ANM10.009.01.01.010AB	UL20234	1000V	4X10AWG+1X13AWG	108/0.25	15.1	437.03	3.409 Ω/km
ANM10.009.01.01.009AB	UL20234	1000V	4X9AWG+1X12AWG	136/0.25	16.7	545.11	2.705 Ω/km
ANM10.009.01.01.008AB	UL20234	1000V	4X8AWG+1X11AWG	171/0.25	18	656.07	2.144 Ω/km
ANM10.009.01.01.007AB	UL20234	1000V	4X7AWG+1X10AWG	84/0.4	19.2	782.47	1.700 Ω/km



ANM10.009.01.01.006AB	UL20234	1000V	4X6AWG+1X9AWG	106/0.4	22.1	1008.14	1.348 Ω/km
ANM10.009.01.01.005AB	UL20234	1000V	4X5AWG+1X8AWG	134/0.4	23.6	1203.77	1.070 Ω/km
ANM10.009.01.01.001AB	UL20234	1000V	4X4AWG+1X7AWG	169/0.4	26.6	1526.35	0.8481 Ω/km
ANM10.009.01.01.003AB	UL20234	1000V	4X3AWG+1X6AWG	213/0.4	28.7	1841.3	0.6727 Ω/km
ANM10.009.01.01.002AB	UL20234	1000V	4X2AWG+1X5AWG	268/0.4	32.2	2319.27	0.5335 Ω/km
ANM10.009.01.01.001AB	UL20234	1000V	4X1AWG+1X4AWG	338/0.4	35.7	2895.95	0.4230 Ω/km
ANM10.009.01.01.1/OAB	UL20234	1000V	4X1/OAWG+1X3AWG	426/0.4	39.2	3550.97	0.3354 Ω/km
ANM10.009.01.01.2/OAB	UL20234	1000V	4X2/OAWG+1X2AWG	537/0.4	42.5	4318.02	0.2660 Ω/km
ANM10.009.01.01.3/OAB	UL20234	1000V	4X3/OAWG+1X1AWG	677/0.4	47.8	5471.61	0.2110 Ω/km
ANM10.009.01.01.4/OAB	UL20234	1000V	4X4/OAWG+1X1/OAWG	854/0.4	52	6684.69	0.1673 Ω/km
ANM10.009.01.01.250kB	UL20234	1000V	4X250kcmil+1X2/OAWG	1007/0.4	57.6	8056.03	0.1416 Ω/km
ANM10.009.01.01.300kB	UL20234	1000V	4X300kcmil+1X3/OAWG	1184/0.4	60.7	9408.41	0.1180 Ω/km
ANM10.009.01.01.350kB	UL20234	1000V	4X350kcmil+1X4/OAWG	1406/0.4	64.8	10889	0.1011 Ω/km
ANM10.009.01.01.400kB	UL20234	1000V	4X400kcmil+1X250kcmil	1628/0.4	69.3	12465	0.08851 Ω/km
ANM10.009.01.01.450kB	UL20234	1000V	4X450kcmil+1X300kcmil	1830/0.4	74.9	14349	0.07867 Ω/km
ANM10.009.01.01.500kB	UL20234	1000V	4X500kcmil+1X350kcmil	2013/0.4	77.9	15828.4	0.07080 Ω/km
ANM10.009.03.03.013AB	UL20234	1000V	3X13AWG+3X18AWG	54/0.25	10.9	217.63	6.82 Ω/km
ANM10.009.03.03.012AB	UL20234	1000V	3X12AWG+3X17AWG	68/0.25	11.5	254.24	5.43 Ω/km
ANM10.009.03.03.011AB	UL20234	1000V	3X11AWG+3X16AWG	85/0.25	12.7	312.41	4.30 Ω/km
ANM10.009.03.03.010AB	UL20234	1000V	3X10AWG+3X15AWG	108/0.25	14	379.05	3.409 Ω/km
ANM10.009.03.03.009AB	UL20234	1000V	3X9AWG+3X14AWG	136/0.25	15.2	461.88	2.705 Ω/km
ANM10.009.03.03.008AB	UL20234	1000V	3X8AWG+3X13AWG	171/0.25	16.3	553.03	2.144 Ω/km
ANM10.009.03.03.007AB	UL20234	1000V	3X7AWG+3X12AWG	84/0.4	17.1	650.91	1.700 Ω/km
ANM10.009.03.03.006AB	UL20234	1000V	3X6AWG+3X11AWG	106/0.4	19.5	827.27	1.348 Ω/km
ANM10.009.03.03.005AB	UL20234	1000V	3X5AWG+3X10AWG	134/0.4	22.3	1059.87	1.070 Ω/km
ANM10.009.03.03.004AB	UL20234	1000V	3X4AWG+3X9AWG	169/0.4	25.2	1349.74	0.8481 Ω/km
ANM10.009.03.03.003AB	UL20234	1000V	3X3AWG+3X8AWG	213/0.4	27	1618.37	0.6727 Ω/km
ANM10.009.03.03.002AB	UL20234	1000V	3X2AWG+3X7AWG	268/0.4	28.8	1936.55	0.5335 Ω/km
ANM10.009.03.03.001AB	UL20234	1000V	3X1AWG+3X6AWG	338/0.4	33	2495	0.4230 Ω/km
ANM10.009.03.03.1/OAB	UL20234	1000V	3X1/OAWG+3X5AWG	426/0.4	35.7	3017.37	0.3354 Ω/km
ANM10.009.03.03.2/OAB	UL20234	1000V	3X2/OAWG+3X4AWG	537/0.4	40	3795.85	0.2660 Ω/km
ANM10.009.03.03.3/OAB	UL20234	1000V	3X3/OAWG+3X3AWG	677/0.4	43.1	4608.47	0.2110 Ω/km
ANM10.009.03.03.4/OAB	UL20234	1000V	3X4/OAWG+3X2AWG	854/0.4	48.6	5833.02	0.1673 Ω/km
ANM10.009.03.03.250kB	UL20234	1000V	3X250kcmil+3X1AWG	1007/0.4	53.9	7078.71	0.1416 Ω/km
ANM10.009.03.03.300kB	UL20234	1000V	3X300kcmil+3X1/OAWG	1184/0.4	57.5	8368.69	0.1180 Ω/km
ANM10.009.03.03.350kB	UL20234	1000V	3X350kcmil+3X1/OAWG	1406/0.4	59.5	9162.39	0.1011 Ω/km
ANM10.009.03.03.400kB	UL20234	1000V	3X400kcmil+3X2/OAWG	1628/0.4	63.8	10629.23	0.08851 Ω/km
ANM10.009.03.03.450kB	UL20234	1000V	3X450kcmil+3X3/OAWG	1830/0.4	67.6	12155.71	0.07867 Ω/km
ANM10.009.03.03.500kB	UL20234	1000V	3X500kcmil+3X3/OAWG	2013/0.4	68.9	12917.91	0.07080 Ω/km