



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω /km
芯线 PVC 材质							
ANM10.004.02.019AB	UL20234	1000V	2X19AWG	43/0.14	7.8	87.26	27.4 Ω /km
ANM10.004.03.019AB	UL20234	1000V	3X19AWG	43/0.14	8.1	97.96	27.4 Ω /km
ANM10.004.04.019AB	UL20234	1000V	4X19AWG	43/0.14	8.6	113.26	27.4 Ω /km
ANM10.004.05.019AB	UL20234	1000V	5X19AWG	43/0.14	9.2	131.36	27.4 Ω /km
ANM10.004.06.019AB	UL20234	1000V	6X19AWG	43/0.14	9.7	147.86	27.4 Ω /km
ANM10.004.07.019AB	UL20234	1000V	7X19AWG	43/0.14	9.7	152.36	27.4 Ω /km
ANM10.004.08.019AB	UL20234	1000V	8X19AWG	43/0.14	10.3	172.26	27.4 Ω /km
ANM10.004.09.019AB	UL20234	1000V	9X19AWG	43/0.14	11.1	198.26	27.4 Ω /km
ANM10.004.10.019AB	UL20234	1000V	10X19AWG	43/0.14	11.6	217.26	27.4 Ω /km
ANM10.004.11.019AB	UL20234	1000V	11X19AWG	43/0.14	11.9	230.56	27.4 Ω /km
ANM10.004.12.019AB	UL20234	1000V	12X19AWG	43/0.14	11.9	235.26	27.4 Ω /km
ANM10.004.13.019AB	UL20234	1000V	13X19AWG	43/0.14	12.4	254.86	27.4 Ω /km
ANM10.004.14.019AB	UL20234	1000V	14X19AWG	43/0.14	12.4	259.56	27.4 Ω /km
ANM10.004.15.019AB	UL20234	1000V	15X19AWG	43/0.14	13	283.26	27.4 Ω /km
ANM10.004.16.019AB	UL20234	1000V	16X19AWG	43/0.14	13	287.96	27.4 Ω /km
ANM10.004.17.019AB	UL20234	1000V	17X19AWG	43/0.14	13.5	309.06	27.4 Ω /km
ANM10.004.18.019AB	UL20234	1000V	18X19AWG	43/0.14	13.5	313.76	27.4 Ω /km
ANM10.004.19.019AB	UL20234	1000V	19X19AWG	43/0.14	13.5	318.36	27.4 Ω /km
ANM10.004.20.019AB	UL20234	1000V	20X19AWG	43/0.14	13.8	333.06	27.4 Ω /km
ANM10.004.21.019AB	UL20234	1000V	21X19AWG	43/0.14	14.2	351.66	27.4 Ω /km
ANM10.004.22.019AB	UL20234	1000V	22X19AWG	43/0.14	15	385.26	27.4 Ω /km
ANM10.004.23.019AB	UL20234	1000V	23X19AWG	43/0.14	15.5	408.76	27.4 Ω /km
ANM10.004.24.019AB	UL20234	1000V	24X19AWG	43/0.14	15.5	413.46	27.4 Ω /km
ANM10.004.25.019AB	UL20234	1000V	25X19AWG	43/0.14	15.8	429.76	27.4 Ω /km
ANM10.004.26.019AB	UL20234	1000V	26X19AWG	43/0.14	15.8	434.46	27.4 Ω /km
ANM10.004.27.019AB	UL20234	1000V	27X19AWG	43/0.14	15.8	438.96	27.4 Ω /km
ANM10.004.28.019AB	UL20234	1000V	28X19AWG	43/0.14	16.3	463.56	27.4 Ω /km
ANM10.004.29.019AB	UL20234	1000V	29X19AWG	43/0.14	16.3	468.16	27.4 Ω /km
ANM10.004.30.019AB	UL20234	1000V	30X19AWG	43/0.14	16.3	472.76	27.4 Ω /km
ANM10.004.31.019AB	UL20234	1000V	31X19AWG	43/0.14	16.9	502.06	27.4 Ω /km
ANM10.004.32.019AB	UL20234	1000V	32X19AWG	43/0.14	16.9	506.66	27.4 Ω /km
ANM10.004.33.019AB	UL20234	1000V	33X19AWG	43/0.14	16.9	511.26	27.4 Ω /km
ANM10.004.34.019AB	UL20234	1000V	34X19AWG	43/0.14	17.4	537.16	27.4 Ω /km
ANM10.004.35.019AB	UL20234	1000V	35X19AWG	43/0.14	17.4	541.66	27.4 Ω /km
ANM10.004.36.019AB	UL20234	1000V	36X19AWG	43/0.14	17.4	546.46	27.4 Ω /km
ANM10.004.37.019AB	UL20234	1000V	37X19AWG	43/0.14	17.4	550.96	27.4 Ω /km
ANM10.004.38.019AB	UL20234	1000V	38X19AWG	43/0.14	18	581.96	27.4 Ω /km
ANM10.004.39.019AB	UL20234	1000V	39X19AWG	43/0.14	18	586.46	27.4 Ω /km
ANM10.004.40.019AB	UL20234	1000V	40X19AWG	43/0.14	18	591.26	27.4 Ω /km



ANM10.004.41.019AB	UL20234	1000V	41X19AWG	43/0.14	19.3	655.66	27.4Ω/km
ANM10.004.42.019AB	UL20234	1000V	42X19AWG	43/0.14	19.3	660.26	27.4Ω/km
ANM10.004.43.019AB	UL20234	1000V	43X19AWG	43/0.14	19.3	664.96	27.4Ω/km
ANM10.004.44.019AB	UL20234	1000V	44X19AWG	43/0.14	19.3	669.56	27.4Ω/km
ANM10.004.45.019AB	UL20234	1000V	45X19AWG	43/0.14	19.6	688.56	27.4Ω/km
ANM10.004.46.019AB	UL20234	1000V	46X19AWG	43/0.14	19.6	693.16	27.4Ω/km
ANM10.004.47.019AB	UL20234	1000V	47X19AWG	43/0.14	19.6	697.76	27.4Ω/km
ANM10.004.48.019AB	UL20234	1000V	48X19AWG	43/0.14	19.6	702.46	27.4Ω/km
ANM10.004.49.019AB	UL20234	1000V	49X19AWG	43/0.14	20.1	731.56	27.4Ω/km
ANM10.004.50.019AB	UL20234	1000V	50X19AWG	43/0.14	20.1	736.26	27.4Ω/km
ANM10.004.51.019AB	UL20234	1000V	51X19AWG	43/0.14	20.1	740.76	27.4Ω/km
ANM10.004.52.019AB	UL20234	1000V	52X19AWG	43/0.14	20.1	745.56	27.4Ω/km
ANM10.004.53.019AB	UL20234	1000V	53X19AWG	43/0.14	21.7	830.56	27.4Ω/km
ANM10.004.54.019AB	UL20234	1000V	54X19AWG	43/0.14	21.7	835.06	27.4Ω/km
ANM10.004.55.019AB	UL20234	1000V	55X19AWG	43/0.14	21.7	839.86	27.4Ω/km
ANM10.004.56.019AB	UL20234	1000V	56X19AWG	43/0.14	21.7	844.36	27.4Ω/km
ANM10.004.57.019AB	UL20234	1000V	57X19AWG	43/0.14	22.2	876.06	27.4Ω/km
ANM10.004.58.019AB	UL20234	1000V	58X19AWG	43/0.14	22.2	880.56	27.4Ω/km
ANM10.004.59.019AB	UL20234	1000V	59X19AWG	43/0.14	22.2	885.26	27.4Ω/km
ANM10.004.60.019AB	UL20234	1000V	60X19AWG	43/0.14	22.2	889.86	27.4Ω/km
ANM10.004.61.019AB	UL20234	1000V	61X19AWG	43/0.14	22.2	894.46	27.4Ω/km
ANM10.004.62.019AB	UL20234	1000V	62X19AWG	43/0.14	22.8	932.36	27.4Ω/km
ANM10.004.63.019AB	UL20234	1000V	63X19AWG	43/0.14	22.8	937.06	27.4Ω/km
ANM10.004.64.019AB	UL20234	1000V	64X19AWG	43/0.14	22.8	941.66	27.4Ω/km
ANM10.004.65.019AB	UL20234	1000V	65X19AWG	43/0.14	22.8	946.26	27.4Ω/km
ANM10.004.02.018AB	UL20234	1000V	2X18AWG	29/0.19	8	94.13	21.8Ω/km
ANM10.004.03.018AB	UL20234	1000V	3X18AWG	29/0.19	8.4	108.33	21.8Ω/km
ANM10.004.04.018AB	UL20234	1000V	4X18AWG	29/0.19	8.9	125.43	21.8Ω/km
ANM10.004.05.018AB	UL20234	1000V	5X18AWG	29/0.19	9.4	142.83	21.8Ω/km
ANM10.004.06.018AB	UL20234	1000V	6X18AWG	29/0.19	10	163.33	21.8Ω/km
ANM10.004.07.018AB	UL20234	1000V	7X18AWG	29/0.19	10	169.43	21.8Ω/km
ANM10.004.08.018AB	UL20234	1000V	8X18AWG	29/0.19	10.6	190.93	21.8Ω/km
ANM10.004.09.018AB	UL20234	1000V	9X18AWG	29/0.19	11.4	218.83	21.8Ω/km
ANM10.004.10.018AB	UL20234	1000V	10X18AWG	29/0.19	12	242.43	21.8Ω/km
ANM10.004.11.018AB	UL20234	1000V	11X18AWG	29/0.19	12.4	260.53	21.8Ω/km
ANM10.004.12.018AB	UL20234	1000V	12X18AWG	29/0.19	12.4	266.33	21.8Ω/km
ANM10.004.13.018AB	UL20234	1000V	13X18AWG	29/0.19	12.9	288.23	21.8Ω/km
ANM10.004.14.018AB	UL20234	1000V	14X18AWG	29/0.19	12.9	294.13	21.8Ω/km
ANM10.004.15.018AB	UL20234	1000V	15X18AWG	29/0.19	13.4	316.43	21.8Ω/km
ANM10.004.16.018AB	UL20234	1000V	16X18AWG	29/0.19	13.4	322.53	21.8Ω/km
ANM10.004.17.018AB	UL20234	1000V	17X18AWG	29/0.19	14	348.73	21.8Ω/km
ANM10.004.18.018AB	UL20234	1000V	18X18AWG	29/0.19	14	354.73	21.8Ω/km



ANM10.004.19.018AB	UL20234	1000V	19X18AWG	29/0.19	14	360.83	21.8 Ω/km
ANM10.004.20.018AB	UL20234	1000V	20X18AWG	29/0.19	14.5	384.43	21.8 Ω/km
ANM10.004.21.018AB	UL20234	1000V	21X18AWG	29/0.19	14.7	397.63	21.8 Ω/km
ANM10.004.22.018AB	UL20234	1000V	22X18AWG	29/0.19	15.5	433.73	21.8 Ω/km
ANM10.004.23.018AB	UL20234	1000V	23X18AWG	29/0.19	16.1	463.13	21.8 Ω/km
ANM10.004.24.018AB	UL20234	1000V	24X18AWG	29/0.19	16.1	469.03	21.8 Ω/km
ANM10.004.25.018AB	UL20234	1000V	25X18AWG	29/0.19	16.5	491.33	21.8 Ω/km
ANM10.004.26.018AB	UL20234	1000V	26X18AWG	29/0.19	16.5	497.13	21.8 Ω/km
ANM10.004.27.018AB	UL20234	1000V	27X18AWG	29/0.19	16.5	503.13	21.8 Ω/km
ANM10.004.28.018AB	UL20234	1000V	28X18AWG	29/0.19	17	529.73	21.8 Ω/km
ANM10.004.29.018AB	UL20234	1000V	29X18AWG	29/0.19	17	535.83	21.8 Ω/km
ANM10.004.30.018AB	UL20234	1000V	30X18AWG	29/0.19	17	541.83	21.8 Ω/km
ANM10.004.31.018AB	UL20234	1000V	31X18AWG	29/0.19	17.5	568.93	21.8 Ω/km
ANM10.004.32.018AB	UL20234	1000V	32X18AWG	29/0.19	17.5	574.93	21.8 Ω/km
ANM10.004.33.018AB	UL20234	1000V	33X18AWG	29/0.19	17.5	580.93	21.8 Ω/km
ANM10.004.34.018AB	UL20234	1000V	34X18AWG	29/0.19	18.1	613.23	21.8 Ω/km
ANM10.004.35.018AB	UL20234	1000V	35X18AWG	29/0.19	18.1	619.33	21.8 Ω/km
ANM10.004.36.018AB	UL20234	1000V	36X18AWG	29/0.19	18.1	625.23	21.8 Ω/km
ANM10.004.37.018AB	UL20234	1000V	37X18AWG	29/0.19	18.1	631.13	21.8 Ω/km
ANM10.004.38.018AB	UL20234	1000V	38X18AWG	29/0.19	18.7	664.43	21.8 Ω/km
ANM10.004.39.018AB	UL20234	1000V	39X18AWG	29/0.19	18.7	670.43	21.8 Ω/km
ANM10.004.40.018AB	UL20234	1000V	40X18AWG	29/0.19	18.7	676.33	21.8 Ω/km
ANM10.004.41.018AB	UL20234	1000V	41X18AWG	29/0.19	20.1	749.33	21.8 Ω/km
ANM10.004.42.018AB	UL20234	1000V	42X18AWG	29/0.19	20.1	755.23	21.8 Ω/km
ANM10.004.43.018AB	UL20234	1000V	43X18AWG	29/0.19	20.1	761.23	21.8 Ω/km
ANM10.004.44.018AB	UL20234	1000V	44X18AWG	29/0.19	20.1	767.23	21.8 Ω/km
ANM10.004.45.018AB	UL20234	1000V	45X18AWG	29/0.19	21.5	842.93	21.8 Ω/km
ANM10.004.46.018AB	UL20234	1000V	46X18AWG	29/0.19	21.5	848.83	21.8 Ω/km
ANM10.004.47.018AB	UL20234	1000V	47X18AWG	29/0.19	21.5	854.93	21.8 Ω/km
ANM10.004.48.018AB	UL20234	1000V	48X18AWG	29/0.19	21.5	860.73	21.8 Ω/km
ANM10.004.49.018AB	UL20234	1000V	49X18AWG	29/0.19	22	893.43	21.8 Ω/km
ANM10.004.50.018AB	UL20234	1000V	50X18AWG	29/0.19	22	899.53	21.8 Ω/km
ANM10.004.51.018AB	UL20234	1000V	51X18AWG	29/0.19	22	905.33	21.8 Ω/km
ANM10.004.52.018AB	UL20234	1000V	52X18AWG	29/0.19	22	911.33	21.8 Ω/km
ANM10.004.53.018AB	UL20234	1000V	53X18AWG	29/0.19	22.5	944.73	21.8 Ω/km
ANM10.004.54.018AB	UL20234	1000V	54X18AWG	29/0.19	22.5	950.63	21.8 Ω/km
ANM10.004.55.018AB	UL20234	1000V	55X18AWG	29/0.19	22.5	956.63	21.8 Ω/km
ANM10.004.56.018AB	UL20234	1000V	56X18AWG	29/0.19	22.5	962.43	21.8 Ω/km
ANM10.004.57.018AB	UL20234	1000V	57X18AWG	29/0.19	23.1	1002.13	21.8 Ω/km
ANM10.004.58.018AB	UL20234	1000V	58X18AWG	29/0.19	23.1	1008.13	21.8 Ω/km
ANM10.004.59.018AB	UL20234	1000V	59X18AWG	29/0.19	23.1	1014.03	21.8 Ω/km
ANM10.004.60.018AB	UL20234	1000V	60X18AWG	29/0.19	23.1	1020.03	21.8 Ω/km



ANM10.004.61.018AB	UL20234	1000V	61X18AWG	29/0.19	23.1	1026.03	21.8 Ω/km
ANM10.004.62.018AB	UL20234	1000V	62X18AWG	29/0.19	23.7	1066.33	21.8 Ω/km
ANM10.004.63.018AB	UL20234	1000V	63X18AWG	29/0.19	23.7	1072.43	21.8 Ω/km
ANM10.004.64.018AB	UL20234	1000V	64X18AWG	29/0.19	23.7	1078.43	21.8 Ω/km
ANM10.004.65.018AB	UL20234	1000V	65X18AWG	29/0.19	23.7	1084.23	21.8 Ω/km
ANM10.004.02.017AB	UL20234	1000V	2X17AWG	37/0.19	8.4	105.54	17.3 Ω/km
ANM10.004.03.017AB	UL20234	1000V	3X17AWG	37/0.19	8.8	121.54	17.3 Ω/km
ANM10.004.04.017AB	UL20234	1000V	4X17AWG	37/0.19	9.4	142.74	17.3 Ω/km
ANM10.004.05.017AB	UL20234	1000V	5X17AWG	37/0.19	10	164.74	17.3 Ω/km
ANM10.004.06.017AB	UL20234	1000V	6X17AWG	37/0.19	10.6	187.64	17.3 Ω/km
ANM10.004.07.017AB	UL20234	1000V	7X17AWG	37/0.19	10.6	194.94	17.3 Ω/km
ANM10.004.08.017AB	UL20234	1000V	8X17AWG	37/0.19	11.3	221.54	17.3 Ω/km
ANM10.004.09.017AB	UL20234	1000V	9X17AWG	37/0.19	12.2	255.34	17.3 Ω/km
ANM10.004.10.017AB	UL20234	1000V	10X17AWG	37/0.19	12.8	281.54	17.3 Ω/km
ANM10.004.11.017AB	UL20234	1000V	11X17AWG	37/0.19	13.2	301.84	17.3 Ω/km
ANM10.004.12.017AB	UL20234	1000V	12X17AWG	37/0.19	13.2	309.24	17.3 Ω/km
ANM10.004.13.017AB	UL20234	1000V	13X17AWG	37/0.19	13.8	336.64	17.3 Ω/km
ANM10.004.14.017AB	UL20234	1000V	14X17AWG	37/0.19	13.8	343.94	17.3 Ω/km
ANM10.004.15.017AB	UL20234	1000V	15X17AWG	37/0.19	14.5	375.94	17.3 Ω/km
ANM10.004.16.017AB	UL20234	1000V	16X17AWG	37/0.19	14.5	383.34	17.3 Ω/km
ANM10.004.17.017AB	UL20234	1000V	17X17AWG	37/0.19	15.1	412.84	17.3 Ω/km
ANM10.004.18.017AB	UL20234	1000V	18X17AWG	37/0.19	15.1	420.24	17.3 Ω/km
ANM10.004.19.017AB	UL20234	1000V	19X17AWG	37/0.19	15.1	427.74	17.3 Ω/km
ANM10.004.20.017AB	UL20234	1000V	20X17AWG	37/0.19	15.5	450.14	17.3 Ω/km
ANM10.004.21.017AB	UL20234	1000V	21X17AWG	37/0.19	15.8	469.24	17.3 Ω/km
ANM10.004.22.017AB	UL20234	1000V	22X17AWG	37/0.19	16.7	512.74	17.3 Ω/km
ANM10.004.23.017AB	UL20234	1000V	23X17AWG	37/0.19	17.3	545.34	17.3 Ω/km
ANM10.004.24.017AB	UL20234	1000V	24X17AWG	37/0.19	17.3	552.74	17.3 Ω/km
ANM10.004.25.017AB	UL20234	1000V	25X17AWG	37/0.19	17.7	577.34	17.3 Ω/km
ANM10.004.26.017AB	UL20234	1000V	26X17AWG	37/0.19	17.7	584.64	17.3 Ω/km
ANM10.004.27.017AB	UL20234	1000V	27X17AWG	37/0.19	17.7	592.14	17.3 Ω/km
ANM10.004.28.017AB	UL20234	1000V	28X17AWG	37/0.19	18.3	626.24	17.3 Ω/km
ANM10.004.29.017AB	UL20234	1000V	29X17AWG	37/0.19	18.3	633.64	17.3 Ω/km
ANM10.004.30.017AB	UL20234	1000V	30X17AWG	37/0.19	18.3	640.94	17.3 Ω/km
ANM10.004.31.017AB	UL20234	1000V	31X17AWG	37/0.19	18.9	675.94	17.3 Ω/km
ANM10.004.32.017AB	UL20234	1000V	32X17AWG	37/0.19	18.9	683.24	17.3 Ω/km
ANM10.004.33.017AB	UL20234	1000V	33X17AWG	37/0.19	18.9	690.54	17.3 Ω/km
ANM10.004.34.017AB	UL20234	1000V	34X17AWG	37/0.19	19.5	726.34	17.3 Ω/km
ANM10.004.35.017AB	UL20234	1000V	35X17AWG	37/0.19	19.5	733.74	17.3 Ω/km
ANM10.004.36.017AB	UL20234	1000V	36X17AWG	37/0.19	19.5	741.14	17.3 Ω/km
ANM10.004.37.017AB	UL20234	1000V	37X17AWG	37/0.19	19.5	748.64	17.3 Ω/km
ANM10.004.38.017AB	UL20234	1000V	38X17AWG	37/0.19	20.2	790.24	17.3 Ω/km



ANM10.004.39.017AB	UL20234	1000V	39X17AWG	37/0.19	20.2	797.64	17.3 Ω/km
ANM10.004.40.017AB	UL20234	1000V	40X17AWG	37/0.19	20.2	804.94	17.3 Ω/km
ANM10.004.41.017AB	UL20234	1000V	41X17AWG	37/0.19	22.7	942.34	17.3 Ω/km
ANM10.004.42.017AB	UL20234	1000V	42X17AWG	37/0.19	22.7	949.64	17.3 Ω/km
ANM10.004.43.017AB	UL20234	1000V	43X17AWG	37/0.19	22.7	957.04	17.3 Ω/km
ANM10.004.44.017AB	UL20234	1000V	44X17AWG	37/0.19	22.7	964.34	17.3 Ω/km
ANM10.004.45.017AB	UL20234	1000V	45X17AWG	37/0.19	23.1	994.34	17.3 Ω/km
ANM10.004.46.017AB	UL20234	1000V	46X17AWG	37/0.19	23.1	1001.74	17.3 Ω/km
ANM10.004.47.017AB	UL20234	1000V	47X17AWG	37/0.19	23.1	1009.14	17.3 Ω/km
ANM10.004.48.017AB	UL20234	1000V	48X17AWG	37/0.19	23.1	1016.44	17.3 Ω/km
ANM10.004.49.017AB	UL20234	1000V	49X17AWG	37/0.19	23.7	1058.34	17.3 Ω/km
ANM10.004.50.017AB	UL20234	1000V	50X17AWG	37/0.19	23.7	1065.64	17.3 Ω/km
ANM10.004.51.017AB	UL20234	1000V	51X17AWG	37/0.19	23.7	1072.94	17.3 Ω/km
ANM10.004.52.017AB	UL20234	1000V	52X17AWG	37/0.19	23.7	1080.34	17.3 Ω/km
ANM10.004.53.017AB	UL20234	1000V	53X17AWG	37/0.19	24.3	1123.14	17.3 Ω/km
ANM10.004.54.017AB	UL20234	1000V	54X17AWG	37/0.19	24.3	1130.44	17.3 Ω/km
ANM10.004.55.017AB	UL20234	1000V	55X17AWG	37/0.19	24.3	1137.94	17.3 Ω/km
ANM10.004.56.017AB	UL20234	1000V	56X17AWG	37/0.19	24.3	1145.24	17.3 Ω/km
ANM10.004.57.017AB	UL20234	1000V	57X17AWG	37/0.19	24.9	1188.94	17.3 Ω/km
ANM10.004.58.017AB	UL20234	1000V	58X17AWG	37/0.19	24.9	1196.34	17.3 Ω/km
ANM10.004.59.017AB	UL20234	1000V	59X17AWG	37/0.19	24.9	1203.64	17.3 Ω/km
ANM10.004.60.017AB	UL20234	1000V	60X17AWG	37/0.19	24.9	1211.04	17.3 Ω/km
ANM10.004.61.017AB	UL20234	1000V	61X17AWG	37/0.19	24.9	1218.34	17.3 Ω/km
ANM10.004.62.017AB	UL20234	1000V	62X17AWG	37/0.19	25.6	1269.14	17.3 Ω/km
ANM10.004.63.017AB	UL20234	1000V	63X17AWG	37/0.19	25.6	1276.44	17.3 Ω/km
ANM10.004.64.017AB	UL20234	1000V	64X17AWG	37/0.19	25.6	1283.94	17.3 Ω/km
ANM10.004.65.017AB	UL20234	1000V	65X17AWG	37/0.19	25.6	1291.24	17.3 Ω/km
ANM10.004.02.016AB	UL20234	1000V	2X16AWG	27/0.25	9	123.21	13.7 Ω/km
ANM10.004.03.016AB	UL20234	1000V	3X16AWG	27/0.25	9.4	142.11	13.7 Ω/km
ANM10.004.04.016AB	UL20234	1000V	4X16AWG	27/0.25	10.1	168.81	13.7 Ω/km
ANM10.004.05.016AB	UL20234	1000V	5X16AWG	27/0.25	10.8	196.61	13.7 Ω/km
ANM10.004.06.016AB	UL20234	1000V	6X16AWG	27/0.25	11.5	225.81	13.7 Ω/km
ANM10.004.07.016AB	UL20234	1000V	7X16AWG	27/0.25	11.5	235.31	13.7 Ω/km
ANM10.004.08.016AB	UL20234	1000V	8X16AWG	27/0.25	12.3	268.81	13.7 Ω/km
ANM10.004.09.016AB	UL20234	1000V	9X16AWG	27/0.25	13.3	310.21	13.7 Ω/km
ANM10.004.10.016AB	UL20234	1000V	10X16AWG	27/0.25	14	343.31	13.7 Ω/km
ANM10.004.11.016AB	UL20234	1000V	11X16AWG	27/0.25	14.5	370.71	13.7 Ω/km
ANM10.004.12.016AB	UL20234	1000V	12X16AWG	27/0.25	14.5	380.21	13.7 Ω/km
ANM10.004.13.016AB	UL20234	1000V	13X16AWG	27/0.25	15.2	415.51	13.7 Ω/km
ANM10.004.14.016AB	UL20234	1000V	14X16AWG	27/0.25	15.2	425.11	13.7 Ω/km
ANM10.004.15.016AB	UL20234	1000V	15X16AWG	27/0.25	15.9	461.51	13.7 Ω/km
ANM10.004.16.016AB	UL20234	1000V	16X16AWG	27/0.25	15.9	471.21	13.7 Ω/km



ANM10.004.17.016AB	UL20234	1000V	17X16AWG	27/0.25	16.6	508.91	13.7 Ω/km
ANM10.004.18.016AB	UL20234	1000V	18X16AWG	27/0.25	16.6	518.41	13.7 Ω/km
ANM10.004.19.016AB	UL20234	1000V	19X16AWG	27/0.25	16.6	528.11	13.7 Ω/km
ANM10.004.20.016AB	UL20234	1000V	20X16AWG	27/0.25	17	554.21	13.7 Ω/km
ANM10.004.21.016AB	UL20234	1000V	21X16AWG	27/0.25	17.4	580.71	13.7 Ω/km
ANM10.004.22.016AB	UL20234	1000V	22X16AWG	27/0.25	18.4	634.51	13.7 Ω/km
ANM10.004.23.016AB	UL20234	1000V	23X16AWG	27/0.25	19.1	676.41	13.7 Ω/km
ANM10.004.24.016AB	UL20234	1000V	24X16AWG	27/0.25	19.1	686.11	13.7 Ω/km
ANM10.004.25.016AB	UL20234	1000V	25X16AWG	27/0.25	19.5	714.61	13.7 Ω/km
ANM10.004.26.016AB	UL20234	1000V	26X16AWG	27/0.25	19.5	724.11	13.7 Ω/km
ANM10.004.27.016AB	UL20234	1000V	27X16AWG	27/0.25	19.5	733.71	13.7 Ω/km
ANM10.004.28.016AB	UL20234	1000V	28X16AWG	27/0.25	20.2	777.51	13.7 Ω/km
ANM10.004.29.016AB	UL20234	1000V	29X16AWG	27/0.25	20.2	786.91	13.7 Ω/km
ANM10.004.30.016AB	UL20234	1000V	30X16AWG	27/0.25	20.2	796.61	13.7 Ω/km
ANM10.004.31.016AB	UL20234	1000V	31X16AWG	27/0.25	21.9	892.31	13.7 Ω/km
ANM10.004.32.016AB	UL20234	1000V	32X16AWG	27/0.25	21.9	901.81	13.7 Ω/km
ANM10.004.33.016AB	UL20234	1000V	33X16AWG	27/0.25	21.9	911.41	13.7 Ω/km
ANM10.004.34.016AB	UL20234	1000V	34X16AWG	27/0.25	22.6	959.21	13.7 Ω/km
ANM10.004.35.016AB	UL20234	1000V	35X16AWG	27/0.25	22.6	968.81	13.7 Ω/km
ANM10.004.36.016AB	UL20234	1000V	36X16AWG	27/0.25	22.6	978.31	13.7 Ω/km
ANM10.004.37.016AB	UL20234	1000V	37X16AWG	27/0.25	22.6	987.81	13.7 Ω/km
ANM10.004.38.016AB	UL20234	1000V	38X16AWG	27/0.25	23.4	1042.61	13.7 Ω/km
ANM10.004.39.016AB	UL20234	1000V	39X16AWG	27/0.25	23.4	1052.11	13.7 Ω/km
ANM10.004.40.016AB	UL20234	1000V	40X16AWG	27/0.25	23.4	1061.71	13.7 Ω/km
ANM10.004.41.016AB	UL20234	1000V	41X16AWG	27/0.25	25.1	1172.51	13.7 Ω/km
ANM10.004.42.016AB	UL20234	1000V	42X16AWG	27/0.25	25.1	1182.01	13.7 Ω/km
ANM10.004.43.016AB	UL20234	1000V	43X16AWG	27/0.25	25.1	1191.61	13.7 Ω/km
ANM10.004.44.016AB	UL20234	1000V	44X16AWG	27/0.25	25.1	1201.11	13.7 Ω/km
ANM10.004.45.016AB	UL20234	1000V	45X16AWG	27/0.25	25.5	1235.41	13.7 Ω/km
ANM10.004.46.016AB	UL20234	1000V	46X16AWG	27/0.25	25.5	1245.01	13.7 Ω/km
ANM10.004.47.016AB	UL20234	1000V	47X16AWG	27/0.25	25.5	1254.51	13.7 Ω/km
ANM10.004.48.016AB	UL20234	1000V	48X16AWG	27/0.25	25.5	1264.21	13.7 Ω/km
ANM10.004.49.016AB	UL20234	1000V	49X16AWG	27/0.25	26.2	1317.91	13.7 Ω/km
ANM10.004.50.016AB	UL20234	1000V	50X16AWG	27/0.25	26.2	1327.51	13.7 Ω/km
ANM10.004.51.016AB	UL20234	1000V	51X16AWG	27/0.25	26.2	1337.01	13.7 Ω/km
ANM10.004.52.016AB	UL20234	1000V	52X16AWG	27/0.25	26.2	1346.61	13.7 Ω/km
ANM10.004.53.016AB	UL20234	1000V	53X16AWG	27/0.25	26.9	1401.71	13.7 Ω/km
ANM10.004.54.016AB	UL20234	1000V	54X16AWG	27/0.25	26.9	1411.31	13.7 Ω/km
ANM10.004.55.016AB	UL20234	1000V	55X16AWG	27/0.25	26.9	1420.81	13.7 Ω/km
ANM10.004.56.016AB	UL20234	1000V	56X16AWG	27/0.25	26.9	1430.41	13.7 Ω/km
ANM10.004.57.016AB	UL20234	1000V	57X16AWG	27/0.25	27.6	1486.61	13.7 Ω/km
ANM10.004.58.016AB	UL20234	1000V	58X16AWG	27/0.25	27.6	1496.11	13.7 Ω/km



ANM10.004.59.016AB	UL20234	1000V	59X16AWG	27/0.25	27.6	1505.71	13.7 Ω/km
ANM10.004.60.016AB	UL20234	1000V	60X16AWG	27/0.25	27.6	1515.21	13.7 Ω/km
ANM10.004.61.016AB	UL20234	1000V	61X16AWG	27/0.25	27.6	1524.71	13.7 Ω/km
ANM10.004.62.016AB	UL20234	1000V	62X16AWG	27/0.25	28.4	1589.31	13.7 Ω/km
ANM10.004.63.016AB	UL20234	1000V	63X16AWG	27/0.25	28.4	1598.81	13.7 Ω/km
ANM10.004.64.016AB	UL20234	1000V	64X16AWG	27/0.25	28.4	1608.41	13.7 Ω/km
ANM10.004.65.016AB	UL20234	1000V	65X16AWG	27/0.25	28.4	1617.91	13.7 Ω/km
ANM10.004.02.015AB	UL20234	1000V	2X15AWG	34/0.25	9.4	137.75	10.9 Ω/km
ANM10.004.03.015AB	UL20234	1000V	3X15AWG	34/0.25	9.9	161.85	10.9 Ω/km
ANM10.004.04.015AB	UL20234	1000V	4X15AWG	34/0.25	10.6	191.85	10.9 Ω/km
ANM10.004.05.015AB	UL20234	1000V	5X15AWG	34/0.25	11.3	223.05	10.9 Ω/km
ANM10.004.06.015AB	UL20234	1000V	6X15AWG	34/0.25	12.1	258.35	10.9 Ω/km
ANM10.004.07.015AB	UL20234	1000V	7X15AWG	34/0.25	12.1	270.35	10.9 Ω/km
ANM10.004.08.015AB	UL20234	1000V	8X15AWG	34/0.25	13	310.55	10.9 Ω/km
ANM10.004.09.015AB	UL20234	1000V	9X15AWG	34/0.25	14	355.95	10.9 Ω/km
ANM10.004.10.015AB	UL20234	1000V	10X15AWG	34/0.25	14.9	400.45	10.9 Ω/km
ANM10.004.11.015AB	UL20234	1000V	11X15AWG	34/0.25	15.4	431.15	10.9 Ω/km
ANM10.004.12.015AB	UL20234	1000V	12X15AWG	34/0.25	15.4	443.05	10.9 Ω/km
ANM10.004.13.015AB	UL20234	1000V	13X15AWG	34/0.25	16.1	482.35	10.9 Ω/km
ANM10.004.14.015AB	UL20234	1000V	14X15AWG	34/0.25	16.1	494.35	10.9 Ω/km
ANM10.004.15.015AB	UL20234	1000V	15X15AWG	34/0.25	16.8	534.75	10.9 Ω/km
ANM10.004.16.015AB	UL20234	1000V	16X15AWG	34/0.25	16.8	546.75	10.9 Ω/km
ANM10.004.17.015AB	UL20234	1000V	17X15AWG	34/0.25	17.6	592.75	10.9 Ω/km
ANM10.004.18.015AB	UL20234	1000V	18X15AWG	34/0.25	17.6	604.75	10.9 Ω/km
ANM10.004.19.015AB	UL20234	1000V	19X15AWG	34/0.25	17.6	616.75	10.9 Ω/km
ANM10.004.20.015AB	UL20234	1000V	20X15AWG	34/0.25	18.1	650.75	10.9 Ω/km
ANM10.004.21.015AB	UL20234	1000V	21X15AWG	34/0.25	18.5	680.75	10.9 Ω/km
ANM10.004.22.015AB	UL20234	1000V	22X15AWG	34/0.25	19.5	739.65	10.9 Ω/km
ANM10.004.23.015AB	UL20234	1000V	23X15AWG	34/0.25	21.3	840.15	10.9 Ω/km
ANM10.004.24.015AB	UL20234	1000V	24X15AWG	34/0.25	21.3	852.05	10.9 Ω/km
ANM10.004.25.015AB	UL20234	1000V	25X15AWG	34/0.25	21.8	890.55	10.9 Ω/km
ANM10.004.26.015AB	UL20234	1000V	26X15AWG	34/0.25	21.8	902.45	10.9 Ω/km
ANM10.004.27.015AB	UL20234	1000V	27X15AWG	34/0.25	21.8	914.45	10.9 Ω/km
ANM10.004.28.015AB	UL20234	1000V	28X15AWG	34/0.25	22.5	964.65	10.9 Ω/km
ANM10.004.29.015AB	UL20234	1000V	29X15AWG	34/0.25	22.5	976.65	10.9 Ω/km
ANM10.004.30.015AB	UL20234	1000V	30X15AWG	34/0.25	22.5	988.55	10.9 Ω/km
ANM10.004.31.015AB	UL20234	1000V	31X15AWG	34/0.25	23.2	1039.85	10.9 Ω/km
ANM10.004.32.015AB	UL20234	1000V	32X15AWG	34/0.25	23.2	1051.85	10.9 Ω/km
ANM10.004.33.015AB	UL20234	1000V	33X15AWG	34/0.25	23.2	1063.75	10.9 Ω/km
ANM10.004.34.015AB	UL20234	1000V	34X15AWG	34/0.25	24	1122.05	10.9 Ω/km
ANM10.004.35.015AB	UL20234	1000V	35X15AWG	34/0.25	24	1134.05	10.9 Ω/km
ANM10.004.36.015AB	UL20234	1000V	36X15AWG	34/0.25	24	1146.05	10.9 Ω/km



ANM10.004.37.015AB	UL20234	1000V	37X15AWG	34/0.25	24	1158.05	10.9Ω/km
ANM10.004.38.015AB	UL20234	1000V	38X15AWG	34/0.25	24.9	1224.05	10.9Ω/km
ANM10.004.39.015AB	UL20234	1000V	39X15AWG	34/0.25	24.9	1235.95	10.9Ω/km
ANM10.004.40.015AB	UL20234	1000V	40X15AWG	34/0.25	24.9	1247.95	10.9Ω/km
ANM10.004.41.015AB	UL20234	1000V	41X15AWG	34/0.25	26.7	1373.85	10.9Ω/km
ANM10.004.42.015AB	UL20234	1000V	42X15AWG	34/0.25	26.7	1385.75	10.9Ω/km
ANM10.004.43.015AB	UL20234	1000V	43X15AWG	34/0.25	26.7	1397.75	10.9Ω/km
ANM10.004.44.015AB	UL20234	1000V	44X15AWG	34/0.25	26.7	1409.75	10.9Ω/km
ANM10.004.45.015AB	UL20234	1000V	45X15AWG	34/0.25	27.2	1454.85	10.9Ω/km
ANM10.004.46.015AB	UL20234	1000V	46X15AWG	34/0.25	27.2	1466.75	10.9Ω/km
ANM10.004.47.015AB	UL20234	1000V	47X15AWG	34/0.25	27.2	1478.75	10.9Ω/km
ANM10.004.48.015AB	UL20234	1000V	48X15AWG	34/0.25	27.2	1490.65	10.9Ω/km
ANM10.004.49.015AB	UL20234	1000V	49X15AWG	34/0.25	27.9	1549.85	10.9Ω/km
ANM10.004.50.015AB	UL20234	1000V	50X15AWG	34/0.25	27.9	1561.85	10.9Ω/km
ANM10.004.51.015AB	UL20234	1000V	51X15AWG	34/0.25	27.9	1573.75	10.9Ω/km
ANM10.004.52.015AB	UL20234	1000V	52X15AWG	34/0.25	27.9	1585.75	10.9Ω/km
ANM10.004.53.015AB	UL20234	1000V	53X15AWG	34/0.25	28.6	1646.15	10.9Ω/km
ANM10.004.54.015AB	UL20234	1000V	54X15AWG	34/0.25	28.6	1658.15	10.9Ω/km
ANM10.004.55.015AB	UL20234	1000V	55X15AWG	34/0.25	28.6	1670.15	10.9Ω/km
ANM10.004.56.015AB	UL20234	1000V	56X15AWG	34/0.25	28.6	1682.15	10.9Ω/km
ANM10.004.57.015AB	UL20234	1000V	57X15AWG	34/0.25	30.6	1836.05	10.9Ω/km
ANM10.004.58.015AB	UL20234	1000V	58X15AWG	34/0.25	30.6	1848.05	10.9Ω/km
ANM10.004.59.015AB	UL20234	1000V	59X15AWG	34/0.25	30.6	1859.95	10.9Ω/km
ANM10.004.60.015AB	UL20234	1000V	60X15AWG	34/0.25	30.6	1871.95	10.9Ω/km
ANM10.004.61.015AB	UL20234	1000V	61X15AWG	34/0.25	30.6	1883.85	10.9Ω/km
ANM10.004.62.015AB	UL20234	1000V	62X15AWG	34/0.25	31.9	2029.65	10.9Ω/km
ANM10.004.63.015AB	UL20234	1000V	63X15AWG	34/0.25	31.9	2041.65	10.9Ω/km
ANM10.004.64.015AB	UL20234	1000V	64X15AWG	34/0.25	31.9	2053.65	10.9Ω/km
ANM10.004.65.015AB	UL20234	1000V	65X15AWG	34/0.25	31.9	2065.55	10.9Ω/km
ANM10.004.02.014AB	UL20234	1000V	2X14AWG	43/0.25	9.8	154.18	8.62Ω/km
ANM10.004.03.014AB	UL20234	1000V	3X14AWG	43/0.25	10.3	181.98	8.62Ω/km
ANM10.004.04.014AB	UL20234	1000V	4X14AWG	43/0.25	11.1	218.58	8.62Ω/km
ANM10.004.05.014AB	UL20234	1000V	5X14AWG	43/0.25	11.9	256.78	8.62Ω/km
ANM10.004.06.014AB	UL20234	1000V	6X14AWG	43/0.25	12.7	296.48	8.62Ω/km
ANM10.004.07.014AB	UL20234	1000V	7X14AWG	43/0.25	12.7	311.58	8.62Ω/km
ANM10.004.08.014AB	UL20234	1000V	8X14AWG	43/0.25	13.6	356.08	8.62Ω/km
ANM10.004.09.014AB	UL20234	1000V	9X14AWG	43/0.25	14.9	417.48	8.62Ω/km
ANM10.004.10.014AB	UL20234	1000V	10X14AWG	43/0.25	15.7	462.88	8.62Ω/km
ANM10.004.11.014AB	UL20234	1000V	11X14AWG	43/0.25	16.2	497.78	8.62Ω/km
ANM10.004.12.014AB	UL20234	1000V	12X14AWG	43/0.25	16.2	512.98	8.62Ω/km
ANM10.004.13.014AB	UL20234	1000V	13X14AWG	43/0.25	17	561.08	8.62Ω/km
ANM10.004.14.014AB	UL20234	1000V	14X14AWG	43/0.25	17	576.18	8.62Ω/km



ANM10.004.15.014AB	UL20234	1000V	15X14AWG	43/0.25	17.8	625.58	8.62 Ω/km
ANM10.004.16.014AB	UL20234	1000V	16X14AWG	43/0.25	17.8	640.78	8.62 Ω/km
ANM10.004.17.014AB	UL20234	1000V	17X14AWG	43/0.25	18.6	691.98	8.62 Ω/km
ANM10.004.18.014AB	UL20234	1000V	18X14AWG	43/0.25	18.6	707.18	8.62 Ω/km
ANM10.004.19.014AB	UL20234	1000V	19X14AWG	43/0.25	18.6	722.28	8.62 Ω/km
ANM10.004.20.014AB	UL20234	1000V	20X14AWG	43/0.25	19.1	760.58	8.62 Ω/km
ANM10.004.21.014AB	UL20234	1000V	21X14AWG	43/0.25	19.5	794.78	8.62 Ω/km
ANM10.004.22.014AB	UL20234	1000V	22X14AWG	43/0.25	21.7	919.58	8.62 Ω/km
ANM10.004.23.014AB	UL20234	1000V	23X14AWG	43/0.25	22.5	978.28	8.62 Ω/km
ANM10.004.24.014AB	UL20234	1000V	24X14AWG	43/0.25	22.5	993.48	8.62 Ω/km
ANM10.004.25.014AB	UL20234	1000V	25X14AWG	43/0.25	23	1036.58	8.62 Ω/km
ANM10.004.26.014AB	UL20234	1000V	26X14AWG	43/0.25	23	1051.68	8.62 Ω/km
ANM10.004.27.014AB	UL20234	1000V	27X14AWG	43/0.25	23	1066.78	8.62 Ω/km
ANM10.004.28.014AB	UL20234	1000V	28X14AWG	43/0.25	23.8	1127.88	8.62 Ω/km
ANM10.004.29.014AB	UL20234	1000V	29X14AWG	43/0.25	23.8	1142.98	8.62 Ω/km
ANM10.004.30.014AB	UL20234	1000V	30X14AWG	43/0.25	23.8	1158.08	8.62 Ω/km
ANM10.004.31.014AB	UL20234	1000V	31X14AWG	43/0.25	24.6	1220.98	8.62 Ω/km
ANM10.004.32.014AB	UL20234	1000V	32X14AWG	43/0.25	24.6	1236.08	8.62 Ω/km
ANM10.004.33.014AB	UL20234	1000V	33X14AWG	43/0.25	24.6	1251.28	8.62 Ω/km
ANM10.004.34.014AB	UL20234	1000V	34X14AWG	43/0.25	25.4	1315.38	8.62 Ω/km
ANM10.004.35.014AB	UL20234	1000V	35X14AWG	43/0.25	25.4	1330.48	8.62 Ω/km
ANM10.004.36.014AB	UL20234	1000V	36X14AWG	43/0.25	25.4	1345.68	8.62 Ω/km
ANM10.004.37.014AB	UL20234	1000V	37X14AWG	43/0.25	25.4	1360.88	8.62 Ω/km
ANM10.004.38.014AB	UL20234	1000V	38X14AWG	43/0.25	26.3	1433.08	8.62 Ω/km
ANM10.004.39.014AB	UL20234	1000V	39X14AWG	43/0.25	26.3	1448.18	8.62 Ω/km
ANM10.004.40.014AB	UL20234	1000V	40X14AWG	43/0.25	26.3	1463.48	8.62 Ω/km
ANM10.004.41.014AB	UL20234	1000V	41X14AWG	43/0.25	28.3	1612.38	8.62 Ω/km
ANM10.004.42.014AB	UL20234	1000V	42X14AWG	43/0.25	28.3	1627.48	8.62 Ω/km
ANM10.004.43.014AB	UL20234	1000V	43X14AWG	43/0.25	28.3	1642.58	8.62 Ω/km
ANM10.004.44.014AB	UL20234	1000V	44X14AWG	43/0.25	28.3	1657.68	8.62 Ω/km
ANM10.004.45.014AB	UL20234	1000V	45X14AWG	43/0.25	28.8	1707.98	8.62 Ω/km
ANM10.004.46.014AB	UL20234	1000V	46X14AWG	43/0.25	28.8	1723.08	8.62 Ω/km
ANM10.004.47.014AB	UL20234	1000V	47X14AWG	43/0.25	28.8	1738.08	8.62 Ω/km
ANM10.004.48.014AB	UL20234	1000V	48X14AWG	43/0.25	28.8	1753.28	8.62 Ω/km
ANM10.004.49.014AB	UL20234	1000V	49X14AWG	43/0.25	30.8	1911.48	8.62 Ω/km
ANM10.004.50.014AB	UL20234	1000V	50X14AWG	43/0.25	30.8	1926.58	8.62 Ω/km
ANM10.004.51.014AB	UL20234	1000V	51X14AWG	43/0.25	30.8	1941.78	8.62 Ω/km
ANM10.004.52.014AB	UL20234	1000V	52X14AWG	43/0.25	30.8	1956.88	8.62 Ω/km
ANM10.004.02.013AB	UL20234	1000V	2X13AWG	54/0.25	10.4	177.43	6.82 Ω/km
ANM10.004.03.013AB	UL20234	1000V	3X13AWG	54/0.25	10.9	209.53	6.82 Ω/km
ANM10.004.04.013AB	UL20234	1000V	4X13AWG	54/0.25	11.8	253.93	6.82 Ω/km
ANM10.004.05.013AB	UL20234	1000V	5X13AWG	54/0.25	12.7	300.23	6.82 Ω/km



ANM10.004.06.013AB	UL20234	1000V	6X13AWG	54/0.25	13.6	348.53	6.82 Ω /km
ANM10.004.07.013AB	UL20234	1000V	7X13AWG	54/0.25	13.6	367.33	6.82 Ω /km
ANM10.004.08.013AB	UL20234	1000V	8X13AWG	54/0.25	14.7	424.83	6.82 Ω /km
ANM10.004.09.013AB	UL20234	1000V	9X13AWG	54/0.25	16	493.33	6.82 Ω /km
ANM10.004.10.013AB	UL20234	1000V	10X13AWG	54/0.25	16.9	548.83	6.82 Ω /km
ANM10.004.11.013AB	UL20234	1000V	11X13AWG	54/0.25	17.4	588.83	6.82 Ω /km
ANM10.004.12.013AB	UL20234	1000V	12X13AWG	54/0.25	17.4	607.63	6.82 Ω /km
ANM10.004.13.013AB	UL20234	1000V	13X13AWG	54/0.25	18.3	666.13	6.82 Ω /km
ANM10.004.14.013AB	UL20234	1000V	14X13AWG	54/0.25	18.3	685.03	6.82 Ω /km
ANM10.004.15.013AB	UL20234	1000V	15X13AWG	54/0.25	19.2	745.53	6.82 Ω /km
ANM10.004.16.013AB	UL20234	1000V	16X13AWG	54/0.25	19.2	764.33	6.82 Ω /km
ANM10.004.17.013AB	UL20234	1000V	17X13AWG	54/0.25	20.1	826.83	6.82 Ω /km
ANM10.004.18.013AB	UL20234	1000V	18X13AWG	54/0.25	20.1	845.73	6.82 Ω /km
ANM10.004.19.013AB	UL20234	1000V	19X13AWG	54/0.25	20.1	864.53	6.82 Ω /km
ANM10.004.20.013AB	UL20234	1000V	20X13AWG	54/0.25	21.6	958.43	6.82 Ω /km
ANM10.004.21.013AB	UL20234	1000V	21X13AWG	54/0.25	22.1	1004.13	6.82 Ω /km
ANM10.004.22.013AB	UL20234	1000V	22X13AWG	54/0.25	23.4	1095.63	6.82 Ω /km
ANM10.004.23.013AB	UL20234	1000V	23X13AWG	54/0.25	24.3	1167.13	6.82 Ω /km
ANM10.004.24.013AB	UL20234	1000V	24X13AWG	54/0.25	24.3	1185.83	6.82 Ω /km
ANM10.004.25.013AB	UL20234	1000V	25X13AWG	54/0.25	24.8	1234.83	6.82 Ω /km
ANM10.004.26.013AB	UL20234	1000V	26X13AWG	54/0.25	24.8	1253.63	6.82 Ω /km
ANM10.004.27.013AB	UL20234	1000V	27X13AWG	54/0.25	24.8	1272.53	6.82 Ω /km
ANM10.004.28.013AB	UL20234	1000V	28X13AWG	54/0.25	25.7	1347.13	6.82 Ω /km
ANM10.004.29.013AB	UL20234	1000V	29X13AWG	54/0.25	25.7	1365.93	6.82 Ω /km
ANM10.004.30.013AB	UL20234	1000V	30X13AWG	54/0.25	25.7	1384.73	6.82 Ω /km
ANM10.004.31.013AB	UL20234	1000V	31X13AWG	54/0.25	26.6	1461.33	6.82 Ω /km
ANM10.004.32.013AB	UL20234	1000V	32X13AWG	54/0.25	26.6	1480.13	6.82 Ω /km
ANM10.004.33.013AB	UL20234	1000V	33X13AWG	54/0.25	26.6	1498.93	6.82 Ω /km
ANM10.004.34.013AB	UL20234	1000V	34X13AWG	54/0.25	27.5	1577.43	6.82 Ω /km
ANM10.004.35.013AB	UL20234	1000V	35X13AWG	54/0.25	27.5	1596.23	6.82 Ω /km
ANM10.004.36.013AB	UL20234	1000V	36X13AWG	54/0.25	27.5	1615.13	6.82 Ω /km
ANM10.004.37.013AB	UL20234	1000V	37X13AWG	54/0.25	27.5	1633.93	6.82 Ω /km
ANM10.004.38.013AB	UL20234	1000V	38X13AWG	54/0.25	28.5	1721.53	6.82 Ω /km
ANM10.004.39.013AB	UL20234	1000V	39X13AWG	54/0.25	28.5	1740.33	6.82 Ω /km
ANM10.004.40.013AB	UL20234	1000V	40X13AWG	54/0.25	28.5	1759.13	6.82 Ω /km
ANM10.004.41.013AB	UL20234	1000V	41X13AWG	54/0.25	32.3	2092.73	6.82 Ω /km
ANM10.004.42.013AB	UL20234	1000V	42X13AWG	54/0.25	32.3	2111.53	6.82 Ω /km
ANM10.004.43.013AB	UL20234	1000V	43X13AWG	54/0.25	32.3	2130.33	6.82 Ω /km
ANM10.004.44.013AB	UL20234	1000V	44X13AWG	54/0.25	32.3	2149.23	6.82 Ω /km
ANM10.004.45.013AB	UL20234	1000V	45X13AWG	54/0.25	32.8	2208.63	6.82 Ω /km
ANM10.004.46.013AB	UL20234	1000V	46X13AWG	54/0.25	32.8	2227.43	6.82 Ω /km
ANM10.004.47.013AB	UL20234	1000V	47X13AWG	54/0.25	32.8	2246.13	6.82 Ω /km



ANM10.004.48.013AB	UL20234	1000V	48X13AWG	54/0.25	32.8	2264.93	6.82 Ω/km
ANM10.004.49.013AB	UL20234	1000V	49X13AWG	54/0.25	33.7	2358.13	6.82 Ω/km
ANM10.004.50.013AB	UL20234	1000V	50X13AWG	54/0.25	33.7	2376.93	6.82 Ω/km
ANM10.004.51.013AB	UL20234	1000V	51X13AWG	54/0.25	33.7	2395.73	6.82 Ω/km
ANM10.004.52.013AB	UL20234	1000V	52X13AWG	54/0.25	33.7	2414.53	6.82 Ω/km
ANM10.004.02.012AB	UL20234	1000V	2X12AWG	68/0.25	11.2	210.21	5.43 Ω/km
ANM10.004.03.012AB	UL20234	1000V	3X12AWG	68/0.25	11.8	251.51	5.43 Ω/km
ANM10.004.04.012AB	UL20234	1000V	4X12AWG	68/0.25	12.7	303.31	5.43 Ω/km
ANM10.004.05.012AB	UL20234	1000V	5X12AWG	68/0.25	13.8	363.51	5.43 Ω/km
ANM10.004.06.012AB	UL20234	1000V	6X12AWG	68/0.25	14.9	426.91	5.43 Ω/km
ANM10.004.07.012AB	UL20234	1000V	7X12AWG	68/0.25	14.9	450.91	5.43 Ω/km
ANM10.004.08.012AB	UL20234	1000V	8X12AWG	68/0.25	16	517.31	5.43 Ω/km
ANM10.004.09.012AB	UL20234	1000V	9X12AWG	68/0.25	17.5	603.51	5.43 Ω/km
ANM10.004.10.012AB	UL20234	1000V	10X12AWG	68/0.25	18.5	672.11	5.43 Ω/km
ANM10.004.11.012AB	UL20234	1000V	11X12AWG	68/0.25	19.1	724.01	5.43 Ω/km
ANM10.004.12.012AB	UL20234	1000V	12X12AWG	68/0.25	19.1	748.11	5.43 Ω/km
ANM10.004.13.012AB	UL20234	1000V	13X12AWG	68/0.25	20	815.61	5.43 Ω/km
ANM10.004.14.012AB	UL20234	1000V	14X12AWG	68/0.25	20	839.61	5.43 Ω/km
ANM10.004.15.012AB	UL20234	1000V	15X12AWG	68/0.25	22.1	970.61	5.43 Ω/km
ANM10.004.16.012AB	UL20234	1000V	16X12AWG	68/0.25	22.1	994.71	5.43 Ω/km
ANM10.004.17.012AB	UL20234	1000V	17X12AWG	68/0.25	23.1	1074.31	5.43 Ω/km
ANM10.004.18.012AB	UL20234	1000V	18X12AWG	68/0.25	23.1	1098.31	5.43 Ω/km
ANM10.004.19.012AB	UL20234	1000V	19X12AWG	68/0.25	23.1	1122.61	5.43 Ω/km
ANM10.004.20.012AB	UL20234	1000V	20X12AWG	68/0.25	23.7	1181.11	5.43 Ω/km
ANM10.004.21.012AB	UL20234	1000V	21X12AWG	68/0.25	24.2	1234.61	5.43 Ω/km
ANM10.004.22.012AB	UL20234	1000V	22X12AWG	68/0.25	25.7	1350.51	5.43 Ω/km
ANM10.004.23.012AB	UL20234	1000V	23X12AWG	68/0.25	26.7	1439.01	5.43 Ω/km
ANM10.004.24.012AB	UL20234	1000V	24X12AWG	68/0.25	26.7	1463.01	5.43 Ω/km
ANM10.004.25.012AB	UL20234	1000V	25X12AWG	68/0.25	27.3	1526.81	5.43 Ω/km
ANM10.004.26.012AB	UL20234	1000V	26X12AWG	68/0.25	27.3	1550.91	5.43 Ω/km
ANM10.004.27.012AB	UL20234	1000V	27X12AWG	68/0.25	27.3	1575.01	5.43 Ω/km
ANM10.004.28.012AB	UL20234	1000V	28X12AWG	68/0.25	28.2	1660.21	5.43 Ω/km
ANM10.004.29.012AB	UL20234	1000V	29X12AWG	68/0.25	28.2	1684.21	5.43 Ω/km
ANM10.004.30.012AB	UL20234	1000V	30X12AWG	68/0.25	28.2	1708.41	5.43 Ω/km
ANM10.004.31.012AB	UL20234	1000V	31X12AWG	68/0.25	30.5	1895.01	5.43 Ω/km
ANM10.004.32.012AB	UL20234	1000V	32X12AWG	68/0.25	30.5	1919.11	5.43 Ω/km
ANM10.004.33.012AB	UL20234	1000V	33X12AWG	68/0.25	30.5	1943.21	5.43 Ω/km
ANM10.004.34.012AB	UL20234	1000V	34X12AWG	68/0.25	31.9	2108.61	5.43 Ω/km
ANM10.004.35.012AB	UL20234	1000V	35X12AWG	68/0.25	31.9	2132.61	5.43 Ω/km
ANM10.004.36.012AB	UL20234	1000V	36X12AWG	68/0.25	31.9	2156.61	5.43 Ω/km
ANM10.004.37.012AB	UL20234	1000V	37X12AWG	68/0.25	31.9	2180.81	5.43 Ω/km
ANM10.004.02.011AB	UL20234	1000V	2X11AWG	85/0.25	12	245.47	4.30 Ω/km



ANM10.004.03.011AB	UL20234	1000V	3X11AWG	85/0.25	12.7	296.67	4.30 Ω/km
ANM10.004.04.011AB	UL20234	1000V	4X11AWG	85/0.25	13.7	359.27	4.30 Ω/km
ANM10.004.05.011AB	UL20234	1000V	5X11AWG	85/0.25	14.9	431.57	4.30 Ω/km
ANM10.004.06.011AB	UL20234	1000V	6X11AWG	85/0.25	16.1	507.27	4.30 Ω/km
ANM10.004.07.011AB	UL20234	1000V	7X11AWG	85/0.25	16.1	536.97	4.30 Ω/km
ANM10.004.08.011AB	UL20234	1000V	8X11AWG	85/0.25	17.3	616.37	4.30 Ω/km
ANM10.004.09.011AB	UL20234	1000V	9X11AWG	85/0.25	18.9	717.47	4.30 Ω/km
ANM10.004.10.011AB	UL20234	1000V	10X11AWG	85/0.25	20.1	804.87	4.30 Ω/km
ANM10.004.11.011AB	UL20234	1000V	11X11AWG	85/0.25	21.8	920.27	4.30 Ω/km
ANM10.004.12.011AB	UL20234	1000V	12X11AWG	85/0.25	21.8	949.87	4.30 Ω/km
ANM10.004.13.011AB	UL20234	1000V	13X11AWG	85/0.25	22.8	1034.57	4.30 Ω/km
ANM10.004.14.011AB	UL20234	1000V	14X11AWG	85/0.25	22.8	1064.17	4.30 Ω/km
ANM10.004.15.011AB	UL20234	1000V	15X11AWG	85/0.25	23.9	1156.77	4.30 Ω/km
ANM10.004.16.011AB	UL20234	1000V	16X11AWG	85/0.25	23.9	1186.57	4.30 Ω/km
ANM10.004.17.011AB	UL20234	1000V	17X11AWG	85/0.25	25.1	1288.37	4.30 Ω/km
ANM10.004.18.011AB	UL20234	1000V	18X11AWG	85/0.25	25.1	1318.07	4.30 Ω/km
ANM10.004.19.011AB	UL20234	1000V	19X11AWG	85/0.25	25.1	1347.77	4.30 Ω/km
ANM10.004.20.011AB	UL20234	1000V	20X11AWG	85/0.25	25.8	1420.97	4.30 Ω/km
ANM10.004.21.011AB	UL20234	1000V	21X11AWG	85/0.25	26.3	1482.77	4.30 Ω/km
ANM10.004.22.011AB	UL20234	1000V	22X11AWG	85/0.25	27.9	1618.67	4.30 Ω/km
ANM10.004.23.011AB	UL20234	1000V	23X11AWG	85/0.25	29.1	1732.17	4.30 Ω/km
ANM10.004.24.011AB	UL20234	1000V	24X11AWG	85/0.25	29.1	1761.77	4.30 Ω/km
ANM10.004.25.011AB	UL20234	1000V	25X11AWG	85/0.25	31	1928.27	4.30 Ω/km
ANM10.004.26.011AB	UL20234	1000V	26X11AWG	85/0.25	31	1957.87	4.30 Ω/km
ANM10.004.27.011AB	UL20234	1000V	27X11AWG	85/0.25	31	1987.57	4.30 Ω/km
ANM10.004.28.011AB	UL20234	1000V	28X11AWG	85/0.25	32.4	2160.97	4.30 Ω/km
ANM10.004.29.011AB	UL20234	1000V	29X11AWG	85/0.25	32.4	2190.57	4.30 Ω/km
ANM10.004.30.011AB	UL20234	1000V	30X11AWG	85/0.25	32.4	2220.17	4.30 Ω/km
ANM10.004.31.011AB	UL20234	1000V	31X11AWG	85/0.25	33.5	2339.97	4.30 Ω/km
ANM10.004.32.011AB	UL20234	1000V	32X11AWG	85/0.25	33.5	2369.57	4.30 Ω/km
ANM10.004.33.011AB	UL20234	1000V	33X11AWG	85/0.25	33.5	2399.27	4.30 Ω/km
ANM10.004.34.011AB	UL20234	1000V	34X11AWG	85/0.25	34.7	2530.47	4.30 Ω/km
ANM10.004.35.011AB	UL20234	1000V	35X11AWG	85/0.25	34.7	2560.07	4.30 Ω/km
ANM10.004.36.011AB	UL20234	1000V	36X11AWG	85/0.25	34.7	2589.87	4.30 Ω/km
ANM10.004.37.011AB	UL20234	1000V	37X11AWG	85/0.25	34.7	2619.37	4.30 Ω/km
ANM10.004.02.010AB	UL20234	1000V	2X10AWG	108/0.25	13.2	295.77	3.409 Ω/km
ANM10.004.03.010AB	UL20234	1000V	3X10AWG	108/0.25	14	358.17	3.409 Ω/km
ANM10.004.04.010AB	UL20234	1000V	4X10AWG	108/0.25	15.3	440.97	3.409 Ω/km
ANM10.004.05.010AB	UL20234	1000V	5X10AWG	108/0.25	16.6	527.87	3.409 Ω/km
ANM10.004.06.010AB	UL20234	1000V	6X10AWG	108/0.25	17.9	618.77	3.409 Ω/km
ANM10.004.07.010AB	UL20234	1000V	7X10AWG	108/0.25	17.9	654.17	3.409 Ω/km
ANM10.004.08.010AB	UL20234	1000V	8X10AWG	108/0.25	19.3	753.87	3.409 Ω/km



ANM10.004.09.010AB	UL20234	1000V	9X10AWG	108/0.25	22.2	935.47	3.409 Ω/km
ANM10.004.10.010AB	UL20234	1000V	10X10AWG	108/0.25	23.5	1044.17	3.409 Ω/km
ANM10.004.11.010AB	UL20234	1000V	11X10AWG	108/0.25	24.3	1126.27	3.409 Ω/km
ANM10.004.12.010AB	UL20234	1000V	12X10AWG	108/0.25	24.3	1161.67	3.409 Ω/km
ANM10.004.13.010AB	UL20234	1000V	13X10AWG	108/0.25	25.5	1270.67	3.409 Ω/km
ANM10.004.14.010AB	UL20234	1000V	14X10AWG	108/0.25	25.5	1305.97	3.409 Ω/km
ANM10.004.15.010AB	UL20234	1000V	15X10AWG	108/0.25	26.8	1424.77	3.409 Ω/km
ANM10.004.16.010AB	UL20234	1000V	16X10AWG	108/0.25	26.8	1460.27	3.409 Ω/km
ANM10.004.17.010AB	UL20234	1000V	17X10AWG	108/0.25	28.1	1583.07	3.409 Ω/km
ANM10.004.18.010AB	UL20234	1000V	18X10AWG	108/0.25	28.1	1618.47	3.409 Ω/km
ANM10.004.19.010AB	UL20234	1000V	19X10AWG	108/0.25	28.1	1653.97	3.409 Ω/km
ANM10.004.20.010AB	UL20234	1000V	20X10AWG	108/0.25	28.9	1745.27	3.409 Ω/km
ANM10.004.21.010AB	UL20234	1000V	21X10AWG	108/0.25	30.7	1909.07	3.409 Ω/km
ANM10.004.22.010AB	UL20234	1000V	22X10AWG	108/0.25	33	2159.57	3.409 Ω/km
ANM10.004.23.010AB	UL20234	1000V	23X10AWG	108/0.25	34.3	2303.67	3.409 Ω/km
ANM10.004.24.010AB	UL20234	1000V	24X10AWG	108/0.25	34.3	2338.97	3.409 Ω/km
ANM10.004.25.010AB	UL20234	1000V	25X10AWG	108/0.25	35.1	2443.37	3.409 Ω/km
ANM10.004.26.010AB	UL20234	1000V	26X10AWG	108/0.25	35.1	2478.77	3.409 Ω/km
ANM10.004.27.010AB	UL20234	1000V	27X10AWG	108/0.25	35.1	2514.07	3.409 Ω/km
ANM10.004.28.010AB	UL20234	1000V	28X10AWG	108/0.25	36.3	2655.77	3.409 Ω/km
ANM10.004.29.010AB	UL20234	1000V	29X10AWG	108/0.25	36.3	2691.17	3.409 Ω/km
ANM10.004.30.010AB	UL20234	1000V	30X10AWG	108/0.25	36.3	2726.57	3.409 Ω/km
ANM10.004.31.010AB	UL20234	1000V	31X10AWG	108/0.25	37.9	2909.17	3.409 Ω/km
ANM10.004.32.010AB	UL20234	1000V	32X10AWG	108/0.25	37.9	2944.57	3.409 Ω/km
ANM10.004.33.010AB	UL20234	1000V	33X10AWG	108/0.25	37.9	2979.97	3.409 Ω/km
ANM10.004.34.010AB	UL20234	1000V	34X10AWG	108/0.25	39.2	3139.27	3.409 Ω/km
ANM10.004.35.010AB	UL20234	1000V	35X10AWG	108/0.25	39.2	3174.77	3.409 Ω/km
ANM10.004.36.010AB	UL20234	1000V	36X10AWG	108/0.25	39.2	3210.17	3.409 Ω/km
ANM10.004.37.010AB	UL20234	1000V	37X10AWG	108/0.25	39.2	3245.47	3.409 Ω/km
ANM10.004.02.009AB	UL20234	1000V	2X9AWG	136/0.25	14.7	369.64	2.705 Ω/km
ANM10.004.03.009AB	UL20234	1000V	3X9AWG	136/0.25	15.6	449.14	2.705 Ω/km
ANM10.004.04.009AB	UL20234	1000V	4X9AWG	136/0.25	16.9	547.14	2.705 Ω/km
ANM10.004.05.009AB	UL20234	1000V	5X9AWG	136/0.25	18.5	662.74	2.705 Ω/km
ANM10.004.06.009AB	UL20234	1000V	6X9AWG	136/0.25	20	779.74	2.705 Ω/km
ANM10.004.07.009AB	UL20234	1000V	7X9AWG	136/0.25	20	825.24	2.705 Ω/km
ANM10.004.02.008AB	UL20234	1000V	2X8AWG	171/0.25	15.5	426.47	2.144 Ω/km
ANM10.004.03.008AB	UL20234	1000V	3X8AWG	171/0.25	16.4	520.37	2.144 Ω/km
ANM10.004.04.008AB	UL20234	1000V	4X8AWG	171/0.25	17.9	642.17	2.144 Ω/km
ANM10.004.05.008AB	UL20234	1000V	5X8AWG	171/0.25	19.5	774.27	2.144 Ω/km
ANM10.004.06.008AB	UL20234	1000V	6X8AWG	171/0.25	22.2	969.27	2.144 Ω/km
ANM10.004.07.008AB	UL20234	1000V	7X8AWG	171/0.25	22.2	1027.37	2.144 Ω/km
ANM10.004.02.007AB	UL20234	1000V	2X7AWG	84/0.4	16.3	493.05	1.700 Ω/km



ANM10.004.03.007AB	UL20234	1000V	3X7AWG	84/0.4	17.3	609.25	1.700 Ω/km
ANM10.004.04.007AB	UL20234	1000V	4X7AWG	84/0.4	18.9	755.45	1.700 Ω/km
ANM10.004.05.007AB	UL20234	1000V	5X7AWG	84/0.4	21.6	962.95	1.700 Ω/km
ANM10.004.06.007AB	UL20234	1000V	6X7AWG	84/0.4	23.4	1137.15	1.700 Ω/km
ANM10.004.07.007AB	UL20234	1000V	7X7AWG	84/0.4	23.4	1211.85	1.700 Ω/km
ANM10.004.02.006AB	UL20234	1000V	2X6AWG	106/0.4	17.7	590	1.348 Ω/km
ANM10.004.03.006AB	UL20234	1000V	3X6AWG	106/0.4	18.8	732	1.348 Ω/km
ANM10.004.04.006AB	UL20234	1000V	4X6AWG	106/0.4	21.6	961.7	1.348 Ω/km
ANM10.004.05.006AB	UL20234	1000V	5X6AWG	106/0.4	23.5	1159.5	1.348 Ω/km
ANM10.004.06.006AB	UL20234	1000V	6X6AWG	106/0.4	25.5	1372	1.348 Ω/km
ANM10.004.07.006AB	UL20234	1000V	7X6AWG	106/0.4	25.5	1464.3	1.348 Ω/km
ANM10.004.02.005AB	UL20234	1000V	2X5AWG	134/0.4	18.9	697.27	1.070 Ω/km
ANM10.004.03.005AB	UL20234	1000V	3X5AWG	134/0.4	20.1	871.97	1.070 Ω/km
ANM10.004.04.005AB	UL20234	1000V	4X5AWG	134/0.4	23	1140.87	1.070 Ω/km
ANM10.004.05.005AB	UL20234	1000V	5X5AWG	134/0.4	25.1	1381.87	1.070 Ω/km
ANM10.004.06.005AB	UL20234	1000V	6X5AWG	134/0.4	27.3	1640.27	1.070 Ω/km
ANM10.004.07.005AB	UL20234	1000V	7X5AWG	134/0.4	27.3	1757.17	1.070 Ω/km
ANM10.004.02.004AB	UL20234	1000V	2X4AWG	169/0.4	22.5	944.45	0.8481 Ω/km
ANM10.004.03.004AB	UL20234	1000V	3X4AWG	169/0.4	23.9	1171.75	0.8481 Ω/km
ANM10.004.04.004AB	UL20234	1000V	4X4AWG	169/0.4	26.2	1460.95	0.8481 Ω/km
ANM10.004.05.004AB	UL20234	1000V	5X4AWG	169/0.4	28.6	1769.75	0.8481 Ω/km
ANM10.004.06.004AB	UL20234	1000V	6X4AWG	169/0.4	32.8	2265.55	0.8481 Ω/km
ANM10.004.07.004AB	UL20234	1000V	7X4AWG	169/0.4	32.8	2413.25	0.8481 Ω/km
ANM10.004.02.003AB	UL20234	1000V	2X3AWG	213/0.4	24.1	1118.87	0.6727 Ω/km
ANM10.004.03.003AB	UL20234	1000V	3X3AWG	213/0.4	25.6	1396.67	0.6727 Ω/km
ANM10.004.04.003AB	UL20234	1000V	4X3AWG	213/0.4	28.1	1747.37	0.6727 Ω/km
ANM10.004.05.003AB	UL20234	1000V	5X3AWG	213/0.4	32.4	2284.27	0.6727 Ω/km
ANM10.004.06.003AB	UL20234	1000V	6X3AWG	213/0.4	35.2	2705.57	0.6727 Ω/km
ANM10.004.07.003AB	UL20234	1000V	7X3AWG	213/0.4	35.2	2891.87	0.6727 Ω/km
ANM10.004.02.002AB	UL20234	1000V	2X2AWG	268/0.4	25.9	1333.42	0.5335 Ω/km
ANM10.004.03.002AB	UL20234	1000V	3X2AWG	268/0.4	27.6	1679.72	0.5335 Ω/km
ANM10.004.04.002AB	UL20234	1000V	4X2AWG	268/0.4	31.9	2259.42	0.5335 Ω/km
ANM10.004.05.002AB	UL20234	1000V	5X2AWG	268/0.4	34.8	2734.52	0.5335 Ω/km
ANM10.004.06.002AB	UL20234	1000V	6X2AWG	268/0.4	38.2	3276.82	0.5335 Ω/km
ANM10.004.07.002AB	UL20234	1000V	7X2AWG	268/0.4	38.2	3511.62	0.5335 Ω/km
ANM10.004.02.001AB	UL20234	1000V	2X1AWG	338/0.4	28.5	1643.21	0.4230 Ω/km
ANM10.004.03.001AB	UL20234	1000V	3X1AWG	338/0.4	32	2232.51	0.4230 Ω/km
ANM10.004.04.001AB	UL20234	1000V	4X1AWG	338/0.4	35	2780.81	0.4230 Ω/km
ANM10.004.05.001AB	UL20234	1000V	5X1AWG	338/0.4	38.6	3407.81	0.4230 Ω/km
ANM10.004.06.001AB	UL20234	1000V	6X1AWG	338/0.4	42.3	4114.51	0.4230 Ω/km
ANM10.004.07.001AB	UL20234	1000V	7X1AWG	338/0.4	42.3	4413.11	0.4230 Ω/km
ANM10.004.02.1/0AB	UL20234	1000V	2X1/0AWG	426/0.4	32.7	2148.79	0.3354 Ω/km



ANM10.004.03.1/OAB	UL20234	1000V	3X1/OAWG	426/0.4	34.8	2697.09	0.3354 Ω/km
ANM10.004.04.1/OAB	UL20234	1000V	4X1/OAWG	426/0.4	38.4	3395.99	0.3354 Ω/km
ANM10.004.05.1/OAB	UL20234	1000V	5X1/OAWG	426/0.4	42.3	4195.49	0.3354 Ω/km
ANM10.004.06.1/OAB	UL20234	1000V	6X1/OAWG	426/0.4	48	5198.69	0.3354 Ω/km
ANM10.004.07.1/OAB	UL20234	1000V	7X1/OAWG	426/0.4	48	5570.99	0.3354 Ω/km
ANM10.004.02.2/OAB	UL20234	1000V	2X2/OAWG	537/0.4	35.3	2575.43	0.2660 Ω/km
ANM10.004.03.2/OAB	UL20234	1000V	3X2/OAWG	537/0.4	37.9	3280.23	0.2660 Ω/km
ANM10.004.04.2/OAB	UL20234	1000V	4X2/OAWG	537/0.4	41.8	4171.13	0.2660 Ω/km
ANM10.004.05.2/OAB	UL20234	1000V	5X2/OAWG	537/0.4	47.7	5287.73	0.2660 Ω/km
ANM10.004.06.2/OAB	UL20234	1000V	6X2/OAWG	537/0.4	51.9	6275.73	0.2660 Ω/km
ANM10.004.07.2/OAB	UL20234	1000V	7X2/OAWG	537/0.4	51.9	6744.53	0.2660 Ω/km
ANM10.004.02.3/OAB	UL20234	1000V	2X3/OAWG	677/0.4	38.2	3110.81	0.2110 Ω/km
ANM10.004.03.3/OAB	UL20234	1000V	3X3/OAWG	677/0.4	40.7	3950.61	0.2110 Ω/km
ANM10.004.04.3/OAB	UL20234	1000V	4X3/OAWG	677/0.4	46.7	5226.41	0.2110 Ω/km
ANM10.004.05.3/OAB	UL20234	1000V	5X3/OAWG	677/0.4	51.2	6369.31	0.2110 Ω/km
ANM10.004.06.3/OAB	UL20234	1000V	6X3/OAWG	677/0.4	55.8	7574.81	0.2110 Ω/km
ANM10.004.07.3/OAB	UL20234	1000V	7X3/OAWG	677/0.4	55.8	8170.31	0.2110 Ω/km
ANM10.004.02.4/OAB	UL20234	1000V	2X4/OAWG	854/0.4	41.4	3759.6	0.1673 Ω/km
ANM10.004.03.4/OAB	UL20234	1000V	3X4/OAWG	854/0.4	46.1	5050.8	0.1673 Ω/km
ANM10.004.04.4/OAB	UL20234	1000V	4X4/OAWG	854/0.4	50.6	6342.6	0.1673 Ω/km
ANM10.004.05.4/OAB	UL20234	1000V	5X4/OAWG	854/0.4	55.5	7738.5	0.1673 Ω/km
ANM10.004.06.4/OAB	UL20234	1000V	6X4/OAWG	854/0.4	60.6	9222.1	0.1673 Ω/km
ANM10.004.07.4/OAB	UL20234	1000V	7X4/OAWG	854/0.4	60.6	9973.5	0.1673 Ω/km
ANM10.004.02.250k	UL20234	1000V	2X250kcmil	1007/0.4	47.6	4754.7	0.1416 Ω/km
ANM10.004.03.250k	UL20234	1000V	3X250kcmil	1007/0.4	50.6	6002.1	0.1416 Ω/km
ANM10.004.04.250k	UL20234	1000V	4X250kcmil	1007/0.4	55.6	7541.8	0.1416 Ω/km
ANM10.004.05.250k	UL20234	1000V	5X250kcmil	1007/0.4	61.2	9232.3	0.1416 Ω/km
ANM10.004.02.300k	UL20234	1000V	2X300kcmil	1184/0.4	49.8	5428.5	0.1180 Ω/km
ANM10.004.03.300k	UL20234	1000V	3X300kcmil	1184/0.4	53	6909.6	0.1180 Ω/km
ANM10.004.04.300k	UL20234	1000V	4X300kcmil	1184/0.4	58.3	8712.8	0.1180 Ω/km
ANM10.004.05.300k	UL20234	1000V	5X300kcmil	1184/0.4	64.1	10662.9	0.1180 Ω/km
ANM10.004.02.350k	UL20234	1000V	2X350kcmil	1406/0.4	52.8	6176.1	0.1011 Ω/km
ANM10.004.03.350k	UL20234	1000V	3X350kcmil	1406/0.4	56.2	7878.6	0.1011 Ω/km
ANM10.004.04.350k	UL20234	1000V	4X350kcmil	1406/0.4	61.9	9954.5	0.1011 Ω/km
ANM10.004.05.350k	UL20234	1000V	5X350kcmil	1406/0.4	68.2	12209.2	0.1011 Ω/km
ANM10.004.02.400k	UL20234	1000V	2X400kcmil	1628/0.4	55.8	6954.6	0.08851 Ω/km
ANM10.004.03.400k	UL20234	1000V	3X400kcmil	1628/0.4	59.5	8900.3	0.08851 Ω/km
ANM10.004.04.400k	UL20234	1000V	4X400kcmil	1628/0.4	65.5	11244.4	0.08851 Ω/km
ANM10.004.05.400k	UL20234	1000V	5X400kcmil	1628/0.4	74.6	14216.8	0.08851 Ω/km
ANM10.004.02.450k	UL20234	1000V	2X450kcmil	1830/0.4	58.2	7668.7	0.07867 Ω/km
ANM10.004.03.450k	UL20234	1000V	3X450kcmil	1830/0.4	62	9826.5	0.07867 Ω/km
ANM10.004.04.450k	UL20234	1000V	4X450kcmil	1830/0.4	68.4	12449.3	0.07867 Ω/km



ANM10.004.05.450kV	UL20234	1000V	5X450kcmil	1830/0.4	77.9	15736.9	0.07867 Ω/km
ANM10.004.02.500kV	UL20234	1000V	2X500kcmil	2013/0.4	60.2	8351.8	0.07080 Ω/km
ANM10.004.03.500kV	UL20234	1000V	3X500kcmil	2013/0.4	64.2	10742.3	0.07080 Ω/km
ANM10.004.04.500kV	UL20234	1000V	4X500kcmil	2013/0.4	73.2	14026.2	0.07080 Ω/km
ANM10.004.05.500kV	UL20234	1000V	5X500kcmil	2013/0.4	80.6	17201.3	0.07080 Ω/km
ANM10.004.03.01.013AB	UL20234	1000V	3X13AWG+1X15AWG	54/0.25	11.2	232.95	6.82 Ω/km
ANM10.004.03.01.012AB	UL20234	1000V	3X12AWG+1X14AWG	68/0.25	12.1	278.98	5.43 Ω/km
ANM10.004.03.01.011AB	UL20234	1000V	3X11AWG+1X14AWG	85/0.25	12.8	317.78	4.30 Ω/km
ANM10.004.03.01.010AB	UL20234	1000V	3X10AWG+1X13AWG	108/0.25	14.2	387.23	3.409 Ω/km
ANM10.004.03.01.009AB	UL20234	1000V	3X9AWG+1X12AWG	136/0.25	15.7	479.91	2.705 Ω/km
ANM10.004.03.01.008AB	UL20234	1000V	3X8AWG+1X11AWG	171/0.25	16.7	564.87	2.144 Ω/km
ANM10.004.03.01.007AB	UL20234	1000V	3X7AWG+1X10AWG	84/0.4	17.8	668.37	1.700 Ω/km
ANM10.004.03.01.006AB	UL20234	1000V	3X6AWG+1X9AWG	106/0.4	19.4	807.24	1.348 Ω/km
ANM10.004.03.01.005AB	UL20234	1000V	3X5AWG+1X8AWG	134/0.4	21.8	1016.27	1.070 Ω/km
ANM10.004.03.01.004AB	UL20234	1000V	3X4AWG+1X7AWG	169/0.4	24.4	1275.65	0.8481 Ω/km
ANM10.004.03.01.003AB	UL20234	1000V	3X3AWG+1X6AWG	213/0.4	26.3	1531	0.6727 Ω/km
ANM10.004.03.01.002AB	UL20234	1000V	3X2AWG+1X5AWG	268/0.4	28.3	1839.87	0.5335 Ω/km
ANM10.004.03.01.001AB	UL20234	1000V	3X1AWG+1X4AWG	338/0.4	33	2453.55	0.4230 Ω/km
ANM10.004.03.01.1/0AB	UL20234	1000V	3X1/0AWG+1X3AWG	426/0.4	35.8	2959.27	0.3354 Ω/km
ANM10.004.03.01.2/0AB	UL20234	1000V	3X2/0AWG+1X2AWG	537/0.4	39	3602.72	0.2660 Ω/km
ANM10.004.03.01.3/0AB	UL20234	1000V	3X3/0AWG+1X1AWG	677/0.4	42.4	4438.01	0.2110 Ω/km
ANM10.004.03.01.4/0AB	UL20234	1000V	3X4/0AWG+1X1/0AWG	854/0.4	47.9	5600.19	0.1673 Ω/km
ANM10.004.03.01.250kV	UL20234	1000V	3X250kcmil+1X2/0AWG	1007/0.4	52.5	6676.93	0.1416 Ω/km
ANM10.004.03.01.300kV	UL20234	1000V	3X300kcmil+1X3/0AWG	1184/0.4	55.3	7770.71	0.1180 Ω/km
ANM10.004.03.01.350kV	UL20234	1000V	3X350kcmil+1X4/0AWG	1406/0.4	59	8985.1	0.1011 Ω/km
ANM10.004.03.01.400kV	UL20234	1000V	3X400kcmil+1X250kcmil	1628/0.4	62.9	10247.9	0.08851 Ω/km
ANM10.004.03.01.450kV	UL20234	1000V	3X450kcmil+1X300kcmil	1830/0.4	65.8	11452	0.07867 Ω/km
ANM10.004.03.01.500kV	UL20234	1000V	3X500kcmil+1X350kcmil	2013/0.4	68.5	12644.1	0.07080 Ω/km
ANM10.004.03.02.013AB	UL20234	1000V	3X13AWG+2X15AWG	54/0.25	11.9	265.55	6.82 Ω/km
ANM10.004.03.02.012AB	UL20234	1000V	3X12AWG+2X14AWG	68/0.25	12.8	316.28	5.43 Ω/km
ANM10.004.03.02.011AB	UL20234	1000V	3X11AWG+2X14AWG	85/0.25	13.4	352.78	4.30 Ω/km
ANM10.004.03.02.010AB	UL20234	1000V	3X10AWG+2X13AWG	108/0.25	14.8	427.83	3.409 Ω/km
ANM10.004.03.02.009AB	UL20234	1000V	3X9AWG+2X12AWG	136/0.25	16.4	532.31	2.705 Ω/km
ANM10.004.03.02.008AB	UL20234	1000V	3X8AWG+2X11AWG	171/0.25	17.5	628.67	2.144 Ω/km
ANM10.004.03.02.007AB	UL20234	1000V	3X7AWG+2X10AWG	84/0.4	18.8	749.57	1.700 Ω/km
ANM10.004.03.02.006AB	UL20234	1000V	3X6AWG+2X9AWG	106/0.4	21.6	962.84	1.348 Ω/km
ANM10.004.03.02.005AB	UL20234	1000V	3X5AWG+2X8AWG	134/0.4	23	1141.17	1.070 Ω/km
ANM10.004.03.02.004AB	UL20234	1000V	3X4AWG+2X7AWG	169/0.4	25.6	1424.35	0.8481 Ω/km
ANM10.004.03.02.003AB	UL20234	1000V	3X3AWG+2X6AWG	213/0.4	27.6	1709.9	0.6727 Ω/km
ANM10.004.03.02.002AB	UL20234	1000V	3X2AWG+2X5AWG	268/0.4	31.3	2207.57	0.5335 Ω/km
ANM10.004.03.02.001AB	UL20234	1000V	3X1AWG+2X4AWG	338/0.4	34.9	2762.25	0.4230 Ω/km
ANM10.004.03.02.1/0AB	UL20234	1000V	3X1/0AWG+2X3AWG	426/0.4	38.1	3357.27	0.3354 Ω/km



ANM10.004.03.02.2/0AB	UL20234	1000V	3X2/OAWG+2X2AWG	537/0.4	41.2	4056.82	0.2660 Ω/km
ANM10.004.03.02.3/0AB	UL20234	1000V	3X3/OAWG+2X1AWG	677/0.4	46.7	5205.21	0.2110 Ω/km
ANM10.004.03.02.4/0AB	UL20234	1000V	3X4/OAWG+2X1/OAWG	854/0.4	50.7	6316.49	0.1673 Ω/km
ANM10.004.03.02.250kB	UL20234	1000V	3X250kcmil+2X2/OAWG	1007/0.4	55.5	7548.63	0.1416 Ω/km
ANM10.004.03.02.300kB	UL20234	1000V	3X300kcmil+2X3/OAWG	1184/0.4	58.7	8847.71	0.1180 Ω/km
ANM10.004.03.02.350kB	UL20234	1000V	3X350kcmil+2X4/OAWG	1406/0.4	62.9	10325.7	0.1011 Ω/km
ANM10.004.03.02.400kB	UL20234	1000V	3X400kcmil+2X250kcmil	1628/0.4	67.6	11888.5	0.08851 Ω/km
ANM10.004.03.02.450kB	UL20234	1000V	3X450kcmil+2X300kcmil	1830/0.4	73.1	13760.7	0.07867 Ω/km
ANM10.004.03.02.500kB	UL20234	1000V	3X500kcmil+2X350kcmil	2013/0.4	76.3	15264.3	0.07080 Ω/km
ANM10.004.01.01.013AB	UL20234	1000V	4X13AWG+1X15AWG	54/0.25	12.2	281.45	6.82 Ω/km
ANM10.004.01.01.012AB	UL20234	1000V	4X12AWG+1X14AWG	68/0.25	13.1	334.98	5.43 Ω/km
ANM10.004.01.01.011AB	UL20234	1000V	4X11AWG+1X14AWG	85/0.25	14.1	391.58	4.30 Ω/km
ANM10.004.01.01.010AB	UL20234	1000V	4X10AWG+1X13AWG	108/0.25	15.6	475.03	3.409 Ω/km
ANM10.004.01.01.009AB	UL20234	1000V	4X9AWG+1X12AWG	136/0.25	17.3	591.91	2.705 Ω/km
ANM10.004.01.01.008AB	UL20234	1000V	4X8AWG+1X11AWG	171/0.25	18.4	697.67	2.144 Ω/km
ANM10.004.01.01.007AB	UL20234	1000V	4X7AWG+1X10AWG	84/0.4	19.6	827.07	1.700 Ω/km
ANM10.004.01.01.006AB	UL20234	1000V	4X6AWG+1X9AWG	106/0.4	22.5	1058.64	1.348 Ω/km
ANM10.004.01.01.005AB	UL20234	1000V	4X5AWG+1X8AWG	134/0.4	24	1258.17	1.070 Ω/km
ANM10.004.01.01.001AB	UL20234	1000V	4X4AWG+1X7AWG	169/0.4	27	1588.45	0.8481 Ω/km
ANM10.004.01.01.003AB	UL20234	1000V	4X3AWG+1X6AWG	213/0.4	29.1	1908.8	0.6727 Ω/km
ANM10.004.01.01.002AB	UL20234	1000V	4X2AWG+1X5AWG	268/0.4	33	2462.07	0.5335 Ω/km
ANM10.004.01.01.001AB	UL20234	1000V	4X1AWG+1X4AWG	338/0.4	36.5	3055.85	0.4230 Ω/km
ANM10.004.01.01.1/0AB	UL20234	1000V	4X1/OAWG+1X3AWG	426/0.4	40	3728.07	0.3354 Ω/km
ANM10.004.01.01.2/0AB	UL20234	1000V	4X2/OAWG+1X2AWG	537/0.4	45.3	4761.52	0.2660 Ω/km
ANM10.004.01.01.3/0AB	UL20234	1000V	4X3/OAWG+1X1AWG	677/0.4	48.8	5752.41	0.2110 Ω/km
ANM10.004.01.01.4/0AB	UL20234	1000V	4X4/OAWG+1X1/OAWG	854/0.4	53	6992.59	0.1673 Ω/km
ANM10.004.01.01.250kB	UL20234	1000V	4X250kcmil+1X2/OAWG	1007/0.4	58.2	8342.83	0.1416 Ω/km
ANM10.004.01.01.300kB	UL20234	1000V	4X300kcmil+1X3/OAWG	1184/0.4	61.3	9711.91	0.1180 Ω/km
ANM10.004.01.01.350kB	UL20234	1000V	4X350kcmil+1X4/OAWG	1406/0.4	65.4	11215	0.1011 Ω/km
ANM10.004.01.01.400kB	UL20234	1000V	4X400kcmil+1X250kcmil	1628/0.4	69.8	12798.5	0.08851 Ω/km
ANM10.004.01.01.450kB	UL20234	1000V	4X450kcmil+1X300kcmil	1830/0.4	75.4	14702.1	0.07867 Ω/km
ANM10.004.01.01.500kB	UL20234	1000V	4X500kcmil+1X350kcmil	2013/0.4	78.3	16177.8	0.07080 Ω/km
ANM10.004.03.03.013AB	UL20234	1000V	3X13AWG+3X18AWG	54/0.25	11.5	246.73	6.82 Ω/km
ANM10.004.03.03.012AB	UL20234	1000V	3X12AWG+3X17AWG	68/0.25	12.4	294.34	5.43 Ω/km
ANM10.004.03.03.011AB	UL20234	1000V	3X11AWG+3X16AWG	85/0.25	13.5	353.91	4.30 Ω/km
ANM10.004.03.03.010AB	UL20234	1000V	3X10AWG+3X15AWG	108/0.25	14.7	421.25	3.409 Ω/km
ANM10.004.03.03.009AB	UL20234	1000V	3X9AWG+3X14AWG	136/0.25	16	512.18	2.705 Ω/km
ANM10.004.03.03.008AB	UL20234	1000V	3X8AWG+3X13AWG	171/0.25	17	602.93	2.144 Ω/km
ANM10.004.03.03.007AB	UL20234	1000V	3X7AWG+3X12AWG	84/0.4	18.2	721.21	1.700 Ω/km
ANM10.004.03.03.006AB	UL20234	1000V	3X6AWG+3X11AWG	106/0.4	19.9	872.77	1.348 Ω/km
ANM10.004.03.03.005AB	UL20234	1000V	3X5AWG+3X10AWG	134/0.4	22.7	1110.87	1.070 Ω/km
ANM10.004.03.03.004AB	UL20234	1000V	3X4AWG+3X9AWG	169/0.4	25.6	1408.14	0.8481 Ω/km



ANM10.004.03.03.003AB	UL20234	1000V	3X3AWG+3X8AWG	213/0.4	27.4	1681.47	0.6727 Ω/km
ANM10.004.03.03.002AB	UL20234	1000V	3X2AWG+3X7AWG	268/0.4	29.2	2004.25	0.5335 Ω/km
ANM10.004.03.03.001AB	UL20234	1000V	3X1AWG+3X6AWG	338/0.4	33.8	2641.8	0.4230 Ω/km
ANM10.004.03.03.1/0AB	UL20234	1000V	3X1/0AWG+3X5AWG	426/0.4	36.5	3177.27	0.3354 Ω/km
ANM10.004.03.03.2/0AB	UL20234	1000V	3X2/0AWG+3X4AWG	537/0.4	40.8	3976.75	0.2660 Ω/km
ANM10.004.03.03.3/0AB	UL20234	1000V	3X3/0AWG+3X3AWG	677/0.4	45.9	5058.37	0.2110 Ω/km
ANM10.004.03.03.4/0AB	UL20234	1000V	3X4/0AWG+3X2AWG	854/0.4	49.6	6119.12	0.1673 Ω/km
ANM10.004.03.03.250kB	UL20234	1000V	3X250kcmil+3X1AWG	1007/0.4	54.6	7358.61	0.1416 Ω/km
ANM10.004.03.03.300kB	UL20234	1000V	3X300kcmil+3X1/0AWG	1184/0.4	58.3	8683.49	0.1180 Ω/km
ANM10.004.03.03.350kB	UL20234	1000V	3X350kcmil+3X1/0AWG	1406/0.4	60.3	9489.09	0.1011 Ω/km
ANM10.004.03.03.400kB	UL20234	1000V	3X400kcmil+3X2/0AWG	1628/0.4	64.5	10965.53	0.08851 Ω/km
ANM10.004.03.03.450kB	UL20234	1000V	3X450kcmil+3X3/0AWG	1830/0.4	68.3	12513.61	0.07867 Ω/km
ANM10.004.03.03.500kB	UL20234	1000V	3X500kcmil+3X3/0AWG	2013/0.4	69.7	13300.51	0.07080 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 XLPE 材质							
ANM10.006.02.019AB	UL20234	1000V	2X19AWG	43/0.14	9.4	121.96	27.4 Ω/km
ANM10.006.03.019AB	UL20234	1000V	3X19AWG	43/0.14	9.9	138.66	27.4 Ω/km
ANM10.006.04.019AB	UL20234	1000V	4X19AWG	43/0.14	10.6	161.26	27.4 Ω/km
ANM10.006.05.019AB	UL20234	1000V	5X19AWG	43/0.14	11.3	184.96	27.4 Ω/km
ANM10.006.06.019AB	UL20234	1000V	6X19AWG	43/0.14	12.1	212.96	27.4 Ω/km
ANM10.006.07.019AB	UL20234	1000V	7X19AWG	43/0.14	12.1	217.46	27.4 Ω/km
ANM10.006.08.019AB	UL20234	1000V	8X19AWG	43/0.14	13	250.26	27.4 Ω/km
ANM10.006.09.019AB	UL20234	1000V	9X19AWG	43/0.14	14	288.16	27.4 Ω/km
ANM10.006.10.019AB	UL20234	1000V	10X19AWG	43/0.14	14.9	325.26	27.4 Ω/km
ANM10.006.11.019AB	UL20234	1000V	11X19AWG	43/0.14	15.4	348.46	27.4 Ω/km
ANM10.006.12.019AB	UL20234	1000V	12X19AWG	43/0.14	15.4	353.06	27.4 Ω/km
ANM10.006.13.019AB	UL20234	1000V	13X19AWG	43/0.14	16.1	384.86	27.4 Ω/km
ANM10.006.14.019AB	UL20234	1000V	14X19AWG	43/0.14	16.1	389.46	27.4 Ω/km
ANM10.006.15.019AB	UL20234	1000V	15X19AWG	43/0.14	16.8	422.46	27.4 Ω/km
ANM10.006.16.019AB	UL20234	1000V	16X19AWG	43/0.14	16.8	427.06	27.4 Ω/km
ANM10.006.17.019AB	UL20234	1000V	17X19AWG	43/0.14	17.6	465.56	27.4 Ω/km
ANM10.006.18.019AB	UL20234	1000V	18X19AWG	43/0.14	17.6	470.16	27.4 Ω/km
ANM10.006.19.019AB	UL20234	1000V	19X19AWG	43/0.14	17.6	474.66	27.4 Ω/km
ANM10.006.20.019AB	UL20234	1000V	20X19AWG	43/0.14	18.1	501.26	27.4 Ω/km
ANM10.006.21.019AB	UL20234	1000V	21X19AWG	43/0.14	18.5	523.86	27.4 Ω/km
ANM10.006.22.019AB	UL20234	1000V	22X19AWG	43/0.14	19.5	575.36	27.4 Ω/km
ANM10.006.23.019AB	UL20234	1000V	23X19AWG	43/0.14	21.3	668.36	27.4 Ω/km
ANM10.006.24.019AB	UL20234	1000V	24X19AWG	43/0.14	21.3	672.96	27.4 Ω/km
ANM10.006.25.019AB	UL20234	1000V	25X19AWG	43/0.14	21.8	703.96	27.4 Ω/km
ANM10.006.26.019AB	UL20234	1000V	26X19AWG	43/0.14	21.8	708.46	27.4 Ω/km
ANM10.006.27.019AB	UL20234	1000V	27X19AWG	43/0.14	21.8	712.96	27.4 Ω/km



ANM10.006.28.019AB	UL20234	1000V	28X19AWG	43/0.14	22.5	755.76	27.4Ω/km
ANM10.006.29.019AB	UL20234	1000V	29X19AWG	43/0.14	22.5	760.26	27.4Ω/km
ANM10.006.30.019AB	UL20234	1000V	30X19AWG	43/0.14	22.5	764.86	27.4Ω/km
ANM10.006.31.019AB	UL20234	1000V	31X19AWG	43/0.14	23.2	808.66	27.4Ω/km
ANM10.006.32.019AB	UL20234	1000V	32X19AWG	43/0.14	23.2	813.26	27.4Ω/km
ANM10.006.33.019AB	UL20234	1000V	33X19AWG	43/0.14	23.2	817.76	27.4Ω/km
ANM10.006.34.019AB	UL20234	1000V	34X19AWG	43/0.14	24	868.66	27.4Ω/km
ANM10.006.35.019AB	UL20234	1000V	35X19AWG	43/0.14	24	873.16	27.4Ω/km
ANM10.006.36.019AB	UL20234	1000V	36X19AWG	43/0.14	24	877.76	27.4Ω/km
ANM10.006.37.019AB	UL20234	1000V	37X19AWG	43/0.14	24	882.26	27.4Ω/km
ANM10.006.38.019AB	UL20234	1000V	38X19AWG	43/0.14	24.9	940.86	27.4Ω/km
ANM10.006.39.019AB	UL20234	1000V	39X19AWG	43/0.14	24.9	945.36	27.4Ω/km
ANM10.006.40.019AB	UL20234	1000V	40X19AWG	43/0.14	24.9	949.96	27.4Ω/km
ANM10.006.41.019AB	UL20234	1000V	41X19AWG	43/0.14	26.7	1068.36	27.4Ω/km
ANM10.006.42.019AB	UL20234	1000V	42X19AWG	43/0.14	26.7	1072.96	27.4Ω/km
ANM10.006.43.019AB	UL20234	1000V	43X19AWG	43/0.14	26.7	1077.46	27.4Ω/km
ANM10.006.44.019AB	UL20234	1000V	44X19AWG	43/0.14	26.7	1082.06	27.4Ω/km
ANM10.006.45.019AB	UL20234	1000V	45X19AWG	43/0.14	27.2	1119.66	27.4Ω/km
ANM10.006.46.019AB	UL20234	1000V	46X19AWG	43/0.14	27.2	1124.16	27.4Ω/km
ANM10.006.47.019AB	UL20234	1000V	47X19AWG	43/0.14	27.2	1128.66	27.4Ω/km
ANM10.006.48.019AB	UL20234	1000V	48X19AWG	43/0.14	27.2	1133.26	27.4Ω/km
ANM10.006.49.019AB	UL20234	1000V	49X19AWG	43/0.14	27.9	1184.96	27.4Ω/km
ANM10.006.50.019AB	UL20234	1000V	50X19AWG	43/0.14	27.9	1189.56	27.4Ω/km
ANM10.006.51.019AB	UL20234	1000V	51X19AWG	43/0.14	27.9	1194.06	27.4Ω/km
ANM10.006.52.019AB	UL20234	1000V	52X19AWG	43/0.14	27.9	1198.66	27.4Ω/km
ANM10.006.53.019AB	UL20234	1000V	53X19AWG	43/0.14	28.6	1251.66	27.4Ω/km
ANM10.006.54.019AB	UL20234	1000V	54X19AWG	43/0.14	28.6	1256.16	27.4Ω/km
ANM10.006.55.019AB	UL20234	1000V	55X19AWG	43/0.14	28.6	1260.76	27.4Ω/km
ANM10.006.56.019AB	UL20234	1000V	56X19AWG	43/0.14	28.6	1265.26	27.4Ω/km
ANM10.006.57.019AB	UL20234	1000V	57X19AWG	43/0.14	30.6	1411.86	27.4Ω/km
ANM10.006.58.019AB	UL20234	1000V	58X19AWG	43/0.14	30.6	1416.36	27.4Ω/km
ANM10.006.59.019AB	UL20234	1000V	59X19AWG	43/0.14	30.6	1420.96	27.4Ω/km
ANM10.006.60.019AB	UL20234	1000V	60X19AWG	43/0.14	30.6	1425.46	27.4Ω/km
ANM10.006.61.019AB	UL20234	1000V	61X19AWG	43/0.14	30.6	1429.96	27.4Ω/km
ANM10.006.62.019AB	UL20234	1000V	62X19AWG	43/0.14	31.9	1568.36	27.4Ω/km
ANM10.006.63.019AB	UL20234	1000V	63X19AWG	43/0.14	31.9	1572.86	27.4Ω/km
ANM10.006.64.019AB	UL20234	1000V	64X19AWG	43/0.14	31.9	1577.36	27.4Ω/km
ANM10.006.65.019AB	UL20234	1000V	65X19AWG	43/0.14	31.9	1581.96	27.4Ω/km
ANM10.006.02.018AB	UL20234	1000V	2X18AWG	29/0.19	9.6	129.63	21.8Ω/km
ANM10.006.03.018AB	UL20234	1000V	3X18AWG	29/0.19	10.1	147.73	21.8Ω/km
ANM10.006.04.018AB	UL20234	1000V	4X18AWG	29/0.19	10.8	172.03	21.8Ω/km
ANM10.006.05.018AB	UL20234	1000V	5X18AWG	29/0.19	11.6	200.43	21.8Ω/km



ANM10.006.06.018AB	UL20234	1000V	6X18AWG	29/0.19	12.4	230.03	21.8 Ω /km
ANM10.006.07.018AB	UL20234	1000V	7X18AWG	29/0.19	12.4	235.93	21.8 Ω /km
ANM10.006.08.018AB	UL20234	1000V	8X18AWG	29/0.19	13.3	270.73	21.8 Ω /km
ANM10.006.09.018AB	UL20234	1000V	9X18AWG	29/0.19	14.5	318.03	21.8 Ω /km
ANM10.006.10.018AB	UL20234	1000V	10X18AWG	29/0.19	15.3	353.63	21.8 Ω /km
ANM10.006.11.018AB	UL20234	1000V	11X18AWG	29/0.19	15.8	378.73	21.8 Ω /km
ANM10.006.12.018AB	UL20234	1000V	12X18AWG	29/0.19	15.8	384.53	21.8 Ω /km
ANM10.006.13.018AB	UL20234	1000V	13X18AWG	29/0.19	16.5	418.53	21.8 Ω /km
ANM10.006.14.018AB	UL20234	1000V	14X18AWG	29/0.19	16.5	424.33	21.8 Ω /km
ANM10.006.15.018AB	UL20234	1000V	15X18AWG	29/0.19	17.3	463.63	21.8 Ω /km
ANM10.006.16.018AB	UL20234	1000V	16X18AWG	29/0.19	17.3	469.53	21.8 Ω /km
ANM10.006.17.018AB	UL20234	1000V	17X18AWG	29/0.19	18.1	510.33	21.8 Ω /km
ANM10.006.18.018AB	UL20234	1000V	18X18AWG	29/0.19	18.1	516.23	21.8 Ω /km
ANM10.006.19.018AB	UL20234	1000V	19X18AWG	29/0.19	18.1	522.13	21.8 Ω /km
ANM10.006.20.018AB	UL20234	1000V	20X18AWG	29/0.19	18.6	550.63	21.8 Ω /km
ANM10.006.21.018AB	UL20234	1000V	21X18AWG	29/0.19	19	575.03	21.8 Ω /km
ANM10.006.22.018AB	UL20234	1000V	22X18AWG	29/0.19	20.1	634.03	21.8 Ω /km
ANM10.006.23.018AB	UL20234	1000V	23X18AWG	29/0.19	21.9	730.93	21.8 Ω /km
ANM10.006.24.018AB	UL20234	1000V	24X18AWG	29/0.19	21.9	736.83	21.8 Ω /km
ANM10.006.25.018AB	UL20234	1000V	25X18AWG	29/0.19	22.4	769.93	21.8 Ω /km
ANM10.006.26.018AB	UL20234	1000V	26X18AWG	29/0.19	22.4	775.73	21.8 Ω /km
ANM10.006.27.018AB	UL20234	1000V	27X18AWG	29/0.19	22.4	781.63	21.8 Ω /km
ANM10.006.28.018AB	UL20234	1000V	28X18AWG	29/0.19	23.1	826.63	21.8 Ω /km
ANM10.006.29.018AB	UL20234	1000V	29X18AWG	29/0.19	23.1	832.53	21.8 Ω /km
ANM10.006.30.018AB	UL20234	1000V	30X18AWG	29/0.19	23.1	838.43	21.8 Ω /km
ANM10.006.31.018AB	UL20234	1000V	31X18AWG	29/0.19	23.9	890.33	21.8 Ω /km
ANM10.006.32.018AB	UL20234	1000V	32X18AWG	29/0.19	23.9	896.33	21.8 Ω /km
ANM10.006.33.018AB	UL20234	1000V	33X18AWG	29/0.19	23.9	902.23	21.8 Ω /km
ANM10.006.34.018AB	UL20234	1000V	34X18AWG	29/0.19	24.7	955.83	21.8 Ω /km
ANM10.006.35.018AB	UL20234	1000V	35X18AWG	29/0.19	24.7	961.73	21.8 Ω /km
ANM10.006.36.018AB	UL20234	1000V	36X18AWG	29/0.19	24.7	967.63	21.8 Ω /km
ANM10.006.37.018AB	UL20234	1000V	37X18AWG	29/0.19	24.7	973.43	21.8 Ω /km
ANM10.006.38.018AB	UL20234	1000V	38X18AWG	29/0.19	25.6	1034.83	21.8 Ω /km
ANM10.006.39.018AB	UL20234	1000V	39X18AWG	29/0.19	25.6	1040.73	21.8 Ω /km
ANM10.006.40.018AB	UL20234	1000V	40X18AWG	29/0.19	25.6	1046.53	21.8 Ω /km
ANM10.006.41.018AB	UL20234	1000V	41X18AWG	29/0.19	27.5	1176.03	21.8 Ω /km
ANM10.006.42.018AB	UL20234	1000V	42X18AWG	29/0.19	27.5	1181.83	21.8 Ω /km
ANM10.006.43.018AB	UL20234	1000V	43X18AWG	29/0.19	27.5	1187.73	21.8 Ω /km
ANM10.006.44.018AB	UL20234	1000V	44X18AWG	29/0.19	27.5	1193.73	21.8 Ω /km
ANM10.006.45.018AB	UL20234	1000V	45X18AWG	29/0.19	28	1233.53	21.8 Ω /km
ANM10.006.46.018AB	UL20234	1000V	46X18AWG	29/0.19	28	1239.43	21.8 Ω /km
ANM10.006.47.018AB	UL20234	1000V	47X18AWG	29/0.19	28	1245.33	21.8 Ω /km



ANM10.006.48.018AB	UL20234	1000V	48X18AWG	29/0.19	28	1251.13	21.8 Ω/km
ANM10.006.49.018AB	UL20234	1000V	49X18AWG	29/0.19	28.7	1305.73	21.8 Ω/km
ANM10.006.50.018AB	UL20234	1000V	50X18AWG	29/0.19	28.7	1311.63	21.8 Ω/km
ANM10.006.51.018AB	UL20234	1000V	51X18AWG	29/0.19	28.7	1317.33	21.8 Ω/km
ANM10.006.52.018AB	UL20234	1000V	52X18AWG	29/0.19	28.7	1323.23	21.8 Ω/km
ANM10.006.53.018AB	UL20234	1000V	53X18AWG	29/0.19	30.7	1471.83	21.8 Ω/km
ANM10.006.54.018AB	UL20234	1000V	54X18AWG	29/0.19	30.7	1477.63	21.8 Ω/km
ANM10.006.55.018AB	UL20234	1000V	55X18AWG	29/0.19	30.7	1483.53	21.8 Ω/km
ANM10.006.56.018AB	UL20234	1000V	56X18AWG	29/0.19	30.7	1489.23	21.8 Ω/km
ANM10.006.57.018AB	UL20234	1000V	57X18AWG	29/0.19	31.9	1621.43	21.8 Ω/km
ANM10.006.58.018AB	UL20234	1000V	58X18AWG	29/0.19	31.9	1627.33	21.8 Ω/km
ANM10.006.59.018AB	UL20234	1000V	59X18AWG	29/0.19	31.9	1633.23	21.8 Ω/km
ANM10.006.60.018AB	UL20234	1000V	60X18AWG	29/0.19	31.9	1639.13	21.8 Ω/km
ANM10.006.61.018AB	UL20234	1000V	61X18AWG	29/0.19	31.9	1644.93	21.8 Ω/km
ANM10.006.62.018AB	UL20234	1000V	62X18AWG	29/0.19	32.8	1723.13	21.8 Ω/km
ANM10.006.63.018AB	UL20234	1000V	63X18AWG	29/0.19	32.8	1729.03	21.8 Ω/km
ANM10.006.64.018AB	UL20234	1000V	64X18AWG	29/0.19	32.8	1734.93	21.8 Ω/km
ANM10.006.65.018AB	UL20234	1000V	65X18AWG	29/0.19	32.8	1740.83	21.8 Ω/km
ANM10.006.02.017AB	UL20234	1000V	2X17AWG	37/0.19	10	142.44	17.3 Ω/km
ANM10.006.03.017AB	UL20234	1000V	3X17AWG	37/0.19	10.5	162.64	17.3 Ω/km
ANM10.006.04.017AB	UL20234	1000V	4X17AWG	37/0.19	11.3	191.64	17.3 Ω/km
ANM10.006.05.017AB	UL20234	1000V	5X17AWG	37/0.19	12.1	222.24	17.3 Ω/km
ANM10.006.06.017AB	UL20234	1000V	6X17AWG	37/0.19	13	257.84	17.3 Ω/km
ANM10.006.07.017AB	UL20234	1000V	7X17AWG	37/0.19	13	265.04	17.3 Ω/km
ANM10.006.08.017AB	UL20234	1000V	8X17AWG	37/0.19	13.9	302.44	17.3 Ω/km
ANM10.006.09.017AB	UL20234	1000V	9X17AWG	37/0.19	15.2	356.74	17.3 Ω/km
ANM10.006.10.017AB	UL20234	1000V	10X17AWG	37/0.19	16.1	398.94	17.3 Ω/km
ANM10.006.11.017AB	UL20234	1000V	11X17AWG	37/0.19	16.6	426.54	17.3 Ω/km
ANM10.006.12.017AB	UL20234	1000V	12X17AWG	37/0.19	16.6	433.74	17.3 Ω/km
ANM10.006.13.017AB	UL20234	1000V	13X17AWG	37/0.19	17.4	474.54	17.3 Ω/km
ANM10.006.14.017AB	UL20234	1000V	14X17AWG	37/0.19	17.4	481.94	17.3 Ω/km
ANM10.006.15.017AB	UL20234	1000V	15X17AWG	37/0.19	18.2	524.34	17.3 Ω/km
ANM10.006.16.017AB	UL20234	1000V	16X17AWG	37/0.19	18.2	531.64	17.3 Ω/km
ANM10.006.17.017AB	UL20234	1000V	17X17AWG	37/0.19	19.1	580.24	17.3 Ω/km
ANM10.006.18.017AB	UL20234	1000V	18X17AWG	37/0.19	19.1	587.54	17.3 Ω/km
ANM10.006.19.017AB	UL20234	1000V	19X17AWG	37/0.19	19.1	594.94	17.3 Ω/km
ANM10.006.20.017AB	UL20234	1000V	20X17AWG	37/0.19	19.6	626.04	17.3 Ω/km
ANM10.006.21.017AB	UL20234	1000V	21X17AWG	37/0.19	20	652.84	17.3 Ω/km
ANM10.006.22.017AB	UL20234	1000V	22X17AWG	37/0.19	22.2	772.44	17.3 Ω/km
ANM10.006.23.017AB	UL20234	1000V	23X17AWG	37/0.19	23.1	829.74	17.3 Ω/km
ANM10.006.24.017AB	UL20234	1000V	24X17AWG	37/0.19	23.1	837.04	17.3 Ω/km
ANM10.006.25.017AB	UL20234	1000V	25X17AWG	37/0.19	23.6	872.94	17.3 Ω/km



ANM10.006.26.017AB	UL20234	1000V	26X17AWG	37/0.19	23.6	880.14	17.3 Ω/km
ANM10.006.27.017AB	UL20234	1000V	27X17AWG	37/0.19	23.6	887.54	17.3 Ω/km
ANM10.006.28.017AB	UL20234	1000V	28X17AWG	37/0.19	24.4	942.04	17.3 Ω/km
ANM10.006.29.017AB	UL20234	1000V	29X17AWG	37/0.19	24.4	949.34	17.3 Ω/km
ANM10.006.30.017AB	UL20234	1000V	30X17AWG	37/0.19	24.4	956.54	17.3 Ω/km
ANM10.006.31.017AB	UL20234	1000V	31X17AWG	37/0.19	25.2	1012.44	17.3 Ω/km
ANM10.006.32.017AB	UL20234	1000V	32X17AWG	37/0.19	25.2	1019.84	17.3 Ω/km
ANM10.006.33.017AB	UL20234	1000V	33X17AWG	37/0.19	25.2	1027.04	17.3 Ω/km
ANM10.006.34.017AB	UL20234	1000V	34X17AWG	37/0.19	26.1	1090.84	17.3 Ω/km
ANM10.006.35.017AB	UL20234	1000V	35X17AWG	37/0.19	26.1	1098.14	17.3 Ω/km
ANM10.006.36.017AB	UL20234	1000V	36X17AWG	37/0.19	26.1	1105.44	17.3 Ω/km
ANM10.006.37.017AB	UL20234	1000V	37X17AWG	37/0.19	26.1	1112.74	17.3 Ω/km
ANM10.006.38.017AB	UL20234	1000V	38X17AWG	37/0.19	27	1178.74	17.3 Ω/km
ANM10.006.39.017AB	UL20234	1000V	39X17AWG	37/0.19	27	1185.94	17.3 Ω/km
ANM10.006.40.017AB	UL20234	1000V	40X17AWG	37/0.19	27	1193.24	17.3 Ω/km
ANM10.006.41.017AB	UL20234	1000V	41X17AWG	37/0.19	29.1	1344.74	17.3 Ω/km
ANM10.006.42.017AB	UL20234	1000V	42X17AWG	37/0.19	29.1	1352.04	17.3 Ω/km
ANM10.006.43.017AB	UL20234	1000V	43X17AWG	37/0.19	29.1	1359.34	17.3 Ω/km
ANM10.006.44.017AB	UL20234	1000V	44X17AWG	37/0.19	29.1	1366.54	17.3 Ω/km
ANM10.006.45.017AB	UL20234	1000V	45X17AWG	37/0.19	30.8	1495.74	17.3 Ω/km
ANM10.006.46.017AB	UL20234	1000V	46X17AWG	37/0.19	30.8	1502.94	17.3 Ω/km
ANM10.006.47.017AB	UL20234	1000V	47X17AWG	37/0.19	30.8	1510.14	17.3 Ω/km
ANM10.006.48.017AB	UL20234	1000V	48X17AWG	37/0.19	30.8	1517.44	17.3 Ω/km
ANM10.006.49.017AB	UL20234	1000V	49X17AWG	37/0.19	32	1651.34	17.3 Ω/km
ANM10.006.50.017AB	UL20234	1000V	50X17AWG	37/0.19	32	1658.64	17.3 Ω/km
ANM10.006.51.017AB	UL20234	1000V	51X17AWG	37/0.19	32	1665.94	17.3 Ω/km
ANM10.006.52.017AB	UL20234	1000V	52X17AWG	37/0.19	32	1673.14	17.3 Ω/km
ANM10.006.53.017AB	UL20234	1000V	53X17AWG	37/0.19	32.8	1745.04	17.3 Ω/km
ANM10.006.54.017AB	UL20234	1000V	54X17AWG	37/0.19	32.8	1752.24	17.3 Ω/km
ANM10.006.55.017AB	UL20234	1000V	55X17AWG	37/0.19	32.8	1759.44	17.3 Ω/km
ANM10.006.56.017AB	UL20234	1000V	56X17AWG	37/0.19	32.8	1766.74	17.3 Ω/km
ANM10.006.57.017AB	UL20234	1000V	57X17AWG	37/0.19	33.7	1848.34	17.3 Ω/km
ANM10.006.58.017AB	UL20234	1000V	58X17AWG	37/0.19	33.7	1855.64	17.3 Ω/km
ANM10.006.59.017AB	UL20234	1000V	59X17AWG	37/0.19	33.7	1862.84	17.3 Ω/km
ANM10.006.60.017AB	UL20234	1000V	60X17AWG	37/0.19	33.7	1870.14	17.3 Ω/km
ANM10.006.61.017AB	UL20234	1000V	61X17AWG	37/0.19	33.7	1877.44	17.3 Ω/km
ANM10.006.62.017AB	UL20234	1000V	62X17AWG	37/0.19	34.6	1961.04	17.3 Ω/km
ANM10.006.63.017AB	UL20234	1000V	63X17AWG	37/0.19	34.6	1968.24	17.3 Ω/km
ANM10.006.64.017AB	UL20234	1000V	64X17AWG	37/0.19	34.6	1975.54	17.3 Ω/km
ANM10.006.65.017AB	UL20234	1000V	65X17AWG	37/0.19	34.6	1982.74	17.3 Ω/km
ANM10.006.02.016AB	UL20234	1000V	2X16AWG	27/0.25	10.2	152.11	13.7 Ω/km
ANM10.006.03.016AB	UL20234	1000V	3X16AWG	27/0.25	10.7	174.71	13.7 Ω/km



ANM10.006.04.016AB	UL20234	1000V	4X16AWG	27/0.25	11.5	206.41	13.7 Ω/km
ANM10.006.05.016AB	UL20234	1000V	5X16AWG	27/0.25	12.4	242.61	13.7 Ω/km
ANM10.006.06.016AB	UL20234	1000V	6X16AWG	27/0.25	13.3	281.11	13.7 Ω/km
ANM10.006.07.016AB	UL20234	1000V	7X16AWG	27/0.25	13.3	290.51	13.7 Ω/km
ANM10.006.08.016AB	UL20234	1000V	8X16AWG	27/0.25	14.4	337.91	13.7 Ω/km
ANM10.006.09.016AB	UL20234	1000V	9X16AWG	27/0.25	15.6	392.11	13.7 Ω/km
ANM10.006.10.016AB	UL20234	1000V	10X16AWG	27/0.25	16.5	437.21	13.7 Ω/km
ANM10.006.11.016AB	UL20234	1000V	11X16AWG	27/0.25	17	467.41	13.7 Ω/km
ANM10.006.12.016AB	UL20234	1000V	12X16AWG	27/0.25	17	477.01	13.7 Ω/km
ANM10.006.13.016AB	UL20234	1000V	13X16AWG	27/0.25	17.8	520.71	13.7 Ω/km
ANM10.006.14.016AB	UL20234	1000V	14X16AWG	27/0.25	17.8	530.21	13.7 Ω/km
ANM10.006.15.016AB	UL20234	1000V	15X16AWG	27/0.25	18.7	580.21	13.7 Ω/km
ANM10.006.16.016AB	UL20234	1000V	16X16AWG	27/0.25	18.7	589.71	13.7 Ω/km
ANM10.006.17.016AB	UL20234	1000V	17X16AWG	27/0.25	19.6	641.61	13.7 Ω/km
ANM10.006.18.016AB	UL20234	1000V	18X16AWG	27/0.25	19.6	651.21	13.7 Ω/km
ANM10.006.19.016AB	UL20234	1000V	19X16AWG	27/0.25	19.6	660.61	13.7 Ω/km
ANM10.006.20.016AB	UL20234	1000V	20X16AWG	27/0.25	20.1	694.51	13.7 Ω/km
ANM10.006.21.016AB	UL20234	1000V	21X16AWG	27/0.25	21.6	779.11	13.7 Ω/km
ANM10.006.22.016AB	UL20234	1000V	22X16AWG	27/0.25	22.8	854.01	13.7 Ω/km
ANM10.006.23.016AB	UL20234	1000V	23X16AWG	27/0.25	23.7	914.91	13.7 Ω/km
ANM10.006.24.016AB	UL20234	1000V	24X16AWG	27/0.25	23.7	924.41	13.7 Ω/km
ANM10.006.25.016AB	UL20234	1000V	25X16AWG	27/0.25	24.2	963.31	13.7 Ω/km
ANM10.006.26.016AB	UL20234	1000V	26X16AWG	27/0.25	24.2	972.81	13.7 Ω/km
ANM10.006.27.016AB	UL20234	1000V	27X16AWG	27/0.25	24.2	982.11	13.7 Ω/km
ANM10.006.28.016AB	UL20234	1000V	28X16AWG	27/0.25	25	1039.91	13.7 Ω/km
ANM10.006.29.016AB	UL20234	1000V	29X16AWG	27/0.25	25	1049.31	13.7 Ω/km
ANM10.006.30.016AB	UL20234	1000V	30X16AWG	27/0.25	25	1058.91	13.7 Ω/km
ANM10.006.31.016AB	UL20234	1000V	31X16AWG	27/0.25	25.9	1124.51	13.7 Ω/km
ANM10.006.32.016AB	UL20234	1000V	32X16AWG	27/0.25	25.9	1133.91	13.7 Ω/km
ANM10.006.33.016AB	UL20234	1000V	33X16AWG	27/0.25	25.9	1143.41	13.7 Ω/km
ANM10.006.34.016AB	UL20234	1000V	34X16AWG	27/0.25	26.8	1211.01	13.7 Ω/km
ANM10.006.35.016AB	UL20234	1000V	35X16AWG	27/0.25	26.8	1220.41	13.7 Ω/km
ANM10.006.36.016AB	UL20234	1000V	36X16AWG	27/0.25	26.8	1230.01	13.7 Ω/km
ANM10.006.37.016AB	UL20234	1000V	37X16AWG	27/0.25	26.8	1239.41	13.7 Ω/km
ANM10.006.38.016AB	UL20234	1000V	38X16AWG	27/0.25	27.8	1315.81	13.7 Ω/km
ANM10.006.39.016AB	UL20234	1000V	39X16AWG	27/0.25	27.8	1325.21	13.7 Ω/km
ANM10.006.40.016AB	UL20234	1000V	40X16AWG	27/0.25	27.8	1334.61	13.7 Ω/km
ANM10.006.41.016AB	UL20234	1000V	41X16AWG	27/0.25	31.5	1643.71	13.7 Ω/km
ANM10.006.42.016AB	UL20234	1000V	42X16AWG	27/0.25	31.5	1653.21	13.7 Ω/km
ANM10.006.43.016AB	UL20234	1000V	43X16AWG	27/0.25	31.5	1662.61	13.7 Ω/km
ANM10.006.44.016AB	UL20234	1000V	44X16AWG	27/0.25	31.5	1672.01	13.7 Ω/km
ANM10.006.45.016AB	UL20234	1000V	45X16AWG	27/0.25	32	1721.11	13.7 Ω/km



ANM10.006.46.016AB	UL20234	1000V	46X16AWG	27/0.25	32	1730.41	13.7 Ω/km
ANM10.006.47.016AB	UL20234	1000V	47X16AWG	27/0.25	32	1740.01	13.7 Ω/km
ANM10.006.48.016AB	UL20234	1000V	48X16AWG	27/0.25	32	1749.51	13.7 Ω/km
ANM10.006.49.016AB	UL20234	1000V	49X16AWG	27/0.25	32.8	1823.41	13.7 Ω/km
ANM10.006.50.016AB	UL20234	1000V	50X16AWG	27/0.25	32.8	1832.91	13.7 Ω/km
ANM10.006.51.016AB	UL20234	1000V	51X16AWG	27/0.25	32.8	1842.21	13.7 Ω/km
ANM10.006.52.016AB	UL20234	1000V	52X16AWG	27/0.25	32.8	1851.71	13.7 Ω/km
ANM10.006.53.016AB	UL20234	1000V	53X16AWG	27/0.25	33.7	1935.61	13.7 Ω/km
ANM10.006.54.016AB	UL20234	1000V	54X16AWG	27/0.25	33.7	1945.01	13.7 Ω/km
ANM10.006.55.016AB	UL20234	1000V	55X16AWG	27/0.25	33.7	1954.51	13.7 Ω/km
ANM10.006.56.016AB	UL20234	1000V	56X16AWG	27/0.25	33.7	1963.91	13.7 Ω/km
ANM10.006.57.016AB	UL20234	1000V	57X16AWG	27/0.25	34.6	2049.71	13.7 Ω/km
ANM10.006.58.016AB	UL20234	1000V	58X16AWG	27/0.25	34.6	2059.01	13.7 Ω/km
ANM10.006.59.016AB	UL20234	1000V	59X16AWG	27/0.25	34.6	2068.61	13.7 Ω/km
ANM10.006.60.016AB	UL20234	1000V	60X16AWG	27/0.25	34.6	2078.11	13.7 Ω/km
ANM10.006.61.016AB	UL20234	1000V	61X16AWG	27/0.25	34.6	2087.51	13.7 Ω/km
ANM10.006.62.016AB	UL20234	1000V	62X16AWG	27/0.25	35.6	2184.01	13.7 Ω/km
ANM10.006.63.016AB	UL20234	1000V	63X16AWG	27/0.25	35.6	2193.41	13.7 Ω/km
ANM10.006.64.016AB	UL20234	1000V	64X16AWG	27/0.25	35.6	2202.81	13.7 Ω/km
ANM10.006.65.016AB	UL20234	1000V	65X16AWG	27/0.25	35.6	2212.41	13.7 Ω/km
ANM10.006.02.015AB	UL20234	1000V	2X15AWG	34/0.25	10.6	167.75	10.9 Ω/km
ANM10.006.03.015AB	UL20234	1000V	3X15AWG	34/0.25	11.2	196.05	10.9 Ω/km
ANM10.006.04.015AB	UL20234	1000V	4X15AWG	34/0.25	12	231.15	10.9 Ω/km
ANM10.006.05.015AB	UL20234	1000V	5X15AWG	34/0.25	13	274.25	10.9 Ω/km
ANM10.006.06.015AB	UL20234	1000V	6X15AWG	34/0.25	13.9	316.15	10.9 Ω/km
ANM10.006.07.015AB	UL20234	1000V	7X15AWG	34/0.25	13.9	328.05	10.9 Ω/km
ANM10.006.08.015AB	UL20234	1000V	8X15AWG	34/0.25	15	379.45	10.9 Ω/km
ANM10.006.09.015AB	UL20234	1000V	9X15AWG	34/0.25	16.4	445.65	10.9 Ω/km
ANM10.006.10.015AB	UL20234	1000V	10X15AWG	34/0.25	17.3	495.25	10.9 Ω/km
ANM10.006.11.015AB	UL20234	1000V	11X15AWG	34/0.25	17.9	533.25	10.9 Ω/km
ANM10.006.12.015AB	UL20234	1000V	12X15AWG	34/0.25	17.9	545.15	10.9 Ω/km
ANM10.006.13.015AB	UL20234	1000V	13X15AWG	34/0.25	18.7	593.05	10.9 Ω/km
ANM10.006.14.015AB	UL20234	1000V	14X15AWG	34/0.25	18.7	605.05	10.9 Ω/km
ANM10.006.15.015AB	UL20234	1000V	15X15AWG	34/0.25	19.7	664.25	10.9 Ω/km
ANM10.006.16.015AB	UL20234	1000V	16X15AWG	34/0.25	19.7	676.15	10.9 Ω/km
ANM10.006.17.015AB	UL20234	1000V	17X15AWG	34/0.25	21.6	782.75	10.9 Ω/km
ANM10.006.18.015AB	UL20234	1000V	18X15AWG	34/0.25	21.6	794.55	10.9 Ω/km
ANM10.006.19.015AB	UL20234	1000V	19X15AWG	34/0.25	21.6	806.55	10.9 Ω/km
ANM10.006.20.015AB	UL20234	1000V	20X15AWG	34/0.25	22.2	850.65	10.9 Ω/km
ANM10.006.21.015AB	UL20234	1000V	21X15AWG	34/0.25	22.6	884.55	10.9 Ω/km
ANM10.006.22.015AB	UL20234	1000V	22X15AWG	34/0.25	24	976.65	10.9 Ω/km
ANM10.006.23.015AB	UL20234	1000V	23X15AWG	34/0.25	24.9	1042.65	10.9 Ω/km



ANM10.006.24.015AB	UL20234	1000V	24X15AWG	34/0.25	24.9	1054.45	10.9Ω/km
ANM10.006.25.015AB	UL20234	1000V	25X15AWG	34/0.25	25.5	1103.35	10.9Ω/km
ANM10.006.26.015AB	UL20234	1000V	26X15AWG	34/0.25	25.5	1115.35	10.9Ω/km
ANM10.006.27.015AB	UL20234	1000V	27X15AWG	34/0.25	25.5	1127.15	10.9Ω/km
ANM10.006.28.015AB	UL20234	1000V	28X15AWG	34/0.25	26.3	1189.85	10.9Ω/km
ANM10.006.29.015AB	UL20234	1000V	29X15AWG	34/0.25	26.3	1201.75	10.9Ω/km
ANM10.006.30.015AB	UL20234	1000V	30X15AWG	34/0.25	26.3	1213.55	10.9Ω/km
ANM10.006.31.015AB	UL20234	1000V	31X15AWG	34/0.25	27.3	1291.15	10.9Ω/km
ANM10.006.32.015AB	UL20234	1000V	32X15AWG	34/0.25	27.3	1303.15	10.9Ω/km
ANM10.006.33.015AB	UL20234	1000V	33X15AWG	34/0.25	27.3	1314.85	10.9Ω/km
ANM10.006.34.015AB	UL20234	1000V	34X15AWG	34/0.25	28.2	1387.95	10.9Ω/km
ANM10.006.35.015AB	UL20234	1000V	35X15AWG	34/0.25	28.2	1399.85	10.9Ω/km
ANM10.006.36.015AB	UL20234	1000V	36X15AWG	34/0.25	28.2	1411.75	10.9Ω/km
ANM10.006.37.015AB	UL20234	1000V	37X15AWG	34/0.25	28.2	1423.55	10.9Ω/km
ANM10.006.38.015AB	UL20234	1000V	38X15AWG	34/0.25	29.2	1505.85	10.9Ω/km
ANM10.006.39.015AB	UL20234	1000V	39X15AWG	34/0.25	29.2	1517.75	10.9Ω/km
ANM10.006.40.015AB	UL20234	1000V	40X15AWG	34/0.25	29.2	1529.65	10.9Ω/km
ANM10.006.41.015AB	UL20234	1000V	41X15AWG	34/0.25	33.1	1871.75	10.9Ω/km
ANM10.006.42.015AB	UL20234	1000V	42X15AWG	34/0.25	33.1	1883.55	10.9Ω/km
ANM10.006.43.015AB	UL20234	1000V	43X15AWG	34/0.25	33.1	1895.45	10.9Ω/km
ANM10.006.44.015AB	UL20234	1000V	44X15AWG	34/0.25	33.1	1907.45	10.9Ω/km
ANM10.006.45.015AB	UL20234	1000V	45X15AWG	34/0.25	33.7	1969.05	10.9Ω/km
ANM10.006.46.015AB	UL20234	1000V	46X15AWG	34/0.25	33.7	1980.95	10.9Ω/km
ANM10.006.47.015AB	UL20234	1000V	47X15AWG	34/0.25	33.7	1992.85	10.9Ω/km
ANM10.006.48.015AB	UL20234	1000V	48X15AWG	34/0.25	33.7	2004.75	10.9Ω/km
ANM10.006.49.015AB	UL20234	1000V	49X15AWG	34/0.25	34.5	2084.25	10.9Ω/km
ANM10.006.50.015AB	UL20234	1000V	50X15AWG	34/0.25	34.5	2096.15	10.9Ω/km
ANM10.006.51.015AB	UL20234	1000V	51X15AWG	34/0.25	34.5	2107.95	10.9Ω/km
ANM10.006.52.015AB	UL20234	1000V	52X15AWG	34/0.25	34.5	2119.95	10.9Ω/km
ANM10.006.53.015AB	UL20234	1000V	53X15AWG	34/0.25	35.5	2218.55	10.9Ω/km
ANM10.006.54.015AB	UL20234	1000V	54X15AWG	34/0.25	35.5	2230.35	10.9Ω/km
ANM10.006.55.015AB	UL20234	1000V	55X15AWG	34/0.25	35.5	2242.25	10.9Ω/km
ANM10.006.56.015AB	UL20234	1000V	56X15AWG	34/0.25	35.5	2254.25	10.9Ω/km
ANM10.006.57.015AB	UL20234	1000V	57X15AWG	34/0.25	36.4	2346.15	10.9Ω/km
ANM10.006.58.015AB	UL20234	1000V	58X15AWG	34/0.25	36.4	2358.15	10.9Ω/km
ANM10.006.59.015AB	UL20234	1000V	59X15AWG	34/0.25	36.4	2369.95	10.9Ω/km
ANM10.006.60.015AB	UL20234	1000V	60X15AWG	34/0.25	36.4	2381.85	10.9Ω/km
ANM10.006.61.015AB	UL20234	1000V	61X15AWG	34/0.25	36.4	2393.65	10.9Ω/km
ANM10.006.62.015AB	UL20234	1000V	62X15AWG	34/0.25	37.7	2524.95	10.9Ω/km
ANM10.006.63.015AB	UL20234	1000V	63X15AWG	34/0.25	37.7	2536.85	10.9Ω/km
ANM10.006.64.015AB	UL20234	1000V	64X15AWG	34/0.25	37.7	2548.75	10.9Ω/km
ANM10.006.65.015AB	UL20234	1000V	65X15AWG	34/0.25	37.7	2560.45	10.9Ω/km



ANM10.006.02.014AB	UL20234	1000V	2X14AWG	43/0.25	11	185.28	8.62 Ω/km
ANM10.006.03.014AB	UL20234	1000V	3X14AWG	43/0.25	11.6	217.38	8.62 Ω/km
ANM10.006.04.014AB	UL20234	1000V	4X14AWG	43/0.25	12.5	259.48	8.62 Ω/km
ANM10.006.05.014AB	UL20234	1000V	5X14AWG	43/0.25	13.5	307.08	8.62 Ω/km
ANM10.006.06.014AB	UL20234	1000V	6X14AWG	43/0.25	14.6	360.38	8.62 Ω/km
ANM10.006.07.014AB	UL20234	1000V	7X14AWG	43/0.25	14.6	375.48	8.62 Ω/km
ANM10.006.08.014AB	UL20234	1000V	8X14AWG	43/0.25	15.7	431.78	8.62 Ω/km
ANM10.006.09.014AB	UL20234	1000V	9X14AWG	43/0.25	17.1	503.78	8.62 Ω/km
ANM10.006.10.014AB	UL20234	1000V	10X14AWG	43/0.25	18.1	562.38	8.62 Ω/km
ANM10.006.11.014AB	UL20234	1000V	11X14AWG	43/0.25	18.7	604.68	8.62 Ω/km
ANM10.006.12.014AB	UL20234	1000V	12X14AWG	43/0.25	18.7	619.68	8.62 Ω/km
ANM10.006.13.014AB	UL20234	1000V	13X14AWG	43/0.25	19.6	677.28	8.62 Ω/km
ANM10.006.14.014AB	UL20234	1000V	14X14AWG	43/0.25	19.6	692.38	8.62 Ω/km
ANM10.006.15.014AB	UL20234	1000V	15X14AWG	43/0.25	21.6	806.98	8.62 Ω/km
ANM10.006.16.014AB	UL20234	1000V	16X14AWG	43/0.25	21.6	822.08	8.62 Ω/km
ANM10.006.17.014AB	UL20234	1000V	17X14AWG	43/0.25	22.6	891.38	8.62 Ω/km
ANM10.006.18.014AB	UL20234	1000V	18X14AWG	43/0.25	22.6	906.48	8.62 Ω/km
ANM10.006.19.014AB	UL20234	1000V	19X14AWG	43/0.25	22.6	921.58	8.62 Ω/km
ANM10.006.20.014AB	UL20234	1000V	20X14AWG	43/0.25	23.2	970.28	8.62 Ω/km
ANM10.006.21.014AB	UL20234	1000V	21X14AWG	43/0.25	23.7	1014.08	8.62 Ω/km
ANM10.006.22.014AB	UL20234	1000V	22X14AWG	43/0.25	25.1	1113.08	8.62 Ω/km
ANM10.006.23.014AB	UL20234	1000V	23X14AWG	43/0.25	26.1	1190.88	8.62 Ω/km
ANM10.006.24.014AB	UL20234	1000V	24X14AWG	43/0.25	26.1	1205.88	8.62 Ω/km
ANM10.006.25.014AB	UL20234	1000V	25X14AWG	43/0.25	26.7	1259.88	8.62 Ω/km
ANM10.006.26.014AB	UL20234	1000V	26X14AWG	43/0.25	26.7	1274.88	8.62 Ω/km
ANM10.006.27.014AB	UL20234	1000V	27X14AWG	43/0.25	26.7	1289.98	8.62 Ω/km
ANM10.006.28.014AB	UL20234	1000V	28X14AWG	43/0.25	27.6	1364.88	8.62 Ω/km
ANM10.006.29.014AB	UL20234	1000V	29X14AWG	43/0.25	27.6	1379.88	8.62 Ω/km
ANM10.006.30.014AB	UL20234	1000V	30X14AWG	43/0.25	27.6	1394.88	8.62 Ω/km
ANM10.006.31.014AB	UL20234	1000V	31X14AWG	43/0.25	28.6	1479.08	8.62 Ω/km
ANM10.006.32.014AB	UL20234	1000V	32X14AWG	43/0.25	28.6	1493.98	8.62 Ω/km
ANM10.006.33.014AB	UL20234	1000V	33X14AWG	43/0.25	28.6	1508.98	8.62 Ω/km
ANM10.006.34.014AB	UL20234	1000V	34X14AWG	43/0.25	30.8	1681.18	8.62 Ω/km
ANM10.006.35.014AB	UL20234	1000V	35X14AWG	43/0.25	30.8	1696.18	8.62 Ω/km
ANM10.006.36.014AB	UL20234	1000V	36X14AWG	43/0.25	30.8	1711.28	8.62 Ω/km
ANM10.006.37.014AB	UL20234	1000V	37X14AWG	43/0.25	30.8	1726.28	8.62 Ω/km
ANM10.006.38.014AB	UL20234	1000V	38X14AWG	43/0.25	32.3	1891.98	8.62 Ω/km
ANM10.006.39.014AB	UL20234	1000V	39X14AWG	43/0.25	32.3	1906.98	8.62 Ω/km
ANM10.006.40.014AB	UL20234	1000V	40X14AWG	43/0.25	32.3	1922.08	8.62 Ω/km
ANM10.006.41.014AB	UL20234	1000V	41X14AWG	43/0.25	34.7	2136.88	8.62 Ω/km
ANM10.006.42.014AB	UL20234	1000V	42X14AWG	43/0.25	34.7	2151.78	8.62 Ω/km
ANM10.006.43.014AB	UL20234	1000V	43X14AWG	43/0.25	34.7	2166.88	8.62 Ω/km



ANM10.006.44.014AB	UL20234	1000V	44X14AWG	43/0.25	34.7	2181.88	8.62 Ω/km
ANM10.006.45.014AB	UL20234	1000V	45X14AWG	43/0.25	35.3	2249.08	8.62 Ω/km
ANM10.006.46.014AB	UL20234	1000V	46X14AWG	43/0.25	35.3	2264.18	8.62 Ω/km
ANM10.006.47.014AB	UL20234	1000V	47X14AWG	43/0.25	35.3	2279.18	8.62 Ω/km
ANM10.006.48.014AB	UL20234	1000V	48X14AWG	43/0.25	35.3	2294.18	8.62 Ω/km
ANM10.006.49.014AB	UL20234	1000V	49X14AWG	43/0.25	36.2	2389.18	8.62 Ω/km
ANM10.006.50.014AB	UL20234	1000V	50X14AWG	43/0.25	36.2	2404.18	8.62 Ω/km
ANM10.006.51.014AB	UL20234	1000V	51X14AWG	43/0.25	36.2	2419.18	8.62 Ω/km
ANM10.006.52.014AB	UL20234	1000V	52X14AWG	43/0.25	36.2	2434.28	8.62 Ω/km
ANM10.006.02.013AB	UL20234	1000V	2X13AWG	54/0.25	11.6	210.33	6.82 Ω/km
ANM10.006.03.013AB	UL20234	1000V	3X13AWG	54/0.25	12.2	246.83	6.82 Ω/km
ANM10.006.04.013AB	UL20234	1000V	4X13AWG	54/0.25	13.2	297.23	6.82 Ω/km
ANM10.006.05.013AB	UL20234	1000V	5X13AWG	54/0.25	14.4	357.13	6.82 Ω/km
ANM10.006.06.013AB	UL20234	1000V	6X13AWG	54/0.25	15.5	416.63	6.82 Ω/km
ANM10.006.07.013AB	UL20234	1000V	7X13AWG	54/0.25	15.5	435.33	6.82 Ω/km
ANM10.006.08.013AB	UL20234	1000V	8X13AWG	54/0.25	16.7	501.93	6.82 Ω/km
ANM10.006.09.013AB	UL20234	1000V	9X13AWG	54/0.25	18.2	585.53	6.82 Ω/km
ANM10.006.10.013AB	UL20234	1000V	10X13AWG	54/0.25	19.3	655.23	6.82 Ω/km
ANM10.006.11.013AB	UL20234	1000V	11X13AWG	54/0.25	19.9	702.83	6.82 Ω/km
ANM10.006.12.013AB	UL20234	1000V	12X13AWG	54/0.25	19.9	721.63	6.82 Ω/km
ANM10.006.13.013AB	UL20234	1000V	13X13AWG	54/0.25	21.9	841.33	6.82 Ω/km
ANM10.006.14.013AB	UL20234	1000V	14X13AWG	54/0.25	21.9	859.93	6.82 Ω/km
ANM10.006.15.013AB	UL20234	1000V	15X13AWG	54/0.25	23	939.43	6.82 Ω/km
ANM10.006.16.013AB	UL20234	1000V	16X13AWG	54/0.25	23	958.13	6.82 Ω/km
ANM10.006.17.013AB	UL20234	1000V	17X13AWG	54/0.25	24.1	1040.43	6.82 Ω/km
ANM10.006.18.013AB	UL20234	1000V	18X13AWG	54/0.25	24.1	1059.23	6.82 Ω/km
ANM10.006.19.013AB	UL20234	1000V	19X13AWG	54/0.25	24.1	1077.93	6.82 Ω/km
ANM10.006.20.013AB	UL20234	1000V	20X13AWG	54/0.25	24.7	1132.73	6.82 Ω/km
ANM10.006.21.013AB	UL20234	1000V	21X13AWG	54/0.25	25.3	1188.23	6.82 Ω/km
ANM10.006.22.013AB	UL20234	1000V	22X13AWG	54/0.25	26.8	1302.73	6.82 Ω/km
ANM10.006.23.013AB	UL20234	1000V	23X13AWG	54/0.25	27.9	1395.33	6.82 Ω/km
ANM10.006.24.013AB	UL20234	1000V	24X13AWG	54/0.25	27.9	1413.93	6.82 Ω/km
ANM10.006.25.013AB	UL20234	1000V	25X13AWG	54/0.25	28.5	1474.13	6.82 Ω/km
ANM10.006.26.013AB	UL20234	1000V	26X13AWG	54/0.25	28.5	1492.83	6.82 Ω/km
ANM10.006.27.013AB	UL20234	1000V	27X13AWG	54/0.25	28.5	1511.63	6.82 Ω/km
ANM10.006.28.013AB	UL20234	1000V	28X13AWG	54/0.25	30.7	1686.93	6.82 Ω/km
ANM10.006.29.013AB	UL20234	1000V	29X13AWG	54/0.25	30.7	1705.73	6.82 Ω/km
ANM10.006.30.013AB	UL20234	1000V	30X13AWG	54/0.25	30.7	1724.43	6.82 Ω/km
ANM10.006.31.013AB	UL20234	1000V	31X13AWG	54/0.25	32.2	1893.23	6.82 Ω/km
ANM10.006.32.013AB	UL20234	1000V	32X13AWG	54/0.25	32.2	1912.03	6.82 Ω/km
ANM10.006.33.013AB	UL20234	1000V	33X13AWG	54/0.25	32.2	1930.73	6.82 Ω/km
ANM10.006.34.013AB	UL20234	1000V	34X13AWG	54/0.25	33.3	2038.83	6.82 Ω/km



ANM10.006.35.013AB	UL20234	1000V	35X13AWG	54/0.25	33.3	2057.63	6.82 Ω/km
ANM10.006.36.013AB	UL20234	1000V	36X13AWG	54/0.25	33.3	2076.43	6.82 Ω/km
ANM10.006.37.013AB	UL20234	1000V	37X13AWG	54/0.25	33.3	2095.03	6.82 Ω/km
ANM10.006.38.013AB	UL20234	1000V	38X13AWG	54/0.25	34.5	2214.83	6.82 Ω/km
ANM10.006.39.013AB	UL20234	1000V	39X13AWG	54/0.25	34.5	2233.53	6.82 Ω/km
ANM10.006.40.013AB	UL20234	1000V	40X13AWG	54/0.25	34.5	2252.33	6.82 Ω/km
ANM10.006.41.013AB	UL20234	1000V	41X13AWG	54/0.25	37.4	2529.43	6.82 Ω/km
ANM10.006.42.013AB	UL20234	1000V	42X13AWG	54/0.25	37.4	2548.13	6.82 Ω/km
ANM10.006.43.013AB	UL20234	1000V	43X13AWG	54/0.25	37.4	2566.93	6.82 Ω/km
ANM10.006.44.013AB	UL20234	1000V	44X13AWG	54/0.25	37.4	2585.63	6.82 Ω/km
ANM10.006.45.013AB	UL20234	1000V	45X13AWG	54/0.25	38	2660.43	6.82 Ω/km
ANM10.006.46.013AB	UL20234	1000V	46X13AWG	54/0.25	38	2679.13	6.82 Ω/km
ANM10.006.47.013AB	UL20234	1000V	47X13AWG	54/0.25	38	2697.73	6.82 Ω/km
ANM10.006.48.013AB	UL20234	1000V	48X13AWG	54/0.25	38	2716.53	6.82 Ω/km
ANM10.006.49.013AB	UL20234	1000V	49X13AWG	54/0.25	39	2830.63	6.82 Ω/km
ANM10.006.50.013AB	UL20234	1000V	50X13AWG	54/0.25	39	2849.33	6.82 Ω/km
ANM10.006.51.013AB	UL20234	1000V	51X13AWG	54/0.25	39	2867.93	6.82 Ω/km
ANM10.006.52.013AB	UL20234	1000V	52X13AWG	54/0.25	39	2886.73	6.82 Ω/km
ANM10.006.02.012AB	UL20234	1000V	2X12AWG	68/0.25	12	233.31	5.43 Ω/km
ANM10.006.03.012AB	UL20234	1000V	3X12AWG	68/0.25	12.7	278.81	5.43 Ω/km
ANM10.006.04.012AB	UL20234	1000V	4X12AWG	68/0.25	13.7	335.91	5.43 Ω/km
ANM10.006.05.012AB	UL20234	1000V	5X12AWG	68/0.25	14.9	402.51	5.43 Ω/km
ANM10.006.06.012AB	UL20234	1000V	6X12AWG	68/0.25	16.1	472.51	5.43 Ω/km
ANM10.006.07.012AB	UL20234	1000V	7X12AWG	68/0.25	16.1	496.51	5.43 Ω/km
ANM10.006.08.012AB	UL20234	1000V	8X12AWG	68/0.25	17.3	570.31	5.43 Ω/km
ANM10.006.09.012AB	UL20234	1000V	9X12AWG	68/0.25	18.9	665.81	5.43 Ω/km
ANM10.006.10.012AB	UL20234	1000V	10X12AWG	68/0.25	20.1	747.51	5.43 Ω/km
ANM10.006.11.012AB	UL20234	1000V	11X12AWG	68/0.25	21.8	857.21	5.43 Ω/km
ANM10.006.12.012AB	UL20234	1000V	12X12AWG	68/0.25	21.8	881.31	5.43 Ω/km
ANM10.006.13.012AB	UL20234	1000V	13X12AWG	68/0.25	22.8	960.21	5.43 Ω/km
ANM10.006.14.012AB	UL20234	1000V	14X12AWG	68/0.25	22.8	984.11	5.43 Ω/km
ANM10.006.15.012AB	UL20234	1000V	15X12AWG	68/0.25	23.9	1071.21	5.43 Ω/km
ANM10.006.16.012AB	UL20234	1000V	16X12AWG	68/0.25	23.9	1095.31	5.43 Ω/km
ANM10.006.17.012AB	UL20234	1000V	17X12AWG	68/0.25	25.1	1191.51	5.43 Ω/km
ANM10.006.18.012AB	UL20234	1000V	18X12AWG	68/0.25	25.1	1215.51	5.43 Ω/km
ANM10.006.19.012AB	UL20234	1000V	19X12AWG	68/0.25	25.1	1239.61	5.43 Ω/km
ANM10.006.20.012AB	UL20234	1000V	20X12AWG	68/0.25	25.8	1307.21	5.43 Ω/km
ANM10.006.21.012AB	UL20234	1000V	21X12AWG	68/0.25	26.3	1363.21	5.43 Ω/km
ANM10.006.22.012AB	UL20234	1000V	22X12AWG	68/0.25	27.9	1493.51	5.43 Ω/km
ANM10.006.23.012AB	UL20234	1000V	23X12AWG	68/0.25	29.1	1601.41	5.43 Ω/km
ANM10.006.24.012AB	UL20234	1000V	24X12AWG	68/0.25	29.1	1625.31	5.43 Ω/km
ANM10.006.25.012AB	UL20234	1000V	25X12AWG	68/0.25	31	1786.21	5.43 Ω/km



ANM10.006.26.012AB	UL20234	1000V	26X12AWG	68/0.25	31	1810.11	5.43 Ω/km
ANM10.006.27.012AB	UL20234	1000V	27X12AWG	68/0.25	31	1834.21	5.43 Ω/km
ANM10.006.28.012AB	UL20234	1000V	28X12AWG	68/0.25	32.4	2001.81	5.43 Ω/km
ANM10.006.29.012AB	UL20234	1000V	29X12AWG	68/0.25	32.4	2025.91	5.43 Ω/km
ANM10.006.30.012AB	UL20234	1000V	30X12AWG	68/0.25	32.4	2049.81	5.43 Ω/km
ANM10.006.31.012AB	UL20234	1000V	31X12AWG	68/0.25	33.5	2163.91	5.43 Ω/km
ANM10.006.32.012AB	UL20234	1000V	32X12AWG	68/0.25	33.5	2187.91	5.43 Ω/km
ANM10.006.33.012AB	UL20234	1000V	33X12AWG	68/0.25	33.5	2211.91	5.43 Ω/km
ANM10.006.34.012AB	UL20234	1000V	34X12AWG	68/0.25	34.7	2337.61	5.43 Ω/km
ANM10.006.35.012AB	UL20234	1000V	35X12AWG	68/0.25	34.7	2361.51	5.43 Ω/km
ANM10.006.36.012AB	UL20234	1000V	36X12AWG	68/0.25	34.7	2385.61	5.43 Ω/km
ANM10.006.37.012AB	UL20234	1000V	37X12AWG	68/0.25	34.7	2409.51	5.43 Ω/km
ANM10.006.02.011AB	UL20234	1000V	2X11AWG	85/0.25	12.8	269.97	4.30 Ω/km
ANM10.006.03.011AB	UL20234	1000V	3X11AWG	85/0.25	13.5	322.67	4.30 Ω/km
ANM10.006.04.011AB	UL20234	1000V	4X11AWG	85/0.25	14.8	397.77	4.30 Ω/km
ANM10.006.05.011AB	UL20234	1000V	5X11AWG	85/0.25	16	473.27	4.30 Ω/km
ANM10.006.06.011AB	UL20234	1000V	6X11AWG	85/0.25	17.3	556.47	4.30 Ω/km
ANM10.006.07.011AB	UL20234	1000V	7X11AWG	85/0.25	17.3	586.07	4.30 Ω/km
ANM10.006.08.011AB	UL20234	1000V	8X11AWG	85/0.25	18.7	677.87	4.30 Ω/km
ANM10.006.09.011AB	UL20234	1000V	9X11AWG	85/0.25	21.4	838.97	4.30 Ω/km
ANM10.006.10.011AB	UL20234	1000V	10X11AWG	85/0.25	22.7	938.97	4.30 Ω/km
ANM10.006.11.011AB	UL20234	1000V	11X11AWG	85/0.25	23.4	1008.27	4.30 Ω/km
ANM10.006.12.011AB	UL20234	1000V	12X11AWG	85/0.25	23.4	1037.87	4.30 Ω/km
ANM10.006.13.011AB	UL20234	1000V	13X11AWG	85/0.25	24.6	1138.17	4.30 Ω/km
ANM10.006.14.011AB	UL20234	1000V	14X11AWG	85/0.25	24.6	1167.77	4.30 Ω/km
ANM10.006.15.011AB	UL20234	1000V	15X11AWG	85/0.25	25.8	1271.47	4.30 Ω/km
ANM10.006.16.011AB	UL20234	1000V	16X11AWG	85/0.25	25.8	1301.17	4.30 Ω/km
ANM10.006.17.011AB	UL20234	1000V	17X11AWG	85/0.25	27.1	1415.07	4.30 Ω/km
ANM10.006.18.011AB	UL20234	1000V	18X11AWG	85/0.25	27.1	1444.57	4.30 Ω/km
ANM10.006.19.011AB	UL20234	1000V	19X11AWG	85/0.25	27.1	1474.17	4.30 Ω/km
ANM10.006.20.011AB	UL20234	1000V	20X11AWG	85/0.25	27.8	1550.77	4.30 Ω/km
ANM10.006.21.011AB	UL20234	1000V	21X11AWG	85/0.25	28.5	1628.77	4.30 Ω/km
ANM10.006.22.011AB	UL20234	1000V	22X11AWG	85/0.25	31.8	1933.17	4.30 Ω/km
ANM10.006.23.011AB	UL20234	1000V	23X11AWG	85/0.25	33.1	2067.67	4.30 Ω/km
ANM10.006.24.011AB	UL20234	1000V	24X11AWG	85/0.25	33.1	2097.17	4.30 Ω/km
ANM10.006.25.011AB	UL20234	1000V	25X11AWG	85/0.25	33.8	2185.07	4.30 Ω/km
ANM10.006.26.011AB	UL20234	1000V	26X11AWG	85/0.25	33.8	2214.67	4.30 Ω/km
ANM10.006.27.011AB	UL20234	1000V	27X11AWG	85/0.25	33.8	2244.17	4.30 Ω/km
ANM10.006.28.011AB	UL20234	1000V	28X11AWG	85/0.25	35	2376.17	4.30 Ω/km
ANM10.006.29.011AB	UL20234	1000V	29X11AWG	85/0.25	35	2405.67	4.30 Ω/km
ANM10.006.30.011AB	UL20234	1000V	30X11AWG	85/0.25	35	2435.27	4.30 Ω/km
ANM10.006.31.011AB	UL20234	1000V	31X11AWG	85/0.25	36.2	2570.87	4.30 Ω/km



ANM10.006.32.011AB	UL20234	1000V	32X11AWG	85/0.25	36.2	2600.47	4.30 Ω/km
ANM10.006.33.011AB	UL20234	1000V	33X11AWG	85/0.25	36.2	2630.07	4.30 Ω/km
ANM10.006.34.011AB	UL20234	1000V	34X11AWG	85/0.25	37.8	2806.17	4.30 Ω/km
ANM10.006.35.011AB	UL20234	1000V	35X11AWG	85/0.25	37.8	2835.77	4.30 Ω/km
ANM10.006.36.011AB	UL20234	1000V	36X11AWG	85/0.25	37.8	2865.37	4.30 Ω/km
ANM10.006.37.011AB	UL20234	1000V	37X11AWG	85/0.25	37.8	2894.97	4.30 Ω/km
ANM10.006.02.010AB	UL20234	1000V	2X10AWG	108/0.25	14	322.57	3.409 Ω/km
ANM10.006.03.010AB	UL20234	1000V	3X10AWG	108/0.25	14.9	390.37	3.409 Ω/km
ANM10.006.04.010AB	UL20234	1000V	4X10AWG	108/0.25	16.2	475.77	3.409 Ω/km
ANM10.006.05.010AB	UL20234	1000V	5X10AWG	108/0.25	17.6	569.57	3.409 Ω/km
ANM10.006.06.010AB	UL20234	1000V	6X10AWG	108/0.25	19.1	672.97	3.409 Ω/km
ANM10.006.07.010AB	UL20234	1000V	7X10AWG	108/0.25	19.1	708.27	3.409 Ω/km
ANM10.006.08.010AB	UL20234	1000V	8X10AWG	108/0.25	21.6	867.07	3.409 Ω/km
ANM10.006.09.010AB	UL20234	1000V	9X10AWG	108/0.25	23.6	1013.37	3.409 Ω/km
ANM10.006.10.010AB	UL20234	1000V	10X10AWG	108/0.25	25.1	1138.57	3.409 Ω/km
ANM10.006.11.010AB	UL20234	1000V	11X10AWG	108/0.25	25.9	1223.77	3.409 Ω/km
ANM10.006.12.010AB	UL20234	1000V	12X10AWG	108/0.25	25.9	1259.17	3.409 Ω/km
ANM10.006.13.010AB	UL20234	1000V	13X10AWG	108/0.25	27.2	1379.27	3.409 Ω/km
ANM10.006.14.010AB	UL20234	1000V	14X10AWG	108/0.25	27.2	1414.57	3.409 Ω/km
ANM10.006.15.010AB	UL20234	1000V	15X10AWG	108/0.25	28.6	1545.57	3.409 Ω/km
ANM10.006.16.010AB	UL20234	1000V	16X10AWG	108/0.25	28.6	1580.97	3.409 Ω/km
ANM10.006.17.010AB	UL20234	1000V	17X10AWG	108/0.25	31.7	1876.27	3.409 Ω/km
ANM10.006.18.010AB	UL20234	1000V	18X10AWG	108/0.25	31.7	1911.57	3.409 Ω/km
ANM10.006.19.010AB	UL20234	1000V	19X10AWG	108/0.25	31.7	1946.87	3.409 Ω/km
ANM10.006.20.010AB	UL20234	1000V	20X10AWG	108/0.25	32.5	2045.97	3.409 Ω/km
ANM10.006.21.010AB	UL20234	1000V	21X10AWG	108/0.25	33.2	2138.47	3.409 Ω/km
ANM10.006.22.010AB	UL20234	1000V	22X10AWG	108/0.25	35.2	2343.67	3.409 Ω/km
ANM10.006.23.010AB	UL20234	1000V	23X10AWG	108/0.25	36.7	2512.77	3.409 Ω/km
ANM10.006.24.010AB	UL20234	1000V	24X10AWG	108/0.25	36.7	2548.07	3.409 Ω/km
ANM10.006.25.010AB	UL20234	1000V	25X10AWG	108/0.25	37.8	2684.87	3.409 Ω/km
ANM10.006.26.010AB	UL20234	1000V	26X10AWG	108/0.25	37.8	2720.17	3.409 Ω/km
ANM10.006.27.010AB	UL20234	1000V	27X10AWG	108/0.25	37.8	2755.47	3.409 Ω/km
ANM10.006.28.010AB	UL20234	1000V	28X10AWG	108/0.25	39.1	2914.67	3.409 Ω/km
ANM10.006.29.010AB	UL20234	1000V	29X10AWG	108/0.25	39.1	2949.97	3.409 Ω/km
ANM10.006.30.010AB	UL20234	1000V	30X10AWG	108/0.25	39.1	2985.17	3.409 Ω/km
ANM10.006.31.010AB	UL20234	1000V	31X10AWG	108/0.25	40.5	3158.37	3.409 Ω/km
ANM10.006.32.010AB	UL20234	1000V	32X10AWG	108/0.25	40.5	3193.67	3.409 Ω/km
ANM10.006.33.010AB	UL20234	1000V	33X10AWG	108/0.25	40.5	3228.87	3.409 Ω/km
ANM10.006.34.010AB	UL20234	1000V	34X10AWG	108/0.25	42.2	3475.97	3.409 Ω/km
ANM10.006.35.010AB	UL20234	1000V	35X10AWG	108/0.25	42.2	3511.27	3.409 Ω/km
ANM10.006.36.010AB	UL20234	1000V	36X10AWG	108/0.25	42.2	3546.57	3.409 Ω/km
ANM10.006.37.010AB	UL20234	1000V	37X10AWG	108/0.25	42.2	3581.77	3.409 Ω/km



ANM10.006.02.009AB	UL20234	1000V	2X9AWG	136/0.25	14.7	369.64	2.705 Ω/km
ANM10.006.03.009AB	UL20234	1000V	3X9AWG	136/0.25	15.6	449.14	2.705 Ω/km
ANM10.006.04.009AB	UL20234	1000V	4X9AWG	136/0.25	16.9	547.14	2.705 Ω/km
ANM10.006.05.009AB	UL20234	1000V	5X9AWG	136/0.25	18.5	662.74	2.705 Ω/km
ANM10.006.06.009AB	UL20234	1000V	6X9AWG	136/0.25	20	779.74	2.705 Ω/km
ANM10.006.07.009AB	UL20234	1000V	7X9AWG	136/0.25	20	825.24	2.705 Ω/km
ANM10.006.02.008AB	UL20234	1000V	2X8AWG	171/0.25	17.1	490.57	2.144 Ω/km
ANM10.006.03.008AB	UL20234	1000V	3X8AWG	171/0.25	18.2	596.57	2.144 Ω/km
ANM10.006.04.008AB	UL20234	1000V	4X8AWG	171/0.25	19.8	729.67	2.144 Ω/km
ANM10.006.05.008AB	UL20234	1000V	5X8AWG	171/0.25	22.7	937.37	2.144 Ω/km
ANM10.006.06.008AB	UL20234	1000V	6X8AWG	171/0.25	24.6	1105.77	2.144 Ω/km
ANM10.006.07.008AB	UL20234	1000V	7X8AWG	171/0.25	24.6	1163.77	2.144 Ω/km
ANM10.006.02.007AB	UL20234	1000V	2X7AWG	84/0.4	17.9	560.25	1.700 Ω/km
ANM10.006.03.007AB	UL20234	1000V	3X7AWG	84/0.4	19	684.65	1.700 Ω/km
ANM10.006.04.007AB	UL20234	1000V	4X7AWG	84/0.4	21.8	897.95	1.700 Ω/km
ANM10.006.05.007AB	UL20234	1000V	5X7AWG	84/0.4	23.8	1084.35	1.700 Ω/km
ANM10.006.06.007AB	UL20234	1000V	6X7AWG	84/0.4	25.8	1280.45	1.700 Ω/km
ANM10.006.07.007AB	UL20234	1000V	7X7AWG	84/0.4	25.8	1354.95	1.700 Ω/km
ANM10.006.02.006AB	UL20234	1000V	2X6AWG	106/0.4	19.3	662.6	1.348 Ω/km
ANM10.006.03.006AB	UL20234	1000V	3X6AWG	106/0.4	21.5	863.3	1.348 Ω/km
ANM10.006.04.006AB	UL20234	1000V	4X6AWG	106/0.4	23.5	1066	1.348 Ω/km
ANM10.006.05.006AB	UL20234	1000V	5X6AWG	106/0.4	25.7	1290.8	1.348 Ω/km
ANM10.006.06.006AB	UL20234	1000V	6X6AWG	106/0.4	27.9	1527.5	1.348 Ω/km
ANM10.006.07.006AB	UL20234	1000V	7X6AWG	106/0.4	27.9	1619.4	1.348 Ω/km
ANM10.006.02.005AB	UL20234	1000V	2X5AWG	134/0.4	21.5	824.07	1.070 Ω/km
ANM10.006.03.005AB	UL20234	1000V	3X5AWG	134/0.4	22.8	1011.57	1.070 Ω/km
ANM10.006.04.005AB	UL20234	1000V	4X5AWG	134/0.4	24.9	1251.37	1.070 Ω/km
ANM10.006.05.005AB	UL20234	1000V	5X5AWG	134/0.4	27.3	1521.67	1.070 Ω/km
ANM10.006.06.005AB	UL20234	1000V	6X5AWG	134/0.4	30.9	1892.17	1.070 Ω/km
ANM10.006.07.005AB	UL20234	1000V	7X5AWG	134/0.4	30.9	2008.87	1.070 Ω/km
ANM10.006.02.004AB	UL20234	1000V	2X4AWG	169/0.4	22.9	966.55	0.8481 Ω/km
ANM10.006.03.004AB	UL20234	1000V	3X4AWG	169/0.4	24.3	1195.25	0.8481 Ω/km
ANM10.006.04.004AB	UL20234	1000V	4X4AWG	169/0.4	26.6	1486.35	0.8481 Ω/km
ANM10.006.05.004AB	UL20234	1000V	5X4AWG	169/0.4	29.2	1811.75	0.8481 Ω/km
ANM10.006.06.004AB	UL20234	1000V	6X4AWG	169/0.4	33.4	2314.35	0.8481 Ω/km
ANM10.006.07.004AB	UL20234	1000V	7X4AWG	169/0.4	33.4	2461.85	0.8481 Ω/km
ANM10.006.02.003AB	UL20234	1000V	2X3AWG	213/0.4	24.5	1142.47	0.6727 Ω/km
ANM10.006.03.003AB	UL20234	1000V	3X3AWG	213/0.4	26	1421.57	0.6727 Ω/km
ANM10.006.04.003AB	UL20234	1000V	4X3AWG	213/0.4	28.6	1781.87	0.6727 Ω/km
ANM10.006.05.003AB	UL20234	1000V	5X3AWG	213/0.4	32.9	2324.37	0.6727 Ω/km
ANM10.006.06.003AB	UL20234	1000V	6X3AWG	213/0.4	35.8	2757.77	0.6727 Ω/km
ANM10.006.07.003AB	UL20234	1000V	7X3AWG	213/0.4	35.8	2943.87	0.6727 Ω/km



ANM10.006.02.002AB	UL20234	1000V	2X2AWG	268/0.4	26.3	1358.82	0.5335 Ω/km
ANM10.006.03.002AB	UL20234	1000V	3X2AWG	268/0.4	28	1706.82	0.5335 Ω/km
ANM10.006.04.002AB	UL20234	1000V	4X2AWG	268/0.4	32.3	2290.82	0.5335 Ω/km
ANM10.006.05.002AB	UL20234	1000V	5X2AWG	268/0.4	35.4	2786.12	0.5335 Ω/km
ANM10.006.06.002AB	UL20234	1000V	6X2AWG	268/0.4	38.8	3333.42	0.5335 Ω/km
ANM10.006.07.002AB	UL20234	1000V	7X2AWG	268/0.4	38.8	3568.02	0.5335 Ω/km
ANM10.006.02.001AB	UL20234	1000V	2X1AWG	338/0.4	28.9	1671.01	0.4230 Ω/km
ANM10.006.03.001AB	UL20234	1000V	3X1AWG	338/0.4	32.4	2264.21	0.4230 Ω/km
ANM10.006.04.001AB	UL20234	1000V	4X1AWG	338/0.4	35.5	2824.01	0.4230 Ω/km
ANM10.006.05.001AB	UL20234	1000V	5X1AWG	338/0.4	39.2	3464.91	0.4230 Ω/km
ANM10.006.06.001AB	UL20234	1000V	6X1AWG	338/0.4	42.9	4177.51	0.4230 Ω/km
ANM10.006.07.001AB	UL20234	1000V	7X1AWG	338/0.4	42.9	4476.01	0.4230 Ω/km
ANM10.006.02.1/0AB	UL20234	1000V	2X1/0AWG	426/0.4	33.1	2181.19	0.3354 Ω/km
ANM10.006.03.1/0AB	UL20234	1000V	3X1/0AWG	426/0.4	35.2	2731.39	0.3354 Ω/km
ANM10.006.04.1/0AB	UL20234	1000V	4X1/0AWG	426/0.4	38.9	3443.19	0.3354 Ω/km
ANM10.006.05.1/0AB	UL20234	1000V	5X1/0AWG	426/0.4	42.9	4258.69	0.3354 Ω/km
ANM10.006.06.1/0AB	UL20234	1000V	6X1/0AWG	426/0.4	48.6	5269.89	0.3354 Ω/km
ANM10.006.07.1/0AB	UL20234	1000V	7X1/0AWG	426/0.4	48.6	5642.09	0.3354 Ω/km
ANM10.006.02.2/0AB	UL20234	1000V	2X2/0AWG	537/0.4	35.7	2610.33	0.2660 Ω/km
ANM10.006.03.2/0AB	UL20234	1000V	3X2/0AWG	537/0.4	38.3	3317.53	0.2660 Ω/km
ANM10.006.04.2/0AB	UL20234	1000V	4X2/0AWG	537/0.4	42.3	4223.03	0.2660 Ω/km
ANM10.006.05.2/0AB	UL20234	1000V	5X2/0AWG	537/0.4	48.2	5346.53	0.2660 Ω/km
ANM10.006.06.2/0AB	UL20234	1000V	6X2/0AWG	537/0.4	52.5	6352.53	0.2660 Ω/km
ANM10.006.07.2/0AB	UL20234	1000V	7X2/0AWG	537/0.4	52.5	6821.23	0.2660 Ω/km
ANM10.006.02.3/0AB	UL20234	1000V	2X3/0AWG	677/0.4	38.6	3148.61	0.2110 Ω/km
ANM10.006.03.3/0AB	UL20234	1000V	3X3/0AWG	677/0.4	41.1	3990.61	0.2110 Ω/km
ANM10.006.04.3/0AB	UL20234	1000V	4X3/0AWG	677/0.4	47.2	5284.21	0.2110 Ω/km
ANM10.006.05.3/0AB	UL20234	1000V	5X3/0AWG	677/0.4	51.7	6432.21	0.2110 Ω/km
ANM10.006.06.3/0AB	UL20234	1000V	6X3/0AWG	677/0.4	56.4	7657.11	0.2110 Ω/km
ANM10.006.07.3/0AB	UL20234	1000V	7X3/0AWG	677/0.4	56.4	8252.61	0.2110 Ω/km
ANM10.006.02.4/0AB	UL20234	1000V	2X4/0AWG	854/0.4	42	3858.8	0.1673 Ω/km
ANM10.006.03.4/0AB	UL20234	1000V	3X4/0AWG	854/0.4	46.5	5096.3	0.1673 Ω/km
ANM10.006.04.4/0AB	UL20234	1000V	4X4/0AWG	854/0.4	51.1	6405.1	0.1673 Ω/km
ANM10.006.05.4/0AB	UL20234	1000V	5X4/0AWG	854/0.4	56	7806.7	0.1673 Ω/km
ANM10.006.06.4/0AB	UL20234	1000V	6X4/0AWG	854/0.4	61.2	9311.3	0.1673 Ω/km
ANM10.006.07.4/0AB	UL20234	1000V	7X4/0AWG	854/0.4	61.2	10062.5	0.1673 Ω/km
ANM10.006.02.250kB	UL20234	1000V	2X250kcmil	1007/0.4	48	4801.7	0.1416 Ω/km
ANM10.006.03.250kB	UL20234	1000V	3X250kcmil	1007/0.4	51.1	6064.6	0.1416 Ω/km
ANM10.006.04.250kB	UL20234	1000V	4X250kcmil	1007/0.4	56.1	7610.2	0.1416 Ω/km
ANM10.006.05.250kB	UL20234	1000V	5X250kcmil	1007/0.4	61.7	9307.3	0.1416 Ω/km
ANM10.006.02.300kB	UL20234	1000V	2X300kcmil	1184/0.4	50.2	5477.6	0.1180 Ω/km
ANM10.006.03.300kB	UL20234	1000V	3X300kcmil	1184/0.4	53.4	6961.7	0.1180 Ω/km



ANM10.006.04.300kV	UL20234	1000V	4X300kcmil	1184/0.4	58.8	8784.3	0.1180 Ω/km
ANM10.006.05.300kV	UL20234	1000V	5X300kcmil	1184/0.4	64.7	10757.2	0.1180 Ω/km
ANM10.006.02.350kV	UL20234	1000V	2X350kcmil	1406/0.4	53.2	6228.2	0.1011 Ω/km
ANM10.006.03.350kV	UL20234	1000V	3X350kcmil	1406/0.4	56.7	7947.9	0.1011 Ω/km
ANM10.006.04.350kV	UL20234	1000V	4X350kcmil	1406/0.4	62.4	10030.2	0.1011 Ω/km
ANM10.006.05.350kV	UL20234	1000V	5X350kcmil	1406/0.4	68.7	12292.5	0.1011 Ω/km
ANM10.006.02.400kV	UL20234	1000V	2X400kcmil	1628/0.4	56.2	7009.5	0.08851 Ω/km
ANM10.006.03.400kV	UL20234	1000V	3X400kcmil	1628/0.4	59.9	8958.7	0.08851 Ω/km
ANM10.006.04.400kV	UL20234	1000V	4X400kcmil	1628/0.4	66	11324.6	0.08851 Ω/km
ANM10.006.05.400kV	UL20234	1000V	5X400kcmil	1628/0.4	75.2	14326.2	0.08851 Ω/km
ANM10.006.02.450kV	UL20234	1000V	2X450kcmil	1830/0.4	58.6	7726	0.07867 Ω/km
ANM10.006.03.450kV	UL20234	1000V	3X450kcmil	1830/0.4	62.5	9902.6	0.07867 Ω/km
ANM10.006.04.450kV	UL20234	1000V	4X450kcmil	1830/0.4	68.9	12533	0.07867 Ω/km
ANM10.006.05.450kV	UL20234	1000V	5X450kcmil	1830/0.4	78.4	15831.6	0.07867 Ω/km
ANM10.006.02.500kV	UL20234	1000V	2X500kcmil	2013/0.4	60.6	8411	0.07080 Ω/km
ANM10.006.03.500kV	UL20234	1000V	3X500kcmil	2013/0.4	64.6	10805.1	0.07080 Ω/km
ANM10.006.04.500kV	UL20234	1000V	4X500kcmil	2013/0.4	73.7	14115.5	0.07080 Ω/km
ANM10.006.05.500kV	UL20234	1000V	5X500kcmil	2013/0.4	81.1	17299.3	0.07080 Ω/km
ANM10.006.03.01.013AB	UL20234	1000V	3X13AWG+1X15AWG	54/0.25	12.7	278.05	6.82 Ω/km
ANM10.006.03.01.012AB	UL20234	1000V	3X12AWG+1X14AWG	68/0.25	13.2	313.98	5.43 Ω/km
ANM10.006.03.01.011AB	UL20234	1000V	3X11AWG+1X14AWG	85/0.25	14	358.08	4.30 Ω/km
ANM10.006.03.01.010AB	UL20234	1000V	3X10AWG+1X13AWG	108/0.25	15.3	427.53	3.409 Ω/km
ANM10.006.03.01.009AB	UL20234	1000V	3X9AWG+1X12AWG	136/0.25	15.9	487.81	2.705 Ω/km
ANM10.006.03.01.008AB	UL20234	1000V	3X8AWG+1X11AWG	171/0.25	18.4	638.77	2.144 Ω/km
ANM10.006.03.01.007AB	UL20234	1000V	3X7AWG+1X10AWG	84/0.4	19.4	741.87	1.700 Ω/km
ANM10.006.03.01.006AB	UL20234	1000V	3X6AWG+1X9AWG	106/0.4	21.9	932.44	1.348 Ω/km
ANM10.006.03.01.005AB	UL20234	1000V	3X5AWG+1X8AWG	134/0.4	23.7	1122.27	1.070 Ω/km
ANM10.006.03.01.004AB	UL20234	1000V	3X4AWG+1X7AWG	169/0.4	25.2	1324.15	0.8481 Ω/km
ANM10.006.03.01.003AB	UL20234	1000V	3X3AWG+1X6AWG	213/0.4	27.1	1583.2	0.6727 Ω/km
ANM10.006.03.01.002AB	UL20234	1000V	3X2AWG+1X5AWG	268/0.4	29.1	1895.97	0.5335 Ω/km
ANM10.006.03.01.001AB	UL20234	1000V	3X1AWG+1X4AWG	338/0.4	33.5	2494.65	0.4230 Ω/km
ANM10.006.03.01.1/0AB	UL20234	1000V	3X1/0AWG+1X3AWG	426/0.4	36.3	3003.67	0.3354 Ω/km
ANM10.006.03.01.2/0AB	UL20234	1000V	3X2/0AWG+1X2AWG	537/0.4	39.5	3650.92	0.2660 Ω/km
ANM10.006.03.01.3/0AB	UL20234	1000V	3X3/0AWG+1X1AWG	677/0.4	42.9	4490.81	0.2110 Ω/km
ANM10.006.03.01.4/0AB	UL20234	1000V	3X4/0AWG+1X1/0AWG	854/0.4	48.4	5659.59	0.1673 Ω/km
ANM10.006.03.01.250kV	UL20234	1000V	3X250kcmil+1X2/0AWG	1007/0.4	53	6741.83	0.1416 Ω/km
ANM10.006.03.01.300kV	UL20234	1000V	3X300kcmil+1X3/0AWG	1184/0.4	55.7	7825.11	0.1180 Ω/km
ANM10.006.03.01.350kV	UL20234	1000V	3X350kcmil+1X4/0AWG	1406/0.4	59.4	9043	0.1011 Ω/km
ANM10.006.03.01.400kV	UL20234	1000V	3X400kcmil+1X250kcmil	1628/0.4	63.4	10325	0.08851 Ω/km
ANM10.006.03.01.450kV	UL20234	1000V	3X450kcmil+1X300kcmil	1830/0.4	66.3	11532.8	0.07867 Ω/km
ANM10.006.03.01.500kV	UL20234	1000V	3X500kcmil+1X350kcmil	2013/0.4	69	12728	0.07080 Ω/km
ANM10.006.03.02.013AB	UL20234	1000V	3X13AWG+2X15AWG	54/0.25	13.5	316.55	6.82 Ω/km



ANM10.006.03.02.012AB	UL20234	1000V	3X12AWG+2X14AWG	68/0.25	14.2	363.68	5.43 Ω/km
ANM10.006.03.02.011AB	UL20234	1000V	3X11AWG+2X14AWG	85/0.25	14.8	402.08	4.30 Ω/km
ANM10.006.03.02.010AB	UL20234	1000V	3X10AWG+2X13AWG	108/0.25	16.1	477.83	3.409 Ω/km
ANM10.006.03.02.009AB	UL20234	1000V	3X9AWG+2X12AWG	136/0.25	16.8	549.01	2.705 Ω/km
ANM10.006.03.02.008AB	UL20234	1000V	3X8AWG+2X11AWG	171/0.25	19.2	705.77	2.144 Ω/km
ANM10.006.03.02.007AB	UL20234	1000V	3X7AWG+2X10AWG	84/0.4	21.5	881.67	1.700 Ω/km
ANM10.006.03.02.006AB	UL20234	1000V	3X6AWG+2X9AWG	106/0.4	22.9	1033.64	1.348 Ω/km
ANM10.006.03.02.005AB	UL20234	1000V	3X5AWG+2X8AWG	134/0.4	25.2	1270.97	1.070 Ω/km
ANM10.006.03.02.004AB	UL20234	1000V	3X4AWG+2X7AWG	169/0.4	26.8	1501.45	0.8481 Ω/km
ANM10.006.03.02.003AB	UL20234	1000V	3X3AWG+2X6AWG	213/0.4	28.8	1792.6	0.6727 Ω/km
ANM10.006.03.02.002AB	UL20234	1000V	3X2AWG+2X5AWG	268/0.4	32.5	2302.47	0.5335 Ω/km
ANM10.006.03.02.001AB	UL20234	1000V	3X1AWG+2X4AWG	338/0.4	35.4	2805.55	0.4230 Ω/km
ANM10.006.03.02.1/0AB	UL20234	1000V	3X1/0AWG+2X3AWG	426/0.4	38.7	3413.97	0.3354 Ω/km
ANM10.006.03.02.2/0AB	UL20234	1000V	3X2/0AWG+2X2AWG	537/0.4	41.9	4166.22	0.2660 Ω/km
ANM10.006.03.02.3/0AB	UL20234	1000V	3X3/0AWG+2X1AWG	677/0.4	47.2	5263.11	0.2110 Ω/km
ANM10.006.03.02.4/0AB	UL20234	1000V	3X4/0AWG+2X1/0AWG	854/0.4	51.2	6379.19	0.1673 Ω/km
ANM10.006.03.02.250kB	UL20234	1000V	3X250kcmil+2X2/0AWG	1007/0.4	56.1	7630.93	0.1416 Ω/km
ANM10.006.03.02.300kB	UL20234	1000V	3X300kcmil+2X3/0AWG	1184/0.4	59.2	8919.81	0.1180 Ω/km
ANM10.006.03.02.350kB	UL20234	1000V	3X350kcmil+2X4/0AWG	1406/0.4	63.4	10402.9	0.1011 Ω/km
ANM10.006.03.02.400kB	UL20234	1000V	3X400kcmil+2X250kcmil	1628/0.4	68.1	11971.3	0.08851 Ω/km
ANM10.006.03.02.450kB	UL20234	1000V	3X450kcmil+2X300kcmil	1830/0.4	73.6	13850	0.07867 Ω/km
ANM10.006.03.02.500kB	UL20234	1000V	3X500kcmil+2X350kcmil	2013/0.4	76.9	15376.3	0.07080 Ω/km
ANM10.006.01.01.013AB	UL20234	1000V	4X13AWG+1X15AWG	54/0.25	13.8	333.65	6.82 Ω/km
ANM10.006.01.01.012AB	UL20234	1000V	4X12AWG+1X14AWG	68/0.25	14.4	379.78	5.43 Ω/km
ANM10.006.01.01.011AB	UL20234	1000V	4X11AWG+1X14AWG	85/0.25	15.3	435.58	4.30 Ω/km
ANM10.006.01.01.010AB	UL20234	1000V	4X10AWG+1X13AWG	108/0.25	16.8	523.33	3.409 Ω/km
ANM10.006.01.01.009AB	UL20234	1000V	4X9AWG+1X12AWG	136/0.25	17.5	600.51	2.705 Ω/km
ANM10.006.01.01.008AB	UL20234	1000V	4X8AWG+1X11AWG	171/0.25	21.3	837.47	2.144 Ω/km
ANM10.006.01.01.007AB	UL20234	1000V	4X7AWG+1X10AWG	84/0.4	22.5	975.17	1.700 Ω/km
ANM10.006.01.01.006AB	UL20234	1000V	4X6AWG+1X9AWG	106/0.4	24.2	1155.84	1.348 Ω/km
ANM10.006.01.01.005AB	UL20234	1000V	4X5AWG+1X8AWG	134/0.4	26.1	1386.87	1.070 Ω/km
ANM10.006.01.01.001AB	UL20234	1000V	4X4AWG+1X7AWG	169/0.4	27.9	1648.85	0.8481 Ω/km
ANM10.006.01.01.003AB	UL20234	1000V	4X3AWG+1X6AWG	213/0.4	31.6	2125.7	0.6727 Ω/km
ANM10.006.01.01.002AB	UL20234	1000V	4X2AWG+1X5AWG	268/0.4	33.8	2528.17	0.5335 Ω/km
ANM10.006.01.01.001AB	UL20234	1000V	4X1AWG+1X4AWG	338/0.4	37.3	3128.75	0.4230 Ω/km
ANM10.006.01.01.1/0AB	UL20234	1000V	4X1/0AWG+1X3AWG	426/0.4	40.6	3787.37	0.3354 Ω/km
ANM10.006.01.01.2/0AB	UL20234	1000V	4X2/0AWG+1X2AWG	537/0.4	45.8	4817.72	0.2660 Ω/km
ANM10.006.01.01.3/0AB	UL20234	1000V	4X3/0AWG+1X1AWG	677/0.4	49.4	5825.21	0.2110 Ω/km
ANM10.006.01.01.4/0AB	UL20234	1000V	4X4/0AWG+1X1/0AWG	854/0.4	53.5	7057.99	0.1673 Ω/km
ANM10.006.01.01.250kB	UL20234	1000V	4X250kcmil+1X2/0AWG	1007/0.4	58.8	8428.93	0.1416 Ω/km
ANM10.006.01.01.300kB	UL20234	1000V	4X300kcmil+1X3/0AWG	1184/0.4	61.8	9787.21	0.1180 Ω/km
ANM10.006.01.01.350kB	UL20234	1000V	4X350kcmil+1X4/0AWG	1406/0.4	65.9	11295.1	0.1011 Ω/km



ANM10.006.01.01.400kB	UL20234	1000V	4X400kcmil+1X250kcmil	1628/0.4	72.7	13290.3	0.08851 Ω/km
ANM10.006.01.01.450kB	UL20234	1000V	4X450kcmil+1X300kcmil	1830/0.4	75.9	14794.2	0.07867 Ω/km
ANM10.006.01.01.500kB	UL20234	1000V	4X500kcmil+1X350kcmil	2013/0.4	78.9	16292.7	0.07080 Ω/km
ANM10.006.03.03.013AB	UL20234	1000V	3X13AWG+3X18AWG	54/0.25	13.5	309.63	6.82 Ω/km
ANM10.006.03.03.012AB	UL20234	1000V	3X12AWG+3X17AWG	68/0.25	14.1	350.64	5.43 Ω/km
ANM10.006.03.03.011AB	UL20234	1000V	3X11AWG+3X16AWG	85/0.25	14.8	399.61	4.30 Ω/km
ANM10.006.03.03.010AB	UL20234	1000V	3X10AWG+3X15AWG	108/0.25	16	470.85	3.409 Ω/km
ANM10.006.03.03.009AB	UL20234	1000V	3X9AWG+3X14AWG	136/0.25	16.7	540.48	2.705 Ω/km
ANM10.006.03.03.008AB	UL20234	1000V	3X8AWG+3X13AWG	171/0.25	18.8	682.33	2.144 Ω/km
ANM10.006.03.03.007AB	UL20234	1000V	3X7AWG+3X12AWG	84/0.4	19.7	791.11	1.700 Ω/km
ANM10.006.03.03.006AB	UL20234	1000V	3X6AWG+3X11AWG	106/0.4	22.3	994.87	1.348 Ω/km
ANM10.006.03.03.005AB	UL20234	1000V	3X5AWG+3X10AWG	134/0.4	24.1	1190.87	1.070 Ω/km
ANM10.006.03.03.004AB	UL20234	1000V	3X4AWG+3X9AWG	169/0.4	25.6	1407.84	0.8481 Ω/km
ANM10.006.03.03.003AB	UL20234	1000V	3X3AWG+3X8AWG	213/0.4	28.7	1770.37	0.6727 Ω/km
ANM10.006.03.03.002AB	UL20234	1000V	3X2AWG+3X7AWG	268/0.4	32.2	2261.55	0.5335 Ω/km
ANM10.006.03.03.001AB	UL20234	1000V	3X1AWG+3X6AWG	338/0.4	35.1	2752.4	0.4230 Ω/km
ANM10.006.03.03.1/OAB	UL20234	1000V	3X1/OAWG+3X5AWG	426/0.4	37.9	3305.57	0.3354 Ω/km
ANM10.006.03.03.2/OAB	UL20234	1000V	3X2/OAWG+3X4AWG	537/0.4	40.8	3975.95	0.2660 Ω/km
ANM10.006.03.03.3/OAB	UL20234	1000V	3X3/OAWG+3X3AWG	677/0.4	45.9	5057.57	0.2110 Ω/km
ANM10.006.03.03.4/OAB	UL20234	1000V	3X4/OAWG+3X2AWG	854/0.4	49.6	6118.22	0.1673 Ω/km
ANM10.006.03.03.250kB	UL20234	1000V	3X250kcmil+3X1AWG	1007/0.4	54.6	7357.61	0.1416 Ω/km
ANM10.006.03.03.300kB	UL20234	1000V	3X300kcmil+3X1/OAWG	1184/0.4	58.3	8682.49	0.1180 Ω/km
ANM10.006.03.03.350kB	UL20234	1000V	3X350kcmil+3X1/OAWG	1406/0.4	60.3	9487.99	0.1011 Ω/km
ANM10.006.03.03.400kB	UL20234	1000V	3X400kcmil+3X2/OAWG	1628/0.4	64.5	10964.33	0.08851 Ω/km
ANM10.006.03.03.450kB	UL20234	1000V	3X450kcmil+3X3/OAWG	1830/0.4	68.3	12512.41	0.07867 Ω/km
ANM10.006.03.03.500kB	UL20234	1000V	3X500kcmil+3X3/OAWG	2013/0.4	69.7	13299.31	0.07080 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
线芯 TPE 材质							
ANM10.010.02.019AB	UL20234	600V	2X19AWG	43/0.14	7.8	87.26	27.4 Ω/km
ANM10.010.03.019AB	UL20234	600V	3X19AWG	43/0.14	8.1	97.96	27.4 Ω/km
ANM10.010.04.019AB	UL20234	600V	4X19AWG	43/0.14	8.6	113.26	27.4 Ω/km
ANM10.010.05.019AB	UL20234	600V	5X19AWG	43/0.14	9.2	131.36	27.4 Ω/km
ANM10.010.06.019AB	UL20234	600V	6X19AWG	43/0.14	9.7	147.86	27.4 Ω/km
ANM10.010.07.019AB	UL20234	600V	7X19AWG	43/0.14	9.7	152.36	27.4 Ω/km
ANM10.010.08.019AB	UL20234	600V	8X19AWG	43/0.14	10.3	172.26	27.4 Ω/km
ANM10.010.09.019AB	UL20234	600V	9X19AWG	43/0.14	11.1	198.26	27.4 Ω/km
ANM10.010.10.019AB	UL20234	600V	10X19AWG	43/0.14	11.6	217.26	27.4 Ω/km
ANM10.010.11.019AB	UL20234	600V	11X19AWG	43/0.14	11.9	230.56	27.4 Ω/km
ANM10.010.12.019AB	UL20234	600V	12X19AWG	43/0.14	11.9	235.26	27.4 Ω/km
ANM10.010.13.019AB	UL20234	600V	13X19AWG	43/0.14	12.4	254.86	27.4 Ω/km
ANM10.010.14.019AB	UL20234	600V	14X19AWG	43/0.14	12.4	259.56	27.4 Ω/km



ANM10.010.15.019AB	UL20234	600V	15X19AWG	43/0.14	13	283.26	27.4Ω/km
ANM10.010.16.019AB	UL20234	600V	16X19AWG	43/0.14	13	287.96	27.4Ω/km
ANM10.010.17.019AB	UL20234	600V	17X19AWG	43/0.14	13.5	309.06	27.4Ω/km
ANM10.010.18.019AB	UL20234	600V	18X19AWG	43/0.14	13.5	313.76	27.4Ω/km
ANM10.010.19.019AB	UL20234	600V	19X19AWG	43/0.14	13.5	318.36	27.4Ω/km
ANM10.010.20.019AB	UL20234	600V	20X19AWG	43/0.14	13.8	333.06	27.4Ω/km
ANM10.010.21.019AB	UL20234	600V	21X19AWG	43/0.14	14.2	351.66	27.4Ω/km
ANM10.010.22.019AB	UL20234	600V	22X19AWG	43/0.14	15	385.26	27.4Ω/km
ANM10.010.23.019AB	UL20234	600V	23X19AWG	43/0.14	15.5	408.76	27.4Ω/km
ANM10.010.24.019AB	UL20234	600V	24X19AWG	43/0.14	15.5	413.46	27.4Ω/km
ANM10.010.25.019AB	UL20234	600V	25X19AWG	43/0.14	15.8	429.76	27.4Ω/km
ANM10.010.26.019AB	UL20234	600V	26X19AWG	43/0.14	15.8	434.46	27.4Ω/km
ANM10.010.27.019AB	UL20234	600V	27X19AWG	43/0.14	15.8	438.96	27.4Ω/km
ANM10.010.28.019AB	UL20234	600V	28X19AWG	43/0.14	16.3	463.56	27.4Ω/km
ANM10.010.29.019AB	UL20234	600V	29X19AWG	43/0.14	16.3	468.16	27.4Ω/km
ANM10.010.30.019AB	UL20234	600V	30X19AWG	43/0.14	16.3	472.76	27.4Ω/km
ANM10.010.31.019AB	UL20234	600V	31X19AWG	43/0.14	16.9	502.06	27.4Ω/km
ANM10.010.32.019AB	UL20234	600V	32X19AWG	43/0.14	16.9	506.66	27.4Ω/km
ANM10.010.33.019AB	UL20234	600V	33X19AWG	43/0.14	16.9	511.26	27.4Ω/km
ANM10.010.34.019AB	UL20234	600V	34X19AWG	43/0.14	17.4	537.16	27.4Ω/km
ANM10.010.35.019AB	UL20234	600V	35X19AWG	43/0.14	17.4	541.66	27.4Ω/km
ANM10.010.36.019AB	UL20234	600V	36X19AWG	43/0.14	17.4	546.46	27.4Ω/km
ANM10.010.37.019AB	UL20234	600V	37X19AWG	43/0.14	17.4	550.96	27.4Ω/km
ANM10.010.38.019AB	UL20234	600V	38X19AWG	43/0.14	18	581.96	27.4Ω/km
ANM10.010.39.019AB	UL20234	600V	39X19AWG	43/0.14	18	586.46	27.4Ω/km
ANM10.010.40.019AB	UL20234	600V	40X19AWG	43/0.14	18	591.26	27.4Ω/km
ANM10.010.41.019AB	UL20234	600V	41X19AWG	43/0.14	19.3	655.66	27.4Ω/km
ANM10.010.42.019AB	UL20234	600V	42X19AWG	43/0.14	19.3	660.26	27.4Ω/km
ANM10.010.43.019AB	UL20234	600V	43X19AWG	43/0.14	19.3	664.96	27.4Ω/km
ANM10.010.44.019AB	UL20234	600V	44X19AWG	43/0.14	19.3	669.56	27.4Ω/km
ANM10.010.45.019AB	UL20234	600V	45X19AWG	43/0.14	19.6	688.56	27.4Ω/km
ANM10.010.46.019AB	UL20234	600V	46X19AWG	43/0.14	19.6	693.16	27.4Ω/km
ANM10.010.47.019AB	UL20234	600V	47X19AWG	43/0.14	19.6	697.76	27.4Ω/km
ANM10.010.48.019AB	UL20234	600V	48X19AWG	43/0.14	19.6	702.46	27.4Ω/km
ANM10.010.49.019AB	UL20234	600V	49X19AWG	43/0.14	20.1	731.56	27.4Ω/km
ANM10.010.50.019AB	UL20234	600V	50X19AWG	43/0.14	20.1	736.26	27.4Ω/km
ANM10.010.51.019AB	UL20234	600V	51X19AWG	43/0.14	20.1	740.76	27.4Ω/km
ANM10.010.52.019AB	UL20234	600V	52X19AWG	43/0.14	20.1	745.56	27.4Ω/km
ANM10.010.53.019AB	UL20234	600V	53X19AWG	43/0.14	21.7	830.56	27.4Ω/km
ANM10.010.54.019AB	UL20234	600V	54X19AWG	43/0.14	21.7	835.06	27.4Ω/km
ANM10.010.55.019AB	UL20234	600V	55X19AWG	43/0.14	21.7	839.86	27.4Ω/km
ANM10.010.56.019AB	UL20234	600V	56X19AWG	43/0.14	21.7	844.36	27.4Ω/km



ANM10.010.57.019AB	UL20234	600V	57X19AWG	43/0.14	22.2	876.06	27.4Ω/km
ANM10.010.58.019AB	UL20234	600V	58X19AWG	43/0.14	22.2	880.56	27.4Ω/km
ANM10.010.59.019AB	UL20234	600V	59X19AWG	43/0.14	22.2	885.26	27.4Ω/km
ANM10.010.60.019AB	UL20234	600V	60X19AWG	43/0.14	22.2	889.86	27.4Ω/km
ANM10.010.61.019AB	UL20234	600V	61X19AWG	43/0.14	22.2	894.46	27.4Ω/km
ANM10.010.62.019AB	UL20234	600V	62X19AWG	43/0.14	22.8	932.36	27.4Ω/km
ANM10.010.63.019AB	UL20234	600V	63X19AWG	43/0.14	22.8	937.06	27.4Ω/km
ANM10.010.64.019AB	UL20234	600V	64X19AWG	43/0.14	22.8	941.66	27.4Ω/km
ANM10.010.65.019AB	UL20234	600V	65X19AWG	43/0.14	22.8	946.26	27.4Ω/km
ANM10.010.02.018AB	UL20234	600V	2X18AWG	29/0.19	8	94.13	21.8Ω/km
ANM10.010.03.018AB	UL20234	600V	3X18AWG	29/0.19	8.4	108.33	21.8Ω/km
ANM10.010.04.018AB	UL20234	600V	4X18AWG	29/0.19	8.9	125.43	21.8Ω/km
ANM10.010.05.018AB	UL20234	600V	5X18AWG	29/0.19	9.4	142.83	21.8Ω/km
ANM10.010.06.018AB	UL20234	600V	6X18AWG	29/0.19	10	163.33	21.8Ω/km
ANM10.010.07.018AB	UL20234	600V	7X18AWG	29/0.19	10	169.43	21.8Ω/km
ANM10.010.08.018AB	UL20234	600V	8X18AWG	29/0.19	10.6	190.93	21.8Ω/km
ANM10.010.09.018AB	UL20234	600V	9X18AWG	29/0.19	11.4	218.83	21.8Ω/km
ANM10.010.10.018AB	UL20234	600V	10X18AWG	29/0.19	12	242.43	21.8Ω/km
ANM10.010.11.018AB	UL20234	600V	11X18AWG	29/0.19	12.4	260.53	21.8Ω/km
ANM10.010.12.018AB	UL20234	600V	12X18AWG	29/0.19	12.4	266.33	21.8Ω/km
ANM10.010.13.018AB	UL20234	600V	13X18AWG	29/0.19	12.9	288.23	21.8Ω/km
ANM10.010.14.018AB	UL20234	600V	14X18AWG	29/0.19	12.9	294.13	21.8Ω/km
ANM10.010.15.018AB	UL20234	600V	15X18AWG	29/0.19	13.4	316.43	21.8Ω/km
ANM10.010.16.018AB	UL20234	600V	16X18AWG	29/0.19	13.4	322.53	21.8Ω/km
ANM10.010.17.018AB	UL20234	600V	17X18AWG	29/0.19	14	348.73	21.8Ω/km
ANM10.010.18.018AB	UL20234	600V	18X18AWG	29/0.19	14	354.73	21.8Ω/km
ANM10.010.19.018AB	UL20234	600V	19X18AWG	29/0.19	14	360.83	21.8Ω/km
ANM10.010.20.018AB	UL20234	600V	20X18AWG	29/0.19	14.5	384.43	21.8Ω/km
ANM10.010.21.018AB	UL20234	600V	21X18AWG	29/0.19	14.7	397.63	21.8Ω/km
ANM10.010.22.018AB	UL20234	600V	22X18AWG	29/0.19	15.5	433.73	21.8Ω/km
ANM10.010.23.018AB	UL20234	600V	23X18AWG	29/0.19	16.1	463.13	21.8Ω/km
ANM10.010.24.018AB	UL20234	600V	24X18AWG	29/0.19	16.1	469.03	21.8Ω/km
ANM10.010.25.018AB	UL20234	600V	25X18AWG	29/0.19	16.5	491.33	21.8Ω/km
ANM10.010.26.018AB	UL20234	600V	26X18AWG	29/0.19	16.5	497.13	21.8Ω/km
ANM10.010.27.018AB	UL20234	600V	27X18AWG	29/0.19	16.5	503.13	21.8Ω/km
ANM10.010.28.018AB	UL20234	600V	28X18AWG	29/0.19	17	529.73	21.8Ω/km
ANM10.010.29.018AB	UL20234	600V	29X18AWG	29/0.19	17	535.83	21.8Ω/km
ANM10.010.30.018AB	UL20234	600V	30X18AWG	29/0.19	17	541.83	21.8Ω/km
ANM10.010.31.018AB	UL20234	600V	31X18AWG	29/0.19	17.5	568.93	21.8Ω/km
ANM10.010.32.018AB	UL20234	600V	32X18AWG	29/0.19	17.5	574.93	21.8Ω/km
ANM10.010.33.018AB	UL20234	600V	33X18AWG	29/0.19	17.5	580.93	21.8Ω/km
ANM10.010.34.018AB	UL20234	600V	34X18AWG	29/0.19	18.1	613.23	21.8Ω/km



ANM10.010.35.018AB	UL20234	600V	35X18AWG	29/0.19	18.1	619.33	21.8 Ω/km
ANM10.010.36.018AB	UL20234	600V	36X18AWG	29/0.19	18.1	625.23	21.8 Ω/km
ANM10.010.37.018AB	UL20234	600V	37X18AWG	29/0.19	18.1	631.13	21.8 Ω/km
ANM10.010.38.018AB	UL20234	600V	38X18AWG	29/0.19	18.7	664.43	21.8 Ω/km
ANM10.010.39.018AB	UL20234	600V	39X18AWG	29/0.19	18.7	670.43	21.8 Ω/km
ANM10.010.40.018AB	UL20234	600V	40X18AWG	29/0.19	18.7	676.33	21.8 Ω/km
ANM10.010.41.018AB	UL20234	600V	41X18AWG	29/0.19	20.1	749.33	21.8 Ω/km
ANM10.010.42.018AB	UL20234	600V	42X18AWG	29/0.19	20.1	755.23	21.8 Ω/km
ANM10.010.43.018AB	UL20234	600V	43X18AWG	29/0.19	20.1	761.23	21.8 Ω/km
ANM10.010.44.018AB	UL20234	600V	44X18AWG	29/0.19	20.1	767.23	21.8 Ω/km
ANM10.010.45.018AB	UL20234	600V	45X18AWG	29/0.19	21.5	842.93	21.8 Ω/km
ANM10.010.46.018AB	UL20234	600V	46X18AWG	29/0.19	21.5	848.83	21.8 Ω/km
ANM10.010.47.018AB	UL20234	600V	47X18AWG	29/0.19	21.5	854.93	21.8 Ω/km
ANM10.010.48.018AB	UL20234	600V	48X18AWG	29/0.19	21.5	860.73	21.8 Ω/km
ANM10.010.49.018AB	UL20234	600V	49X18AWG	29/0.19	22	893.43	21.8 Ω/km
ANM10.010.50.018AB	UL20234	600V	50X18AWG	29/0.19	22	899.53	21.8 Ω/km
ANM10.010.51.018AB	UL20234	600V	51X18AWG	29/0.19	22	905.33	21.8 Ω/km
ANM10.010.52.018AB	UL20234	600V	52X18AWG	29/0.19	22	911.33	21.8 Ω/km
ANM10.010.53.018AB	UL20234	600V	53X18AWG	29/0.19	22.5	944.73	21.8 Ω/km
ANM10.010.54.018AB	UL20234	600V	54X18AWG	29/0.19	22.5	950.63	21.8 Ω/km
ANM10.010.55.018AB	UL20234	600V	55X18AWG	29/0.19	22.5	956.63	21.8 Ω/km
ANM10.010.56.018AB	UL20234	600V	56X18AWG	29/0.19	22.5	962.43	21.8 Ω/km
ANM10.010.57.018AB	UL20234	600V	57X18AWG	29/0.19	23.1	1002.13	21.8 Ω/km
ANM10.010.58.018AB	UL20234	600V	58X18AWG	29/0.19	23.1	1008.13	21.8 Ω/km
ANM10.010.59.018AB	UL20234	600V	59X18AWG	29/0.19	23.1	1014.03	21.8 Ω/km
ANM10.010.60.018AB	UL20234	600V	60X18AWG	29/0.19	23.1	1020.03	21.8 Ω/km
ANM10.010.61.018AB	UL20234	600V	61X18AWG	29/0.19	23.1	1026.03	21.8 Ω/km
ANM10.010.62.018AB	UL20234	600V	62X18AWG	29/0.19	23.7	1066.33	21.8 Ω/km
ANM10.010.63.018AB	UL20234	600V	63X18AWG	29/0.19	23.7	1072.43	21.8 Ω/km
ANM10.010.64.018AB	UL20234	600V	64X18AWG	29/0.19	23.7	1078.43	21.8 Ω/km
ANM10.010.65.018AB	UL20234	600V	65X18AWG	29/0.19	23.7	1084.23	21.8 Ω/km
ANM10.010.02.017AB	UL20234	600V	2X17AWG	37/0.19	8.4	105.54	17.3 Ω/km
ANM10.010.03.017AB	UL20234	600V	3X17AWG	37/0.19	8.8	121.54	17.3 Ω/km
ANM10.010.04.017AB	UL20234	600V	4X17AWG	37/0.19	9.4	142.74	17.3 Ω/km
ANM10.010.05.017AB	UL20234	600V	5X17AWG	37/0.19	10	164.74	17.3 Ω/km
ANM10.010.06.017AB	UL20234	600V	6X17AWG	37/0.19	10.6	187.64	17.3 Ω/km
ANM10.010.07.017AB	UL20234	600V	7X17AWG	37/0.19	10.6	194.94	17.3 Ω/km
ANM10.010.08.017AB	UL20234	600V	8X17AWG	37/0.19	11.3	221.54	17.3 Ω/km
ANM10.010.09.017AB	UL20234	600V	9X17AWG	37/0.19	12.2	255.34	17.3 Ω/km
ANM10.010.10.017AB	UL20234	600V	10X17AWG	37/0.19	12.8	281.54	17.3 Ω/km
ANM10.010.11.017AB	UL20234	600V	11X17AWG	37/0.19	13.2	301.84	17.3 Ω/km
ANM10.010.12.017AB	UL20234	600V	12X17AWG	37/0.19	13.2	309.24	17.3 Ω/km



ANM10.010.13.017AB	UL20234	600V	13X17AWG	37/0.19	13.8	336.64	17.3 Ω/km
ANM10.010.14.017AB	UL20234	600V	14X17AWG	37/0.19	13.8	343.94	17.3 Ω/km
ANM10.010.15.017AB	UL20234	600V	15X17AWG	37/0.19	14.5	375.94	17.3 Ω/km
ANM10.010.16.017AB	UL20234	600V	16X17AWG	37/0.19	14.5	383.34	17.3 Ω/km
ANM10.010.17.017AB	UL20234	600V	17X17AWG	37/0.19	15.1	412.84	17.3 Ω/km
ANM10.010.18.017AB	UL20234	600V	18X17AWG	37/0.19	15.1	420.24	17.3 Ω/km
ANM10.010.19.017AB	UL20234	600V	19X17AWG	37/0.19	15.1	427.74	17.3 Ω/km
ANM10.010.20.017AB	UL20234	600V	20X17AWG	37/0.19	15.5	450.14	17.3 Ω/km
ANM10.010.21.017AB	UL20234	600V	21X17AWG	37/0.19	15.8	469.24	17.3 Ω/km
ANM10.010.22.017AB	UL20234	600V	22X17AWG	37/0.19	16.7	512.74	17.3 Ω/km
ANM10.010.23.017AB	UL20234	600V	23X17AWG	37/0.19	17.3	545.34	17.3 Ω/km
ANM10.010.24.017AB	UL20234	600V	24X17AWG	37/0.19	17.3	552.74	17.3 Ω/km
ANM10.010.25.017AB	UL20234	600V	25X17AWG	37/0.19	17.7	577.34	17.3 Ω/km
ANM10.010.26.017AB	UL20234	600V	26X17AWG	37/0.19	17.7	584.64	17.3 Ω/km
ANM10.010.27.017AB	UL20234	600V	27X17AWG	37/0.19	17.7	592.14	17.3 Ω/km
ANM10.010.28.017AB	UL20234	600V	28X17AWG	37/0.19	18.3	626.24	17.3 Ω/km
ANM10.010.29.017AB	UL20234	600V	29X17AWG	37/0.19	18.3	633.64	17.3 Ω/km
ANM10.010.30.017AB	UL20234	600V	30X17AWG	37/0.19	18.3	640.94	17.3 Ω/km
ANM10.010.31.017AB	UL20234	600V	31X17AWG	37/0.19	18.9	675.94	17.3 Ω/km
ANM10.010.32.017AB	UL20234	600V	32X17AWG	37/0.19	18.9	683.24	17.3 Ω/km
ANM10.010.33.017AB	UL20234	600V	33X17AWG	37/0.19	18.9	690.54	17.3 Ω/km
ANM10.010.34.017AB	UL20234	600V	34X17AWG	37/0.19	19.5	726.34	17.3 Ω/km
ANM10.010.35.017AB	UL20234	600V	35X17AWG	37/0.19	19.5	733.74	17.3 Ω/km
ANM10.010.36.017AB	UL20234	600V	36X17AWG	37/0.19	19.5	741.14	17.3 Ω/km
ANM10.010.37.017AB	UL20234	600V	37X17AWG	37/0.19	19.5	748.64	17.3 Ω/km
ANM10.010.38.017AB	UL20234	600V	38X17AWG	37/0.19	20.2	790.24	17.3 Ω/km
ANM10.010.39.017AB	UL20234	600V	39X17AWG	37/0.19	20.2	797.64	17.3 Ω/km
ANM10.010.40.017AB	UL20234	600V	40X17AWG	37/0.19	20.2	804.94	17.3 Ω/km
ANM10.010.41.017AB	UL20234	600V	41X17AWG	37/0.19	22.7	942.34	17.3 Ω/km
ANM10.010.42.017AB	UL20234	600V	42X17AWG	37/0.19	22.7	949.64	17.3 Ω/km
ANM10.010.43.017AB	UL20234	600V	43X17AWG	37/0.19	22.7	957.04	17.3 Ω/km
ANM10.010.44.017AB	UL20234	600V	44X17AWG	37/0.19	22.7	964.34	17.3 Ω/km
ANM10.010.45.017AB	UL20234	600V	45X17AWG	37/0.19	23.1	994.34	17.3 Ω/km
ANM10.010.46.017AB	UL20234	600V	46X17AWG	37/0.19	23.1	1001.74	17.3 Ω/km
ANM10.010.47.017AB	UL20234	600V	47X17AWG	37/0.19	23.1	1009.14	17.3 Ω/km
ANM10.010.48.017AB	UL20234	600V	48X17AWG	37/0.19	23.1	1016.44	17.3 Ω/km
ANM10.010.49.017AB	UL20234	600V	49X17AWG	37/0.19	23.7	1058.34	17.3 Ω/km
ANM10.010.50.017AB	UL20234	600V	50X17AWG	37/0.19	23.7	1065.64	17.3 Ω/km
ANM10.010.51.017AB	UL20234	600V	51X17AWG	37/0.19	23.7	1072.94	17.3 Ω/km
ANM10.010.52.017AB	UL20234	600V	52X17AWG	37/0.19	23.7	1080.34	17.3 Ω/km
ANM10.010.53.017AB	UL20234	600V	53X17AWG	37/0.19	24.3	1123.14	17.3 Ω/km
ANM10.010.54.017AB	UL20234	600V	54X17AWG	37/0.19	24.3	1130.44	17.3 Ω/km



ANM10.010.55.017AB	UL20234	600V	55X17AWG	37/0.19	24.3	1137.94	17.3 Ω/km
ANM10.010.56.017AB	UL20234	600V	56X17AWG	37/0.19	24.3	1145.24	17.3 Ω/km
ANM10.010.57.017AB	UL20234	600V	57X17AWG	37/0.19	24.9	1188.94	17.3 Ω/km
ANM10.010.58.017AB	UL20234	600V	58X17AWG	37/0.19	24.9	1196.34	17.3 Ω/km
ANM10.010.59.017AB	UL20234	600V	59X17AWG	37/0.19	24.9	1203.64	17.3 Ω/km
ANM10.010.60.017AB	UL20234	600V	60X17AWG	37/0.19	24.9	1211.04	17.3 Ω/km
ANM10.010.61.017AB	UL20234	600V	61X17AWG	37/0.19	24.9	1218.34	17.3 Ω/km
ANM10.010.62.017AB	UL20234	600V	62X17AWG	37/0.19	25.6	1269.14	17.3 Ω/km
ANM10.010.63.017AB	UL20234	600V	63X17AWG	37/0.19	25.6	1276.44	17.3 Ω/km
ANM10.010.64.017AB	UL20234	600V	64X17AWG	37/0.19	25.6	1283.94	17.3 Ω/km
ANM10.010.65.017AB	UL20234	600V	65X17AWG	37/0.19	25.6	1291.24	17.3 Ω/km
ANM10.010.02.016AB	UL20234	600V	2X16AWG	27/0.25	8.6	114.51	13.7 Ω/km
ANM10.010.03.016AB	UL20234	600V	3X16AWG	27/0.25	9	132.91	13.7 Ω/km
ANM10.010.04.016AB	UL20234	600V	4X16AWG	27/0.25	9.6	156.61	13.7 Ω/km
ANM10.010.05.016AB	UL20234	600V	5X16AWG	27/0.25	10.3	183.71	13.7 Ω/km
ANM10.010.06.016AB	UL20234	600V	6X16AWG	27/0.25	10.9	209.11	13.7 Ω/km
ANM10.010.07.016AB	UL20234	600V	7X16AWG	27/0.25	10.9	218.71	13.7 Ω/km
ANM10.010.08.016AB	UL20234	600V	8X16AWG	27/0.25	11.6	248.11	13.7 Ω/km
ANM10.010.09.016AB	UL20234	600V	9X16AWG	27/0.25	12.6	287.81	13.7 Ω/km
ANM10.010.10.016AB	UL20234	600V	10X16AWG	27/0.25	13.2	316.61	13.7 Ω/km
ANM10.010.11.016AB	UL20234	600V	11X16AWG	27/0.25	13.6	339.51	13.7 Ω/km
ANM10.010.12.016AB	UL20234	600V	12X16AWG	27/0.25	13.6	349.11	13.7 Ω/km
ANM10.010.13.016AB	UL20234	600V	13X16AWG	27/0.25	14.3	382.91	13.7 Ω/km
ANM10.010.14.016AB	UL20234	600V	14X16AWG	27/0.25	14.3	392.51	13.7 Ω/km
ANM10.010.15.016AB	UL20234	600V	15X16AWG	27/0.25	15	427.51	13.7 Ω/km
ANM10.010.16.016AB	UL20234	600V	16X16AWG	27/0.25	15	437.11	13.7 Ω/km
ANM10.010.17.016AB	UL20234	600V	17X16AWG	27/0.25	15.6	469.51	13.7 Ω/km
ANM10.010.18.016AB	UL20234	600V	18X16AWG	27/0.25	15.6	479.11	13.7 Ω/km
ANM10.010.19.016AB	UL20234	600V	19X16AWG	27/0.25	15.6	488.71	13.7 Ω/km
ANM10.010.20.016AB	UL20234	600V	20X16AWG	27/0.25	16	513.81	13.7 Ω/km
ANM10.010.21.016AB	UL20234	600V	21X16AWG	27/0.25	16.3	535.51	13.7 Ω/km
ANM10.010.22.016AB	UL20234	600V	22X16AWG	27/0.25	17.3	586.51	13.7 Ω/km
ANM10.010.23.016AB	UL20234	600V	23X16AWG	27/0.25	17.9	622.31	13.7 Ω/km
ANM10.010.24.016AB	UL20234	600V	24X16AWG	27/0.25	17.9	631.91	13.7 Ω/km
ANM10.010.25.016AB	UL20234	600V	25X16AWG	27/0.25	18.3	659.21	13.7 Ω/km
ANM10.010.26.016AB	UL20234	600V	26X16AWG	27/0.25	18.3	668.81	13.7 Ω/km
ANM10.010.27.016AB	UL20234	600V	27X16AWG	27/0.25	18.3	678.31	13.7 Ω/km
ANM10.010.28.016AB	UL20234	600V	28X16AWG	27/0.25	18.9	715.51	13.7 Ω/km
ANM10.010.29.016AB	UL20234	600V	29X16AWG	27/0.25	18.9	725.01	13.7 Ω/km
ANM10.010.30.016AB	UL20234	600V	30X16AWG	27/0.25	18.9	734.61	13.7 Ω/km
ANM10.010.31.016AB	UL20234	600V	31X16AWG	27/0.25	19.6	777.41	13.7 Ω/km
ANM10.010.32.016AB	UL20234	600V	32X16AWG	27/0.25	19.6	786.91	13.7 Ω/km



ANM10.010.33.016AB	UL20234	600V	33X16AWG	27/0.25	19.6	796.51	13.7 Ω/km
ANM10.010.34.016AB	UL20234	600V	34X16AWG	27/0.25	20.2	835.51	13.7 Ω/km
ANM10.010.35.016AB	UL20234	600V	35X16AWG	27/0.25	20.2	845.11	13.7 Ω/km
ANM10.010.36.016AB	UL20234	600V	36X16AWG	27/0.25	20.2	854.71	13.7 Ω/km
ANM10.010.37.016AB	UL20234	600V	37X16AWG	27/0.25	20.2	864.21	13.7 Ω/km
ANM10.010.38.016AB	UL20234	600V	38X16AWG	27/0.25	21.9	960.01	13.7 Ω/km
ANM10.010.39.016AB	UL20234	600V	39X16AWG	27/0.25	21.9	969.51	13.7 Ω/km
ANM10.010.40.016AB	UL20234	600V	40X16AWG	27/0.25	21.9	979.11	13.7 Ω/km
ANM10.010.41.016AB	UL20234	600V	41X16AWG	27/0.25	23.5	1078.11	13.7 Ω/km
ANM10.010.42.016AB	UL20234	600V	42X16AWG	27/0.25	23.5	1087.61	13.7 Ω/km
ANM10.010.43.016AB	UL20234	600V	43X16AWG	27/0.25	23.5	1097.21	13.7 Ω/km
ANM10.010.44.016AB	UL20234	600V	44X16AWG	27/0.25	23.5	1106.71	13.7 Ω/km
ANM10.010.45.016AB	UL20234	600V	45X16AWG	27/0.25	23.9	1139.51	13.7 Ω/km
ANM10.010.46.016AB	UL20234	600V	46X16AWG	27/0.25	23.9	1149.01	13.7 Ω/km
ANM10.010.47.016AB	UL20234	600V	47X16AWG	27/0.25	23.9	1158.61	13.7 Ω/km
ANM10.010.48.016AB	UL20234	600V	48X16AWG	27/0.25	23.9	1168.21	13.7 Ω/km
ANM10.010.49.016AB	UL20234	600V	49X16AWG	27/0.25	24.5	1213.31	13.7 Ω/km
ANM10.010.50.016AB	UL20234	600V	50X16AWG	27/0.25	24.5	1222.91	13.7 Ω/km
ANM10.010.51.016AB	UL20234	600V	51X16AWG	27/0.25	24.5	1232.41	13.7 Ω/km
ANM10.010.52.016AB	UL20234	600V	52X16AWG	27/0.25	24.5	1242.01	13.7 Ω/km
ANM10.010.53.016AB	UL20234	600V	53X16AWG	27/0.25	25.2	1294.41	13.7 Ω/km
ANM10.010.54.016AB	UL20234	600V	54X16AWG	27/0.25	25.2	1303.91	13.7 Ω/km
ANM10.010.55.016AB	UL20234	600V	55X16AWG	27/0.25	25.2	1313.51	13.7 Ω/km
ANM10.010.56.016AB	UL20234	600V	56X16AWG	27/0.25	25.2	1323.01	13.7 Ω/km
ANM10.010.57.016AB	UL20234	600V	57X16AWG	27/0.25	25.8	1370.11	13.7 Ω/km
ANM10.010.58.016AB	UL20234	600V	58X16AWG	27/0.25	25.8	1379.61	13.7 Ω/km
ANM10.010.59.016AB	UL20234	600V	59X16AWG	27/0.25	25.8	1389.21	13.7 Ω/km
ANM10.010.60.016AB	UL20234	600V	60X16AWG	27/0.25	25.8	1398.81	13.7 Ω/km
ANM10.010.61.016AB	UL20234	600V	61X16AWG	27/0.25	25.8	1408.31	13.7 Ω/km
ANM10.010.62.016AB	UL20234	600V	62X16AWG	27/0.25	26.5	1462.91	13.7 Ω/km
ANM10.010.63.016AB	UL20234	600V	63X16AWG	27/0.25	26.5	1472.41	13.7 Ω/km
ANM10.010.64.016AB	UL20234	600V	64X16AWG	27/0.25	26.5	1482.01	13.7 Ω/km
ANM10.010.65.016AB	UL20234	600V	65X16AWG	27/0.25	26.5	1491.61	13.7 Ω/km
ANM10.010.02.015AB	UL20234	600V	2X15AWG	34/0.25	9	128.45	10.9 Ω/km
ANM10.010.03.015AB	UL20234	600V	3X15AWG	34/0.25	9.4	149.75	10.9 Ω/km
ANM10.010.04.015AB	UL20234	600V	4X15AWG	34/0.25	10.1	178.95	10.9 Ω/km
ANM10.010.05.015AB	UL20234	600V	5X15AWG	34/0.25	10.8	209.25	10.9 Ω/km
ANM10.010.06.015AB	UL20234	600V	6X15AWG	34/0.25	11.5	240.75	10.9 Ω/km
ANM10.010.07.015AB	UL20234	600V	7X15AWG	34/0.25	11.5	252.75	10.9 Ω/km
ANM10.010.08.015AB	UL20234	600V	8X15AWG	34/0.25	12.3	288.75	10.9 Ω/km
ANM10.010.09.015AB	UL20234	600V	9X15AWG	34/0.25	13.3	332.55	10.9 Ω/km
ANM10.010.10.015AB	UL20234	600V	10X15AWG	34/0.25	14	368.15	10.9 Ω/km



ANM10.010.11.015AB	UL20234	600V	11X15AWG	34/0.25	14.5	397.95	10.9Ω/km
ANM10.010.12.015AB	UL20234	600V	12X15AWG	34/0.25	14.5	409.85	10.9Ω/km
ANM10.010.13.015AB	UL20234	600V	13X15AWG	34/0.25	15.2	447.75	10.9Ω/km
ANM10.010.14.015AB	UL20234	600V	14X15AWG	34/0.25	15.2	459.75	10.9Ω/km
ANM10.010.15.015AB	UL20234	600V	15X15AWG	34/0.25	15.9	498.55	10.9Ω/km
ANM10.010.16.015AB	UL20234	600V	16X15AWG	34/0.25	15.9	510.65	10.9Ω/km
ANM10.010.17.015AB	UL20234	600V	17X15AWG	34/0.25	16.6	550.95	10.9Ω/km
ANM10.010.18.015AB	UL20234	600V	18X15AWG	34/0.25	16.6	562.85	10.9Ω/km
ANM10.010.19.015AB	UL20234	600V	19X15AWG	34/0.25	16.6	574.95	10.9Ω/km
ANM10.010.20.015AB	UL20234	600V	20X15AWG	34/0.25	17	603.55	10.9Ω/km
ANM10.010.21.015AB	UL20234	600V	21X15AWG	34/0.25	17.4	632.45	10.9Ω/km
ANM10.010.22.015AB	UL20234	600V	22X15AWG	34/0.25	18.4	688.75	10.9Ω/km
ANM10.010.23.015AB	UL20234	600V	23X15AWG	34/0.25	19.1	733.15	10.9Ω/km
ANM10.010.24.015AB	UL20234	600V	24X15AWG	34/0.25	19.1	745.15	10.9Ω/km
ANM10.010.25.015AB	UL20234	600V	25X15AWG	34/0.25	19.5	776.15	10.9Ω/km
ANM10.010.26.015AB	UL20234	600V	26X15AWG	34/0.25	19.5	788.15	10.9Ω/km
ANM10.010.27.015AB	UL20234	600V	27X15AWG	34/0.25	19.5	800.15	10.9Ω/km
ANM10.010.28.015AB	UL20234	600V	28X15AWG	34/0.25	20.2	846.45	10.9Ω/km
ANM10.010.29.015AB	UL20234	600V	29X15AWG	34/0.25	20.2	858.45	10.9Ω/km
ANM10.010.30.015AB	UL20234	600V	30X15AWG	34/0.25	20.2	870.35	10.9Ω/km
ANM10.010.31.015AB	UL20234	600V	31X15AWG	34/0.25	21.9	968.55	10.9Ω/km
ANM10.010.32.015AB	UL20234	600V	32X15AWG	34/0.25	21.9	980.55	10.9Ω/km
ANM10.010.33.015AB	UL20234	600V	33X15AWG	34/0.25	21.9	992.55	10.9Ω/km
ANM10.010.34.015AB	UL20234	600V	34X15AWG	34/0.25	22.6	1042.95	10.9Ω/km
ANM10.010.35.015AB	UL20234	600V	35X15AWG	34/0.25	22.6	1054.85	10.9Ω/km
ANM10.010.36.015AB	UL20234	600V	36X15AWG	34/0.25	22.6	1066.75	10.9Ω/km
ANM10.010.37.015AB	UL20234	600V	37X15AWG	34/0.25	22.6	1078.85	10.9Ω/km
ANM10.010.38.015AB	UL20234	600V	38X15AWG	34/0.25	23.4	1136.05	10.9Ω/km
ANM10.010.39.015AB	UL20234	600V	39X15AWG	34/0.25	23.4	1148.05	10.9Ω/km
ANM10.010.40.015AB	UL20234	600V	40X15AWG	34/0.25	23.4	1159.95	10.9Ω/km
ANM10.010.41.015AB	UL20234	600V	41X15AWG	34/0.25	25.1	1273.25	10.9Ω/km
ANM10.010.42.015AB	UL20234	600V	42X15AWG	34/0.25	25.1	1285.25	10.9Ω/km
ANM10.010.43.015AB	UL20234	600V	43X15AWG	34/0.25	25.1	1297.25	10.9Ω/km
ANM10.010.44.015AB	UL20234	600V	44X15AWG	34/0.25	25.1	1309.25	10.9Ω/km
ANM10.010.45.015AB	UL20234	600V	45X15AWG	34/0.25	25.5	1345.95	10.9Ω/km
ANM10.010.46.015AB	UL20234	600V	46X15AWG	34/0.25	25.5	1358.05	10.9Ω/km
ANM10.010.47.015AB	UL20234	600V	47X15AWG	34/0.25	25.5	1370.05	10.9Ω/km
ANM10.010.48.015AB	UL20234	600V	48X15AWG	34/0.25	25.5	1382.05	10.9Ω/km
ANM10.010.49.015AB	UL20234	600V	49X15AWG	34/0.25	26.2	1438.25	10.9Ω/km
ANM10.010.50.015AB	UL20234	600V	50X15AWG	34/0.25	26.2	1450.35	10.9Ω/km
ANM10.010.51.015AB	UL20234	600V	51X15AWG	34/0.25	26.2	1462.25	10.9Ω/km
ANM10.010.52.015AB	UL20234	600V	52X15AWG	34/0.25	26.2	1474.35	10.9Ω/km



ANM10.010.53.015AB	UL20234	600V	53X15AWG	34/0.25	26.9	1531.95	10.9Ω/km
ANM10.010.54.015AB	UL20234	600V	54X15AWG	34/0.25	26.9	1543.85	10.9Ω/km
ANM10.010.55.015AB	UL20234	600V	55X15AWG	34/0.25	26.9	1555.85	10.9Ω/km
ANM10.010.56.015AB	UL20234	600V	56X15AWG	34/0.25	26.9	1567.95	10.9Ω/km
ANM10.010.57.015AB	UL20234	600V	57X15AWG	34/0.25	27.6	1626.55	10.9Ω/km
ANM10.010.58.015AB	UL20234	600V	58X15AWG	34/0.25	27.6	1638.65	10.9Ω/km
ANM10.010.59.015AB	UL20234	600V	59X15AWG	34/0.25	27.6	1650.45	10.9Ω/km
ANM10.010.60.015AB	UL20234	600V	60X15AWG	34/0.25	27.6	1662.45	10.9Ω/km
ANM10.010.61.015AB	UL20234	600V	61X15AWG	34/0.25	27.6	1674.55	10.9Ω/km
ANM10.010.62.015AB	UL20234	600V	62X15AWG	34/0.25	28.4	1741.45	10.9Ω/km
ANM10.010.63.015AB	UL20234	600V	63X15AWG	34/0.25	28.4	1753.55	10.9Ω/km
ANM10.010.64.015AB	UL20234	600V	64X15AWG	34/0.25	28.4	1765.45	10.9Ω/km
ANM10.010.65.015AB	UL20234	600V	65X15AWG	34/0.25	28.4	1777.35	10.9Ω/km
ANM10.010.02.014AB	UL20234	600V	2X14AWG	43/0.25	9.4	144.58	8.62Ω/km
ANM10.010.03.014AB	UL20234	600V	3X14AWG	43/0.25	9.9	171.88	8.62Ω/km
ANM10.010.04.014AB	UL20234	600V	4X14AWG	43/0.25	10.6	205.08	8.62Ω/km
ANM10.010.05.014AB	UL20234	600V	5X14AWG	43/0.25	11.3	239.48	8.62Ω/km
ANM10.010.06.014AB	UL20234	600V	6X14AWG	43/0.25	12.1	278.08	8.62Ω/km
ANM10.010.07.014AB	UL20234	600V	7X14AWG	43/0.25	12.1	293.28	8.62Ω/km
ANM10.010.08.014AB	UL20234	600V	8X14AWG	43/0.25	13	336.58	8.62Ω/km
ANM10.010.09.014AB	UL20234	600V	9X14AWG	43/0.25	14	385.28	8.62Ω/km
ANM10.010.10.014AB	UL20234	600V	10X14AWG	43/0.25	14.9	432.88	8.62Ω/km
ANM10.010.11.014AB	UL20234	600V	11X14AWG	43/0.25	15.4	466.78	8.62Ω/km
ANM10.010.12.014AB	UL20234	600V	12X14AWG	43/0.25	15.4	481.98	8.62Ω/km
ANM10.010.13.014AB	UL20234	600V	13X14AWG	43/0.25	16.1	524.38	8.62Ω/km
ANM10.010.14.014AB	UL20234	600V	14X14AWG	43/0.25	16.1	539.68	8.62Ω/km
ANM10.010.15.014AB	UL20234	600V	15X14AWG	43/0.25	16.8	583.28	8.62Ω/km
ANM10.010.16.014AB	UL20234	600V	16X14AWG	43/0.25	16.8	598.48	8.62Ω/km
ANM10.010.17.014AB	UL20234	600V	17X14AWG	43/0.25	17.6	647.58	8.62Ω/km
ANM10.010.18.014AB	UL20234	600V	18X14AWG	43/0.25	17.6	662.88	8.62Ω/km
ANM10.010.19.014AB	UL20234	600V	19X14AWG	43/0.25	17.6	678.08	8.62Ω/km
ANM10.010.20.014AB	UL20234	600V	20X14AWG	43/0.25	18.1	715.18	8.62Ω/km
ANM10.010.21.014AB	UL20234	600V	21X14AWG	43/0.25	18.5	748.48	8.62Ω/km
ANM10.010.22.014AB	UL20234	600V	22X14AWG	43/0.25	19.5	810.48	8.62Ω/km
ANM10.010.23.014AB	UL20234	600V	23X14AWG	43/0.25	21.3	914.28	8.62Ω/km
ANM10.010.24.014AB	UL20234	600V	24X14AWG	43/0.25	21.3	929.48	8.62Ω/km
ANM10.010.25.014AB	UL20234	600V	25X14AWG	43/0.25	21.8	971.08	8.62Ω/km
ANM10.010.26.014AB	UL20234	600V	26X14AWG	43/0.25	21.8	986.18	8.62Ω/km
ANM10.010.27.014AB	UL20234	600V	27X14AWG	43/0.25	21.8	1001.38	8.62Ω/km
ANM10.010.28.014AB	UL20234	600V	28X14AWG	43/0.25	22.5	1054.78	8.62Ω/km
ANM10.010.29.014AB	UL20234	600V	29X14AWG	43/0.25	22.5	1069.88	8.62Ω/km
ANM10.010.30.014AB	UL20234	600V	30X14AWG	43/0.25	22.5	1085.08	8.62Ω/km



ANM10.010.31.014AB	UL20234	600V	31X14AWG	43/0.25	23.2	1139.68	8.62 Ω/km
ANM10.010.32.014AB	UL20234	600V	32X14AWG	43/0.25	23.2	1154.78	8.62 Ω/km
ANM10.010.33.014AB	UL20234	600V	33X14AWG	43/0.25	23.2	1169.98	8.62 Ω/km
ANM10.010.34.014AB	UL20234	600V	34X14AWG	43/0.25	24	1231.38	8.62 Ω/km
ANM10.010.35.014AB	UL20234	600V	35X14AWG	43/0.25	24	1246.58	8.62 Ω/km
ANM10.010.36.014AB	UL20234	600V	36X14AWG	43/0.25	24	1261.88	8.62 Ω/km
ANM10.010.37.014AB	UL20234	600V	37X14AWG	43/0.25	24	1276.98	8.62 Ω/km
ANM10.010.38.014AB	UL20234	600V	38X14AWG	43/0.25	24.9	1346.18	8.62 Ω/km
ANM10.010.39.014AB	UL20234	600V	39X14AWG	43/0.25	24.9	1361.28	8.62 Ω/km
ANM10.010.40.014AB	UL20234	600V	40X14AWG	43/0.25	24.9	1376.58	8.62 Ω/km
ANM10.010.41.014AB	UL20234	600V	41X14AWG	43/0.25	26.7	1505.58	8.62 Ω/km
ANM10.010.42.014AB	UL20234	600V	42X14AWG	43/0.25	26.7	1520.78	8.62 Ω/km
ANM10.010.43.014AB	UL20234	600V	43X14AWG	43/0.25	26.7	1535.98	8.62 Ω/km
ANM10.010.44.014AB	UL20234	600V	44X14AWG	43/0.25	26.7	1551.08	8.62 Ω/km
ANM10.010.45.014AB	UL20234	600V	45X14AWG	43/0.25	27.2	1599.48	8.62 Ω/km
ANM10.010.46.014AB	UL20234	600V	46X14AWG	43/0.25	27.2	1614.48	8.62 Ω/km
ANM10.010.47.014AB	UL20234	600V	47X14AWG	43/0.25	27.2	1629.68	8.62 Ω/km
ANM10.010.48.014AB	UL20234	600V	48X14AWG	43/0.25	27.2	1644.88	8.62 Ω/km
ANM10.010.49.014AB	UL20234	600V	49X14AWG	43/0.25	27.9	1707.28	8.62 Ω/km
ANM10.010.50.014AB	UL20234	600V	50X14AWG	43/0.25	27.9	1722.48	8.62 Ω/km
ANM10.010.51.014AB	UL20234	600V	51X14AWG	43/0.25	27.9	1737.58	8.62 Ω/km
ANM10.010.52.014AB	UL20234	600V	52X14AWG	43/0.25	27.9	1752.78	8.62 Ω/km
ANM10.010.02.013AB	UL20234	600V	2X13AWG	54/0.25	10	167.23	6.82 Ω/km
ANM10.010.03.013AB	UL20234	600V	3X13AWG	54/0.25	10.5	198.93	6.82 Ω/km
ANM10.010.04.013AB	UL20234	600V	4X13AWG	54/0.25	11.3	239.63	6.82 Ω/km
ANM10.010.05.013AB	UL20234	600V	5X13AWG	54/0.25	12.1	281.83	6.82 Ω/km
ANM10.010.06.013AB	UL20234	600V	6X13AWG	54/0.25	13	328.93	6.82 Ω/km
ANM10.010.07.013AB	UL20234	600V	7X13AWG	54/0.25	13	347.73	6.82 Ω/km
ANM10.010.08.013AB	UL20234	600V	8X13AWG	54/0.25	13.9	396.73	6.82 Ω/km
ANM10.010.09.013AB	UL20234	600V	9X13AWG	54/0.25	15.2	462.63	6.82 Ω/km
ANM10.010.10.013AB	UL20234	600V	10X13AWG	54/0.25	16.1	516.43	6.82 Ω/km
ANM10.010.11.013AB	UL20234	600V	11X13AWG	54/0.25	16.6	555.53	6.82 Ω/km
ANM10.010.12.013AB	UL20234	600V	12X13AWG	54/0.25	16.6	574.43	6.82 Ω/km
ANM10.010.13.013AB	UL20234	600V	13X13AWG	54/0.25	17.4	626.83	6.82 Ω/km
ANM10.010.14.013AB	UL20234	600V	14X13AWG	54/0.25	17.4	645.73	6.82 Ω/km
ANM10.010.15.013AB	UL20234	600V	15X13AWG	54/0.25	18.2	699.83	6.82 Ω/km
ANM10.010.16.013AB	UL20234	600V	16X13AWG	54/0.25	18.2	718.63	6.82 Ω/km
ANM10.010.17.013AB	UL20234	600V	17X13AWG	54/0.25	19.1	778.83	6.82 Ω/km
ANM10.010.18.013AB	UL20234	600V	18X13AWG	54/0.25	19.1	797.73	6.82 Ω/km
ANM10.010.19.013AB	UL20234	600V	19X13AWG	54/0.25	19.1	816.73	6.82 Ω/km
ANM10.010.20.013AB	UL20234	600V	20X13AWG	54/0.25	19.6	859.43	6.82 Ω/km
ANM10.010.21.013AB	UL20234	600V	21X13AWG	54/0.25	20	897.83	6.82 Ω/km



ANM10.010.22.013AB	UL20234	600V	22X13AWG	54/0.25	22.2	1028.93	6.82 Ω/km
ANM10.010.23.013AB	UL20234	600V	23X13AWG	54/0.25	23.1	1097.93	6.82 Ω/km
ANM10.010.24.013AB	UL20234	600V	24X13AWG	54/0.25	23.1	1116.73	6.82 Ω/km
ANM10.010.25.013AB	UL20234	600V	25X13AWG	54/0.25	23.6	1164.23	6.82 Ω/km
ANM10.010.26.013AB	UL20234	600V	26X13AWG	54/0.25	23.6	1183.13	6.82 Ω/km
ANM10.010.27.013AB	UL20234	600V	27X13AWG	54/0.25	23.6	1202.03	6.82 Ω/km
ANM10.010.28.013AB	UL20234	600V	28X13AWG	54/0.25	24.4	1268.13	6.82 Ω/km
ANM10.010.29.013AB	UL20234	600V	29X13AWG	54/0.25	24.4	1286.93	6.82 Ω/km
ANM10.010.30.013AB	UL20234	600V	30X13AWG	54/0.25	24.4	1305.83	6.82 Ω/km
ANM10.010.31.013AB	UL20234	600V	31X13AWG	54/0.25	25.2	1373.33	6.82 Ω/km
ANM10.010.32.013AB	UL20234	600V	32X13AWG	54/0.25	25.2	1392.23	6.82 Ω/km
ANM10.010.33.013AB	UL20234	600V	33X13AWG	54/0.25	25.2	1411.03	6.82 Ω/km
ANM10.010.34.013AB	UL20234	600V	34X13AWG	54/0.25	26.1	1486.53	6.82 Ω/km
ANM10.010.35.013AB	UL20234	600V	35X13AWG	54/0.25	26.1	1505.33	6.82 Ω/km
ANM10.010.36.013AB	UL20234	600V	36X13AWG	54/0.25	26.1	1524.23	6.82 Ω/km
ANM10.010.37.013AB	UL20234	600V	37X13AWG	54/0.25	26.1	1543.13	6.82 Ω/km
ANM10.010.38.013AB	UL20234	600V	38X13AWG	54/0.25	27	1620.73	6.82 Ω/km
ANM10.010.39.013AB	UL20234	600V	39X13AWG	54/0.25	27	1639.53	6.82 Ω/km
ANM10.010.40.013AB	UL20234	600V	40X13AWG	54/0.25	27	1658.33	6.82 Ω/km
ANM10.010.41.013AB	UL20234	600V	41X13AWG	54/0.25	29.1	1821.53	6.82 Ω/km
ANM10.010.42.013AB	UL20234	600V	42X13AWG	54/0.25	29.1	1840.43	6.82 Ω/km
ANM10.010.43.013AB	UL20234	600V	43X13AWG	54/0.25	29.1	1859.23	6.82 Ω/km
ANM10.010.44.013AB	UL20234	600V	44X13AWG	54/0.25	29.1	1878.13	6.82 Ω/km
ANM10.010.45.013AB	UL20234	600V	45X13AWG	54/0.25	30.8	2018.83	6.82 Ω/km
ANM10.010.46.013AB	UL20234	600V	46X13AWG	54/0.25	30.8	2037.63	6.82 Ω/km
ANM10.010.47.013AB	UL20234	600V	47X13AWG	54/0.25	30.8	2056.43	6.82 Ω/km
ANM10.010.48.013AB	UL20234	600V	48X13AWG	54/0.25	30.8	2075.23	6.82 Ω/km
ANM10.010.49.013AB	UL20234	600V	49X13AWG	54/0.25	32	2220.83	6.82 Ω/km
ANM10.010.50.013AB	UL20234	600V	50X13AWG	54/0.25	32	2239.63	6.82 Ω/km
ANM10.010.51.013AB	UL20234	600V	51X13AWG	54/0.25	32	2258.53	6.82 Ω/km
ANM10.010.52.013AB	UL20234	600V	52X13AWG	54/0.25	32	2277.43	6.82 Ω/km
ANM10.010.02.012AB	UL20234	600V	2X12AWG	68/0.25	10.4	188.81	5.43 Ω/km
ANM10.010.03.012AB	UL20234	600V	3X12AWG	68/0.25	10.9	226.21	5.43 Ω/km
ANM10.010.04.012AB	UL20234	600V	4X12AWG	68/0.25	11.8	276.01	5.43 Ω/km
ANM10.010.05.012AB	UL20234	600V	5X12AWG	68/0.25	12.7	327.61	5.43 Ω/km
ANM10.010.06.012AB	UL20234	600V	6X12AWG	68/0.25	13.6	381.21	5.43 Ω/km
ANM10.010.07.012AB	UL20234	600V	7X12AWG	68/0.25	13.6	405.31	5.43 Ω/km
ANM10.010.08.012AB	UL20234	600V	8X12AWG	68/0.25	14.7	468.21	5.43 Ω/km
ANM10.010.09.012AB	UL20234	600V	9X12AWG	68/0.25	16	541.91	5.43 Ω/km
ANM10.010.10.012AB	UL20234	600V	10X12AWG	68/0.25	16.9	602.71	5.43 Ω/km
ANM10.010.11.012AB	UL20234	600V	11X12AWG	68/0.25	17.4	648.01	5.43 Ω/km
ANM10.010.12.012AB	UL20234	600V	12X12AWG	68/0.25	17.4	672.21	5.43 Ω/km



ANM10.010.13.012AB	UL20234	600V	13X12AWG	68/0.25	18.3	736.01	5.43 Ω/km
ANM10.010.14.012AB	UL20234	600V	14X12AWG	68/0.25	18.3	760.21	5.43 Ω/km
ANM10.010.15.012AB	UL20234	600V	15X12AWG	68/0.25	19.2	826.01	5.43 Ω/km
ANM10.010.16.012AB	UL20234	600V	16X12AWG	68/0.25	19.2	850.21	5.43 Ω/km
ANM10.010.17.012AB	UL20234	600V	17X12AWG	68/0.25	20.1	918.11	5.43 Ω/km
ANM10.010.18.012AB	UL20234	600V	18X12AWG	68/0.25	20.1	942.21	5.43 Ω/km
ANM10.010.19.012AB	UL20234	600V	19X12AWG	68/0.25	20.1	966.41	5.43 Ω/km
ANM10.010.20.012AB	UL20234	600V	20X12AWG	68/0.25	21.6	1065.61	5.43 Ω/km
ANM10.010.21.012AB	UL20234	600V	21X12AWG	68/0.25	22.1	1116.61	5.43 Ω/km
ANM10.010.22.012AB	UL20234	600V	22X12AWG	68/0.25	23.4	1213.41	5.43 Ω/km
ANM10.010.23.012AB	UL20234	600V	23X12AWG	68/0.25	24.3	1290.31	5.43 Ω/km
ANM10.010.24.012AB	UL20234	600V	24X12AWG	68/0.25	24.3	1314.41	5.43 Ω/km
ANM10.010.25.012AB	UL20234	600V	25X12AWG	68/0.25	24.8	1368.71	5.43 Ω/km
ANM10.010.26.012AB	UL20234	600V	26X12AWG	68/0.25	24.8	1392.81	5.43 Ω/km
ANM10.010.27.012AB	UL20234	600V	27X12AWG	68/0.25	24.8	1417.01	5.43 Ω/km
ANM10.010.28.012AB	UL20234	600V	28X12AWG	68/0.25	25.7	1496.91	5.43 Ω/km
ANM10.010.29.012AB	UL20234	600V	29X12AWG	68/0.25	25.7	1521.01	5.43 Ω/km
ANM10.010.30.012AB	UL20234	600V	30X12AWG	68/0.25	25.7	1545.11	5.43 Ω/km
ANM10.010.31.012AB	UL20234	600V	31X12AWG	68/0.25	26.6	1627.11	5.43 Ω/km
ANM10.010.32.012AB	UL20234	600V	32X12AWG	68/0.25	26.6	1651.21	5.43 Ω/km
ANM10.010.33.012AB	UL20234	600V	33X12AWG	68/0.25	26.6	1675.31	5.43 Ω/km
ANM10.010.34.012AB	UL20234	600V	34X12AWG	68/0.25	27.5	1759.31	5.43 Ω/km
ANM10.010.35.012AB	UL20234	600V	35X12AWG	68/0.25	27.5	1783.41	5.43 Ω/km
ANM10.010.36.012AB	UL20234	600V	36X12AWG	68/0.25	27.5	1807.51	5.43 Ω/km
ANM10.010.37.012AB	UL20234	600V	37X12AWG	68/0.25	27.5	1831.61	5.43 Ω/km
ANM10.010.02.011AB	UL20234	600V	2X11AWG	85/0.25	12	245.47	4.30 Ω/km
ANM10.010.03.011AB	UL20234	600V	3X11AWG	85/0.25	12.7	296.67	4.30 Ω/km
ANM10.010.04.011AB	UL20234	600V	4X11AWG	85/0.25	13.7	359.27	4.30 Ω/km
ANM10.010.05.011AB	UL20234	600V	5X11AWG	85/0.25	14.9	431.57	4.30 Ω/km
ANM10.010.06.011AB	UL20234	600V	6X11AWG	85/0.25	16.1	507.27	4.30 Ω/km
ANM10.010.07.011AB	UL20234	600V	7X11AWG	85/0.25	16.1	536.97	4.30 Ω/km
ANM10.010.08.011AB	UL20234	600V	8X11AWG	85/0.25	17.3	616.37	4.30 Ω/km
ANM10.010.09.011AB	UL20234	600V	9X11AWG	85/0.25	18.9	717.47	4.30 Ω/km
ANM10.010.10.011AB	UL20234	600V	10X11AWG	85/0.25	20.1	804.87	4.30 Ω/km
ANM10.010.11.011AB	UL20234	600V	11X11AWG	85/0.25	21.8	920.27	4.30 Ω/km
ANM10.010.12.011AB	UL20234	600V	12X11AWG	85/0.25	21.8	949.87	4.30 Ω/km
ANM10.010.13.011AB	UL20234	600V	13X11AWG	85/0.25	22.8	1034.57	4.30 Ω/km
ANM10.010.14.011AB	UL20234	600V	14X11AWG	85/0.25	22.8	1064.17	4.30 Ω/km
ANM10.010.15.011AB	UL20234	600V	15X11AWG	85/0.25	23.9	1156.77	4.30 Ω/km
ANM10.010.16.011AB	UL20234	600V	16X11AWG	85/0.25	23.9	1186.57	4.30 Ω/km
ANM10.010.17.011AB	UL20234	600V	17X11AWG	85/0.25	25.1	1288.37	4.30 Ω/km
ANM10.010.18.011AB	UL20234	600V	18X11AWG	85/0.25	25.1	1318.07	4.30 Ω/km



ANM10.010.19.011AB	UL20234	600V	19X11AWG	85/0.25	25.1	1347.77	4.30 Ω/km
ANM10.010.20.011AB	UL20234	600V	20X11AWG	85/0.25	25.8	1420.97	4.30 Ω/km
ANM10.010.21.011AB	UL20234	600V	21X11AWG	85/0.25	26.3	1482.77	4.30 Ω/km
ANM10.010.22.011AB	UL20234	600V	22X11AWG	85/0.25	27.9	1618.67	4.30 Ω/km
ANM10.010.23.011AB	UL20234	600V	23X11AWG	85/0.25	29.1	1732.17	4.30 Ω/km
ANM10.010.24.011AB	UL20234	600V	24X11AWG	85/0.25	29.1	1761.77	4.30 Ω/km
ANM10.010.25.011AB	UL20234	600V	25X11AWG	85/0.25	31	1928.27	4.30 Ω/km
ANM10.010.26.011AB	UL20234	600V	26X11AWG	85/0.25	31	1957.87	4.30 Ω/km
ANM10.010.27.011AB	UL20234	600V	27X11AWG	85/0.25	31	1987.57	4.30 Ω/km
ANM10.010.28.011AB	UL20234	600V	28X11AWG	85/0.25	32.4	2160.97	4.30 Ω/km
ANM10.010.29.011AB	UL20234	600V	29X11AWG	85/0.25	32.4	2190.57	4.30 Ω/km
ANM10.010.30.011AB	UL20234	600V	30X11AWG	85/0.25	32.4	2220.17	4.30 Ω/km
ANM10.010.31.011AB	UL20234	600V	31X11AWG	85/0.25	33.5	2339.97	4.30 Ω/km
ANM10.010.32.011AB	UL20234	600V	32X11AWG	85/0.25	33.5	2369.57	4.30 Ω/km
ANM10.010.33.011AB	UL20234	600V	33X11AWG	85/0.25	33.5	2399.27	4.30 Ω/km
ANM10.010.34.011AB	UL20234	600V	34X11AWG	85/0.25	34.7	2530.47	4.30 Ω/km
ANM10.010.35.011AB	UL20234	600V	35X11AWG	85/0.25	34.7	2560.07	4.30 Ω/km
ANM10.010.36.011AB	UL20234	600V	36X11AWG	85/0.25	34.7	2589.87	4.30 Ω/km
ANM10.010.37.011AB	UL20234	600V	37X11AWG	85/0.25	34.7	2619.37	4.30 Ω/km
ANM10.010.02.010AB	UL20234	600V	2X10AWG	108/0.25	13.2	295.77	3.409 Ω/km
ANM10.010.03.010AB	UL20234	600V	3X10AWG	108/0.25	14	358.17	3.409 Ω/km
ANM10.010.04.010AB	UL20234	600V	4X10AWG	108/0.25	15.3	440.97	3.409 Ω/km
ANM10.010.05.010AB	UL20234	600V	5X10AWG	108/0.25	16.6	527.87	3.409 Ω/km
ANM10.010.06.010AB	UL20234	600V	6X10AWG	108/0.25	17.9	618.77	3.409 Ω/km
ANM10.010.07.010AB	UL20234	600V	7X10AWG	108/0.25	17.9	654.17	3.409 Ω/km
ANM10.010.08.010AB	UL20234	600V	8X10AWG	108/0.25	19.3	753.87	3.409 Ω/km
ANM10.010.09.010AB	UL20234	600V	9X10AWG	108/0.25	22.2	935.47	3.409 Ω/km
ANM10.010.10.010AB	UL20234	600V	10X10AWG	108/0.25	23.5	1044.17	3.409 Ω/km
ANM10.010.11.010AB	UL20234	600V	11X10AWG	108/0.25	24.3	1126.27	3.409 Ω/km
ANM10.010.12.010AB	UL20234	600V	12X10AWG	108/0.25	24.3	1161.67	3.409 Ω/km
ANM10.010.13.010AB	UL20234	600V	13X10AWG	108/0.25	25.5	1270.67	3.409 Ω/km
ANM10.010.14.010AB	UL20234	600V	14X10AWG	108/0.25	25.5	1305.97	3.409 Ω/km
ANM10.010.15.010AB	UL20234	600V	15X10AWG	108/0.25	26.8	1424.77	3.409 Ω/km
ANM10.010.16.010AB	UL20234	600V	16X10AWG	108/0.25	26.8	1460.27	3.409 Ω/km
ANM10.010.17.010AB	UL20234	600V	17X10AWG	108/0.25	28.1	1583.07	3.409 Ω/km
ANM10.010.18.010AB	UL20234	600V	18X10AWG	108/0.25	28.1	1618.47	3.409 Ω/km
ANM10.010.19.010AB	UL20234	600V	19X10AWG	108/0.25	28.1	1653.97	3.409 Ω/km
ANM10.010.20.010AB	UL20234	600V	20X10AWG	108/0.25	28.9	1745.27	3.409 Ω/km
ANM10.010.21.010AB	UL20234	600V	21X10AWG	108/0.25	30.7	1909.07	3.409 Ω/km
ANM10.010.22.010AB	UL20234	600V	22X10AWG	108/0.25	33	2159.57	3.409 Ω/km
ANM10.010.23.010AB	UL20234	600V	23X10AWG	108/0.25	34.3	2303.67	3.409 Ω/km
ANM10.010.24.010AB	UL20234	600V	24X10AWG	108/0.25	34.3	2338.97	3.409 Ω/km



ANM10.010.25.010AB	UL20234	600V	25X10AWG	108/0.25	35.1	2443.37	3.409 Ω/km
ANM10.010.26.010AB	UL20234	600V	26X10AWG	108/0.25	35.1	2478.77	3.409 Ω/km
ANM10.010.27.010AB	UL20234	600V	27X10AWG	108/0.25	35.1	2514.07	3.409 Ω/km
ANM10.010.28.010AB	UL20234	600V	28X10AWG	108/0.25	36.3	2655.77	3.409 Ω/km
ANM10.010.29.010AB	UL20234	600V	29X10AWG	108/0.25	36.3	2691.17	3.409 Ω/km
ANM10.010.30.010AB	UL20234	600V	30X10AWG	108/0.25	36.3	2726.57	3.409 Ω/km
ANM10.010.31.010AB	UL20234	600V	31X10AWG	108/0.25	37.9	2909.17	3.409 Ω/km
ANM10.010.32.010AB	UL20234	600V	32X10AWG	108/0.25	37.9	2944.57	3.409 Ω/km
ANM10.010.33.010AB	UL20234	600V	33X10AWG	108/0.25	37.9	2979.97	3.409 Ω/km
ANM10.010.34.010AB	UL20234	600V	34X10AWG	108/0.25	39.2	3139.27	3.409 Ω/km
ANM10.010.35.010AB	UL20234	600V	35X10AWG	108/0.25	39.2	3174.77	3.409 Ω/km
ANM10.010.36.010AB	UL20234	600V	36X10AWG	108/0.25	39.2	3210.17	3.409 Ω/km
ANM10.010.37.010AB	UL20234	600V	37X10AWG	108/0.25	39.2	3245.47	3.409 Ω/km
ANM10.010.02.009AB	UL20234	600V	2X9AWG	136/0.25	14.7	369.64	2.705 Ω/km
ANM10.010.03.009AB	UL20234	600V	3X9AWG	136/0.25	15.6	449.14	2.705 Ω/km
ANM10.010.04.009AB	UL20234	600V	4X9AWG	136/0.25	16.9	547.14	2.705 Ω/km
ANM10.010.05.009AB	UL20234	600V	5X9AWG	136/0.25	18.5	662.74	2.705 Ω/km
ANM10.010.06.009AB	UL20234	600V	6X9AWG	136/0.25	20	779.74	2.705 Ω/km
ANM10.010.07.009AB	UL20234	600V	7X9AWG	136/0.25	20	825.24	2.705 Ω/km
ANM10.010.02.008AB	UL20234	600V	2X8AWG	171/0.25	15.5	426.47	2.144 Ω/km
ANM10.010.03.008AB	UL20234	600V	3X8AWG	171/0.25	16.4	520.37	2.144 Ω/km
ANM10.010.04.008AB	UL20234	600V	4X8AWG	171/0.25	17.9	642.17	2.144 Ω/km
ANM10.010.05.008AB	UL20234	600V	5X8AWG	171/0.25	19.5	774.27	2.144 Ω/km
ANM10.010.06.008AB	UL20234	600V	6X8AWG	171/0.25	22.2	969.27	2.144 Ω/km
ANM10.010.07.008AB	UL20234	600V	7X8AWG	171/0.25	22.2	1027.37	2.144 Ω/km
ANM10.010.02.007AB	UL20234	600V	2X7AWG	84/0.4	16.3	493.05	1.700 Ω/km
ANM10.010.03.007AB	UL20234	600V	3X7AWG	84/0.4	17.3	609.25	1.700 Ω/km
ANM10.010.04.007AB	UL20234	600V	4X7AWG	84/0.4	18.9	755.45	1.700 Ω/km
ANM10.010.05.007AB	UL20234	600V	5X7AWG	84/0.4	21.6	962.95	1.700 Ω/km
ANM10.010.06.007AB	UL20234	600V	6X7AWG	84/0.4	23.4	1137.15	1.700 Ω/km
ANM10.010.07.007AB	UL20234	600V	7X7AWG	84/0.4	23.4	1211.85	1.700 Ω/km
ANM10.010.02.006AB	UL20234	600V	2X6AWG	106/0.4	17.7	590	1.348 Ω/km
ANM10.010.03.006AB	UL20234	600V	3X6AWG	106/0.4	18.8	732	1.348 Ω/km
ANM10.010.04.006AB	UL20234	600V	4X6AWG	106/0.4	21.6	961.7	1.348 Ω/km
ANM10.010.05.006AB	UL20234	600V	5X6AWG	106/0.4	23.5	1159.5	1.348 Ω/km
ANM10.010.06.006AB	UL20234	600V	6X6AWG	106/0.4	25.5	1372	1.348 Ω/km
ANM10.010.07.006AB	UL20234	600V	7X6AWG	106/0.4	25.5	1464.3	1.348 Ω/km
ANM10.010.02.005AB	UL20234	600V	2X5AWG	134/0.4	18.9	697.27	1.070 Ω/km
ANM10.010.03.005AB	UL20234	600V	3X5AWG	134/0.4	20.1	871.97	1.070 Ω/km
ANM10.010.04.005AB	UL20234	600V	4X5AWG	134/0.4	23	1140.87	1.070 Ω/km
ANM10.010.05.005AB	UL20234	600V	5X5AWG	134/0.4	25.1	1381.87	1.070 Ω/km
ANM10.010.06.005AB	UL20234	600V	6X5AWG	134/0.4	27.3	1640.27	1.070 Ω/km



ANM10.010.07.005AB	UL20234	600V	7X5AWG	134/0.4	27.3	1757.17	1.070 Ω/km
ANM10.010.02.004AB	UL20234	600V	2X4AWG	169/0.4	22.5	944.45	0.8481 Ω/km
ANM10.010.03.004AB	UL20234	600V	3X4AWG	169/0.4	23.9	1171.75	0.8481 Ω/km
ANM10.010.04.004AB	UL20234	600V	4X4AWG	169/0.4	26.2	1460.95	0.8481 Ω/km
ANM10.010.05.004AB	UL20234	600V	5X4AWG	169/0.4	28.6	1769.75	0.8481 Ω/km
ANM10.010.06.004AB	UL20234	600V	6X4AWG	169/0.4	32.8	2265.55	0.8481 Ω/km
ANM10.010.07.004AB	UL20234	600V	7X4AWG	169/0.4	32.8	2413.25	0.8481 Ω/km
ANM10.010.02.003AB	UL20234	600V	2X3AWG	213/0.4	24.1	1118.87	0.6727 Ω/km
ANM10.010.03.003AB	UL20234	600V	3X3AWG	213/0.4	25.6	1396.67	0.6727 Ω/km
ANM10.010.04.003AB	UL20234	600V	4X3AWG	213/0.4	28.1	1747.37	0.6727 Ω/km
ANM10.010.05.003AB	UL20234	600V	5X3AWG	213/0.4	32.4	2284.27	0.6727 Ω/km
ANM10.010.06.003AB	UL20234	600V	6X3AWG	213/0.4	35.2	2705.57	0.6727 Ω/km
ANM10.010.07.003AB	UL20234	600V	7X3AWG	213/0.4	35.2	2891.87	0.6727 Ω/km
ANM10.010.02.002AB	UL20234	600V	2X2AWG	268/0.4	25.9	1333.42	0.5335 Ω/km
ANM10.010.03.002AB	UL20234	600V	3X2AWG	268/0.4	27.6	1679.72	0.5335 Ω/km
ANM10.010.04.002AB	UL20234	600V	4X2AWG	268/0.4	31.9	2259.42	0.5335 Ω/km
ANM10.010.05.002AB	UL20234	600V	5X2AWG	268/0.4	34.8	2734.52	0.5335 Ω/km
ANM10.010.06.002AB	UL20234	600V	6X2AWG	268/0.4	38.2	3276.82	0.5335 Ω/km
ANM10.010.07.002AB	UL20234	600V	7X2AWG	268/0.4	38.2	3511.62	0.5335 Ω/km
ANM10.010.02.001AB	UL20234	600V	2X1AWG	338/0.4	28.5	1643.21	0.4230 Ω/km
ANM10.010.03.001AB	UL20234	600V	3X1AWG	338/0.4	32	2232.51	0.4230 Ω/km
ANM10.010.04.001AB	UL20234	600V	4X1AWG	338/0.4	35	2780.81	0.4230 Ω/km
ANM10.010.05.001AB	UL20234	600V	5X1AWG	338/0.4	38.6	3407.81	0.4230 Ω/km
ANM10.010.06.001AB	UL20234	600V	6X1AWG	338/0.4	42.3	4114.51	0.4230 Ω/km
ANM10.010.07.001AB	UL20234	600V	7X1AWG	338/0.4	42.3	4413.11	0.4230 Ω/km
ANM10.010.02.1/0AB	UL20234	600V	2X1/0AWG	426/0.4	32.7	2148.79	0.3354 Ω/km
ANM10.010.03.1/0AB	UL20234	600V	3X1/0AWG	426/0.4	34.8	2697.09	0.3354 Ω/km
ANM10.010.04.1/0AB	UL20234	600V	4X1/0AWG	426/0.4	38.4	3395.99	0.3354 Ω/km
ANM10.010.05.1/0AB	UL20234	600V	5X1/0AWG	426/0.4	42.3	4195.49	0.3354 Ω/km
ANM10.010.06.1/0AB	UL20234	600V	6X1/0AWG	426/0.4	48	5198.69	0.3354 Ω/km
ANM10.010.07.1/0AB	UL20234	600V	7X1/0AWG	426/0.4	48	5570.99	0.3354 Ω/km
ANM10.010.02.2/0AB	UL20234	600V	2X2/0AWG	537/0.4	35.3	2575.43	0.2660 Ω/km
ANM10.010.03.2/0AB	UL20234	600V	3X2/0AWG	537/0.4	37.9	3280.23	0.2660 Ω/km
ANM10.010.04.2/0AB	UL20234	600V	4X2/0AWG	537/0.4	41.8	4171.13	0.2660 Ω/km
ANM10.010.05.2/0AB	UL20234	600V	5X2/0AWG	537/0.4	47.7	5287.73	0.2660 Ω/km
ANM10.010.06.2/0AB	UL20234	600V	6X2/0AWG	537/0.4	51.9	6275.73	0.2660 Ω/km
ANM10.010.07.2/0AB	UL20234	600V	7X2/0AWG	537/0.4	51.9	6744.53	0.2660 Ω/km
ANM10.010.02.3/0AB	UL20234	600V	2X3/0AWG	677/0.4	38.2	3110.81	0.2110 Ω/km
ANM10.010.03.3/0AB	UL20234	600V	3X3/0AWG	677/0.4	40.7	3950.61	0.2110 Ω/km
ANM10.010.04.3/0AB	UL20234	600V	4X3/0AWG	677/0.4	46.7	5226.41	0.2110 Ω/km
ANM10.010.05.3/0AB	UL20234	600V	5X3/0AWG	677/0.4	51.2	6369.31	0.2110 Ω/km
ANM10.010.06.3/0AB	UL20234	600V	6X3/0AWG	677/0.4	55.8	7574.81	0.2110 Ω/km



ANM10.010.07.3/0AB	UL20234	600V	7X3/0AWG	677/0.4	55.8	8170.31	0.2110 Ω/km
ANM10.010.02.4/0AB	UL20234	600V	2X4/0AWG	854/0.4	41.4	3759.6	0.1673 Ω/km
ANM10.010.03.4/0AB	UL20234	600V	3X4/0AWG	854/0.4	46.1	5050.8	0.1673 Ω/km
ANM10.010.04.4/0AB	UL20234	600V	4X4/0AWG	854/0.4	50.6	6342.6	0.1673 Ω/km
ANM10.010.05.4/0AB	UL20234	600V	5X4/0AWG	854/0.4	55.5	7738.5	0.1673 Ω/km
ANM10.010.06.4/0AB	UL20234	600V	6X4/0AWG	854/0.4	60.6	9222.1	0.1673 Ω/km
ANM10.010.07.4/0AB	UL20234	600V	7X4/0AWG	854/0.4	60.6	9973.5	0.1673 Ω/km
ANM10.010.02.250kB	UL20234	600V	2X250kcmil	1007/0.4	48	4801.7	0.1416 Ω/km
ANM10.010.03.250kB	UL20234	600V	3X250kcmil	1007/0.4	51.1	6064.6	0.1416 Ω/km
ANM10.010.04.250kB	UL20234	600V	4X250kcmil	1007/0.4	56.1	7610.2	0.1416 Ω/km
ANM10.010.05.250kB	UL20234	600V	5X250kcmil	1007/0.4	61.7	9307.3	0.1416 Ω/km
ANM10.010.02.300kB	UL20234	600V	2X300kcmil	1184/0.4	50.2	5477.6	0.1180 Ω/km
ANM10.010.03.300kB	UL20234	600V	3X300kcmil	1184/0.4	53.4	6961.7	0.1180 Ω/km
ANM10.010.04.300kB	UL20234	600V	4X300kcmil	1184/0.4	58.8	8784.3	0.1180 Ω/km
ANM10.010.05.300kB	UL20234	600V	5X300kcmil	1184/0.4	64.7	10757.2	0.1180 Ω/km
ANM10.010.02.350kB	UL20234	600V	2X350kcmil	1406/0.4	53.2	6228.2	0.1011 Ω/km
ANM10.010.03.350kB	UL20234	600V	3X350kcmil	1406/0.4	56.7	7947.9	0.1011 Ω/km
ANM10.010.04.350kB	UL20234	600V	4X350kcmil	1406/0.4	62.4	10030.2	0.1011 Ω/km
ANM10.010.05.350kB	UL20234	600V	5X350kcmil	1406/0.4	68.7	12292.5	0.1011 Ω/km
ANM10.010.02.400kB	UL20234	600V	2X400kcmil	1628/0.4	56.2	7009.5	0.08851 Ω/km
ANM10.010.03.400kB	UL20234	600V	3X400kcmil	1628/0.4	59.9	8958.7	0.08851 Ω/km
ANM10.010.04.400kB	UL20234	600V	4X400kcmil	1628/0.4	66	11324.6	0.08851 Ω/km
ANM10.010.05.400kB	UL20234	600V	5X400kcmil	1628/0.4	75.2	14326.2	0.08851 Ω/km
ANM10.010.02.450kB	UL20234	600V	2X450kcmil	1830/0.4	58.6	7726	0.07867 Ω/km
ANM10.010.03.450kB	UL20234	600V	3X450kcmil	1830/0.4	62.5	9902.6	0.07867 Ω/km
ANM10.010.04.450kB	UL20234	600V	4X450kcmil	1830/0.4	68.9	12533	0.07867 Ω/km
ANM10.010.05.450kB	UL20234	600V	5X450kcmil	1830/0.4	78.4	15831.6	0.07867 Ω/km
ANM10.010.02.500kB	UL20234	600V	2X500kcmil	2013/0.4	60.6	8411	0.07080 Ω/km
ANM10.010.03.500kB	UL20234	600V	3X500kcmil	2013/0.4	64.6	10805.1	0.07080 Ω/km
ANM10.010.04.500kB	UL20234	600V	4X500kcmil	2013/0.4	73.7	14115.5	0.07080 Ω/km
ANM10.010.05.500kB	UL20234	600V	5X500kcmil	2013/0.4	81.1	17299.3	0.07080 Ω/km
ANM10.010.03.01.013AB	UL20234	1000V	3X13AWG+1X15AWG	54/0.25	10.8	221.85	6.82 Ω/km
ANM10.010.03.01.012AB	UL20234	1000V	3X12AWG+1X14AWG	68/0.25	11.2	252.58	5.43 Ω/km
ANM10.010.03.01.011AB	UL20234	1000V	3X11AWG+1X14AWG	85/0.25	12.7	314.58	4.30 Ω/km
ANM10.010.03.01.010AB	UL20234	1000V	3X10AWG+1X13AWG	108/0.25	14.1	383.53	3.409 Ω/km
ANM10.010.03.01.009AB	UL20234	1000V	3X9AWG+1X12AWG	136/0.25	15.5	472.21	2.705 Ω/km
ANM10.010.03.01.008AB	UL20234	1000V	3X8AWG+1X11AWG	171/0.25	16.7	564.87	2.144 Ω/km
ANM10.010.03.01.007AB	UL20234	1000V	3X7AWG+1X10AWG	84/0.4	17.8	668.37	1.700 Ω/km
ANM10.010.03.01.006AB	UL20234	1000V	3X6AWG+1X9AWG	106/0.4	19.4	807.24	1.348 Ω/km
ANM10.010.03.01.005AB	UL20234	1000V	3X5AWG+1X8AWG	134/0.4	21.8	1016.27	1.070 Ω/km
ANM10.010.03.01.004AB	UL20234	1000V	3X4AWG+1X7AWG	169/0.4	24.4	1275.65	0.8481 Ω/km
ANM10.010.03.01.003AB	UL20234	1000V	3X3AWG+1X6AWG	213/0.4	26.3	1531	0.6727 Ω/km



ANM10.010.03.01.002AB	UL20234	1000V	3X2AWG+1X5AWG	268/0.4	28.3	1839.87	0.5335 Ω/km
ANM10.010.03.01.001AB	UL20234	1000V	3X1AWG+1X4AWG	338/0.4	33	2453.55	0.4230 Ω/km
ANM10.010.03.01.1/0AB	UL20234	1000V	3X1/0AWG+1X3AWG	426/0.4	35.8	2959.27	0.3354 Ω/km
ANM10.010.03.01.2/0AB	UL20234	1000V	3X2/0AWG+1X2AWG	537/0.4	39	3602.72	0.2660 Ω/km
ANM10.010.03.01.3/0AB	UL20234	1000V	3X3/0AWG+1X1AWG	677/0.4	42.4	4438.01	0.2110 Ω/km
ANM10.010.03.01.4/0AB	UL20234	1000V	3X4/0AWG+1X1/0AWG	854/0.4	47.9	5600.19	0.1673 Ω/km
ANM10.010.03.01.250kB	UL20234	1000V	3X250kcmil+1X2/0AWG	1007/0.4	52.8	6715.73	0.1416 Ω/km
ANM10.010.03.01.300kB	UL20234	1000V	3X300kcmil+1X3/0AWG	1184/0.4	55.6	7811.51	0.1180 Ω/km
ANM10.010.03.01.350kB	UL20234	1000V	3X350kcmil+1X4/0AWG	1406/0.4	59.3	9028.4	0.1011 Ω/km
ANM10.010.03.01.400kB	UL20234	1000V	3X400kcmil+1X250kcmil	1628/0.4	63.4	10325	0.08851 Ω/km
ANM10.010.03.01.450kB	UL20234	1000V	3X450kcmil+1X300kcmil	1830/0.4	66.3	11532.8	0.07867 Ω/km
ANM10.010.03.01.500kB	UL20234	1000V	3X500kcmil+1X350kcmil	2013/0.4	69	12728	0.07080 Ω/km
ANM10.010.03.02.013AB	UL20234	1000V	3X13AWG+2X15AWG	54/0.25	11.4	250.85	6.82 Ω/km
ANM10.010.03.02.012AB	UL20234	1000V	3X12AWG+2X14AWG	68/0.25	11.9	288.38	5.43 Ω/km
ANM10.010.03.02.011AB	UL20234	1000V	3X11AWG+2X14AWG	85/0.25	13.2	346.18	4.30 Ω/km
ANM10.010.03.02.010AB	UL20234	1000V	3X10AWG+2X13AWG	108/0.25	14.6	420.53	3.409 Ω/km
ANM10.010.03.02.009AB	UL20234	1000V	3X9AWG+2X12AWG	136/0.25	15.9	512.11	2.705 Ω/km
ANM10.010.03.02.008AB	UL20234	1000V	3X8AWG+2X11AWG	171/0.25	17.5	628.67	2.144 Ω/km
ANM10.010.03.02.007AB	UL20234	1000V	3X7AWG+2X10AWG	84/0.4	18.8	749.57	1.700 Ω/km
ANM10.010.03.02.006AB	UL20234	1000V	3X6AWG+2X9AWG	106/0.4	21.6	962.84	1.348 Ω/km
ANM10.010.03.02.005AB	UL20234	1000V	3X5AWG+2X8AWG	134/0.4	23	1141.17	1.070 Ω/km
ANM10.010.03.02.004AB	UL20234	1000V	3X4AWG+2X7AWG	169/0.4	25.6	1424.35	0.8481 Ω/km
ANM10.010.03.02.003AB	UL20234	1000V	3X3AWG+2X6AWG	213/0.4	27.6	1709.9	0.6727 Ω/km
ANM10.010.03.02.002AB	UL20234	1000V	3X2AWG+2X5AWG	268/0.4	31.3	2207.57	0.5335 Ω/km
ANM10.010.03.02.001AB	UL20234	1000V	3X1AWG+2X4AWG	338/0.4	34.9	2762.25	0.4230 Ω/km
ANM10.010.03.02.1/0AB	UL20234	1000V	3X1/0AWG+2X3AWG	426/0.4	38.1	3357.27	0.3354 Ω/km
ANM10.010.03.02.2/0AB	UL20234	1000V	3X2/0AWG+2X2AWG	537/0.4	41.2	4056.82	0.2660 Ω/km
ANM10.010.03.02.3/0AB	UL20234	1000V	3X3/0AWG+2X1AWG	677/0.4	46.7	5205.21	0.2110 Ω/km
ANM10.010.03.02.4/0AB	UL20234	1000V	3X4/0AWG+2X1/0AWG	854/0.4	50.7	6316.49	0.1673 Ω/km
ANM10.010.03.02.250kB	UL20234	1000V	3X250kcmil+2X2/0AWG	1007/0.4	55.8	7589.63	0.1416 Ω/km
ANM10.010.03.02.300kB	UL20234	1000V	3X300kcmil+2X3/0AWG	1184/0.4	59	8890.81	0.1180 Ω/km
ANM10.010.03.02.350kB	UL20234	1000V	3X350kcmil+2X4/0AWG	1406/0.4	63.2	10372	0.1011 Ω/km
ANM10.010.03.02.400kB	UL20234	1000V	3X400kcmil+2X250kcmil	1628/0.4	68.1	11971.3	0.08851 Ω/km
ANM10.010.03.02.450kB	UL20234	1000V	3X450kcmil+2X300kcmil	1830/0.4	73.6	13850	0.07867 Ω/km
ANM10.010.03.02.500kB	UL20234	1000V	3X500kcmil+2X350kcmil	2013/0.4	76.9	15376.3	0.07080 Ω/km
ANM10.010.01.01.013AB	UL20234	1000V	4X13AWG+1X15AWG	54/0.25	11.6	263.65	6.82 Ω/km
ANM10.010.01.01.012AB	UL20234	1000V	4X12AWG+1X14AWG	68/0.25	12.2	306.38	5.43 Ω/km
ANM10.010.01.01.011AB	UL20234	1000V	4X11AWG+1X14AWG	85/0.25	14	388.08	4.30 Ω/km
ANM10.010.01.01.010AB	UL20234	1000V	4X10AWG+1X13AWG	108/0.25	15.5	471.13	3.409 Ω/km
ANM10.010.01.01.009AB	UL20234	1000V	4X9AWG+1X12AWG	136/0.25	17.1	583.31	2.705 Ω/km
ANM10.010.01.01.008AB	UL20234	1000V	4X8AWG+1X11AWG	171/0.25	18.4	697.67	2.144 Ω/km
ANM10.010.01.01.007AB	UL20234	1000V	4X7AWG+1X10AWG	84/0.4	19.6	827.07	1.700 Ω/km



ANM10.010.01.01.006AB	UL20234	1000V	4X6AWG+1X9AWG	106/0.4	22.5	1058.64	1.348 Ω/km
ANM10.010.01.01.005AB	UL20234	1000V	4X5AWG+1X8AWG	134/0.4	24	1258.17	1.070 Ω/km
ANM10.010.01.01.001AB	UL20234	1000V	4X4AWG+1X7AWG	169/0.4	27	1588.45	0.8481 Ω/km
ANM10.010.01.01.003AB	UL20234	1000V	4X3AWG+1X6AWG	213/0.4	29.1	1908.8	0.6727 Ω/km
ANM10.010.01.01.002AB	UL20234	1000V	4X2AWG+1X5AWG	268/0.4	33	2462.07	0.5335 Ω/km
ANM10.010.01.01.001AB	UL20234	1000V	4X1AWG+1X4AWG	338/0.4	36.5	3055.85	0.4230 Ω/km
ANM10.010.01.01.1/0AB	UL20234	1000V	4X1/0AWG+1X3AWG	426/0.4	40	3728.07	0.3354 Ω/km
ANM10.010.01.01.2/0AB	UL20234	1000V	4X2/0AWG+1X2AWG	537/0.4	45.3	4761.52	0.2660 Ω/km
ANM10.010.01.01.3/0AB	UL20234	1000V	4X3/0AWG+1X1AWG	677/0.4	48.8	5752.41	0.2110 Ω/km
ANM10.010.01.01.4/0AB	UL20234	1000V	4X4/0AWG+1X1/0AWG	854/0.4	53	6992.59	0.1673 Ω/km
ANM10.010.01.01.250kB	UL20234	1000V	4X250kcmil+1X2/0AWG	1007/0.4	58.6	8399.83	0.1416 Ω/km
ANM10.010.01.01.300kB	UL20234	1000V	4X300kcmil+1X3/0AWG	1184/0.4	61.7	9772.11	0.1180 Ω/km
ANM10.010.01.01.350kB	UL20234	1000V	4X350kcmil+1X4/0AWG	1406/0.4	65.8	11279	0.1011 Ω/km
ANM10.010.01.01.400kB	UL20234	1000V	4X400kcmil+1X250kcmil	1628/0.4	72.7	13290.3	0.08851 Ω/km
ANM10.010.01.01.450kB	UL20234	1000V	4X450kcmil+1X300kcmil	1830/0.4	75.9	14794.2	0.07867 Ω/km
ANM10.010.01.01.500kB	UL20234	1000V	4X500kcmil+1X350kcmil	2013/0.4	78.9	16292.7	0.07080 Ω/km
ANM10.010.03.03.013AB	UL20234	1000V	3X13AWG+3X18AWG	54/0.25	11.3	241.03	6.82 Ω/km
ANM10.010.03.03.012AB	UL20234	1000V	3X12AWG+3X17AWG	68/0.25	11.9	279.14	5.43 Ω/km
ANM10.010.03.03.011AB	UL20234	1000V	3X11AWG+3X16AWG	85/0.25	13.1	340.41	4.30 Ω/km
ANM10.010.03.03.010AB	UL20234	1000V	3X10AWG+3X15AWG	108/0.25	14.4	410.45	3.409 Ω/km
ANM10.010.03.03.009AB	UL20234	1000V	3X9AWG+3X14AWG	136/0.25	15.6	496.38	2.705 Ω/km
ANM10.010.03.03.008AB	UL20234	1000V	3X8AWG+3X13AWG	171/0.25	16.7	590.23	2.144 Ω/km
ANM10.010.03.03.007AB	UL20234	1000V	3X7AWG+3X12AWG	84/0.4	17.5	690.21	1.700 Ω/km
ANM10.010.03.03.006AB	UL20234	1000V	3X6AWG+3X11AWG	106/0.4	19.9	872.77	1.348 Ω/km
ANM10.010.03.03.005AB	UL20234	1000V	3X5AWG+3X10AWG	134/0.4	22.7	1110.87	1.070 Ω/km
ANM10.010.03.03.004AB	UL20234	1000V	3X4AWG+3X9AWG	169/0.4	25.6	1408.14	0.8481 Ω/km
ANM10.010.03.03.003AB	UL20234	1000V	3X3AWG+3X8AWG	213/0.4	27.4	1681.47	0.6727 Ω/km
ANM10.010.03.03.002AB	UL20234	1000V	3X2AWG+3X7AWG	268/0.4	29.2	2004.25	0.5335 Ω/km
ANM10.010.03.03.001AB	UL20234	1000V	3X1AWG+3X6AWG	338/0.4	33.8	2641.8	0.4230 Ω/km
ANM10.010.03.03.1/0AB	UL20234	1000V	3X1/0AWG+3X5AWG	426/0.4	36.5	3177.27	0.3354 Ω/km
ANM10.010.03.03.2/0AB	UL20234	1000V	3X2/0AWG+3X4AWG	537/0.4	40.8	3976.75	0.2660 Ω/km
ANM10.010.03.03.3/0AB	UL20234	1000V	3X3/0AWG+3X3AWG	677/0.4	45.9	5058.37	0.2110 Ω/km
ANM10.010.03.03.4/0AB	UL20234	1000V	3X4/0AWG+3X2AWG	854/0.4	49.6	6119.12	0.1673 Ω/km
ANM10.010.03.03.250kB	UL20234	1000V	3X250kcmil+3X1AWG	1007/0.4	54.9	7398.81	0.1416 Ω/km
ANM10.010.03.03.300kB	UL20234	1000V	3X300kcmil+3X1/0AWG	1184/0.4	58.5	8711.89	0.1180 Ω/km
ANM10.010.03.03.350kB	UL20234	1000V	3X350kcmil+3X1/0AWG	1406/0.4	60.5	9518.39	0.1011 Ω/km
ANM10.010.03.03.400kB	UL20234	1000V	3X400kcmil+3X2/0AWG	1628/0.4	64.8	11012.73	0.08851 Ω/km
ANM10.010.03.03.450kB	UL20234	1000V	3X450kcmil+3X3/0AWG	1830/0.4	68.6	12563.61	0.07867 Ω/km
ANM10.010.03.03.500kB	UL20234	1000V	3X500kcmil+3X3/0AWG	2013/0.4	69.9	13334.31	0.07080 Ω/km