



物料编号	型号	额定电压	规格	导体结构	电缆近似 外径 mm	近似重 量 kg/km	导体电阻Ω/km
AN007.001.02.000.50B	H03Z1Z1-F	300/500V	2X0.5	18/0.19	5.2	40.5	26.0 Ω /km
AN007.001.02.000.75B	H03Z1Z1-F	300/500V	2X0.75	27/0.19	5.6	49.55	19.5 Ω /km
AN007.001.03.000.50B	H03Z1Z1-F	300/500V	3X0.5	18/0.19	5.5	48	26.0 Ω /km
AN007.001.03.000.75B	H03Z1Z1-F	300/500V	3X0.75	27/0.19	6	60.65	19.5 Ω /km
AN007.001.04.000.50B	H03Z1Z1-F	300/500V	4X0.5	18/0.19	6	58.5	26.0 Ω /km
AN007.001.04.000.75B	H03Z1Z1-F	300/500V	4X0.75	27/0.19	6.5	73.85	19.5 Ω /km

物料编号	型号	额定电压	规格	导体结构	电缆近似 外径 mm	近似重 量 kg/km	导体电阻 Ω/km
AN007.002.02.000.75B	H05Z1Z1-F	300/500V	2X0.75	27/0.19	6.4	60.95	19.5 Ω /km
AN007.002.02.001.00B	H05Z1Z1-F	300/500V	2X1	35/0.19	7	74.5	13.3 Ω /km
AN007.002.02.001.50B	H05Z1Z1-F	300/500V	2X1.5	31/0.25	8	100.2	10.64 Ω /km
AN007.002.02.002.50B	H05Z1Z1-F	300/500V	2X2.5	51/0.25	9.8	153.8	4.95 Ω /km
AN007.002.02.004.00B	H05Z1Z1-F	300/500V	2X4	82/0.25	11.1	210.4	3.30 Ω /km
AN007.002.03.000.75B	H05Z1Z1-F	300/500V	3X0.75	27/0.19	7	76.15	19.5 Ω /km
AN007.002.03.001.00B	H05Z1Z1-F	300/500V	3X1	35/0.19	7.4	88.7	13.3 Ω /km
AN007.002.03.001.50B	H05Z1Z1-F	300/500V	3X1.5	31/0.25	8.7	125.1	10.64 Ω /km
AN007.002.03.002.50B	H05Z1Z1-F	300/500V	3X2.5	51/0.25	10.7	193.9	4.95 Ω /km
AN007.002.03.004.00B	H05Z1Z1-F	300/500V	3X4	82/0.25	12	264.7	3.30 Ω /km
AN007.002.04.000.75B	H05Z1Z1-F	300/500V	4X0.75	27/0.19	7.6	92.25	19.5 Ω /km
AN007.002.04.001.00B	H05Z1Z1-F	300/500V	4X1	35/0.19	8.3	112.9	13.3 Ω /km
AN007.002.04.001.50B	H05Z1Z1-F	300/500V	4X1.5	31/0.25	9.7	158.2	10.64 Ω /km
AN007.002.04.002.50B	H05Z1Z1-F	300/500V	4X2.5	51/0.25	11.7	238.9	4.95 Ω /km
AN007.002.04.004.00B	H05Z1Z1-F	300/500V	4X4	82/0.25	13.1	327.2	3.30 Ω /km
AN007.002.05.000.75B	H05Z1Z1-F	300/500V	5X0.75	27/0.19	8.5	115.05	19.5 Ω /km
AN007.002.05.001.00B	H05Z1Z1-F	300/500V	5X1	35/0.19	9	134.7	13.3 Ω /km
AN007.002.05.001.50B	H05Z1Z1-F	300/500V	5X1.5	31/0.25	10.8	196	10.64 Ω /km
AN007.002.05.002.50B	H05Z1Z1-F	300/500V	5X2.5	51/0.25	12.9	292.4	4.95 Ω /km
AN007.002.05.004.00B	H05Z1Z1-F	300/500V	5X4	82/0.25	14.7	409.9	3.30 Ω /km

物料编号	型号	额定电压	规格	导体结构	电缆近 似外径 mm	近似重 量 kg/km	导体电阻 Ω /km
AN007.003.01.002.50B	H07Z1Z1-F	450/750V	1X2.5	51/0.25	7.1	68.6	4.95 Ω /km
AN007.003.01.004.00B	H07Z1Z1-F	450/750V	1X4	82/0.25	8	100.6	3.30 Ω /km
AN007.003.01.006.00B	H07Z1Z1-F	450/750V	1X6	123/0.25	8.8	133.4	1.91 Ω /km
AN007.003.01.010.00B	H07Z1Z1-F	450/750V	1X10	77/0.4	10.8	195.4	1.21 Ω /km



ANO07.003.01.016.00B	H07Z1Z1-F	450/750V	1X16	126/0.4	12.2	290.1	0.780 Ω/km
ANO07.003.01.025.00B	H07Z1Z1-F	450/750V	1X25	189/0.4	14.1	417.7	0.554 Ω/km
ANO07.003.01.035.00B	H07Z1Z1-F	450/750V	1X35	266/0.4	15.8	554.7	0.386 Ω/km
ANO07.003.01.050.00B	H07Z1Z1-F	450/750V	1X50	380/0.4	18.1	761.6	0.272 Ω/km
ANO07.003.01.070.00B	H07Z1Z1-F	450/750V	1X70	532/0.4	20.3	1023	0.206 Ω/km
ANO07.003.01.095.00B	H07Z1Z1-F	450/750V	1X95	722/0.4	23.3	1355.8	0.161 Ω/km
ANO07.003.01.120.00B	H07Z1Z1-F	450/750V	1X120	925/0.4	25.5	1701.1	0.129 Ω/km
ANO07.003.01.150.00B	H07Z1Z1-F	450/750V	1X150	1147/0.4	28	2099.3	0.106 Ω/km
ANO07.003.01.185.00B	H07Z1Z1-F	450/750V	1X185	1403/0.4	30.6	2563.3	0.0801 Ω/km
ANO07.003.01.240.00B	H07Z1Z1-F	450/750V	1X240	1830/0.4	34.1	3256.2	0.0641 Ω/km
ANO07.003.01.300.00B	H07Z1Z1-F	450/750V	1X300	2318/0.4	37.3	4027.1	0.0486 Ω/km
ANO07.003.02.001.00B	H07Z1Z1-F	450/750V	2X1	35/0.19	8.8	701.2	13.3 Ω/km
ANO07.003.03.001.00B	H07Z1Z1-F	450/750V	3X1	35/0.19	9.5	122.7	13.3 Ω/km
ANO07.003.04.001.00B	H07Z1Z1-F	450/750V	4X1	35/0.19	10.6	150.9	13.3 Ω/km
ANO07.003.05.001.00B	H07Z1Z1-F	450/750V	5X1	35/0.19	11.6	186.1	13.3 Ω/km
ANO07.003.06.001.00B	H07Z1Z1-F	450/750V	6X1	35/0.19	14.2	221.6	13.3 Ω/km
ANO07.003.07.001.00B	H07Z1Z1-F	450/750V	7X1	35/0.19	14.2	292.5	13.3 Ω/km
ANO07.003.08.001.00B	H07Z1Z1-F	450/750V	8X1	35/0.19	15.3	319.5	13.3 Ω/km
ANO07.003.09.001.00B	H07Z1Z1-F	450/750V	9X1	35/0.19	16.7	375.4	13.3 Ω/km
ANO07.003.10.001.00B	H07Z1Z1-F	450/750V	10X1	35/0.19	17.7	428.3	13.3 Ω/km
ANO07.003.11.001.00B	H07Z1Z1-F	450/750V	11X1	35/0.19	18.4	469.3	13.3 Ω/km
ANO07.003.12.001.00B	H07Z1Z1-F	450/750V	12X1	35/0.19	18.4	492.6	13.3 Ω/km
ANO07.003.13.001.00B	H07Z1Z1-F	450/750V	13X1	35/0.19	19.4	523.9	13.3 Ω/km
ANO07.003.14.001.00B	H07Z1Z1-F	450/750V	14X1	35/0.19	19.4	552.2	13.3 Ω/km
ANO07.003.15.001.00B	H07Z1Z1-F	450/750V	15X1	35/0.19	20.4	585.2	13.3 Ω/km
ANO07.003.16.001.00B	H07Z1Z1-F	450/750V	16X1	35/0.19	20.4	614.3	13.3 Ω/km
ANO07.003.17.001.00B	H07Z1Z1-F	450/750V	17X1	35/0.19	21.5	648.8	13.3 Ω/km
ANO07.003.18.001.00B	H07Z1Z1-F	450/750V	18X1	35/0.19	21.5	684	13.3 Ω/km
ANO07.003.19.001.00B	H07Z1Z1-F	450/750V	19X1	35/0.19	21.5	691.2	13.3 Ω/km
ANO07.003.20.001.00B	H07Z1Z1-F	450/750V	20X1	35/0.19	22.2	716.2	13.3 Ω/km
ANO07.003.21.001.00B	H07Z1Z1-F	450/750V	21X1	35/0.19	22.6	757	13.3 Ω/km
ANO07.003.22.001.00B	H07Z1Z1-F	450/750V	22X1	35/0.19	24.2	817.4	13.3 Ω/km
ANO07.003.23.001.00B	H07Z1Z1-F	450/750V	23X1	35/0.19	25.2	900.7	13.3 Ω/km
ANO07.003.24.001.00B	H07Z1Z1-F	450/750V	24X1	35/0.19	25.2	934.3	13.3 Ω/km
ANO07.003.25.001.00B	H07Z1Z1-F	450/750V	25X1	35/0.19	25.7	962.8	13.3 Ω/km
ANO07.003.26.001.00B	H07Z1Z1-F	450/750V	26X1	35/0.19	25.7	979.2	13.3 Ω/km
ANO07.003.27.001.00B	H07Z1Z1-F	450/750V	27X1	35/0.19	25.7	986.4	13.3 Ω/km
ANO07.003.28.001.00B	H07Z1Z1-F	450/750V	28X1	35/0.19	26.7	1029.1	13.3 Ω/km
ANO07.003.29.001.00B	H07Z1Z1-F	450/750V	29X1	35/0.19	26.7	1063.7	13.3 Ω/km
ANO07.003.30.001.00B	H07Z1Z1-F	450/750V	30X1	35/0.19	26.7	1070.9	13.3 Ω/km
ANO07.003.31.001.00B	H07Z1Z1-F	450/750V	31X1	35/0.19	27.7	1115.1	13.3 Ω/km
ANO07.003.32.001.00B	H07Z1Z1-F	450/750V	32X1	35/0.19	27.7	1150.6	13.3 Ω/km



ANO07.003.33.001.00B	H07Z1Z1-F	450/750V	33X1	35/0.19	27.7	1157.9	13.3 Ω/km
ANO07.003.34.001.00B	H07Z1Z1-F	450/750V	34X1	35/0.19	28.7	1203.6	13.3 Ω/km
ANO07.003.35.001.00B	H07Z1Z1-F	450/750V	35X1	35/0.19	28.7	1239.8	13.3 Ω/km
ANO07.003.36.001.00B	H07Z1Z1-F	450/750V	36X1	35/0.19	28.7	1247.1	13.3 Ω/km
ANO07.003.37.001.00B	H07Z1Z1-F	450/750V	37X1	35/0.19	28.7	1254.2	13.3 Ω/km
ANO07.003.02.001.50B	H07Z1Z1-F	450/750V	2X1.5	31/0.25	9.8	560.4	10.64 Ω/km
ANO07.003.03.001.50B	H07Z1Z1-F	450/750V	3X1.5	31/0.25	10.6	157.1	10.64 Ω/km
ANO07.003.04.001.50B	H07Z1Z1-F	450/750V	4X1.5	31/0.25	11.7	195.4	10.64 Ω/km
ANO07.003.05.001.50B	H07Z1Z1-F	450/750V	5X1.5	31/0.25	12.8	237.6	10.64 Ω/km
ANO07.003.06.001.50B	H07Z1Z1-F	450/750V	6X1.5	31/0.25	15.1	282.8	10.64 Ω/km
ANO07.003.07.001.50B	H07Z1Z1-F	450/750V	7X1.5	31/0.25	15.3	350	10.64 Ω/km
ANO07.003.08.001.50B	H07Z1Z1-F	450/750V	8X1.5	31/0.25	16.5	392.6	10.64 Ω/km
ANO07.003.09.001.50B	H07Z1Z1-F	450/750V	9X1.5	31/0.25	18.2	460.1	10.64 Ω/km
ANO07.003.10.001.50B	H07Z1Z1-F	450/750V	10X1.5	31/0.25	19.3	533.1	10.64 Ω/km
ANO07.003.11.001.50B	H07Z1Z1-F	450/750V	11X1.5	31/0.25	19.8	582.3	10.64 Ω/km
ANO07.003.12.001.50B	H07Z1Z1-F	450/750V	12X1.5	31/0.25	19.6	600.9	10.64 Ω/km
ANO07.003.13.001.50B	H07Z1Z1-F	450/750V	13X1.5	31/0.25	21.2	632.2	10.64 Ω/km
ANO07.003.14.001.50B	H07Z1Z1-F	450/750V	14X1.5	31/0.25	21.2	691.1	10.64 Ω/km
ANO07.003.15.001.50B	H07Z1Z1-F	450/750V	15X1.5	31/0.25	22.3	733.9	10.64 Ω/km
ANO07.003.16.001.50B	H07Z1Z1-F	450/750V	16X1.5	31/0.25	22.3	770.3	10.64 Ω/km
ANO07.003.17.001.50B	H07Z1Z1-F	450/750V	17X1.5	31/0.25	23.4	814.9	10.64 Ω/km
ANO07.003.18.001.50B	H07Z1Z1-F	450/750V	18X1.5	31/0.25	23.4	852.2	10.64 Ω/km
ANO07.003.19.001.50B	H07Z1Z1-F	450/750V	19X1.5	31/0.25	23.4	863.1	10.64 Ω/km
ANO07.003.20.001.50B	H07Z1Z1-F	450/750V	20X1.5	31/0.25	24.1	893.6	10.64 Ω/km
ANO07.003.21.001.50B	H07Z1Z1-F	450/750V	21X1.5	31/0.25	24.6	944.8	10.64 Ω/km
ANO07.003.22.001.50B	H07Z1Z1-F	450/750V	22X1.5	31/0.25	26.3	1020.2	10.64 Ω/km
ANO07.003.23.001.50B	H07Z1Z1-F	450/750V	23X1.5	31/0.25	27.4	1120	10.64 Ω/km
ANO07.003.24.001.50B	H07Z1Z1-F	450/750V	24X1.5	31/0.25	27.4	1160.9	10.64 Ω/km
ANO07.003.25.001.50B	H07Z1Z1-F	450/750V	25X1.5	31/0.25	27.9	1195.2	10.64 Ω/km
ANO07.003.26.001.50B	H07Z1Z1-F	450/750V	26X1.5	31/0.25	27.9	1215.7	10.64 Ω/km
ANO07.003.27.001.50B	H07Z1Z1-F	450/750V	27X1.5	31/0.25	27.9	1226.5	10.64 Ω/km
ANO07.003.28.001.50B	H07Z1Z1-F	450/750V	28X1.5	31/0.25	29	1281.3	10.64 Ω/km
ANO07.003.29.001.50B	H07Z1Z1-F	450/750V	29X1.5	31/0.25	29	1323.3	10.64 Ω/km
ANO07.003.30.001.50B	H07Z1Z1-F	450/750V	30X1.5	31/0.25	29	1334.3	10.64 Ω/km
ANO07.003.31.001.50B	H07Z1Z1-F	450/750V	31X1.5	31/0.25	30.1	1390.9	10.64 Ω/km
ANO07.003.32.001.50B	H07Z1Z1-F	450/750V	32X1.5	31/0.25	30.1	1433.9	10.64 Ω/km
ANO07.003.33.001.50B	H07Z1Z1-F	450/750V	33X1.5	31/0.25	30.1	1444.7	10.64 Ω/km
ANO07.003.34.001.50B	H07Z1Z1-F	450/750V	34X1.5	31/0.25	31.4	1503.4	10.64 Ω/km
ANO07.003.35.001.50B	H07Z1Z1-F	450/750V	35X1.5	31/0.25	31.4	1562.1	10.64 Ω/km
ANO07.003.36.001.50B	H07Z1Z1-F	450/750V	36X1.5	31/0.25	30.8	1573.1	10.64 Ω/km
ANO07.003.02.002.50B	H07Z1Z1-F	450/750V	2X2.5	51/0.25	11.7	641.4	4.95 Ω/km
ANO07.003.03.002.50B	H07Z1Z1-F	450/750V	3X2.5	51/0.25	12.6	234	4.95 Ω/km



ANO07.003.04.002.50B	H07Z1Z1-F	450/750V	4X2.5	51/0.25	13.8	286.2	4.95 Ω/km
ANO07.003.05.002.50B	H07Z1Z1-F	450/750V	5X2.5	51/0.25	15.1	347.2	4.95 Ω/km
ANO07.003.06.002.50B	H07Z1Z1-F	450/750V	6X2.5	51/0.25	17.6	413.1	4.95 Ω/km
ANO07.003.07.002.50B	H07Z1Z1-F	450/750V	7X2.5	51/0.25	17.8	498.8	4.95 Ω/km
ANO07.003.08.002.50B	H07Z1Z1-F	450/750V	8X2.5	51/0.25	19.4	561	4.95 Ω/km
ANO07.003.09.002.50B	H07Z1Z1-F	450/750V	9X2.5	51/0.25	21.5	667.5	4.95 Ω/km
ANO07.003.10.002.50B	H07Z1Z1-F	450/750V	10X2.5	51/0.25	23	775.3	4.95 Ω/km
ANO07.003.11.002.50B	H07Z1Z1-F	450/750V	11X2.5	51/0.25	23.7	860.2	4.95 Ω/km
ANO07.003.12.002.50B	H07Z1Z1-F	450/750V	12X2.5	51/0.25	23.7	890.3	4.95 Ω/km
ANO07.003.13.002.50B	H07Z1Z1-F	450/750V	13X2.5	51/0.25	25.1	949	4.95 Ω/km
ANO07.003.14.002.50B	H07Z1Z1-F	450/750V	14X2.5	51/0.25	25.1	1008	4.95 Ω/km
ANO07.003.15.002.50B	H07Z1Z1-F	450/750V	15X2.5	51/0.25	26.4	1073.5	4.95 Ω/km
ANO07.003.16.002.50B	H07Z1Z1-F	450/750V	16X2.5	51/0.25	26.4	1124.3	4.95 Ω/km
ANO07.003.17.002.50B	H07Z1Z1-F	450/750V	17X2.5	51/0.25	27.7	1192.7	4.95 Ω/km
ANO07.003.18.002.50B	H07Z1Z1-F	450/750V	18X2.5	51/0.25	27.7	1244.7	4.95 Ω/km
ANO07.003.19.002.50B	H07Z1Z1-F	450/750V	19X2.5	51/0.25	27.7	1262.7	4.95 Ω/km
ANO07.003.20.002.50B	H07Z1Z1-F	450/750V	20X2.5	51/0.25	28.6	1314.2	4.95 Ω/km
ANO07.003.21.002.50B	H07Z1Z1-F	450/750V	21X2.5	51/0.25	29.1	1384.1	4.95 Ω/km
ANO07.003.22.002.50B	H07Z1Z1-F	450/750V	22X2.5	51/0.25	31.3	1495.2	4.95 Ω/km
ANO07.003.23.002.50B	H07Z1Z1-F	450/750V	23X2.5	51/0.25	32.6	1649.9	4.95 Ω/km
ANO07.003.24.002.50B	H07Z1Z1-F	450/750V	24X2.5	51/0.25	32.6	1706.6	4.95 Ω/km
ANO07.003.25.002.50B	H07Z1Z1-F	450/750V	25X2.5	51/0.25	33.5	1764.8	4.95 Ω/km
ANO07.003.26.002.50B	H07Z1Z1-F	450/750V	26X2.5	51/0.25	33.5	1813.9	4.95 Ω/km
ANO07.003.27.002.50B	H07Z1Z1-F	450/750V	27X2.5	51/0.25	33.5	1831.8	4.95 Ω/km
ANO07.003.28.002.50B	H07Z1Z1-F	450/750V	28X2.5	51/0.25	34.7	1909.3	4.95 Ω/km
ANO07.003.29.002.50B	H07Z1Z1-F	450/750V	29X2.5	51/0.25	34.7	1966.1	4.95 Ω/km
ANO07.003.30.002.50B	H07Z1Z1-F	450/750V	30X2.5	51/0.25	34.7	1984.1	4.95 Ω/km
ANO07.003.31.002.50B	H07Z1Z1-F	450/750V	31X2.5	51/0.25	36	2070.3	4.95 Ω/km
ANO07.003.32.002.50B	H07Z1Z1-F	450/750V	32X2.5	51/0.25	36	2130.3	4.95 Ω/km
ANO07.003.33.002.50B	H07Z1Z1-F	450/750V	33X2.5	51/0.25	36	2148.3	4.95 Ω/km
ANO07.003.34.002.50B	H07Z1Z1-F	450/750V	34X2.5	51/0.25	37.5	2237.4	4.95 Ω/km
ANO07.003.35.002.50B	H07Z1Z1-F	450/750V	35X2.5	51/0.25	37.5	2316.2	4.95 Ω/km
ANO07.003.36.002.50B	H07Z1Z1-F	450/750V	36X2.5	51/0.25	36.9	2334.2	4.95 Ω/km
ANO07.003.02.004.00B	H07Z1Z1-F	450/750V	2X4	82/0.25	13.3	894.9	3.30 Ω/km
ANO07.003.03.004.00B	H07Z1Z1-F	450/750V	3X4	82/0.25	14.3	322	3.30 Ω/km
ANO07.003.04.004.00B	H07Z1Z1-F	450/750V	4X4	82/0.25	15.7	396.5	3.30 Ω/km
ANO07.003.05.004.00B	H07Z1Z1-F	450/750V	5X4	82/0.25	17.4	482.5	3.30 Ω/km
ANO07.003.06.004.00B	H07Z1Z1-F	450/750V	6X4	82/0.25	20.1	583.3	3.30 Ω/km
ANO07.003.07.004.00B	H07Z1Z1-F	450/750V	7X4	82/0.25	20.5	691.8	3.30 Ω/km
ANO07.003.08.004.00B	H07Z1Z1-F	450/750V	8X4	82/0.25	22.4	789.3	3.30 Ω/km
ANO07.003.09.004.00B	H07Z1Z1-F	450/750V	9X4	82/0.25	24.7	941.3	3.30 Ω/km
ANO07.003.10.004.00B	H07Z1Z1-F	450/750V	10X4	82/0.25	26.4	1081.9	3.30 Ω/km



ANO07.003.11.004.00B	H07Z1Z1-F	450/750V	11X4	82/0.25	27.4	1195.7	3.30 Ω/km
ANO07.003.12.004.00B	H07Z1Z1-F	450/750V	12X4	82/0.25	27.4	1253	3.30 Ω/km
ANO07.003.13.004.00B	H07Z1Z1-F	450/750V	13X4	82/0.25	28.8	1339.7	3.30 Ω/km
ANO07.003.14.004.00B	H07Z1Z1-F	450/750V	14X4	82/0.25	28.8	1405.8	3.30 Ω/km
ANO07.003.15.004.00B	H07Z1Z1-F	450/750V	15X4	82/0.25	30.3	1501.2	3.30 Ω/km
ANO07.003.16.004.00B	H07Z1Z1-F	450/750V	16X4	82/0.25	30.3	1570.5	3.30 Ω/km
ANO07.003.17.004.00B	H07Z1Z1-F	450/750V	17X4	82/0.25	32.2	1670.1	3.30 Ω/km
ANO07.003.18.004.00B	H07Z1Z1-F	450/750V	18X4	82/0.25	32.2	1771	3.30 Ω/km
ANO07.003.02.006.00B	H07Z1Z1-F	450/750V	2X6	123/0.25	14.9	826.1	1.91 Ω/km
ANO07.003.03.006.00B	H07Z1Z1-F	450/750V	3X6	123/0.25	16	426.9	1.91 Ω/km
ANO07.003.04.006.00B	H07Z1Z1-F	450/750V	4X6	123/0.25	17.7	525.4	1.91 Ω/km
ANO07.003.05.006.00B	H07Z1Z1-F	450/750V	5X6	123/0.25	19.6	648.7	1.91 Ω/km
ANO07.003.02.010.00B	H07Z1Z1-F	450/750V	2X10	77/0.4	20.1	589.5	1.21 Ω/km
ANO07.003.03.010.00B	H07Z1Z1-F	450/750V	3X10	77/0.4	21.9	744.4	1.21 Ω/km
ANO07.003.04.010.00B	H07Z1Z1-F	450/750V	4X10	77/0.4	23.8	931.9	1.21 Ω/km
ANO07.003.05.010.00B	H07Z1Z1-F	450/750V	5X10	77/0.4	26.1	1123	1.21 Ω/km
ANO07.003.02.016.00B	H07Z1Z1-F	450/750V	2X16	126/0.4	23.2	963.9	0.780 Ω/km
ANO07.003.03.016.00B	H07Z1Z1-F	450/750V	3X16	126/0.4	24.9	1052.4	0.780 Ω/km
ANO07.003.04.016.00B	H07Z1Z1-F	450/750V	4X16	126/0.4	27.1	1299.6	0.780 Ω/km
ANO07.003.05.016.00B	H07Z1Z1-F	450/750V	5X16	126/0.4	30	1575.6	0.780 Ω/km
ANO07.003.02.025.00B	H07Z1Z1-F	450/750V	2X25	189/0.4	27.2	1352.1	0.554 Ω/km
ANO07.003.03.025.00B	H07Z1Z1-F	450/750V	3X25	189/0.4	29.1	1519.4	0.554 Ω/km
ANO07.003.04.025.00B	H07Z1Z1-F	450/750V	4X25	189/0.4	32.4	1886.7	0.554 Ω/km
ANO07.003.05.025.00B	H07Z1Z1-F	450/750V	5X25	189/0.4	35.8	2342.5	0.554 Ω/km
ANO07.003.02.035.00B	H07Z1Z1-F	450/750V	2X35	266/0.4	30.2	1826.4	0.386 Ω/km
ANO07.003.03.035.00B	H07Z1Z1-F	450/750V	3X35	266/0.4	32.7	1969	0.386 Ω/km
ANO07.003.04.035.00B	H07Z1Z1-F	450/750V	4X35	266/0.4	36.2	2488.5	0.386 Ω/km
ANO07.003.05.035.00B	H07Z1Z1-F	450/750V	5X35	266/0.4	39.7	3061.8	0.386 Ω/km
ANO07.003.02.050.00B	H07Z1Z1-F	450/750V	2X50	380/0.4	35	2395.6	0.272 Ω/km
ANO07.003.03.050.00B	H07Z1Z1-F	450/750V	3X50	380/0.4	37.6	2721.4	0.272 Ω/km
ANO07.003.04.050.00B	H07Z1Z1-F	450/750V	4X50	380/0.4	41.5	3410.9	0.272 Ω/km
ANO07.003.05.050.00B	H07Z1Z1-F	450/750V	5X50	380/0.4	46	4199.2	0.272 Ω/km
ANO07.003.02.070.00B	H07Z1Z1-F	450/750V	2X70	532/0.4	39.4	3191.9	0.206 Ω/km
ANO07.003.03.070.00B	H07Z1Z1-F	450/750V	3X70	532/0.4	42.1	3602.4	0.206 Ω/km
ANO07.003.04.070.00B	H07Z1Z1-F	450/750V	4X70	532/0.4	46.7	4505.8	0.206 Ω/km
ANO07.003.05.070.00B	H07Z1Z1-F	450/750V	5X70	532/0.4	52.4	5570	0.206 Ω/km
ANO07.003.02.095.00B	H07Z1Z1-F	450/750V	2X95	722/0.4	44.8	4240.1	0.161 Ω/km
ANO07.003.03.095.00B	H07Z1Z1-F	450/750V	3X95	722/0.4	48.1	4769.2	0.161 Ω/km
ANO07.003.04.095.00B	H07Z1Z1-F	450/750V	4X95	722/0.4	54.1	5989.2	0.161 Ω/km
ANO07.003.05.095.00B	H07Z1Z1-F	450/750V	5X95	722/0.4	59.8	7513.9	0.161 Ω/km
ANO07.003.03.120.00B	H07Z1Z1-F	450/750V	3X120	925/0.4	53	6406.1	0.129 Ω/km
ANO07.003.04.120.00B	H07Z1Z1-F	450/750V	4X120	925/0.4	58.7	7407.6	0.129 Ω/km



AN007.003.05.120.00B	H07Z1Z1-F	450/750V	5X120	925/0.4	64.6	9132.1	0.129 Ω/km
AN007.003.03.150.00B	H07Z1Z1-F	450/750V	3X150	1147/0.4	58.4	7720.5	0.106 Ω/km
AN007.003.04.150.00B	H07Z1Z1-F	450/750V	4X150	1147/0.4	64.8	9141.8	0.106 Ω/km
AN007.003.05.150.00B	H07Z1Z1-F	450/750V	5X150	1147/0.4	71.3	11296.7	0.106 Ω/km
AN007.003.03.185.00B	H07Z1Z1-F	450/750V	3X185	1403/0.4	63.9	9407.8	0.0801 Ω/km
AN007.003.04.185.00B	H07Z1Z1-F	450/750V	4X185	1403/0.4	71.1	11135.6	0.0801 Ω/km
AN007.003.05.185.00B	H07Z1Z1-F	450/750V	5X185	1403/0.4	78.4	13786.8	0.0801 Ω/km
AN007.003.03.240.00B	H07Z1Z1-F	450/750V	3X240	1830/0.4	72	11915.5	0.0641 Ω/km
AN007.003.04.240.00B	H07Z1Z1-F	450/750V	4X240	1830/0.4	80	14280.5	0.0641 Ω/km
AN007.003.05.240.00B	H07Z1Z1-F	450/750V	5X240	1830/0.4	88.2	17664.6	0.0641 Ω/km
AN007.003.03.300.00B	H07Z1Z1-F	450/750V	3X300	2318/0.4	79.6	14779.2	0.0486 Ω/km
AN007.003.04.300.00B	H07Z1Z1-F	450/750V	4X300	2318/0.4	88.6	17655.5	0.0486 Ω/km
AN007.003.0301.002.50B	H07Z1Z1-F	450/750V	3X2.5+1X1.5	51/0.25	14.7	324.5	4.95 Ω/km
AN007.003.0301.004.00B	H07Z1Z1-F	450/750V	3X4+1X2.5	82/0.25	16.9	449.5	3.30 Ω/km
AN007.003.0301.006.00B	H07Z1Z1-F	450/750V	3X6+1X4	123/0.25	18.8	587.3	1.91 Ω/km
AN007.003.0301.010.00B	H07Z1Z1-F	450/750V	3X10+1X6	77/0.4	22.8	885.8	1.21 Ω/km
AN007.003.0301.016.00B	H07Z1Z1-F	450/750V	3X16+1X10	126/0.4	26.7	1275.3	0.780 Ω/km
AN007.003.0301.025.00B	H07Z1Z1-F	450/750V	3X25+1X16	189/0.4	31.5	1854	0.554 Ω/km
AN007.003.0301.035.00B	H07Z1Z1-F	450/750V	3X35+1X16	266/0.4	34.3	2287.3	0.386 Ω/km
AN007.003.0301.050.00B	H07Z1Z1-F	450/750V	3X50+1X25	380/0.4	39.7	3167.5	0.272 Ω/km
AN007.003.0301.070.00B	H07Z1Z1-F	450/750V	3X70+1X35	532/0.4	45.1	4225.6	0.206 Ω/km
AN007.003.0301.095.00B	H07Z1Z1-F	450/750V	3X95+1X50	722/0.4	52.1	5700.3	0.161 Ω/km
AN007.003.0301.120.00B	H07Z1Z1-F	450/750V	3X120+1X70	925/0.4	57.5	7094.3	0.129 Ω/km
AN007.003.0301.150.00B	H07Z1Z1-F	450/750V	3X150+1X95	1147/0.4	63.7	8849.8	0.106 Ω/km
AN007.003.0301.185.00B	H07Z1Z1-F	450/750V	3X185+1X95	1403/0.4	68.7	10400.9	0.0801 Ω/km
AN007.003.0301.240.00B	H07Z1Z1-F	450/750V	3X240+1X120	1830/0.4	76.8	13176.7	0.0641 Ω/km
AN007.003.0301.300.00B	H07Z1Z1-F	450/750V	3X300+1X150	2318/0.4	85.1	16304	0.0486 Ω/km
AN007.003.0302.002.50B	H07Z1Z1-F	450/750V	3X2.5+2X1.5	51/0.25	15.7	371.8	4.95 Ω/km
AN007.003.0302.004.00B	H07Z1Z1-F	450/750V	3X4+2X2.5	82/0.25	18.1	517.8	3.30 Ω/km
AN007.003.0302.006.00B	H07Z1Z1-F	450/750V	3X6+2X4	123/0.25	20.2	682	1.91 Ω/km
AN007.003.0302.010.00B	H07Z1Z1-F	450/750V	3X10+2X6	77/0.4	24.2	1008.4	1.21 Ω/km
AN007.003.0302.016.00B	H07Z1Z1-F	450/750V	3X16+2X10	126/0.4	28.5	1465.9	0.780 Ω/km
AN007.003.0302.025.00B	H07Z1Z1-F	450/750V	3X25+2X16	189/0.4	33.8	2147.7	0.554 Ω/km
AN007.003.0302.035.00B	H07Z1Z1-F	450/750V	3X35+2X16	266/0.4	36.3	2570.2	0.386 Ω/km
AN007.003.0302.050.00B	H07Z1Z1-F	450/750V	3X50+2X25	380/0.4	42.7	3642.6	0.272 Ω/km
AN007.003.0302.070.00B	H07Z1Z1-F	450/750V	3X70+2X35	532/0.4	48	4798.9	0.206 Ω/km
AN007.003.0302.095.00B	H07Z1Z1-F	450/750V	3X95+2X50	722/0.4	55.5	6497.7	0.161 Ω/km
AN007.003.0302.120.00B	H07Z1Z1-F	450/750V	3X120+2X70	925/0.4	61.4	8152	0.129 Ω/km
AN007.003.0302.150.00B	H07Z1Z1-F	450/750V	3X150+2X95	1147/0.4	68.6	10307.1	0.106 Ω/km
AN007.003.0302.185.00B	H07Z1Z1-F	450/750V	3X185+2X95	1403/0.4	73	11811.7	0.0801 Ω/km
AN007.003.0302.240.00B	H07Z1Z1-F	450/750V	3X240+2X120	1830/0.4	81.4	14903.6	0.0641 Ω/km
AN007.003.0302.300.00B	H07Z1Z1-F	450/750V	3X300+2X150	2318/0.4	90.1	18425.9	0.0486 Ω/km



AN007.003.0401.002.50B	H07Z1Z1-F	450/750V	4X2.5+1X1.5	51/0.25	16.4	405.7	4.95 Ω/km
AN007.003.0401.004.00B	H07Z1Z1-F	450/750V	4X4+1X2.5	82/0.25	18.6	551.1	3.30 Ω/km
AN007.003.0401.006.00B	H07Z1Z1-F	450/750V	4X6+1X4	123/0.25	20.5	711.2	1.91 Ω/km
AN007.003.0401.010.00B	H07Z1Z1-F	450/750V	4X10+1X6	77/0.4	25.2	1095.1	1.21 Ω/km
AN007.003.0401.016.00B	H07Z1Z1-F	450/750V	4X16+1X10	126/0.4	29.4	1570.6	0.780 Ω/km
AN007.003.0401.025.00B	H07Z1Z1-F	450/750V	4X25+1X16	189/0.4	34.9	2303.5	0.554 Ω/km
AN007.003.0401.035.00B	H07Z1Z1-F	450/750V	4X35+1X16	266/0.4	38.3	2885	0.386 Ω/km
AN007.003.0401.050.00B	H07Z1Z1-F	450/750V	4X50+1X25	380/0.4	44.8	4042.8	0.272 Ω/km
AN007.003.0401.070.00B	H07Z1Z1-F	450/750V	4X70+1X35	532/0.4	50.4	5333.9	0.206 Ω/km
AN007.003.0401.095.00B	H07Z1Z1-F	450/750V	4X95+1X50	722/0.4	58.1	7173.5	0.161 Ω/km
AN007.003.0401.120.00B	H07Z1Z1-F	450/750V	4X120+1X70	925/0.4	64.2	8925.9	0.129 Ω/km
AN007.003.0401.150.00B	H07Z1Z1-F	450/750V	4X150+1X95	1147/0.4	71.2	11133.8	0.106 Ω/km
AN007.003.0401.185.00B	H07Z1Z1-F	450/750V	4X185+1X95	1403/0.4	76.9	13156.4	0.0801 Ω/km
AN007.003.0401.240.00B	H07Z1Z1-F	450/750V	4X240+1X120	1830/0.4	86.4	16766.7	0.0641 Ω/km
AN007.003.0401.300.00B	H07Z1Z1-F	450/750V	4X300+1X150	2318/0.4	95.6	20714.4	0.0486 Ω/km