



物料编号	型号	规格	额定电压	导体结构	电缆近似 外径 mm	近似重量 kg/km	导体电阻 Ω /km
ANO06.003.02.000.50B	YSLY	2X0.5	300/500V	18/0.19	5.2	39.95	39
ANO06.003.03.000.50B	YSLY	3X0.5	300/500V	18/0.19	5.5	47.43	39
ANO06.003.04.000.50B	YSLY	4X0.5	300/500V	18/0.19	6.2	61.13	39
ANO06.003.05.000.50B	YSLY	5X0.5	300/500V	18/0.19	6.6	71.04	39
ANO06.003.06.000.50B	YSLY	6X0.5	300/500V	18/0.19	7.3	86.70	39
ANO06.003.07.000.50B	YSLY	7X0.5	300/500V	18/0.19	7.3	90.13	39
ANO06.003.08.000.50B	YSLY	8X0.5	300/500V	18/0.19	7.9	105.19	39
ANO06.003.09.000.50B	YSLY	9X0.5	300/500V	18/0.19	8.7	125.40	39
ANO06.003.10.000.50B	YSLY	10X0.5	300/500V	18/0.19	9.2	140.30	39
ANO06.003.11.000.50B	YSLY	11X0.5	300/500V	18/0.19	9.5	150.93	39
ANO06.003.12.000.50B	YSLY	12X0.5	300/500V	18/0.19	9.5	154.35	39
ANO06.003.13.000.50B	YSLY	13X0.5	300/500V	18/0.19	10.0	170.31	39
ANO06.003.14.000.50B	YSLY	14X0.5	300/500V	18/0.19	10.0	173.74	39
ANO06.003.15.000.50B	YSLY	15X0.5	300/500V	18/0.19	10.7	198.05	39
ANO06.003.16.000.50B	YSLY	16X0.5	300/500V	18/0.19	10.7	201.46	39
ANO06.003.17.000.50B	YSLY	17X0.5	300/500V	18/0.19	11.2	219.10	39
ANO06.003.18.000.50B	YSLY	18X0.5	300/500V	18/0.19	11.2	222.53	39
ANO06.003.19.000.50B	YSLY	19X0.5	300/500V	18/0.19	11.2	225.95	39
ANO06.003.20.000.50B	YSLY	20X0.5	300/500V	18/0.19	11.5	238.22	39
ANO06.003.21.000.50B	YSLY	21X0.5	300/500V	18/0.19	11.8	250.73	39
ANO06.003.22.000.50B	YSLY	22X0.5	300/500V	18/0.19	12.4	273.05	39
ANO06.003.23.000.50B	YSLY	23X0.5	300/500V	18/0.19	13.2	301.04	39
ANO06.003.24.000.50B	YSLY	24X0.5	300/500V	18/0.19	13.2	304.47	39
ANO06.003.25.000.50B	YSLY	25X0.5	300/500V	18/0.19	13.5	318.27	39
ANO06.003.26.000.50B	YSLY	26X0.5	300/500V	18/0.19	13.5	321.69	39
ANO06.003.27.000.50B	YSLY	27X0.5	300/500V	18/0.19	13.5	325.11	39
ANO06.003.28.000.50B	YSLY	28X0.5	300/500V	18/0.19	14.0	346.37	39
ANO06.003.29.000.50B	YSLY	29X0.5	300/500V	18/0.19	14.0	349.78	39
ANO06.003.30.000.50B	YSLY	30X0.5	300/500V	18/0.19	14.0	353.21	39
ANO06.003.31.000.50B	YSLY	31X0.5	300/500V	18/0.19	14.4	371.38	39
ANO06.003.32.000.50B	YSLY	32X0.5	300/500V	18/0.19	14.4	374.80	39
ANO06.003.33.000.50B	YSLY	33X0.5	300/500V	18/0.19	14.4	378.23	39
ANO06.003.34.000.50B	YSLY	34X0.5	300/500V	18/0.19	15.1	408.08	39
ANO06.003.35.000.50B	YSLY	35X0.5	300/500V	18/0.19	15.1	411.50	39
ANO06.003.36.000.50B	YSLY	36X0.5	300/500V	18/0.19	15.1	414.92	39
ANO06.003.37.000.50B	YSLY	37X0.5	300/500V	18/0.19	15.1	418.35	39
ANO06.003.02.000.75B	YSLY	2X0.75	300/500V	27/0.19	5.6	48.99	26
ANO06.003.03.000.75B	YSLY	3X0.75	300/500V	27/0.19	6.1	61.51	26
ANO06.003.04.000.75B	YSLY	4X0.75	300/500V	27/0.19	6.6	74.79	26
ANO06.003.05.000.75B	YSLY	5X0.75	300/500V	27/0.19	7.4	94.12	26



ANO06.003.06.000.75B	YSLY	6X0.75	300/500V	27/0.19	7.9	109.09	26
ANO06.003.07.000.75B	YSLY	7X0.75	300/500V	27/0.19	7.9	114.31	26
ANO06.003.08.000.75B	YSLY	8X0.75	300/500V	27/0.19	8.7	136.33	26
ANO06.003.09.000.75B	YSLY	9X0.75	300/500V	27/0.19	9.5	160.22	26
ANO06.003.10.000.75B	YSLY	10X0.75	300/500V	27/0.19	10.0	177.98	26
ANO06.003.11.000.75B	YSLY	11X0.75	300/500V	27/0.19	10.6	201.32	26
ANO06.003.12.000.75B	YSLY	12X0.75	300/500V	27/0.19	10.6	206.54	26
ANO06.003.13.000.75B	YSLY	13X0.75	300/500V	27/0.19	11.1	225.83	26
ANO06.003.14.000.75B	YSLY	14X0.75	300/500V	27/0.19	11.1	231.05	26
ANO06.003.15.000.75B	YSLY	15X0.75	300/500V	27/0.19	11.7	254.04	26
ANO06.003.16.000.75B	YSLY	16X0.75	300/500V	27/0.19	11.7	259.25	26
ANO06.003.17.000.75B	YSLY	17X0.75	300/500V	27/0.19	12.2	280.02	26
ANO06.003.18.000.75B	YSLY	18X0.75	300/500V	27/0.19	12.2	285.24	26
ANO06.003.19.000.75B	YSLY	19X0.75	300/500V	27/0.19	12.2	290.45	26
ANO06.003.20.000.75B	YSLY	20X0.75	300/500V	27/0.19	12.5	305.32	26
ANO06.003.21.000.75B	YSLY	21X0.75	300/500V	27/0.19	13.1	328.45	26
ANO06.003.22.000.75B	YSLY	22X0.75	300/500V	27/0.19	13.9	361.67	26
ANO06.003.23.000.75B	YSLY	23X0.75	300/500V	27/0.19	14.4	385.26	26
ANO06.003.24.000.75B	YSLY	24X0.75	300/500V	27/0.19	14.4	390.47	26
ANO06.003.25.000.75B	YSLY	25X0.75	300/500V	27/0.19	14.7	407.02	26
ANO06.003.26.000.75B	YSLY	26X0.75	300/500V	27/0.19	14.7	412.23	26
ANO06.003.27.000.75B	YSLY	27X0.75	300/500V	27/0.19	14.7	417.44	26
ANO06.003.28.000.75B	YSLY	28X0.75	300/500V	27/0.19	15.4	449.64	26
ANO06.003.29.000.75B	YSLY	29X0.75	300/500V	27/0.19	15.4	454.86	26
ANO06.003.30.000.75B	YSLY	30X0.75	300/500V	27/0.19	15.4	460.08	26
ANO06.003.31.000.75B	YSLY	31X0.75	300/500V	27/0.19	16.0	489.77	26
ANO06.003.32.000.75B	YSLY	32X0.75	300/500V	27/0.19	16.0	494.99	26
ANO06.003.33.000.75B	YSLY	33X0.75	300/500V	27/0.19	16.0	500.19	26
ANO06.003.34.000.75B	YSLY	34X0.75	300/500V	27/0.19	16.5	526.56	26
ANO06.003.35.000.75B	YSLY	35X0.75	300/500V	27/0.19	16.5	531.77	26
ANO06.003.36.000.75B	YSLY	36X0.75	300/500V	27/0.19	16.5	536.99	26
ANO06.003.37.000.75B	YSLY	37X0.75	300/500V	27/0.19	16.5	542.19	26
ANO06.003.02.001.00B	YSLY	2X1	300/500V	35/0.19	6.2	61.24	19.5
ANO06.003.03.001.00B	YSLY	3X1	300/500V	35/0.19	6.6	74.63	19.5
ANO06.003.04.001.00B	YSLY	4X1	300/500V	35/0.19	7.3	93.78	19.5
ANO06.003.05.001.00B	YSLY	5X1	300/500V	35/0.19	7.9	112.31	19.5
ANO06.003.06.001.00B	YSLY	6X1	300/500V	35/0.19	8.7	136.02	19.5
ANO06.003.07.001.00B	YSLY	7X1	300/500V	35/0.19	8.7	142.93	19.5
ANO06.003.08.001.00B	YSLY	8X1	300/500V	35/0.19	9.4	166.07	19.5
ANO06.003.09.001.00B	YSLY	9X1	300/500V	35/0.19	10.2	193.15	19.5
ANO06.003.10.001.00B	YSLY	10X1	300/500V	35/0.19	11.1	227.06	19.5
ANO06.003.11.001.00B	YSLY	11X1	300/500V	35/0.19	11.5	245.70	19.5



ANO06.003.12.001.00B	YSLY	12X1	300/500V	35/0.19	11.5	252.61	19.5
ANO06.003.13.001.00B	YSLY	13X1	300/500V	35/0.19	12.0	274.79	19.5
ANO06.003.14.001.00B	YSLY	14X1	300/500V	35/0.19	12.0	281.69	19.5
ANO06.003.15.001.00B	YSLY	15X1	300/500V	35/0.19	12.8	314.08	19.5
ANO06.003.16.001.00B	YSLY	16X1	300/500V	35/0.19	12.8	320.97	19.5
ANO06.003.17.001.00B	YSLY	17X1	300/500V	35/0.19	13.5	350.05	19.5
ANO06.003.18.001.00B	YSLY	18X1	300/500V	35/0.19	13.5	356.95	19.5
ANO06.003.19.001.00B	YSLY	19X1	300/500V	35/0.19	13.5	363.86	19.5
ANO06.003.20.001.00B	YSLY	20X1	300/500V	35/0.19	13.9	384.97	19.5
ANO06.003.21.001.00B	YSLY	21X1	300/500V	35/0.19	14.2	402.82	19.5
ANO06.003.22.001.00B	YSLY	22X1	300/500V	35/0.19	15.2	447.51	19.5
ANO06.003.23.001.00B	YSLY	23X1	300/500V	35/0.19	15.8	478.59	19.5
ANO06.003.24.001.00B	YSLY	24X1	300/500V	35/0.19	15.8	485.49	19.5
ANO06.003.25.001.00B	YSLY	25X1	300/500V	35/0.19	16.2	509.03	19.5
ANO06.003.26.001.00B	YSLY	26X1	300/500V	35/0.19	16.2	515.92	19.5
ANO06.003.27.001.00B	YSLY	27X1	300/500V	35/0.19	16.2	522.83	19.5
ANO06.003.28.001.00B	YSLY	28X1	300/500V	35/0.19	16.7	551.14	19.5
ANO06.003.29.001.00B	YSLY	29X1	300/500V	35/0.19	16.7	558.05	19.5
ANO06.003.30.001.00B	YSLY	30X1	300/500V	35/0.19	16.7	564.94	19.5
ANO06.003.31.001.00B	YSLY	31X1	300/500V	35/0.19	17.5	606.98	19.5
ANO06.003.32.001.00B	YSLY	32X1	300/500V	35/0.19	17.5	613.89	19.5
ANO06.003.33.001.00B	YSLY	33X1	300/500V	35/0.19	17.5	620.78	19.5
ANO06.003.34.001.00B	YSLY	34X1	300/500V	35/0.19	18.1	655.50	19.5
ANO06.003.35.001.00B	YSLY	35X1	300/500V	35/0.19	18.1	662.39	19.5
ANO06.003.36.001.00B	YSLY	36X1	300/500V	35/0.19	18.1	669.29	19.5
ANO06.003.37.001.00B	YSLY	37X1	300/500V	35/0.19	18.1	676.19	19.5
ANO06.003.02.001.50B	YSLY	2X1.5	300/500V	31/0.25	7.0	81.54	13.3
ANO06.003.03.001.50B	YSLY	3X1.5	300/500V	31/0.25	7.4	99.28	13.3
ANO06.003.04.001.50B	YSLY	4X1.5	300/500V	31/0.25	8.0	121.48	13.3
ANO06.003.05.001.50B	YSLY	5X1.5	300/500V	31/0.25	8.9	151.19	13.3
ANO06.003.06.001.50B	YSLY	6X1.5	300/500V	31/0.25	9.6	178.21	13.3
ANO06.003.07.001.50B	YSLY	7X1.5	300/500V	31/0.25	9.6	188.62	13.3
ANO06.003.08.001.50B	YSLY	8X1.5	300/500V	31/0.25	10.7	230.01	13.3
ANO06.003.09.001.50B	YSLY	9X1.5	300/500V	31/0.25	11.6	266.51	13.3
ANO06.003.10.001.50B	YSLY	10X1.5	300/500V	31/0.25	12.3	298.68	13.3
ANO06.003.11.001.50B	YSLY	11X1.5	300/500V	31/0.25	12.9	328.43	13.3
ANO06.003.12.001.50B	YSLY	12X1.5	300/500V	31/0.25	12.9	338.83	13.3
ANO06.003.13.001.50B	YSLY	13X1.5	300/500V	31/0.25	13.6	371.58	13.3
ANO06.003.14.001.50B	YSLY	14X1.5	300/500V	31/0.25	13.6	381.99	13.3
ANO06.003.15.001.50B	YSLY	15X1.5	300/500V	31/0.25	14.3	417.76	13.3
ANO06.003.16.001.50B	YSLY	16X1.5	300/500V	31/0.25	14.3	428.17	13.3
ANO06.003.17.001.50B	YSLY	17X1.5	300/500V	31/0.25	15.2	472.68	13.3



ANO06.003.18.001.50B	YSLY	18X1.5	300/500V	31/0.25	15.2	483.09	13.3
ANO06.003.19.001.50B	YSLY	19X1.5	300/500V	31/0.25	15.2	493.50	13.3
ANO06.003.20.001.50B	YSLY	20X1.5	300/500V	31/0.25	15.6	519.91	13.3
ANO06.003.21.001.50B	YSLY	21X1.5	300/500V	31/0.25	16.0	546.74	13.3
ANO06.003.22.001.50B	YSLY	22X1.5	300/500V	31/0.25	16.9	595.70	13.3
ANO06.003.23.001.50B	YSLY	23X1.5	300/500V	31/0.25	17.8	646.27	13.3
ANO06.003.24.001.50B	YSLY	24X1.5	300/500V	31/0.25	17.8	656.69	13.3
ANO06.003.25.001.50B	YSLY	25X1.5	300/500V	31/0.25	18.2	685.87	13.3
ANO06.003.26.001.50B	YSLY	26X1.5	300/500V	31/0.25	18.2	696.28	13.3
ANO06.003.27.001.50B	YSLY	27X1.5	300/500V	31/0.25	18.2	706.69	13.3
ANO06.003.28.001.50B	YSLY	28X1.5	300/500V	31/0.25	18.8	746.02	13.3
ANO06.003.29.001.50B	YSLY	29X1.5	300/500V	31/0.25	18.8	756.43	13.3
ANO06.003.30.001.50B	YSLY	30X1.5	300/500V	31/0.25	18.8	766.85	13.3
ANO06.003.31.001.50B	YSLY	31X1.5	300/500V	31/0.25	19.7	821.87	13.3
ANO06.003.32.001.50B	YSLY	32X1.5	300/500V	31/0.25	19.7	832.28	13.3
ANO06.003.33.001.50B	YSLY	33X1.5	300/500V	31/0.25	19.7	842.69	13.3
ANO06.003.34.001.50B	YSLY	34X1.5	300/500V	31/0.25	20.4	889.71	13.3
ANO06.003.35.001.50B	YSLY	35X1.5	300/500V	31/0.25	20.4	900.13	13.3
ANO06.003.36.001.50B	YSLY	36X1.5	300/500V	31/0.25	20.4	910.53	13.3
ANO06.003.37.001.50B	YSLY	37X1.5	300/500V	31/0.25	20.4	920.95	13.3
ANO06.003.02.002.50B	YSLY	2X2.5	300/500V	51/0.25	8.0	114.45	7.98
ANO06.003.03.002.50B	YSLY	3X2.5	300/500V	51/0.25	8.7	146.53	7.98
ANO06.003.04.002.50B	YSLY	4X2.5	300/500V	51/0.25	9.5	182.49	7.98
ANO06.003.05.002.50B	YSLY	5X2.5	300/500V	51/0.25	10.6	230.46	7.98
ANO06.003.06.002.50B	YSLY	6X2.5	300/500V	51/0.25	11.4	270.62	7.98
ANO06.003.07.002.50B	YSLY	7X2.5	300/500V	51/0.25	11.4	287.93	7.98
ANO06.003.08.002.50B	YSLY	8X2.5	300/500V	51/0.25	12.3	332.98	7.98
ANO06.003.09.002.50B	YSLY	9X2.5	300/500V	51/0.25	13.8	399.07	7.98
ANO06.003.10.002.50B	YSLY	10X2.5	300/500V	51/0.25	14.6	445.86	7.98
ANO06.003.11.002.50B	YSLY	11X2.5	300/500V	51/0.25	15.3	489.96	7.98
ANO06.003.12.002.50B	YSLY	12X2.5	300/500V	51/0.25	15.3	507.25	7.98
ANO06.003.13.002.50B	YSLY	13X2.5	300/500V	51/0.25	16.1	557.21	7.98
ANO06.003.14.002.50B	YSLY	14X2.5	300/500V	51/0.25	16.1	574.51	7.98
ANO06.003.15.002.50B	YSLY	15X2.5	300/500V	51/0.25	16.9	626.19	7.98
ANO06.003.16.002.50B	YSLY	16X2.5	300/500V	51/0.25	16.9	643.47	7.98
ANO06.003.17.002.50B	YSLY	17X2.5	300/500V	51/0.25	17.9	705.60	7.98
ANO06.003.18.002.50B	YSLY	18X2.5	300/500V	51/0.25	17.9	722.89	7.98
ANO06.003.19.002.50B	YSLY	19X2.5	300/500V	51/0.25	17.9	740.20	7.98
ANO06.003.20.002.50B	YSLY	20X2.5	300/500V	51/0.25	18.4	781.14	7.98
ANO06.003.21.002.50B	YSLY	21X2.5	300/500V	51/0.25	18.8	817.85	7.98
ANO06.003.22.002.50B	YSLY	22X2.5	300/500V	51/0.25	20.2	905.77	7.98
ANO06.003.23.002.50B	YSLY	23X2.5	300/500V	51/0.25	21.3	976.47	7.98



ANO06.003.24.002.50B	YSLY	24X2.5	300/500V	51/0.25	21.3	993.76	7.98
ANO06.003.25.002.50B	YSLY	25X2.5	300/500V	51/0.25	22.0	1049.80	7.98
ANO06.003.26.002.50B	YSLY	26X2.5	300/500V	51/0.25	22.0	1067.10	7.98
ANO06.003.27.002.50B	YSLY	27X2.5	300/500V	51/0.25	22.0	1084.40	7.98
ANO06.003.28.002.50B	YSLY	28X2.5	300/500V	51/0.25	22.8	1148.27	7.98
ANO06.003.29.002.50B	YSLY	29X2.5	300/500V	51/0.25	22.8	1165.56	7.98
ANO06.003.30.002.50B	YSLY	30X2.5	300/500V	51/0.25	22.8	1182.86	7.98
ANO06.003.31.002.50B	YSLY	31X2.5	300/500V	51/0.25	23.6	1248.42	7.98
ANO06.003.32.002.50B	YSLY	32X2.5	300/500V	51/0.25	23.6	1265.72	7.98
ANO06.003.33.002.50B	YSLY	33X2.5	300/500V	51/0.25	23.6	1283.03	7.98
ANO06.003.34.002.50B	YSLY	34X2.5	300/500V	51/0.25	24.6	1362.29	7.98
ANO06.003.35.002.50B	YSLY	35X2.5	300/500V	51/0.25	24.6	1379.59	7.98
ANO06.003.36.002.50B	YSLY	36X2.5	300/500V	51/0.25	24.6	1396.89	7.98
ANO06.003.37.002.50B	YSLY	37X2.5	300/500V	51/0.25	24.6	1414.19	7.98
ANO06.003.02.004.00B	YSLY	2X4	300/500V	82/0.25	9.6	171.94	4.95
ANO06.003.03.004.00B	YSLY	3X4	300/500V	82/0.25	10.2	215.32	4.95
ANO06.003.04.004.00B	YSLY	4X4	300/500V	82/0.25	11.4	279.20	4.95
ANO06.003.05.004.00B	YSLY	5X4	300/500V	82/0.25	12.5	341.51	4.95
ANO06.003.06.004.00B	YSLY	6X4	300/500V	82/0.25	13.8	411.94	4.95
ANO06.003.07.004.00B	YSLY	7X4	300/500V	82/0.25	13.8	440.03	4.95
ANO06.003.08.004.00B	YSLY	8X4	300/500V	82/0.25	15.1	516.52	4.95
ANO06.003.09.004.00B	YSLY	9X4	300/500V	82/0.25	16.6	606.43	4.95
ANO06.003.10.004.00B	YSLY	10X4	300/500V	82/0.25	17.8	687.79	4.95
ANO06.003.11.004.00B	YSLY	11X4	300/500V	82/0.25	18.4	744.19	4.95
ANO06.003.12.004.00B	YSLY	12X4	300/500V	82/0.25	18.4	772.27	4.95
ANO06.003.13.004.00B	YSLY	13X4	300/500V	82/0.25	19.5	854.16	4.95
ANO06.003.14.004.00B	YSLY	14X4	300/500V	82/0.25	19.5	882.26	4.95
ANO06.003.15.004.00B	YSLY	15X4	300/500V	82/0.25	20.9	978.08	4.95
ANO06.003.16.004.00B	YSLY	16X4	300/500V	82/0.25	20.9	1006.17	4.95
ANO06.003.17.004.00B	YSLY	17X4	300/500V	82/0.25	22.1	1100.62	4.95
ANO06.003.18.004.00B	YSLY	18X4	300/500V	82/0.25	22.1	1128.73	4.95
ANO06.003.19.004.00B	YSLY	19X4	300/500V	82/0.25	22.1	1156.81	4.95
ANO06.003.02.006.00B	YSLY	2X6	300/500V	123/0.25	11.5	253.86	3.3
ANO06.003.03.006.00B	YSLY	3X6	300/500V	123/0.25	12.2	317.48	3.3
ANO06.003.04.006.00B	YSLY	4X6	300/500V	123/0.25	13.7	407.92	3.3
ANO06.003.05.006.00B	YSLY	5X6	300/500V	123/0.25	15.1	501.90	3.3
ANO06.003.06.006.00B	YSLY	6X6	300/500V	123/0.25	16.4	597.15	3.3
ANO06.003.07.006.00B	YSLY	7X6	300/500V	123/0.25	16.4	639.19	3.3
ANO06.003.02.010.00B	YSLY	2X10	300/500V	77/0.4	14.4	401.89	1.91
ANO06.003.03.010.00B	YSLY	3X10	300/500V	77/0.4	15.5	512.50	1.91
ANO06.003.04.010.00B	YSLY	4X10	300/500V	77/0.4	17.2	652.64	1.91
ANO06.003.05.010.00B	YSLY	5X10	300/500V	77/0.4	18.8	795.94	1.91



AN006.003.06.010.00B	YSLY	6X10	300/500V	77/0.4	21.0	971.78	1.91
AN006.003.07.010.00B	YSLY	7X10	300/500V	77/0.4	21.0	1040.06	1.91
AN006.003.02.016.00B	YSLY	2X16	300/500V	126/0.4	17.2	597.30	1.21
AN006.003.03.016.00B	YSLY	3X16	300/500V	126/0.4	18.3	757.04	1.21
AN006.003.04.016.00B	YSLY	4X16	300/500V	126/0.4	20.3	966.03	1.21
AN006.003.05.016.00B	YSLY	5X16	300/500V	126/0.4	22.8	1208.33	1.21
AN006.003.06.016.00B	YSLY	6X16	300/500V	126/0.4	25.0	1453.25	1.21
AN006.003.07.016.00B	YSLY	7X16	300/500V	126/0.4	25.0	1562.15	1.21

