



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
ANO04.002.02.000.14B	LiHCH	300/300V	2X0.14	9/0.14	4.2	26.81	158Ω/km
ANO04.002.03.000.14B	LiHCH	300/300V	3X0.14	9/0.14	4.4	30.15	158Ω/km
ANO04.002.04.000.14B	LiHCH	300/300V	4X0.14	9/0.14	4.7	34.9	158Ω/km
ANO04.002.05.000.14B	LiHCH	300/300V	5X0.14	9/0.14	4.9	38.51	158Ω/km
ANO04.002.06.000.14B	LiHCH	300/300V	6X0.14	9/0.14	5.2	43.66	158Ω/km
ANO04.002.07.000.14B	LiHCH	300/300V	7X0.14	9/0.14	5.2	44.58	158Ω/km
ANO04.002.08.000.14B	LiHCH	300/300V	8X0.14	9/0.14	5.5	49.97	158Ω/km
ANO04.002.09.000.14B	LiHCH	300/300V	9X0.14	9/0.14	6.1	60.18	158Ω/km
ANO04.002.10.000.14B	LiHCH	300/300V	10X0.14	9/0.14	6.4	66.27	158Ω/km
ANO04.002.11.000.14B	LiHCH	300/300V	11X0.14	9/0.14	6.6	70.78	158Ω/km
ANO04.002.12.000.14B	LiHCH	300/300V	12X0.14	9/0.14	6.6	71.69	158Ω/km
ANO04.002.13.000.14B	LiHCH	300/300V	13X0.14	9/0.14	7.1	81.61	158Ω/km
ANO04.002.14.000.14B	LiHCH	300/300V	14X0.14	9/0.14	7.1	82.52	158Ω/km
ANO04.002.15.000.14B	LiHCH	300/300V	15X0.14	9/0.14	7.3	87.39	158Ω/km
ANO04.002.16.000.14B	LiHCH	300/300V	16X0.14	9/0.14	7.3	88.3	158Ω/km
ANO04.002.17.000.14B	LiHCH	300/300V	17X0.14	9/0.14	7.6	95.34	158Ω/km
ANO04.002.18.000.14B	LiHCH	300/300V	18X0.14	9/0.14	7.6	96.25	158Ω/km
ANO04.002.19.000.14B	LiHCH	300/300V	19X0.14	9/0.14	7.6	97.16	158Ω/km
ANO04.002.20.000.14B	LiHCH	300/300V	20X0.14	9/0.14	7.8	102.29	158Ω/km
ANO04.002.21.000.14B	LiHCH	300/300V	21X0.14	9/0.14	7.9	105.37	158Ω/km
ANO04.002.22.000.14B	LiHCH	300/300V	22X0.14	9/0.14	8.5	119.25	158Ω/km
ANO04.002.23.000.14B	LiHCH	300/300V	23X0.14	9/0.14	8.8	127.24	158Ω/km
ANO04.002.24.000.14B	LiHCH	300/300V	24X0.14	9/0.14	8.8	128.15	158Ω/km
ANO04.002.25.000.14B	LiHCH	300/300V	25X0.14	9/0.14	9	133.91	158Ω/km
ANO04.002.26.000.14B	LiHCH	300/300V	26X0.14	9/0.14	9	134.82	158Ω/km
ANO04.002.27.000.14B	LiHCH	300/300V	27X0.14	9/0.14	9	135.73	158Ω/km
ANO04.002.28.000.14B	LiHCH	300/300V	28X0.14	9/0.14	9.3	144.12	158Ω/km
ANO04.002.29.000.14B	LiHCH	300/300V	29X0.14	9/0.14	9.3	145.03	158Ω/km
ANO04.002.30.000.14B	LiHCH	300/300V	30X0.14	9/0.14	9.3	145.93	158Ω/km
ANO04.002.31.000.14B	LiHCH	300/300V	31X0.14	9/0.14	9.5	151.96	158Ω/km
ANO04.002.32.000.14B	LiHCH	300/300V	32X0.14	9/0.14	9.5	152.87	158Ω/km
ANO04.002.33.000.14B	LiHCH	300/300V	33X0.14	9/0.14	9.5	153.79	158Ω/km
ANO04.002.34.000.14B	LiHCH	300/300V	34X0.14	9/0.14	9.8	162.59	158Ω/km
ANO04.002.35.000.14B	LiHCH	300/300V	35X0.14	9/0.14	9.8	163.5	158Ω/km
ANO04.002.36.000.14B	LiHCH	300/300V	36X0.14	9/0.14	9.8	164.4	158Ω/km
ANO04.002.37.000.14B	LiHCH	300/300V	37X0.14	9/0.14	9.8	165.31	158Ω/km
ANO04.002.38.000.14B	LiHCH	300/300V	38X0.14	9/0.14	10.1	174.32	158Ω/km
ANO04.002.39.000.14B	LiHCH	300/300V	39X0.14	9/0.14	10.1	175.23	158Ω/km
ANO04.002.40.000.14B	LiHCH	300/300V	40X0.14	9/0.14	10.1	176.14	158Ω/km



ANO04.002.41.000.14B	LiHCH	300/300V	41X0.14	9/0.14	11.1	207.7	158Ω/km
ANO04.002.42.000.14B	LiHCH	300/300V	42X0.14	9/0.14	11.1	208.6	158Ω/km
ANO04.002.43.000.14B	LiHCH	300/300V	43X0.14	9/0.14	11.1	209.51	158Ω/km
ANO04.002.44.000.14B	LiHCH	300/300V	44X0.14	9/0.14	11.1	210.42	158Ω/km
ANO04.002.45.000.14B	LiHCH	300/300V	45X0.14	9/0.14	11.3	217.45	158Ω/km
ANO04.002.46.000.14B	LiHCH	300/300V	46X0.14	9/0.14	11.3	218.36	158Ω/km
ANO04.002.47.000.14B	LiHCH	300/300V	47X0.14	9/0.14	11.3	219.28	158Ω/km
ANO04.002.48.000.14B	LiHCH	300/300V	48X0.14	9/0.14	11.3	220.2	158Ω/km
ANO04.002.49.000.14B	LiHCH	300/300V	49X0.14	9/0.14	11.6	230.46	158Ω/km
ANO04.002.50.000.14B	LiHCH	300/300V	50X0.14	9/0.14	11.6	231.37	158Ω/km
ANO04.002.51.000.14B	LiHCH	300/300V	51X0.14	9/0.14	11.6	232.28	158Ω/km
ANO04.002.52.000.14B	LiHCH	300/300V	52X0.14	9/0.14	11.6	233.19	158Ω/km
ANO04.002.53.000.14B	LiHCH	300/300V	53X0.14	9/0.14	11.8	240.47	158Ω/km
ANO04.002.54.000.14B	LiHCH	300/300V	54X0.14	9/0.14	11.8	241.38	158Ω/km
ANO04.002.55.000.14B	LiHCH	300/300V	55X0.14	9/0.14	11.8	242.28	158Ω/km
ANO04.002.56.000.14B	LiHCH	300/300V	56X0.14	9/0.14	11.8	243.19	158Ω/km
ANO04.002.57.000.14B	LiHCH	300/300V	57X0.14	9/0.14	12.1	253.87	158Ω/km
ANO04.002.58.000.14B	LiHCH	300/300V	58X0.14	9/0.14	12.1	254.79	158Ω/km
ANO04.002.59.000.14B	LiHCH	300/300V	59X0.14	9/0.14	12.1	255.7	158Ω/km
ANO04.002.60.000.14B	LiHCH	300/300V	60X0.14	9/0.14	12.1	256.62	158Ω/km
ANO04.002.61.000.14B	LiHCH	300/300V	61X0.14	9/0.14	12.1	257.53	158Ω/km
ANO04.002.62.000.14B	LiHCH	300/300V	62X0.14	9/0.14	12.4	268.43	158Ω/km
ANO04.002.63.000.14B	LiHCH	300/300V	63X0.14	9/0.14	12.4	269.34	158Ω/km
ANO04.002.64.000.14B	LiHCH	300/300V	64X0.14	9/0.14	12.4	270.25	158Ω/km
ANO04.002.65.000.14B	LiHCH	300/300V	65X0.14	9/0.14	12.4	271.16	158Ω/km
ANO04.002.02.000.25B	LiHCH	300/300V	2X0.25	16/0.14	4.7	34.63	73.84Ω/km
ANO04.002.03.000.25B	LiHCH	300/300V	3X0.25	16/0.14	4.9	39	73.84Ω/km
ANO04.002.04.000.25B	LiHCH	300/300V	4X0.25	16/0.14	5.3	46.38	73.84Ω/km
ANO04.002.05.000.25B	LiHCH	300/300V	5X0.25	16/0.14	5.6	52.62	73.84Ω/km
ANO04.002.06.000.25B	LiHCH	300/300V	6X0.25	16/0.14	6.2	63.76	73.84Ω/km
ANO04.002.07.000.25B	LiHCH	300/300V	7X0.25	16/0.14	6.2	65.43	73.84Ω/km
ANO04.002.08.000.25B	LiHCH	300/300V	8X0.25	16/0.14	6.6	74.2	73.84Ω/km
ANO04.002.09.000.25B	LiHCH	300/300V	9X0.25	16/0.14	7.3	88.83	73.84Ω/km
ANO04.002.10.000.25B	LiHCH	300/300V	10X0.25	16/0.14	7.6	96.66	73.84Ω/km
ANO04.002.11.000.25B	LiHCH	300/300V	11X0.25	16/0.14	7.8	102.54	73.84Ω/km
ANO04.002.12.000.25B	LiHCH	300/300V	12X0.25	16/0.14	7.8	104.21	73.84Ω/km
ANO04.002.13.000.25B	LiHCH	300/300V	13X0.25	16/0.14	8.4	118.73	73.84Ω/km
ANO04.002.14.000.25B	LiHCH	300/300V	14X0.25	16/0.14	8.4	120.4	73.84Ω/km
ANO04.002.15.000.25B	LiHCH	300/300V	15X0.25	16/0.14	8.7	129.09	73.84Ω/km
ANO04.002.16.000.25B	LiHCH	300/300V	16X0.25	16/0.14	8.7	130.78	73.84Ω/km
ANO04.002.17.000.25B	LiHCH	300/300V	17X0.25	16/0.14	9.1	142.14	73.84Ω/km
ANO04.002.18.000.25B	LiHCH	300/300V	18X0.25	16/0.14	9.1	143.82	73.84Ω/km



ANO04.002.19.000.25B	LiHCH	300/300V	19X0.25	16/0.14	9.1	145.49	73.84Ω/km
ANO04.002.20.000.25B	LiHCH	300/300V	20X0.25	16/0.14	9.3	152.19	73.84Ω/km
ANO04.002.21.000.25B	LiHCH	300/300V	21X0.25	16/0.14	9.5	158.99	73.84Ω/km
ANO04.002.22.000.25B	LiHCH	300/300V	22X0.25	16/0.14	10	173.92	73.84Ω/km
ANO04.002.23.000.25B	LiHCH	300/300V	23X0.25	16/0.14	10.6	194.17	73.84Ω/km
ANO04.002.24.000.25B	LiHCH	300/300V	24X0.25	16/0.14	10.6	195.84	73.84Ω/km
ANO04.002.25.000.25B	LiHCH	300/300V	25X0.25	16/0.14	10.8	203.36	73.84Ω/km
ANO04.002.26.000.25B	LiHCH	300/300V	26X0.25	16/0.14	10.8	205.04	73.84Ω/km
ANO04.002.27.000.25B	LiHCH	300/300V	27X0.25	16/0.14	10.8	206.71	73.84Ω/km
ANO04.002.28.000.25B	LiHCH	300/300V	28X0.25	16/0.14	11.2	220.41	73.84Ω/km
ANO04.002.29.000.25B	LiHCH	300/300V	29X0.25	16/0.14	11.2	222.09	73.84Ω/km
ANO04.002.30.000.25B	LiHCH	300/300V	30X0.25	16/0.14	11.2	223.76	73.84Ω/km
ANO04.002.31.000.25B	LiHCH	300/300V	31X0.25	16/0.14	11.5	234.73	73.84Ω/km
ANO04.002.32.000.25B	LiHCH	300/300V	32X0.25	16/0.14	11.5	236.4	73.84Ω/km
ANO04.002.33.000.25B	LiHCH	300/300V	33X0.25	16/0.14	11.5	238.08	73.84Ω/km
ANO04.002.34.000.25B	LiHCH	300/300V	34X0.25	16/0.14	11.9	252.52	73.84Ω/km
ANO04.002.35.000.25B	LiHCH	300/300V	35X0.25	16/0.14	11.9	254.2	73.84Ω/km
ANO04.002.36.000.25B	LiHCH	300/300V	36X0.25	16/0.14	11.9	255.88	73.84Ω/km
ANO04.002.37.000.25B	LiHCH	300/300V	37X0.25	16/0.14	11.9	257.54	73.84Ω/km
ANO04.002.38.000.25B	LiHCH	300/300V	38X0.25	16/0.14	12.3	272.4	73.84Ω/km
ANO04.002.39.000.25B	LiHCH	300/300V	39X0.25	16/0.14	12.3	274.08	73.84Ω/km
ANO04.002.40.000.25B	LiHCH	300/300V	40X0.25	16/0.14	12.3	275.75	73.84Ω/km
ANO04.002.41.000.25B	LiHCH	300/300V	41X0.25	16/0.14	13.3	311.59	73.84Ω/km
ANO04.002.42.000.25B	LiHCH	300/300V	42X0.25	16/0.14	13.3	313.26	73.84Ω/km
ANO04.002.43.000.25B	LiHCH	300/300V	43X0.25	16/0.14	13.3	314.94	73.84Ω/km
ANO04.002.44.000.25B	LiHCH	300/300V	44X0.25	16/0.14	13.3	316.62	73.84Ω/km
ANO04.002.45.000.25B	LiHCH	300/300V	45X0.25	16/0.14	13.6	327.48	73.84Ω/km
ANO04.002.46.000.25B	LiHCH	300/300V	46X0.25	16/0.14	13.6	329.16	73.84Ω/km
ANO04.002.47.000.25B	LiHCH	300/300V	47X0.25	16/0.14	13.6	330.83	73.84Ω/km
ANO04.002.48.000.25B	LiHCH	300/300V	48X0.25	16/0.14	13.6	332.52	73.84Ω/km
ANO04.002.49.000.25B	LiHCH	300/300V	49X0.25	16/0.14	14	349.1	73.84Ω/km
ANO04.002.50.000.25B	LiHCH	300/300V	50X0.25	16/0.14	14	350.78	73.84Ω/km
ANO04.002.51.000.25B	LiHCH	300/300V	51X0.25	16/0.14	14	352.45	73.84Ω/km
ANO04.002.52.000.25B	LiHCH	300/300V	52X0.25	16/0.14	14	354.12	73.84Ω/km
ANO04.002.53.000.25B	LiHCH	300/300V	53X0.25	16/0.14	14.3	367.26	73.84Ω/km
ANO04.002.54.000.25B	LiHCH	300/300V	54X0.25	16/0.14	14.3	368.94	73.84Ω/km
ANO04.002.55.000.25B	LiHCH	300/300V	55X0.25	16/0.14	14.3	370.61	73.84Ω/km
ANO04.002.56.000.25B	LiHCH	300/300V	56X0.25	16/0.14	14.3	372.3	73.84Ω/km
ANO04.002.57.000.25B	LiHCH	300/300V	57X0.25	16/0.14	14.7	389.61	73.84Ω/km
ANO04.002.58.000.25B	LiHCH	300/300V	58X0.25	16/0.14	14.7	391.29	73.84Ω/km
ANO04.002.59.000.25B	LiHCH	300/300V	59X0.25	16/0.14	14.7	392.97	73.84Ω/km
ANO04.002.60.000.25B	LiHCH	300/300V	60X0.25	16/0.14	14.7	394.64	73.84Ω/km



ANO04.002.61.000.25B	LiHCH	300/300V	61X0.25	16/0.14	14.7	396.33	73.84Ω/km
ANO04.002.62.000.25B	LiHCH	300/300V	62X0.25	16/0.14	15.3	421.57	73.84Ω/km
ANO04.002.63.000.25B	LiHCH	300/300V	63X0.25	16/0.14	15.3	423.25	73.84Ω/km
ANO04.002.64.000.25B	LiHCH	300/300V	64X0.25	16/0.14	15.3	424.93	73.84Ω/km
ANO04.002.65.000.25B	LiHCH	300/300V	65X0.25	16/0.14	15.3	426.6	73.84Ω/km
ANO04.002.02.000.34B	LiHCH	300/300V	2X0.34	22/0.14	5.1	41.37	61.1Ω/km
ANO04.002.03.000.34B	LiHCH	300/300V	3X0.34	22/0.14	5.4	48.07	61.1Ω/km
ANO04.002.04.000.34B	LiHCH	300/300V	4X0.34	22/0.14	6	59.49	61.1Ω/km
ANO04.002.05.000.34B	LiHCH	300/300V	5X0.34	22/0.14	6.4	68.67	61.1Ω/km
ANO04.002.06.000.34B	LiHCH	300/300V	6X0.34	22/0.14	7	81.64	61.1Ω/km
ANO04.002.07.000.34B	LiHCH	300/300V	7X0.34	22/0.14	7	83.92	61.1Ω/km
ANO04.002.08.000.34B	LiHCH	300/300V	8X0.34	22/0.14	7.4	94.15	61.1Ω/km
ANO04.002.09.000.34B	LiHCH	300/300V	9X0.34	22/0.14	8	109.11	61.1Ω/km
ANO04.002.10.000.34B	LiHCH	300/300V	10X0.34	22/0.14	8.6	124.55	61.1Ω/km
ANO04.002.11.000.34B	LiHCH	300/300V	11X0.34	22/0.14	8.9	134	61.1Ω/km
ANO04.002.12.000.34B	LiHCH	300/300V	12X0.34	22/0.14	8.9	136.3	61.1Ω/km
ANO04.002.13.000.34B	LiHCH	300/300V	13X0.34	22/0.14	9.3	148.53	61.1Ω/km
ANO04.002.14.000.34B	LiHCH	300/300V	14X0.34	22/0.14	9.3	150.82	61.1Ω/km
ANO04.002.15.000.34B	LiHCH	300/300V	15X0.34	22/0.14	9.7	163.45	61.1Ω/km
ANO04.002.16.000.34B	LiHCH	300/300V	16X0.34	22/0.14	9.7	165.75	61.1Ω/km
ANO04.002.17.000.34B	LiHCH	300/300V	17X0.34	22/0.14	10.1	178.82	61.1Ω/km
ANO04.002.18.000.34B	LiHCH	300/300V	18X0.34	22/0.14	10.1	181.13	61.1Ω/km
ANO04.002.19.000.34B	LiHCH	300/300V	19X0.34	22/0.14	10.1	183.41	61.1Ω/km
ANO04.002.20.000.34B	LiHCH	300/300V	20X0.34	22/0.14	10.6	201.55	61.1Ω/km
ANO04.002.21.000.34B	LiHCH	300/300V	21X0.34	22/0.14	10.8	209.69	61.1Ω/km
ANO04.002.22.000.34B	LiHCH	300/300V	22X0.34	22/0.14	11.4	230.17	61.1Ω/km
ANO04.002.23.000.34B	LiHCH	300/300V	23X0.34	22/0.14	11.8	245.12	61.1Ω/km
ANO04.002.24.000.34B	LiHCH	300/300V	24X0.34	22/0.14	11.8	247.41	61.1Ω/km
ANO04.002.25.000.34B	LiHCH	300/300V	25X0.34	22/0.14	12.1	259.49	61.1Ω/km
ANO04.002.26.000.34B	LiHCH	300/300V	26X0.34	22/0.14	12.1	261.78	61.1Ω/km
ANO04.002.27.000.34B	LiHCH	300/300V	27X0.34	22/0.14	12.1	264.07	61.1Ω/km
ANO04.002.28.000.34B	LiHCH	300/300V	28X0.34	22/0.14	12.5	279.77	61.1Ω/km
ANO04.002.29.000.34B	LiHCH	300/300V	29X0.34	22/0.14	12.5	282.07	61.1Ω/km
ANO04.002.30.000.34B	LiHCH	300/300V	30X0.34	22/0.14	12.5	284.37	61.1Ω/km
ANO04.002.31.000.34B	LiHCH	300/300V	31X0.34	22/0.14	13.1	306.89	61.1Ω/km
ANO04.002.32.000.34B	LiHCH	300/300V	32X0.34	22/0.14	13.1	309.19	61.1Ω/km
ANO04.002.33.000.34B	LiHCH	300/300V	33X0.34	22/0.14	13.1	311.49	61.1Ω/km
ANO04.002.34.000.34B	LiHCH	300/300V	34X0.34	22/0.14	13.6	330.15	61.1Ω/km
ANO04.002.35.000.34B	LiHCH	300/300V	35X0.34	22/0.14	13.6	332.45	61.1Ω/km
ANO04.002.36.000.34B	LiHCH	300/300V	36X0.34	22/0.14	13.6	334.74	61.1Ω/km
ANO04.002.37.000.34B	LiHCH	300/300V	37X0.34	22/0.14	13.6	337.04	61.1Ω/km
ANO04.002.38.000.34B	LiHCH	300/300V	38X0.34	22/0.14	14	354.24	61.1Ω/km



ANO04.002.39.000.34B	LiHCH	300/300V	39X0.34	22/0.14	14	356.54	61.1Ω/km
ANO04.002.40.000.34B	LiHCH	300/300V	40X0.34	22/0.14	14	358.84	61.1Ω/km
ANO04.002.41.000.34B	LiHCH	300/300V	41X0.34	22/0.14	15.2	407.71	61.1Ω/km
ANO04.002.42.000.34B	LiHCH	300/300V	42X0.34	22/0.14	15.2	410.01	61.1Ω/km
ANO04.002.43.000.34B	LiHCH	300/300V	43X0.34	22/0.14	15.2	412.3	61.1Ω/km
ANO04.002.44.000.34B	LiHCH	300/300V	44X0.34	22/0.14	15.2	414.6	61.1Ω/km
ANO04.002.45.000.34B	LiHCH	300/300V	45X0.34	22/0.14	15.5	429.3	61.1Ω/km
ANO04.002.46.000.34B	LiHCH	300/300V	46X0.34	22/0.14	15.5	431.6	61.1Ω/km
ANO04.002.47.000.34B	LiHCH	300/300V	47X0.34	22/0.14	15.5	433.91	61.1Ω/km
ANO04.002.48.000.34B	LiHCH	300/300V	48X0.34	22/0.14	15.5	436.19	61.1Ω/km
ANO04.002.49.000.34B	LiHCH	300/300V	49X0.34	22/0.14	15.9	455.41	61.1Ω/km
ANO04.002.50.000.34B	LiHCH	300/300V	50X0.34	22/0.14	15.9	457.7	61.1Ω/km
ANO04.002.51.000.34B	LiHCH	300/300V	51X0.34	22/0.14	15.9	460	61.1Ω/km
ANO04.002.52.000.34B	LiHCH	300/300V	52X0.34	22/0.14	15.9	462.3	61.1Ω/km
ANO04.002.53.000.34B	LiHCH	300/300V	53X0.34	22/0.14	16.3	481.92	61.1Ω/km
ANO04.002.54.000.34B	LiHCH	300/300V	54X0.34	22/0.14	16.3	484.22	61.1Ω/km
ANO04.002.55.000.34B	LiHCH	300/300V	55X0.34	22/0.14	16.3	486.52	61.1Ω/km
ANO04.002.56.000.34B	LiHCH	300/300V	56X0.34	22/0.14	16.3	488.81	61.1Ω/km
ANO04.002.57.000.34B	LiHCH	300/300V	57X0.34	22/0.14	16.7	508.88	61.1Ω/km
ANO04.002.58.000.34B	LiHCH	300/300V	58X0.34	22/0.14	16.7	511.17	61.1Ω/km
ANO04.002.59.000.34B	LiHCH	300/300V	59X0.34	22/0.14	16.7	513.48	61.1Ω/km
ANO04.002.60.000.34B	LiHCH	300/300V	60X0.34	22/0.14	16.7	515.76	61.1Ω/km
ANO04.002.61.000.34B	LiHCH	300/300V	61X0.34	22/0.14	16.7	518.07	61.1Ω/km
ANO04.002.62.000.34B	LiHCH	300/300V	62X0.34	22/0.14	17.3	547.02	61.1Ω/km
ANO04.002.63.000.34B	LiHCH	300/300V	63X0.34	22/0.14	17.3	549.32	61.1Ω/km
ANO04.002.64.000.34B	LiHCH	300/300V	64X0.34	22/0.14	17.3	551.62	61.1Ω/km
ANO04.002.65.000.34B	LiHCH	300/300V	65X0.34	22/0.14	17.3	553.91	61.1Ω/km
ANO04.002.02.000.50B	LiHCH	300/300V	2X0.5	18/0.19	5.6	51.08	39Ω/km
ANO04.002.03.000.50B	LiHCH	300/300V	3X0.5	18/0.19	6.1	62.25	39Ω/km
ANO04.002.04.000.50B	LiHCH	300/300V	4X0.5	18/0.19	6.6	74.47	39Ω/km
ANO04.002.05.000.50B	LiHCH	300/300V	5X0.5	18/0.19	7.2	88.86	39Ω/km
ANO04.002.06.000.50B	LiHCH	300/300V	6X0.5	18/0.19	7.7	102.5	39Ω/km
ANO04.002.07.000.50B	LiHCH	300/300V	7X0.5	18/0.19	7.7	105.93	39Ω/km
ANO04.002.08.000.50B	LiHCH	300/300V	8X0.5	18/0.19	8.5	126.61	39Ω/km
ANO04.002.09.000.50B	LiHCH	300/300V	9X0.5	18/0.19	9.1	144.42	39Ω/km
ANO04.002.10.000.50B	LiHCH	300/300V	10X0.5	18/0.19	9.6	160.58	39Ω/km
ANO04.002.11.000.50B	LiHCH	300/300V	11X0.5	18/0.19	9.9	171.97	39Ω/km
ANO04.002.12.000.50B	LiHCH	300/300V	12X0.5	18/0.19	9.9	175.39	39Ω/km
ANO04.002.13.000.50B	LiHCH	300/300V	13X0.5	18/0.19	10.7	202.99	39Ω/km
ANO04.002.14.000.50B	LiHCH	300/300V	14X0.5	18/0.19	10.7	206.42	39Ω/km
ANO04.002.15.000.50B	LiHCH	300/300V	15X0.5	18/0.19	11.1	221.73	39Ω/km
ANO04.002.16.000.50B	LiHCH	300/300V	16X0.5	18/0.19	11.1	225.14	39Ω/km



ANO04.002.17.000.50B	LiHCH	300/300V	17X0.5	18/0.19	11.6	244.05	39Ω/km
ANO04.002.18.000.50B	LiHCH	300/300V	18X0.5	18/0.19	11.6	247.48	39Ω/km
ANO04.002.19.000.50B	LiHCH	300/300V	19X0.5	18/0.19	11.6	250.9	39Ω/km
ANO04.002.20.000.50B	LiHCH	300/300V	20X0.5	18/0.19	11.9	263.93	39Ω/km
ANO04.002.21.000.50B	LiHCH	300/300V	21X0.5	18/0.19	12.2	277.19	39Ω/km
ANO04.002.22.000.50B	LiHCH	300/300V	22X0.5	18/0.19	13	307.39	39Ω/km
ANO04.002.23.000.50B	LiHCH	300/300V	23X0.5	18/0.19	13.6	330.71	39Ω/km
ANO04.002.24.000.50B	LiHCH	300/300V	24X0.5	18/0.19	13.6	334.14	39Ω/km
ANO04.002.25.000.50B	LiHCH	300/300V	25X0.5	18/0.19	13.9	348.71	39Ω/km
ANO04.002.26.000.50B	LiHCH	300/300V	26X0.5	18/0.19	13.9	352.13	39Ω/km
ANO04.002.27.000.50B	LiHCH	300/300V	27X0.5	18/0.19	13.9	355.55	39Ω/km
ANO04.002.28.000.50B	LiHCH	300/300V	28X0.5	18/0.19	14.4	378.06	39Ω/km
ANO04.002.29.000.50B	LiHCH	300/300V	29X0.5	18/0.19	14.4	381.47	39Ω/km
ANO04.002.30.000.50B	LiHCH	300/300V	30X0.5	18/0.19	14.4	384.9	39Ω/km
ANO04.002.31.000.50B	LiHCH	300/300V	31X0.5	18/0.19	15	411.42	39Ω/km
ANO04.002.32.000.50B	LiHCH	300/300V	32X0.5	18/0.19	15	414.84	39Ω/km
ANO04.002.33.000.50B	LiHCH	300/300V	33X0.5	18/0.19	15	418.27	39Ω/km
ANO04.002.34.000.50B	LiHCH	300/300V	34X0.5	18/0.19	15.5	442.23	39Ω/km
ANO04.002.35.000.50B	LiHCH	300/300V	35X0.5	18/0.19	15.5	445.65	39Ω/km
ANO04.002.36.000.50B	LiHCH	300/300V	36X0.5	18/0.19	15.5	449.07	39Ω/km
ANO04.002.37.000.50B	LiHCH	300/300V	37X0.5	18/0.19	15.5	452.5	39Ω/km
ANO04.002.38.000.50B	LiHCH	300/300V	38X0.5	18/0.19	16.1	481.43	39Ω/km
ANO04.002.39.000.50B	LiHCH	300/300V	39X0.5	18/0.19	16.1	484.85	39Ω/km
ANO04.002.40.000.50B	LiHCH	300/300V	40X0.5	18/0.19	16.1	488.28	39Ω/km
ANO04.002.41.000.50B	LiHCH	300/300V	41X0.5	18/0.19	17.4	549.5	39Ω/km
ANO04.002.42.000.50B	LiHCH	300/300V	42X0.5	18/0.19	17.4	552.92	39Ω/km
ANO04.002.43.000.50B	LiHCH	300/300V	43X0.5	18/0.19	17.4	556.34	39Ω/km
ANO04.002.44.000.50B	LiHCH	300/300V	44X0.5	18/0.19	17.4	559.77	39Ω/km
ANO04.002.45.000.50B	LiHCH	300/300V	45X0.5	18/0.19	17.7	577.33	39Ω/km
ANO04.002.46.000.50B	LiHCH	300/300V	46X0.5	18/0.19	17.7	580.75	39Ω/km
ANO04.002.47.000.50B	LiHCH	300/300V	47X0.5	18/0.19	17.7	584.17	39Ω/km
ANO04.002.48.000.50B	LiHCH	300/300V	48X0.5	18/0.19	17.7	587.59	39Ω/km
ANO04.002.49.000.50B	LiHCH	300/300V	49X0.5	18/0.19	18.2	615.11	39Ω/km
ANO04.002.50.000.50B	LiHCH	300/300V	50X0.5	18/0.19	18.2	618.54	39Ω/km
ANO04.002.51.000.50B	LiHCH	300/300V	51X0.5	18/0.19	18.2	621.97	39Ω/km
ANO04.002.52.000.50B	LiHCH	300/300V	52X0.5	18/0.19	18.2	625.37	39Ω/km
ANO04.002.53.000.50B	LiHCH	300/300V	53X0.5	18/0.19	18.6	648.56	39Ω/km
ANO04.002.54.000.50B	LiHCH	300/300V	54X0.5	18/0.19	18.6	651.99	39Ω/km
ANO04.002.55.000.50B	LiHCH	300/300V	55X0.5	18/0.19	18.6	655.41	39Ω/km
ANO04.002.56.000.50B	LiHCH	300/300V	56X0.5	18/0.19	18.6	658.82	39Ω/km
ANO04.002.57.000.50B	LiHCH	300/300V	57X0.5	18/0.19	19.1	687.56	39Ω/km
ANO04.002.58.000.50B	LiHCH	300/300V	58X0.5	18/0.19	19.1	690.99	39Ω/km



ANO04.002.59.000.50B	LiHCH	300/300V	59X0.5	18/0.19	19.1	694.4	39Ω/km
ANO04.002.60.000.50B	LiHCH	300/300V	60X0.5	18/0.19	19.1	697.82	39Ω/km
ANO04.002.61.000.50B	LiHCH	300/300V	61X0.5	18/0.19	19.1	701.25	39Ω/km
ANO04.002.62.000.50B	LiHCH	300/300V	62X0.5	18/0.19	19.9	745.64	39Ω/km
ANO04.002.63.000.50B	LiHCH	300/300V	63X0.5	18/0.19	19.9	749.07	39Ω/km
ANO04.002.64.000.50B	LiHCH	300/300V	64X0.5	18/0.19	19.9	752.5	39Ω/km
ANO04.002.65.000.50B	LiHCH	300/300V	65X0.5	18/0.19	19.9	755.92	39Ω/km
ANO04.002.02.000.75B	LiHCH	300/500V	2X0.75	27/0.19	6.2	64.12	26Ω/km
ANO04.002.03.000.75B	LiHCH	300/500V	3X0.75	27/0.19	6.5	74.61	26Ω/km
ANO04.002.04.000.75B	LiHCH	300/500V	4X0.75	27/0.19	7.2	92.61	26Ω/km
ANO04.002.05.000.75B	LiHCH	300/500V	5X0.75	27/0.19	7.8	110.17	26Ω/km
ANO04.002.06.000.75B	LiHCH	300/500V	6X0.75	27/0.19	8.5	130.51	26Ω/km
ANO04.002.07.000.75B	LiHCH	300/500V	7X0.75	27/0.19	8.5	135.73	26Ω/km
ANO04.002.08.000.75B	LiHCH	300/500V	8X0.75	27/0.19	9.1	155.35	26Ω/km
ANO04.002.09.000.75B	LiHCH	300/500V	9X0.75	27/0.19	9.9	181.26	26Ω/km
ANO04.002.10.000.75B	LiHCH	300/500V	10X0.75	27/0.19	10.7	210.66	26Ω/km
ANO04.002.11.000.75B	LiHCH	300/500V	11X0.75	27/0.19	11	224.76	26Ω/km
ANO04.002.12.000.75B	LiHCH	300/500V	12X0.75	27/0.19	11	229.98	26Ω/km
ANO04.002.13.000.75B	LiHCH	300/500V	13X0.75	27/0.19	11.5	250.53	26Ω/km
ANO04.002.14.000.75B	LiHCH	300/500V	14X0.75	27/0.19	11.5	255.75	26Ω/km
ANO04.002.15.000.75B	LiHCH	300/500V	15X0.75	27/0.19	12.1	280.25	26Ω/km
ANO04.002.16.000.75B	LiHCH	300/500V	16X0.75	27/0.19	12.1	285.46	26Ω/km
ANO04.002.17.000.75B	LiHCH	300/500V	17X0.75	27/0.19	12.8	313.75	26Ω/km
ANO04.002.18.000.75B	LiHCH	300/500V	18X0.75	27/0.19	12.8	318.97	26Ω/km
ANO04.002.19.000.75B	LiHCH	300/500V	19X0.75	27/0.19	12.8	324.18	26Ω/km
ANO04.002.20.000.75B	LiHCH	300/500V	20X0.75	27/0.19	13.1	339.95	26Ω/km
ANO04.002.21.000.75B	LiHCH	300/500V	21X0.75	27/0.19	13.5	357.87	26Ω/km
ANO04.002.22.000.75B	LiHCH	300/500V	22X0.75	27/0.19	14.3	393.1	26Ω/km
ANO04.002.23.000.75B	LiHCH	300/500V	23X0.75	27/0.19	15	425.3	26Ω/km
ANO04.002.24.000.75B	LiHCH	300/500V	24X0.75	27/0.19	15	430.51	26Ω/km
ANO04.002.25.000.75B	LiHCH	300/500V	25X0.75	27/0.19	15.3	447.97	26Ω/km
ANO04.002.26.000.75B	LiHCH	300/500V	26X0.75	27/0.19	15.3	453.18	26Ω/km
ANO04.002.27.000.75B	LiHCH	300/500V	27X0.75	27/0.19	15.3	458.39	26Ω/km
ANO04.002.28.000.75B	LiHCH	300/500V	28X0.75	27/0.19	15.8	484.54	26Ω/km
ANO04.002.29.000.75B	LiHCH	300/500V	29X0.75	27/0.19	15.8	489.76	26Ω/km
ANO04.002.30.000.75B	LiHCH	300/500V	30X0.75	27/0.19	15.8	494.98	26Ω/km
ANO04.002.31.000.75B	LiHCH	300/500V	31X0.75	27/0.19	16.4	526.19	26Ω/km
ANO04.002.32.000.75B	LiHCH	300/500V	32X0.75	27/0.19	16.4	531.41	26Ω/km
ANO04.002.33.000.75B	LiHCH	300/500V	33X0.75	27/0.19	16.4	536.61	26Ω/km
ANO04.002.34.000.75B	LiHCH	300/500V	34X0.75	27/0.19	16.9	564.23	26Ω/km
ANO04.002.35.000.75B	LiHCH	300/500V	35X0.75	27/0.19	16.9	569.44	26Ω/km
ANO04.002.36.000.75B	LiHCH	300/500V	36X0.75	27/0.19	16.9	574.66	26Ω/km



ANO04.002.37.000.75B	LiHCH	300/500V	37X0.75	27/0.19	16.9	579.86	26Ω/km
ANO04.002.38.000.75B	LiHCH	300/500V	38X0.75	27/0.19	17.7	621.51	26Ω/km
ANO04.002.39.000.75B	LiHCH	300/500V	39X0.75	27/0.19	17.7	626.72	26Ω/km
ANO04.002.40.000.75B	LiHCH	300/500V	40X0.75	27/0.19	17.7	631.94	26Ω/km
ANO04.002.41.000.75B	LiHCH	300/500V	41X0.75	27/0.19	19	701.22	26Ω/km
ANO04.002.42.000.75B	LiHCH	300/500V	42X0.75	27/0.19	19	706.43	26Ω/km
ANO04.002.43.000.75B	LiHCH	300/500V	43X0.75	27/0.19	19	711.65	26Ω/km
ANO04.002.44.000.75B	LiHCH	300/500V	44X0.75	27/0.19	19	716.86	26Ω/km
ANO04.002.45.000.75B	LiHCH	300/500V	45X0.75	27/0.19	19.5	747.05	26Ω/km
ANO04.002.46.000.75B	LiHCH	300/500V	46X0.75	27/0.19	19.5	752.26	26Ω/km
ANO04.002.47.000.75B	LiHCH	300/500V	47X0.75	27/0.19	19.5	757.47	26Ω/km
ANO04.002.48.000.75B	LiHCH	300/500V	48X0.75	27/0.19	19.5	762.68	26Ω/km
ANO04.002.49.000.75B	LiHCH	300/500V	49X0.75	27/0.19	20	794.38	26Ω/km
ANO04.002.50.000.75B	LiHCH	300/500V	50X0.75	27/0.19	20	799.6	26Ω/km
ANO04.002.51.000.75B	LiHCH	300/500V	51X0.75	27/0.19	20	804.81	26Ω/km
ANO04.002.52.000.75B	LiHCH	300/500V	52X0.75	27/0.19	20	810.03	26Ω/km
ANO04.002.53.000.75B	LiHCH	300/500V	53X0.75	27/0.19	20.9	858.08	26Ω/km
ANO04.002.54.000.75B	LiHCH	300/500V	54X0.75	27/0.19	20.9	863.3	26Ω/km
ANO04.002.55.000.75B	LiHCH	300/500V	55X0.75	27/0.19	20.9	868.51	26Ω/km
ANO04.002.56.000.75B	LiHCH	300/500V	56X0.75	27/0.19	20.9	873.73	26Ω/km
ANO04.002.57.000.75B	LiHCH	300/500V	57X0.75	27/0.19	21.4	907.13	26Ω/km
ANO04.002.58.000.75B	LiHCH	300/500V	58X0.75	27/0.19	21.4	912.34	26Ω/km
ANO04.002.59.000.75B	LiHCH	300/500V	59X0.75	27/0.19	21.4	917.55	26Ω/km
ANO04.002.60.000.75B	LiHCH	300/500V	60X0.75	27/0.19	21.4	922.77	26Ω/km
ANO04.002.61.000.75B	LiHCH	300/500V	61X0.75	27/0.19	21.4	927.99	26Ω/km
ANO04.002.62.000.75B	LiHCH	300/500V	62X0.75	27/0.19	22.2	978.72	26Ω/km
ANO04.002.63.000.75B	LiHCH	300/500V	63X0.75	27/0.19	22.2	983.94	26Ω/km
ANO04.002.64.000.75B	LiHCH	300/500V	64X0.75	27/0.19	22.2	989.15	26Ω/km
ANO04.002.65.000.75B	LiHCH	300/500V	65X0.75	27/0.19	22.2	994.36	26Ω/km
ANO04.002.02.001.00B	LiHCH	300/500V	2X1	35/0.19	6.6	74.58	19.5Ω/km
ANO04.002.03.001.00B	LiHCH	300/500V	3X1	35/0.19	7.2	92.45	19.5Ω/km
ANO04.002.04.001.00B	LiHCH	300/500V	4X1	35/0.19	7.7	109.58	19.5Ω/km
ANO04.002.05.001.00B	LiHCH	300/500V	5X1	35/0.19	8.5	133.73	19.5Ω/km
ANO04.002.06.001.00B	LiHCH	300/500V	6X1	35/0.19	9.1	155.04	19.5Ω/km
ANO04.002.07.001.00B	LiHCH	300/500V	7X1	35/0.19	9.1	161.95	19.5Ω/km
ANO04.002.08.001.00B	LiHCH	300/500V	8X1	35/0.19	9.8	186.86	19.5Ω/km
ANO04.002.09.001.00B	LiHCH	300/500V	9X1	35/0.19	10.9	226.53	19.5Ω/km
ANO04.002.10.001.00B	LiHCH	300/500V	10X1	35/0.19	11.5	251.76	19.5Ω/km
ANO04.002.11.001.00B	LiHCH	300/500V	11X1	35/0.19	11.9	271.41	19.5Ω/km
ANO04.002.12.001.00B	LiHCH	300/500V	12X1	35/0.19	11.9	278.32	19.5Ω/km
ANO04.002.13.001.00B	LiHCH	300/500V	13X1	35/0.19	12.4	301.75	19.5Ω/km
ANO04.002.14.001.00B	LiHCH	300/500V	14X1	35/0.19	12.4	308.65	19.5Ω/km



ANO04.002.15.001.00B	LiHCH	300/500V	15X1	35/0.19	13.2	342.75	19.5Ω/km
ANO04.002.16.001.00B	LiHCH	300/500V	16X1	35/0.19	13.2	349.64	19.5Ω/km
ANO04.002.17.001.00B	LiHCH	300/500V	17X1	35/0.19	13.9	380.49	19.5Ω/km
ANO04.002.18.001.00B	LiHCH	300/500V	18X1	35/0.19	13.9	387.39	19.5Ω/km
ANO04.002.19.001.00B	LiHCH	300/500V	19X1	35/0.19	13.9	394.3	19.5Ω/km
ANO04.002.20.001.00B	LiHCH	300/500V	20X1	35/0.19	14.3	416.4	19.5Ω/km
ANO04.002.21.001.00B	LiHCH	300/500V	21X1	35/0.19	14.6	435.01	19.5Ω/km
ANO04.002.22.001.00B	LiHCH	300/500V	22X1	35/0.19	15.6	481.91	19.5Ω/km
ANO04.002.23.001.00B	LiHCH	300/500V	23X1	35/0.19	16.2	514.49	19.5Ω/km
ANO04.002.24.001.00B	LiHCH	300/500V	24X1	35/0.19	16.2	521.39	19.5Ω/km
ANO04.002.25.001.00B	LiHCH	300/500V	25X1	35/0.19	16.6	545.95	19.5Ω/km
ANO04.002.26.001.00B	LiHCH	300/500V	26X1	35/0.19	16.6	552.84	19.5Ω/km
ANO04.002.27.001.00B	LiHCH	300/500V	27X1	35/0.19	16.6	559.75	19.5Ω/km
ANO04.002.28.001.00B	LiHCH	300/500V	28X1	35/0.19	17.3	597.79	19.5Ω/km
ANO04.002.29.001.00B	LiHCH	300/500V	29X1	35/0.19	17.3	604.7	19.5Ω/km
ANO04.002.30.001.00B	LiHCH	300/500V	30X1	35/0.19	17.3	611.59	19.5Ω/km
ANO04.002.31.001.00B	LiHCH	300/500V	31X1	35/0.19	17.9	646.86	19.5Ω/km
ANO04.002.32.001.00B	LiHCH	300/500V	32X1	35/0.19	17.9	653.77	19.5Ω/km
ANO04.002.33.001.00B	LiHCH	300/500V	33X1	35/0.19	17.9	660.66	19.5Ω/km
ANO04.002.34.001.00B	LiHCH	300/500V	34X1	35/0.19	18.5	696.9	19.5Ω/km
ANO04.002.35.001.00B	LiHCH	300/500V	35X1	35/0.19	18.5	703.79	19.5Ω/km
ANO04.002.36.001.00B	LiHCH	300/500V	36X1	35/0.19	18.5	710.69	19.5Ω/km
ANO04.002.37.001.00B	LiHCH	300/500V	37X1	35/0.19	18.5	717.59	19.5Ω/km
ANO04.002.38.001.00B	LiHCH	300/500V	38X1	35/0.19	19.4	769.42	19.5Ω/km
ANO04.002.39.001.00B	LiHCH	300/500V	39X1	35/0.19	19.4	776.33	19.5Ω/km
ANO04.002.40.001.00B	LiHCH	300/500V	40X1	35/0.19	19.4	783.23	19.5Ω/km
ANO04.002.41.001.00B	LiHCH	300/500V	41X1	35/0.19	21.1	875.85	19.5Ω/km
ANO04.002.42.001.00B	LiHCH	300/500V	42X1	35/0.19	21.1	882.76	19.5Ω/km
ANO04.002.43.001.00B	LiHCH	300/500V	43X1	35/0.19	21.1	889.65	19.5Ω/km
ANO04.002.44.001.00B	LiHCH	300/500V	44X1	35/0.19	21.1	896.56	19.5Ω/km
ANO04.002.45.001.00B	LiHCH	300/500V	45X1	35/0.19	21.5	926.17	19.5Ω/km
ANO04.002.46.001.00B	LiHCH	300/500V	46X1	35/0.19	21.5	933.06	19.5Ω/km
ANO04.002.47.001.00B	LiHCH	300/500V	47X1	35/0.19	21.5	939.97	19.5Ω/km
ANO04.002.48.001.00B	LiHCH	300/500V	48X1	35/0.19	21.5	946.87	19.5Ω/km
ANO04.002.49.001.00B	LiHCH	300/500V	49X1	35/0.19	22.2	993.58	19.5Ω/km
ANO04.002.50.001.00B	LiHCH	300/500V	50X1	35/0.19	22.2	1000.48	19.5Ω/km
ANO04.002.51.001.00B	LiHCH	300/500V	51X1	35/0.19	22.2	1007.38	19.5Ω/km
ANO04.002.52.001.00B	LiHCH	300/500V	52X1	35/0.19	22.2	1014.28	19.5Ω/km
ANO04.002.53.001.00B	LiHCH	300/500V	53X1	35/0.19	22.8	1057.14	19.5Ω/km
ANO04.002.54.001.00B	LiHCH	300/500V	54X1	35/0.19	22.8	1064.05	19.5Ω/km
ANO04.002.55.001.00B	LiHCH	300/500V	55X1	35/0.19	22.8	1070.94	19.5Ω/km
ANO04.002.56.001.00B	LiHCH	300/500V	56X1	35/0.19	22.8	1077.84	19.5Ω/km



ANO04.002.57.001.00B	LiHCH	300/500V	57X1	35/0.19	23.4	1121.64	19.5Ω/km
ANO04.002.58.001.00B	LiHCH	300/500V	58X1	35/0.19	23.4	1128.54	19.5Ω/km
ANO04.002.59.001.00B	LiHCH	300/500V	59X1	35/0.19	23.4	1135.45	19.5Ω/km
ANO04.002.60.001.00B	LiHCH	300/500V	60X1	35/0.19	23.4	1142.34	19.5Ω/km
ANO04.002.61.001.00B	LiHCH	300/500V	61X1	35/0.19	23.4	1149.25	19.5Ω/km
ANO04.002.62.001.00B	LiHCH	300/500V	62X1	35/0.19	24.3	1212.28	19.5Ω/km
ANO04.002.63.001.00B	LiHCH	300/500V	63X1	35/0.19	24.3	1219.18	19.5Ω/km
ANO04.002.64.001.00B	LiHCH	300/500V	64X1	35/0.19	24.3	1226.08	19.5Ω/km
ANO04.002.65.001.00B	LiHCH	300/500V	65X1	35/0.19	24.3	1232.98	19.5Ω/km
ANO04.002.02.001.50B	LiHCH	300/500V	2X1.5	31/0.25	7.4	96.59	13.3Ω/km
ANO04.002.03.001.50B	LiHCH	300/500V	3X1.5	31/0.25	7.8	115.33	13.3Ω/km
ANO04.002.04.001.50B	LiHCH	300/500V	4X1.5	31/0.25	8.6	143.2	13.3Ω/km
ANO04.002.05.001.50B	LiHCH	300/500V	5X1.5	31/0.25	9.3	170.71	13.3Ω/km
ANO04.002.06.001.50B	LiHCH	300/500V	6X1.5	31/0.25	10	199.5	13.3Ω/km
ANO04.002.07.001.50B	LiHCH	300/500V	7X1.5	31/0.25	10	209.91	13.3Ω/km
ANO04.002.08.001.50B	LiHCH	300/500V	8X1.5	31/0.25	11.1	253.69	13.3Ω/km
ANO04.002.09.001.50B	LiHCH	300/500V	9X1.5	31/0.25	12	292.46	13.3Ω/km
ANO04.002.10.001.50B	LiHCH	300/500V	10X1.5	31/0.25	12.9	332.72	13.3Ω/km
ANO04.002.11.001.50B	LiHCH	300/500V	11X1.5	31/0.25	13.3	357.35	13.3Ω/km
ANO04.002.12.001.50B	LiHCH	300/500V	12X1.5	31/0.25	13.3	367.75	13.3Ω/km
ANO04.002.13.001.50B	LiHCH	300/500V	13X1.5	31/0.25	14	402.26	13.3Ω/km
ANO04.002.14.001.50B	LiHCH	300/500V	14X1.5	31/0.25	14	412.67	13.3Ω/km
ANO04.002.15.001.50B	LiHCH	300/500V	15X1.5	31/0.25	14.7	450.2	13.3Ω/km
ANO04.002.16.001.50B	LiHCH	300/500V	16X1.5	31/0.25	14.7	460.61	13.3Ω/km
ANO04.002.17.001.50B	LiHCH	300/500V	17X1.5	31/0.25	15.6	507.08	13.3Ω/km
ANO04.002.18.001.50B	LiHCH	300/500V	18X1.5	31/0.25	15.6	517.49	13.3Ω/km
ANO04.002.19.001.50B	LiHCH	300/500V	19X1.5	31/0.25	15.6	527.9	13.3Ω/km
ANO04.002.20.001.50B	LiHCH	300/500V	20X1.5	31/0.25	16	555.31	13.3Ω/km
ANO04.002.21.001.50B	LiHCH	300/500V	21X1.5	31/0.25	16.4	583.16	13.3Ω/km
ANO04.002.22.001.50B	LiHCH	300/500V	22X1.5	31/0.25	17.5	642.95	13.3Ω/km
ANO04.002.23.001.50B	LiHCH	300/500V	23X1.5	31/0.25	18.2	686.91	13.3Ω/km
ANO04.002.24.001.50B	LiHCH	300/500V	24X1.5	31/0.25	18.2	697.33	13.3Ω/km
ANO04.002.25.001.50B	LiHCH	300/500V	25X1.5	31/0.25	18.6	727.51	13.3Ω/km
ANO04.002.26.001.50B	LiHCH	300/500V	26X1.5	31/0.25	18.6	737.92	13.3Ω/km
ANO04.002.27.001.50B	LiHCH	300/500V	27X1.5	31/0.25	18.6	748.33	13.3Ω/km
ANO04.002.28.001.50B	LiHCH	300/500V	28X1.5	31/0.25	19.4	798.68	13.3Ω/km
ANO04.002.29.001.50B	LiHCH	300/500V	29X1.5	31/0.25	19.4	809.09	13.3Ω/km
ANO04.002.30.001.50B	LiHCH	300/500V	30X1.5	31/0.25	19.4	819.51	13.3Ω/km
ANO04.002.31.001.50B	LiHCH	300/500V	31X1.5	31/0.25	20.1	866.98	13.3Ω/km
ANO04.002.32.001.50B	LiHCH	300/500V	32X1.5	31/0.25	20.1	877.39	13.3Ω/km
ANO04.002.33.001.50B	LiHCH	300/500V	33X1.5	31/0.25	20.1	887.8	13.3Ω/km
ANO04.002.34.001.50B	LiHCH	300/500V	34X1.5	31/0.25	21.1	946.87	13.3Ω/km



ANO04.002.35.001.50B	LiHCH	300/500V	35X1.5	31/0.25	21.1	957.29	13.3Ω/km
ANO04.002.36.001.50B	LiHCH	300/500V	36X1.5	31/0.25	21.1	967.69	13.3Ω/km
ANO04.002.37.001.50B	LiHCH	300/500V	37X1.5	31/0.25	21.1	978.11	13.3Ω/km
ANO04.002.38.001.50B	LiHCH	300/500V	38X1.5	31/0.25	22.1	1045.14	13.3Ω/km
ANO04.002.39.001.50B	LiHCH	300/500V	39X1.5	31/0.25	22.1	1055.55	13.3Ω/km
ANO04.002.40.001.50B	LiHCH	300/500V	40X1.5	31/0.25	22.1	1065.96	13.3Ω/km
ANO04.002.41.001.50B	LiHCH	300/500V	41X1.5	31/0.25	23.7	1173.94	13.3Ω/km
ANO04.002.42.001.50B	LiHCH	300/500V	42X1.5	31/0.25	23.7	1184.35	13.3Ω/km
ANO04.002.43.001.50B	LiHCH	300/500V	43X1.5	31/0.25	23.7	1194.75	13.3Ω/km
ANO04.002.44.001.50B	LiHCH	300/500V	44X1.5	31/0.25	23.7	1205.16	13.3Ω/km
ANO04.002.45.001.50B	LiHCH	300/500V	45X1.5	31/0.25	24.3	1252.9	13.3Ω/km
ANO04.002.46.001.50B	LiHCH	300/500V	46X1.5	31/0.25	24.3	1263.31	13.3Ω/km
ANO04.002.47.001.50B	LiHCH	300/500V	47X1.5	31/0.25	24.3	1273.72	13.3Ω/km
ANO04.002.48.001.50B	LiHCH	300/500V	48X1.5	31/0.25	24.3	1284.13	13.3Ω/km
ANO04.002.49.001.50B	LiHCH	300/500V	49X1.5	31/0.25	24.9	1333.83	13.3Ω/km
ANO04.002.50.001.50B	LiHCH	300/500V	50X1.5	31/0.25	24.9	1344.24	13.3Ω/km
ANO04.002.51.001.50B	LiHCH	300/500V	51X1.5	31/0.25	24.9	1354.64	13.3Ω/km
ANO04.002.52.001.50B	LiHCH	300/500V	52X1.5	31/0.25	24.9	1365.05	13.3Ω/km
ANO04.002.53.001.50B	LiHCH	300/500V	53X1.5	31/0.25	25.6	1422.49	13.3Ω/km
ANO04.002.54.001.50B	LiHCH	300/500V	54X1.5	31/0.25	25.6	1432.9	13.3Ω/km
ANO04.002.55.001.50B	LiHCH	300/500V	55X1.5	31/0.25	25.6	1443.32	13.3Ω/km
ANO04.002.56.001.50B	LiHCH	300/500V	56X1.5	31/0.25	25.6	1453.73	13.3Ω/km
ANO04.002.57.001.50B	LiHCH	300/500V	57X1.5	31/0.25	26.5	1525.41	13.3Ω/km
ANO04.002.58.001.50B	LiHCH	300/500V	58X1.5	31/0.25	26.5	1535.82	13.3Ω/km
ANO04.002.59.001.50B	LiHCH	300/500V	59X1.5	31/0.25	26.5	1546.22	13.3Ω/km
ANO04.002.60.001.50B	LiHCH	300/500V	60X1.5	31/0.25	26.5	1556.63	13.3Ω/km
ANO04.002.61.001.50B	LiHCH	300/500V	61X1.5	31/0.25	26.5	1567.04	13.3Ω/km
ANO04.002.62.001.50B	LiHCH	300/500V	62X1.5	31/0.25	27.3	1634.69	13.3Ω/km
ANO04.002.63.001.50B	LiHCH	300/500V	63X1.5	31/0.25	27.3	1645.1	13.3Ω/km
ANO04.002.64.001.50B	LiHCH	300/500V	64X1.5	31/0.25	27.3	1655.51	13.3Ω/km
ANO04.002.65.001.50B	LiHCH	300/500V	65X1.5	31/0.25	27.3	1665.93	13.3Ω/km