



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω /km
芯线 PVC 材质							
ANM05.011.02.028AB	UL20233	300V	2X28AWG	11/0.1	4.6	29.79	223 Ω /km
ANM05.011.03.028AB	UL20233	300V	3X28AWG	11/0.1	4.8	32.79	223 Ω /km
ANM05.011.04.028AB	UL20233	300V	4X28AWG	11/0.1	5.1	37.29	223 Ω /km
ANM05.011.05.028AB	UL20233	300V	5X28AWG	11/0.1	5.5	43.39	223 Ω /km
ANM05.011.06.028AB	UL20233	300V	6X28AWG	11/0.1	5.8	48.49	223 Ω /km
ANM05.011.07.028AB	UL20233	300V	7X28AWG	11/0.1	5.8	48.99	223 Ω /km
ANM05.011.08.028AB	UL20233	300V	8X28AWG	11/0.1	6.2	55.79	223 Ω /km
ANM05.011.09.028AB	UL20233	300V	9X28AWG	11/0.1	6.7	64.59	223 Ω /km
ANM05.011.10.028AB	UL20233	300V	10X28AWG	11/0.1	7	70.49	223 Ω /km
ANM05.011.11.028AB	UL20233	300V	11X28AWG	11/0.1	7.2	74.69	223 Ω /km
ANM05.011.12.028AB	UL20233	300V	12X28AWG	11/0.1	7.2	75.39	223 Ω /km
ANM05.011.13.028AB	UL20233	300V	13X28AWG	11/0.1	7.5	81.49	223 Ω /km
ANM05.011.14.028AB	UL20233	300V	14X28AWG	11/0.1	7.5	82.19	223 Ω /km
ANM05.011.15.028AB	UL20233	300V	15X28AWG	11/0.1	7.9	90.39	223 Ω /km
ANM05.011.16.028AB	UL20233	300V	16X28AWG	11/0.1	7.9	91.09	223 Ω /km
ANM05.011.17.028AB	UL20233	300V	17X28AWG	11/0.1	8.6	105.69	223 Ω /km
ANM05.011.18.028AB	UL20233	300V	18X28AWG	11/0.1	8.6	106.39	223 Ω /km
ANM05.011.19.028AB	UL20233	300V	19X28AWG	11/0.1	8.6	106.99	223 Ω /km
ANM05.011.20.028AB	UL20233	300V	20X28AWG	11/0.1	8.8	111.89	223 Ω /km
ANM05.011.21.028AB	UL20233	300V	21X28AWG	11/0.1	9	116.99	223 Ω /km
ANM05.011.22.028AB	UL20233	300V	22X28AWG	11/0.1	9.5	129.19	223 Ω /km
ANM05.011.23.028AB	UL20233	300V	23X28AWG	11/0.1	9.8	137.09	223 Ω /km
ANM05.011.24.028AB	UL20233	300V	24X28AWG	11/0.1	9.8	137.79	223 Ω /km
ANM05.011.25.028AB	UL20233	300V	25X28AWG	11/0.1	10	143.39	223 Ω /km
ANM05.011.26.028AB	UL20233	300V	26X28AWG	11/0.1	10	143.89	223 Ω /km
ANM05.011.27.028AB	UL20233	300V	27X28AWG	11/0.1	10	144.49	223 Ω /km
ANM05.011.28.028AB	UL20233	300V	28X28AWG	11/0.1	10.3	152.59	223 Ω /km
ANM05.011.29.028AB	UL20233	300V	29X28AWG	11/0.1	10.3	153.09	223 Ω /km
ANM05.011.30.028AB	UL20233	300V	30X28AWG	11/0.1	10.3	153.69	223 Ω /km
ANM05.011.31.028AB	UL20233	300V	31X28AWG	11/0.1	11.3	180.69	223 Ω /km
ANM05.011.32.028AB	UL20233	300V	32X28AWG	11/0.1	11.3	181.09	223 Ω /km
ANM05.011.33.028AB	UL20233	300V	33X28AWG	11/0.1	11.3	181.79	223 Ω /km
ANM05.011.34.028AB	UL20233	300V	34X28AWG	11/0.1	11.6	190.79	223 Ω /km
ANM05.011.35.028AB	UL20233	300V	35X28AWG	11/0.1	11.6	191.39	223 Ω /km
ANM05.011.36.028AB	UL20233	300V	36X28AWG	11/0.1	11.6	191.99	223 Ω /km
ANM05.011.37.028AB	UL20233	300V	37X28AWG	11/0.1	11.6	192.59	223 Ω /km
ANM05.011.38.028AB	UL20233	300V	38X28AWG	11/0.1	12	204.89	223 Ω /km
ANM05.011.39.028AB	UL20233	300V	39X28AWG	11/0.1	12	205.49	223 Ω /km
ANM05.011.40.028AB	UL20233	300V	40X28AWG	11/0.1	12	206.09	223 Ω /km
ANM05.011.41.028AB	UL20233	300V	41X28AWG	11/0.1	12.8	231.39	223 Ω /km



ANM05.011.42.028AB	UL20233	300V	42X28AWG	11/0.1	12.8	231.99	223 Ω/km
ANM05.011.43.028AB	UL20233	300V	43X28AWG	11/0.1	12.8	232.59	223 Ω/km
ANM05.011.44.028AB	UL20233	300V	44X28AWG	11/0.1	12.8	233.09	223 Ω/km
ANM05.011.45.028AB	UL20233	300V	45X28AWG	11/0.1	13	240.09	223 Ω/km
ANM05.011.46.028AB	UL20233	300V	46X28AWG	11/0.1	13	240.59	223 Ω/km
ANM05.011.47.028AB	UL20233	300V	47X28AWG	11/0.1	13	241.19	223 Ω/km
ANM05.011.48.028AB	UL20233	300V	48X28AWG	11/0.1	13	241.79	223 Ω/km
ANM05.011.49.028AB	UL20233	300V	49X28AWG	11/0.1	13.4	255.59	223 Ω/km
ANM05.011.50.028AB	UL20233	300V	50X28AWG	11/0.1	13.4	256.29	223 Ω/km
ANM05.011.51.028AB	UL20233	300V	51X28AWG	11/0.1	13.4	256.69	223 Ω/km
ANM05.011.52.028AB	UL20233	300V	52X28AWG	11/0.1	13.4	257.39	223 Ω/km
ANM05.011.53.028AB	UL20233	300V	53X28AWG	11/0.1	13.8	271.49	223 Ω/km
ANM05.011.54.028AB	UL20233	300V	54X28AWG	11/0.1	13.8	272.09	223 Ω/km
ANM05.011.55.028AB	UL20233	300V	55X28AWG	11/0.1	13.8	272.59	223 Ω/km
ANM05.011.56.028AB	UL20233	300V	56X28AWG	11/0.1	13.8	273.19	223 Ω/km
ANM05.011.57.028AB	UL20233	300V	57X28AWG	11/0.1	14.1	284.19	223 Ω/km
ANM05.011.58.028AB	UL20233	300V	58X28AWG	11/0.1	14.1	284.79	223 Ω/km
ANM05.011.59.028AB	UL20233	300V	59X28AWG	11/0.1	14.1	285.29	223 Ω/km
ANM05.011.60.028AB	UL20233	300V	60X28AWG	11/0.1	14.1	285.99	223 Ω/km
ANM05.011.61.028AB	UL20233	300V	61X28AWG	11/0.1	14.1	286.39	223 Ω/km
ANM05.011.62.028AB	UL20233	300V	62X28AWG	11/0.1	14.5	301.29	223 Ω/km
ANM05.011.63.028AB	UL20233	300V	63X28AWG	11/0.1	14.5	301.79	223 Ω/km
ANM05.011.64.028AB	UL20233	300V	64X28AWG	11/0.1	14.5	302.39	223 Ω/km
ANM05.011.65.028AB	UL20233	300V	65X28AWG	11/0.1	14.5	302.99	223 Ω/km
ANM05.011.02.027AB	UL20233	300V	2X27AWG	7/0.14	4.8	32.41	175 Ω/km
ANM05.011.03.027AB	UL20233	300V	3X27AWG	7/0.14	5.1	36.81	175 Ω/km
ANM05.011.04.027AB	UL20233	300V	4X27AWG	7/0.14	5.4	41.71	175 Ω/km
ANM05.011.05.027AB	UL20233	300V	5X27AWG	7/0.14	5.8	48.21	175 Ω/km
ANM05.011.06.027AB	UL20233	300V	6X27AWG	7/0.14	6.1	53.41	175 Ω/km
ANM05.011.07.027AB	UL20233	300V	7X27AWG	7/0.14	6.1	54.11	175 Ω/km
ANM05.011.08.027AB	UL20233	300V	8X27AWG	7/0.14	6.5	61.11	175 Ω/km
ANM05.011.09.027AB	UL20233	300V	9X27AWG	7/0.14	7.1	72.31	175 Ω/km
ANM05.011.10.027AB	UL20233	300V	10X27AWG	7/0.14	7.4	78.51	175 Ω/km
ANM05.011.11.027AB	UL20233	300V	11X27AWG	7/0.14	7.7	84.91	175 Ω/km
ANM05.011.12.027AB	UL20233	300V	12X27AWG	7/0.14	7.7	85.51	175 Ω/km
ANM05.011.13.027AB	UL20233	300V	13X27AWG	7/0.14	8.4	99.91	175 Ω/km
ANM05.011.14.027AB	UL20233	300V	14X27AWG	7/0.14	8.4	100.51	175 Ω/km
ANM05.011.15.027AB	UL20233	300V	15X27AWG	7/0.14	8.8	109.81	175 Ω/km
ANM05.011.16.027AB	UL20233	300V	16X27AWG	7/0.14	8.8	110.41	175 Ω/km
ANM05.011.17.027AB	UL20233	300V	17X27AWG	7/0.14	9.1	117.91	175 Ω/km
ANM05.011.18.027AB	UL20233	300V	18X27AWG	7/0.14	9.1	118.61	175 Ω/km
ANM05.011.19.027AB	UL20233	300V	19X27AWG	7/0.14	9.1	119.21	175 Ω/km



ANM05.011.20.027AB	UL20233	300V	20X27AWG	7/0.14	9.4	126.81	175 Ω/km
ANM05.011.21.027AB	UL20233	300V	21X27AWG	7/0.14	9.5	129.91	175 Ω/km
ANM05.011.22.027AB	UL20233	300V	22X27AWG	7/0.14	10.1	145.31	175 Ω/km
ANM05.011.23.027AB	UL20233	300V	23X27AWG	7/0.14	11	168.91	175 Ω/km
ANM05.011.24.027AB	UL20233	300V	24X27AWG	7/0.14	11	169.51	175 Ω/km
ANM05.011.25.027AB	UL20233	300V	25X27AWG	7/0.14	11.3	178.61	175 Ω/km
ANM05.011.26.027AB	UL20233	300V	26X27AWG	7/0.14	11.3	179.21	175 Ω/km
ANM05.011.27.027AB	UL20233	300V	27X27AWG	7/0.14	11.3	179.81	175 Ω/km
ANM05.011.28.027AB	UL20233	300V	28X27AWG	7/0.14	11.6	189.01	175 Ω/km
ANM05.011.29.027AB	UL20233	300V	29X27AWG	7/0.14	11.6	189.61	175 Ω/km
ANM05.011.30.027AB	UL20233	300V	30X27AWG	7/0.14	11.6	190.21	175 Ω/km
ANM05.011.31.027AB	UL20233	300V	31X27AWG	7/0.14	12	202.71	175 Ω/km
ANM05.011.32.027AB	UL20233	300V	32X27AWG	7/0.14	12	203.21	175 Ω/km
ANM05.011.33.027AB	UL20233	300V	33X27AWG	7/0.14	12	203.91	175 Ω/km
ANM05.011.34.027AB	UL20233	300V	34X27AWG	7/0.14	12.3	213.71	175 Ω/km
ANM05.011.35.027AB	UL20233	300V	35X27AWG	7/0.14	12.3	214.21	175 Ω/km
ANM05.011.36.027AB	UL20233	300V	36X27AWG	7/0.14	12.3	214.91	175 Ω/km
ANM05.011.37.027AB	UL20233	300V	37X27AWG	7/0.14	12.3	215.61	175 Ω/km
ANM05.011.38.027AB	UL20233	300V	38X27AWG	7/0.14	12.7	228.71	175 Ω/km
ANM05.011.39.027AB	UL20233	300V	39X27AWG	7/0.14	12.7	229.31	175 Ω/km
ANM05.011.40.027AB	UL20233	300V	40X27AWG	7/0.14	12.7	229.91	175 Ω/km
ANM05.011.41.027AB	UL20233	300V	41X27AWG	7/0.14	13.7	263.41	175 Ω/km
ANM05.011.42.027AB	UL20233	300V	42X27AWG	7/0.14	13.7	264.11	175 Ω/km
ANM05.011.43.027AB	UL20233	300V	43X27AWG	7/0.14	13.7	264.61	175 Ω/km
ANM05.011.44.027AB	UL20233	300V	44X27AWG	7/0.14	13.7	265.31	175 Ω/km
ANM05.011.45.027AB	UL20233	300V	45X27AWG	7/0.14	14	276.31	175 Ω/km
ANM05.011.46.027AB	UL20233	300V	46X27AWG	7/0.14	14	276.91	175 Ω/km
ANM05.011.47.027AB	UL20233	300V	47X27AWG	7/0.14	14	277.51	175 Ω/km
ANM05.011.48.027AB	UL20233	300V	48X27AWG	7/0.14	14	278.11	175 Ω/km
ANM05.011.49.027AB	UL20233	300V	49X27AWG	7/0.14	14.3	289.31	175 Ω/km
ANM05.011.50.027AB	UL20233	300V	50X27AWG	7/0.14	14.3	290.01	175 Ω/km
ANM05.011.51.027AB	UL20233	300V	51X27AWG	7/0.14	14.3	290.51	175 Ω/km
ANM05.011.52.027AB	UL20233	300V	52X27AWG	7/0.14	14.3	291.21	175 Ω/km
ANM05.011.53.027AB	UL20233	300V	53X27AWG	7/0.14	14.7	306.31	175 Ω/km
ANM05.011.54.027AB	UL20233	300V	54X27AWG	7/0.14	14.7	306.81	175 Ω/km
ANM05.011.55.027AB	UL20233	300V	55X27AWG	7/0.14	14.7	307.61	175 Ω/km
ANM05.011.56.027AB	UL20233	300V	56X27AWG	7/0.14	14.7	308.21	175 Ω/km
ANM05.011.57.027AB	UL20233	300V	57X27AWG	7/0.14	15	319.91	175 Ω/km
ANM05.011.58.027AB	UL20233	300V	58X27AWG	7/0.14	15	320.61	175 Ω/km
ANM05.011.59.027AB	UL20233	300V	59X27AWG	7/0.14	15	321.11	175 Ω/km
ANM05.011.60.027AB	UL20233	300V	60X27AWG	7/0.14	15	321.81	175 Ω/km
ANM05.011.61.027AB	UL20233	300V	61X27AWG	7/0.14	15	322.31	175 Ω/km



ANM05.011.62.027AB	UL20233	300V	62X27AWG	7/0.14	15.4	338.11	175 Ω/km
ANM05.011.63.027AB	UL20233	300V	63X27AWG	7/0.14	15.4	338.71	175 Ω/km
ANM05.011.64.027AB	UL20233	300V	64X27AWG	7/0.14	15.4	339.31	175 Ω/km
ANM05.011.65.027AB	UL20233	300V	65X27AWG	7/0.14	15.4	340.01	175 Ω/km
ANM05.011.02.026AB	UL20233	300V	2X26AWG	9/0.14	4.8	32.93	140 Ω/km
ANM05.011.03.026AB	UL20233	300V	3X26AWG	9/0.14	5.1	37.63	140 Ω/km
ANM05.011.04.026AB	UL20233	300V	4X26AWG	9/0.14	5.4	42.73	140 Ω/km
ANM05.011.05.026AB	UL20233	300V	5X26AWG	9/0.14	5.8	49.43	140 Ω/km
ANM05.011.06.026AB	UL20233	300V	6X26AWG	9/0.14	6.1	54.93	140 Ω/km
ANM05.011.07.026AB	UL20233	300V	7X26AWG	9/0.14	6.1	55.83	140 Ω/km
ANM05.011.08.026AB	UL20233	300V	8X26AWG	9/0.14	6.5	63.13	140 Ω/km
ANM05.011.09.026AB	UL20233	300V	9X26AWG	9/0.14	7.1	74.53	140 Ω/km
ANM05.011.10.026AB	UL20233	300V	10X26AWG	9/0.14	7.4	80.93	140 Ω/km
ANM05.011.11.026AB	UL20233	300V	11X26AWG	9/0.14	7.7	87.63	140 Ω/km
ANM05.011.12.026AB	UL20233	300V	12X26AWG	9/0.14	7.7	88.43	140 Ω/km
ANM05.011.13.026AB	UL20233	300V	13X26AWG	9/0.14	8.4	103.03	140 Ω/km
ANM05.011.14.026AB	UL20233	300V	14X26AWG	9/0.14	8.4	104.03	140 Ω/km
ANM05.011.15.026AB	UL20233	300V	15X26AWG	9/0.14	8.8	113.53	140 Ω/km
ANM05.011.16.026AB	UL20233	300V	16X26AWG	9/0.14	8.8	114.43	140 Ω/km
ANM05.011.17.026AB	UL20233	300V	17X26AWG	9/0.14	9.1	122.13	140 Ω/km
ANM05.011.18.026AB	UL20233	300V	18X26AWG	9/0.14	9.1	123.03	140 Ω/km
ANM05.011.19.026AB	UL20233	300V	19X26AWG	9/0.14	9.1	123.93	140 Ω/km
ANM05.011.20.026AB	UL20233	300V	20X26AWG	9/0.14	9.4	131.73	140 Ω/km
ANM05.011.21.026AB	UL20233	300V	21X26AWG	9/0.14	9.5	135.03	140 Ω/km
ANM05.011.22.026AB	UL20233	300V	22X26AWG	9/0.14	10.1	150.73	140 Ω/km
ANM05.011.23.026AB	UL20233	300V	23X26AWG	9/0.14	11	174.53	140 Ω/km
ANM05.011.24.026AB	UL20233	300V	24X26AWG	9/0.14	11	175.43	140 Ω/km
ANM05.011.25.026AB	UL20233	300V	25X26AWG	9/0.14	11.3	184.73	140 Ω/km
ANM05.011.26.026AB	UL20233	300V	26X26AWG	9/0.14	11.3	185.53	140 Ω/km
ANM05.011.27.026AB	UL20233	300V	27X26AWG	9/0.14	11.3	186.53	140 Ω/km
ANM05.011.28.026AB	UL20233	300V	28X26AWG	9/0.14	11.6	195.93	140 Ω/km
ANM05.011.29.026AB	UL20233	300V	29X26AWG	9/0.14	11.6	196.73	140 Ω/km
ANM05.011.30.026AB	UL20233	300V	30X26AWG	9/0.14	11.6	197.63	140 Ω/km
ANM05.011.31.026AB	UL20233	300V	31X26AWG	9/0.14	12	210.33	140 Ω/km
ANM05.011.32.026AB	UL20233	300V	32X26AWG	9/0.14	12	211.13	140 Ω/km
ANM05.011.33.026AB	UL20233	300V	33X26AWG	9/0.14	12	212.03	140 Ω/km
ANM05.011.34.026AB	UL20233	300V	34X26AWG	9/0.14	12.3	222.03	140 Ω/km
ANM05.011.35.026AB	UL20233	300V	35X26AWG	9/0.14	12.3	222.83	140 Ω/km
ANM05.011.36.026AB	UL20233	300V	36X26AWG	9/0.14	12.3	223.73	140 Ω/km
ANM05.011.37.026AB	UL20233	300V	37X26AWG	9/0.14	12.3	224.63	140 Ω/km
ANM05.011.38.026AB	UL20233	300V	38X26AWG	9/0.14	12.7	238.03	140 Ω/km
ANM05.011.39.026AB	UL20233	300V	39X26AWG	9/0.14	12.7	238.83	140 Ω/km



ANM05.011.40.026AB	UL20233	300V	40X26AWG	9/0.14	12.7	239.83	140 Ω/km
ANM05.011.41.026AB	UL20233	300V	41X26AWG	9/0.14	13.7	273.53	140 Ω/km
ANM05.011.42.026AB	UL20233	300V	42X26AWG	9/0.14	13.7	274.43	140 Ω/km
ANM05.011.43.026AB	UL20233	300V	43X26AWG	9/0.14	13.7	275.23	140 Ω/km
ANM05.011.44.026AB	UL20233	300V	44X26AWG	9/0.14	13.7	276.13	140 Ω/km
ANM05.011.45.026AB	UL20233	300V	45X26AWG	9/0.14	14	287.33	140 Ω/km
ANM05.011.46.026AB	UL20233	300V	46X26AWG	9/0.14	14	288.23	140 Ω/km
ANM05.011.47.026AB	UL20233	300V	47X26AWG	9/0.14	14	289.03	140 Ω/km
ANM05.011.48.026AB	UL20233	300V	48X26AWG	9/0.14	14	289.93	140 Ω/km
ANM05.011.49.026AB	UL20233	300V	49X26AWG	9/0.14	14.3	301.33	140 Ω/km
ANM05.011.50.026AB	UL20233	300V	50X26AWG	9/0.14	14.3	302.23	140 Ω/km
ANM05.011.51.026AB	UL20233	300V	51X26AWG	9/0.14	14.3	303.03	140 Ω/km
ANM05.011.52.026AB	UL20233	300V	52X26AWG	9/0.14	14.3	303.93	140 Ω/km
ANM05.011.53.026AB	UL20233	300V	53X26AWG	9/0.14	14.7	319.33	140 Ω/km
ANM05.011.54.026AB	UL20233	300V	54X26AWG	9/0.14	14.7	320.13	140 Ω/km
ANM05.011.55.026AB	UL20233	300V	55X26AWG	9/0.14	14.7	321.13	140 Ω/km
ANM05.011.56.026AB	UL20233	300V	56X26AWG	9/0.14	14.7	322.03	140 Ω/km
ANM05.011.57.026AB	UL20233	300V	57X26AWG	9/0.14	15	333.93	140 Ω/km
ANM05.011.58.026AB	UL20233	300V	58X26AWG	9/0.14	15	334.83	140 Ω/km
ANM05.011.59.026AB	UL20233	300V	59X26AWG	9/0.14	15	335.63	140 Ω/km
ANM05.011.60.026AB	UL20233	300V	60X26AWG	9/0.14	15	336.53	140 Ω/km
ANM05.011.61.026AB	UL20233	300V	61X26AWG	9/0.14	15	337.33	140 Ω/km
ANM05.011.62.026AB	UL20233	300V	62X26AWG	9/0.14	15.4	353.33	140 Ω/km
ANM05.011.63.026AB	UL20233	300V	63X26AWG	9/0.14	15.4	354.13	140 Ω/km
ANM05.011.64.026AB	UL20233	300V	64X26AWG	9/0.14	15.4	355.03	140 Ω/km
ANM05.011.65.026AB	UL20233	300V	65X26AWG	9/0.14	15.4	355.93	140 Ω/km
ANM05.011.02.025AB	UL20233	300V	2X25AWG	11/0.14	5	35.87	111 Ω/km
ANM05.011.03.025AB	UL20233	300V	3X25AWG	11/0.14	5.3	40.87	111 Ω/km
ANM05.011.04.025AB	UL20233	300V	4X25AWG	11/0.14	5.6	46.27	111 Ω/km
ANM05.011.05.025AB	UL20233	300V	5X25AWG	11/0.14	6	53.27	111 Ω/km
ANM05.011.06.025AB	UL20233	300V	6X25AWG	11/0.14	6.4	60.87	111 Ω/km
ANM05.011.07.025AB	UL20233	300V	7X25AWG	11/0.14	6.4	61.97	111 Ω/km
ANM05.011.08.025AB	UL20233	300V	8X25AWG	11/0.14	6.9	71.47	111 Ω/km
ANM05.011.09.025AB	UL20233	300V	9X25AWG	11/0.14	7.4	81.77	111 Ω/km
ANM05.011.10.025AB	UL20233	300V	10X25AWG	11/0.14	7.8	90.57	111 Ω/km
ANM05.011.11.025AB	UL20233	300V	11X25AWG	11/0.14	8.5	105.67	111 Ω/km
ANM05.011.12.025AB	UL20233	300V	12X25AWG	11/0.14	8.5	106.67	111 Ω/km
ANM05.011.13.025AB	UL20233	300V	13X25AWG	11/0.14	8.8	114.27	111 Ω/km
ANM05.011.14.025AB	UL20233	300V	14X25AWG	11/0.14	8.8	115.27	111 Ω/km
ANM05.011.15.025AB	UL20233	300V	15X25AWG	11/0.14	9.2	125.47	111 Ω/km
ANM05.011.16.025AB	UL20233	300V	16X25AWG	11/0.14	9.2	126.47	111 Ω/km
ANM05.011.17.025AB	UL20233	300V	17X25AWG	11/0.14	9.6	137.07	111 Ω/km



ANM05.011.18.025AB	UL20233	300V	18X25AWG	11/0.14	9.6	138.17	111 Ω/km
ANM05.011.19.025AB	UL20233	300V	19X25AWG	11/0.14	9.6	139.17	111 Ω/km
ANM05.011.20.025AB	UL20233	300V	20X25AWG	11/0.14	9.9	147.67	111 Ω/km
ANM05.011.21.025AB	UL20233	300V	21X25AWG	11/0.14	10.1	153.67	111 Ω/km
ANM05.011.22.025AB	UL20233	300V	22X25AWG	11/0.14	11.2	183.27	111 Ω/km
ANM05.011.23.025AB	UL20233	300V	23X25AWG	11/0.14	11.6	195.77	111 Ω/km
ANM05.011.24.025AB	UL20233	300V	24X25AWG	11/0.14	11.6	196.77	111 Ω/km
ANM05.011.25.025AB	UL20233	300V	25X25AWG	11/0.14	11.9	206.77	111 Ω/km
ANM05.011.26.025AB	UL20233	300V	26X25AWG	11/0.14	11.9	207.77	111 Ω/km
ANM05.011.27.025AB	UL20233	300V	27X25AWG	11/0.14	11.9	208.77	111 Ω/km
ANM05.011.28.025AB	UL20233	300V	28X25AWG	11/0.14	12.2	218.87	111 Ω/km
ANM05.011.29.025AB	UL20233	300V	29X25AWG	11/0.14	12.2	220.07	111 Ω/km
ANM05.011.30.025AB	UL20233	300V	30X25AWG	11/0.14	12.2	221.07	111 Ω/km
ANM05.011.31.025AB	UL20233	300V	31X25AWG	11/0.14	12.6	234.47	111 Ω/km
ANM05.011.32.025AB	UL20233	300V	32X25AWG	11/0.14	12.6	235.67	111 Ω/km
ANM05.011.33.025AB	UL20233	300V	33X25AWG	11/0.14	12.6	236.67	111 Ω/km
ANM05.011.34.025AB	UL20233	300V	34X25AWG	11/0.14	13	250.37	111 Ω/km
ANM05.011.35.025AB	UL20233	300V	35X25AWG	11/0.14	13	251.37	111 Ω/km
ANM05.011.36.025AB	UL20233	300V	36X25AWG	11/0.14	13	252.57	111 Ω/km
ANM05.011.37.025AB	UL20233	300V	37X25AWG	11/0.14	13	253.57	111 Ω/km
ANM05.011.38.025AB	UL20233	300V	38X25AWG	11/0.14	13.6	274.57	111 Ω/km
ANM05.011.39.025AB	UL20233	300V	39X25AWG	11/0.14	13.6	275.67	111 Ω/km
ANM05.011.40.025AB	UL20233	300V	40X25AWG	11/0.14	13.6	276.67	111 Ω/km
ANM05.011.41.025AB	UL20233	300V	41X25AWG	11/0.14	14.5	309.17	111 Ω/km
ANM05.011.42.025AB	UL20233	300V	42X25AWG	11/0.14	14.5	310.17	111 Ω/km
ANM05.011.43.025AB	UL20233	300V	43X25AWG	11/0.14	14.5	311.37	111 Ω/km
ANM05.011.44.025AB	UL20233	300V	44X25AWG	11/0.14	14.5	312.37	111 Ω/km
ANM05.011.45.025AB	UL20233	300V	45X25AWG	11/0.14	14.8	324.37	111 Ω/km
ANM05.011.46.025AB	UL20233	300V	46X25AWG	11/0.14	14.8	325.47	111 Ω/km
ANM05.011.47.025AB	UL20233	300V	47X25AWG	11/0.14	14.8	326.47	111 Ω/km
ANM05.011.48.025AB	UL20233	300V	48X25AWG	11/0.14	14.8	327.57	111 Ω/km
ANM05.011.49.025AB	UL20233	300V	49X25AWG	11/0.14	15.1	339.67	111 Ω/km
ANM05.011.50.025AB	UL20233	300V	50X25AWG	11/0.14	15.1	340.77	111 Ω/km
ANM05.011.51.025AB	UL20233	300V	51X25AWG	11/0.14	15.1	341.77	111 Ω/km
ANM05.011.52.025AB	UL20233	300V	52X25AWG	11/0.14	15.1	342.87	111 Ω/km
ANM05.011.53.025AB	UL20233	300V	53X25AWG	11/0.14	15.5	359.17	111 Ω/km
ANM05.011.54.025AB	UL20233	300V	54X25AWG	11/0.14	15.5	360.17	111 Ω/km
ANM05.011.55.025AB	UL20233	300V	55X25AWG	11/0.14	15.5	361.27	111 Ω/km
ANM05.011.56.025AB	UL20233	300V	56X25AWG	11/0.14	15.5	362.27	111 Ω/km
ANM05.011.57.025AB	UL20233	300V	57X25AWG	11/0.14	15.9	378.97	111 Ω/km
ANM05.011.58.025AB	UL20233	300V	58X25AWG	11/0.14	15.9	379.97	111 Ω/km
ANM05.011.59.025AB	UL20233	300V	59X25AWG	11/0.14	15.9	381.07	111 Ω/km



ANM05.011.60.025AB	UL20233	300V	60X25AWG	11/0.14	15.9	382.07	111 Ω/km
ANM05.011.61.025AB	UL20233	300V	61X25AWG	11/0.14	15.9	383.07	111 Ω/km
ANM05.011.62.025AB	UL20233	300V	62X25AWG	11/0.14	16.4	404.27	111 Ω/km
ANM05.011.63.025AB	UL20233	300V	63X25AWG	11/0.14	16.4	405.27	111 Ω/km
ANM05.011.64.025AB	UL20233	300V	64X25AWG	11/0.14	16.4	406.37	111 Ω/km
ANM05.011.65.025AB	UL20233	300V	65X25AWG	11/0.14	16.4	407.37	111 Ω/km
ANM05.011.02.024AB	UL20233	300V	2X24AWG	14/0.14	5	36.71	87.6 Ω/km
ANM05.011.03.024AB	UL20233	300V	3X24AWG	14/0.14	5.3	42.21	87.6 Ω/km
ANM05.011.04.024AB	UL20233	300V	4X24AWG	14/0.14	5.6	47.91	87.6 Ω/km
ANM05.011.05.024AB	UL20233	300V	5X24AWG	14/0.14	6	55.31	87.6 Ω/km
ANM05.011.06.024AB	UL20233	300V	6X24AWG	14/0.14	6.4	63.41	87.6 Ω/km
ANM05.011.07.024AB	UL20233	300V	7X24AWG	14/0.14	6.4	64.91	87.6 Ω/km
ANM05.011.08.024AB	UL20233	300V	8X24AWG	14/0.14	6.9	74.71	87.6 Ω/km
ANM05.011.09.024AB	UL20233	300V	9X24AWG	14/0.14	7.4	85.51	87.6 Ω/km
ANM05.011.10.024AB	UL20233	300V	10X24AWG	14/0.14	7.8	94.71	87.6 Ω/km
ANM05.011.11.024AB	UL20233	300V	11X24AWG	14/0.14	8.5	110.11	87.6 Ω/km
ANM05.011.12.024AB	UL20233	300V	12X24AWG	14/0.14	8.5	111.61	87.6 Ω/km
ANM05.011.13.024AB	UL20233	300V	13X24AWG	14/0.14	8.8	119.61	87.6 Ω/km
ANM05.011.14.024AB	UL20233	300V	14X24AWG	14/0.14	8.8	121.01	87.6 Ω/km
ANM05.011.15.024AB	UL20233	300V	15X24AWG	14/0.14	9.2	131.61	87.6 Ω/km
ANM05.011.16.024AB	UL20233	300V	16X24AWG	14/0.14	9.2	133.01	87.6 Ω/km
ANM05.011.17.024AB	UL20233	300V	17X24AWG	14/0.14	9.6	144.01	87.6 Ω/km
ANM05.011.18.024AB	UL20233	300V	18X24AWG	14/0.14	9.6	145.51	87.6 Ω/km
ANM05.011.19.024AB	UL20233	300V	19X24AWG	14/0.14	9.6	146.91	87.6 Ω/km
ANM05.011.20.024AB	UL20233	300V	20X24AWG	14/0.14	9.9	155.81	87.6 Ω/km
ANM05.011.21.024AB	UL20233	300V	21X24AWG	14/0.14	10.1	162.31	87.6 Ω/km
ANM05.011.22.024AB	UL20233	300V	22X24AWG	14/0.14	11.2	192.21	87.6 Ω/km
ANM05.011.23.024AB	UL20233	300V	23X24AWG	14/0.14	11.6	205.11	87.6 Ω/km
ANM05.011.24.024AB	UL20233	300V	24X24AWG	14/0.14	11.6	206.61	87.6 Ω/km
ANM05.011.25.024AB	UL20233	300V	25X24AWG	14/0.14	11.9	216.91	87.6 Ω/km
ANM05.011.26.024AB	UL20233	300V	26X24AWG	14/0.14	11.9	218.31	87.6 Ω/km
ANM05.011.27.024AB	UL20233	300V	27X24AWG	14/0.14	11.9	219.81	87.6 Ω/km
ANM05.011.28.024AB	UL20233	300V	28X24AWG	14/0.14	12.2	230.31	87.6 Ω/km
ANM05.011.29.024AB	UL20233	300V	29X24AWG	14/0.14	12.2	231.81	87.6 Ω/km
ANM05.011.30.024AB	UL20233	300V	30X24AWG	14/0.14	12.2	233.31	87.6 Ω/km
ANM05.011.31.024AB	UL20233	300V	31X24AWG	14/0.14	12.6	247.11	87.6 Ω/km
ANM05.011.32.024AB	UL20233	300V	32X24AWG	14/0.14	12.6	248.61	87.6 Ω/km
ANM05.011.33.024AB	UL20233	300V	33X24AWG	14/0.14	12.6	250.11	87.6 Ω/km
ANM05.011.34.024AB	UL20233	300V	34X24AWG	14/0.14	13	264.21	87.6 Ω/km
ANM05.011.35.024AB	UL20233	300V	35X24AWG	14/0.14	13	265.61	87.6 Ω/km
ANM05.011.36.024AB	UL20233	300V	36X24AWG	14/0.14	13	267.21	87.6 Ω/km
ANM05.011.37.024AB	UL20233	300V	37X24AWG	14/0.14	13	268.61	87.6 Ω/km



ANM05.011.38.024AB	UL20233	300V	38X24AWG	14/0.14	13.6	290.01	87.6 Ω /km
ANM05.011.39.024AB	UL20233	300V	39X24AWG	14/0.14	13.6	291.51	87.6 Ω /km
ANM05.011.40.024AB	UL20233	300V	40X24AWG	14/0.14	13.6	292.91	87.6 Ω /km
ANM05.011.41.024AB	UL20233	300V	41X24AWG	14/0.14	14.5	325.81	87.6 Ω /km
ANM05.011.42.024AB	UL20233	300V	42X24AWG	14/0.14	14.5	327.31	87.6 Ω /km
ANM05.011.43.024AB	UL20233	300V	43X24AWG	14/0.14	14.5	328.81	87.6 Ω /km
ANM05.011.44.024AB	UL20233	300V	44X24AWG	14/0.14	14.5	330.21	87.6 Ω /km
ANM05.011.45.024AB	UL20233	300V	45X24AWG	14/0.14	14.8	342.71	87.6 Ω /km
ANM05.011.46.024AB	UL20233	300V	46X24AWG	14/0.14	14.8	344.11	87.6 Ω /km
ANM05.011.47.024AB	UL20233	300V	47X24AWG	14/0.14	14.8	345.51	87.6 Ω /km
ANM05.011.48.024AB	UL20233	300V	48X24AWG	14/0.14	14.8	347.11	87.6 Ω /km
ANM05.011.49.024AB	UL20233	300V	49X24AWG	14/0.14	15.1	359.61	87.6 Ω /km
ANM05.011.50.024AB	UL20233	300V	50X24AWG	14/0.14	15.1	361.01	87.6 Ω /km
ANM05.011.51.024AB	UL20233	300V	51X24AWG	14/0.14	15.1	362.51	87.6 Ω /km
ANM05.011.52.024AB	UL20233	300V	52X24AWG	14/0.14	15.1	364.01	87.6 Ω /km
ANM05.011.53.024AB	UL20233	300V	53X24AWG	14/0.14	15.5	380.71	87.6 Ω /km
ANM05.011.54.024AB	UL20233	300V	54X24AWG	14/0.14	15.5	382.11	87.6 Ω /km
ANM05.011.55.024AB	UL20233	300V	55X24AWG	14/0.14	15.5	383.61	87.6 Ω /km
ANM05.011.56.024AB	UL20233	300V	56X24AWG	14/0.14	15.5	385.11	87.6 Ω /km
ANM05.011.57.024AB	UL20233	300V	57X24AWG	14/0.14	15.9	402.11	87.6 Ω /km
ANM05.011.58.024AB	UL20233	300V	58X24AWG	14/0.14	15.9	403.51	87.6 Ω /km
ANM05.011.59.024AB	UL20233	300V	59X24AWG	14/0.14	15.9	405.11	87.6 Ω /km
ANM05.011.60.024AB	UL20233	300V	60X24AWG	14/0.14	15.9	406.51	87.6 Ω /km
ANM05.011.61.024AB	UL20233	300V	61X24AWG	14/0.14	15.9	407.81	87.6 Ω /km
ANM05.011.62.024AB	UL20233	300V	62X24AWG	14/0.14	16.4	429.51	87.6 Ω /km
ANM05.011.63.024AB	UL20233	300V	63X24AWG	14/0.14	16.4	430.91	87.6 Ω /km
ANM05.011.64.024AB	UL20233	300V	64X24AWG	14/0.14	16.4	432.31	87.6 Ω /km
ANM05.011.65.024AB	UL20233	300V	65X24AWG	14/0.14	16.4	433.81	87.6 Ω /km
ANM05.011.02.023AB	UL20233	300V	2X23AWG	17/0.14	5.2	40.16	69.2 Ω /km
ANM05.011.03.023AB	UL20233	300V	3X23AWG	17/0.14	5.5	46.16	69.2 Ω /km
ANM05.011.04.023AB	UL20233	300V	4X23AWG	17/0.14	5.9	53.96	69.2 Ω /km
ANM05.011.05.023AB	UL20233	300V	5X23AWG	17/0.14	6.3	62.06	69.2 Ω /km
ANM05.011.06.023AB	UL20233	300V	6X23AWG	17/0.14	6.7	70.46	69.2 Ω /km
ANM05.011.07.023AB	UL20233	300V	7X23AWG	17/0.14	6.7	72.26	69.2 Ω /km
ANM05.011.08.023AB	UL20233	300V	8X23AWG	17/0.14	7.2	83.06	69.2 Ω /km
ANM05.011.09.023AB	UL20233	300V	9X23AWG	17/0.14	7.8	96.36	69.2 Ω /km
ANM05.011.10.023AB	UL20233	300V	10X23AWG	17/0.14	8.6	114.36	69.2 Ω /km
ANM05.011.11.023AB	UL20233	300V	11X23AWG	17/0.14	8.9	122.86	69.2 Ω /km
ANM05.011.12.023AB	UL20233	300V	12X23AWG	17/0.14	8.9	124.76	69.2 Ω /km
ANM05.011.13.023AB	UL20233	300V	13X23AWG	17/0.14	9.3	135.66	69.2 Ω /km
ANM05.011.14.023AB	UL20233	300V	14X23AWG	17/0.14	9.3	137.46	69.2 Ω /km
ANM05.011.15.023AB	UL20233	300V	15X23AWG	17/0.14	9.7	148.86	69.2 Ω /km



ANM05.011.16.023AB	UL20233	300V	16X23AWG	17/0.14	9.7	150.66	69.2 Ω /km
ANM05.011.17.023AB	UL20233	300V	17X23AWG	17/0.14	10.1	162.46	69.2 Ω /km
ANM05.011.18.023AB	UL20233	300V	18X23AWG	17/0.14	10.1	164.26	69.2 Ω /km
ANM05.011.19.023AB	UL20233	300V	19X23AWG	17/0.14	10.1	166.16	69.2 Ω /km
ANM05.011.20.023AB	UL20233	300V	20X23AWG	17/0.14	11	190.76	69.2 Ω /km
ANM05.011.21.023AB	UL20233	300V	21X23AWG	17/0.14	11.2	198.16	69.2 Ω /km
ANM05.011.22.023AB	UL20233	300V	22X23AWG	17/0.14	11.8	217.26	69.2 Ω /km
ANM05.011.23.023AB	UL20233	300V	23X23AWG	17/0.14	12.2	231.06	69.2 Ω /km
ANM05.011.24.023AB	UL20233	300V	24X23AWG	17/0.14	12.2	232.96	69.2 Ω /km
ANM05.011.25.023AB	UL20233	300V	25X23AWG	17/0.14	12.5	244.06	69.2 Ω /km
ANM05.011.26.023AB	UL20233	300V	26X23AWG	17/0.14	12.5	245.86	69.2 Ω /km
ANM05.011.27.023AB	UL20233	300V	27X23AWG	17/0.14	12.5	247.56	69.2 Ω /km
ANM05.011.28.023AB	UL20233	300V	28X23AWG	17/0.14	12.9	262.16	69.2 Ω /km
ANM05.011.29.023AB	UL20233	300V	29X23AWG	17/0.14	12.9	263.96	69.2 Ω /km
ANM05.011.30.023AB	UL20233	300V	30X23AWG	17/0.14	12.9	265.86	69.2 Ω /km
ANM05.011.31.023AB	UL20233	300V	31X23AWG	17/0.14	13.4	283.96	69.2 Ω /km
ANM05.011.32.023AB	UL20233	300V	32X23AWG	17/0.14	13.4	285.76	69.2 Ω /km
ANM05.011.33.023AB	UL20233	300V	33X23AWG	17/0.14	13.4	287.56	69.2 Ω /km
ANM05.011.34.023AB	UL20233	300V	34X23AWG	17/0.14	13.8	302.86	69.2 Ω /km
ANM05.011.35.023AB	UL20233	300V	35X23AWG	17/0.14	13.8	304.76	69.2 Ω /km
ANM05.011.36.023AB	UL20233	300V	36X23AWG	17/0.14	13.8	306.56	69.2 Ω /km
ANM05.011.37.023AB	UL20233	300V	37X23AWG	17/0.14	13.8	308.36	69.2 Ω /km
ANM05.011.38.023AB	UL20233	300V	38X23AWG	17/0.14	14.3	327.66	69.2 Ω /km
ANM05.011.39.023AB	UL20233	300V	39X23AWG	17/0.14	14.3	329.36	69.2 Ω /km
ANM05.011.40.023AB	UL20233	300V	40X23AWG	17/0.14	14.3	331.16	69.2 Ω /km
ANM05.011.41.023AB	UL20233	300V	41X23AWG	17/0.14	15.3	369.76	69.2 Ω /km
ANM05.011.42.023AB	UL20233	300V	42X23AWG	17/0.14	15.3	371.56	69.2 Ω /km
ANM05.011.43.023AB	UL20233	300V	43X23AWG	17/0.14	15.3	373.36	69.2 Ω /km
ANM05.011.44.023AB	UL20233	300V	44X23AWG	17/0.14	15.3	375.26	69.2 Ω /km
ANM05.011.45.023AB	UL20233	300V	45X23AWG	17/0.14	15.6	388.56	69.2 Ω /km
ANM05.011.46.023AB	UL20233	300V	46X23AWG	17/0.14	15.6	390.26	69.2 Ω /km
ANM05.011.47.023AB	UL20233	300V	47X23AWG	17/0.14	15.6	392.16	69.2 Ω /km
ANM05.011.48.023AB	UL20233	300V	48X23AWG	17/0.14	15.6	393.86	69.2 Ω /km
ANM05.011.49.023AB	UL20233	300V	49X23AWG	17/0.14	16	411.46	69.2 Ω /km
ANM05.011.50.023AB	UL20233	300V	50X23AWG	17/0.14	16	413.26	69.2 Ω /km
ANM05.011.51.023AB	UL20233	300V	51X23AWG	17/0.14	16	415.16	69.2 Ω /km
ANM05.011.52.023AB	UL20233	300V	52X23AWG	17/0.14	16	416.76	69.2 Ω /km
ANM05.011.53.023AB	UL20233	300V	53X23AWG	17/0.14	16.4	434.86	69.2 Ω /km
ANM05.011.54.023AB	UL20233	300V	54X23AWG	17/0.14	16.4	436.66	69.2 Ω /km
ANM05.011.55.023AB	UL20233	300V	55X23AWG	17/0.14	16.4	438.46	69.2 Ω /km
ANM05.011.56.023AB	UL20233	300V	56X23AWG	17/0.14	16.4	440.26	69.2 Ω /km
ANM05.011.57.023AB	UL20233	300V	57X23AWG	17/0.14	16.8	458.46	69.2 Ω /km



ANM05.011.58.023AB	UL20233	300V	58X23AWG	17/0.14	16.8	460.26	69.2 Ω /km
ANM05.011.59.023AB	UL20233	300V	59X23AWG	17/0.14	16.8	461.96	69.2 Ω /km
ANM05.011.60.023AB	UL20233	300V	60X23AWG	17/0.14	16.8	463.86	69.2 Ω /km
ANM05.011.61.023AB	UL20233	300V	61X23AWG	17/0.14	16.8	465.66	69.2 Ω /km
ANM05.011.62.023AB	UL20233	300V	62X23AWG	17/0.14	17.3	488.66	69.2 Ω /km
ANM05.011.63.023AB	UL20233	300V	63X23AWG	17/0.14	17.3	490.46	69.2 Ω /km
ANM05.011.64.023AB	UL20233	300V	64X23AWG	17/0.14	17.3	492.26	69.2 Ω /km
ANM05.011.65.023AB	UL20233	300V	65X23AWG	17/0.14	17.3	494.06	69.2 Ω /km
ANM05.011.02.022AB	UL20233	300V	2X22AWG	22/0.14	5.4	43.83	55.4 Ω /km
ANM05.011.03.022AB	UL20233	300V	3X22AWG	22/0.14	5.7	50.43	55.4 Ω /km
ANM05.011.04.022AB	UL20233	300V	4X22AWG	22/0.14	6.1	58.83	55.4 Ω /km
ANM05.011.05.022AB	UL20233	300V	5X22AWG	22/0.14	6.6	69.23	55.4 Ω /km
ANM05.011.06.022AB	UL20233	300V	6X22AWG	22/0.14	7	78.43	55.4 Ω /km
ANM05.011.07.022AB	UL20233	300V	7X22AWG	22/0.14	7	80.63	55.4 Ω /km
ANM05.011.08.022AB	UL20233	300V	8X22AWG	22/0.14	7.5	92.23	55.4 Ω /km
ANM05.011.09.022AB	UL20233	300V	9X22AWG	22/0.14	8.6	116.53	55.4 Ω /km
ANM05.011.10.022AB	UL20233	300V	10X22AWG	22/0.14	9	127.63	55.4 Ω /km
ANM05.011.11.022AB	UL20233	300V	11X22AWG	22/0.14	9.3	136.93	55.4 Ω /km
ANM05.011.12.022AB	UL20233	300V	12X22AWG	22/0.14	9.3	139.03	55.4 Ω /km
ANM05.011.13.022AB	UL20233	300V	13X22AWG	22/0.14	9.7	150.93	55.4 Ω /km
ANM05.011.14.022AB	UL20233	300V	14X22AWG	22/0.14	9.7	153.13	55.4 Ω /km
ANM05.011.15.022AB	UL20233	300V	15X22AWG	22/0.14	10.2	167.93	55.4 Ω /km
ANM05.011.16.022AB	UL20233	300V	16X22AWG	22/0.14	10.2	170.13	55.4 Ω /km
ANM05.011.17.022AB	UL20233	300V	17X22AWG	22/0.14	11.2	198.23	55.4 Ω /km
ANM05.011.18.022AB	UL20233	300V	18X22AWG	22/0.14	11.2	200.53	55.4 Ω /km
ANM05.011.19.022AB	UL20233	300V	19X22AWG	22/0.14	11.2	202.73	55.4 Ω /km
ANM05.011.20.022AB	UL20233	300V	20X22AWG	22/0.14	11.5	213.53	55.4 Ω /km
ANM05.011.21.022AB	UL20233	300V	21X22AWG	22/0.14	11.7	221.53	55.4 Ω /km
ANM05.011.22.022AB	UL20233	300V	22X22AWG	22/0.14	12.4	244.93	55.4 Ω /km
ANM05.011.23.022AB	UL20233	300V	23X22AWG	22/0.14	12.8	259.83	55.4 Ω /km
ANM05.011.24.022AB	UL20233	300V	24X22AWG	22/0.14	12.8	261.93	55.4 Ω /km
ANM05.011.25.022AB	UL20233	300V	25X22AWG	22/0.14	13.1	273.93	55.4 Ω /km
ANM05.011.26.022AB	UL20233	300V	26X22AWG	22/0.14	13.1	276.13	55.4 Ω /km
ANM05.011.27.022AB	UL20233	300V	27X22AWG	22/0.14	13.1	278.33	55.4 Ω /km
ANM05.011.28.022AB	UL20233	300V	28X22AWG	22/0.14	13.6	297.23	55.4 Ω /km
ANM05.011.29.022AB	UL20233	300V	29X22AWG	22/0.14	13.6	299.53	55.4 Ω /km
ANM05.011.30.022AB	UL20233	300V	30X22AWG	22/0.14	13.6	301.73	55.4 Ω /km
ANM05.011.31.022AB	UL20233	300V	31X22AWG	22/0.14	14.1	321.23	55.4 Ω /km
ANM05.011.32.022AB	UL20233	300V	32X22AWG	22/0.14	14.1	323.53	55.4 Ω /km
ANM05.011.33.022AB	UL20233	300V	33X22AWG	22/0.14	14.1	325.73	55.4 Ω /km
ANM05.011.34.022AB	UL20233	300V	34X22AWG	22/0.14	14.5	342.23	55.4 Ω /km
ANM05.011.35.022AB	UL20233	300V	35X22AWG	22/0.14	14.5	344.33	55.4 Ω /km



ANM05.011.36.022AB	UL20233	300V	36X22AWG	22/0.14	14.5	346.63	55.4 Ω /km
ANM05.011.37.022AB	UL20233	300V	37X22AWG	22/0.14	14.5	348.83	55.4 Ω /km
ANM05.011.38.022AB	UL20233	300V	38X22AWG	22/0.14	15	369.53	55.4 Ω /km
ANM05.011.39.022AB	UL20233	300V	39X22AWG	22/0.14	15	371.73	55.4 Ω /km
ANM05.011.40.022AB	UL20233	300V	40X22AWG	22/0.14	15	373.93	55.4 Ω /km
ANM05.011.41.022AB	UL20233	300V	41X22AWG	22/0.14	16.1	418.73	55.4 Ω /km
ANM05.011.42.022AB	UL20233	300V	42X22AWG	22/0.14	16.1	420.93	55.4 Ω /km
ANM05.011.43.022AB	UL20233	300V	43X22AWG	22/0.14	16.1	423.13	55.4 Ω /km
ANM05.011.44.022AB	UL20233	300V	44X22AWG	22/0.14	16.1	425.33	55.4 Ω /km
ANM05.011.45.022AB	UL20233	300V	45X22AWG	22/0.14	16.4	439.73	55.4 Ω /km
ANM05.011.46.022AB	UL20233	300V	46X22AWG	22/0.14	16.4	442.03	55.4 Ω /km
ANM05.011.47.022AB	UL20233	300V	47X22AWG	22/0.14	16.4	444.13	55.4 Ω /km
ANM05.011.48.022AB	UL20233	300V	48X22AWG	22/0.14	16.4	446.43	55.4 Ω /km
ANM05.011.49.022AB	UL20233	300V	49X22AWG	22/0.14	16.8	465.03	55.4 Ω /km
ANM05.011.50.022AB	UL20233	300V	50X22AWG	22/0.14	16.8	467.33	55.4 Ω /km
ANM05.011.51.022AB	UL20233	300V	51X22AWG	22/0.14	16.8	469.43	55.4 Ω /km
ANM05.011.52.022AB	UL20233	300V	52X22AWG	22/0.14	16.8	471.73	55.4 Ω /km
ANM05.011.53.022AB	UL20233	300V	53X22AWG	22/0.14	17.3	495.23	55.4 Ω /km
ANM05.011.54.022AB	UL20233	300V	54X22AWG	22/0.14	17.3	497.33	55.4 Ω /km
ANM05.011.55.022AB	UL20233	300V	55X22AWG	22/0.14	17.3	499.63	55.4 Ω /km
ANM05.011.56.022AB	UL20233	300V	56X22AWG	22/0.14	17.3	501.83	55.4 Ω /km
ANM05.011.57.022AB	UL20233	300V	57X22AWG	22/0.14	17.7	521.43	55.4 Ω /km
ANM05.011.58.022AB	UL20233	300V	58X22AWG	22/0.14	17.7	523.53	55.4 Ω /km
ANM05.011.59.022AB	UL20233	300V	59X22AWG	22/0.14	17.7	525.83	55.4 Ω /km
ANM05.011.60.022AB	UL20233	300V	60X22AWG	22/0.14	17.7	528.03	55.4 Ω /km
ANM05.011.61.022AB	UL20233	300V	61X22AWG	22/0.14	17.7	530.33	55.4 Ω /km
ANM05.011.62.022AB	UL20233	300V	62X22AWG	22/0.14	18.2	554.73	55.4 Ω /km
ANM05.011.63.022AB	UL20233	300V	63X22AWG	22/0.14	18.2	556.93	55.4 Ω /km
ANM05.011.64.022AB	UL20233	300V	64X22AWG	22/0.14	18.2	559.23	55.4 Ω /km
ANM05.011.65.022AB	UL20233	300V	65X22AWG	22/0.14	18.2	561.43	55.4 Ω /km
ANM05.011.02.021AB	UL20233	300V	2X21AWG	27/0.14	5.6	48.02	43.6 Ω /km
ANM05.011.03.021AB	UL20233	300V	3X21AWG	27/0.14	5.9	55.42	43.6 Ω /km
ANM05.011.04.021AB	UL20233	300V	4X21AWG	27/0.14	6.4	66.32	43.6 Ω /km
ANM05.011.05.021AB	UL20233	300V	5X21AWG	27/0.14	6.8	75.92	43.6 Ω /km
ANM05.011.06.021AB	UL20233	300V	6X21AWG	27/0.14	7.3	87.82	43.6 Ω /km
ANM05.011.07.021AB	UL20233	300V	7X21AWG	27/0.14	7.3	90.72	43.6 Ω /km
ANM05.011.08.021AB	UL20233	300V	8X21AWG	27/0.14	7.9	105.12	43.6 Ω /km
ANM05.011.09.021AB	UL20233	300V	9X21AWG	27/0.14	8.9	128.82	43.6 Ω /km
ANM05.011.10.021AB	UL20233	300V	10X21AWG	27/0.14	9.4	143.22	43.6 Ω /km
ANM05.011.11.021AB	UL20233	300V	11X21AWG	27/0.14	9.7	153.32	43.6 Ω /km
ANM05.011.12.021AB	UL20233	300V	12X21AWG	27/0.14	9.7	156.22	43.6 Ω /km
ANM05.011.13.021AB	UL20233	300V	13X21AWG	27/0.14	10.2	171.62	43.6 Ω /km



ANM05.011.14.021AB	UL20233	300V	14X21AWG	27/0.14	10.2	174.42	43.6 Ω /km
ANM05.011.15.021AB	UL20233	300V	15X21AWG	27/0.14	11.2	203.22	43.6 Ω /km
ANM05.011.16.021AB	UL20233	300V	16X21AWG	27/0.14	11.2	206.02	43.6 Ω /km
ANM05.011.17.021AB	UL20233	300V	17X21AWG	27/0.14	11.7	223.22	43.6 Ω /km
ANM05.011.18.021AB	UL20233	300V	18X21AWG	27/0.14	11.7	226.12	43.6 Ω /km
ANM05.011.19.021AB	UL20233	300V	19X21AWG	27/0.14	11.7	229.02	43.6 Ω /km
ANM05.011.20.021AB	UL20233	300V	20X21AWG	27/0.14	12	240.72	43.6 Ω /km
ANM05.011.21.021AB	UL20233	300V	21X21AWG	27/0.14	12.3	252.82	43.6 Ω /km
ANM05.011.22.021AB	UL20233	300V	22X21AWG	27/0.14	12.9	274.52	43.6 Ω /km
ANM05.011.23.021AB	UL20233	300V	23X21AWG	27/0.14	13.5	297.02	43.6 Ω /km
ANM05.011.24.021AB	UL20233	300V	24X21AWG	27/0.14	13.5	299.92	43.6 Ω /km
ANM05.011.25.021AB	UL20233	300V	25X21AWG	27/0.14	13.8	312.92	43.6 Ω /km
ANM05.011.26.021AB	UL20233	300V	26X21AWG	27/0.14	13.8	315.82	43.6 Ω /km
ANM05.011.27.021AB	UL20233	300V	27X21AWG	27/0.14	13.8	318.72	43.6 Ω /km
ANM05.011.28.021AB	UL20233	300V	28X21AWG	27/0.14	14.3	339.02	43.6 Ω /km
ANM05.011.29.021AB	UL20233	300V	29X21AWG	27/0.14	14.3	341.92	43.6 Ω /km
ANM05.011.30.021AB	UL20233	300V	30X21AWG	27/0.14	14.3	344.82	43.6 Ω /km
ANM05.011.31.021AB	UL20233	300V	31X21AWG	27/0.14	14.7	362.02	43.6 Ω /km
ANM05.011.32.021AB	UL20233	300V	32X21AWG	27/0.14	14.7	364.92	43.6 Ω /km
ANM05.011.33.021AB	UL20233	300V	33X21AWG	27/0.14	14.7	367.72	43.6 Ω /km
ANM05.011.34.021AB	UL20233	300V	34X21AWG	27/0.14	15.2	389.12	43.6 Ω /km
ANM05.011.35.021AB	UL20233	300V	35X21AWG	27/0.14	15.2	392.02	43.6 Ω /km
ANM05.011.36.021AB	UL20233	300V	36X21AWG	27/0.14	15.2	394.82	43.6 Ω /km
ANM05.011.37.021AB	UL20233	300V	37X21AWG	27/0.14	15.2	397.72	43.6 Ω /km
ANM05.011.38.021AB	UL20233	300V	38X21AWG	27/0.14	15.8	423.72	43.6 Ω /km
ANM05.011.39.021AB	UL20233	300V	39X21AWG	27/0.14	15.8	426.52	43.6 Ω /km
ANM05.011.40.021AB	UL20233	300V	40X21AWG	27/0.14	15.8	429.42	43.6 Ω /km
ANM05.011.41.021AB	UL20233	300V	41X21AWG	27/0.14	16.9	476.82	43.6 Ω /km
ANM05.011.42.021AB	UL20233	300V	42X21AWG	27/0.14	16.9	479.62	43.6 Ω /km
ANM05.011.43.021AB	UL20233	300V	43X21AWG	27/0.14	16.9	482.52	43.6 Ω /km
ANM05.011.44.021AB	UL20233	300V	44X21AWG	27/0.14	16.9	485.32	43.6 Ω /km
ANM05.011.45.021AB	UL20233	300V	45X21AWG	27/0.14	17.2	500.92	43.6 Ω /km
ANM05.011.46.021AB	UL20233	300V	46X21AWG	27/0.14	17.2	503.72	43.6 Ω /km
ANM05.011.47.021AB	UL20233	300V	47X21AWG	27/0.14	17.2	506.52	43.6 Ω /km
ANM05.011.48.021AB	UL20233	300V	48X21AWG	27/0.14	17.2	509.52	43.6 Ω /km
ANM05.011.49.021AB	UL20233	300V	49X21AWG	27/0.14	17.7	534.02	43.6 Ω /km
ANM05.011.50.021AB	UL20233	300V	50X21AWG	27/0.14	17.7	536.82	43.6 Ω /km
ANM05.011.51.021AB	UL20233	300V	51X21AWG	27/0.14	17.7	539.72	43.6 Ω /km
ANM05.011.52.021AB	UL20233	300V	52X21AWG	27/0.14	17.7	542.62	43.6 Ω /km
ANM05.011.53.021AB	UL20233	300V	53X21AWG	27/0.14	18.1	563.12	43.6 Ω /km
ANM05.011.54.021AB	UL20233	300V	54X21AWG	27/0.14	18.1	565.92	43.6 Ω /km
ANM05.011.55.021AB	UL20233	300V	55X21AWG	27/0.14	18.1	568.72	43.6 Ω /km



ANM05.011.56.021AB	UL20233	300V	56X21AWG	27/0.14	18.1	571.62	43.6 Ω /km
ANM05.011.57.021AB	UL20233	300V	57X21AWG	27/0.14	18.6	597.32	43.6 Ω /km
ANM05.011.58.021AB	UL20233	300V	58X21AWG	27/0.14	18.6	600.12	43.6 Ω /km
ANM05.011.59.021AB	UL20233	300V	59X21AWG	27/0.14	18.6	603.02	43.6 Ω /km
ANM05.011.60.021AB	UL20233	300V	60X21AWG	27/0.14	18.6	605.92	43.6 Ω /km
ANM05.011.61.021AB	UL20233	300V	61X21AWG	27/0.14	18.6	608.62	43.6 Ω /km
ANM05.011.62.021AB	UL20233	300V	62X21AWG	27/0.14	19.2	639.62	43.6 Ω /km
ANM05.011.63.021AB	UL20233	300V	63X21AWG	27/0.14	19.2	642.52	43.6 Ω /km
ANM05.011.64.021AB	UL20233	300V	64X21AWG	27/0.14	19.2	645.32	43.6 Ω /km
ANM05.011.65.021AB	UL20233	300V	65X21AWG	27/0.14	19.2	648.22	43.6 Ω /km
ANM05.011.02.020AB	UL20233	300V	2X20AWG	34/0.14	5.8	52.72	34.6 Ω /km
ANM05.011.03.020AB	UL20233	300V	3X20AWG	34/0.14	6.1	60.92	34.6 Ω /km
ANM05.011.04.020AB	UL20233	300V	4X20AWG	34/0.14	6.6	72.82	34.6 Ω /km
ANM05.011.05.020AB	UL20233	300V	5X20AWG	34/0.14	7.1	85.22	34.6 Ω /km
ANM05.011.06.020AB	UL20233	300V	6X20AWG	34/0.14	7.6	98.22	34.6 Ω /km
ANM05.011.07.020AB	UL20233	300V	7X20AWG	34/0.14	7.6	101.72	34.6 Ω /km
ANM05.011.08.020AB	UL20233	300V	8X20AWG	34/0.14	8.6	125.62	34.6 Ω /km
ANM05.011.09.020AB	UL20233	300V	9X20AWG	34/0.14	9.3	145.12	34.6 Ω /km
ANM05.011.10.020AB	UL20233	300V	10X20AWG	34/0.14	9.8	160.82	34.6 Ω /km
ANM05.011.11.020AB	UL20233	300V	11X20AWG	34/0.14	10.1	171.92	34.6 Ω /km
ANM05.011.12.020AB	UL20233	300V	12X20AWG	34/0.14	10.1	175.52	34.6 Ω /km
ANM05.011.13.020AB	UL20233	300V	13X20AWG	34/0.14	11.2	207.62	34.6 Ω /km
ANM05.011.14.020AB	UL20233	300V	14X20AWG	34/0.14	11.2	211.32	34.6 Ω /km
ANM05.011.15.020AB	UL20233	300V	15X20AWG	34/0.14	11.7	229.22	34.6 Ω /km
ANM05.011.16.020AB	UL20233	300V	16X20AWG	34/0.14	11.7	232.92	34.6 Ω /km
ANM05.011.17.020AB	UL20233	300V	17X20AWG	34/0.14	12.2	251.62	34.6 Ω /km
ANM05.011.18.020AB	UL20233	300V	18X20AWG	34/0.14	12.2	255.22	34.6 Ω /km
ANM05.011.19.020AB	UL20233	300V	19X20AWG	34/0.14	12.2	258.92	34.6 Ω /km
ANM05.011.20.020AB	UL20233	300V	20X20AWG	34/0.14	12.5	271.72	34.6 Ω /km
ANM05.011.21.020AB	UL20233	300V	21X20AWG	34/0.14	12.8	284.82	34.6 Ω /km
ANM05.011.22.020AB	UL20233	300V	22X20AWG	34/0.14	13.6	314.72	34.6 Ω /km
ANM05.011.23.020AB	UL20233	300V	23X20AWG	34/0.14	14.1	335.72	34.6 Ω /km
ANM05.011.24.020AB	UL20233	300V	24X20AWG	34/0.14	14.1	339.32	34.6 Ω /km
ANM05.011.25.020AB	UL20233	300V	25X20AWG	34/0.14	14.4	353.62	34.6 Ω /km
ANM05.011.26.020AB	UL20233	300V	26X20AWG	34/0.14	14.4	357.12	34.6 Ω /km
ANM05.011.27.020AB	UL20233	300V	27X20AWG	34/0.14	14.4	360.72	34.6 Ω /km
ANM05.011.28.020AB	UL20233	300V	28X20AWG	34/0.14	14.9	382.52	34.6 Ω /km
ANM05.011.29.020AB	UL20233	300V	29X20AWG	34/0.14	14.9	386.22	34.6 Ω /km
ANM05.011.30.020AB	UL20233	300V	30X20AWG	34/0.14	14.9	389.82	34.6 Ω /km
ANM05.011.31.020AB	UL20233	300V	31X20AWG	34/0.14	15.4	412.32	34.6 Ω /km
ANM05.011.32.020AB	UL20233	300V	32X20AWG	34/0.14	15.4	415.92	34.6 Ω /km
ANM05.011.33.020AB	UL20233	300V	33X20AWG	34/0.14	15.4	419.62	34.6 Ω /km



ANM05.011.34.020AB	UL20233	300V	34X20AWG	34/0.14	15.9	442.72	34.6 Ω/km
ANM05.011.35.020AB	UL20233	300V	35X20AWG	34/0.14	15.9	446.32	34.6 Ω/km
ANM05.011.36.020AB	UL20233	300V	36X20AWG	34/0.14	15.9	449.92	34.6 Ω/km
ANM05.011.37.020AB	UL20233	300V	37X20AWG	34/0.14	15.9	453.52	34.6 Ω/km
ANM05.011.38.020AB	UL20233	300V	38X20AWG	34/0.14	16.5	481.32	34.6 Ω/km
ANM05.011.39.020AB	UL20233	300V	39X20AWG	34/0.14	16.5	484.82	34.6 Ω/km
ANM05.011.40.020AB	UL20233	300V	40X20AWG	34/0.14	16.5	488.52	34.6 Ω/km
ANM05.011.41.020AB	UL20233	300V	41X20AWG	34/0.14	17.7	543.02	34.6 Ω/km
ANM05.011.42.020AB	UL20233	300V	42X20AWG	34/0.14	17.7	546.72	34.6 Ω/km
ANM05.011.43.020AB	UL20233	300V	43X20AWG	34/0.14	17.7	550.32	34.6 Ω/km
ANM05.011.44.020AB	UL20233	300V	44X20AWG	34/0.14	17.7	554.02	34.6 Ω/km
ANM05.011.45.020AB	UL20233	300V	45X20AWG	34/0.14	18	570.82	34.6 Ω/km
ANM05.011.46.020AB	UL20233	300V	46X20AWG	34/0.14	18	574.52	34.6 Ω/km
ANM05.011.47.020AB	UL20233	300V	47X20AWG	34/0.14	18	578.12	34.6 Ω/km
ANM05.011.48.020AB	UL20233	300V	48X20AWG	34/0.14	18	581.82	34.6 Ω/km
ANM05.011.49.020AB	UL20233	300V	49X20AWG	34/0.14	18.5	607.92	34.6 Ω/km
ANM05.011.50.020AB	UL20233	300V	50X20AWG	34/0.14	18.5	611.62	34.6 Ω/km
ANM05.011.51.020AB	UL20233	300V	51X20AWG	34/0.14	18.5	615.32	34.6 Ω/km
ANM05.011.52.020AB	UL20233	300V	52X20AWG	34/0.14	18.5	618.92	34.6 Ω/km
ANM05.011.53.020AB	UL20233	300V	53X20AWG	34/0.14	19	645.62	34.6 Ω/km
ANM05.011.54.020AB	UL20233	300V	54X20AWG	34/0.14	19	649.12	34.6 Ω/km
ANM05.011.55.020AB	UL20233	300V	55X20AWG	34/0.14	19	652.82	34.6 Ω/km
ANM05.011.56.020AB	UL20233	300V	56X20AWG	34/0.14	19	656.32	34.6 Ω/km
ANM05.011.57.020AB	UL20233	300V	57X20AWG	34/0.14	20.5	731.32	34.6 Ω/km
ANM05.011.58.020AB	UL20233	300V	58X20AWG	34/0.14	20.5	734.82	34.6 Ω/km
ANM05.011.59.020AB	UL20233	300V	59X20AWG	34/0.14	20.5	738.52	34.6 Ω/km
ANM05.011.60.020AB	UL20233	300V	60X20AWG	34/0.14	20.5	742.12	34.6 Ω/km
ANM05.011.61.020AB	UL20233	300V	61X20AWG	34/0.14	20.5	745.82	34.6 Ω/km
ANM05.011.62.020AB	UL20233	300V	62X20AWG	34/0.14	21.1	780.22	34.6 Ω/km
ANM05.011.63.020AB	UL20233	300V	63X20AWG	34/0.14	21.1	783.82	34.6 Ω/km
ANM05.011.64.020AB	UL20233	300V	64X20AWG	34/0.14	21.1	787.42	34.6 Ω/km
ANM05.011.65.020AB	UL20233	300V	65X20AWG	34/0.14	21.1	791.12	34.6 Ω/km
ANM05.011.02.019AB	UL20233	300V	2X19AWG	43/0.14	6	57.86	27.4 Ω/km
ANM05.011.03.019AB	UL20233	300V	3X19AWG	43/0.14	6.3	67.26	27.4 Ω/km
ANM05.011.04.019AB	UL20233	300V	4X19AWG	43/0.14	6.8	80.46	27.4 Ω/km
ANM05.011.05.019AB	UL20233	300V	5X19AWG	43/0.14	7.4	95.96	27.4 Ω/km
ANM05.011.06.019AB	UL20233	300V	6X19AWG	43/0.14	7.9	110.36	27.4 Ω/km
ANM05.011.07.019AB	UL20233	300V	7X19AWG	43/0.14	7.9	114.86	27.4 Ω/km
ANM05.011.08.019AB	UL20233	300V	8X19AWG	43/0.14	8.9	140.46	27.4 Ω/km
ANM05.011.09.019AB	UL20233	300V	9X19AWG	43/0.14	9.7	163.76	27.4 Ω/km
ANM05.011.10.019AB	UL20233	300V	10X19AWG	43/0.14	10.2	181.06	27.4 Ω/km
ANM05.011.11.019AB	UL20233	300V	11X19AWG	43/0.14	11.1	208.76	27.4 Ω/km



ANM05.011.12.019AB	UL20233	300V	12X19AWG	43/0.14	11.1	213.46	27.4 Ω /km
ANM05.011.13.019AB	UL20233	300V	13X19AWG	43/0.14	11.6	232.16	27.4 Ω /km
ANM05.011.14.019AB	UL20233	300V	14X19AWG	43/0.14	11.6	236.86	27.4 Ω /km
ANM05.011.15.019AB	UL20233	300V	15X19AWG	43/0.14	12.2	259.36	27.4 Ω /km
ANM05.011.16.019AB	UL20233	300V	16X19AWG	43/0.14	12.2	264.06	27.4 Ω /km
ANM05.011.17.019AB	UL20233	300V	17X19AWG	43/0.14	12.7	284.16	27.4 Ω /km
ANM05.011.18.019AB	UL20233	300V	18X19AWG	43/0.14	12.7	288.86	27.4 Ω /km
ANM05.011.19.019AB	UL20233	300V	19X19AWG	43/0.14	12.7	293.46	27.4 Ω /km
ANM05.011.20.019AB	UL20233	300V	20X19AWG	43/0.14	13	307.66	27.4 Ω /km
ANM05.011.21.019AB	UL20233	300V	21X19AWG	43/0.14	13.4	325.46	27.4 Ω /km
ANM05.011.22.019AB	UL20233	300V	22X19AWG	43/0.14	14.2	357.66	27.4 Ω /km
ANM05.011.23.019AB	UL20233	300V	23X19AWG	43/0.14	14.7	380.16	27.4 Ω /km
ANM05.011.24.019AB	UL20233	300V	24X19AWG	43/0.14	14.7	384.86	27.4 Ω /km
ANM05.011.25.019AB	UL20233	300V	25X19AWG	43/0.14	15	400.56	27.4 Ω /km
ANM05.011.26.019AB	UL20233	300V	26X19AWG	43/0.14	15	405.26	27.4 Ω /km
ANM05.011.27.019AB	UL20233	300V	27X19AWG	43/0.14	15	409.76	27.4 Ω /km
ANM05.011.28.019AB	UL20233	300V	28X19AWG	43/0.14	15.5	433.36	27.4 Ω /km
ANM05.011.29.019AB	UL20233	300V	29X19AWG	43/0.14	15.5	437.96	27.4 Ω /km
ANM05.011.30.019AB	UL20233	300V	30X19AWG	43/0.14	15.5	442.56	27.4 Ω /km
ANM05.011.31.019AB	UL20233	300V	31X19AWG	43/0.14	16.1	470.86	27.4 Ω /km
ANM05.011.32.019AB	UL20233	300V	32X19AWG	43/0.14	16.1	475.46	27.4 Ω /km
ANM05.011.33.019AB	UL20233	300V	33X19AWG	43/0.14	16.1	480.06	27.4 Ω /km
ANM05.011.34.019AB	UL20233	300V	34X19AWG	43/0.14	16.6	504.96	27.4 Ω /km
ANM05.011.35.019AB	UL20233	300V	35X19AWG	43/0.14	16.6	509.46	27.4 Ω /km
ANM05.011.36.019AB	UL20233	300V	36X19AWG	43/0.14	16.6	514.26	27.4 Ω /km
ANM05.011.37.019AB	UL20233	300V	37X19AWG	43/0.14	16.6	518.76	27.4 Ω /km
ANM05.011.38.019AB	UL20233	300V	38X19AWG	43/0.14	17.2	548.56	27.4 Ω /km
ANM05.011.39.019AB	UL20233	300V	39X19AWG	43/0.14	17.2	553.06	27.4 Ω /km
ANM05.011.40.019AB	UL20233	300V	40X19AWG	43/0.14	17.2	557.86	27.4 Ω /km
ANM05.011.41.019AB	UL20233	300V	41X19AWG	43/0.14	18.5	619.86	27.4 Ω /km
ANM05.011.42.019AB	UL20233	300V	42X19AWG	43/0.14	18.5	624.46	27.4 Ω /km
ANM05.011.43.019AB	UL20233	300V	43X19AWG	43/0.14	18.5	629.16	27.4 Ω /km
ANM05.011.44.019AB	UL20233	300V	44X19AWG	43/0.14	18.5	633.76	27.4 Ω /km
ANM05.011.45.019AB	UL20233	300V	45X19AWG	43/0.14	18.8	652.16	27.4 Ω /km
ANM05.011.46.019AB	UL20233	300V	46X19AWG	43/0.14	18.8	656.76	27.4 Ω /km
ANM05.011.47.019AB	UL20233	300V	47X19AWG	43/0.14	18.8	661.36	27.4 Ω /km
ANM05.011.48.019AB	UL20233	300V	48X19AWG	43/0.14	18.8	666.06	27.4 Ω /km
ANM05.011.49.019AB	UL20233	300V	49X19AWG	43/0.14	19.3	694.16	27.4 Ω /km
ANM05.011.50.019AB	UL20233	300V	50X19AWG	43/0.14	19.3	698.86	27.4 Ω /km
ANM05.011.51.019AB	UL20233	300V	51X19AWG	43/0.14	19.3	703.36	27.4 Ω /km
ANM05.011.52.019AB	UL20233	300V	52X19AWG	43/0.14	19.3	708.16	27.4 Ω /km
ANM05.011.53.019AB	UL20233	300V	53X19AWG	43/0.14	20.9	790.26	27.4 Ω /km



ANM05.011.54.019AB	UL20233	300V	54X19AWG	43/0.14	20.9	794.76	27.4 Ω /km
ANM05.011.55.019AB	UL20233	300V	55X19AWG	43/0.14	20.9	799.56	27.4 Ω /km
ANM05.011.56.019AB	UL20233	300V	56X19AWG	43/0.14	20.9	804.06	27.4 Ω /km
ANM05.011.57.019AB	UL20233	300V	57X19AWG	43/0.14	21.4	834.76	27.4 Ω /km
ANM05.011.58.019AB	UL20233	300V	58X19AWG	43/0.14	21.4	839.26	27.4 Ω /km
ANM05.011.59.019AB	UL20233	300V	59X19AWG	43/0.14	21.4	843.96	27.4 Ω /km
ANM05.011.60.019AB	UL20233	300V	60X19AWG	43/0.14	21.4	848.56	27.4 Ω /km
ANM05.011.61.019AB	UL20233	300V	61X19AWG	43/0.14	21.4	853.16	27.4 Ω /km
ANM05.011.62.019AB	UL20233	300V	62X19AWG	43/0.14	22	889.86	27.4 Ω /km
ANM05.011.63.019AB	UL20233	300V	63X19AWG	43/0.14	22	894.56	27.4 Ω /km
ANM05.011.64.019AB	UL20233	300V	64X19AWG	43/0.14	22	899.16	27.4 Ω /km
ANM05.011.65.019AB	UL20233	300V	65X19AWG	43/0.14	22	903.76	27.4 Ω /km
ANM05.011.02.018AB	UL20233	300V	2X18AWG	29/0.19	6.2	63.83	21.8 Ω /km
ANM05.011.03.018AB	UL20233	300V	3X18AWG	29/0.19	6.6	76.33	21.8 Ω /km
ANM05.011.04.018AB	UL20233	300V	4X18AWG	29/0.19	7.1	91.33	21.8 Ω /km
ANM05.011.05.018AB	UL20233	300V	5X18AWG	29/0.19	7.6	106.53	21.8 Ω /km
ANM05.011.06.018AB	UL20233	300V	6X18AWG	29/0.19	8.6	132.53	21.8 Ω /km
ANM05.011.07.018AB	UL20233	300V	7X18AWG	29/0.19	8.6	138.63	21.8 Ω /km
ANM05.011.08.018AB	UL20233	300V	8X18AWG	29/0.19	9.2	158.03	21.8 Ω /km
ANM05.011.09.018AB	UL20233	300V	9X18AWG	29/0.19	10	183.43	21.8 Ω /km
ANM05.011.10.018AB	UL20233	300V	10X18AWG	29/0.19	11.2	220.43	21.8 Ω /km
ANM05.011.11.018AB	UL20233	300V	11X18AWG	29/0.19	11.6	237.83	21.8 Ω /km
ANM05.011.12.018AB	UL20233	300V	12X18AWG	29/0.19	11.6	243.63	21.8 Ω /km
ANM05.011.13.018AB	UL20233	300V	13X18AWG	29/0.19	12.1	264.53	21.8 Ω /km
ANM05.011.14.018AB	UL20233	300V	14X18AWG	29/0.19	12.1	270.43	21.8 Ω /km
ANM05.011.15.018AB	UL20233	300V	15X18AWG	29/0.19	12.6	291.83	21.8 Ω /km
ANM05.011.16.018AB	UL20233	300V	16X18AWG	29/0.19	12.6	297.93	21.8 Ω /km
ANM05.011.17.018AB	UL20233	300V	17X18AWG	29/0.19	13.2	323.03	21.8 Ω /km
ANM05.011.18.018AB	UL20233	300V	18X18AWG	29/0.19	13.2	329.03	21.8 Ω /km
ANM05.011.19.018AB	UL20233	300V	19X18AWG	29/0.19	13.2	335.13	21.8 Ω /km
ANM05.011.20.018AB	UL20233	300V	20X18AWG	29/0.19	13.7	357.73	21.8 Ω /km
ANM05.011.21.018AB	UL20233	300V	21X18AWG	29/0.19	13.9	370.53	21.8 Ω /km
ANM05.011.22.018AB	UL20233	300V	22X18AWG	29/0.19	14.7	405.13	21.8 Ω /km
ANM05.011.23.018AB	UL20233	300V	23X18AWG	29/0.19	15.3	433.33	21.8 Ω /km
ANM05.011.24.018AB	UL20233	300V	24X18AWG	29/0.19	15.3	439.23	21.8 Ω /km
ANM05.011.25.018AB	UL20233	300V	25X18AWG	29/0.19	15.7	460.83	21.8 Ω /km
ANM05.011.26.018AB	UL20233	300V	26X18AWG	29/0.19	15.7	466.63	21.8 Ω /km
ANM05.011.27.018AB	UL20233	300V	27X18AWG	29/0.19	15.7	472.63	21.8 Ω /km
ANM05.011.28.018AB	UL20233	300V	28X18AWG	29/0.19	16.2	498.23	21.8 Ω /km
ANM05.011.29.018AB	UL20233	300V	29X18AWG	29/0.19	16.2	504.33	21.8 Ω /km
ANM05.011.30.018AB	UL20233	300V	30X18AWG	29/0.19	16.2	510.33	21.8 Ω /km
ANM05.011.31.018AB	UL20233	300V	31X18AWG	29/0.19	16.7	536.53	21.8 Ω /km



ANM05.011.32.018AB	UL20233	300V	32X18AWG	29/0.19	16.7	542.53	21.8 Ω /km
ANM05.011.33.018AB	UL20233	300V	33X18AWG	29/0.19	16.7	548.53	21.8 Ω /km
ANM05.011.34.018AB	UL20233	300V	34X18AWG	29/0.19	17.3	579.73	21.8 Ω /km
ANM05.011.35.018AB	UL20233	300V	35X18AWG	29/0.19	17.3	585.83	21.8 Ω /km
ANM05.011.36.018AB	UL20233	300V	36X18AWG	29/0.19	17.3	591.73	21.8 Ω /km
ANM05.011.37.018AB	UL20233	300V	37X18AWG	29/0.19	17.3	597.63	21.8 Ω /km
ANM05.011.38.018AB	UL20233	300V	38X18AWG	29/0.19	17.9	629.73	21.8 Ω /km
ANM05.011.39.018AB	UL20233	300V	39X18AWG	29/0.19	17.9	635.73	21.8 Ω /km
ANM05.011.40.018AB	UL20233	300V	40X18AWG	29/0.19	17.9	641.63	21.8 Ω /km
ANM05.011.41.018AB	UL20233	300V	41X18AWG	29/0.19	19.3	711.93	21.8 Ω /km
ANM05.011.42.018AB	UL20233	300V	42X18AWG	29/0.19	19.3	717.83	21.8 Ω /km
ANM05.011.43.018AB	UL20233	300V	43X18AWG	29/0.19	19.3	723.83	21.8 Ω /km
ANM05.011.44.018AB	UL20233	300V	44X18AWG	29/0.19	19.3	729.83	21.8 Ω /km
ANM05.011.45.018AB	UL20233	300V	45X18AWG	29/0.19	20.7	802.93	21.8 Ω /km
ANM05.011.46.018AB	UL20233	300V	46X18AWG	29/0.19	20.7	808.83	21.8 Ω /km
ANM05.011.47.018AB	UL20233	300V	47X18AWG	29/0.19	20.7	814.93	21.8 Ω /km
ANM05.011.48.018AB	UL20233	300V	48X18AWG	29/0.19	20.7	820.73	21.8 Ω /km
ANM05.011.49.018AB	UL20233	300V	49X18AWG	29/0.19	21.2	852.53	21.8 Ω /km
ANM05.011.50.018AB	UL20233	300V	50X18AWG	29/0.19	21.2	858.63	21.8 Ω /km
ANM05.011.51.018AB	UL20233	300V	51X18AWG	29/0.19	21.2	864.43	21.8 Ω /km
ANM05.011.52.018AB	UL20233	300V	52X18AWG	29/0.19	21.2	870.43	21.8 Ω /km
ANM05.011.53.018AB	UL20233	300V	53X18AWG	29/0.19	21.7	902.83	21.8 Ω /km
ANM05.011.54.018AB	UL20233	300V	54X18AWG	29/0.19	21.7	908.73	21.8 Ω /km
ANM05.011.55.018AB	UL20233	300V	55X18AWG	29/0.19	21.7	914.73	21.8 Ω /km
ANM05.011.56.018AB	UL20233	300V	56X18AWG	29/0.19	21.7	920.53	21.8 Ω /km
ANM05.011.57.018AB	UL20233	300V	57X18AWG	29/0.19	22.3	959.13	21.8 Ω /km
ANM05.011.58.018AB	UL20233	300V	58X18AWG	29/0.19	22.3	965.13	21.8 Ω /km
ANM05.011.59.018AB	UL20233	300V	59X18AWG	29/0.19	22.3	971.03	21.8 Ω /km
ANM05.011.60.018AB	UL20233	300V	60X18AWG	29/0.19	22.3	977.03	21.8 Ω /km
ANM05.011.61.018AB	UL20233	300V	61X18AWG	29/0.19	22.3	983.03	21.8 Ω /km
ANM05.011.62.018AB	UL20233	300V	62X18AWG	29/0.19	22.9	1022.23	21.8 Ω /km
ANM05.011.63.018AB	UL20233	300V	63X18AWG	29/0.19	22.9	1028.33	21.8 Ω /km
ANM05.011.64.018AB	UL20233	300V	64X18AWG	29/0.19	22.9	1034.33	21.8 Ω /km
ANM05.011.65.018AB	UL20233	300V	65X18AWG	29/0.19	22.9	1040.13	21.8 Ω /km
ANM05.011.02.017AB	UL20233	300V	2X17AWG	37/0.19	6.6	73.54	17.3 Ω /km
ANM05.011.03.017AB	UL20233	300V	3X17AWG	37/0.19	7	87.84	17.3 Ω /km
ANM05.011.04.017AB	UL20233	300V	4X17AWG	37/0.19	7.6	106.44	17.3 Ω /km
ANM05.011.05.017AB	UL20233	300V	5X17AWG	37/0.19	8.6	133.94	17.3 Ω /km
ANM05.011.06.017AB	UL20233	300V	6X17AWG	37/0.19	9.2	154.74	17.3 Ω /km
ANM05.011.07.017AB	UL20233	300V	7X17AWG	37/0.19	9.2	162.04	17.3 Ω /km
ANM05.011.08.017AB	UL20233	300V	8X17AWG	37/0.19	9.9	186.34	17.3 Ω /km
ANM05.011.09.017AB	UL20233	300V	9X17AWG	37/0.19	11.4	232.94	17.3 Ω /km



ANM05.011.10.017AB	UL20233	300V	10X17AWG	37/0.19	12	258.04	17.3 Ω/km
ANM05.011.11.017AB	UL20233	300V	11X17AWG	37/0.19	12.4	277.54	17.3 Ω/km
ANM05.011.12.017AB	UL20233	300V	12X17AWG	37/0.19	12.4	284.94	17.3 Ω/km
ANM05.011.13.017AB	UL20233	300V	13X17AWG	37/0.19	13	311.24	17.3 Ω/km
ANM05.011.14.017AB	UL20233	300V	14X17AWG	37/0.19	13	318.54	17.3 Ω/km
ANM05.011.15.017AB	UL20233	300V	15X17AWG	37/0.19	13.7	349.24	17.3 Ω/km
ANM05.011.16.017AB	UL20233	300V	16X17AWG	37/0.19	13.7	356.64	17.3 Ω/km
ANM05.011.17.017AB	UL20233	300V	17X17AWG	37/0.19	14.3	384.94	17.3 Ω/km
ANM05.011.18.017AB	UL20233	300V	18X17AWG	37/0.19	14.3	392.34	17.3 Ω/km
ANM05.011.19.017AB	UL20233	300V	19X17AWG	37/0.19	14.3	399.84	17.3 Ω/km
ANM05.011.20.017AB	UL20233	300V	20X17AWG	37/0.19	14.7	421.54	17.3 Ω/km
ANM05.011.21.017AB	UL20233	300V	21X17AWG	37/0.19	15	440.04	17.3 Ω/km
ANM05.011.22.017AB	UL20233	300V	22X17AWG	37/0.19	15.9	481.84	17.3 Ω/km
ANM05.011.23.017AB	UL20233	300V	23X17AWG	37/0.19	16.5	513.24	17.3 Ω/km
ANM05.011.24.017AB	UL20233	300V	24X17AWG	37/0.19	16.5	520.64	17.3 Ω/km
ANM05.011.25.017AB	UL20233	300V	25X17AWG	37/0.19	16.9	544.54	17.3 Ω/km
ANM05.011.26.017AB	UL20233	300V	26X17AWG	37/0.19	16.9	551.84	17.3 Ω/km
ANM05.011.27.017AB	UL20233	300V	27X17AWG	37/0.19	16.9	559.34	17.3 Ω/km
ANM05.011.28.017AB	UL20233	300V	28X17AWG	37/0.19	17.5	592.34	17.3 Ω/km
ANM05.011.29.017AB	UL20233	300V	29X17AWG	37/0.19	17.5	599.74	17.3 Ω/km
ANM05.011.30.017AB	UL20233	300V	30X17AWG	37/0.19	17.5	607.04	17.3 Ω/km
ANM05.011.31.017AB	UL20233	300V	31X17AWG	37/0.19	18.1	640.84	17.3 Ω/km
ANM05.011.32.017AB	UL20233	300V	32X17AWG	37/0.19	18.1	648.14	17.3 Ω/km
ANM05.011.33.017AB	UL20233	300V	33X17AWG	37/0.19	18.1	655.44	17.3 Ω/km
ANM05.011.34.017AB	UL20233	300V	34X17AWG	37/0.19	18.7	690.14	17.3 Ω/km
ANM05.011.35.017AB	UL20233	300V	35X17AWG	37/0.19	18.7	697.54	17.3 Ω/km
ANM05.011.36.017AB	UL20233	300V	36X17AWG	37/0.19	18.7	704.94	17.3 Ω/km
ANM05.011.37.017AB	UL20233	300V	37X17AWG	37/0.19	18.7	712.44	17.3 Ω/km
ANM05.011.38.017AB	UL20233	300V	38X17AWG	37/0.19	19.4	752.74	17.3 Ω/km
ANM05.011.39.017AB	UL20233	300V	39X17AWG	37/0.19	19.4	760.14	17.3 Ω/km
ANM05.011.40.017AB	UL20233	300V	40X17AWG	37/0.19	19.4	767.44	17.3 Ω/km
ANM05.011.41.017AB	UL20233	300V	41X17AWG	37/0.19	21.9	900.04	17.3 Ω/km
ANM05.011.42.017AB	UL20233	300V	42X17AWG	37/0.19	21.9	907.34	17.3 Ω/km
ANM05.011.43.017AB	UL20233	300V	43X17AWG	37/0.19	21.9	914.74	17.3 Ω/km
ANM05.011.44.017AB	UL20233	300V	44X17AWG	37/0.19	21.9	922.04	17.3 Ω/km
ANM05.011.45.017AB	UL20233	300V	45X17AWG	37/0.19	22.3	951.34	17.3 Ω/km
ANM05.011.46.017AB	UL20233	300V	46X17AWG	37/0.19	22.3	958.74	17.3 Ω/km
ANM05.011.47.017AB	UL20233	300V	47X17AWG	37/0.19	22.3	966.14	17.3 Ω/km
ANM05.011.48.017AB	UL20233	300V	48X17AWG	37/0.19	22.3	973.44	17.3 Ω/km
ANM05.011.49.017AB	UL20233	300V	49X17AWG	37/0.19	22.9	1014.24	17.3 Ω/km
ANM05.011.50.017AB	UL20233	300V	50X17AWG	37/0.19	22.9	1021.54	17.3 Ω/km
ANM05.011.51.017AB	UL20233	300V	51X17AWG	37/0.19	22.9	1028.84	17.3 Ω/km



ANM05.011.52.017AB	UL20233	300V	52X17AWG	37/0.19	22.9	1036.24	17.3 Ω/km
ANM05.011.53.017AB	UL20233	300V	53X17AWG	37/0.19	23.5	1077.84	17.3 Ω/km
ANM05.011.54.017AB	UL20233	300V	54X17AWG	37/0.19	23.5	1085.14	17.3 Ω/km
ANM05.011.55.017AB	UL20233	300V	55X17AWG	37/0.19	23.5	1092.64	17.3 Ω/km
ANM05.011.56.017AB	UL20233	300V	56X17AWG	37/0.19	23.5	1099.94	17.3 Ω/km
ANM05.011.57.017AB	UL20233	300V	57X17AWG	37/0.19	24.1	1142.54	17.3 Ω/km
ANM05.011.58.017AB	UL20233	300V	58X17AWG	37/0.19	24.1	1149.94	17.3 Ω/km
ANM05.011.59.017AB	UL20233	300V	59X17AWG	37/0.19	24.1	1157.24	17.3 Ω/km
ANM05.011.60.017AB	UL20233	300V	60X17AWG	37/0.19	24.1	1164.64	17.3 Ω/km
ANM05.011.61.017AB	UL20233	300V	61X17AWG	37/0.19	24.1	1171.94	17.3 Ω/km
ANM05.011.62.017AB	UL20233	300V	62X17AWG	37/0.19	24.8	1221.44	17.3 Ω/km
ANM05.011.63.017AB	UL20233	300V	63X17AWG	37/0.19	24.8	1228.74	17.3 Ω/km
ANM05.011.64.017AB	UL20233	300V	64X17AWG	37/0.19	24.8	1236.24	17.3 Ω/km
ANM05.011.65.017AB	UL20233	300V	65X17AWG	37/0.19	24.8	1243.54	17.3 Ω/km
ANM05.011.02.016AB	UL20233	300V	2X16AWG	27/0.25	6.8	81.71	13.7 Ω/km
ANM05.011.03.016AB	UL20233	300V	3X16AWG	27/0.25	7.2	98.41	13.7 Ω/km
ANM05.011.04.016AB	UL20233	300V	4X16AWG	27/0.25	7.8	119.51	13.7 Ω/km
ANM05.011.05.016AB	UL20233	300V	5X16AWG	27/0.25	8.9	151.91	13.7 Ω/km
ANM05.011.06.016AB	UL20233	300V	6X16AWG	27/0.25	9.5	175.31	13.7 Ω/km
ANM05.011.07.016AB	UL20233	300V	7X16AWG	27/0.25	9.5	184.91	13.7 Ω/km
ANM05.011.08.016AB	UL20233	300V	8X16AWG	27/0.25	10.2	211.91	13.7 Ω/km
ANM05.011.09.016AB	UL20233	300V	9X16AWG	27/0.25	11.8	264.71	13.7 Ω/km
ANM05.011.10.016AB	UL20233	300V	10X16AWG	27/0.25	12.4	292.31	13.7 Ω/km
ANM05.011.11.016AB	UL20233	300V	11X16AWG	27/0.25	12.8	314.51	13.7 Ω/km
ANM05.011.12.016AB	UL20233	300V	12X16AWG	27/0.25	12.8	324.11	13.7 Ω/km
ANM05.011.13.016AB	UL20233	300V	13X16AWG	27/0.25	13.5	356.61	13.7 Ω/km
ANM05.011.14.016AB	UL20233	300V	14X16AWG	27/0.25	13.5	366.21	13.7 Ω/km
ANM05.011.15.016AB	UL20233	300V	15X16AWG	27/0.25	14.2	399.91	13.7 Ω/km
ANM05.011.16.016AB	UL20233	300V	16X16AWG	27/0.25	14.2	409.51	13.7 Ω/km
ANM05.011.17.016AB	UL20233	300V	17X16AWG	27/0.25	14.8	440.71	13.7 Ω/km
ANM05.011.18.016AB	UL20233	300V	18X16AWG	27/0.25	14.8	450.31	13.7 Ω/km
ANM05.011.19.016AB	UL20233	300V	19X16AWG	27/0.25	14.8	459.91	13.7 Ω/km
ANM05.011.20.016AB	UL20233	300V	20X16AWG	27/0.25	15.2	484.21	13.7 Ω/km
ANM05.011.21.016AB	UL20233	300V	21X16AWG	27/0.25	15.5	505.31	13.7 Ω/km
ANM05.011.22.016AB	UL20233	300V	22X16AWG	27/0.25	16.5	554.41	13.7 Ω/km
ANM05.011.23.016AB	UL20233	300V	23X16AWG	27/0.25	17.1	589.11	13.7 Ω/km
ANM05.011.24.016AB	UL20233	300V	24X16AWG	27/0.25	17.1	598.71	13.7 Ω/km
ANM05.011.25.016AB	UL20233	300V	25X16AWG	27/0.25	17.5	625.31	13.7 Ω/km
ANM05.011.26.016AB	UL20233	300V	26X16AWG	27/0.25	17.5	634.91	13.7 Ω/km
ANM05.011.27.016AB	UL20233	300V	27X16AWG	27/0.25	17.5	644.41	13.7 Ω/km
ANM05.011.28.016AB	UL20233	300V	28X16AWG	27/0.25	18.1	680.41	13.7 Ω/km
ANM05.011.29.016AB	UL20233	300V	29X16AWG	27/0.25	18.1	689.91	13.7 Ω/km



ANM05.011.30.016AB	UL20233	300V	30X16AWG	27/0.25	18.1	699.51	13.7 Ω /km
ANM05.011.31.016AB	UL20233	300V	31X16AWG	27/0.25	18.8	741.01	13.7 Ω /km
ANM05.011.32.016AB	UL20233	300V	32X16AWG	27/0.25	18.8	750.51	13.7 Ω /km
ANM05.011.33.016AB	UL20233	300V	33X16AWG	27/0.25	18.8	760.11	13.7 Ω /km
ANM05.011.34.016AB	UL20233	300V	34X16AWG	27/0.25	19.4	798.01	13.7 Ω /km
ANM05.011.35.016AB	UL20233	300V	35X16AWG	27/0.25	19.4	807.61	13.7 Ω /km
ANM05.011.36.016AB	UL20233	300V	36X16AWG	27/0.25	19.4	817.21	13.7 Ω /km
ANM05.011.37.016AB	UL20233	300V	37X16AWG	27/0.25	19.4	826.71	13.7 Ω /km
ANM05.011.38.016AB	UL20233	300V	38X16AWG	27/0.25	21.1	919.31	13.7 Ω /km
ANM05.011.39.016AB	UL20233	300V	39X16AWG	27/0.25	21.1	928.81	13.7 Ω /km
ANM05.011.40.016AB	UL20233	300V	40X16AWG	27/0.25	21.1	938.41	13.7 Ω /km
ANM05.011.41.016AB	UL20233	300V	41X16AWG	27/0.25	22.7	1034.31	13.7 Ω /km
ANM05.011.42.016AB	UL20233	300V	42X16AWG	27/0.25	22.7	1043.81	13.7 Ω /km
ANM05.011.43.016AB	UL20233	300V	43X16AWG	27/0.25	22.7	1053.41	13.7 Ω /km
ANM05.011.44.016AB	UL20233	300V	44X16AWG	27/0.25	22.7	1062.91	13.7 Ω /km
ANM05.011.45.016AB	UL20233	300V	45X16AWG	27/0.25	23.1	1095.01	13.7 Ω /km
ANM05.011.46.016AB	UL20233	300V	46X16AWG	27/0.25	23.1	1104.51	13.7 Ω /km
ANM05.011.47.016AB	UL20233	300V	47X16AWG	27/0.25	23.1	1114.11	13.7 Ω /km
ANM05.011.48.016AB	UL20233	300V	48X16AWG	27/0.25	23.1	1123.71	13.7 Ω /km
ANM05.011.49.016AB	UL20233	300V	49X16AWG	27/0.25	23.7	1167.61	13.7 Ω /km
ANM05.011.50.016AB	UL20233	300V	50X16AWG	27/0.25	23.7	1177.21	13.7 Ω /km
ANM05.011.51.016AB	UL20233	300V	51X16AWG	27/0.25	23.7	1186.71	13.7 Ω /km
ANM05.011.52.016AB	UL20233	300V	52X16AWG	27/0.25	23.7	1196.31	13.7 Ω /km
ANM05.011.53.016AB	UL20233	300V	53X16AWG	27/0.25	24.4	1247.41	13.7 Ω /km
ANM05.011.54.016AB	UL20233	300V	54X16AWG	27/0.25	24.4	1256.91	13.7 Ω /km
ANM05.011.55.016AB	UL20233	300V	55X16AWG	27/0.25	24.4	1266.51	13.7 Ω /km
ANM05.011.56.016AB	UL20233	300V	56X16AWG	27/0.25	24.4	1276.01	13.7 Ω /km
ANM05.011.57.016AB	UL20233	300V	57X16AWG	27/0.25	25	1322.01	13.7 Ω /km
ANM05.011.58.016AB	UL20233	300V	58X16AWG	27/0.25	25	1331.51	13.7 Ω /km
ANM05.011.59.016AB	UL20233	300V	59X16AWG	27/0.25	25	1341.11	13.7 Ω /km
ANM05.011.60.016AB	UL20233	300V	60X16AWG	27/0.25	25	1350.71	13.7 Ω /km
ANM05.011.61.016AB	UL20233	300V	61X16AWG	27/0.25	25	1360.21	13.7 Ω /km
ANM05.011.62.016AB	UL20233	300V	62X16AWG	27/0.25	25.7	1413.41	13.7 Ω /km
ANM05.011.63.016AB	UL20233	300V	63X16AWG	27/0.25	25.7	1422.91	13.7 Ω /km
ANM05.011.64.016AB	UL20233	300V	64X16AWG	27/0.25	25.7	1432.51	13.7 Ω /km
ANM05.011.65.016AB	UL20233	300V	65X16AWG	27/0.25	25.7	1442.11	13.7 Ω /km
ANM05.011.02.015AB	UL20233	300V	2X15AWG	34/0.25	7.6	101.45	10.9 Ω /km
ANM05.011.03.015AB	UL20233	300V	3X15AWG	34/0.25	8.5	131.35	10.9 Ω /km
ANM05.011.04.015AB	UL20233	300V	4X15AWG	34/0.25	9.2	158.95	10.9 Ω /km
ANM05.011.05.015AB	UL20233	300V	5X15AWG	34/0.25	9.9	187.85	10.9 Ω /km
ANM05.011.06.015AB	UL20233	300V	6X15AWG	34/0.25	11.3	236.25	10.9 Ω /km
ANM05.011.07.015AB	UL20233	300V	7X15AWG	34/0.25	11.3	248.25	10.9 Ω /km



ANM05.011.08.015AB	UL20233	300V	8X15AWG	34/0.25	12.2	286.65	10.9 Ω/km
ANM05.011.09.015AB	UL20233	300V	9X15AWG	34/0.25	13.2	330.25	10.9 Ω/km
ANM05.011.10.015AB	UL20233	300V	10X15AWG	34/0.25	14.1	372.95	10.9 Ω/km
ANM05.011.11.015AB	UL20233	300V	11X15AWG	34/0.25	14.6	402.65	10.9 Ω/km
ANM05.011.12.015AB	UL20233	300V	12X15AWG	34/0.25	14.6	414.55	10.9 Ω/km
ANM05.011.13.015AB	UL20233	300V	13X15AWG	34/0.25	15.3	452.55	10.9 Ω/km
ANM05.011.14.015AB	UL20233	300V	14X15AWG	34/0.25	15.3	464.55	10.9 Ω/km
ANM05.011.15.015AB	UL20233	300V	15X15AWG	34/0.25	16	503.65	10.9 Ω/km
ANM05.011.16.015AB	UL20233	300V	16X15AWG	34/0.25	16	515.65	10.9 Ω/km
ANM05.011.17.015AB	UL20233	300V	17X15AWG	34/0.25	16.8	560.15	10.9 Ω/km
ANM05.011.18.015AB	UL20233	300V	18X15AWG	34/0.25	16.8	572.15	10.9 Ω/km
ANM05.011.19.015AB	UL20233	300V	19X15AWG	34/0.25	16.8	584.15	10.9 Ω/km
ANM05.011.20.015AB	UL20233	300V	20X15AWG	34/0.25	17.3	617.25	10.9 Ω/km
ANM05.011.21.015AB	UL20233	300V	21X15AWG	34/0.25	17.7	646.45	10.9 Ω/km
ANM05.011.22.015AB	UL20233	300V	22X15AWG	34/0.25	18.7	703.45	10.9 Ω/km
ANM05.011.23.015AB	UL20233	300V	23X15AWG	34/0.25	20.5	800.55	10.9 Ω/km
ANM05.011.24.015AB	UL20233	300V	24X15AWG	34/0.25	20.5	812.45	10.9 Ω/km
ANM05.011.25.015AB	UL20233	300V	25X15AWG	34/0.25	21	850.05	10.9 Ω/km
ANM05.011.26.015AB	UL20233	300V	26X15AWG	34/0.25	21	861.95	10.9 Ω/km
ANM05.011.27.015AB	UL20233	300V	27X15AWG	34/0.25	21	873.95	10.9 Ω/km
ANM05.011.28.015AB	UL20233	300V	28X15AWG	34/0.25	21.7	922.75	10.9 Ω/km
ANM05.011.29.015AB	UL20233	300V	29X15AWG	34/0.25	21.7	934.75	10.9 Ω/km
ANM05.011.30.015AB	UL20233	300V	30X15AWG	34/0.25	21.7	946.65	10.9 Ω/km
ANM05.011.31.015AB	UL20233	300V	31X15AWG	34/0.25	22.4	996.65	10.9 Ω/km
ANM05.011.32.015AB	UL20233	300V	32X15AWG	34/0.25	22.4	1008.65	10.9 Ω/km
ANM05.011.33.015AB	UL20233	300V	33X15AWG	34/0.25	22.4	1020.55	10.9 Ω/km
ANM05.011.34.015AB	UL20233	300V	34X15AWG	34/0.25	23.2	1077.35	10.9 Ω/km
ANM05.011.35.015AB	UL20233	300V	35X15AWG	34/0.25	23.2	1089.35	10.9 Ω/km
ANM05.011.36.015AB	UL20233	300V	36X15AWG	34/0.25	23.2	1101.35	10.9 Ω/km
ANM05.011.37.015AB	UL20233	300V	37X15AWG	34/0.25	23.2	1113.35	10.9 Ω/km
ANM05.011.38.015AB	UL20233	300V	38X15AWG	34/0.25	24.1	1177.65	10.9 Ω/km
ANM05.011.39.015AB	UL20233	300V	39X15AWG	34/0.25	24.1	1189.55	10.9 Ω/km
ANM05.011.40.015AB	UL20233	300V	40X15AWG	34/0.25	24.1	1201.55	10.9 Ω/km
ANM05.011.41.015AB	UL20233	300V	41X15AWG	34/0.25	25.9	1324.05	10.9 Ω/km
ANM05.011.42.015AB	UL20233	300V	42X15AWG	34/0.25	25.9	1335.95	10.9 Ω/km
ANM05.011.43.015AB	UL20233	300V	43X15AWG	34/0.25	25.9	1347.95	10.9 Ω/km
ANM05.011.44.015AB	UL20233	300V	44X15AWG	34/0.25	25.9	1359.95	10.9 Ω/km
ANM05.011.45.015AB	UL20233	300V	45X15AWG	34/0.25	26.4	1404.05	10.9 Ω/km
ANM05.011.46.015AB	UL20233	300V	46X15AWG	34/0.25	26.4	1415.95	10.9 Ω/km
ANM05.011.47.015AB	UL20233	300V	47X15AWG	34/0.25	26.4	1427.95	10.9 Ω/km
ANM05.011.48.015AB	UL20233	300V	48X15AWG	34/0.25	26.4	1439.85	10.9 Ω/km
ANM05.011.49.015AB	UL20233	300V	49X15AWG	34/0.25	27.1	1497.75	10.9 Ω/km



ANM05.011.50.015AB	UL20233	300V	50X15AWG	34/0.25	27.1	1509.75	10.9 Ω /km
ANM05.011.51.015AB	UL20233	300V	51X15AWG	34/0.25	27.1	1521.65	10.9 Ω /km
ANM05.011.52.015AB	UL20233	300V	52X15AWG	34/0.25	27.1	1533.65	10.9 Ω /km
ANM05.011.53.015AB	UL20233	300V	53X15AWG	34/0.25	27.8	1592.75	10.9 Ω /km
ANM05.011.54.015AB	UL20233	300V	54X15AWG	34/0.25	27.8	1604.75	10.9 Ω /km
ANM05.011.55.015AB	UL20233	300V	55X15AWG	34/0.25	27.8	1616.75	10.9 Ω /km
ANM05.011.56.015AB	UL20233	300V	56X15AWG	34/0.25	27.8	1628.75	10.9 Ω /km
ANM05.011.57.015AB	UL20233	300V	57X15AWG	34/0.25	29.6	1764.75	10.9 Ω /km
ANM05.011.58.015AB	UL20233	300V	58X15AWG	34/0.25	29.6	1776.75	10.9 Ω /km
ANM05.011.59.015AB	UL20233	300V	59X15AWG	34/0.25	29.6	1788.65	10.9 Ω /km
ANM05.011.60.015AB	UL20233	300V	60X15AWG	34/0.25	29.6	1800.65	10.9 Ω /km
ANM05.011.61.015AB	UL20233	300V	61X15AWG	34/0.25	29.6	1812.55	10.9 Ω /km
ANM05.011.62.015AB	UL20233	300V	62X15AWG	34/0.25	30.9	1955.25	10.9 Ω /km
ANM05.011.63.015AB	UL20233	300V	63X15AWG	34/0.25	30.9	1967.25	10.9 Ω /km
ANM05.011.64.015AB	UL20233	300V	64X15AWG	34/0.25	30.9	1979.25	10.9 Ω /km
ANM05.011.65.015AB	UL20233	300V	65X15AWG	34/0.25	30.9	1991.15	10.9 Ω /km
ANM05.011.02.014AB	UL20233	300V	2X14AWG	43/0.25	8.4	123.98	8.62 Ω /km
ANM05.011.03.014AB	UL20233	300V	3X14AWG	43/0.25	8.9	150.18	8.62 Ω /km
ANM05.011.04.014AB	UL20233	300V	4X14AWG	43/0.25	9.7	184.08	8.62 Ω /km
ANM05.011.05.014AB	UL20233	300V	5X14AWG	43/0.25	11.1	234.98	8.62 Ω /km
ANM05.011.06.014AB	UL20233	300V	6X14AWG	43/0.25	11.9	273.18	8.62 Ω /km
ANM05.011.07.014AB	UL20233	300V	7X14AWG	43/0.25	11.9	288.28	8.62 Ω /km
ANM05.011.08.014AB	UL20233	300V	8X14AWG	43/0.25	12.8	331.08	8.62 Ω /km
ANM05.011.09.014AB	UL20233	300V	9X14AWG	43/0.25	14.1	389.98	8.62 Ω /km
ANM05.011.10.014AB	UL20233	300V	10X14AWG	43/0.25	14.9	433.88	8.62 Ω /km
ANM05.011.11.014AB	UL20233	300V	11X14AWG	43/0.25	15.4	467.88	8.62 Ω /km
ANM05.011.12.014AB	UL20233	300V	12X14AWG	43/0.25	15.4	483.08	8.62 Ω /km
ANM05.011.13.014AB	UL20233	300V	13X14AWG	43/0.25	16.2	529.58	8.62 Ω /km
ANM05.011.14.014AB	UL20233	300V	14X14AWG	43/0.25	16.2	544.68	8.62 Ω /km
ANM05.011.15.014AB	UL20233	300V	15X14AWG	43/0.25	17	592.68	8.62 Ω /km
ANM05.011.16.014AB	UL20233	300V	16X14AWG	43/0.25	17	607.88	8.62 Ω /km
ANM05.011.17.014AB	UL20233	300V	17X14AWG	43/0.25	17.8	657.48	8.62 Ω /km
ANM05.011.18.014AB	UL20233	300V	18X14AWG	43/0.25	17.8	672.68	8.62 Ω /km
ANM05.011.19.014AB	UL20233	300V	19X14AWG	43/0.25	17.8	687.78	8.62 Ω /km
ANM05.011.20.014AB	UL20233	300V	20X14AWG	43/0.25	18.3	725.18	8.62 Ω /km
ANM05.011.21.014AB	UL20233	300V	21X14AWG	43/0.25	18.7	758.58	8.62 Ω /km
ANM05.011.22.014AB	UL20233	300V	22X14AWG	43/0.25	20.9	879.28	8.62 Ω /km
ANM05.011.23.014AB	UL20233	300V	23X14AWG	43/0.25	21.7	936.38	8.62 Ω /km
ANM05.011.24.014AB	UL20233	300V	24X14AWG	43/0.25	21.7	951.58	8.62 Ω /km
ANM05.011.25.014AB	UL20233	300V	25X14AWG	43/0.25	22.2	993.78	8.62 Ω /km
ANM05.011.26.014AB	UL20233	300V	26X14AWG	43/0.25	22.2	1008.88	8.62 Ω /km
ANM05.011.27.014AB	UL20233	300V	27X14AWG	43/0.25	22.2	1023.98	8.62 Ω /km



ANM05.011.28.014AB	UL20233	300V	28X14AWG	43/0.25	23	1083.58	8.62 Ω /km
ANM05.011.29.014AB	UL20233	300V	29X14AWG	43/0.25	23	1098.68	8.62 Ω /km
ANM05.011.30.014AB	UL20233	300V	30X14AWG	43/0.25	23	1113.78	8.62 Ω /km
ANM05.011.31.014AB	UL20233	300V	31X14AWG	43/0.25	23.8	1175.08	8.62 Ω /km
ANM05.011.32.014AB	UL20233	300V	32X14AWG	43/0.25	23.8	1190.18	8.62 Ω /km
ANM05.011.33.014AB	UL20233	300V	33X14AWG	43/0.25	23.8	1205.38	8.62 Ω /km
ANM05.011.34.014AB	UL20233	300V	34X14AWG	43/0.25	24.6	1267.98	8.62 Ω /km
ANM05.011.35.014AB	UL20233	300V	35X14AWG	43/0.25	24.6	1283.08	8.62 Ω /km
ANM05.011.36.014AB	UL20233	300V	36X14AWG	43/0.25	24.6	1298.28	8.62 Ω /km
ANM05.011.37.014AB	UL20233	300V	37X14AWG	43/0.25	24.6	1313.48	8.62 Ω /km
ANM05.011.38.014AB	UL20233	300V	38X14AWG	43/0.25	25.5	1383.98	8.62 Ω /km
ANM05.011.39.014AB	UL20233	300V	39X14AWG	43/0.25	25.5	1399.08	8.62 Ω /km
ANM05.011.40.014AB	UL20233	300V	40X14AWG	43/0.25	25.5	1414.38	8.62 Ω /km
ANM05.011.41.014AB	UL20233	300V	41X14AWG	43/0.25	27.5	1559.48	8.62 Ω /km
ANM05.011.42.014AB	UL20233	300V	42X14AWG	43/0.25	27.5	1574.58	8.62 Ω /km
ANM05.011.43.014AB	UL20233	300V	43X14AWG	43/0.25	27.5	1589.68	8.62 Ω /km
ANM05.011.44.014AB	UL20233	300V	44X14AWG	43/0.25	27.5	1604.78	8.62 Ω /km
ANM05.011.45.014AB	UL20233	300V	45X14AWG	43/0.25	28	1654.18	8.62 Ω /km
ANM05.011.46.014AB	UL20233	300V	46X14AWG	43/0.25	28	1669.28	8.62 Ω /km
ANM05.011.47.014AB	UL20233	300V	47X14AWG	43/0.25	28	1684.28	8.62 Ω /km
ANM05.011.48.014AB	UL20233	300V	48X14AWG	43/0.25	28	1699.48	8.62 Ω /km
ANM05.011.49.014AB	UL20233	300V	49X14AWG	43/0.25	29.8	1839.68	8.62 Ω /km
ANM05.011.50.014AB	UL20233	300V	50X14AWG	43/0.25	29.8	1854.78	8.62 Ω /km
ANM05.011.51.014AB	UL20233	300V	51X14AWG	43/0.25	29.8	1869.98	8.62 Ω /km
ANM05.011.52.014AB	UL20233	300V	52X14AWG	43/0.25	29.8	1885.08	8.62 Ω /km
ANM05.011.02.013AB	UL20233	300V	2X13AWG	54/0.25	9	145.23	6.82 Ω /km
ANM05.011.03.013AB	UL20233	300V	3X13AWG	54/0.25	9.5	175.73	6.82 Ω /km
ANM05.011.04.013AB	UL20233	300V	4X13AWG	54/0.25	11	232.33	6.82 Ω /km
ANM05.011.05.013AB	UL20233	300V	5X13AWG	54/0.25	11.9	276.93	6.82 Ω /km
ANM05.011.06.013AB	UL20233	300V	6X13AWG	54/0.25	12.8	323.53	6.82 Ω /km
ANM05.011.07.013AB	UL20233	300V	7X13AWG	54/0.25	12.8	342.33	6.82 Ω /km
ANM05.011.08.013AB	UL20233	300V	8X13AWG	54/0.25	13.9	397.73	6.82 Ω /km
ANM05.011.09.013AB	UL20233	300V	9X13AWG	54/0.25	15.2	463.73	6.82 Ω /km
ANM05.011.10.013AB	UL20233	300V	10X13AWG	54/0.25	16.1	517.63	6.82 Ω /km
ANM05.011.11.013AB	UL20233	300V	11X13AWG	54/0.25	16.6	556.63	6.82 Ω /km
ANM05.011.12.013AB	UL20233	300V	12X13AWG	54/0.25	16.6	575.43	6.82 Ω /km
ANM05.011.13.013AB	UL20233	300V	13X13AWG	54/0.25	17.5	632.23	6.82 Ω /km
ANM05.011.14.013AB	UL20233	300V	14X13AWG	54/0.25	17.5	651.13	6.82 Ω /km
ANM05.011.15.013AB	UL20233	300V	15X13AWG	54/0.25	18.4	709.83	6.82 Ω /km
ANM05.011.16.013AB	UL20233	300V	16X13AWG	54/0.25	18.4	728.63	6.82 Ω /km
ANM05.011.17.013AB	UL20233	300V	17X13AWG	54/0.25	19.3	789.43	6.82 Ω /km
ANM05.011.18.013AB	UL20233	300V	18X13AWG	54/0.25	19.3	808.33	6.82 Ω /km



ANM05.011.19.013AB	UL20233	300V	19X13AWG	54/0.25	19.3	827.13	6.82 Ω/km
ANM05.011.20.013AB	UL20233	300V	20X13AWG	54/0.25	20.8	918.23	6.82 Ω/km
ANM05.011.21.013AB	UL20233	300V	21X13AWG	54/0.25	21.3	963.03	6.82 Ω/km
ANM05.011.22.013AB	UL20233	300V	22X13AWG	54/0.25	22.6	1052.03	6.82 Ω/km
ANM05.011.23.013AB	UL20233	300V	23X13AWG	54/0.25	23.5	1121.83	6.82 Ω/km
ANM05.011.24.013AB	UL20233	300V	24X13AWG	54/0.25	23.5	1140.53	6.82 Ω/km
ANM05.011.25.013AB	UL20233	300V	25X13AWG	54/0.25	24	1188.53	6.82 Ω/km
ANM05.011.26.013AB	UL20233	300V	26X13AWG	54/0.25	24	1207.33	6.82 Ω/km
ANM05.011.27.013AB	UL20233	300V	27X13AWG	54/0.25	24	1226.23	6.82 Ω/km
ANM05.011.28.013AB	UL20233	300V	28X13AWG	54/0.25	24.9	1299.23	6.82 Ω/km
ANM05.011.29.013AB	UL20233	300V	29X13AWG	54/0.25	24.9	1318.03	6.82 Ω/km
ANM05.011.30.013AB	UL20233	300V	30X13AWG	54/0.25	24.9	1336.83	6.82 Ω/km
ANM05.011.31.013AB	UL20233	300V	31X13AWG	54/0.25	25.8	1411.63	6.82 Ω/km
ANM05.011.32.013AB	UL20233	300V	32X13AWG	54/0.25	25.8	1430.43	6.82 Ω/km
ANM05.011.33.013AB	UL20233	300V	33X13AWG	54/0.25	25.8	1449.23	6.82 Ω/km
ANM05.011.34.013AB	UL20233	300V	34X13AWG	54/0.25	26.7	1526.13	6.82 Ω/km
ANM05.011.35.013AB	UL20233	300V	35X13AWG	54/0.25	26.7	1544.93	6.82 Ω/km
ANM05.011.36.013AB	UL20233	300V	36X13AWG	54/0.25	26.7	1563.83	6.82 Ω/km
ANM05.011.37.013AB	UL20233	300V	37X13AWG	54/0.25	26.7	1582.63	6.82 Ω/km
ANM05.011.38.013AB	UL20233	300V	38X13AWG	54/0.25	27.7	1668.23	6.82 Ω/km
ANM05.011.39.013AB	UL20233	300V	39X13AWG	54/0.25	27.7	1687.03	6.82 Ω/km
ANM05.011.40.013AB	UL20233	300V	40X13AWG	54/0.25	27.7	1705.83	6.82 Ω/km
ANM05.011.41.013AB	UL20233	300V	41X13AWG	54/0.25	31.3	2017.33	6.82 Ω/km
ANM05.011.42.013AB	UL20233	300V	42X13AWG	54/0.25	31.3	2036.13	6.82 Ω/km
ANM05.011.43.013AB	UL20233	300V	43X13AWG	54/0.25	31.3	2054.93	6.82 Ω/km
ANM05.011.44.013AB	UL20233	300V	44X13AWG	54/0.25	31.3	2073.83	6.82 Ω/km
ANM05.011.45.013AB	UL20233	300V	45X13AWG	54/0.25	31.8	2132.13	6.82 Ω/km
ANM05.011.46.013AB	UL20233	300V	46X13AWG	54/0.25	31.8	2150.93	6.82 Ω/km
ANM05.011.47.013AB	UL20233	300V	47X13AWG	54/0.25	31.8	2169.63	6.82 Ω/km
ANM05.011.48.013AB	UL20233	300V	48X13AWG	54/0.25	31.8	2188.43	6.82 Ω/km
ANM05.011.49.013AB	UL20233	300V	49X13AWG	54/0.25	32.7	2279.43	6.82 Ω/km
ANM05.011.50.013AB	UL20233	300V	50X13AWG	54/0.25	32.7	2298.23	6.82 Ω/km
ANM05.011.51.013AB	UL20233	300V	51X13AWG	54/0.25	32.7	2317.03	6.82 Ω/km
ANM05.011.52.013AB	UL20233	300V	52X13AWG	54/0.25	32.7	2335.83	6.82 Ω/km
ANM05.011.02.012AB	UL20233	300V	2X12AWG	68/0.25	9.8	175.41	5.43 Ω/km
ANM05.011.03.012AB	UL20233	300V	3X12AWG	68/0.25	11	229.91	5.43 Ω/km
ANM05.011.04.012AB	UL20233	300V	4X12AWG	68/0.25	11.9	280.01	5.43 Ω/km
ANM05.011.05.012AB	UL20233	300V	5X12AWG	68/0.25	13	338.11	5.43 Ω/km
ANM05.011.06.012AB	UL20233	300V	6X12AWG	68/0.25	14.1	399.41	5.43 Ω/km
ANM05.011.07.012AB	UL20233	300V	7X12AWG	68/0.25	14.1	423.41	5.43 Ω/km
ANM05.011.08.012AB	UL20233	300V	8X12AWG	68/0.25	15.2	487.71	5.43 Ω/km
ANM05.011.09.012AB	UL20233	300V	9X12AWG	68/0.25	16.7	571.11	5.43 Ω/km



ANM05.011.10.012AB	UL20233	300V	10X12AWG	68/0.25	17.7	637.81	5.43 Ω /km
ANM05.011.11.012AB	UL20233	300V	11X12AWG	68/0.25	18.3	688.61	5.43 Ω /km
ANM05.011.12.012AB	UL20233	300V	12X12AWG	68/0.25	18.3	712.71	5.43 Ω /km
ANM05.011.13.012AB	UL20233	300V	13X12AWG	68/0.25	19.2	778.51	5.43 Ω /km
ANM05.011.14.012AB	UL20233	300V	14X12AWG	68/0.25	19.2	802.51	5.43 Ω /km
ANM05.011.15.012AB	UL20233	300V	15X12AWG	68/0.25	21.3	929.51	5.43 Ω /km
ANM05.011.16.012AB	UL20233	300V	16X12AWG	68/0.25	21.3	953.61	5.43 Ω /km
ANM05.011.17.012AB	UL20233	300V	17X12AWG	68/0.25	22.3	1031.31	5.43 Ω /km
ANM05.011.18.012AB	UL20233	300V	18X12AWG	68/0.25	22.3	1055.31	5.43 Ω /km
ANM05.011.19.012AB	UL20233	300V	19X12AWG	68/0.25	22.3	1079.61	5.43 Ω /km
ANM05.011.20.012AB	UL20233	300V	20X12AWG	68/0.25	22.9	1137.01	5.43 Ω /km
ANM05.011.21.012AB	UL20233	300V	21X12AWG	68/0.25	23.4	1189.51	5.43 Ω /km
ANM05.011.22.012AB	UL20233	300V	22X12AWG	68/0.25	24.9	1302.61	5.43 Ω /km
ANM05.011.23.012AB	UL20233	300V	23X12AWG	68/0.25	25.9	1389.21	5.43 Ω /km
ANM05.011.24.012AB	UL20233	300V	24X12AWG	68/0.25	25.9	1413.21	5.43 Ω /km
ANM05.011.25.012AB	UL20233	300V	25X12AWG	68/0.25	26.5	1475.81	5.43 Ω /km
ANM05.011.26.012AB	UL20233	300V	26X12AWG	68/0.25	26.5	1499.91	5.43 Ω /km
ANM05.011.27.012AB	UL20233	300V	27X12AWG	68/0.25	26.5	1524.01	5.43 Ω /km
ANM05.011.28.012AB	UL20233	300V	28X12AWG	68/0.25	27.4	1607.51	5.43 Ω /km
ANM05.011.29.012AB	UL20233	300V	29X12AWG	68/0.25	27.4	1631.51	5.43 Ω /km
ANM05.011.30.012AB	UL20233	300V	30X12AWG	68/0.25	27.4	1655.71	5.43 Ω /km
ANM05.011.31.012AB	UL20233	300V	31X12AWG	68/0.25	29.5	1824.01	5.43 Ω /km
ANM05.011.32.012AB	UL20233	300V	32X12AWG	68/0.25	29.5	1848.11	5.43 Ω /km
ANM05.011.33.012AB	UL20233	300V	33X12AWG	68/0.25	29.5	1872.21	5.43 Ω /km
ANM05.011.34.012AB	UL20233	300V	34X12AWG	68/0.25	30.9	2034.21	5.43 Ω /km
ANM05.011.35.012AB	UL20233	300V	35X12AWG	68/0.25	30.9	2058.21	5.43 Ω /km
ANM05.011.36.012AB	UL20233	300V	36X12AWG	68/0.25	30.9	2082.21	5.43 Ω /km
ANM05.011.37.012AB	UL20233	300V	37X12AWG	68/0.25	30.9	2106.41	5.43 Ω /km
ANM05.011.02.011AB	UL20233	300V	2X11AWG	85/0.25	11.2	223.47	4.30 Ω /km
ANM05.011.03.011AB	UL20233	300V	3X11AWG	85/0.25	11.9	273.37	4.30 Ω /km
ANM05.011.04.011AB	UL20233	300V	4X11AWG	85/0.25	12.9	334.07	4.30 Ω /km
ANM05.011.05.011AB	UL20233	300V	5X11AWG	85/0.25	14.1	404.07	4.30 Ω /km
ANM05.011.06.011AB	UL20233	300V	6X11AWG	85/0.25	15.3	477.47	4.30 Ω /km
ANM05.011.07.011AB	UL20233	300V	7X11AWG	85/0.25	15.3	507.17	4.30 Ω /km
ANM05.011.08.011AB	UL20233	300V	8X11AWG	85/0.25	16.5	584.27	4.30 Ω /km
ANM05.011.09.011AB	UL20233	300V	9X11AWG	85/0.25	18.1	682.37	4.30 Ω /km
ANM05.011.10.011AB	UL20233	300V	10X11AWG	85/0.25	19.3	767.47	4.30 Ω /km
ANM05.011.11.011AB	UL20233	300V	11X11AWG	85/0.25	21	879.77	4.30 Ω /km
ANM05.011.12.011AB	UL20233	300V	12X11AWG	85/0.25	21	909.37	4.30 Ω /km
ANM05.011.13.011AB	UL20233	300V	13X11AWG	85/0.25	22	992.07	4.30 Ω /km
ANM05.011.14.011AB	UL20233	300V	14X11AWG	85/0.25	22	1021.67	4.30 Ω /km
ANM05.011.15.011AB	UL20233	300V	15X11AWG	85/0.25	23.1	1112.27	4.30 Ω /km



ANM05.011.16.011AB	UL20233	300V	16X11AWG	85/0.25	23.1	1142.07	4.30 Ω /km
ANM05.011.17.011AB	UL20233	300V	17X11AWG	85/0.25	24.3	1241.57	4.30 Ω /km
ANM05.011.18.011AB	UL20233	300V	18X11AWG	85/0.25	24.3	1271.27	4.30 Ω /km
ANM05.011.19.011AB	UL20233	300V	19X11AWG	85/0.25	24.3	1300.97	4.30 Ω /km
ANM05.011.20.011AB	UL20233	300V	20X11AWG	85/0.25	25	1372.87	4.30 Ω /km
ANM05.011.21.011AB	UL20233	300V	21X11AWG	85/0.25	25.5	1433.67	4.30 Ω /km
ANM05.011.22.011AB	UL20233	300V	22X11AWG	85/0.25	27.1	1566.57	4.30 Ω /km
ANM05.011.23.011AB	UL20233	300V	23X11AWG	85/0.25	28.3	1677.77	4.30 Ω /km
ANM05.011.24.011AB	UL20233	300V	24X11AWG	85/0.25	28.3	1707.37	4.30 Ω /km
ANM05.011.25.011AB	UL20233	300V	25X11AWG	85/0.25	30	1856.07	4.30 Ω /km
ANM05.011.26.011AB	UL20233	300V	26X11AWG	85/0.25	30	1885.67	4.30 Ω /km
ANM05.011.27.011AB	UL20233	300V	27X11AWG	85/0.25	30	1915.37	4.30 Ω /km
ANM05.011.28.011AB	UL20233	300V	28X11AWG	85/0.25	31.4	2085.37	4.30 Ω /km
ANM05.011.29.011AB	UL20233	300V	29X11AWG	85/0.25	31.4	2114.97	4.30 Ω /km
ANM05.011.30.011AB	UL20233	300V	30X11AWG	85/0.25	31.4	2144.57	4.30 Ω /km
ANM05.011.31.011AB	UL20233	300V	31X11AWG	85/0.25	32.5	2261.87	4.30 Ω /km
ANM05.011.32.011AB	UL20233	300V	32X11AWG	85/0.25	32.5	2291.47	4.30 Ω /km
ANM05.011.33.011AB	UL20233	300V	33X11AWG	85/0.25	32.5	2321.17	4.30 Ω /km
ANM05.011.34.011AB	UL20233	300V	34X11AWG	85/0.25	33.7	2449.47	4.30 Ω /km
ANM05.011.35.011AB	UL20233	300V	35X11AWG	85/0.25	33.7	2479.07	4.30 Ω /km
ANM05.011.36.011AB	UL20233	300V	36X11AWG	85/0.25	33.7	2508.87	4.30 Ω /km
ANM05.011.37.011AB	UL20233	300V	37X11AWG	85/0.25	33.7	2538.37	4.30 Ω /km
ANM05.011.02.010AB	UL20233	300V	2X10AWG	108/0.25	12.4	271.47	3.409 Ω /km
ANM05.011.03.010AB	UL20233	300V	3X10AWG	108/0.25	13.2	332.47	3.409 Ω /km
ANM05.011.04.010AB	UL20233	300V	4X10AWG	108/0.25	14.5	412.77	3.409 Ω /km
ANM05.011.05.010AB	UL20233	300V	5X10AWG	108/0.25	15.8	497.17	3.409 Ω /km
ANM05.011.06.010AB	UL20233	300V	6X10AWG	108/0.25	17.1	585.57	3.409 Ω /km
ANM05.011.07.010AB	UL20233	300V	7X10AWG	108/0.25	17.1	620.97	3.409 Ω /km
ANM05.011.08.010AB	UL20233	300V	8X10AWG	108/0.25	18.5	718.07	3.409 Ω /km
ANM05.011.09.010AB	UL20233	300V	9X10AWG	108/0.25	21.4	894.17	3.409 Ω /km
ANM05.011.10.010AB	UL20233	300V	10X10AWG	108/0.25	22.7	1000.37	3.409 Ω /km
ANM05.011.11.010AB	UL20233	300V	11X10AWG	108/0.25	23.5	1080.97	3.409 Ω /km
ANM05.011.12.010AB	UL20233	300V	12X10AWG	108/0.25	23.5	1116.37	3.409 Ω /km
ANM05.011.13.010AB	UL20233	300V	13X10AWG	108/0.25	24.7	1223.07	3.409 Ω /km
ANM05.011.14.010AB	UL20233	300V	14X10AWG	108/0.25	24.7	1258.37	3.409 Ω /km
ANM05.011.15.010AB	UL20233	300V	15X10AWG	108/0.25	26	1374.77	3.409 Ω /km
ANM05.011.16.010AB	UL20233	300V	16X10AWG	108/0.25	26	1410.27	3.409 Ω /km
ANM05.011.17.010AB	UL20233	300V	17X10AWG	108/0.25	27.3	1530.57	3.409 Ω /km
ANM05.011.18.010AB	UL20233	300V	18X10AWG	108/0.25	27.3	1565.97	3.409 Ω /km
ANM05.011.19.010AB	UL20233	300V	19X10AWG	108/0.25	27.3	1601.47	3.409 Ω /km
ANM05.011.20.010AB	UL20233	300V	20X10AWG	108/0.25	28.1	1691.27	3.409 Ω /km
ANM05.011.21.010AB	UL20233	300V	21X10AWG	108/0.25	29.7	1837.57	3.409 Ω /km



ANM05.011.22.010AB	UL20233	300V	22X10AWG	108/0.25	32	2082.57	3.409 Ω /km
ANM05.011.23.010AB	UL20233	300V	23X10AWG	108/0.25	33.3	2223.57	3.409 Ω /km
ANM05.011.24.010AB	UL20233	300V	24X10AWG	108/0.25	33.3	2258.87	3.409 Ω /km
ANM05.011.25.010AB	UL20233	300V	25X10AWG	108/0.25	34.1	2361.37	3.409 Ω /km
ANM05.011.26.010AB	UL20233	300V	26X10AWG	108/0.25	34.1	2396.77	3.409 Ω /km
ANM05.011.27.010AB	UL20233	300V	27X10AWG	108/0.25	34.1	2432.07	3.409 Ω /km
ANM05.011.28.010AB	UL20233	300V	28X10AWG	108/0.25	35.3	2570.97	3.409 Ω /km
ANM05.011.29.010AB	UL20233	300V	29X10AWG	108/0.25	35.3	2606.37	3.409 Ω /km
ANM05.011.30.010AB	UL20233	300V	30X10AWG	108/0.25	35.3	2641.77	3.409 Ω /km
ANM05.011.31.010AB	UL20233	300V	31X10AWG	108/0.25	36.9	2820.57	3.409 Ω /km
ANM05.011.32.010AB	UL20233	300V	32X10AWG	108/0.25	36.9	2855.97	3.409 Ω /km
ANM05.011.33.010AB	UL20233	300V	33X10AWG	108/0.25	36.9	2891.37	3.409 Ω /km
ANM05.011.34.010AB	UL20233	300V	34X10AWG	108/0.25	38.2	3047.67	3.409 Ω /km
ANM05.011.35.010AB	UL20233	300V	35X10AWG	108/0.25	38.2	3083.17	3.409 Ω /km
ANM05.011.36.010AB	UL20233	300V	36X10AWG	108/0.25	38.2	3118.57	3.409 Ω /km
ANM05.011.37.010AB	UL20233	300V	37X10AWG	108/0.25	38.2	3153.87	3.409 Ω /km
ANM05.011.02.009AB	UL20233	300V	2X9AWG	136/0.25	13.9	342.54	2.705 Ω /km
ANM05.011.03.009AB	UL20233	300V	3X9AWG	136/0.25	14.8	420.34	2.705 Ω /km
ANM05.011.04.009AB	UL20233	300V	4X9AWG	136/0.25	16.1	515.94	2.705 Ω /km
ANM05.011.05.009AB	UL20233	300V	5X9AWG	136/0.25	17.7	628.44	2.705 Ω /km
ANM05.011.06.009AB	UL20233	300V	6X9AWG	136/0.25	19.2	742.64	2.705 Ω /km
ANM05.011.07.009AB	UL20233	300V	7X9AWG	136/0.25	19.2	788.14	2.705 Ω /km
ANM05.011.08.009AB	UL20233	300V	8X9AWG	136/0.25	21.8	963.34	2.705 Ω /km
ANM05.011.09.009AB	UL20233	300V	9X9AWG	136/0.25	24	1132.84	2.705 Ω /km
ANM05.011.10.009AB	UL20233	300V	10X9AWG	136/0.25	25.5	1269.74	2.705 Ω /km
ANM05.011.11.009AB	UL20233	300V	11X9AWG	136/0.25	26.4	1372.84	2.705 Ω /km
ANM05.011.12.009AB	UL20233	300V	12X9AWG	136/0.25	26.4	1418.34	2.705 Ω /km
ANM05.011.13.009AB	UL20233	300V	13X9AWG	136/0.25	27.7	1550.24	2.705 Ω /km
ANM05.011.14.009AB	UL20233	300V	14X9AWG	136/0.25	27.7	1595.84	2.705 Ω /km
ANM05.011.15.009AB	UL20233	300V	15X9AWG	136/0.25	30.7	1887.94	2.705 Ω /km
ANM05.011.16.009AB	UL20233	300V	16X9AWG	136/0.25	30.7	1933.54	2.705 Ω /km
ANM05.011.17.009AB	UL20233	300V	17X9AWG	136/0.25	32.2	2096.64	2.705 Ω /km
ANM05.011.18.009AB	UL20233	300V	18X9AWG	136/0.25	32.2	2142.24	2.705 Ω /km
ANM05.011.19.009AB	UL20233	300V	19X9AWG	136/0.25	32.2	2187.84	2.705 Ω /km
ANM05.011.20.009AB	UL20233	300V	20X9AWG	136/0.25	33.1	2306.74	2.705 Ω /km
ANM05.011.21.009AB	UL20233	300V	21X9AWG	136/0.25	33.8	2410.44	2.705 Ω /km
ANM05.011.22.009AB	UL20233	300V	22X9AWG	136/0.25	36.3	2673.84	2.705 Ω /km
ANM05.011.23.009AB	UL20233	300V	23X9AWG	136/0.25	37.8	2857.14	2.705 Ω /km
ANM05.011.24.009AB	UL20233	300V	24X9AWG	136/0.25	37.8	2902.74	2.705 Ω /km
ANM05.011.25.009AB	UL20233	300V	25X9AWG	136/0.25	38.7	3033.74	2.705 Ω /km
ANM05.011.26.009AB	UL20233	300V	26X9AWG	136/0.25	38.7	3079.34	2.705 Ω /km
ANM05.011.27.009AB	UL20233	300V	27X9AWG	136/0.25	38.7	3124.94	2.705 Ω /km



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANM05.011.28.009AB	UL20233	300V	28X9AWG	136/0.25	40	3297.24	2.705 Ω/km
ANM05.011.29.009AB	UL20233	300V	29X9AWG	136/0.25	40	3342.94	2.705 Ω/km
ANM05.011.30.009AB	UL20233	300V	30X9AWG	136/0.25	40	3388.64	2.705 Ω/km
ANM05.011.31.009AB	UL20233	300V	31X9AWG	136/0.25	41.8	3654.94	2.705 Ω/km
ANM05.011.32.009AB	UL20233	300V	32X9AWG	136/0.25	41.8	3700.54	2.705 Ω/km
ANM05.011.33.009AB	UL20233	300V	33X9AWG	136/0.25	41.8	3746.24	2.705 Ω/km
ANM05.011.34.009AB	UL20233	300V	34X9AWG	136/0.25	44.7	4097.04	2.705 Ω/km
ANM05.011.35.009AB	UL20233	300V	35X9AWG	136/0.25	44.7	4142.64	2.705 Ω/km
ANM05.011.36.009AB	UL20233	300V	36X9AWG	136/0.25	44.7	4188.24	2.705 Ω/km
ANM05.011.37.009AB	UL20233	300V	37X9AWG	136/0.25	44.7	4233.94	2.705 Ω/km
芯线 PE 材质							
ANM07.005.02.028AB	UL20233	300V	2X28AWG	11/0.1	3.8	20.89	223 Ω/km
ANM07.005.03.028AB	UL20233	300V	3X28AWG	11/0.1	4	23.59	223 Ω/km
ANM07.005.04.028AB	UL20233	300V	4X28AWG	11/0.1	4.2	26.39	223 Ω/km
ANM07.005.05.028AB	UL20233	300V	5X28AWG	11/0.1	4.4	29.09	223 Ω/km
ANM07.005.06.028AB	UL20233	300V	6X28AWG	11/0.1	4.6	32.19	223 Ω/km
ANM07.005.07.028AB	UL20233	300V	7X28AWG	11/0.1	4.6	32.79	223 Ω/km
ANM07.005.08.028AB	UL20233	300V	8X28AWG	11/0.1	4.9	37.09	223 Ω/km
ANM07.005.09.028AB	UL20233	300V	9X28AWG	11/0.1	5.2	41.79	223 Ω/km
ANM07.005.10.028AB	UL20233	300V	10X28AWG	11/0.1	5.4	44.99	223 Ω/km
ANM07.005.11.028AB	UL20233	300V	11X28AWG	11/0.1	5.6	48.49	223 Ω/km
ANM07.005.12.028AB	UL20233	300V	12X28AWG	11/0.1	5.6	49.09	223 Ω/km
ANM07.005.13.028AB	UL20233	300V	13X28AWG	11/0.1	5.8	52.69	223 Ω/km
ANM07.005.14.028AB	UL20233	300V	14X28AWG	11/0.1	5.8	53.29	223 Ω/km
ANM07.005.15.028AB	UL20233	300V	15X28AWG	11/0.1	6	56.79	223 Ω/km
ANM07.005.16.028AB	UL20233	300V	16X28AWG	11/0.1	6	57.39	223 Ω/km
ANM07.005.17.028AB	UL20233	300V	17X28AWG	11/0.1	6.2	61.09	223 Ω/km
ANM07.005.18.028AB	UL20233	300V	18X28AWG	11/0.1	6.2	61.79	223 Ω/km
ANM07.005.19.028AB	UL20233	300V	19X28AWG	11/0.1	6.2	62.39	223 Ω/km
ANM07.005.20.028AB	UL20233	300V	20X28AWG	11/0.1	6.4	66.29	223 Ω/km
ANM07.005.21.028AB	UL20233	300V	21X28AWG	11/0.1	6.5	68.49	223 Ω/km
ANM07.005.22.028AB	UL20233	300V	22X28AWG	11/0.1	6.8	74.19	223 Ω/km
ANM07.005.23.028AB	UL20233	300V	23X28AWG	11/0.1	7	78.39	223 Ω/km
ANM07.005.24.028AB	UL20233	300V	24X28AWG	11/0.1	7	78.99	223 Ω/km
ANM07.005.25.028AB	UL20233	300V	25X28AWG	11/0.1	7.2	83.19	223 Ω/km
ANM07.005.26.028AB	UL20233	300V	26X28AWG	11/0.1	7.2	83.79	223 Ω/km
ANM07.005.27.028AB	UL20233	300V	27X28AWG	11/0.1	7.2	84.39	223 Ω/km
ANM07.005.28.028AB	UL20233	300V	28X28AWG	11/0.1	7.4	88.69	223 Ω/km
ANM07.005.29.028AB	UL20233	300V	29X28AWG	11/0.1	7.4	89.29	223 Ω/km
ANM07.005.30.028AB	UL20233	300V	30X28AWG	11/0.1	7.4	89.89	223 Ω/km
ANM07.005.31.028AB	UL20233	300V	31X28AWG	11/0.1	7.6	94.29	223 Ω/km



ANM07.005.32.028AB	UL20233	300V	32X28AWG	11/0.1	7.6	94.79	223 Ω/km
ANM07.005.33.028AB	UL20233	300V	33X28AWG	11/0.1	7.6	95.39	223 Ω/km
ANM07.005.34.028AB	UL20233	300V	34X28AWG	11/0.1	7.8	99.99	223 Ω/km
ANM07.005.35.028AB	UL20233	300V	35X28AWG	11/0.1	7.8	100.59	223 Ω/km
ANM07.005.36.028AB	UL20233	300V	36X28AWG	11/0.1	7.8	101.29	223 Ω/km
ANM07.005.37.028AB	UL20233	300V	37X28AWG	11/0.1	7.8	101.79	223 Ω/km
ANM07.005.38.028AB	UL20233	300V	38X28AWG	11/0.1	8.5	116.29	223 Ω/km
ANM07.005.39.028AB	UL20233	300V	39X28AWG	11/0.1	8.5	116.89	223 Ω/km
ANM07.005.40.028AB	UL20233	300V	40X28AWG	11/0.1	8.5	117.49	223 Ω/km
ANM07.005.41.028AB	UL20233	300V	41X28AWG	11/0.1	9	129.09	223 Ω/km
ANM07.005.42.028AB	UL20233	300V	42X28AWG	11/0.1	9	129.69	223 Ω/km
ANM07.005.43.028AB	UL20233	300V	43X28AWG	11/0.1	9	130.39	223 Ω/km
ANM07.005.44.028AB	UL20233	300V	44X28AWG	11/0.1	9	130.89	223 Ω/km
ANM07.005.45.028AB	UL20233	300V	45X28AWG	11/0.1	9.2	136.09	223 Ω/km
ANM07.005.46.028AB	UL20233	300V	46X28AWG	11/0.1	9.2	136.69	223 Ω/km
ANM07.005.47.028AB	UL20233	300V	47X28AWG	11/0.1	9.2	137.29	223 Ω/km
ANM07.005.48.028AB	UL20233	300V	48X28AWG	11/0.1	9.2	137.89	223 Ω/km
ANM07.005.49.028AB	UL20233	300V	49X28AWG	11/0.1	9.4	143.19	223 Ω/km
ANM07.005.50.028AB	UL20233	300V	50X28AWG	11/0.1	9.4	143.79	223 Ω/km
ANM07.005.51.028AB	UL20233	300V	51X28AWG	11/0.1	9.4	144.29	223 Ω/km
ANM07.005.52.028AB	UL20233	300V	52X28AWG	11/0.1	9.4	144.99	223 Ω/km
ANM07.005.53.028AB	UL20233	300V	53X28AWG	11/0.1	9.6	150.29	223 Ω/km
ANM07.005.54.028AB	UL20233	300V	54X28AWG	11/0.1	9.6	150.89	223 Ω/km
ANM07.005.55.028AB	UL20233	300V	55X28AWG	11/0.1	9.6	151.49	223 Ω/km
ANM07.005.56.028AB	UL20233	300V	56X28AWG	11/0.1	9.6	151.99	223 Ω/km
ANM07.005.57.028AB	UL20233	300V	57X28AWG	11/0.1	9.8	157.69	223 Ω/km
ANM07.005.58.028AB	UL20233	300V	58X28AWG	11/0.1	9.8	158.19	223 Ω/km
ANM07.005.59.028AB	UL20233	300V	59X28AWG	11/0.1	9.8	158.79	223 Ω/km
ANM07.005.60.028AB	UL20233	300V	60X28AWG	11/0.1	9.8	159.39	223 Ω/km
ANM07.005.61.028AB	UL20233	300V	61X28AWG	11/0.1	9.8	159.99	223 Ω/km
ANM07.005.62.028AB	UL20233	300V	62X28AWG	11/0.1	10.1	168.09	223 Ω/km
ANM07.005.63.028AB	UL20233	300V	63X28AWG	11/0.1	10.1	168.59	223 Ω/km
ANM07.005.64.028AB	UL20233	300V	64X28AWG	11/0.1	10.1	169.19	223 Ω/km
ANM07.005.65.028AB	UL20233	300V	65X28AWG	11/0.1	10.1	169.79	223 Ω/km
ANM07.005.02.027AB	UL20233	300V	2X27AWG	7/0.14	4	23.11	175 Ω/km
ANM07.005.03.027AB	UL20233	300V	3X27AWG	7/0.14	4.2	25.91	175 Ω/km
ANM07.005.04.027AB	UL20233	300V	4X27AWG	7/0.14	4.4	28.81	175 Ω/km
ANM07.005.05.027AB	UL20233	300V	5X27AWG	7/0.14	4.7	33.21	175 Ω/km
ANM07.005.06.027AB	UL20233	300V	6X27AWG	7/0.14	4.9	36.21	175 Ω/km
ANM07.005.07.027AB	UL20233	300V	7X27AWG	7/0.14	4.9	37.01	175 Ω/km
ANM07.005.08.027AB	UL20233	300V	8X27AWG	7/0.14	5.2	41.61	175 Ω/km
ANM07.005.09.027AB	UL20233	300V	9X27AWG	7/0.14	5.6	47.81	175 Ω/km



ANM07.005.10.027AB	UL20233	300V	10X27AWG	7/0.14	5.8	51.51	175 Ω/km
ANM07.005.11.027AB	UL20233	300V	11X27AWG	7/0.14	6	55.01	175 Ω/km
ANM07.005.12.027AB	UL20233	300V	12X27AWG	7/0.14	6	55.71	175 Ω/km
ANM07.005.13.027AB	UL20233	300V	13X27AWG	7/0.14	6.2	59.61	175 Ω/km
ANM07.005.14.027AB	UL20233	300V	14X27AWG	7/0.14	6.2	60.21	175 Ω/km
ANM07.005.15.027AB	UL20233	300V	15X27AWG	7/0.14	6.5	65.81	175 Ω/km
ANM07.005.16.027AB	UL20233	300V	16X27AWG	7/0.14	6.5	66.51	175 Ω/km
ANM07.005.17.027AB	UL20233	300V	17X27AWG	7/0.14	6.7	70.41	175 Ω/km
ANM07.005.18.027AB	UL20233	300V	18X27AWG	7/0.14	6.7	71.11	175 Ω/km
ANM07.005.19.027AB	UL20233	300V	19X27AWG	7/0.14	6.7	71.81	175 Ω/km
ANM07.005.20.027AB	UL20233	300V	20X27AWG	7/0.14	6.9	75.91	175 Ω/km
ANM07.005.21.027AB	UL20233	300V	21X27AWG	7/0.14	7	78.41	175 Ω/km
ANM07.005.22.027AB	UL20233	300V	22X27AWG	7/0.14	7.4	86.41	175 Ω/km
ANM07.005.23.027AB	UL20233	300V	23X27AWG	7/0.14	7.6	90.81	175 Ω/km
ANM07.005.24.027AB	UL20233	300V	24X27AWG	7/0.14	7.6	91.51	175 Ω/km
ANM07.005.25.027AB	UL20233	300V	25X27AWG	7/0.14	7.8	96.11	175 Ω/km
ANM07.005.26.027AB	UL20233	300V	26X27AWG	7/0.14	7.8	96.91	175 Ω/km
ANM07.005.27.027AB	UL20233	300V	27X27AWG	7/0.14	7.8	97.51	175 Ω/km
ANM07.005.28.027AB	UL20233	300V	28X27AWG	7/0.14	8.4	109.91	175 Ω/km
ANM07.005.29.027AB	UL20233	300V	29X27AWG	7/0.14	8.4	110.61	175 Ω/km
ANM07.005.30.027AB	UL20233	300V	30X27AWG	7/0.14	8.4	111.11	175 Ω/km
ANM07.005.31.027AB	UL20233	300V	31X27AWG	7/0.14	8.7	118.31	175 Ω/km
ANM07.005.32.027AB	UL20233	300V	32X27AWG	7/0.14	8.7	118.91	175 Ω/km
ANM07.005.33.027AB	UL20233	300V	33X27AWG	7/0.14	8.7	119.51	175 Ω/km
ANM07.005.34.027AB	UL20233	300V	34X27AWG	7/0.14	8.9	124.81	175 Ω/km
ANM07.005.35.027AB	UL20233	300V	35X27AWG	7/0.14	8.9	125.51	175 Ω/km
ANM07.005.36.027AB	UL20233	300V	36X27AWG	7/0.14	8.9	126.11	175 Ω/km
ANM07.005.37.027AB	UL20233	300V	37X27AWG	7/0.14	8.9	126.81	175 Ω/km
ANM07.005.38.027AB	UL20233	300V	38X27AWG	7/0.14	9.2	134.11	175 Ω/km
ANM07.005.39.027AB	UL20233	300V	39X27AWG	7/0.14	9.2	134.81	175 Ω/km
ANM07.005.40.027AB	UL20233	300V	40X27AWG	7/0.14	9.2	135.41	175 Ω/km
ANM07.005.41.027AB	UL20233	300V	41X27AWG	7/0.14	9.8	150.51	175 Ω/km
ANM07.005.42.027AB	UL20233	300V	42X27AWG	7/0.14	9.8	151.21	175 Ω/km
ANM07.005.43.027AB	UL20233	300V	43X27AWG	7/0.14	9.8	151.91	175 Ω/km
ANM07.005.44.027AB	UL20233	300V	44X27AWG	7/0.14	9.8	152.51	175 Ω/km
ANM07.005.45.027AB	UL20233	300V	45X27AWG	7/0.14	10	158.21	175 Ω/km
ANM07.005.46.027AB	UL20233	300V	46X27AWG	7/0.14	10	158.81	175 Ω/km
ANM07.005.47.027AB	UL20233	300V	47X27AWG	7/0.14	10	159.51	175 Ω/km
ANM07.005.48.027AB	UL20233	300V	48X27AWG	7/0.14	10	160.11	175 Ω/km
ANM07.005.49.027AB	UL20233	300V	49X27AWG	7/0.14	10.2	165.71	175 Ω/km
ANM07.005.50.027AB	UL20233	300V	50X27AWG	7/0.14	10.2	166.51	175 Ω/km
ANM07.005.51.027AB	UL20233	300V	51X27AWG	7/0.14	10.2	167.11	175 Ω/km



ANM07.005.52.027AB	UL20233	300V	52X27AWG	7/0.14	10.2	167.71	175 Ω/km
ANM07.005.53.027AB	UL20233	300V	53X27AWG	7/0.14	11.1	191.61	175 Ω/km
ANM07.005.54.027AB	UL20233	300V	54X27AWG	7/0.14	11.1	192.21	175 Ω/km
ANM07.005.55.027AB	UL20233	300V	55X27AWG	7/0.14	11.1	192.81	175 Ω/km
ANM07.005.56.027AB	UL20233	300V	56X27AWG	7/0.14	11.1	193.41	175 Ω/km
ANM07.005.57.027AB	UL20233	300V	57X27AWG	7/0.14	11.3	199.81	175 Ω/km
ANM07.005.58.027AB	UL20233	300V	58X27AWG	7/0.14	11.3	200.51	175 Ω/km
ANM07.005.59.027AB	UL20233	300V	59X27AWG	7/0.14	11.3	201.11	175 Ω/km
ANM07.005.60.027AB	UL20233	300V	60X27AWG	7/0.14	11.3	201.71	175 Ω/km
ANM07.005.61.027AB	UL20233	300V	61X27AWG	7/0.14	11.3	202.31	175 Ω/km
ANM07.005.62.027AB	UL20233	300V	62X27AWG	7/0.14	11.6	211.61	175 Ω/km
ANM07.005.63.027AB	UL20233	300V	63X27AWG	7/0.14	11.6	212.21	175 Ω/km
ANM07.005.64.027AB	UL20233	300V	64X27AWG	7/0.14	11.6	212.81	175 Ω/km
ANM07.005.65.027AB	UL20233	300V	65X27AWG	7/0.14	11.6	213.51	175 Ω/km
ANM07.005.02.026AB	UL20233	300V	2X26AWG	9/0.14	4	23.63	140 Ω/km
ANM07.005.03.026AB	UL20233	300V	3X26AWG	9/0.14	4.2	26.73	140 Ω/km
ANM07.005.04.026AB	UL20233	300V	4X26AWG	9/0.14	4.4	29.83	140 Ω/km
ANM07.005.05.026AB	UL20233	300V	5X26AWG	9/0.14	4.7	34.43	140 Ω/km
ANM07.005.06.026AB	UL20233	300V	6X26AWG	9/0.14	4.9	37.73	140 Ω/km
ANM07.005.07.026AB	UL20233	300V	7X26AWG	9/0.14	4.9	38.73	140 Ω/km
ANM07.005.08.026AB	UL20233	300V	8X26AWG	9/0.14	5.2	43.63	140 Ω/km
ANM07.005.09.026AB	UL20233	300V	9X26AWG	9/0.14	5.6	50.03	140 Ω/km
ANM07.005.10.026AB	UL20233	300V	10X26AWG	9/0.14	5.8	53.93	140 Ω/km
ANM07.005.11.026AB	UL20233	300V	11X26AWG	9/0.14	6	57.73	140 Ω/km
ANM07.005.12.026AB	UL20233	300V	12X26AWG	9/0.14	6	58.63	140 Ω/km
ANM07.005.13.026AB	UL20233	300V	13X26AWG	9/0.14	6.2	62.73	140 Ω/km
ANM07.005.14.026AB	UL20233	300V	14X26AWG	9/0.14	6.2	63.73	140 Ω/km
ANM07.005.15.026AB	UL20233	300V	15X26AWG	9/0.14	6.5	69.53	140 Ω/km
ANM07.005.16.026AB	UL20233	300V	16X26AWG	9/0.14	6.5	70.53	140 Ω/km
ANM07.005.17.026AB	UL20233	300V	17X26AWG	9/0.14	6.7	74.63	140 Ω/km
ANM07.005.18.026AB	UL20233	300V	18X26AWG	9/0.14	6.7	75.53	140 Ω/km
ANM07.005.19.026AB	UL20233	300V	19X26AWG	9/0.14	6.7	76.53	140 Ω/km
ANM07.005.20.026AB	UL20233	300V	20X26AWG	9/0.14	6.9	80.83	140 Ω/km
ANM07.005.21.026AB	UL20233	300V	21X26AWG	9/0.14	7	83.53	140 Ω/km
ANM07.005.22.026AB	UL20233	300V	22X26AWG	9/0.14	7.4	91.83	140 Ω/km
ANM07.005.23.026AB	UL20233	300V	23X26AWG	9/0.14	7.6	96.43	140 Ω/km
ANM07.005.24.026AB	UL20233	300V	24X26AWG	9/0.14	7.6	97.43	140 Ω/km
ANM07.005.25.026AB	UL20233	300V	25X26AWG	9/0.14	7.8	102.23	140 Ω/km
ANM07.005.26.026AB	UL20233	300V	26X26AWG	9/0.14	7.8	103.23	140 Ω/km
ANM07.005.27.026AB	UL20233	300V	27X26AWG	9/0.14	7.8	104.23	140 Ω/km
ANM07.005.28.026AB	UL20233	300V	28X26AWG	9/0.14	8.4	116.83	140 Ω/km
ANM07.005.29.026AB	UL20233	300V	29X26AWG	9/0.14	8.4	117.73	140 Ω/km



ANM07.005.30.026AB	UL20233	300V	30X26AWG	9/0.14	8.4	118.53	140 Ω/km
ANM07.005.31.026AB	UL20233	300V	31X26AWG	9/0.14	8.7	125.93	140 Ω/km
ANM07.005.32.026AB	UL20233	300V	32X26AWG	9/0.14	8.7	126.83	140 Ω/km
ANM07.005.33.026AB	UL20233	300V	33X26AWG	9/0.14	8.7	127.63	140 Ω/km
ANM07.005.34.026AB	UL20233	300V	34X26AWG	9/0.14	8.9	133.13	140 Ω/km
ANM07.005.35.026AB	UL20233	300V	35X26AWG	9/0.14	8.9	134.13	140 Ω/km
ANM07.005.36.026AB	UL20233	300V	36X26AWG	9/0.14	8.9	134.93	140 Ω/km
ANM07.005.37.026AB	UL20233	300V	37X26AWG	9/0.14	8.9	135.83	140 Ω/km
ANM07.005.38.026AB	UL20233	300V	38X26AWG	9/0.14	9.2	143.43	140 Ω/km
ANM07.005.39.026AB	UL20233	300V	39X26AWG	9/0.14	9.2	144.33	140 Ω/km
ANM07.005.40.026AB	UL20233	300V	40X26AWG	9/0.14	9.2	145.33	140 Ω/km
ANM07.005.41.026AB	UL20233	300V	41X26AWG	9/0.14	9.8	160.63	140 Ω/km
ANM07.005.42.026AB	UL20233	300V	42X26AWG	9/0.14	9.8	161.53	140 Ω/km
ANM07.005.43.026AB	UL20233	300V	43X26AWG	9/0.14	9.8	162.53	140 Ω/km
ANM07.005.44.026AB	UL20233	300V	44X26AWG	9/0.14	9.8	163.33	140 Ω/km
ANM07.005.45.026AB	UL20233	300V	45X26AWG	9/0.14	10	169.23	140 Ω/km
ANM07.005.46.026AB	UL20233	300V	46X26AWG	9/0.14	10	170.13	140 Ω/km
ANM07.005.47.026AB	UL20233	300V	47X26AWG	9/0.14	10	171.03	140 Ω/km
ANM07.005.48.026AB	UL20233	300V	48X26AWG	9/0.14	10	171.93	140 Ω/km
ANM07.005.49.026AB	UL20233	300V	49X26AWG	9/0.14	10.2	177.73	140 Ω/km
ANM07.005.50.026AB	UL20233	300V	50X26AWG	9/0.14	10.2	178.73	140 Ω/km
ANM07.005.51.026AB	UL20233	300V	51X26AWG	9/0.14	10.2	179.63	140 Ω/km
ANM07.005.52.026AB	UL20233	300V	52X26AWG	9/0.14	10.2	180.43	140 Ω/km
ANM07.005.53.026AB	UL20233	300V	53X26AWG	9/0.14	11.1	204.63	140 Ω/km
ANM07.005.54.026AB	UL20233	300V	54X26AWG	9/0.14	11.1	205.53	140 Ω/km
ANM07.005.55.026AB	UL20233	300V	55X26AWG	9/0.14	11.1	206.33	140 Ω/km
ANM07.005.56.026AB	UL20233	300V	56X26AWG	9/0.14	11.1	207.23	140 Ω/km
ANM07.005.57.026AB	UL20233	300V	57X26AWG	9/0.14	11.3	213.83	140 Ω/km
ANM07.005.58.026AB	UL20233	300V	58X26AWG	9/0.14	11.3	214.73	140 Ω/km
ANM07.005.59.026AB	UL20233	300V	59X26AWG	9/0.14	11.3	215.63	140 Ω/km
ANM07.005.60.026AB	UL20233	300V	60X26AWG	9/0.14	11.3	216.43	140 Ω/km
ANM07.005.61.026AB	UL20233	300V	61X26AWG	9/0.14	11.3	217.33	140 Ω/km
ANM07.005.62.026AB	UL20233	300V	62X26AWG	9/0.14	11.6	226.83	140 Ω/km
ANM07.005.63.026AB	UL20233	300V	63X26AWG	9/0.14	11.6	227.63	140 Ω/km
ANM07.005.64.026AB	UL20233	300V	64X26AWG	9/0.14	11.6	228.53	140 Ω/km
ANM07.005.65.026AB	UL20233	300V	65X26AWG	9/0.14	11.6	229.43	140 Ω/km
ANM07.005.02.025AB	UL20233	300V	2X25AWG	11/0.14	4.2	26.27	111 Ω/km
ANM07.005.03.025AB	UL20233	300V	3X25AWG	11/0.14	4.4	29.47	111 Ω/km
ANM07.005.04.025AB	UL20233	300V	4X25AWG	11/0.14	4.7	34.27	111 Ω/km
ANM07.005.05.025AB	UL20233	300V	5X25AWG	11/0.14	4.9	37.87	111 Ω/km
ANM07.005.06.025AB	UL20233	300V	6X25AWG	11/0.14	5.2	42.97	111 Ω/km
ANM07.005.07.025AB	UL20233	300V	7X25AWG	11/0.14	5.2	44.07	111 Ω/km



ANM07.005.08.025AB	UL20233	300V	8X25AWG	11/0.14	5.5	49.27	111 Ω/km
ANM07.005.09.025AB	UL20233	300V	9X25AWG	11/0.14	5.9	56.37	111 Ω/km
ANM07.005.10.025AB	UL20233	300V	10X25AWG	11/0.14	6.2	61.97	111 Ω/km
ANM07.005.11.025AB	UL20233	300V	11X25AWG	11/0.14	6.4	66.57	111 Ω/km
ANM07.005.12.025AB	UL20233	300V	12X25AWG	11/0.14	6.4	67.57	111 Ω/km
ANM07.005.13.025AB	UL20233	300V	13X25AWG	11/0.14	6.7	73.47	111 Ω/km
ANM07.005.14.025AB	UL20233	300V	14X25AWG	11/0.14	6.7	74.57	111 Ω/km
ANM07.005.15.025AB	UL20233	300V	15X25AWG	11/0.14	6.9	79.17	111 Ω/km
ANM07.005.16.025AB	UL20233	300V	16X25AWG	11/0.14	6.9	80.27	111 Ω/km
ANM07.005.17.025AB	UL20233	300V	17X25AWG	11/0.14	7.2	86.77	111 Ω/km
ANM07.005.18.025AB	UL20233	300V	18X25AWG	11/0.14	7.2	87.97	111 Ω/km
ANM07.005.19.025AB	UL20233	300V	19X25AWG	11/0.14	7.2	89.07	111 Ω/km
ANM07.005.20.025AB	UL20233	300V	20X25AWG	11/0.14	7.4	93.77	111 Ω/km
ANM07.005.21.025AB	UL20233	300V	21X25AWG	11/0.14	7.5	96.77	111 Ω/km
ANM07.005.22.025AB	UL20233	300V	22X25AWG	11/0.14	7.9	105.67	111 Ω/km
ANM07.005.23.025AB	UL20233	300V	23X25AWG	11/0.14	8.6	120.97	111 Ω/km
ANM07.005.24.025AB	UL20233	300V	24X25AWG	11/0.14	8.6	121.97	111 Ω/km
ANM07.005.25.025AB	UL20233	300V	25X25AWG	11/0.14	8.8	127.57	111 Ω/km
ANM07.005.26.025AB	UL20233	300V	26X25AWG	11/0.14	8.8	128.57	111 Ω/km
ANM07.005.27.025AB	UL20233	300V	27X25AWG	11/0.14	8.8	129.57	111 Ω/km
ANM07.005.28.025AB	UL20233	300V	28X25AWG	11/0.14	9.1	137.57	111 Ω/km
ANM07.005.29.025AB	UL20233	300V	29X25AWG	11/0.14	9.1	138.67	111 Ω/km
ANM07.005.30.025AB	UL20233	300V	30X25AWG	11/0.14	9.1	139.77	111 Ω/km
ANM07.005.31.025AB	UL20233	300V	31X25AWG	11/0.14	9.3	145.37	111 Ω/km
ANM07.005.32.025AB	UL20233	300V	32X25AWG	11/0.14	9.3	146.57	111 Ω/km
ANM07.005.33.025AB	UL20233	300V	33X25AWG	11/0.14	9.3	147.67	111 Ω/km
ANM07.005.34.025AB	UL20233	300V	34X25AWG	11/0.14	9.6	155.67	111 Ω/km
ANM07.005.35.025AB	UL20233	300V	35X25AWG	11/0.14	9.6	156.77	111 Ω/km
ANM07.005.36.025AB	UL20233	300V	36X25AWG	11/0.14	9.6	157.87	111 Ω/km
ANM07.005.37.025AB	UL20233	300V	37X25AWG	11/0.14	9.6	158.97	111 Ω/km
ANM07.005.38.025AB	UL20233	300V	38X25AWG	11/0.14	9.9	167.47	111 Ω/km
ANM07.005.39.025AB	UL20233	300V	39X25AWG	11/0.14	9.9	168.57	111 Ω/km
ANM07.005.40.025AB	UL20233	300V	40X25AWG	11/0.14	9.9	169.67	111 Ω/km
ANM07.005.41.025AB	UL20233	300V	41X25AWG	11/0.14	11.2	204.27	111 Ω/km
ANM07.005.42.025AB	UL20233	300V	42X25AWG	11/0.14	11.2	205.37	111 Ω/km
ANM07.005.43.025AB	UL20233	300V	43X25AWG	11/0.14	11.2	206.47	111 Ω/km
ANM07.005.44.025AB	UL20233	300V	44X25AWG	11/0.14	11.2	207.57	111 Ω/km
ANM07.005.45.025AB	UL20233	300V	45X25AWG	11/0.14	11.4	214.27	111 Ω/km
ANM07.005.46.025AB	UL20233	300V	46X25AWG	11/0.14	11.4	215.37	111 Ω/km
ANM07.005.47.025AB	UL20233	300V	47X25AWG	11/0.14	11.4	216.37	111 Ω/km
ANM07.005.48.025AB	UL20233	300V	48X25AWG	11/0.14	11.4	217.37	111 Ω/km
ANM07.005.49.025AB	UL20233	300V	49X25AWG	11/0.14	11.7	227.17	111 Ω/km



ANM07.005.50.025AB	UL20233	300V	50X25AWG	11/0.14	11.7	228.37	111 Ω/km
ANM07.005.51.025AB	UL20233	300V	51X25AWG	11/0.14	11.7	229.37	111 Ω/km
ANM07.005.52.025AB	UL20233	300V	52X25AWG	11/0.14	11.7	230.47	111 Ω/km
ANM07.005.53.025AB	UL20233	300V	53X25AWG	11/0.14	11.9	237.57	111 Ω/km
ANM07.005.54.025AB	UL20233	300V	54X25AWG	11/0.14	11.9	238.57	111 Ω/km
ANM07.005.55.025AB	UL20233	300V	55X25AWG	11/0.14	11.9	239.57	111 Ω/km
ANM07.005.56.025AB	UL20233	300V	56X25AWG	11/0.14	11.9	240.67	111 Ω/km
ANM07.005.57.025AB	UL20233	300V	57X25AWG	11/0.14	12.2	250.97	111 Ω/km
ANM07.005.58.025AB	UL20233	300V	58X25AWG	11/0.14	12.2	251.97	111 Ω/km
ANM07.005.59.025AB	UL20233	300V	59X25AWG	11/0.14	12.2	253.07	111 Ω/km
ANM07.005.60.025AB	UL20233	300V	60X25AWG	11/0.14	12.2	254.07	111 Ω/km
ANM07.005.61.025AB	UL20233	300V	61X25AWG	11/0.14	12.2	255.17	111 Ω/km
ANM07.005.62.025AB	UL20233	300V	62X25AWG	11/0.14	12.5	265.47	111 Ω/km
ANM07.005.63.025AB	UL20233	300V	63X25AWG	11/0.14	12.5	266.57	111 Ω/km
ANM07.005.64.025AB	UL20233	300V	64X25AWG	11/0.14	12.5	267.77	111 Ω/km
ANM07.005.65.025AB	UL20233	300V	65X25AWG	11/0.14	12.5	268.77	111 Ω/km
ANM07.005.02.024AB	UL20233	300V	2X24AWG	14/0.14	4.2	27.11	87.6 Ω/km
ANM07.005.03.024AB	UL20233	300V	3X24AWG	14/0.14	4.4	30.81	87.6 Ω/km
ANM07.005.04.024AB	UL20233	300V	4X24AWG	14/0.14	4.7	35.91	87.6 Ω/km
ANM07.005.05.024AB	UL20233	300V	5X24AWG	14/0.14	4.9	39.91	87.6 Ω/km
ANM07.005.06.024AB	UL20233	300V	6X24AWG	14/0.14	5.2	45.51	87.6 Ω/km
ANM07.005.07.024AB	UL20233	300V	7X24AWG	14/0.14	5.2	47.01	87.6 Ω/km
ANM07.005.08.024AB	UL20233	300V	8X24AWG	14/0.14	5.5	52.51	87.6 Ω/km
ANM07.005.09.024AB	UL20233	300V	9X24AWG	14/0.14	5.9	60.11	87.6 Ω/km
ANM07.005.10.024AB	UL20233	300V	10X24AWG	14/0.14	6.2	66.11	87.6 Ω/km
ANM07.005.11.024AB	UL20233	300V	11X24AWG	14/0.14	6.4	71.01	87.6 Ω/km
ANM07.005.12.024AB	UL20233	300V	12X24AWG	14/0.14	6.4	72.51	87.6 Ω/km
ANM07.005.13.024AB	UL20233	300V	13X24AWG	14/0.14	6.7	78.81	87.6 Ω/km
ANM07.005.14.024AB	UL20233	300V	14X24AWG	14/0.14	6.7	80.31	87.6 Ω/km
ANM07.005.15.024AB	UL20233	300V	15X24AWG	14/0.14	6.9	85.31	87.6 Ω/km
ANM07.005.16.024AB	UL20233	300V	16X24AWG	14/0.14	6.9	86.81	87.6 Ω/km
ANM07.005.17.024AB	UL20233	300V	17X24AWG	14/0.14	7.2	93.71	87.6 Ω/km
ANM07.005.18.024AB	UL20233	300V	18X24AWG	14/0.14	7.2	95.31	87.6 Ω/km
ANM07.005.19.024AB	UL20233	300V	19X24AWG	14/0.14	7.2	96.81	87.6 Ω/km
ANM07.005.20.024AB	UL20233	300V	20X24AWG	14/0.14	7.4	101.91	87.6 Ω/km
ANM07.005.21.024AB	UL20233	300V	21X24AWG	14/0.14	7.5	105.41	87.6 Ω/km
ANM07.005.22.024AB	UL20233	300V	22X24AWG	14/0.14	7.9	114.61	87.6 Ω/km
ANM07.005.23.024AB	UL20233	300V	23X24AWG	14/0.14	8.6	130.31	87.6 Ω/km
ANM07.005.24.024AB	UL20233	300V	24X24AWG	14/0.14	8.6	131.81	87.6 Ω/km
ANM07.005.25.024AB	UL20233	300V	25X24AWG	14/0.14	8.8	137.71	87.6 Ω/km
ANM07.005.26.024AB	UL20233	300V	26X24AWG	14/0.14	8.8	139.11	87.6 Ω/km
ANM07.005.27.024AB	UL20233	300V	27X24AWG	14/0.14	8.8	140.61	87.6 Ω/km



ANM07.005.28.024AB	UL20233	300V	28X24AWG	14/0.14	9.1	149.01	87.6 Ω /km
ANM07.005.29.024AB	UL20233	300V	29X24AWG	14/0.14	9.1	150.41	87.6 Ω /km
ANM07.005.30.024AB	UL20233	300V	30X24AWG	14/0.14	9.1	152.01	87.6 Ω /km
ANM07.005.31.024AB	UL20233	300V	31X24AWG	14/0.14	9.3	158.01	87.6 Ω /km
ANM07.005.32.024AB	UL20233	300V	32X24AWG	14/0.14	9.3	159.51	87.6 Ω /km
ANM07.005.33.024AB	UL20233	300V	33X24AWG	14/0.14	9.3	161.11	87.6 Ω /km
ANM07.005.34.024AB	UL20233	300V	34X24AWG	14/0.14	9.6	169.51	87.6 Ω /km
ANM07.005.35.024AB	UL20233	300V	35X24AWG	14/0.14	9.6	171.01	87.6 Ω /km
ANM07.005.36.024AB	UL20233	300V	36X24AWG	14/0.14	9.6	172.51	87.6 Ω /km
ANM07.005.37.024AB	UL20233	300V	37X24AWG	14/0.14	9.6	174.01	87.6 Ω /km
ANM07.005.38.024AB	UL20233	300V	38X24AWG	14/0.14	9.9	182.91	87.6 Ω /km
ANM07.005.39.024AB	UL20233	300V	39X24AWG	14/0.14	9.9	184.41	87.6 Ω /km
ANM07.005.40.024AB	UL20233	300V	40X24AWG	14/0.14	9.9	185.91	87.6 Ω /km
ANM07.005.41.024AB	UL20233	300V	41X24AWG	14/0.14	11.2	220.91	87.6 Ω /km
ANM07.005.42.024AB	UL20233	300V	42X24AWG	14/0.14	11.2	222.51	87.6 Ω /km
ANM07.005.43.024AB	UL20233	300V	43X24AWG	14/0.14	11.2	223.91	87.6 Ω /km
ANM07.005.44.024AB	UL20233	300V	44X24AWG	14/0.14	11.2	225.41	87.6 Ω /km
ANM07.005.45.024AB	UL20233	300V	45X24AWG	14/0.14	11.4	232.61	87.6 Ω /km
ANM07.005.46.024AB	UL20233	300V	46X24AWG	14/0.14	11.4	234.01	87.6 Ω /km
ANM07.005.47.024AB	UL20233	300V	47X24AWG	14/0.14	11.4	235.41	87.6 Ω /km
ANM07.005.48.024AB	UL20233	300V	48X24AWG	14/0.14	11.4	236.91	87.6 Ω /km
ANM07.005.49.024AB	UL20233	300V	49X24AWG	14/0.14	11.7	247.11	87.6 Ω /km
ANM07.005.50.024AB	UL20233	300V	50X24AWG	14/0.14	11.7	248.61	87.6 Ω /km
ANM07.005.51.024AB	UL20233	300V	51X24AWG	14/0.14	11.7	250.11	87.6 Ω /km
ANM07.005.52.024AB	UL20233	300V	52X24AWG	14/0.14	11.7	251.61	87.6 Ω /km
ANM07.005.53.024AB	UL20233	300V	53X24AWG	14/0.14	11.9	259.11	87.6 Ω /km
ANM07.005.54.024AB	UL20233	300V	54X24AWG	14/0.14	11.9	260.51	87.6 Ω /km
ANM07.005.55.024AB	UL20233	300V	55X24AWG	14/0.14	11.9	261.91	87.6 Ω /km
ANM07.005.56.024AB	UL20233	300V	56X24AWG	14/0.14	11.9	263.51	87.6 Ω /km
ANM07.005.57.024AB	UL20233	300V	57X24AWG	14/0.14	12.2	274.11	87.6 Ω /km
ANM07.005.58.024AB	UL20233	300V	58X24AWG	14/0.14	12.2	275.51	87.6 Ω /km
ANM07.005.59.024AB	UL20233	300V	59X24AWG	14/0.14	12.2	277.11	87.6 Ω /km
ANM07.005.60.024AB	UL20233	300V	60X24AWG	14/0.14	12.2	278.51	87.6 Ω /km
ANM07.005.61.024AB	UL20233	300V	61X24AWG	14/0.14	12.2	279.91	87.6 Ω /km
ANM07.005.62.024AB	UL20233	300V	62X24AWG	14/0.14	12.5	290.71	87.6 Ω /km
ANM07.005.63.024AB	UL20233	300V	63X24AWG	14/0.14	12.5	292.21	87.6 Ω /km
ANM07.005.64.024AB	UL20233	300V	64X24AWG	14/0.14	12.5	293.71	87.6 Ω /km
ANM07.005.65.024AB	UL20233	300V	65X24AWG	14/0.14	12.5	295.21	87.6 Ω /km
ANM07.005.02.023AB	UL20233	300V	2X23AWG	17/0.14	4.8	34.86	69.2 Ω /km
ANM07.005.03.023AB	UL20233	300V	3X23AWG	17/0.14	5.1	40.56	69.2 Ω /km
ANM07.005.04.023AB	UL20233	300V	4X23AWG	17/0.14	5.4	46.56	69.2 Ω /km
ANM07.005.05.023AB	UL20233	300V	5X23AWG	17/0.14	5.8	54.36	69.2 Ω /km



ANM07.005.06.023AB	UL20233	300V	6X23AWG	17/0.14	6.1	60.76	69.2 Ω /km
ANM07.005.07.023AB	UL20233	300V	7X23AWG	17/0.14	6.1	62.66	69.2 Ω /km
ANM07.005.08.023AB	UL20233	300V	8X23AWG	17/0.14	6.5	70.86	69.2 Ω /km
ANM07.005.09.023AB	UL20233	300V	9X23AWG	17/0.14	7.1	83.16	69.2 Ω /km
ANM07.005.10.023AB	UL20233	300V	10X23AWG	17/0.14	7.4	90.66	69.2 Ω /km
ANM07.005.11.023AB	UL20233	300V	11X23AWG	17/0.14	7.7	98.26	69.2 Ω /km
ANM07.005.12.023AB	UL20233	300V	12X23AWG	17/0.14	7.7	100.06	69.2 Ω /km
ANM07.005.13.023AB	UL20233	300V	13X23AWG	17/0.14	8.4	115.56	69.2 Ω /km
ANM07.005.14.023AB	UL20233	300V	14X23AWG	17/0.14	8.4	117.46	69.2 Ω /km
ANM07.005.15.023AB	UL20233	300V	15X23AWG	17/0.14	8.8	127.96	69.2 Ω /km
ANM07.005.16.023AB	UL20233	300V	16X23AWG	17/0.14	8.8	129.76	69.2 Ω /km
ANM07.005.17.023AB	UL20233	300V	17X23AWG	17/0.14	9.1	138.46	69.2 Ω /km
ANM07.005.18.023AB	UL20233	300V	18X23AWG	17/0.14	9.1	140.26	69.2 Ω /km
ANM07.005.19.023AB	UL20233	300V	19X23AWG	17/0.14	9.1	142.16	69.2 Ω /km
ANM07.005.20.023AB	UL20233	300V	20X23AWG	17/0.14	9.4	150.86	69.2 Ω /km
ANM07.005.21.023AB	UL20233	300V	21X23AWG	17/0.14	9.5	155.16	69.2 Ω /km
ANM07.005.22.023AB	UL20233	300V	22X23AWG	17/0.14	10.1	171.76	69.2 Ω /km
ANM07.005.23.023AB	UL20233	300V	23X23AWG	17/0.14	11	196.46	69.2 Ω /km
ANM07.005.24.023AB	UL20233	300V	24X23AWG	17/0.14	11	198.46	69.2 Ω /km
ANM07.005.25.023AB	UL20233	300V	25X23AWG	17/0.14	11.3	208.66	69.2 Ω /km
ANM07.005.26.023AB	UL20233	300V	26X23AWG	17/0.14	11.3	210.46	69.2 Ω /km
ANM07.005.27.023AB	UL20233	300V	27X23AWG	17/0.14	11.3	212.26	69.2 Ω /km
ANM07.005.28.023AB	UL20233	300V	28X23AWG	17/0.14	11.6	222.66	69.2 Ω /km
ANM07.005.29.023AB	UL20233	300V	29X23AWG	17/0.14	11.6	224.46	69.2 Ω /km
ANM07.005.30.023AB	UL20233	300V	30X23AWG	17/0.14	11.6	226.36	69.2 Ω /km
ANM07.005.31.023AB	UL20233	300V	31X23AWG	17/0.14	12	239.96	69.2 Ω /km
ANM07.005.32.023AB	UL20233	300V	32X23AWG	17/0.14	12	241.66	69.2 Ω /km
ANM07.005.33.023AB	UL20233	300V	33X23AWG	17/0.14	12	243.66	69.2 Ω /km
ANM07.005.34.023AB	UL20233	300V	34X23AWG	17/0.14	12.3	254.56	69.2 Ω /km
ANM07.005.35.023AB	UL20233	300V	35X23AWG	17/0.14	12.3	256.36	69.2 Ω /km
ANM07.005.36.023AB	UL20233	300V	36X23AWG	17/0.14	12.3	258.16	69.2 Ω /km
ANM07.005.37.023AB	UL20233	300V	37X23AWG	17/0.14	12.3	259.96	69.2 Ω /km
ANM07.005.38.023AB	UL20233	300V	38X23AWG	17/0.14	12.7	274.36	69.2 Ω /km
ANM07.005.39.023AB	UL20233	300V	39X23AWG	17/0.14	12.7	276.06	69.2 Ω /km
ANM07.005.40.023AB	UL20233	300V	40X23AWG	17/0.14	12.7	277.96	69.2 Ω /km
ANM07.005.41.023AB	UL20233	300V	41X23AWG	17/0.14	13.7	312.56	69.2 Ω /km
ANM07.005.42.023AB	UL20233	300V	42X23AWG	17/0.14	13.7	314.46	69.2 Ω /km
ANM07.005.43.023AB	UL20233	300V	43X23AWG	17/0.14	13.7	316.26	69.2 Ω /km
ANM07.005.44.023AB	UL20233	300V	44X23AWG	17/0.14	13.7	318.16	69.2 Ω /km
ANM07.005.45.023AB	UL20233	300V	45X23AWG	17/0.14	14	330.26	69.2 Ω /km
ANM07.005.46.023AB	UL20233	300V	46X23AWG	17/0.14	14	332.06	69.2 Ω /km
ANM07.005.47.023AB	UL20233	300V	47X23AWG	17/0.14	14	333.86	69.2 Ω /km



ANM07.005.48.023AB	UL20233	300V	48X23AWG	17/0.14	14	335.76	69.2 Ω /km
ANM07.005.49.023AB	UL20233	300V	49X23AWG	17/0.14	14.3	348.16	69.2 Ω /km
ANM07.005.50.023AB	UL20233	300V	50X23AWG	17/0.14	14.3	349.96	69.2 Ω /km
ANM07.005.51.023AB	UL20233	300V	51X23AWG	17/0.14	14.3	351.76	69.2 Ω /km
ANM07.005.52.023AB	UL20233	300V	52X23AWG	17/0.14	14.3	353.66	69.2 Ω /km
ANM07.005.53.023AB	UL20233	300V	53X23AWG	17/0.14	14.7	369.96	69.2 Ω /km
ANM07.005.54.023AB	UL20233	300V	54X23AWG	17/0.14	14.7	371.66	69.2 Ω /km
ANM07.005.55.023AB	UL20233	300V	55X23AWG	17/0.14	14.7	373.46	69.2 Ω /km
ANM07.005.56.023AB	UL20233	300V	56X23AWG	17/0.14	14.7	375.36	69.2 Ω /km
ANM07.005.57.023AB	UL20233	300V	57X23AWG	17/0.14	15	388.26	69.2 Ω /km
ANM07.005.58.023AB	UL20233	300V	58X23AWG	17/0.14	15	390.16	69.2 Ω /km
ANM07.005.59.023AB	UL20233	300V	59X23AWG	17/0.14	15	391.86	69.2 Ω /km
ANM07.005.60.023AB	UL20233	300V	60X23AWG	17/0.14	15	393.76	69.2 Ω /km
ANM07.005.61.023AB	UL20233	300V	61X23AWG	17/0.14	15	395.46	69.2 Ω /km
ANM07.005.62.023AB	UL20233	300V	62X23AWG	17/0.14	15.4	412.46	69.2 Ω /km
ANM07.005.63.023AB	UL20233	300V	63X23AWG	17/0.14	15.4	414.26	69.2 Ω /km
ANM07.005.64.023AB	UL20233	300V	64X23AWG	17/0.14	15.4	416.06	69.2 Ω /km
ANM07.005.65.023AB	UL20233	300V	65X23AWG	17/0.14	15.4	417.96	69.2 Ω /km
ANM07.005.02.022AB	UL20233	300V	2X22AWG	22/0.14	5	38.53	55.4 Ω /km
ANM07.005.03.022AB	UL20233	300V	3X22AWG	22/0.14	5.3	44.63	55.4 Ω /km
ANM07.005.04.022AB	UL20233	300V	4X22AWG	22/0.14	5.6	51.23	55.4 Ω /km
ANM07.005.05.022AB	UL20233	300V	5X22AWG	22/0.14	6	59.43	55.4 Ω /km
ANM07.005.06.022AB	UL20233	300V	6X22AWG	22/0.14	6.4	68.23	55.4 Ω /km
ANM07.005.07.022AB	UL20233	300V	7X22AWG	22/0.14	6.4	70.53	55.4 Ω /km
ANM07.005.08.022AB	UL20233	300V	8X22AWG	22/0.14	6.9	81.23	55.4 Ω /km
ANM07.005.09.022AB	UL20233	300V	9X22AWG	22/0.14	7.4	92.73	55.4 Ω /km
ANM07.005.10.022AB	UL20233	300V	10X22AWG	22/0.14	7.8	102.73	55.4 Ω /km
ANM07.005.11.022AB	UL20233	300V	11X22AWG	22/0.14	8.5	118.93	55.4 Ω /km
ANM07.005.12.022AB	UL20233	300V	12X22AWG	22/0.14	8.5	121.13	55.4 Ω /km
ANM07.005.13.022AB	UL20233	300V	13X22AWG	22/0.14	8.8	130.03	55.4 Ω /km
ANM07.005.14.022AB	UL20233	300V	14X22AWG	22/0.14	8.8	132.13	55.4 Ω /km
ANM07.005.15.022AB	UL20233	300V	15X22AWG	22/0.14	9.2	143.53	55.4 Ω /km
ANM07.005.16.022AB	UL20233	300V	16X22AWG	22/0.14	9.2	145.83	55.4 Ω /km
ANM07.005.17.022AB	UL20233	300V	17X22AWG	22/0.14	9.6	157.53	55.4 Ω /km
ANM07.005.18.022AB	UL20233	300V	18X22AWG	22/0.14	9.6	159.83	55.4 Ω /km
ANM07.005.19.022AB	UL20233	300V	19X22AWG	22/0.14	9.6	162.03	55.4 Ω /km
ANM07.005.20.022AB	UL20233	300V	20X22AWG	22/0.14	9.9	171.73	55.4 Ω /km
ANM07.005.21.022AB	UL20233	300V	21X22AWG	22/0.14	10.1	179.03	55.4 Ω /km
ANM07.005.22.022AB	UL20233	300V	22X22AWG	22/0.14	11.2	209.73	55.4 Ω /km
ANM07.005.23.022AB	UL20233	300V	23X22AWG	22/0.14	11.6	223.53	55.4 Ω /km
ANM07.005.24.022AB	UL20233	300V	24X22AWG	22/0.14	11.6	225.73	55.4 Ω /km
ANM07.005.25.022AB	UL20233	300V	25X22AWG	22/0.14	11.9	236.83	55.4 Ω /km



ANM07.005.26.022AB	UL20233	300V	26X22AWG	22/0.14	11.9	239.03	55.4 Ω /km
ANM07.005.27.022AB	UL20233	300V	27X22AWG	22/0.14	11.9	241.33	55.4 Ω /km
ANM07.005.28.022AB	UL20233	300V	28X22AWG	22/0.14	12.2	252.53	55.4 Ω /km
ANM07.005.29.022AB	UL20233	300V	29X22AWG	22/0.14	12.2	254.93	55.4 Ω /km
ANM07.005.30.022AB	UL20233	300V	30X22AWG	22/0.14	12.2	257.13	55.4 Ω /km
ANM07.005.31.022AB	UL20233	300V	31X22AWG	22/0.14	12.6	271.73	55.4 Ω /km
ANM07.005.32.022AB	UL20233	300V	32X22AWG	22/0.14	12.6	274.13	55.4 Ω /km
ANM07.005.33.022AB	UL20233	300V	33X22AWG	22/0.14	12.6	276.23	55.4 Ω /km
ANM07.005.34.022AB	UL20233	300V	34X22AWG	22/0.14	13	291.23	55.4 Ω /km
ANM07.005.35.022AB	UL20233	300V	35X22AWG	22/0.14	13	293.43	55.4 Ω /km
ANM07.005.36.022AB	UL20233	300V	36X22AWG	22/0.14	13	295.73	55.4 Ω /km
ANM07.005.37.022AB	UL20233	300V	37X22AWG	22/0.14	13	297.93	55.4 Ω /km
ANM07.005.38.022AB	UL20233	300V	38X22AWG	22/0.14	13.6	320.23	55.4 Ω /km
ANM07.005.39.022AB	UL20233	300V	39X22AWG	22/0.14	13.6	322.43	55.4 Ω /km
ANM07.005.40.022AB	UL20233	300V	40X22AWG	22/0.14	13.6	324.63	55.4 Ω /km
ANM07.005.41.022AB	UL20233	300V	41X22AWG	22/0.14	14.5	358.43	55.4 Ω /km
ANM07.005.42.022AB	UL20233	300V	42X22AWG	22/0.14	14.5	360.63	55.4 Ω /km
ANM07.005.43.022AB	UL20233	300V	43X22AWG	22/0.14	14.5	363.03	55.4 Ω /km
ANM07.005.44.022AB	UL20233	300V	44X22AWG	22/0.14	14.5	365.13	55.4 Ω /km
ANM07.005.45.022AB	UL20233	300V	45X22AWG	22/0.14	14.8	378.43	55.4 Ω /km
ANM07.005.46.022AB	UL20233	300V	46X22AWG	22/0.14	14.8	380.73	55.4 Ω /km
ANM07.005.47.022AB	UL20233	300V	47X22AWG	22/0.14	14.8	382.83	55.4 Ω /km
ANM07.005.48.022AB	UL20233	300V	48X22AWG	22/0.14	14.8	385.23	55.4 Ω /km
ANM07.005.49.022AB	UL20233	300V	49X22AWG	22/0.14	15.1	398.53	55.4 Ω /km
ANM07.005.50.022AB	UL20233	300V	50X22AWG	22/0.14	15.1	400.73	55.4 Ω /km
ANM07.005.51.022AB	UL20233	300V	51X22AWG	22/0.14	15.1	402.93	55.4 Ω /km
ANM07.005.52.022AB	UL20233	300V	52X22AWG	22/0.14	15.1	405.23	55.4 Ω /km
ANM07.005.53.022AB	UL20233	300V	53X22AWG	22/0.14	15.5	422.73	55.4 Ω /km
ANM07.005.54.022AB	UL20233	300V	54X22AWG	22/0.14	15.5	424.93	55.4 Ω /km
ANM07.005.55.022AB	UL20233	300V	55X22AWG	22/0.14	15.5	427.23	55.4 Ω /km
ANM07.005.56.022AB	UL20233	300V	56X22AWG	22/0.14	15.5	429.43	55.4 Ω /km
ANM07.005.57.022AB	UL20233	300V	57X22AWG	22/0.14	15.9	447.33	55.4 Ω /km
ANM07.005.58.022AB	UL20233	300V	58X22AWG	22/0.14	15.9	449.43	55.4 Ω /km
ANM07.005.59.022AB	UL20233	300V	59X22AWG	22/0.14	15.9	451.83	55.4 Ω /km
ANM07.005.60.022AB	UL20233	300V	60X22AWG	22/0.14	15.9	454.03	55.4 Ω /km
ANM07.005.61.022AB	UL20233	300V	61X22AWG	22/0.14	15.9	456.23	55.4 Ω /km
ANM07.005.62.022AB	UL20233	300V	62X22AWG	22/0.14	16.4	478.73	55.4 Ω /km
ANM07.005.63.022AB	UL20233	300V	63X22AWG	22/0.14	16.4	480.83	55.4 Ω /km
ANM07.005.64.022AB	UL20233	300V	64X22AWG	22/0.14	16.4	483.13	55.4 Ω /km
ANM07.005.65.022AB	UL20233	300V	65X22AWG	22/0.14	16.4	485.33	55.4 Ω /km
ANM07.005.02.021AB	UL20233	300V	2X21AWG	27/0.14	5.2	42.52	43.6 Ω /km
ANM07.005.03.021AB	UL20233	300V	3X21AWG	27/0.14	5.5	49.52	43.6 Ω /km



ANM07.005.04.021AB	UL20233	300V	4X21AWG	27/0.14	5.9	58.42	43.6 Ω /km
ANM07.005.05.021AB	UL20233	300V	5X21AWG	27/0.14	6.3	67.52	43.6 Ω /km
ANM07.005.06.021AB	UL20233	300V	6X21AWG	27/0.14	6.7	77.02	43.6 Ω /km
ANM07.005.07.021AB	UL20233	300V	7X21AWG	27/0.14	6.7	79.92	43.6 Ω /km
ANM07.005.08.021AB	UL20233	300V	8X21AWG	27/0.14	7.2	91.72	43.6 Ω /km
ANM07.005.09.021AB	UL20233	300V	9X21AWG	27/0.14	7.8	106.12	43.6 Ω /km
ANM07.005.10.021AB	UL20233	300V	10X21AWG	27/0.14	8.6	125.12	43.6 Ω /km
ANM07.005.11.021AB	UL20233	300V	11X21AWG	27/0.14	8.9	134.72	43.6 Ω /km
ANM07.005.12.021AB	UL20233	300V	12X21AWG	27/0.14	8.9	137.62	43.6 Ω /km
ANM07.005.13.021AB	UL20233	300V	13X21AWG	27/0.14	9.3	149.72	43.6 Ω /km
ANM07.005.14.021AB	UL20233	300V	14X21AWG	27/0.14	9.3	152.52	43.6 Ω /km
ANM07.005.15.021AB	UL20233	300V	15X21AWG	27/0.14	9.7	165.02	43.6 Ω /km
ANM07.005.16.021AB	UL20233	300V	16X21AWG	27/0.14	9.7	167.82	43.6 Ω /km
ANM07.005.17.021AB	UL20233	300V	17X21AWG	27/0.14	10.1	180.62	43.6 Ω /km
ANM07.005.18.021AB	UL20233	300V	18X21AWG	27/0.14	10.1	183.52	43.6 Ω /km
ANM07.005.19.021AB	UL20233	300V	19X21AWG	27/0.14	10.1	186.52	43.6 Ω /km
ANM07.005.20.021AB	UL20233	300V	20X21AWG	27/0.14	11	212.32	43.6 Ω /km
ANM07.005.21.021AB	UL20233	300V	21X21AWG	27/0.14	11.2	220.72	43.6 Ω /km
ANM07.005.22.021AB	UL20233	300V	22X21AWG	27/0.14	11.8	240.92	43.6 Ω /km
ANM07.005.23.021AB	UL20233	300V	23X21AWG	27/0.14	12.2	255.72	43.6 Ω /km
ANM07.005.24.021AB	UL20233	300V	24X21AWG	27/0.14	12.2	258.62	43.6 Ω /km
ANM07.005.25.021AB	UL20233	300V	25X21AWG	27/0.14	12.5	270.82	43.6 Ω /km
ANM07.005.26.021AB	UL20233	300V	26X21AWG	27/0.14	12.5	273.72	43.6 Ω /km
ANM07.005.27.021AB	UL20233	300V	27X21AWG	27/0.14	12.5	276.52	43.6 Ω /km
ANM07.005.28.021AB	UL20233	300V	28X21AWG	27/0.14	12.9	292.12	43.6 Ω /km
ANM07.005.29.021AB	UL20233	300V	29X21AWG	27/0.14	12.9	295.02	43.6 Ω /km
ANM07.005.30.021AB	UL20233	300V	30X21AWG	27/0.14	12.9	297.92	43.6 Ω /km
ANM07.005.31.021AB	UL20233	300V	31X21AWG	27/0.14	13.4	317.02	43.6 Ω /km
ANM07.005.32.021AB	UL20233	300V	32X21AWG	27/0.14	13.4	319.92	43.6 Ω /km
ANM07.005.33.021AB	UL20233	300V	33X21AWG	27/0.14	13.4	322.82	43.6 Ω /km
ANM07.005.34.021AB	UL20233	300V	34X21AWG	27/0.14	13.8	339.22	43.6 Ω /km
ANM07.005.35.021AB	UL20233	300V	35X21AWG	27/0.14	13.8	342.12	43.6 Ω /km
ANM07.005.36.021AB	UL20233	300V	36X21AWG	27/0.14	13.8	345.02	43.6 Ω /km
ANM07.005.37.021AB	UL20233	300V	37X21AWG	27/0.14	13.8	347.92	43.6 Ω /km
ANM07.005.38.021AB	UL20233	300V	38X21AWG	27/0.14	14.3	368.22	43.6 Ω /km
ANM07.005.39.021AB	UL20233	300V	39X21AWG	27/0.14	14.3	371.12	43.6 Ω /km
ANM07.005.40.021AB	UL20233	300V	40X21AWG	27/0.14	14.3	373.92	43.6 Ω /km
ANM07.005.41.021AB	UL20233	300V	41X21AWG	27/0.14	15.3	413.62	43.6 Ω /km
ANM07.005.42.021AB	UL20233	300V	42X21AWG	27/0.14	15.3	416.42	43.6 Ω /km
ANM07.005.43.021AB	UL20233	300V	43X21AWG	27/0.14	15.3	419.32	43.6 Ω /km
ANM07.005.44.021AB	UL20233	300V	44X21AWG	27/0.14	15.3	422.22	43.6 Ω /km
ANM07.005.45.021AB	UL20233	300V	45X21AWG	27/0.14	15.6	436.62	43.6 Ω /km



ANM07.005.46.021AB	UL20233	300V	46X21AWG	27/0.14	15.6	439.42	43.6 Ω /km
ANM07.005.47.021AB	UL20233	300V	47X21AWG	27/0.14	15.6	442.32	43.6 Ω /km
ANM07.005.48.021AB	UL20233	300V	48X21AWG	27/0.14	15.6	445.12	43.6 Ω /km
ANM07.005.49.021AB	UL20233	300V	49X21AWG	27/0.14	16	463.72	43.6 Ω /km
ANM07.005.50.021AB	UL20233	300V	50X21AWG	27/0.14	16	466.62	43.6 Ω /km
ANM07.005.51.021AB	UL20233	300V	51X21AWG	27/0.14	16	469.52	43.6 Ω /km
ANM07.005.52.021AB	UL20233	300V	52X21AWG	27/0.14	16	472.32	43.6 Ω /km
ANM07.005.53.021AB	UL20233	300V	53X21AWG	27/0.14	16.4	491.42	43.6 Ω /km
ANM07.005.54.021AB	UL20233	300V	54X21AWG	27/0.14	16.4	494.22	43.6 Ω /km
ANM07.005.55.021AB	UL20233	300V	55X21AWG	27/0.14	16.4	497.22	43.6 Ω /km
ANM07.005.56.021AB	UL20233	300V	56X21AWG	27/0.14	16.4	500.02	43.6 Ω /km
ANM07.005.57.021AB	UL20233	300V	57X21AWG	27/0.14	16.8	519.32	43.6 Ω /km
ANM07.005.58.021AB	UL20233	300V	58X21AWG	27/0.14	16.8	522.12	43.6 Ω /km
ANM07.005.59.021AB	UL20233	300V	59X21AWG	27/0.14	16.8	525.02	43.6 Ω /km
ANM07.005.60.021AB	UL20233	300V	60X21AWG	27/0.14	16.8	527.92	43.6 Ω /km
ANM07.005.61.021AB	UL20233	300V	61X21AWG	27/0.14	16.8	530.72	43.6 Ω /km
ANM07.005.62.021AB	UL20233	300V	62X21AWG	27/0.14	17.3	554.82	43.6 Ω /km
ANM07.005.63.021AB	UL20233	300V	63X21AWG	27/0.14	17.3	557.62	43.6 Ω /km
ANM07.005.64.021AB	UL20233	300V	64X21AWG	27/0.14	17.3	560.52	43.6 Ω /km
ANM07.005.65.021AB	UL20233	300V	65X21AWG	27/0.14	17.3	563.42	43.6 Ω /km
ANM07.005.02.020AB	UL20233	300V	2X20AWG	34/0.14	5.8	52.72	34.6 Ω /km
ANM07.005.03.020AB	UL20233	300V	3X20AWG	34/0.14	6.1	60.92	34.6 Ω /km
ANM07.005.04.020AB	UL20233	300V	4X20AWG	34/0.14	6.6	72.82	34.6 Ω /km
ANM07.005.05.020AB	UL20233	300V	5X20AWG	34/0.14	7.1	85.22	34.6 Ω /km
ANM07.005.06.020AB	UL20233	300V	6X20AWG	34/0.14	7.6	98.22	34.6 Ω /km
ANM07.005.07.020AB	UL20233	300V	7X20AWG	34/0.14	7.6	101.72	34.6 Ω /km
ANM07.005.08.020AB	UL20233	300V	8X20AWG	34/0.14	8.6	125.62	34.6 Ω /km
ANM07.005.09.020AB	UL20233	300V	9X20AWG	34/0.14	9.3	145.12	34.6 Ω /km
ANM07.005.10.020AB	UL20233	300V	10X20AWG	34/0.14	9.8	160.82	34.6 Ω /km
ANM07.005.11.020AB	UL20233	300V	11X20AWG	34/0.14	10.1	171.92	34.6 Ω /km
ANM07.005.12.020AB	UL20233	300V	12X20AWG	34/0.14	10.1	175.52	34.6 Ω /km
ANM07.005.13.020AB	UL20233	300V	13X20AWG	34/0.14	11.2	207.62	34.6 Ω /km
ANM07.005.14.020AB	UL20233	300V	14X20AWG	34/0.14	11.2	211.32	34.6 Ω /km
ANM07.005.15.020AB	UL20233	300V	15X20AWG	34/0.14	11.7	229.22	34.6 Ω /km
ANM07.005.16.020AB	UL20233	300V	16X20AWG	34/0.14	11.7	232.92	34.6 Ω /km
ANM07.005.17.020AB	UL20233	300V	17X20AWG	34/0.14	12.2	251.62	34.6 Ω /km
ANM07.005.18.020AB	UL20233	300V	18X20AWG	34/0.14	12.2	255.22	34.6 Ω /km
ANM07.005.19.020AB	UL20233	300V	19X20AWG	34/0.14	12.2	258.92	34.6 Ω /km
ANM07.005.20.020AB	UL20233	300V	20X20AWG	34/0.14	12.5	271.72	34.6 Ω /km
ANM07.005.21.020AB	UL20233	300V	21X20AWG	34/0.14	12.8	284.82	34.6 Ω /km
ANM07.005.22.020AB	UL20233	300V	22X20AWG	34/0.14	13.6	314.72	34.6 Ω /km
ANM07.005.23.020AB	UL20233	300V	23X20AWG	34/0.14	14.1	335.72	34.6 Ω /km



ANM07.005.24.020AB	UL20233	300V	24X20AWG	34/0.14	14.1	339.32	34.6 Ω/km
ANM07.005.25.020AB	UL20233	300V	25X20AWG	34/0.14	14.4	353.62	34.6 Ω/km
ANM07.005.26.020AB	UL20233	300V	26X20AWG	34/0.14	14.4	357.12	34.6 Ω/km
ANM07.005.27.020AB	UL20233	300V	27X20AWG	34/0.14	14.4	360.72	34.6 Ω/km
ANM07.005.28.020AB	UL20233	300V	28X20AWG	34/0.14	14.9	382.52	34.6 Ω/km
ANM07.005.29.020AB	UL20233	300V	29X20AWG	34/0.14	14.9	386.22	34.6 Ω/km
ANM07.005.30.020AB	UL20233	300V	30X20AWG	34/0.14	14.9	389.82	34.6 Ω/km
ANM07.005.31.020AB	UL20233	300V	31X20AWG	34/0.14	15.4	412.32	34.6 Ω/km
ANM07.005.32.020AB	UL20233	300V	32X20AWG	34/0.14	15.4	415.92	34.6 Ω/km
ANM07.005.33.020AB	UL20233	300V	33X20AWG	34/0.14	15.4	419.62	34.6 Ω/km
ANM07.005.34.020AB	UL20233	300V	34X20AWG	34/0.14	15.9	442.72	34.6 Ω/km
ANM07.005.35.020AB	UL20233	300V	35X20AWG	34/0.14	15.9	446.32	34.6 Ω/km
ANM07.005.36.020AB	UL20233	300V	36X20AWG	34/0.14	15.9	449.92	34.6 Ω/km
ANM07.005.37.020AB	UL20233	300V	37X20AWG	34/0.14	15.9	453.52	34.6 Ω/km
ANM07.005.38.020AB	UL20233	300V	38X20AWG	34/0.14	16.5	481.32	34.6 Ω/km
ANM07.005.39.020AB	UL20233	300V	39X20AWG	34/0.14	16.5	484.82	34.6 Ω/km
ANM07.005.40.020AB	UL20233	300V	40X20AWG	34/0.14	16.5	488.52	34.6 Ω/km
ANM07.005.41.020AB	UL20233	300V	41X20AWG	34/0.14	17.7	543.02	34.6 Ω/km
ANM07.005.42.020AB	UL20233	300V	42X20AWG	34/0.14	17.7	546.72	34.6 Ω/km
ANM07.005.43.020AB	UL20233	300V	43X20AWG	34/0.14	17.7	550.32	34.6 Ω/km
ANM07.005.44.020AB	UL20233	300V	44X20AWG	34/0.14	17.7	554.02	34.6 Ω/km
ANM07.005.45.020AB	UL20233	300V	45X20AWG	34/0.14	18	570.82	34.6 Ω/km
ANM07.005.46.020AB	UL20233	300V	46X20AWG	34/0.14	18	574.52	34.6 Ω/km
ANM07.005.47.020AB	UL20233	300V	47X20AWG	34/0.14	18	578.12	34.6 Ω/km
ANM07.005.48.020AB	UL20233	300V	48X20AWG	34/0.14	18	581.82	34.6 Ω/km
ANM07.005.49.020AB	UL20233	300V	49X20AWG	34/0.14	18.5	607.92	34.6 Ω/km
ANM07.005.50.020AB	UL20233	300V	50X20AWG	34/0.14	18.5	611.62	34.6 Ω/km
ANM07.005.51.020AB	UL20233	300V	51X20AWG	34/0.14	18.5	615.32	34.6 Ω/km
ANM07.005.52.020AB	UL20233	300V	52X20AWG	34/0.14	18.5	618.92	34.6 Ω/km
ANM07.005.53.020AB	UL20233	300V	53X20AWG	34/0.14	19	645.62	34.6 Ω/km
ANM07.005.54.020AB	UL20233	300V	54X20AWG	34/0.14	19	649.12	34.6 Ω/km
ANM07.005.55.020AB	UL20233	300V	55X20AWG	34/0.14	19	652.82	34.6 Ω/km
ANM07.005.56.020AB	UL20233	300V	56X20AWG	34/0.14	19	656.32	34.6 Ω/km
ANM07.005.57.020AB	UL20233	300V	57X20AWG	34/0.14	20.5	731.32	34.6 Ω/km
ANM07.005.58.020AB	UL20233	300V	58X20AWG	34/0.14	20.5	734.82	34.6 Ω/km
ANM07.005.59.020AB	UL20233	300V	59X20AWG	34/0.14	20.5	738.52	34.6 Ω/km
ANM07.005.60.020AB	UL20233	300V	60X20AWG	34/0.14	20.5	742.12	34.6 Ω/km
ANM07.005.61.020AB	UL20233	300V	61X20AWG	34/0.14	20.5	745.82	34.6 Ω/km
ANM07.005.62.020AB	UL20233	300V	62X20AWG	34/0.14	21.1	780.22	34.6 Ω/km
ANM07.005.63.020AB	UL20233	300V	63X20AWG	34/0.14	21.1	783.82	34.6 Ω/km
ANM07.005.64.020AB	UL20233	300V	64X20AWG	34/0.14	21.1	787.42	34.6 Ω/km
ANM07.005.65.020AB	UL20233	300V	65X20AWG	34/0.14	21.1	791.12	34.6 Ω/km



ANM07.005.02.019AB	UL20233	300V	2X19AWG	43/0.14	6	57.86	27.4 Ω /km
ANM07.005.03.019AB	UL20233	300V	3X19AWG	43/0.14	6.3	67.26	27.4 Ω /km
ANM07.005.04.019AB	UL20233	300V	4X19AWG	43/0.14	6.8	80.46	27.4 Ω /km
ANM07.005.05.019AB	UL20233	300V	5X19AWG	43/0.14	7.4	95.96	27.4 Ω /km
ANM07.005.06.019AB	UL20233	300V	6X19AWG	43/0.14	7.9	110.36	27.4 Ω /km
ANM07.005.07.019AB	UL20233	300V	7X19AWG	43/0.14	7.9	114.86	27.4 Ω /km
ANM07.005.08.019AB	UL20233	300V	8X19AWG	43/0.14	8.9	140.46	27.4 Ω /km
ANM07.005.09.019AB	UL20233	300V	9X19AWG	43/0.14	9.7	163.76	27.4 Ω /km
ANM07.005.10.019AB	UL20233	300V	10X19AWG	43/0.14	10.2	181.06	27.4 Ω /km
ANM07.005.11.019AB	UL20233	300V	11X19AWG	43/0.14	11.1	208.76	27.4 Ω /km
ANM07.005.12.019AB	UL20233	300V	12X19AWG	43/0.14	11.1	213.46	27.4 Ω /km
ANM07.005.13.019AB	UL20233	300V	13X19AWG	43/0.14	11.6	232.16	27.4 Ω /km
ANM07.005.14.019AB	UL20233	300V	14X19AWG	43/0.14	11.6	236.86	27.4 Ω /km
ANM07.005.15.019AB	UL20233	300V	15X19AWG	43/0.14	12.2	259.36	27.4 Ω /km
ANM07.005.16.019AB	UL20233	300V	16X19AWG	43/0.14	12.2	264.06	27.4 Ω /km
ANM07.005.17.019AB	UL20233	300V	17X19AWG	43/0.14	12.7	284.16	27.4 Ω /km
ANM07.005.18.019AB	UL20233	300V	18X19AWG	43/0.14	12.7	288.86	27.4 Ω /km
ANM07.005.19.019AB	UL20233	300V	19X19AWG	43/0.14	12.7	293.46	27.4 Ω /km
ANM07.005.20.019AB	UL20233	300V	20X19AWG	43/0.14	13	307.66	27.4 Ω /km
ANM07.005.21.019AB	UL20233	300V	21X19AWG	43/0.14	13.4	325.46	27.4 Ω /km
ANM07.005.22.019AB	UL20233	300V	22X19AWG	43/0.14	14.2	357.66	27.4 Ω /km
ANM07.005.23.019AB	UL20233	300V	23X19AWG	43/0.14	14.7	380.16	27.4 Ω /km
ANM07.005.24.019AB	UL20233	300V	24X19AWG	43/0.14	14.7	384.86	27.4 Ω /km
ANM07.005.25.019AB	UL20233	300V	25X19AWG	43/0.14	15	400.56	27.4 Ω /km
ANM07.005.26.019AB	UL20233	300V	26X19AWG	43/0.14	15	405.26	27.4 Ω /km
ANM07.005.27.019AB	UL20233	300V	27X19AWG	43/0.14	15	409.76	27.4 Ω /km
ANM07.005.28.019AB	UL20233	300V	28X19AWG	43/0.14	15.5	433.36	27.4 Ω /km
ANM07.005.29.019AB	UL20233	300V	29X19AWG	43/0.14	15.5	437.96	27.4 Ω /km
ANM07.005.30.019AB	UL20233	300V	30X19AWG	43/0.14	15.5	442.56	27.4 Ω /km
ANM07.005.31.019AB	UL20233	300V	31X19AWG	43/0.14	16.1	470.86	27.4 Ω /km
ANM07.005.32.019AB	UL20233	300V	32X19AWG	43/0.14	16.1	475.46	27.4 Ω /km
ANM07.005.33.019AB	UL20233	300V	33X19AWG	43/0.14	16.1	480.06	27.4 Ω /km
ANM07.005.34.019AB	UL20233	300V	34X19AWG	43/0.14	16.6	504.96	27.4 Ω /km
ANM07.005.35.019AB	UL20233	300V	35X19AWG	43/0.14	16.6	509.46	27.4 Ω /km
ANM07.005.36.019AB	UL20233	300V	36X19AWG	43/0.14	16.6	514.26	27.4 Ω /km
ANM07.005.37.019AB	UL20233	300V	37X19AWG	43/0.14	16.6	518.76	27.4 Ω /km
ANM07.005.38.019AB	UL20233	300V	38X19AWG	43/0.14	17.2	548.56	27.4 Ω /km
ANM07.005.39.019AB	UL20233	300V	39X19AWG	43/0.14	17.2	553.06	27.4 Ω /km
ANM07.005.40.019AB	UL20233	300V	40X19AWG	43/0.14	17.2	557.86	27.4 Ω /km
ANM07.005.41.019AB	UL20233	300V	41X19AWG	43/0.14	18.5	619.86	27.4 Ω /km
ANM07.005.42.019AB	UL20233	300V	42X19AWG	43/0.14	18.5	624.46	27.4 Ω /km
ANM07.005.43.019AB	UL20233	300V	43X19AWG	43/0.14	18.5	629.16	27.4 Ω /km



ANM07.005.44.019AB	UL20233	300V	44X19AWG	43/0.14	18.5	633.76	27.4 Ω/km
ANM07.005.45.019AB	UL20233	300V	45X19AWG	43/0.14	18.8	652.16	27.4 Ω/km
ANM07.005.46.019AB	UL20233	300V	46X19AWG	43/0.14	18.8	656.76	27.4 Ω/km
ANM07.005.47.019AB	UL20233	300V	47X19AWG	43/0.14	18.8	661.36	27.4 Ω/km
ANM07.005.48.019AB	UL20233	300V	48X19AWG	43/0.14	18.8	666.06	27.4 Ω/km
ANM07.005.49.019AB	UL20233	300V	49X19AWG	43/0.14	19.3	694.16	27.4 Ω/km
ANM07.005.50.019AB	UL20233	300V	50X19AWG	43/0.14	19.3	698.86	27.4 Ω/km
ANM07.005.51.019AB	UL20233	300V	51X19AWG	43/0.14	19.3	703.36	27.4 Ω/km
ANM07.005.52.019AB	UL20233	300V	52X19AWG	43/0.14	19.3	708.16	27.4 Ω/km
ANM07.005.53.019AB	UL20233	300V	53X19AWG	43/0.14	20.9	790.26	27.4 Ω/km
ANM07.005.54.019AB	UL20233	300V	54X19AWG	43/0.14	20.9	794.76	27.4 Ω/km
ANM07.005.55.019AB	UL20233	300V	55X19AWG	43/0.14	20.9	799.56	27.4 Ω/km
ANM07.005.56.019AB	UL20233	300V	56X19AWG	43/0.14	20.9	804.06	27.4 Ω/km
ANM07.005.57.019AB	UL20233	300V	57X19AWG	43/0.14	21.4	834.76	27.4 Ω/km
ANM07.005.58.019AB	UL20233	300V	58X19AWG	43/0.14	21.4	839.26	27.4 Ω/km
ANM07.005.59.019AB	UL20233	300V	59X19AWG	43/0.14	21.4	843.96	27.4 Ω/km
ANM07.005.60.019AB	UL20233	300V	60X19AWG	43/0.14	21.4	848.56	27.4 Ω/km
ANM07.005.61.019AB	UL20233	300V	61X19AWG	43/0.14	21.4	853.16	27.4 Ω/km
ANM07.005.62.019AB	UL20233	300V	62X19AWG	43/0.14	22	889.86	27.4 Ω/km
ANM07.005.63.019AB	UL20233	300V	63X19AWG	43/0.14	22	894.56	27.4 Ω/km
ANM07.005.64.019AB	UL20233	300V	64X19AWG	43/0.14	22	899.16	27.4 Ω/km
ANM07.005.65.019AB	UL20233	300V	65X19AWG	43/0.14	22	903.76	27.4 Ω/km
ANM07.005.02.018AB	UL20233	300V	2X18AWG	29/0.19	6.2	63.83	21.8 Ω/km
ANM07.005.03.018AB	UL20233	300V	3X18AWG	29/0.19	6.6	76.33	21.8 Ω/km
ANM07.005.04.018AB	UL20233	300V	4X18AWG	29/0.19	7.1	91.33	21.8 Ω/km
ANM07.005.05.018AB	UL20233	300V	5X18AWG	29/0.19	7.6	106.53	21.8 Ω/km
ANM07.005.06.018AB	UL20233	300V	6X18AWG	29/0.19	8.6	132.53	21.8 Ω/km
ANM07.005.07.018AB	UL20233	300V	7X18AWG	29/0.19	8.6	138.63	21.8 Ω/km
ANM07.005.08.018AB	UL20233	300V	8X18AWG	29/0.19	9.2	158.03	21.8 Ω/km
ANM07.005.09.018AB	UL20233	300V	9X18AWG	29/0.19	10	183.43	21.8 Ω/km
ANM07.005.10.018AB	UL20233	300V	10X18AWG	29/0.19	11.2	220.43	21.8 Ω/km
ANM07.005.11.018AB	UL20233	300V	11X18AWG	29/0.19	11.6	237.83	21.8 Ω/km
ANM07.005.12.018AB	UL20233	300V	12X18AWG	29/0.19	11.6	243.63	21.8 Ω/km
ANM07.005.13.018AB	UL20233	300V	13X18AWG	29/0.19	12.1	264.53	21.8 Ω/km
ANM07.005.14.018AB	UL20233	300V	14X18AWG	29/0.19	12.1	270.43	21.8 Ω/km
ANM07.005.15.018AB	UL20233	300V	15X18AWG	29/0.19	12.6	291.83	21.8 Ω/km
ANM07.005.16.018AB	UL20233	300V	16X18AWG	29/0.19	12.6	297.93	21.8 Ω/km
ANM07.005.17.018AB	UL20233	300V	17X18AWG	29/0.19	13.2	323.03	21.8 Ω/km
ANM07.005.18.018AB	UL20233	300V	18X18AWG	29/0.19	13.2	329.03	21.8 Ω/km
ANM07.005.19.018AB	UL20233	300V	19X18AWG	29/0.19	13.2	335.13	21.8 Ω/km
ANM07.005.20.018AB	UL20233	300V	20X18AWG	29/0.19	13.7	357.73	21.8 Ω/km
ANM07.005.21.018AB	UL20233	300V	21X18AWG	29/0.19	13.9	370.53	21.8 Ω/km



ANM07.005.22.018AB	UL20233	300V	22X18AWG	29/0.19	14.7	405.13	21.8 Ω/km
ANM07.005.23.018AB	UL20233	300V	23X18AWG	29/0.19	15.3	433.33	21.8 Ω/km
ANM07.005.24.018AB	UL20233	300V	24X18AWG	29/0.19	15.3	439.23	21.8 Ω/km
ANM07.005.25.018AB	UL20233	300V	25X18AWG	29/0.19	15.7	460.83	21.8 Ω/km
ANM07.005.26.018AB	UL20233	300V	26X18AWG	29/0.19	15.7	466.63	21.8 Ω/km
ANM07.005.27.018AB	UL20233	300V	27X18AWG	29/0.19	15.7	472.63	21.8 Ω/km
ANM07.005.28.018AB	UL20233	300V	28X18AWG	29/0.19	16.2	498.23	21.8 Ω/km
ANM07.005.29.018AB	UL20233	300V	29X18AWG	29/0.19	16.2	504.33	21.8 Ω/km
ANM07.005.30.018AB	UL20233	300V	30X18AWG	29/0.19	16.2	510.33	21.8 Ω/km
ANM07.005.31.018AB	UL20233	300V	31X18AWG	29/0.19	16.7	536.53	21.8 Ω/km
ANM07.005.32.018AB	UL20233	300V	32X18AWG	29/0.19	16.7	542.53	21.8 Ω/km
ANM07.005.33.018AB	UL20233	300V	33X18AWG	29/0.19	16.7	548.53	21.8 Ω/km
ANM07.005.34.018AB	UL20233	300V	34X18AWG	29/0.19	17.3	579.73	21.8 Ω/km
ANM07.005.35.018AB	UL20233	300V	35X18AWG	29/0.19	17.3	585.83	21.8 Ω/km
ANM07.005.36.018AB	UL20233	300V	36X18AWG	29/0.19	17.3	591.73	21.8 Ω/km
ANM07.005.37.018AB	UL20233	300V	37X18AWG	29/0.19	17.3	597.63	21.8 Ω/km
ANM07.005.38.018AB	UL20233	300V	38X18AWG	29/0.19	17.9	629.73	21.8 Ω/km
ANM07.005.39.018AB	UL20233	300V	39X18AWG	29/0.19	17.9	635.73	21.8 Ω/km
ANM07.005.40.018AB	UL20233	300V	40X18AWG	29/0.19	17.9	641.63	21.8 Ω/km
ANM07.005.41.018AB	UL20233	300V	41X18AWG	29/0.19	19.3	711.93	21.8 Ω/km
ANM07.005.42.018AB	UL20233	300V	42X18AWG	29/0.19	19.3	717.83	21.8 Ω/km
ANM07.005.43.018AB	UL20233	300V	43X18AWG	29/0.19	19.3	723.83	21.8 Ω/km
ANM07.005.44.018AB	UL20233	300V	44X18AWG	29/0.19	19.3	729.83	21.8 Ω/km
ANM07.005.45.018AB	UL20233	300V	45X18AWG	29/0.19	20.7	802.93	21.8 Ω/km
ANM07.005.46.018AB	UL20233	300V	46X18AWG	29/0.19	20.7	808.83	21.8 Ω/km
ANM07.005.47.018AB	UL20233	300V	47X18AWG	29/0.19	20.7	814.93	21.8 Ω/km
ANM07.005.48.018AB	UL20233	300V	48X18AWG	29/0.19	20.7	820.73	21.8 Ω/km
ANM07.005.49.018AB	UL20233	300V	49X18AWG	29/0.19	21.2	852.53	21.8 Ω/km
ANM07.005.50.018AB	UL20233	300V	50X18AWG	29/0.19	21.2	858.63	21.8 Ω/km
ANM07.005.51.018AB	UL20233	300V	51X18AWG	29/0.19	21.2	864.43	21.8 Ω/km
ANM07.005.52.018AB	UL20233	300V	52X18AWG	29/0.19	21.2	870.43	21.8 Ω/km
ANM07.005.53.018AB	UL20233	300V	53X18AWG	29/0.19	21.7	902.83	21.8 Ω/km
ANM07.005.54.018AB	UL20233	300V	54X18AWG	29/0.19	21.7	908.73	21.8 Ω/km
ANM07.005.55.018AB	UL20233	300V	55X18AWG	29/0.19	21.7	914.73	21.8 Ω/km
ANM07.005.56.018AB	UL20233	300V	56X18AWG	29/0.19	21.7	920.53	21.8 Ω/km
ANM07.005.57.018AB	UL20233	300V	57X18AWG	29/0.19	22.3	959.13	21.8 Ω/km
ANM07.005.58.018AB	UL20233	300V	58X18AWG	29/0.19	22.3	965.13	21.8 Ω/km
ANM07.005.59.018AB	UL20233	300V	59X18AWG	29/0.19	22.3	971.03	21.8 Ω/km
ANM07.005.60.018AB	UL20233	300V	60X18AWG	29/0.19	22.3	977.03	21.8 Ω/km
ANM07.005.61.018AB	UL20233	300V	61X18AWG	29/0.19	22.3	983.03	21.8 Ω/km
ANM07.005.62.018AB	UL20233	300V	62X18AWG	29/0.19	22.9	1022.23	21.8 Ω/km
ANM07.005.63.018AB	UL20233	300V	63X18AWG	29/0.19	22.9	1028.33	21.8 Ω/km



ANM07.005.64.018AB	UL20233	300V	64X18AWG	29/0.19	22.9	1034.33	21.8 Ω/km
ANM07.005.65.018AB	UL20233	300V	65X18AWG	29/0.19	22.9	1040.13	21.8 Ω/km
ANM07.005.02.017AB	UL20233	300V	2X17AWG	37/0.19	6.6	73.54	17.3 Ω/km
ANM07.005.03.017AB	UL20233	300V	3X17AWG	37/0.19	7	87.84	17.3 Ω/km
ANM07.005.04.017AB	UL20233	300V	4X17AWG	37/0.19	7.6	106.44	17.3 Ω/km
ANM07.005.05.017AB	UL20233	300V	5X17AWG	37/0.19	8.6	133.94	17.3 Ω/km
ANM07.005.06.017AB	UL20233	300V	6X17AWG	37/0.19	9.2	154.74	17.3 Ω/km
ANM07.005.07.017AB	UL20233	300V	7X17AWG	37/0.19	9.2	162.04	17.3 Ω/km
ANM07.005.08.017AB	UL20233	300V	8X17AWG	37/0.19	9.9	186.34	17.3 Ω/km
ANM07.005.09.017AB	UL20233	300V	9X17AWG	37/0.19	11.4	232.94	17.3 Ω/km
ANM07.005.10.017AB	UL20233	300V	10X17AWG	37/0.19	12	258.04	17.3 Ω/km
ANM07.005.11.017AB	UL20233	300V	11X17AWG	37/0.19	12.4	277.54	17.3 Ω/km
ANM07.005.12.017AB	UL20233	300V	12X17AWG	37/0.19	12.4	284.94	17.3 Ω/km
ANM07.005.13.017AB	UL20233	300V	13X17AWG	37/0.19	13	311.24	17.3 Ω/km
ANM07.005.14.017AB	UL20233	300V	14X17AWG	37/0.19	13	318.54	17.3 Ω/km
ANM07.005.15.017AB	UL20233	300V	15X17AWG	37/0.19	13.7	349.24	17.3 Ω/km
ANM07.005.16.017AB	UL20233	300V	16X17AWG	37/0.19	13.7	356.64	17.3 Ω/km
ANM07.005.17.017AB	UL20233	300V	17X17AWG	37/0.19	14.3	384.94	17.3 Ω/km
ANM07.005.18.017AB	UL20233	300V	18X17AWG	37/0.19	14.3	392.34	17.3 Ω/km
ANM07.005.19.017AB	UL20233	300V	19X17AWG	37/0.19	14.3	399.84	17.3 Ω/km
ANM07.005.20.017AB	UL20233	300V	20X17AWG	37/0.19	14.7	421.54	17.3 Ω/km
ANM07.005.21.017AB	UL20233	300V	21X17AWG	37/0.19	15	440.04	17.3 Ω/km
ANM07.005.22.017AB	UL20233	300V	22X17AWG	37/0.19	15.9	481.84	17.3 Ω/km
ANM07.005.23.017AB	UL20233	300V	23X17AWG	37/0.19	16.5	513.24	17.3 Ω/km
ANM07.005.24.017AB	UL20233	300V	24X17AWG	37/0.19	16.5	520.64	17.3 Ω/km
ANM07.005.25.017AB	UL20233	300V	25X17AWG	37/0.19	16.9	544.54	17.3 Ω/km
ANM07.005.26.017AB	UL20233	300V	26X17AWG	37/0.19	16.9	551.84	17.3 Ω/km
ANM07.005.27.017AB	UL20233	300V	27X17AWG	37/0.19	16.9	559.34	17.3 Ω/km
ANM07.005.28.017AB	UL20233	300V	28X17AWG	37/0.19	17.5	592.34	17.3 Ω/km
ANM07.005.29.017AB	UL20233	300V	29X17AWG	37/0.19	17.5	599.74	17.3 Ω/km
ANM07.005.30.017AB	UL20233	300V	30X17AWG	37/0.19	17.5	607.04	17.3 Ω/km
ANM07.005.31.017AB	UL20233	300V	31X17AWG	37/0.19	18.1	640.84	17.3 Ω/km
ANM07.005.32.017AB	UL20233	300V	32X17AWG	37/0.19	18.1	648.14	17.3 Ω/km
ANM07.005.33.017AB	UL20233	300V	33X17AWG	37/0.19	18.1	655.44	17.3 Ω/km
ANM07.005.34.017AB	UL20233	300V	34X17AWG	37/0.19	18.7	690.14	17.3 Ω/km
ANM07.005.35.017AB	UL20233	300V	35X17AWG	37/0.19	18.7	697.54	17.3 Ω/km
ANM07.005.36.017AB	UL20233	300V	36X17AWG	37/0.19	18.7	704.94	17.3 Ω/km
ANM07.005.37.017AB	UL20233	300V	37X17AWG	37/0.19	18.7	712.44	17.3 Ω/km
ANM07.005.38.017AB	UL20233	300V	38X17AWG	37/0.19	19.4	752.74	17.3 Ω/km
ANM07.005.39.017AB	UL20233	300V	39X17AWG	37/0.19	19.4	760.14	17.3 Ω/km
ANM07.005.40.017AB	UL20233	300V	40X17AWG	37/0.19	19.4	767.44	17.3 Ω/km
ANM07.005.41.017AB	UL20233	300V	41X17AWG	37/0.19	21.9	900.04	17.3 Ω/km



ANM07.005.42.017AB	UL20233	300V	42X17AWG	37/0.19	21.9	907.34	17.3 Ω/km
ANM07.005.43.017AB	UL20233	300V	43X17AWG	37/0.19	21.9	914.74	17.3 Ω/km
ANM07.005.44.017AB	UL20233	300V	44X17AWG	37/0.19	21.9	922.04	17.3 Ω/km
ANM07.005.45.017AB	UL20233	300V	45X17AWG	37/0.19	22.3	951.34	17.3 Ω/km
ANM07.005.46.017AB	UL20233	300V	46X17AWG	37/0.19	22.3	958.74	17.3 Ω/km
ANM07.005.47.017AB	UL20233	300V	47X17AWG	37/0.19	22.3	966.14	17.3 Ω/km
ANM07.005.48.017AB	UL20233	300V	48X17AWG	37/0.19	22.3	973.44	17.3 Ω/km
ANM07.005.49.017AB	UL20233	300V	49X17AWG	37/0.19	22.9	1014.24	17.3 Ω/km
ANM07.005.50.017AB	UL20233	300V	50X17AWG	37/0.19	22.9	1021.54	17.3 Ω/km
ANM07.005.51.017AB	UL20233	300V	51X17AWG	37/0.19	22.9	1028.84	17.3 Ω/km
ANM07.005.52.017AB	UL20233	300V	52X17AWG	37/0.19	22.9	1036.24	17.3 Ω/km
ANM07.005.53.017AB	UL20233	300V	53X17AWG	37/0.19	23.5	1077.84	17.3 Ω/km
ANM07.005.54.017AB	UL20233	300V	54X17AWG	37/0.19	23.5	1085.14	17.3 Ω/km
ANM07.005.55.017AB	UL20233	300V	55X17AWG	37/0.19	23.5	1092.64	17.3 Ω/km
ANM07.005.56.017AB	UL20233	300V	56X17AWG	37/0.19	23.5	1099.94	17.3 Ω/km
ANM07.005.57.017AB	UL20233	300V	57X17AWG	37/0.19	24.1	1142.54	17.3 Ω/km
ANM07.005.58.017AB	UL20233	300V	58X17AWG	37/0.19	24.1	1149.94	17.3 Ω/km
ANM07.005.59.017AB	UL20233	300V	59X17AWG	37/0.19	24.1	1157.24	17.3 Ω/km
ANM07.005.60.017AB	UL20233	300V	60X17AWG	37/0.19	24.1	1164.64	17.3 Ω/km
ANM07.005.61.017AB	UL20233	300V	61X17AWG	37/0.19	24.1	1171.94	17.3 Ω/km
ANM07.005.62.017AB	UL20233	300V	62X17AWG	37/0.19	24.8	1221.44	17.3 Ω/km
ANM07.005.63.017AB	UL20233	300V	63X17AWG	37/0.19	24.8	1228.74	17.3 Ω/km
ANM07.005.64.017AB	UL20233	300V	64X17AWG	37/0.19	24.8	1236.24	17.3 Ω/km
ANM07.005.65.017AB	UL20233	300V	65X17AWG	37/0.19	24.8	1243.54	17.3 Ω/km
ANM07.005.02.016AB	UL20233	300V	2X16AWG	27/0.25	6.8	81.71	13.7 Ω/km
ANM07.005.03.016AB	UL20233	300V	3X16AWG	27/0.25	7.2	98.41	13.7 Ω/km
ANM07.005.04.016AB	UL20233	300V	4X16AWG	27/0.25	7.8	119.51	13.7 Ω/km
ANM07.005.05.016AB	UL20233	300V	5X16AWG	27/0.25	8.9	151.91	13.7 Ω/km
ANM07.005.06.016AB	UL20233	300V	6X16AWG	27/0.25	9.5	175.31	13.7 Ω/km
ANM07.005.07.016AB	UL20233	300V	7X16AWG	27/0.25	9.5	184.91	13.7 Ω/km
ANM07.005.08.016AB	UL20233	300V	8X16AWG	27/0.25	10.2	211.91	13.7 Ω/km
ANM07.005.09.016AB	UL20233	300V	9X16AWG	27/0.25	11.8	264.71	13.7 Ω/km
ANM07.005.10.016AB	UL20233	300V	10X16AWG	27/0.25	12.4	292.31	13.7 Ω/km
ANM07.005.11.016AB	UL20233	300V	11X16AWG	27/0.25	12.8	314.51	13.7 Ω/km
ANM07.005.12.016AB	UL20233	300V	12X16AWG	27/0.25	12.8	324.11	13.7 Ω/km
ANM07.005.13.016AB	UL20233	300V	13X16AWG	27/0.25	13.5	356.61	13.7 Ω/km
ANM07.005.14.016AB	UL20233	300V	14X16AWG	27/0.25	13.5	366.21	13.7 Ω/km
ANM07.005.15.016AB	UL20233	300V	15X16AWG	27/0.25	14.2	399.91	13.7 Ω/km
ANM07.005.16.016AB	UL20233	300V	16X16AWG	27/0.25	14.2	409.51	13.7 Ω/km
ANM07.005.17.016AB	UL20233	300V	17X16AWG	27/0.25	14.8	440.71	13.7 Ω/km
ANM07.005.18.016AB	UL20233	300V	18X16AWG	27/0.25	14.8	450.31	13.7 Ω/km
ANM07.005.19.016AB	UL20233	300V	19X16AWG	27/0.25	14.8	459.91	13.7 Ω/km



ANM07.005.20.016AB	UL20233	300V	20X16AWG	27/0.25	15.2	484.21	13.7 Ω /km
ANM07.005.21.016AB	UL20233	300V	21X16AWG	27/0.25	15.5	505.31	13.7 Ω /km
ANM07.005.22.016AB	UL20233	300V	22X16AWG	27/0.25	16.5	554.41	13.7 Ω /km
ANM07.005.23.016AB	UL20233	300V	23X16AWG	27/0.25	17.1	589.11	13.7 Ω /km
ANM07.005.24.016AB	UL20233	300V	24X16AWG	27/0.25	17.1	598.71	13.7 Ω /km
ANM07.005.25.016AB	UL20233	300V	25X16AWG	27/0.25	17.5	625.31	13.7 Ω /km
ANM07.005.26.016AB	UL20233	300V	26X16AWG	27/0.25	17.5	634.91	13.7 Ω /km
ANM07.005.27.016AB	UL20233	300V	27X16AWG	27/0.25	17.5	644.41	13.7 Ω /km
ANM07.005.28.016AB	UL20233	300V	28X16AWG	27/0.25	18.1	680.41	13.7 Ω /km
ANM07.005.29.016AB	UL20233	300V	29X16AWG	27/0.25	18.1	689.91	13.7 Ω /km
ANM07.005.30.016AB	UL20233	300V	30X16AWG	27/0.25	18.1	699.51	13.7 Ω /km
ANM07.005.31.016AB	UL20233	300V	31X16AWG	27/0.25	18.8	741.01	13.7 Ω /km
ANM07.005.32.016AB	UL20233	300V	32X16AWG	27/0.25	18.8	750.51	13.7 Ω /km
ANM07.005.33.016AB	UL20233	300V	33X16AWG	27/0.25	18.8	760.11	13.7 Ω /km
ANM07.005.34.016AB	UL20233	300V	34X16AWG	27/0.25	19.4	798.01	13.7 Ω /km
ANM07.005.35.016AB	UL20233	300V	35X16AWG	27/0.25	19.4	807.61	13.7 Ω /km
ANM07.005.36.016AB	UL20233	300V	36X16AWG	27/0.25	19.4	817.21	13.7 Ω /km
ANM07.005.37.016AB	UL20233	300V	37X16AWG	27/0.25	19.4	826.71	13.7 Ω /km
ANM07.005.38.016AB	UL20233	300V	38X16AWG	27/0.25	21.1	919.31	13.7 Ω /km
ANM07.005.39.016AB	UL20233	300V	39X16AWG	27/0.25	21.1	928.81	13.7 Ω /km
ANM07.005.40.016AB	UL20233	300V	40X16AWG	27/0.25	21.1	938.41	13.7 Ω /km
ANM07.005.41.016AB	UL20233	300V	41X16AWG	27/0.25	22.7	1034.31	13.7 Ω /km
ANM07.005.42.016AB	UL20233	300V	42X16AWG	27/0.25	22.7	1043.81	13.7 Ω /km
ANM07.005.43.016AB	UL20233	300V	43X16AWG	27/0.25	22.7	1053.41	13.7 Ω /km
ANM07.005.44.016AB	UL20233	300V	44X16AWG	27/0.25	22.7	1062.91	13.7 Ω /km
ANM07.005.45.016AB	UL20233	300V	45X16AWG	27/0.25	23.1	1095.01	13.7 Ω /km
ANM07.005.46.016AB	UL20233	300V	46X16AWG	27/0.25	23.1	1104.51	13.7 Ω /km
ANM07.005.47.016AB	UL20233	300V	47X16AWG	27/0.25	23.1	1114.11	13.7 Ω /km
ANM07.005.48.016AB	UL20233	300V	48X16AWG	27/0.25	23.1	1123.71	13.7 Ω /km
ANM07.005.49.016AB	UL20233	300V	49X16AWG	27/0.25	23.7	1167.61	13.7 Ω /km
ANM07.005.50.016AB	UL20233	300V	50X16AWG	27/0.25	23.7	1177.21	13.7 Ω /km
ANM07.005.51.016AB	UL20233	300V	51X16AWG	27/0.25	23.7	1186.71	13.7 Ω /km
ANM07.005.52.016AB	UL20233	300V	52X16AWG	27/0.25	23.7	1196.31	13.7 Ω /km
ANM07.005.53.016AB	UL20233	300V	53X16AWG	27/0.25	24.4	1247.41	13.7 Ω /km
ANM07.005.54.016AB	UL20233	300V	54X16AWG	27/0.25	24.4	1256.91	13.7 Ω /km
ANM07.005.55.016AB	UL20233	300V	55X16AWG	27/0.25	24.4	1266.51	13.7 Ω /km
ANM07.005.56.016AB	UL20233	300V	56X16AWG	27/0.25	24.4	1276.01	13.7 Ω /km
ANM07.005.57.016AB	UL20233	300V	57X16AWG	27/0.25	25	1322.01	13.7 Ω /km
ANM07.005.58.016AB	UL20233	300V	58X16AWG	27/0.25	25	1331.51	13.7 Ω /km
ANM07.005.59.016AB	UL20233	300V	59X16AWG	27/0.25	25	1341.11	13.7 Ω /km
ANM07.005.60.016AB	UL20233	300V	60X16AWG	27/0.25	25	1350.71	13.7 Ω /km
ANM07.005.61.016AB	UL20233	300V	61X16AWG	27/0.25	25	1360.21	13.7 Ω /km



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANM07.005.62.016AB	UL20233	300V	62X16AWG	27/0.25	25.7	1413.41	13.7 Ω/km
ANM07.005.63.016AB	UL20233	300V	63X16AWG	27/0.25	25.7	1422.91	13.7 Ω/km
ANM07.005.64.016AB	UL20233	300V	64X16AWG	27/0.25	25.7	1432.51	13.7 Ω/km
ANM07.005.65.016AB	UL20233	300V	65X16AWG	27/0.25	25.7	1442.11	13.7 Ω/km
芯线 TPE 材质							
ANM07.002.02.028AB	UL20233	300V	2X28AWG	11/0.1	4.6	29.79	223 Ω/km
ANM07.002.03.028AB	UL20233	300V	3X28AWG	11/0.1	4.8	32.79	223 Ω/km
ANM07.002.04.028AB	UL20233	300V	4X28AWG	11/0.1	5.1	37.29	223 Ω/km
ANM07.002.05.028AB	UL20233	300V	5X28AWG	11/0.1	5.5	43.39	223 Ω/km
ANM07.002.06.028AB	UL20233	300V	6X28AWG	11/0.1	5.8	48.49	223 Ω/km
ANM07.002.07.028AB	UL20233	300V	7X28AWG	11/0.1	5.8	48.99	223 Ω/km
ANM07.002.08.028AB	UL20233	300V	8X28AWG	11/0.1	6.2	55.79	223 Ω/km
ANM07.002.09.028AB	UL20233	300V	9X28AWG	11/0.1	6.7	64.59	223 Ω/km
ANM07.002.10.028AB	UL20233	300V	10X28AWG	11/0.1	7	70.49	223 Ω/km
ANM07.002.11.028AB	UL20233	300V	11X28AWG	11/0.1	7.2	74.69	223 Ω/km
ANM07.002.12.028AB	UL20233	300V	12X28AWG	11/0.1	7.2	75.39	223 Ω/km
ANM07.002.13.028AB	UL20233	300V	13X28AWG	11/0.1	7.5	81.49	223 Ω/km
ANM07.002.14.028AB	UL20233	300V	14X28AWG	11/0.1	7.5	82.19	223 Ω/km
ANM07.002.15.028AB	UL20233	300V	15X28AWG	11/0.1	7.9	90.39	223 Ω/km
ANM07.002.16.028AB	UL20233	300V	16X28AWG	11/0.1	7.9	91.09	223 Ω/km
ANM07.002.17.028AB	UL20233	300V	17X28AWG	11/0.1	8.6	105.69	223 Ω/km
ANM07.002.18.028AB	UL20233	300V	18X28AWG	11/0.1	8.6	106.39	223 Ω/km
ANM07.002.19.028AB	UL20233	300V	19X28AWG	11/0.1	8.6	106.99	223 Ω/km
ANM07.002.20.028AB	UL20233	300V	20X28AWG	11/0.1	8.8	111.89	223 Ω/km
ANM07.002.21.028AB	UL20233	300V	21X28AWG	11/0.1	9	116.99	223 Ω/km
ANM07.002.22.028AB	UL20233	300V	22X28AWG	11/0.1	9.5	129.19	223 Ω/km
ANM07.002.23.028AB	UL20233	300V	23X28AWG	11/0.1	9.8	137.09	223 Ω/km
ANM07.002.24.028AB	UL20233	300V	24X28AWG	11/0.1	9.8	137.79	223 Ω/km
ANM07.002.25.028AB	UL20233	300V	25X28AWG	11/0.1	10	143.39	223 Ω/km
ANM07.002.26.028AB	UL20233	300V	26X28AWG	11/0.1	10	143.89	223 Ω/km
ANM07.002.27.028AB	UL20233	300V	27X28AWG	11/0.1	10	144.49	223 Ω/km
ANM07.002.28.028AB	UL20233	300V	28X28AWG	11/0.1	10.3	152.59	223 Ω/km
ANM07.002.29.028AB	UL20233	300V	29X28AWG	11/0.1	10.3	153.09	223 Ω/km
ANM07.002.30.028AB	UL20233	300V	30X28AWG	11/0.1	10.3	153.69	223 Ω/km
ANM07.002.31.028AB	UL20233	300V	31X28AWG	11/0.1	11.3	180.69	223 Ω/km
ANM07.002.32.028AB	UL20233	300V	32X28AWG	11/0.1	11.3	181.09	223 Ω/km
ANM07.002.33.028AB	UL20233	300V	33X28AWG	11/0.1	11.3	181.79	223 Ω/km
ANM07.002.34.028AB	UL20233	300V	34X28AWG	11/0.1	11.6	190.79	223 Ω/km
ANM07.002.35.028AB	UL20233	300V	35X28AWG	11/0.1	11.6	191.39	223 Ω/km
ANM07.002.36.028AB	UL20233	300V	36X28AWG	11/0.1	11.6	191.99	223 Ω/km
ANM07.002.37.028AB	UL20233	300V	37X28AWG	11/0.1	11.6	192.59	223 Ω/km



ANM07.002.38.028AB	UL20233	300V	38X28AWG	11/0.1	12	204.89	223 Ω/km
ANM07.002.39.028AB	UL20233	300V	39X28AWG	11/0.1	12	205.49	223 Ω/km
ANM07.002.40.028AB	UL20233	300V	40X28AWG	11/0.1	12	206.09	223 Ω/km
ANM07.002.41.028AB	UL20233	300V	41X28AWG	11/0.1	12.8	231.39	223 Ω/km
ANM07.002.42.028AB	UL20233	300V	42X28AWG	11/0.1	12.8	231.99	223 Ω/km
ANM07.002.43.028AB	UL20233	300V	43X28AWG	11/0.1	12.8	232.59	223 Ω/km
ANM07.002.44.028AB	UL20233	300V	44X28AWG	11/0.1	12.8	233.09	223 Ω/km
ANM07.002.45.028AB	UL20233	300V	45X28AWG	11/0.1	13	240.09	223 Ω/km
ANM07.002.46.028AB	UL20233	300V	46X28AWG	11/0.1	13	240.59	223 Ω/km
ANM07.002.47.028AB	UL20233	300V	47X28AWG	11/0.1	13	241.19	223 Ω/km
ANM07.002.48.028AB	UL20233	300V	48X28AWG	11/0.1	13	241.79	223 Ω/km
ANM07.002.49.028AB	UL20233	300V	49X28AWG	11/0.1	13.4	255.59	223 Ω/km
ANM07.002.50.028AB	UL20233	300V	50X28AWG	11/0.1	13.4	256.29	223 Ω/km
ANM07.002.51.028AB	UL20233	300V	51X28AWG	11/0.1	13.4	256.69	223 Ω/km
ANM07.002.52.028AB	UL20233	300V	52X28AWG	11/0.1	13.4	257.39	223 Ω/km
ANM07.002.53.028AB	UL20233	300V	53X28AWG	11/0.1	13.8	271.49	223 Ω/km
ANM07.002.54.028AB	UL20233	300V	54X28AWG	11/0.1	13.8	272.09	223 Ω/km
ANM07.002.55.028AB	UL20233	300V	55X28AWG	11/0.1	13.8	272.59	223 Ω/km
ANM07.002.56.028AB	UL20233	300V	56X28AWG	11/0.1	13.8	273.19	223 Ω/km
ANM07.002.57.028AB	UL20233	300V	57X28AWG	11/0.1	14.1	284.19	223 Ω/km
ANM07.002.58.028AB	UL20233	300V	58X28AWG	11/0.1	14.1	284.79	223 Ω/km
ANM07.002.59.028AB	UL20233	300V	59X28AWG	11/0.1	14.1	285.29	223 Ω/km
ANM07.002.60.028AB	UL20233	300V	60X28AWG	11/0.1	14.1	285.99	223 Ω/km
ANM07.002.61.028AB	UL20233	300V	61X28AWG	11/0.1	14.1	286.39	223 Ω/km
ANM07.002.62.028AB	UL20233	300V	62X28AWG	11/0.1	14.5	301.29	223 Ω/km
ANM07.002.63.028AB	UL20233	300V	63X28AWG	11/0.1	14.5	301.79	223 Ω/km
ANM07.002.64.028AB	UL20233	300V	64X28AWG	11/0.1	14.5	302.39	223 Ω/km
ANM07.002.65.028AB	UL20233	300V	65X28AWG	11/0.1	14.5	302.99	223 Ω/km
ANM07.002.02.027AB	UL20233	300V	2X27AWG	7/0.14	4.8	32.41	175 Ω/km
ANM07.002.03.027AB	UL20233	300V	3X27AWG	7/0.14	5.1	36.81	175 Ω/km
ANM07.002.04.027AB	UL20233	300V	4X27AWG	7/0.14	5.4	41.71	175 Ω/km
ANM07.002.05.027AB	UL20233	300V	5X27AWG	7/0.14	5.8	48.21	175 Ω/km
ANM07.002.06.027AB	UL20233	300V	6X27AWG	7/0.14	6.1	53.41	175 Ω/km
ANM07.002.07.027AB	UL20233	300V	7X27AWG	7/0.14	6.1	54.11	175 Ω/km
ANM07.002.08.027AB	UL20233	300V	8X27AWG	7/0.14	6.5	61.11	175 Ω/km
ANM07.002.09.027AB	UL20233	300V	9X27AWG	7/0.14	7.1	72.31	175 Ω/km
ANM07.002.10.027AB	UL20233	300V	10X27AWG	7/0.14	7.4	78.51	175 Ω/km
ANM07.002.11.027AB	UL20233	300V	11X27AWG	7/0.14	7.7	84.91	175 Ω/km
ANM07.002.12.027AB	UL20233	300V	12X27AWG	7/0.14	7.7	85.51	175 Ω/km
ANM07.002.13.027AB	UL20233	300V	13X27AWG	7/0.14	8.4	99.91	175 Ω/km
ANM07.002.14.027AB	UL20233	300V	14X27AWG	7/0.14	8.4	100.51	175 Ω/km
ANM07.002.15.027AB	UL20233	300V	15X27AWG	7/0.14	8.8	109.81	175 Ω/km



ANM07.002.16.027AB	UL20233	300V	16X27AWG	7/0.14	8.8	110.41	175 Ω/km
ANM07.002.17.027AB	UL20233	300V	17X27AWG	7/0.14	9.1	117.91	175 Ω/km
ANM07.002.18.027AB	UL20233	300V	18X27AWG	7/0.14	9.1	118.61	175 Ω/km
ANM07.002.19.027AB	UL20233	300V	19X27AWG	7/0.14	9.1	119.21	175 Ω/km
ANM07.002.20.027AB	UL20233	300V	20X27AWG	7/0.14	9.4	126.81	175 Ω/km
ANM07.002.21.027AB	UL20233	300V	21X27AWG	7/0.14	9.5	129.91	175 Ω/km
ANM07.002.22.027AB	UL20233	300V	22X27AWG	7/0.14	10.1	145.31	175 Ω/km
ANM07.002.23.027AB	UL20233	300V	23X27AWG	7/0.14	11	168.91	175 Ω/km
ANM07.002.24.027AB	UL20233	300V	24X27AWG	7/0.14	11	169.51	175 Ω/km
ANM07.002.25.027AB	UL20233	300V	25X27AWG	7/0.14	11.3	178.61	175 Ω/km
ANM07.002.26.027AB	UL20233	300V	26X27AWG	7/0.14	11.3	179.21	175 Ω/km
ANM07.002.27.027AB	UL20233	300V	27X27AWG	7/0.14	11.3	179.81	175 Ω/km
ANM07.002.28.027AB	UL20233	300V	28X27AWG	7/0.14	11.6	189.01	175 Ω/km
ANM07.002.29.027AB	UL20233	300V	29X27AWG	7/0.14	11.6	189.61	175 Ω/km
ANM07.002.30.027AB	UL20233	300V	30X27AWG	7/0.14	11.6	190.21	175 Ω/km
ANM07.002.31.027AB	UL20233	300V	31X27AWG	7/0.14	12	202.71	175 Ω/km
ANM07.002.32.027AB	UL20233	300V	32X27AWG	7/0.14	12	203.21	175 Ω/km
ANM07.002.33.027AB	UL20233	300V	33X27AWG	7/0.14	12	203.91	175 Ω/km
ANM07.002.34.027AB	UL20233	300V	34X27AWG	7/0.14	12.3	213.71	175 Ω/km
ANM07.002.35.027AB	UL20233	300V	35X27AWG	7/0.14	12.3	214.21	175 Ω/km
ANM07.002.36.027AB	UL20233	300V	36X27AWG	7/0.14	12.3	214.91	175 Ω/km
ANM07.002.37.027AB	UL20233	300V	37X27AWG	7/0.14	12.3	215.61	175 Ω/km
ANM07.002.38.027AB	UL20233	300V	38X27AWG	7/0.14	12.7	228.71	175 Ω/km
ANM07.002.39.027AB	UL20233	300V	39X27AWG	7/0.14	12.7	229.31	175 Ω/km
ANM07.002.40.027AB	UL20233	300V	40X27AWG	7/0.14	12.7	229.91	175 Ω/km
ANM07.002.41.027AB	UL20233	300V	41X27AWG	7/0.14	13.7	263.41	175 Ω/km
ANM07.002.42.027AB	UL20233	300V	42X27AWG	7/0.14	13.7	264.11	175 Ω/km
ANM07.002.43.027AB	UL20233	300V	43X27AWG	7/0.14	13.7	264.61	175 Ω/km
ANM07.002.44.027AB	UL20233	300V	44X27AWG	7/0.14	13.7	265.31	175 Ω/km
ANM07.002.45.027AB	UL20233	300V	45X27AWG	7/0.14	14	276.31	175 Ω/km
ANM07.002.46.027AB	UL20233	300V	46X27AWG	7/0.14	14	276.91	175 Ω/km
ANM07.002.47.027AB	UL20233	300V	47X27AWG	7/0.14	14	277.51	175 Ω/km
ANM07.002.48.027AB	UL20233	300V	48X27AWG	7/0.14	14	278.11	175 Ω/km
ANM07.002.49.027AB	UL20233	300V	49X27AWG	7/0.14	14.3	289.31	175 Ω/km
ANM07.002.50.027AB	UL20233	300V	50X27AWG	7/0.14	14.3	290.01	175 Ω/km
ANM07.002.51.027AB	UL20233	300V	51X27AWG	7/0.14	14.3	290.51	175 Ω/km
ANM07.002.52.027AB	UL20233	300V	52X27AWG	7/0.14	14.3	291.21	175 Ω/km
ANM07.002.53.027AB	UL20233	300V	53X27AWG	7/0.14	14.7	306.31	175 Ω/km
ANM07.002.54.027AB	UL20233	300V	54X27AWG	7/0.14	14.7	306.81	175 Ω/km
ANM07.002.55.027AB	UL20233	300V	55X27AWG	7/0.14	14.7	307.61	175 Ω/km
ANM07.002.56.027AB	UL20233	300V	56X27AWG	7/0.14	14.7	308.21	175 Ω/km
ANM07.002.57.027AB	UL20233	300V	57X27AWG	7/0.14	15	319.91	175 Ω/km



ANM07.002.58.027AB	UL20233	300V	58X27AWG	7/0.14	15	320.61	175 Ω/km
ANM07.002.59.027AB	UL20233	300V	59X27AWG	7/0.14	15	321.11	175 Ω/km
ANM07.002.60.027AB	UL20233	300V	60X27AWG	7/0.14	15	321.81	175 Ω/km
ANM07.002.61.027AB	UL20233	300V	61X27AWG	7/0.14	15	322.31	175 Ω/km
ANM07.002.62.027AB	UL20233	300V	62X27AWG	7/0.14	15.4	338.11	175 Ω/km
ANM07.002.63.027AB	UL20233	300V	63X27AWG	7/0.14	15.4	338.71	175 Ω/km
ANM07.002.64.027AB	UL20233	300V	64X27AWG	7/0.14	15.4	339.31	175 Ω/km
ANM07.002.65.027AB	UL20233	300V	65X27AWG	7/0.14	15.4	340.01	175 Ω/km
ANM07.002.02.026AB	UL20233	300V	2X26AWG	9/0.14	4.8	32.93	140 Ω/km
ANM07.002.03.026AB	UL20233	300V	3X26AWG	9/0.14	5.1	37.63	140 Ω/km
ANM07.002.04.026AB	UL20233	300V	4X26AWG	9/0.14	5.4	42.73	140 Ω/km
ANM07.002.05.026AB	UL20233	300V	5X26AWG	9/0.14	5.8	49.43	140 Ω/km
ANM07.002.06.026AB	UL20233	300V	6X26AWG	9/0.14	6.1	54.93	140 Ω/km
ANM07.002.07.026AB	UL20233	300V	7X26AWG	9/0.14	6.1	55.83	140 Ω/km
ANM07.002.08.026AB	UL20233	300V	8X26AWG	9/0.14	6.5	63.13	140 Ω/km
ANM07.002.09.026AB	UL20233	300V	9X26AWG	9/0.14	7.1	74.53	140 Ω/km
ANM07.002.10.026AB	UL20233	300V	10X26AWG	9/0.14	7.4	80.93	140 Ω/km
ANM07.002.11.026AB	UL20233	300V	11X26AWG	9/0.14	7.7	87.63	140 Ω/km
ANM07.002.12.026AB	UL20233	300V	12X26AWG	9/0.14	7.7	88.43	140 Ω/km
ANM07.002.13.026AB	UL20233	300V	13X26AWG	9/0.14	8.4	103.03	140 Ω/km
ANM07.002.14.026AB	UL20233	300V	14X26AWG	9/0.14	8.4	104.03	140 Ω/km
ANM07.002.15.026AB	UL20233	300V	15X26AWG	9/0.14	8.8	113.53	140 Ω/km
ANM07.002.16.026AB	UL20233	300V	16X26AWG	9/0.14	8.8	114.43	140 Ω/km
ANM07.002.17.026AB	UL20233	300V	17X26AWG	9/0.14	9.1	122.13	140 Ω/km
ANM07.002.18.026AB	UL20233	300V	18X26AWG	9/0.14	9.1	123.03	140 Ω/km
ANM07.002.19.026AB	UL20233	300V	19X26AWG	9/0.14	9.1	123.93	140 Ω/km
ANM07.002.20.026AB	UL20233	300V	20X26AWG	9/0.14	9.4	131.73	140 Ω/km
ANM07.002.21.026AB	UL20233	300V	21X26AWG	9/0.14	9.5	135.03	140 Ω/km
ANM07.002.22.026AB	UL20233	300V	22X26AWG	9/0.14	10.1	150.73	140 Ω/km
ANM07.002.23.026AB	UL20233	300V	23X26AWG	9/0.14	11	174.53	140 Ω/km
ANM07.002.24.026AB	UL20233	300V	24X26AWG	9/0.14	11	175.43	140 Ω/km
ANM07.002.25.026AB	UL20233	300V	25X26AWG	9/0.14	11.3	184.73	140 Ω/km
ANM07.002.26.026AB	UL20233	300V	26X26AWG	9/0.14	11.3	185.53	140 Ω/km
ANM07.002.27.026AB	UL20233	300V	27X26AWG	9/0.14	11.3	186.53	140 Ω/km
ANM07.002.28.026AB	UL20233	300V	28X26AWG	9/0.14	11.6	195.93	140 Ω/km
ANM07.002.29.026AB	UL20233	300V	29X26AWG	9/0.14	11.6	196.73	140 Ω/km
ANM07.002.30.026AB	UL20233	300V	30X26AWG	9/0.14	11.6	197.63	140 Ω/km
ANM07.002.31.026AB	UL20233	300V	31X26AWG	9/0.14	12	210.33	140 Ω/km
ANM07.002.32.026AB	UL20233	300V	32X26AWG	9/0.14	12	211.13	140 Ω/km
ANM07.002.33.026AB	UL20233	300V	33X26AWG	9/0.14	12	212.03	140 Ω/km
ANM07.002.34.026AB	UL20233	300V	34X26AWG	9/0.14	12.3	222.03	140 Ω/km
ANM07.002.35.026AB	UL20233	300V	35X26AWG	9/0.14	12.3	222.83	140 Ω/km



ANM07.002.36.026AB	UL20233	300V	36X26AWG	9/0.14	12.3	223.73	140 Ω/km
ANM07.002.37.026AB	UL20233	300V	37X26AWG	9/0.14	12.3	224.63	140 Ω/km
ANM07.002.38.026AB	UL20233	300V	38X26AWG	9/0.14	12.7	238.03	140 Ω/km
ANM07.002.39.026AB	UL20233	300V	39X26AWG	9/0.14	12.7	238.83	140 Ω/km
ANM07.002.40.026AB	UL20233	300V	40X26AWG	9/0.14	12.7	239.83	140 Ω/km
ANM07.002.41.026AB	UL20233	300V	41X26AWG	9/0.14	13.7	273.53	140 Ω/km
ANM07.002.42.026AB	UL20233	300V	42X26AWG	9/0.14	13.7	274.43	140 Ω/km
ANM07.002.43.026AB	UL20233	300V	43X26AWG	9/0.14	13.7	275.23	140 Ω/km
ANM07.002.44.026AB	UL20233	300V	44X26AWG	9/0.14	13.7	276.13	140 Ω/km
ANM07.002.45.026AB	UL20233	300V	45X26AWG	9/0.14	14	287.33	140 Ω/km
ANM07.002.46.026AB	UL20233	300V	46X26AWG	9/0.14	14	288.23	140 Ω/km
ANM07.002.47.026AB	UL20233	300V	47X26AWG	9/0.14	14	289.03	140 Ω/km
ANM07.002.48.026AB	UL20233	300V	48X26AWG	9/0.14	14	289.93	140 Ω/km
ANM07.002.49.026AB	UL20233	300V	49X26AWG	9/0.14	14.3	301.33	140 Ω/km
ANM07.002.50.026AB	UL20233	300V	50X26AWG	9/0.14	14.3	302.23	140 Ω/km
ANM07.002.51.026AB	UL20233	300V	51X26AWG	9/0.14	14.3	303.03	140 Ω/km
ANM07.002.52.026AB	UL20233	300V	52X26AWG	9/0.14	14.3	303.93	140 Ω/km
ANM07.002.53.026AB	UL20233	300V	53X26AWG	9/0.14	14.7	319.33	140 Ω/km
ANM07.002.54.026AB	UL20233	300V	54X26AWG	9/0.14	14.7	320.13	140 Ω/km
ANM07.002.55.026AB	UL20233	300V	55X26AWG	9/0.14	14.7	321.13	140 Ω/km
ANM07.002.56.026AB	UL20233	300V	56X26AWG	9/0.14	14.7	322.03	140 Ω/km
ANM07.002.57.026AB	UL20233	300V	57X26AWG	9/0.14	15	333.93	140 Ω/km
ANM07.002.58.026AB	UL20233	300V	58X26AWG	9/0.14	15	334.83	140 Ω/km
ANM07.002.59.026AB	UL20233	300V	59X26AWG	9/0.14	15	335.63	140 Ω/km
ANM07.002.60.026AB	UL20233	300V	60X26AWG	9/0.14	15	336.53	140 Ω/km
ANM07.002.61.026AB	UL20233	300V	61X26AWG	9/0.14	15	337.33	140 Ω/km
ANM07.002.62.026AB	UL20233	300V	62X26AWG	9/0.14	15.4	353.33	140 Ω/km
ANM07.002.63.026AB	UL20233	300V	63X26AWG	9/0.14	15.4	354.13	140 Ω/km
ANM07.002.64.026AB	UL20233	300V	64X26AWG	9/0.14	15.4	355.03	140 Ω/km
ANM07.002.65.026AB	UL20233	300V	65X26AWG	9/0.14	15.4	355.93	140 Ω/km
ANM07.002.02.025AB	UL20233	300V	2X25AWG	11/0.14	5	35.87	111 Ω/km
ANM07.002.03.025AB	UL20233	300V	3X25AWG	11/0.14	5.3	40.87	111 Ω/km
ANM07.002.04.025AB	UL20233	300V	4X25AWG	11/0.14	5.6	46.27	111 Ω/km
ANM07.002.05.025AB	UL20233	300V	5X25AWG	11/0.14	6	53.27	111 Ω/km
ANM07.002.06.025AB	UL20233	300V	6X25AWG	11/0.14	6.4	60.87	111 Ω/km
ANM07.002.07.025AB	UL20233	300V	7X25AWG	11/0.14	6.4	61.97	111 Ω/km
ANM07.002.08.025AB	UL20233	300V	8X25AWG	11/0.14	6.9	71.47	111 Ω/km
ANM07.002.09.025AB	UL20233	300V	9X25AWG	11/0.14	7.4	81.77	111 Ω/km
ANM07.002.10.025AB	UL20233	300V	10X25AWG	11/0.14	7.8	90.57	111 Ω/km
ANM07.002.11.025AB	UL20233	300V	11X25AWG	11/0.14	8.5	105.67	111 Ω/km
ANM07.002.12.025AB	UL20233	300V	12X25AWG	11/0.14	8.5	106.67	111 Ω/km
ANM07.002.13.025AB	UL20233	300V	13X25AWG	11/0.14	8.8	114.27	111 Ω/km



ANM07.002.14.025AB	UL20233	300V	14X25AWG	11/0.14	8.8	115.27	111 Ω/km
ANM07.002.15.025AB	UL20233	300V	15X25AWG	11/0.14	9.2	125.47	111 Ω/km
ANM07.002.16.025AB	UL20233	300V	16X25AWG	11/0.14	9.2	126.47	111 Ω/km
ANM07.002.17.025AB	UL20233	300V	17X25AWG	11/0.14	9.6	137.07	111 Ω/km
ANM07.002.18.025AB	UL20233	300V	18X25AWG	11/0.14	9.6	138.17	111 Ω/km
ANM07.002.19.025AB	UL20233	300V	19X25AWG	11/0.14	9.6	139.17	111 Ω/km
ANM07.002.20.025AB	UL20233	300V	20X25AWG	11/0.14	9.9	147.67	111 Ω/km
ANM07.002.21.025AB	UL20233	300V	21X25AWG	11/0.14	10.1	153.67	111 Ω/km
ANM07.002.22.025AB	UL20233	300V	22X25AWG	11/0.14	11.2	183.27	111 Ω/km
ANM07.002.23.025AB	UL20233	300V	23X25AWG	11/0.14	11.6	195.77	111 Ω/km
ANM07.002.24.025AB	UL20233	300V	24X25AWG	11/0.14	11.6	196.77	111 Ω/km
ANM07.002.25.025AB	UL20233	300V	25X25AWG	11/0.14	11.9	206.77	111 Ω/km
ANM07.002.26.025AB	UL20233	300V	26X25AWG	11/0.14	11.9	207.77	111 Ω/km
ANM07.002.27.025AB	UL20233	300V	27X25AWG	11/0.14	11.9	208.77	111 Ω/km
ANM07.002.28.025AB	UL20233	300V	28X25AWG	11/0.14	12.2	218.87	111 Ω/km
ANM07.002.29.025AB	UL20233	300V	29X25AWG	11/0.14	12.2	220.07	111 Ω/km
ANM07.002.30.025AB	UL20233	300V	30X25AWG	11/0.14	12.2	221.07	111 Ω/km
ANM07.002.31.025AB	UL20233	300V	31X25AWG	11/0.14	12.6	234.47	111 Ω/km
ANM07.002.32.025AB	UL20233	300V	32X25AWG	11/0.14	12.6	235.67	111 Ω/km
ANM07.002.33.025AB	UL20233	300V	33X25AWG	11/0.14	12.6	236.67	111 Ω/km
ANM07.002.34.025AB	UL20233	300V	34X25AWG	11/0.14	13	250.37	111 Ω/km
ANM07.002.35.025AB	UL20233	300V	35X25AWG	11/0.14	13	251.37	111 Ω/km
ANM07.002.36.025AB	UL20233	300V	36X25AWG	11/0.14	13	252.57	111 Ω/km
ANM07.002.37.025AB	UL20233	300V	37X25AWG	11/0.14	13	253.57	111 Ω/km
ANM07.002.38.025AB	UL20233	300V	38X25AWG	11/0.14	13.6	274.57	111 Ω/km
ANM07.002.39.025AB	UL20233	300V	39X25AWG	11/0.14	13.6	275.67	111 Ω/km
ANM07.002.40.025AB	UL20233	300V	40X25AWG	11/0.14	13.6	276.67	111 Ω/km
ANM07.002.41.025AB	UL20233	300V	41X25AWG	11/0.14	14.5	309.17	111 Ω/km
ANM07.002.42.025AB	UL20233	300V	42X25AWG	11/0.14	14.5	310.17	111 Ω/km
ANM07.002.43.025AB	UL20233	300V	43X25AWG	11/0.14	14.5	311.37	111 Ω/km
ANM07.002.44.025AB	UL20233	300V	44X25AWG	11/0.14	14.5	312.37	111 Ω/km
ANM07.002.45.025AB	UL20233	300V	45X25AWG	11/0.14	14.8	324.37	111 Ω/km
ANM07.002.46.025AB	UL20233	300V	46X25AWG	11/0.14	14.8	325.47	111 Ω/km
ANM07.002.47.025AB	UL20233	300V	47X25AWG	11/0.14	14.8	326.47	111 Ω/km
ANM07.002.48.025AB	UL20233	300V	48X25AWG	11/0.14	14.8	327.57	111 Ω/km
ANM07.002.49.025AB	UL20233	300V	49X25AWG	11/0.14	15.1	339.67	111 Ω/km
ANM07.002.50.025AB	UL20233	300V	50X25AWG	11/0.14	15.1	340.77	111 Ω/km
ANM07.002.51.025AB	UL20233	300V	51X25AWG	11/0.14	15.1	341.77	111 Ω/km
ANM07.002.52.025AB	UL20233	300V	52X25AWG	11/0.14	15.1	342.87	111 Ω/km
ANM07.002.53.025AB	UL20233	300V	53X25AWG	11/0.14	15.5	359.17	111 Ω/km
ANM07.002.54.025AB	UL20233	300V	54X25AWG	11/0.14	15.5	360.17	111 Ω/km
ANM07.002.55.025AB	UL20233	300V	55X25AWG	11/0.14	15.5	361.27	111 Ω/km



ANM07.002.56.025AB	UL20233	300V	56X25AWG	11/0.14	15.5	362.27	111 Ω/km
ANM07.002.57.025AB	UL20233	300V	57X25AWG	11/0.14	15.9	378.97	111 Ω/km
ANM07.002.58.025AB	UL20233	300V	58X25AWG	11/0.14	15.9	379.97	111 Ω/km
ANM07.002.59.025AB	UL20233	300V	59X25AWG	11/0.14	15.9	381.07	111 Ω/km
ANM07.002.60.025AB	UL20233	300V	60X25AWG	11/0.14	15.9	382.07	111 Ω/km
ANM07.002.61.025AB	UL20233	300V	61X25AWG	11/0.14	15.9	383.07	111 Ω/km
ANM07.002.62.025AB	UL20233	300V	62X25AWG	11/0.14	16.4	404.27	111 Ω/km
ANM07.002.63.025AB	UL20233	300V	63X25AWG	11/0.14	16.4	405.27	111 Ω/km
ANM07.002.64.025AB	UL20233	300V	64X25AWG	11/0.14	16.4	406.37	111 Ω/km
ANM07.002.65.025AB	UL20233	300V	65X25AWG	11/0.14	16.4	407.37	111 Ω/km
ANM07.002.02.024AB	UL20233	300V	2X24AWG	14/0.14	5	36.71	87.6 Ω/km
ANM07.002.03.024AB	UL20233	300V	3X24AWG	14/0.14	5.3	42.21	87.6 Ω/km
ANM07.002.04.024AB	UL20233	300V	4X24AWG	14/0.14	5.6	47.91	87.6 Ω/km
ANM07.002.05.024AB	UL20233	300V	5X24AWG	14/0.14	6	55.31	87.6 Ω/km
ANM07.002.06.024AB	UL20233	300V	6X24AWG	14/0.14	6.4	63.41	87.6 Ω/km
ANM07.002.07.024AB	UL20233	300V	7X24AWG	14/0.14	6.4	64.91	87.6 Ω/km
ANM07.002.08.024AB	UL20233	300V	8X24AWG	14/0.14	6.9	74.71	87.6 Ω/km
ANM07.002.09.024AB	UL20233	300V	9X24AWG	14/0.14	7.4	85.51	87.6 Ω/km
ANM07.002.10.024AB	UL20233	300V	10X24AWG	14/0.14	7.8	94.71	87.6 Ω/km
ANM07.002.11.024AB	UL20233	300V	11X24AWG	14/0.14	8.5	110.11	87.6 Ω/km
ANM07.002.12.024AB	UL20233	300V	12X24AWG	14/0.14	8.5	111.61	87.6 Ω/km
ANM07.002.13.024AB	UL20233	300V	13X24AWG	14/0.14	8.8	119.61	87.6 Ω/km
ANM07.002.14.024AB	UL20233	300V	14X24AWG	14/0.14	8.8	121.01	87.6 Ω/km
ANM07.002.15.024AB	UL20233	300V	15X24AWG	14/0.14	9.2	131.61	87.6 Ω/km
ANM07.002.16.024AB	UL20233	300V	16X24AWG	14/0.14	9.2	133.01	87.6 Ω/km
ANM07.002.17.024AB	UL20233	300V	17X24AWG	14/0.14	9.6	144.01	87.6 Ω/km
ANM07.002.18.024AB	UL20233	300V	18X24AWG	14/0.14	9.6	145.51	87.6 Ω/km
ANM07.002.19.024AB	UL20233	300V	19X24AWG	14/0.14	9.6	146.91	87.6 Ω/km
ANM07.002.20.024AB	UL20233	300V	20X24AWG	14/0.14	9.9	155.81	87.6 Ω/km
ANM07.002.21.024AB	UL20233	300V	21X24AWG	14/0.14	10.1	162.31	87.6 Ω/km
ANM07.002.22.024AB	UL20233	300V	22X24AWG	14/0.14	11.2	192.21	87.6 Ω/km
ANM07.002.23.024AB	UL20233	300V	23X24AWG	14/0.14	11.6	205.11	87.6 Ω/km
ANM07.002.24.024AB	UL20233	300V	24X24AWG	14/0.14	11.6	206.61	87.6 Ω/km
ANM07.002.25.024AB	UL20233	300V	25X24AWG	14/0.14	11.9	216.91	87.6 Ω/km
ANM07.002.26.024AB	UL20233	300V	26X24AWG	14/0.14	11.9	218.31	87.6 Ω/km
ANM07.002.27.024AB	UL20233	300V	27X24AWG	14/0.14	11.9	219.81	87.6 Ω/km
ANM07.002.28.024AB	UL20233	300V	28X24AWG	14/0.14	12.2	230.31	87.6 Ω/km
ANM07.002.29.024AB	UL20233	300V	29X24AWG	14/0.14	12.2	231.81	87.6 Ω/km
ANM07.002.30.024AB	UL20233	300V	30X24AWG	14/0.14	12.2	233.31	87.6 Ω/km
ANM07.002.31.024AB	UL20233	300V	31X24AWG	14/0.14	12.6	247.11	87.6 Ω/km
ANM07.002.32.024AB	UL20233	300V	32X24AWG	14/0.14	12.6	248.61	87.6 Ω/km
ANM07.002.33.024AB	UL20233	300V	33X24AWG	14/0.14	12.6	250.11	87.6 Ω/km



ANM07.002.34.024AB	UL20233	300V	34X24AWG	14/0.14	13	264.21	87.6 Ω /km
ANM07.002.35.024AB	UL20233	300V	35X24AWG	14/0.14	13	265.61	87.6 Ω /km
ANM07.002.36.024AB	UL20233	300V	36X24AWG	14/0.14	13	267.21	87.6 Ω /km
ANM07.002.37.024AB	UL20233	300V	37X24AWG	14/0.14	13	268.61	87.6 Ω /km
ANM07.002.38.024AB	UL20233	300V	38X24AWG	14/0.14	13.6	290.01	87.6 Ω /km
ANM07.002.39.024AB	UL20233	300V	39X24AWG	14/0.14	13.6	291.51	87.6 Ω /km
ANM07.002.40.024AB	UL20233	300V	40X24AWG	14/0.14	13.6	292.91	87.6 Ω /km
ANM07.002.41.024AB	UL20233	300V	41X24AWG	14/0.14	14.5	325.81	87.6 Ω /km
ANM07.002.42.024AB	UL20233	300V	42X24AWG	14/0.14	14.5	327.31	87.6 Ω /km
ANM07.002.43.024AB	UL20233	300V	43X24AWG	14/0.14	14.5	328.81	87.6 Ω /km
ANM07.002.44.024AB	UL20233	300V	44X24AWG	14/0.14	14.5	330.21	87.6 Ω /km
ANM07.002.45.024AB	UL20233	300V	45X24AWG	14/0.14	14.8	342.71	87.6 Ω /km
ANM07.002.46.024AB	UL20233	300V	46X24AWG	14/0.14	14.8	344.11	87.6 Ω /km
ANM07.002.47.024AB	UL20233	300V	47X24AWG	14/0.14	14.8	345.51	87.6 Ω /km
ANM07.002.48.024AB	UL20233	300V	48X24AWG	14/0.14	14.8	347.11	87.6 Ω /km
ANM07.002.49.024AB	UL20233	300V	49X24AWG	14/0.14	15.1	359.61	87.6 Ω /km
ANM07.002.50.024AB	UL20233	300V	50X24AWG	14/0.14	15.1	361.01	87.6 Ω /km
ANM07.002.51.024AB	UL20233	300V	51X24AWG	14/0.14	15.1	362.51	87.6 Ω /km
ANM07.002.52.024AB	UL20233	300V	52X24AWG	14/0.14	15.1	364.01	87.6 Ω /km
ANM07.002.53.024AB	UL20233	300V	53X24AWG	14/0.14	15.5	380.71	87.6 Ω /km
ANM07.002.54.024AB	UL20233	300V	54X24AWG	14/0.14	15.5	382.11	87.6 Ω /km
ANM07.002.55.024AB	UL20233	300V	55X24AWG	14/0.14	15.5	383.61	87.6 Ω /km
ANM07.002.56.024AB	UL20233	300V	56X24AWG	14/0.14	15.5	385.11	87.6 Ω /km
ANM07.002.57.024AB	UL20233	300V	57X24AWG	14/0.14	15.9	402.11	87.6 Ω /km
ANM07.002.58.024AB	UL20233	300V	58X24AWG	14/0.14	15.9	403.51	87.6 Ω /km
ANM07.002.59.024AB	UL20233	300V	59X24AWG	14/0.14	15.9	405.11	87.6 Ω /km
ANM07.002.60.024AB	UL20233	300V	60X24AWG	14/0.14	15.9	406.51	87.6 Ω /km
ANM07.002.61.024AB	UL20233	300V	61X24AWG	14/0.14	15.9	407.81	87.6 Ω /km
ANM07.002.62.024AB	UL20233	300V	62X24AWG	14/0.14	16.4	429.51	87.6 Ω /km
ANM07.002.63.024AB	UL20233	300V	63X24AWG	14/0.14	16.4	430.91	87.6 Ω /km
ANM07.002.64.024AB	UL20233	300V	64X24AWG	14/0.14	16.4	432.31	87.6 Ω /km
ANM07.002.65.024AB	UL20233	300V	65X24AWG	14/0.14	16.4	433.81	87.6 Ω /km
ANM07.002.02.023AB	UL20233	300V	2X23AWG	17/0.14	5.2	40.16	69.2 Ω /km
ANM07.002.03.023AB	UL20233	300V	3X23AWG	17/0.14	5.5	46.16	69.2 Ω /km
ANM07.002.04.023AB	UL20233	300V	4X23AWG	17/0.14	5.9	53.96	69.2 Ω /km
ANM07.002.05.023AB	UL20233	300V	5X23AWG	17/0.14	6.3	62.06	69.2 Ω /km
ANM07.002.06.023AB	UL20233	300V	6X23AWG	17/0.14	6.7	70.46	69.2 Ω /km
ANM07.002.07.023AB	UL20233	300V	7X23AWG	17/0.14	6.7	72.26	69.2 Ω /km
ANM07.002.08.023AB	UL20233	300V	8X23AWG	17/0.14	7.2	83.06	69.2 Ω /km
ANM07.002.09.023AB	UL20233	300V	9X23AWG	17/0.14	7.8	96.36	69.2 Ω /km
ANM07.002.10.023AB	UL20233	300V	10X23AWG	17/0.14	8.6	114.36	69.2 Ω /km
ANM07.002.11.023AB	UL20233	300V	11X23AWG	17/0.14	8.9	122.86	69.2 Ω /km



ANM07.002.12.023AB	UL20233	300V	12X23AWG	17/0.14	8.9	124.76	69.2 Ω /km
ANM07.002.13.023AB	UL20233	300V	13X23AWG	17/0.14	9.3	135.66	69.2 Ω /km
ANM07.002.14.023AB	UL20233	300V	14X23AWG	17/0.14	9.3	137.46	69.2 Ω /km
ANM07.002.15.023AB	UL20233	300V	15X23AWG	17/0.14	9.7	148.86	69.2 Ω /km
ANM07.002.16.023AB	UL20233	300V	16X23AWG	17/0.14	9.7	150.66	69.2 Ω /km
ANM07.002.17.023AB	UL20233	300V	17X23AWG	17/0.14	10.1	162.46	69.2 Ω /km
ANM07.002.18.023AB	UL20233	300V	18X23AWG	17/0.14	10.1	164.26	69.2 Ω /km
ANM07.002.19.023AB	UL20233	300V	19X23AWG	17/0.14	10.1	166.16	69.2 Ω /km
ANM07.002.20.023AB	UL20233	300V	20X23AWG	17/0.14	11	190.76	69.2 Ω /km
ANM07.002.21.023AB	UL20233	300V	21X23AWG	17/0.14	11.2	198.16	69.2 Ω /km
ANM07.002.22.023AB	UL20233	300V	22X23AWG	17/0.14	11.8	217.26	69.2 Ω /km
ANM07.002.23.023AB	UL20233	300V	23X23AWG	17/0.14	12.2	231.06	69.2 Ω /km
ANM07.002.24.023AB	UL20233	300V	24X23AWG	17/0.14	12.2	232.96	69.2 Ω /km
ANM07.002.25.023AB	UL20233	300V	25X23AWG	17/0.14	12.5	244.06	69.2 Ω /km
ANM07.002.26.023AB	UL20233	300V	26X23AWG	17/0.14	12.5	245.86	69.2 Ω /km
ANM07.002.27.023AB	UL20233	300V	27X23AWG	17/0.14	12.5	247.56	69.2 Ω /km
ANM07.002.28.023AB	UL20233	300V	28X23AWG	17/0.14	12.9	262.16	69.2 Ω /km
ANM07.002.29.023AB	UL20233	300V	29X23AWG	17/0.14	12.9	263.96	69.2 Ω /km
ANM07.002.30.023AB	UL20233	300V	30X23AWG	17/0.14	12.9	265.86	69.2 Ω /km
ANM07.002.31.023AB	UL20233	300V	31X23AWG	17/0.14	13.4	283.96	69.2 Ω /km
ANM07.002.32.023AB	UL20233	300V	32X23AWG	17/0.14	13.4	285.76	69.2 Ω /km
ANM07.002.33.023AB	UL20233	300V	33X23AWG	17/0.14	13.4	287.56	69.2 Ω /km
ANM07.002.34.023AB	UL20233	300V	34X23AWG	17/0.14	13.8	302.86	69.2 Ω /km
ANM07.002.35.023AB	UL20233	300V	35X23AWG	17/0.14	13.8	304.76	69.2 Ω /km
ANM07.002.36.023AB	UL20233	300V	36X23AWG	17/0.14	13.8	306.56	69.2 Ω /km
ANM07.002.37.023AB	UL20233	300V	37X23AWG	17/0.14	13.8	308.36	69.2 Ω /km
ANM07.002.38.023AB	UL20233	300V	38X23AWG	17/0.14	14.3	327.66	69.2 Ω /km
ANM07.002.39.023AB	UL20233	300V	39X23AWG	17/0.14	14.3	329.36	69.2 Ω /km
ANM07.002.40.023AB	UL20233	300V	40X23AWG	17/0.14	14.3	331.16	69.2 Ω /km
ANM07.002.41.023AB	UL20233	300V	41X23AWG	17/0.14	15.3	369.76	69.2 Ω /km
ANM07.002.42.023AB	UL20233	300V	42X23AWG	17/0.14	15.3	371.56	69.2 Ω /km
ANM07.002.43.023AB	UL20233	300V	43X23AWG	17/0.14	15.3	373.36	69.2 Ω /km
ANM07.002.44.023AB	UL20233	300V	44X23AWG	17/0.14	15.3	375.26	69.2 Ω /km
ANM07.002.45.023AB	UL20233	300V	45X23AWG	17/0.14	15.6	388.56	69.2 Ω /km
ANM07.002.46.023AB	UL20233	300V	46X23AWG	17/0.14	15.6	390.26	69.2 Ω /km
ANM07.002.47.023AB	UL20233	300V	47X23AWG	17/0.14	15.6	392.16	69.2 Ω /km
ANM07.002.48.023AB	UL20233	300V	48X23AWG	17/0.14	15.6	393.86	69.2 Ω /km
ANM07.002.49.023AB	UL20233	300V	49X23AWG	17/0.14	16	411.46	69.2 Ω /km
ANM07.002.50.023AB	UL20233	300V	50X23AWG	17/0.14	16	413.26	69.2 Ω /km
ANM07.002.51.023AB	UL20233	300V	51X23AWG	17/0.14	16	415.16	69.2 Ω /km
ANM07.002.52.023AB	UL20233	300V	52X23AWG	17/0.14	16	416.76	69.2 Ω /km
ANM07.002.53.023AB	UL20233	300V	53X23AWG	17/0.14	16.4	434.86	69.2 Ω /km



ANM07.002.54.023AB	UL20233	300V	54X23AWG	17/0.14	16.4	436.66	69.2 Ω /km
ANM07.002.55.023AB	UL20233	300V	55X23AWG	17/0.14	16.4	438.46	69.2 Ω /km
ANM07.002.56.023AB	UL20233	300V	56X23AWG	17/0.14	16.4	440.26	69.2 Ω /km
ANM07.002.57.023AB	UL20233	300V	57X23AWG	17/0.14	16.8	458.46	69.2 Ω /km
ANM07.002.58.023AB	UL20233	300V	58X23AWG	17/0.14	16.8	460.26	69.2 Ω /km
ANM07.002.59.023AB	UL20233	300V	59X23AWG	17/0.14	16.8	461.96	69.2 Ω /km
ANM07.002.60.023AB	UL20233	300V	60X23AWG	17/0.14	16.8	463.86	69.2 Ω /km
ANM07.002.61.023AB	UL20233	300V	61X23AWG	17/0.14	16.8	465.66	69.2 Ω /km
ANM07.002.62.023AB	UL20233	300V	62X23AWG	17/0.14	17.3	488.66	69.2 Ω /km
ANM07.002.63.023AB	UL20233	300V	63X23AWG	17/0.14	17.3	490.46	69.2 Ω /km
ANM07.002.64.023AB	UL20233	300V	64X23AWG	17/0.14	17.3	492.26	69.2 Ω /km
ANM07.002.65.023AB	UL20233	300V	65X23AWG	17/0.14	17.3	494.06	69.2 Ω /km
ANM07.002.02.022AB	UL20233	300V	2X22AWG	22/0.14	5.4	43.83	55.4 Ω /km
ANM07.002.03.022AB	UL20233	300V	3X22AWG	22/0.14	5.7	50.43	55.4 Ω /km
ANM07.002.04.022AB	UL20233	300V	4X22AWG	22/0.14	6.1	58.83	55.4 Ω /km
ANM07.002.05.022AB	UL20233	300V	5X22AWG	22/0.14	6.6	69.23	55.4 Ω /km
ANM07.002.06.022AB	UL20233	300V	6X22AWG	22/0.14	7	78.43	55.4 Ω /km
ANM07.002.07.022AB	UL20233	300V	7X22AWG	22/0.14	7	80.63	55.4 Ω /km
ANM07.002.08.022AB	UL20233	300V	8X22AWG	22/0.14	7.5	92.23	55.4 Ω /km
ANM07.002.09.022AB	UL20233	300V	9X22AWG	22/0.14	8.6	116.53	55.4 Ω /km
ANM07.002.10.022AB	UL20233	300V	10X22AWG	22/0.14	9	127.63	55.4 Ω /km
ANM07.002.11.022AB	UL20233	300V	11X22AWG	22/0.14	9.3	136.93	55.4 Ω /km
ANM07.002.12.022AB	UL20233	300V	12X22AWG	22/0.14	9.3	139.03	55.4 Ω /km
ANM07.002.13.022AB	UL20233	300V	13X22AWG	22/0.14	9.7	150.93	55.4 Ω /km
ANM07.002.14.022AB	UL20233	300V	14X22AWG	22/0.14	9.7	153.13	55.4 Ω /km
ANM07.002.15.022AB	UL20233	300V	15X22AWG	22/0.14	10.2	167.93	55.4 Ω /km
ANM07.002.16.022AB	UL20233	300V	16X22AWG	22/0.14	10.2	170.13	55.4 Ω /km
ANM07.002.17.022AB	UL20233	300V	17X22AWG	22/0.14	11.2	198.23	55.4 Ω /km
ANM07.002.18.022AB	UL20233	300V	18X22AWG	22/0.14	11.2	200.53	55.4 Ω /km
ANM07.002.19.022AB	UL20233	300V	19X22AWG	22/0.14	11.2	202.73	55.4 Ω /km
ANM07.002.20.022AB	UL20233	300V	20X22AWG	22/0.14	11.5	213.53	55.4 Ω /km
ANM07.002.21.022AB	UL20233	300V	21X22AWG	22/0.14	11.7	221.53	55.4 Ω /km
ANM07.002.22.022AB	UL20233	300V	22X22AWG	22/0.14	12.4	244.93	55.4 Ω /km
ANM07.002.23.022AB	UL20233	300V	23X22AWG	22/0.14	12.8	259.83	55.4 Ω /km
ANM07.002.24.022AB	UL20233	300V	24X22AWG	22/0.14	12.8	261.93	55.4 Ω /km
ANM07.002.25.022AB	UL20233	300V	25X22AWG	22/0.14	13.1	273.93	55.4 Ω /km
ANM07.002.26.022AB	UL20233	300V	26X22AWG	22/0.14	13.1	276.13	55.4 Ω /km
ANM07.002.27.022AB	UL20233	300V	27X22AWG	22/0.14	13.1	278.33	55.4 Ω /km
ANM07.002.28.022AB	UL20233	300V	28X22AWG	22/0.14	13.6	297.23	55.4 Ω /km
ANM07.002.29.022AB	UL20233	300V	29X22AWG	22/0.14	13.6	299.53	55.4 Ω /km
ANM07.002.30.022AB	UL20233	300V	30X22AWG	22/0.14	13.6	301.73	55.4 Ω /km
ANM07.002.31.022AB	UL20233	300V	31X22AWG	22/0.14	14.1	321.23	55.4 Ω /km



ANM07.002.32.022AB	UL20233	300V	32X22AWG	22/0.14	14.1	323.53	55.4 Ω/km
ANM07.002.33.022AB	UL20233	300V	33X22AWG	22/0.14	14.1	325.73	55.4 Ω/km
ANM07.002.34.022AB	UL20233	300V	34X22AWG	22/0.14	14.5	342.23	55.4 Ω/km
ANM07.002.35.022AB	UL20233	300V	35X22AWG	22/0.14	14.5	344.33	55.4 Ω/km
ANM07.002.36.022AB	UL20233	300V	36X22AWG	22/0.14	14.5	346.63	55.4 Ω/km
ANM07.002.37.022AB	UL20233	300V	37X22AWG	22/0.14	14.5	348.83	55.4 Ω/km
ANM07.002.38.022AB	UL20233	300V	38X22AWG	22/0.14	15	369.53	55.4 Ω/km
ANM07.002.39.022AB	UL20233	300V	39X22AWG	22/0.14	15	371.73	55.4 Ω/km
ANM07.002.40.022AB	UL20233	300V	40X22AWG	22/0.14	15	373.93	55.4 Ω/km
ANM07.002.41.022AB	UL20233	300V	41X22AWG	22/0.14	16.1	418.73	55.4 Ω/km
ANM07.002.42.022AB	UL20233	300V	42X22AWG	22/0.14	16.1	420.93	55.4 Ω/km
ANM07.002.43.022AB	UL20233	300V	43X22AWG	22/0.14	16.1	423.13	55.4 Ω/km
ANM07.002.44.022AB	UL20233	300V	44X22AWG	22/0.14	16.1	425.33	55.4 Ω/km
ANM07.002.45.022AB	UL20233	300V	45X22AWG	22/0.14	16.4	439.73	55.4 Ω/km
ANM07.002.46.022AB	UL20233	300V	46X22AWG	22/0.14	16.4	442.03	55.4 Ω/km
ANM07.002.47.022AB	UL20233	300V	47X22AWG	22/0.14	16.4	444.13	55.4 Ω/km
ANM07.002.48.022AB	UL20233	300V	48X22AWG	22/0.14	16.4	446.43	55.4 Ω/km
ANM07.002.49.022AB	UL20233	300V	49X22AWG	22/0.14	16.8	465.03	55.4 Ω/km
ANM07.002.50.022AB	UL20233	300V	50X22AWG	22/0.14	16.8	467.33	55.4 Ω/km
ANM07.002.51.022AB	UL20233	300V	51X22AWG	22/0.14	16.8	469.43	55.4 Ω/km
ANM07.002.52.022AB	UL20233	300V	52X22AWG	22/0.14	16.8	471.73	55.4 Ω/km
ANM07.002.53.022AB	UL20233	300V	53X22AWG	22/0.14	17.3	495.23	55.4 Ω/km
ANM07.002.54.022AB	UL20233	300V	54X22AWG	22/0.14	17.3	497.33	55.4 Ω/km
ANM07.002.55.022AB	UL20233	300V	55X22AWG	22/0.14	17.3	499.63	55.4 Ω/km
ANM07.002.56.022AB	UL20233	300V	56X22AWG	22/0.14	17.3	501.83	55.4 Ω/km
ANM07.002.57.022AB	UL20233	300V	57X22AWG	22/0.14	17.7	521.43	55.4 Ω/km
ANM07.002.58.022AB	UL20233	300V	58X22AWG	22/0.14	17.7	523.53	55.4 Ω/km
ANM07.002.59.022AB	UL20233	300V	59X22AWG	22/0.14	17.7	525.83	55.4 Ω/km
ANM07.002.60.022AB	UL20233	300V	60X22AWG	22/0.14	17.7	528.03	55.4 Ω/km
ANM07.002.61.022AB	UL20233	300V	61X22AWG	22/0.14	17.7	530.33	55.4 Ω/km
ANM07.002.62.022AB	UL20233	300V	62X22AWG	22/0.14	18.2	554.73	55.4 Ω/km
ANM07.002.63.022AB	UL20233	300V	63X22AWG	22/0.14	18.2	556.93	55.4 Ω/km
ANM07.002.64.022AB	UL20233	300V	64X22AWG	22/0.14	18.2	559.23	55.4 Ω/km
ANM07.002.65.022AB	UL20233	300V	65X22AWG	22/0.14	18.2	561.43	55.4 Ω/km
ANM07.002.02.021AB	UL20233	300V	2X21AWG	27/0.14	5.6	48.02	43.6 Ω/km
ANM07.002.03.021AB	UL20233	300V	3X21AWG	27/0.14	5.9	55.42	43.6 Ω/km
ANM07.002.04.021AB	UL20233	300V	4X21AWG	27/0.14	6.4	66.32	43.6 Ω/km
ANM07.002.05.021AB	UL20233	300V	5X21AWG	27/0.14	6.8	75.92	43.6 Ω/km
ANM07.002.06.021AB	UL20233	300V	6X21AWG	27/0.14	7.3	87.82	43.6 Ω/km
ANM07.002.07.021AB	UL20233	300V	7X21AWG	27/0.14	7.3	90.72	43.6 Ω/km
ANM07.002.08.021AB	UL20233	300V	8X21AWG	27/0.14	7.9	105.12	43.6 Ω/km
ANM07.002.09.021AB	UL20233	300V	9X21AWG	27/0.14	8.9	128.82	43.6 Ω/km



ANM07.002.10.021AB	UL20233	300V	10X21AWG	27/0.14	9.4	143.22	43.6 Ω /km
ANM07.002.11.021AB	UL20233	300V	11X21AWG	27/0.14	9.7	153.32	43.6 Ω /km
ANM07.002.12.021AB	UL20233	300V	12X21AWG	27/0.14	9.7	156.22	43.6 Ω /km
ANM07.002.13.021AB	UL20233	300V	13X21AWG	27/0.14	10.2	171.62	43.6 Ω /km
ANM07.002.14.021AB	UL20233	300V	14X21AWG	27/0.14	10.2	174.42	43.6 Ω /km
ANM07.002.15.021AB	UL20233	300V	15X21AWG	27/0.14	11.2	203.22	43.6 Ω /km
ANM07.002.16.021AB	UL20233	300V	16X21AWG	27/0.14	11.2	206.02	43.6 Ω /km
ANM07.002.17.021AB	UL20233	300V	17X21AWG	27/0.14	11.7	223.22	43.6 Ω /km
ANM07.002.18.021AB	UL20233	300V	18X21AWG	27/0.14	11.7	226.12	43.6 Ω /km
ANM07.002.19.021AB	UL20233	300V	19X21AWG	27/0.14	11.7	229.02	43.6 Ω /km
ANM07.002.20.021AB	UL20233	300V	20X21AWG	27/0.14	12	240.72	43.6 Ω /km
ANM07.002.21.021AB	UL20233	300V	21X21AWG	27/0.14	12.3	252.82	43.6 Ω /km
ANM07.002.22.021AB	UL20233	300V	22X21AWG	27/0.14	12.9	274.52	43.6 Ω /km
ANM07.002.23.021AB	UL20233	300V	23X21AWG	27/0.14	13.5	297.02	43.6 Ω /km
ANM07.002.24.021AB	UL20233	300V	24X21AWG	27/0.14	13.5	299.92	43.6 Ω /km
ANM07.002.25.021AB	UL20233	300V	25X21AWG	27/0.14	13.8	312.92	43.6 Ω /km
ANM07.002.26.021AB	UL20233	300V	26X21AWG	27/0.14	13.8	315.82	43.6 Ω /km
ANM07.002.27.021AB	UL20233	300V	27X21AWG	27/0.14	13.8	318.72	43.6 Ω /km
ANM07.002.28.021AB	UL20233	300V	28X21AWG	27/0.14	14.3	339.02	43.6 Ω /km
ANM07.002.29.021AB	UL20233	300V	29X21AWG	27/0.14	14.3	341.92	43.6 Ω /km
ANM07.002.30.021AB	UL20233	300V	30X21AWG	27/0.14	14.3	344.82	43.6 Ω /km
ANM07.002.31.021AB	UL20233	300V	31X21AWG	27/0.14	14.7	362.02	43.6 Ω /km
ANM07.002.32.021AB	UL20233	300V	32X21AWG	27/0.14	14.7	364.92	43.6 Ω /km
ANM07.002.33.021AB	UL20233	300V	33X21AWG	27/0.14	14.7	367.72	43.6 Ω /km
ANM07.002.34.021AB	UL20233	300V	34X21AWG	27/0.14	15.2	389.12	43.6 Ω /km
ANM07.002.35.021AB	UL20233	300V	35X21AWG	27/0.14	15.2	392.02	43.6 Ω /km
ANM07.002.36.021AB	UL20233	300V	36X21AWG	27/0.14	15.2	394.82	43.6 Ω /km
ANM07.002.37.021AB	UL20233	300V	37X21AWG	27/0.14	15.2	397.72	43.6 Ω /km
ANM07.002.38.021AB	UL20233	300V	38X21AWG	27/0.14	15.8	423.72	43.6 Ω /km
ANM07.002.39.021AB	UL20233	300V	39X21AWG	27/0.14	15.8	426.52	43.6 Ω /km
ANM07.002.40.021AB	UL20233	300V	40X21AWG	27/0.14	15.8	429.42	43.6 Ω /km
ANM07.002.41.021AB	UL20233	300V	41X21AWG	27/0.14	16.9	476.82	43.6 Ω /km
ANM07.002.42.021AB	UL20233	300V	42X21AWG	27/0.14	16.9	479.62	43.6 Ω /km
ANM07.002.43.021AB	UL20233	300V	43X21AWG	27/0.14	16.9	482.52	43.6 Ω /km
ANM07.002.44.021AB	UL20233	300V	44X21AWG	27/0.14	16.9	485.32	43.6 Ω /km
ANM07.002.45.021AB	UL20233	300V	45X21AWG	27/0.14	17.2	500.92	43.6 Ω /km
ANM07.002.46.021AB	UL20233	300V	46X21AWG	27/0.14	17.2	503.72	43.6 Ω /km
ANM07.002.47.021AB	UL20233	300V	47X21AWG	27/0.14	17.2	506.52	43.6 Ω /km
ANM07.002.48.021AB	UL20233	300V	48X21AWG	27/0.14	17.2	509.52	43.6 Ω /km
ANM07.002.49.021AB	UL20233	300V	49X21AWG	27/0.14	17.7	534.02	43.6 Ω /km
ANM07.002.50.021AB	UL20233	300V	50X21AWG	27/0.14	17.7	536.82	43.6 Ω /km
ANM07.002.51.021AB	UL20233	300V	51X21AWG	27/0.14	17.7	539.72	43.6 Ω /km



ANM07.002.52.021AB	UL20233	300V	52X21AWG	27/0.14	17.7	542.62	43.6 Ω /km
ANM07.002.53.021AB	UL20233	300V	53X21AWG	27/0.14	18.1	563.12	43.6 Ω /km
ANM07.002.54.021AB	UL20233	300V	54X21AWG	27/0.14	18.1	565.92	43.6 Ω /km
ANM07.002.55.021AB	UL20233	300V	55X21AWG	27/0.14	18.1	568.72	43.6 Ω /km
ANM07.002.56.021AB	UL20233	300V	56X21AWG	27/0.14	18.1	571.62	43.6 Ω /km
ANM07.002.57.021AB	UL20233	300V	57X21AWG	27/0.14	18.6	597.32	43.6 Ω /km
ANM07.002.58.021AB	UL20233	300V	58X21AWG	27/0.14	18.6	600.12	43.6 Ω /km
ANM07.002.59.021AB	UL20233	300V	59X21AWG	27/0.14	18.6	603.02	43.6 Ω /km
ANM07.002.60.021AB	UL20233	300V	60X21AWG	27/0.14	18.6	605.92	43.6 Ω /km
ANM07.002.61.021AB	UL20233	300V	61X21AWG	27/0.14	18.6	608.62	43.6 Ω /km
ANM07.002.62.021AB	UL20233	300V	62X21AWG	27/0.14	19.2	639.62	43.6 Ω /km
ANM07.002.63.021AB	UL20233	300V	63X21AWG	27/0.14	19.2	642.52	43.6 Ω /km
ANM07.002.64.021AB	UL20233	300V	64X21AWG	27/0.14	19.2	645.32	43.6 Ω /km
ANM07.002.65.021AB	UL20233	300V	65X21AWG	27/0.14	19.2	648.22	43.6 Ω /km
ANM07.002.02.020AB	UL20233	300V	2X20AWG	34/0.14	5.8	52.72	34.6 Ω /km
ANM07.002.03.020AB	UL20233	300V	3X20AWG	34/0.14	6.1	60.92	34.6 Ω /km
ANM07.002.04.020AB	UL20233	300V	4X20AWG	34/0.14	6.6	72.82	34.6 Ω /km
ANM07.002.05.020AB	UL20233	300V	5X20AWG	34/0.14	7.1	85.22	34.6 Ω /km
ANM07.002.06.020AB	UL20233	300V	6X20AWG	34/0.14	7.6	98.22	34.6 Ω /km
ANM07.002.07.020AB	UL20233	300V	7X20AWG	34/0.14	7.6	101.72	34.6 Ω /km
ANM07.002.08.020AB	UL20233	300V	8X20AWG	34/0.14	8.6	125.62	34.6 Ω /km
ANM07.002.09.020AB	UL20233	300V	9X20AWG	34/0.14	9.3	145.12	34.6 Ω /km
ANM07.002.10.020AB	UL20233	300V	10X20AWG	34/0.14	9.8	160.82	34.6 Ω /km
ANM07.002.11.020AB	UL20233	300V	11X20AWG	34/0.14	10.1	171.92	34.6 Ω /km
ANM07.002.12.020AB	UL20233	300V	12X20AWG	34/0.14	10.1	175.52	34.6 Ω /km
ANM07.002.13.020AB	UL20233	300V	13X20AWG	34/0.14	11.2	207.62	34.6 Ω /km
ANM07.002.14.020AB	UL20233	300V	14X20AWG	34/0.14	11.2	211.32	34.6 Ω /km
ANM07.002.15.020AB	UL20233	300V	15X20AWG	34/0.14	11.7	229.22	34.6 Ω /km
ANM07.002.16.020AB	UL20233	300V	16X20AWG	34/0.14	11.7	232.92	34.6 Ω /km
ANM07.002.17.020AB	UL20233	300V	17X20AWG	34/0.14	12.2	251.62	34.6 Ω /km
ANM07.002.18.020AB	UL20233	300V	18X20AWG	34/0.14	12.2	255.22	34.6 Ω /km
ANM07.002.19.020AB	UL20233	300V	19X20AWG	34/0.14	12.2	258.92	34.6 Ω /km
ANM07.002.20.020AB	UL20233	300V	20X20AWG	34/0.14	12.5	271.72	34.6 Ω /km
ANM07.002.21.020AB	UL20233	300V	21X20AWG	34/0.14	12.8	284.82	34.6 Ω /km
ANM07.002.22.020AB	UL20233	300V	22X20AWG	34/0.14	13.6	314.72	34.6 Ω /km
ANM07.002.23.020AB	UL20233	300V	23X20AWG	34/0.14	14.1	335.72	34.6 Ω /km
ANM07.002.24.020AB	UL20233	300V	24X20AWG	34/0.14	14.1	339.32	34.6 Ω /km
ANM07.002.25.020AB	UL20233	300V	25X20AWG	34/0.14	14.4	353.62	34.6 Ω /km
ANM07.002.26.020AB	UL20233	300V	26X20AWG	34/0.14	14.4	357.12	34.6 Ω /km
ANM07.002.27.020AB	UL20233	300V	27X20AWG	34/0.14	14.4	360.72	34.6 Ω /km
ANM07.002.28.020AB	UL20233	300V	28X20AWG	34/0.14	14.9	382.52	34.6 Ω /km
ANM07.002.29.020AB	UL20233	300V	29X20AWG	34/0.14	14.9	386.22	34.6 Ω /km



ANM07.002.30.020AB	UL20233	300V	30X20AWG	34/0.14	14.9	389.82	34.6 Ω /km
ANM07.002.31.020AB	UL20233	300V	31X20AWG	34/0.14	15.4	412.32	34.6 Ω /km
ANM07.002.32.020AB	UL20233	300V	32X20AWG	34/0.14	15.4	415.92	34.6 Ω /km
ANM07.002.33.020AB	UL20233	300V	33X20AWG	34/0.14	15.4	419.62	34.6 Ω /km
ANM07.002.34.020AB	UL20233	300V	34X20AWG	34/0.14	15.9	442.72	34.6 Ω /km
ANM07.002.35.020AB	UL20233	300V	35X20AWG	34/0.14	15.9	446.32	34.6 Ω /km
ANM07.002.36.020AB	UL20233	300V	36X20AWG	34/0.14	15.9	449.92	34.6 Ω /km
ANM07.002.37.020AB	UL20233	300V	37X20AWG	34/0.14	15.9	453.52	34.6 Ω /km
ANM07.002.38.020AB	UL20233	300V	38X20AWG	34/0.14	16.5	481.32	34.6 Ω /km
ANM07.002.39.020AB	UL20233	300V	39X20AWG	34/0.14	16.5	484.82	34.6 Ω /km
ANM07.002.40.020AB	UL20233	300V	40X20AWG	34/0.14	16.5	488.52	34.6 Ω /km
ANM07.002.41.020AB	UL20233	300V	41X20AWG	34/0.14	17.7	543.02	34.6 Ω /km
ANM07.002.42.020AB	UL20233	300V	42X20AWG	34/0.14	17.7	546.72	34.6 Ω /km
ANM07.002.43.020AB	UL20233	300V	43X20AWG	34/0.14	17.7	550.32	34.6 Ω /km
ANM07.002.44.020AB	UL20233	300V	44X20AWG	34/0.14	17.7	554.02	34.6 Ω /km
ANM07.002.45.020AB	UL20233	300V	45X20AWG	34/0.14	18	570.82	34.6 Ω /km
ANM07.002.46.020AB	UL20233	300V	46X20AWG	34/0.14	18	574.52	34.6 Ω /km
ANM07.002.47.020AB	UL20233	300V	47X20AWG	34/0.14	18	578.12	34.6 Ω /km
ANM07.002.48.020AB	UL20233	300V	48X20AWG	34/0.14	18	581.82	34.6 Ω /km
ANM07.002.49.020AB	UL20233	300V	49X20AWG	34/0.14	18.5	607.92	34.6 Ω /km
ANM07.002.50.020AB	UL20233	300V	50X20AWG	34/0.14	18.5	611.62	34.6 Ω /km
ANM07.002.51.020AB	UL20233	300V	51X20AWG	34/0.14	18.5	615.32	34.6 Ω /km
ANM07.002.52.020AB	UL20233	300V	52X20AWG	34/0.14	18.5	618.92	34.6 Ω /km
ANM07.002.53.020AB	UL20233	300V	53X20AWG	34/0.14	19	645.62	34.6 Ω /km
ANM07.002.54.020AB	UL20233	300V	54X20AWG	34/0.14	19	649.12	34.6 Ω /km
ANM07.002.55.020AB	UL20233	300V	55X20AWG	34/0.14	19	652.82	34.6 Ω /km
ANM07.002.56.020AB	UL20233	300V	56X20AWG	34/0.14	19	656.32	34.6 Ω /km
ANM07.002.57.020AB	UL20233	300V	57X20AWG	34/0.14	20.5	731.32	34.6 Ω /km
ANM07.002.58.020AB	UL20233	300V	58X20AWG	34/0.14	20.5	734.82	34.6 Ω /km
ANM07.002.59.020AB	UL20233	300V	59X20AWG	34/0.14	20.5	738.52	34.6 Ω /km
ANM07.002.60.020AB	UL20233	300V	60X20AWG	34/0.14	20.5	742.12	34.6 Ω /km
ANM07.002.61.020AB	UL20233	300V	61X20AWG	34/0.14	20.5	745.82	34.6 Ω /km
ANM07.002.62.020AB	UL20233	300V	62X20AWG	34/0.14	21.1	780.22	34.6 Ω /km
ANM07.002.63.020AB	UL20233	300V	63X20AWG	34/0.14	21.1	783.82	34.6 Ω /km
ANM07.002.64.020AB	UL20233	300V	64X20AWG	34/0.14	21.1	787.42	34.6 Ω /km
ANM07.002.65.020AB	UL20233	300V	65X20AWG	34/0.14	21.1	791.12	34.6 Ω /km
ANM07.002.02.019AB	UL20233	300V	2X19AWG	43/0.14	6	57.86	27.4 Ω /km
ANM07.002.03.019AB	UL20233	300V	3X19AWG	43/0.14	6.3	67.26	27.4 Ω /km
ANM07.002.04.019AB	UL20233	300V	4X19AWG	43/0.14	6.8	80.46	27.4 Ω /km
ANM07.002.05.019AB	UL20233	300V	5X19AWG	43/0.14	7.4	95.96	27.4 Ω /km
ANM07.002.06.019AB	UL20233	300V	6X19AWG	43/0.14	7.9	110.36	27.4 Ω /km
ANM07.002.07.019AB	UL20233	300V	7X19AWG	43/0.14	7.9	114.86	27.4 Ω /km



ANM07.002.08.019AB	UL20233	300V	8X19AWG	43/0.14	8.9	140.46	27.4 Ω/km
ANM07.002.09.019AB	UL20233	300V	9X19AWG	43/0.14	9.7	163.76	27.4 Ω/km
ANM07.002.10.019AB	UL20233	300V	10X19AWG	43/0.14	10.2	181.06	27.4 Ω/km
ANM07.002.11.019AB	UL20233	300V	11X19AWG	43/0.14	11.1	208.76	27.4 Ω/km
ANM07.002.12.019AB	UL20233	300V	12X19AWG	43/0.14	11.1	213.46	27.4 Ω/km
ANM07.002.13.019AB	UL20233	300V	13X19AWG	43/0.14	11.6	232.16	27.4 Ω/km
ANM07.002.14.019AB	UL20233	300V	14X19AWG	43/0.14	11.6	236.86	27.4 Ω/km
ANM07.002.15.019AB	UL20233	300V	15X19AWG	43/0.14	12.2	259.36	27.4 Ω/km
ANM07.002.16.019AB	UL20233	300V	16X19AWG	43/0.14	12.2	264.06	27.4 Ω/km
ANM07.002.17.019AB	UL20233	300V	17X19AWG	43/0.14	12.7	284.16	27.4 Ω/km
ANM07.002.18.019AB	UL20233	300V	18X19AWG	43/0.14	12.7	288.86	27.4 Ω/km
ANM07.002.19.019AB	UL20233	300V	19X19AWG	43/0.14	12.7	293.46	27.4 Ω/km
ANM07.002.20.019AB	UL20233	300V	20X19AWG	43/0.14	13	307.66	27.4 Ω/km
ANM07.002.21.019AB	UL20233	300V	21X19AWG	43/0.14	13.4	325.46	27.4 Ω/km
ANM07.002.22.019AB	UL20233	300V	22X19AWG	43/0.14	14.2	357.66	27.4 Ω/km
ANM07.002.23.019AB	UL20233	300V	23X19AWG	43/0.14	14.7	380.16	27.4 Ω/km
ANM07.002.24.019AB	UL20233	300V	24X19AWG	43/0.14	14.7	384.86	27.4 Ω/km
ANM07.002.25.019AB	UL20233	300V	25X19AWG	43/0.14	15	400.56	27.4 Ω/km
ANM07.002.26.019AB	UL20233	300V	26X19AWG	43/0.14	15	405.26	27.4 Ω/km
ANM07.002.27.019AB	UL20233	300V	27X19AWG	43/0.14	15	409.76	27.4 Ω/km
ANM07.002.28.019AB	UL20233	300V	28X19AWG	43/0.14	15.5	433.36	27.4 Ω/km
ANM07.002.29.019AB	UL20233	300V	29X19AWG	43/0.14	15.5	437.96	27.4 Ω/km
ANM07.002.30.019AB	UL20233	300V	30X19AWG	43/0.14	15.5	442.56	27.4 Ω/km
ANM07.002.31.019AB	UL20233	300V	31X19AWG	43/0.14	16.1	470.86	27.4 Ω/km
ANM07.002.32.019AB	UL20233	300V	32X19AWG	43/0.14	16.1	475.46	27.4 Ω/km
ANM07.002.33.019AB	UL20233	300V	33X19AWG	43/0.14	16.1	480.06	27.4 Ω/km
ANM07.002.34.019AB	UL20233	300V	34X19AWG	43/0.14	16.6	504.96	27.4 Ω/km
ANM07.002.35.019AB	UL20233	300V	35X19AWG	43/0.14	16.6	509.46	27.4 Ω/km
ANM07.002.36.019AB	UL20233	300V	36X19AWG	43/0.14	16.6	514.26	27.4 Ω/km
ANM07.002.37.019AB	UL20233	300V	37X19AWG	43/0.14	16.6	518.76	27.4 Ω/km
ANM07.002.38.019AB	UL20233	300V	38X19AWG	43/0.14	17.2	548.56	27.4 Ω/km
ANM07.002.39.019AB	UL20233	300V	39X19AWG	43/0.14	17.2	553.06	27.4 Ω/km
ANM07.002.40.019AB	UL20233	300V	40X19AWG	43/0.14	17.2	557.86	27.4 Ω/km
ANM07.002.41.019AB	UL20233	300V	41X19AWG	43/0.14	18.5	619.86	27.4 Ω/km
ANM07.002.42.019AB	UL20233	300V	42X19AWG	43/0.14	18.5	624.46	27.4 Ω/km
ANM07.002.43.019AB	UL20233	300V	43X19AWG	43/0.14	18.5	629.16	27.4 Ω/km
ANM07.002.44.019AB	UL20233	300V	44X19AWG	43/0.14	18.5	633.76	27.4 Ω/km
ANM07.002.45.019AB	UL20233	300V	45X19AWG	43/0.14	18.8	652.16	27.4 Ω/km
ANM07.002.46.019AB	UL20233	300V	46X19AWG	43/0.14	18.8	656.76	27.4 Ω/km
ANM07.002.47.019AB	UL20233	300V	47X19AWG	43/0.14	18.8	661.36	27.4 Ω/km
ANM07.002.48.019AB	UL20233	300V	48X19AWG	43/0.14	18.8	666.06	27.4 Ω/km
ANM07.002.49.019AB	UL20233	300V	49X19AWG	43/0.14	19.3	694.16	27.4 Ω/km



ANM07.002.50.019AB	UL20233	300V	50X19AWG	43/0.14	19.3	698.86	27.4 Ω /km
ANM07.002.51.019AB	UL20233	300V	51X19AWG	43/0.14	19.3	703.36	27.4 Ω /km
ANM07.002.52.019AB	UL20233	300V	52X19AWG	43/0.14	19.3	708.16	27.4 Ω /km
ANM07.002.53.019AB	UL20233	300V	53X19AWG	43/0.14	20.9	790.26	27.4 Ω /km
ANM07.002.54.019AB	UL20233	300V	54X19AWG	43/0.14	20.9	794.76	27.4 Ω /km
ANM07.002.55.019AB	UL20233	300V	55X19AWG	43/0.14	20.9	799.56	27.4 Ω /km
ANM07.002.56.019AB	UL20233	300V	56X19AWG	43/0.14	20.9	804.06	27.4 Ω /km
ANM07.002.57.019AB	UL20233	300V	57X19AWG	43/0.14	21.4	834.76	27.4 Ω /km
ANM07.002.58.019AB	UL20233	300V	58X19AWG	43/0.14	21.4	839.26	27.4 Ω /km
ANM07.002.59.019AB	UL20233	300V	59X19AWG	43/0.14	21.4	843.96	27.4 Ω /km
ANM07.002.60.019AB	UL20233	300V	60X19AWG	43/0.14	21.4	848.56	27.4 Ω /km
ANM07.002.61.019AB	UL20233	300V	61X19AWG	43/0.14	21.4	853.16	27.4 Ω /km
ANM07.002.62.019AB	UL20233	300V	62X19AWG	43/0.14	22	889.86	27.4 Ω /km
ANM07.002.63.019AB	UL20233	300V	63X19AWG	43/0.14	22	894.56	27.4 Ω /km
ANM07.002.64.019AB	UL20233	300V	64X19AWG	43/0.14	22	899.16	27.4 Ω /km
ANM07.002.65.019AB	UL20233	300V	65X19AWG	43/0.14	22	903.76	27.4 Ω /km
ANM07.002.02.018AB	UL20233	300V	2X18AWG	29/0.19	6.2	63.83	21.8 Ω /km
ANM07.002.03.018AB	UL20233	300V	3X18AWG	29/0.19	6.6	76.33	21.8 Ω /km
ANM07.002.04.018AB	UL20233	300V	4X18AWG	29/0.19	7.1	91.33	21.8 Ω /km
ANM07.002.05.018AB	UL20233	300V	5X18AWG	29/0.19	7.6	106.53	21.8 Ω /km
ANM07.002.06.018AB	UL20233	300V	6X18AWG	29/0.19	8.6	132.53	21.8 Ω /km
ANM07.002.07.018AB	UL20233	300V	7X18AWG	29/0.19	8.6	138.63	21.8 Ω /km
ANM07.002.08.018AB	UL20233	300V	8X18AWG	29/0.19	9.2	158.03	21.8 Ω /km
ANM07.002.09.018AB	UL20233	300V	9X18AWG	29/0.19	10	183.43	21.8 Ω /km
ANM07.002.10.018AB	UL20233	300V	10X18AWG	29/0.19	11.2	220.43	21.8 Ω /km
ANM07.002.11.018AB	UL20233	300V	11X18AWG	29/0.19	11.6	237.83	21.8 Ω /km
ANM07.002.12.018AB	UL20233	300V	12X18AWG	29/0.19	11.6	243.63	21.8 Ω /km
ANM07.002.13.018AB	UL20233	300V	13X18AWG	29/0.19	12.1	264.53	21.8 Ω /km
ANM07.002.14.018AB	UL20233	300V	14X18AWG	29/0.19	12.1	270.43	21.8 Ω /km
ANM07.002.15.018AB	UL20233	300V	15X18AWG	29/0.19	12.6	291.83	21.8 Ω /km
ANM07.002.16.018AB	UL20233	300V	16X18AWG	29/0.19	12.6	297.93	21.8 Ω /km
ANM07.002.17.018AB	UL20233	300V	17X18AWG	29/0.19	13.2	323.03	21.8 Ω /km
ANM07.002.18.018AB	UL20233	300V	18X18AWG	29/0.19	13.2	329.03	21.8 Ω /km
ANM07.002.19.018AB	UL20233	300V	19X18AWG	29/0.19	13.2	335.13	21.8 Ω /km
ANM07.002.20.018AB	UL20233	300V	20X18AWG	29/0.19	13.7	357.73	21.8 Ω /km
ANM07.002.21.018AB	UL20233	300V	21X18AWG	29/0.19	13.9	370.53	21.8 Ω /km
ANM07.002.22.018AB	UL20233	300V	22X18AWG	29/0.19	14.7	405.13	21.8 Ω /km
ANM07.002.23.018AB	UL20233	300V	23X18AWG	29/0.19	15.3	433.33	21.8 Ω /km
ANM07.002.24.018AB	UL20233	300V	24X18AWG	29/0.19	15.3	439.23	21.8 Ω /km
ANM07.002.25.018AB	UL20233	300V	25X18AWG	29/0.19	15.7	460.83	21.8 Ω /km
ANM07.002.26.018AB	UL20233	300V	26X18AWG	29/0.19	15.7	466.63	21.8 Ω /km
ANM07.002.27.018AB	UL20233	300V	27X18AWG	29/0.19	15.7	472.63	21.8 Ω /km



ANM07.002.28.018AB	UL20233	300V	28X18AWG	29/0.19	16.2	498.23	21.8 Ω/km
ANM07.002.29.018AB	UL20233	300V	29X18AWG	29/0.19	16.2	504.33	21.8 Ω/km
ANM07.002.30.018AB	UL20233	300V	30X18AWG	29/0.19	16.2	510.33	21.8 Ω/km
ANM07.002.31.018AB	UL20233	300V	31X18AWG	29/0.19	16.7	536.53	21.8 Ω/km
ANM07.002.32.018AB	UL20233	300V	32X18AWG	29/0.19	16.7	542.53	21.8 Ω/km
ANM07.002.33.018AB	UL20233	300V	33X18AWG	29/0.19	16.7	548.53	21.8 Ω/km
ANM07.002.34.018AB	UL20233	300V	34X18AWG	29/0.19	17.3	579.73	21.8 Ω/km
ANM07.002.35.018AB	UL20233	300V	35X18AWG	29/0.19	17.3	585.83	21.8 Ω/km
ANM07.002.36.018AB	UL20233	300V	36X18AWG	29/0.19	17.3	591.73	21.8 Ω/km
ANM07.002.37.018AB	UL20233	300V	37X18AWG	29/0.19	17.3	597.63	21.8 Ω/km
ANM07.002.38.018AB	UL20233	300V	38X18AWG	29/0.19	17.9	629.73	21.8 Ω/km
ANM07.002.39.018AB	UL20233	300V	39X18AWG	29/0.19	17.9	635.73	21.8 Ω/km
ANM07.002.40.018AB	UL20233	300V	40X18AWG	29/0.19	17.9	641.63	21.8 Ω/km
ANM07.002.41.018AB	UL20233	300V	41X18AWG	29/0.19	19.3	711.93	21.8 Ω/km
ANM07.002.42.018AB	UL20233	300V	42X18AWG	29/0.19	19.3	717.83	21.8 Ω/km
ANM07.002.43.018AB	UL20233	300V	43X18AWG	29/0.19	19.3	723.83	21.8 Ω/km
ANM07.002.44.018AB	UL20233	300V	44X18AWG	29/0.19	19.3	729.83	21.8 Ω/km
ANM07.002.45.018AB	UL20233	300V	45X18AWG	29/0.19	20.7	802.93	21.8 Ω/km
ANM07.002.46.018AB	UL20233	300V	46X18AWG	29/0.19	20.7	808.83	21.8 Ω/km
ANM07.002.47.018AB	UL20233	300V	47X18AWG	29/0.19	20.7	814.93	21.8 Ω/km
ANM07.002.48.018AB	UL20233	300V	48X18AWG	29/0.19	20.7	820.73	21.8 Ω/km
ANM07.002.49.018AB	UL20233	300V	49X18AWG	29/0.19	21.2	852.53	21.8 Ω/km
ANM07.002.50.018AB	UL20233	300V	50X18AWG	29/0.19	21.2	858.63	21.8 Ω/km
ANM07.002.51.018AB	UL20233	300V	51X18AWG	29/0.19	21.2	864.43	21.8 Ω/km
ANM07.002.52.018AB	UL20233	300V	52X18AWG	29/0.19	21.2	870.43	21.8 Ω/km
ANM07.002.53.018AB	UL20233	300V	53X18AWG	29/0.19	21.7	902.83	21.8 Ω/km
ANM07.002.54.018AB	UL20233	300V	54X18AWG	29/0.19	21.7	908.73	21.8 Ω/km
ANM07.002.55.018AB	UL20233	300V	55X18AWG	29/0.19	21.7	914.73	21.8 Ω/km
ANM07.002.56.018AB	UL20233	300V	56X18AWG	29/0.19	21.7	920.53	21.8 Ω/km
ANM07.002.57.018AB	UL20233	300V	57X18AWG	29/0.19	22.3	959.13	21.8 Ω/km
ANM07.002.58.018AB	UL20233	300V	58X18AWG	29/0.19	22.3	965.13	21.8 Ω/km
ANM07.002.59.018AB	UL20233	300V	59X18AWG	29/0.19	22.3	971.03	21.8 Ω/km
ANM07.002.60.018AB	UL20233	300V	60X18AWG	29/0.19	22.3	977.03	21.8 Ω/km
ANM07.002.61.018AB	UL20233	300V	61X18AWG	29/0.19	22.3	983.03	21.8 Ω/km
ANM07.002.62.018AB	UL20233	300V	62X18AWG	29/0.19	22.9	1022.23	21.8 Ω/km
ANM07.002.63.018AB	UL20233	300V	63X18AWG	29/0.19	22.9	1028.33	21.8 Ω/km
ANM07.002.64.018AB	UL20233	300V	64X18AWG	29/0.19	22.9	1034.33	21.8 Ω/km
ANM07.002.65.018AB	UL20233	300V	65X18AWG	29/0.19	22.9	1040.13	21.8 Ω/km
ANM07.002.02.017AB	UL20233	300V	2X17AWG	37/0.19	6.6	73.54	17.3 Ω/km
ANM07.002.03.017AB	UL20233	300V	3X17AWG	37/0.19	7	87.84	17.3 Ω/km
ANM07.002.04.017AB	UL20233	300V	4X17AWG	37/0.19	7.6	106.44	17.3 Ω/km
ANM07.002.05.017AB	UL20233	300V	5X17AWG	37/0.19	8.6	133.94	17.3 Ω/km



ANM07.002.06.017AB	UL20233	300V	6X17AWG	37/0.19	9.2	154.74	17.3 Ω/km
ANM07.002.07.017AB	UL20233	300V	7X17AWG	37/0.19	9.2	162.04	17.3 Ω/km
ANM07.002.08.017AB	UL20233	300V	8X17AWG	37/0.19	9.9	186.34	17.3 Ω/km
ANM07.002.09.017AB	UL20233	300V	9X17AWG	37/0.19	11.4	232.94	17.3 Ω/km
ANM07.002.10.017AB	UL20233	300V	10X17AWG	37/0.19	12	258.04	17.3 Ω/km
ANM07.002.11.017AB	UL20233	300V	11X17AWG	37/0.19	12.4	277.54	17.3 Ω/km
ANM07.002.12.017AB	UL20233	300V	12X17AWG	37/0.19	12.4	284.94	17.3 Ω/km
ANM07.002.13.017AB	UL20233	300V	13X17AWG	37/0.19	13	311.24	17.3 Ω/km
ANM07.002.14.017AB	UL20233	300V	14X17AWG	37/0.19	13	318.54	17.3 Ω/km
ANM07.002.15.017AB	UL20233	300V	15X17AWG	37/0.19	13.7	349.24	17.3 Ω/km
ANM07.002.16.017AB	UL20233	300V	16X17AWG	37/0.19	13.7	356.64	17.3 Ω/km
ANM07.002.17.017AB	UL20233	300V	17X17AWG	37/0.19	14.3	384.94	17.3 Ω/km
ANM07.002.18.017AB	UL20233	300V	18X17AWG	37/0.19	14.3	392.34	17.3 Ω/km
ANM07.002.19.017AB	UL20233	300V	19X17AWG	37/0.19	14.3	399.84	17.3 Ω/km
ANM07.002.20.017AB	UL20233	300V	20X17AWG	37/0.19	14.7	421.54	17.3 Ω/km
ANM07.002.21.017AB	UL20233	300V	21X17AWG	37/0.19	15	440.04	17.3 Ω/km
ANM07.002.22.017AB	UL20233	300V	22X17AWG	37/0.19	15.9	481.84	17.3 Ω/km
ANM07.002.23.017AB	UL20233	300V	23X17AWG	37/0.19	16.5	513.24	17.3 Ω/km
ANM07.002.24.017AB	UL20233	300V	24X17AWG	37/0.19	16.5	520.64	17.3 Ω/km
ANM07.002.25.017AB	UL20233	300V	25X17AWG	37/0.19	16.9	544.54	17.3 Ω/km
ANM07.002.26.017AB	UL20233	300V	26X17AWG	37/0.19	16.9	551.84	17.3 Ω/km
ANM07.002.27.017AB	UL20233	300V	27X17AWG	37/0.19	16.9	559.34	17.3 Ω/km
ANM07.002.28.017AB	UL20233	300V	28X17AWG	37/0.19	17.5	592.34	17.3 Ω/km
ANM07.002.29.017AB	UL20233	300V	29X17AWG	37/0.19	17.5	599.74	17.3 Ω/km
ANM07.002.30.017AB	UL20233	300V	30X17AWG	37/0.19	17.5	607.04	17.3 Ω/km
ANM07.002.31.017AB	UL20233	300V	31X17AWG	37/0.19	18.1	640.84	17.3 Ω/km
ANM07.002.32.017AB	UL20233	300V	32X17AWG	37/0.19	18.1	648.14	17.3 Ω/km
ANM07.002.33.017AB	UL20233	300V	33X17AWG	37/0.19	18.1	655.44	17.3 Ω/km
ANM07.002.34.017AB	UL20233	300V	34X17AWG	37/0.19	18.7	690.14	17.3 Ω/km
ANM07.002.35.017AB	UL20233	300V	35X17AWG	37/0.19	18.7	697.54	17.3 Ω/km
ANM07.002.36.017AB	UL20233	300V	36X17AWG	37/0.19	18.7	704.94	17.3 Ω/km
ANM07.002.37.017AB	UL20233	300V	37X17AWG	37/0.19	18.7	712.44	17.3 Ω/km
ANM07.002.38.017AB	UL20233	300V	38X17AWG	37/0.19	19.4	752.74	17.3 Ω/km
ANM07.002.39.017AB	UL20233	300V	39X17AWG	37/0.19	19.4	760.14	17.3 Ω/km
ANM07.002.40.017AB	UL20233	300V	40X17AWG	37/0.19	19.4	767.44	17.3 Ω/km
ANM07.002.41.017AB	UL20233	300V	41X17AWG	37/0.19	21.9	900.04	17.3 Ω/km
ANM07.002.42.017AB	UL20233	300V	42X17AWG	37/0.19	21.9	907.34	17.3 Ω/km
ANM07.002.43.017AB	UL20233	300V	43X17AWG	37/0.19	21.9	914.74	17.3 Ω/km
ANM07.002.44.017AB	UL20233	300V	44X17AWG	37/0.19	21.9	922.04	17.3 Ω/km
ANM07.002.45.017AB	UL20233	300V	45X17AWG	37/0.19	22.3	951.34	17.3 Ω/km
ANM07.002.46.017AB	UL20233	300V	46X17AWG	37/0.19	22.3	958.74	17.3 Ω/km
ANM07.002.47.017AB	UL20233	300V	47X17AWG	37/0.19	22.3	966.14	17.3 Ω/km



ANM07.002.48.017AB	UL20233	300V	48X17AWG	37/0.19	22.3	973.44	17.3 Ω/km
ANM07.002.49.017AB	UL20233	300V	49X17AWG	37/0.19	22.9	1014.24	17.3 Ω/km
ANM07.002.50.017AB	UL20233	300V	50X17AWG	37/0.19	22.9	1021.54	17.3 Ω/km
ANM07.002.51.017AB	UL20233	300V	51X17AWG	37/0.19	22.9	1028.84	17.3 Ω/km
ANM07.002.52.017AB	UL20233	300V	52X17AWG	37/0.19	22.9	1036.24	17.3 Ω/km
ANM07.002.53.017AB	UL20233	300V	53X17AWG	37/0.19	23.5	1077.84	17.3 Ω/km
ANM07.002.54.017AB	UL20233	300V	54X17AWG	37/0.19	23.5	1085.14	17.3 Ω/km
ANM07.002.55.017AB	UL20233	300V	55X17AWG	37/0.19	23.5	1092.64	17.3 Ω/km
ANM07.002.56.017AB	UL20233	300V	56X17AWG	37/0.19	23.5	1099.94	17.3 Ω/km
ANM07.002.57.017AB	UL20233	300V	57X17AWG	37/0.19	24.1	1142.54	17.3 Ω/km
ANM07.002.58.017AB	UL20233	300V	58X17AWG	37/0.19	24.1	1149.94	17.3 Ω/km
ANM07.002.59.017AB	UL20233	300V	59X17AWG	37/0.19	24.1	1157.24	17.3 Ω/km
ANM07.002.60.017AB	UL20233	300V	60X17AWG	37/0.19	24.1	1164.64	17.3 Ω/km
ANM07.002.61.017AB	UL20233	300V	61X17AWG	37/0.19	24.1	1171.94	17.3 Ω/km
ANM07.002.62.017AB	UL20233	300V	62X17AWG	37/0.19	24.8	1221.44	17.3 Ω/km
ANM07.002.63.017AB	UL20233	300V	63X17AWG	37/0.19	24.8	1228.74	17.3 Ω/km
ANM07.002.64.017AB	UL20233	300V	64X17AWG	37/0.19	24.8	1236.24	17.3 Ω/km
ANM07.002.65.017AB	UL20233	300V	65X17AWG	37/0.19	24.8	1243.54	17.3 Ω/km
ANM07.002.02.016AB	UL20233	300V	2X16AWG	27/0.25	6.8	81.71	13.7 Ω/km
ANM07.002.03.016AB	UL20233	300V	3X16AWG	27/0.25	7.2	98.41	13.7 Ω/km
ANM07.002.04.016AB	UL20233	300V	4X16AWG	27/0.25	7.8	119.51	13.7 Ω/km
ANM07.002.05.016AB	UL20233	300V	5X16AWG	27/0.25	8.9	151.91	13.7 Ω/km
ANM07.002.06.016AB	UL20233	300V	6X16AWG	27/0.25	9.5	175.31	13.7 Ω/km
ANM07.002.07.016AB	UL20233	300V	7X16AWG	27/0.25	9.5	184.91	13.7 Ω/km
ANM07.002.08.016AB	UL20233	300V	8X16AWG	27/0.25	10.2	211.91	13.7 Ω/km
ANM07.002.09.016AB	UL20233	300V	9X16AWG	27/0.25	11.8	264.71	13.7 Ω/km
ANM07.002.10.016AB	UL20233	300V	10X16AWG	27/0.25	12.4	292.31	13.7 Ω/km
ANM07.002.11.016AB	UL20233	300V	11X16AWG	27/0.25	12.8	314.51	13.7 Ω/km
ANM07.002.12.016AB	UL20233	300V	12X16AWG	27/0.25	12.8	324.11	13.7 Ω/km
ANM07.002.13.016AB	UL20233	300V	13X16AWG	27/0.25	13.5	356.61	13.7 Ω/km
ANM07.002.14.016AB	UL20233	300V	14X16AWG	27/0.25	13.5	366.21	13.7 Ω/km
ANM07.002.15.016AB	UL20233	300V	15X16AWG	27/0.25	14.2	399.91	13.7 Ω/km
ANM07.002.16.016AB	UL20233	300V	16X16AWG	27/0.25	14.2	409.51	13.7 Ω/km
ANM07.002.17.016AB	UL20233	300V	17X16AWG	27/0.25	14.8	440.71	13.7 Ω/km
ANM07.002.18.016AB	UL20233	300V	18X16AWG	27/0.25	14.8	450.31	13.7 Ω/km
ANM07.002.19.016AB	UL20233	300V	19X16AWG	27/0.25	14.8	459.91	13.7 Ω/km
ANM07.002.20.016AB	UL20233	300V	20X16AWG	27/0.25	15.2	484.21	13.7 Ω/km
ANM07.002.21.016AB	UL20233	300V	21X16AWG	27/0.25	15.5	505.31	13.7 Ω/km
ANM07.002.22.016AB	UL20233	300V	22X16AWG	27/0.25	16.5	554.41	13.7 Ω/km
ANM07.002.23.016AB	UL20233	300V	23X16AWG	27/0.25	17.1	589.11	13.7 Ω/km
ANM07.002.24.016AB	UL20233	300V	24X16AWG	27/0.25	17.1	598.71	13.7 Ω/km
ANM07.002.25.016AB	UL20233	300V	25X16AWG	27/0.25	17.5	625.31	13.7 Ω/km



ANM07.002.26.016AB	UL20233	300V	26X16AWG	27/0.25	17.5	634.91	13.7 Ω/km
ANM07.002.27.016AB	UL20233	300V	27X16AWG	27/0.25	17.5	644.41	13.7 Ω/km
ANM07.002.28.016AB	UL20233	300V	28X16AWG	27/0.25	18.1	680.41	13.7 Ω/km
ANM07.002.29.016AB	UL20233	300V	29X16AWG	27/0.25	18.1	689.91	13.7 Ω/km
ANM07.002.30.016AB	UL20233	300V	30X16AWG	27/0.25	18.1	699.51	13.7 Ω/km
ANM07.002.31.016AB	UL20233	300V	31X16AWG	27/0.25	18.8	741.01	13.7 Ω/km
ANM07.002.32.016AB	UL20233	300V	32X16AWG	27/0.25	18.8	750.51	13.7 Ω/km
ANM07.002.33.016AB	UL20233	300V	33X16AWG	27/0.25	18.8	760.11	13.7 Ω/km
ANM07.002.34.016AB	UL20233	300V	34X16AWG	27/0.25	19.4	798.01	13.7 Ω/km
ANM07.002.35.016AB	UL20233	300V	35X16AWG	27/0.25	19.4	807.61	13.7 Ω/km
ANM07.002.36.016AB	UL20233	300V	36X16AWG	27/0.25	19.4	817.21	13.7 Ω/km
ANM07.002.37.016AB	UL20233	300V	37X16AWG	27/0.25	19.4	826.71	13.7 Ω/km
ANM07.002.38.016AB	UL20233	300V	38X16AWG	27/0.25	21.1	919.31	13.7 Ω/km
ANM07.002.39.016AB	UL20233	300V	39X16AWG	27/0.25	21.1	928.81	13.7 Ω/km
ANM07.002.40.016AB	UL20233	300V	40X16AWG	27/0.25	21.1	938.41	13.7 Ω/km
ANM07.002.41.016AB	UL20233	300V	41X16AWG	27/0.25	22.7	1034.31	13.7 Ω/km
ANM07.002.42.016AB	UL20233	300V	42X16AWG	27/0.25	22.7	1043.81	13.7 Ω/km
ANM07.002.43.016AB	UL20233	300V	43X16AWG	27/0.25	22.7	1053.41	13.7 Ω/km
ANM07.002.44.016AB	UL20233	300V	44X16AWG	27/0.25	22.7	1062.91	13.7 Ω/km
ANM07.002.45.016AB	UL20233	300V	45X16AWG	27/0.25	23.1	1095.01	13.7 Ω/km
ANM07.002.46.016AB	UL20233	300V	46X16AWG	27/0.25	23.1	1104.51	13.7 Ω/km
ANM07.002.47.016AB	UL20233	300V	47X16AWG	27/0.25	23.1	1114.11	13.7 Ω/km
ANM07.002.48.016AB	UL20233	300V	48X16AWG	27/0.25	23.1	1123.71	13.7 Ω/km
ANM07.002.49.016AB	UL20233	300V	49X16AWG	27/0.25	23.7	1167.61	13.7 Ω/km
ANM07.002.50.016AB	UL20233	300V	50X16AWG	27/0.25	23.7	1177.21	13.7 Ω/km
ANM07.002.51.016AB	UL20233	300V	51X16AWG	27/0.25	23.7	1186.71	13.7 Ω/km
ANM07.002.52.016AB	UL20233	300V	52X16AWG	27/0.25	23.7	1196.31	13.7 Ω/km
ANM07.002.53.016AB	UL20233	300V	53X16AWG	27/0.25	24.4	1247.41	13.7 Ω/km
ANM07.002.54.016AB	UL20233	300V	54X16AWG	27/0.25	24.4	1256.91	13.7 Ω/km
ANM07.002.55.016AB	UL20233	300V	55X16AWG	27/0.25	24.4	1266.51	13.7 Ω/km
ANM07.002.56.016AB	UL20233	300V	56X16AWG	27/0.25	24.4	1276.01	13.7 Ω/km
ANM07.002.57.016AB	UL20233	300V	57X16AWG	27/0.25	25	1322.01	13.7 Ω/km
ANM07.002.58.016AB	UL20233	300V	58X16AWG	27/0.25	25	1331.51	13.7 Ω/km
ANM07.002.59.016AB	UL20233	300V	59X16AWG	27/0.25	25	1341.11	13.7 Ω/km
ANM07.002.60.016AB	UL20233	300V	60X16AWG	27/0.25	25	1350.71	13.7 Ω/km
ANM07.002.61.016AB	UL20233	300V	61X16AWG	27/0.25	25	1360.21	13.7 Ω/km
ANM07.002.62.016AB	UL20233	300V	62X16AWG	27/0.25	25.7	1413.41	13.7 Ω/km
ANM07.002.63.016AB	UL20233	300V	63X16AWG	27/0.25	25.7	1422.91	13.7 Ω/km
ANM07.002.64.016AB	UL20233	300V	64X16AWG	27/0.25	25.7	1432.51	13.7 Ω/km
ANM07.002.65.016AB	UL20233	300V	65X16AWG	27/0.25	25.7	1442.11	13.7 Ω/km
ANM07.002.02.015AB	UL20233	300V	2X15AWG	34/0.25	7.2	93.95	10.9 Ω/km
ANM07.002.03.015AB	UL20233	300V	3X15AWG	34/0.25	7.6	113.45	10.9 Ω/km



ANM07.002.04.015AB	UL20233	300V	4X15AWG	34/0.25	8.7	147.75	10.9 Ω/km
ANM07.002.05.015AB	UL20233	300V	5X15AWG	34/0.25	9.4	175.75	10.9 Ω/km
ANM07.002.06.015AB	UL20233	300V	6X15AWG	34/0.25	10.1	204.95	10.9 Ω/km
ANM07.002.07.015AB	UL20233	300V	7X15AWG	34/0.25	10.1	216.95	10.9 Ω/km
ANM07.002.08.015AB	UL20233	300V	8X15AWG	34/0.25	11.5	266.15	10.9 Ω/km
ANM07.002.09.015AB	UL20233	300V	9X15AWG	34/0.25	12.5	308.15	10.9 Ω/km
ANM07.002.10.015AB	UL20233	300V	10X15AWG	34/0.25	13.2	342.45	10.9 Ω/km
ANM07.002.11.015AB	UL20233	300V	11X15AWG	34/0.25	13.7	371.25	10.9 Ω/km
ANM07.002.12.015AB	UL20233	300V	12X15AWG	34/0.25	13.7	383.15	10.9 Ω/km
ANM07.002.13.015AB	UL20233	300V	13X15AWG	34/0.25	14.4	419.75	10.9 Ω/km
ANM07.002.14.015AB	UL20233	300V	14X15AWG	34/0.25	14.4	431.75	10.9 Ω/km
ANM07.002.15.015AB	UL20233	300V	15X15AWG	34/0.25	15.1	469.25	10.9 Ω/km
ANM07.002.16.015AB	UL20233	300V	16X15AWG	34/0.25	15.1	481.35	10.9 Ω/km
ANM07.002.17.015AB	UL20233	300V	17X15AWG	34/0.25	15.8	520.25	10.9 Ω/km
ANM07.002.18.015AB	UL20233	300V	18X15AWG	34/0.25	15.8	532.15	10.9 Ω/km
ANM07.002.19.015AB	UL20233	300V	19X15AWG	34/0.25	15.8	544.25	10.9 Ω/km
ANM07.002.20.015AB	UL20233	300V	20X15AWG	34/0.25	16.2	572.05	10.9 Ω/km
ANM07.002.21.015AB	UL20233	300V	21X15AWG	34/0.25	16.6	600.25	10.9 Ω/km
ANM07.002.22.015AB	UL20233	300V	22X15AWG	34/0.25	17.6	654.65	10.9 Ω/km
ANM07.002.23.015AB	UL20233	300V	23X15AWG	34/0.25	18.3	697.75	10.9 Ω/km
ANM07.002.24.015AB	UL20233	300V	24X15AWG	34/0.25	18.3	709.75	10.9 Ω/km
ANM07.002.25.015AB	UL20233	300V	25X15AWG	34/0.25	18.7	739.95	10.9 Ω/km
ANM07.002.26.015AB	UL20233	300V	26X15AWG	34/0.25	18.7	751.95	10.9 Ω/km
ANM07.002.27.015AB	UL20233	300V	27X15AWG	34/0.25	18.7	763.95	10.9 Ω/km
ANM07.002.28.015AB	UL20233	300V	28X15AWG	34/0.25	19.4	808.95	10.9 Ω/km
ANM07.002.29.015AB	UL20233	300V	29X15AWG	34/0.25	19.4	820.95	10.9 Ω/km
ANM07.002.30.015AB	UL20233	300V	30X15AWG	34/0.25	19.4	832.85	10.9 Ω/km
ANM07.002.31.015AB	UL20233	300V	31X15AWG	34/0.25	21.1	927.85	10.9 Ω/km
ANM07.002.32.015AB	UL20233	300V	32X15AWG	34/0.25	21.1	939.85	10.9 Ω/km
ANM07.002.33.015AB	UL20233	300V	33X15AWG	34/0.25	21.1	951.85	10.9 Ω/km
ANM07.002.34.015AB	UL20233	300V	34X15AWG	34/0.25	21.8	1000.85	10.9 Ω/km
ANM07.002.35.015AB	UL20233	300V	35X15AWG	34/0.25	21.8	1012.75	10.9 Ω/km
ANM07.002.36.015AB	UL20233	300V	36X15AWG	34/0.25	21.8	1024.65	10.9 Ω/km
ANM07.002.37.015AB	UL20233	300V	37X15AWG	34/0.25	21.8	1036.75	10.9 Ω/km
ANM07.002.38.015AB	UL20233	300V	38X15AWG	34/0.25	22.6	1092.45	10.9 Ω/km
ANM07.002.39.015AB	UL20233	300V	39X15AWG	34/0.25	22.6	1104.45	10.9 Ω/km
ANM07.002.40.015AB	UL20233	300V	40X15AWG	34/0.25	22.6	1116.35	10.9 Ω/km
ANM07.002.41.015AB	UL20233	300V	41X15AWG	34/0.25	24.3	1226.45	10.9 Ω/km
ANM07.002.42.015AB	UL20233	300V	42X15AWG	34/0.25	24.3	1238.45	10.9 Ω/km
ANM07.002.43.015AB	UL20233	300V	43X15AWG	34/0.25	24.3	1250.45	10.9 Ω/km
ANM07.002.44.015AB	UL20233	300V	44X15AWG	34/0.25	24.3	1262.45	10.9 Ω/km
ANM07.002.45.015AB	UL20233	300V	45X15AWG	34/0.25	24.7	1298.35	10.9 Ω/km



ANM07.002.46.015AB	UL20233	300V	46X15AWG	34/0.25	24.7	1310.45	10.9 Ω/km
ANM07.002.47.015AB	UL20233	300V	47X15AWG	34/0.25	24.7	1322.45	10.9 Ω/km
ANM07.002.48.015AB	UL20233	300V	48X15AWG	34/0.25	24.7	1334.45	10.9 Ω/km
ANM07.002.49.015AB	UL20233	300V	49X15AWG	34/0.25	25.4	1389.35	10.9 Ω/km
ANM07.002.50.015AB	UL20233	300V	50X15AWG	34/0.25	25.4	1401.45	10.9 Ω/km
ANM07.002.51.015AB	UL20233	300V	51X15AWG	34/0.25	25.4	1413.35	10.9 Ω/km
ANM07.002.52.015AB	UL20233	300V	52X15AWG	34/0.25	25.4	1425.45	10.9 Ω/km
ANM07.002.53.015AB	UL20233	300V	53X15AWG	34/0.25	26.1	1481.75	10.9 Ω/km
ANM07.002.54.015AB	UL20233	300V	54X15AWG	34/0.25	26.1	1493.65	10.9 Ω/km
ANM07.002.55.015AB	UL20233	300V	55X15AWG	34/0.25	26.1	1505.65	10.9 Ω/km
ANM07.002.56.015AB	UL20233	300V	56X15AWG	34/0.25	26.1	1517.75	10.9 Ω/km
ANM07.002.57.015AB	UL20233	300V	57X15AWG	34/0.25	26.8	1575.05	10.9 Ω/km
ANM07.002.58.015AB	UL20233	300V	58X15AWG	34/0.25	26.8	1587.15	10.9 Ω/km
ANM07.002.59.015AB	UL20233	300V	59X15AWG	34/0.25	26.8	1598.95	10.9 Ω/km
ANM07.002.60.015AB	UL20233	300V	60X15AWG	34/0.25	26.8	1610.95	10.9 Ω/km
ANM07.002.61.015AB	UL20233	300V	61X15AWG	34/0.25	26.8	1623.05	10.9 Ω/km
ANM07.002.62.015AB	UL20233	300V	62X15AWG	34/0.25	27.6	1688.35	10.9 Ω/km
ANM07.002.63.015AB	UL20233	300V	63X15AWG	34/0.25	27.6	1700.45	10.9 Ω/km
ANM07.002.64.015AB	UL20233	300V	64X15AWG	34/0.25	27.6	1712.35	10.9 Ω/km
ANM07.002.65.015AB	UL20233	300V	65X15AWG	34/0.25	27.6	1724.25	10.9 Ω/km
ANM07.002.02.014AB	UL20233	300V	2X14AWG	43/0.25	7.6	108.28	8.62 Ω/km
ANM07.002.03.014AB	UL20233	300V	3X14AWG	43/0.25	8.5	141.38	8.62 Ω/km
ANM07.002.04.014AB	UL20233	300V	4X14AWG	43/0.25	9.2	172.18	8.62 Ω/km
ANM07.002.05.014AB	UL20233	300V	5X14AWG	43/0.25	9.9	204.28	8.62 Ω/km
ANM07.002.06.014AB	UL20233	300V	6X14AWG	43/0.25	11.3	255.98	8.62 Ω/km
ANM07.002.07.014AB	UL20233	300V	7X14AWG	43/0.25	11.3	271.18	8.62 Ω/km
ANM07.002.08.014AB	UL20233	300V	8X14AWG	43/0.25	12.2	312.68	8.62 Ω/km
ANM07.002.09.014AB	UL20233	300V	9X14AWG	43/0.25	13.2	359.58	8.62 Ω/km
ANM07.002.10.014AB	UL20233	300V	10X14AWG	43/0.25	14.1	405.38	8.62 Ω/km
ANM07.002.11.014AB	UL20233	300V	11X14AWG	43/0.25	14.6	438.28	8.62 Ω/km
ANM07.002.12.014AB	UL20233	300V	12X14AWG	43/0.25	14.6	453.48	8.62 Ω/km
ANM07.002.13.014AB	UL20233	300V	13X14AWG	43/0.25	15.3	494.58	8.62 Ω/km
ANM07.002.14.014AB	UL20233	300V	14X14AWG	43/0.25	15.3	509.88	8.62 Ω/km
ANM07.002.15.014AB	UL20233	300V	15X14AWG	43/0.25	16	552.18	8.62 Ω/km
ANM07.002.16.014AB	UL20233	300V	16X14AWG	43/0.25	16	567.38	8.62 Ω/km
ANM07.002.17.014AB	UL20233	300V	17X14AWG	43/0.25	16.8	614.98	8.62 Ω/km
ANM07.002.18.014AB	UL20233	300V	18X14AWG	43/0.25	16.8	630.28	8.62 Ω/km
ANM07.002.19.014AB	UL20233	300V	19X14AWG	43/0.25	16.8	645.48	8.62 Ω/km
ANM07.002.20.014AB	UL20233	300V	20X14AWG	43/0.25	17.3	681.68	8.62 Ω/km
ANM07.002.21.014AB	UL20233	300V	21X14AWG	43/0.25	17.7	714.18	8.62 Ω/km
ANM07.002.22.014AB	UL20233	300V	22X14AWG	43/0.25	18.7	774.28	8.62 Ω/km
ANM07.002.23.014AB	UL20233	300V	23X14AWG	43/0.25	20.5	874.68	8.62 Ω/km



ANM07.002.24.014AB	UL20233	300V	24X14AWG	43/0.25	20.5	889.88	8.62 Ω /km
ANM07.002.25.014AB	UL20233	300V	25X14AWG	43/0.25	21	930.58	8.62 Ω /km
ANM07.002.26.014AB	UL20233	300V	26X14AWG	43/0.25	21	945.68	8.62 Ω /km
ANM07.002.27.014AB	UL20233	300V	27X14AWG	43/0.25	21	960.88	8.62 Ω /km
ANM07.002.28.014AB	UL20233	300V	28X14AWG	43/0.25	21.7	1012.88	8.62 Ω /km
ANM07.002.29.014AB	UL20233	300V	29X14AWG	43/0.25	21.7	1027.98	8.62 Ω /km
ANM07.002.30.014AB	UL20233	300V	30X14AWG	43/0.25	21.7	1043.18	8.62 Ω /km
ANM07.002.31.014AB	UL20233	300V	31X14AWG	43/0.25	22.4	1096.48	8.62 Ω /km
ANM07.002.32.014AB	UL20233	300V	32X14AWG	43/0.25	22.4	1111.58	8.62 Ω /km
ANM07.002.33.014AB	UL20233	300V	33X14AWG	43/0.25	22.4	1126.78	8.62 Ω /km
ANM07.002.34.014AB	UL20233	300V	34X14AWG	43/0.25	23.2	1186.68	8.62 Ω /km
ANM07.002.35.014AB	UL20233	300V	35X14AWG	43/0.25	23.2	1201.88	8.62 Ω /km
ANM07.002.36.014AB	UL20233	300V	36X14AWG	43/0.25	23.2	1217.18	8.62 Ω /km
ANM07.002.37.014AB	UL20233	300V	37X14AWG	43/0.25	23.2	1232.28	8.62 Ω /km
ANM07.002.38.014AB	UL20233	300V	38X14AWG	43/0.25	24.1	1299.78	8.62 Ω /km
ANM07.002.39.014AB	UL20233	300V	39X14AWG	43/0.25	24.1	1314.88	8.62 Ω /km
ANM07.002.40.014AB	UL20233	300V	40X14AWG	43/0.25	24.1	1330.18	8.62 Ω /km
ANM07.002.41.014AB	UL20233	300V	41X14AWG	43/0.25	25.9	1455.78	8.62 Ω /km
ANM07.002.42.014AB	UL20233	300V	42X14AWG	43/0.25	25.9	1470.98	8.62 Ω /km
ANM07.002.43.014AB	UL20233	300V	43X14AWG	43/0.25	25.9	1486.18	8.62 Ω /km
ANM07.002.44.014AB	UL20233	300V	44X14AWG	43/0.25	25.9	1501.28	8.62 Ω /km
ANM07.002.45.014AB	UL20233	300V	45X14AWG	43/0.25	26.4	1548.68	8.62 Ω /km
ANM07.002.46.014AB	UL20233	300V	46X14AWG	43/0.25	26.4	1563.68	8.62 Ω /km
ANM07.002.47.014AB	UL20233	300V	47X14AWG	43/0.25	26.4	1578.88	8.62 Ω /km
ANM07.002.48.014AB	UL20233	300V	48X14AWG	43/0.25	26.4	1594.08	8.62 Ω /km
ANM07.002.49.014AB	UL20233	300V	49X14AWG	43/0.25	27.1	1655.18	8.62 Ω /km
ANM07.002.50.014AB	UL20233	300V	50X14AWG	43/0.25	27.1	1670.38	8.62 Ω /km
ANM07.002.51.014AB	UL20233	300V	51X14AWG	43/0.25	27.1	1685.48	8.62 Ω /km
ANM07.002.52.014AB	UL20233	300V	52X14AWG	43/0.25	27.1	1700.68	8.62 Ω /km
ANM07.002.02.013AB	UL20233	300V	2X13AWG	54/0.25	8.6	136.43	6.82 Ω /km
ANM07.002.03.013AB	UL20233	300V	3X13AWG	54/0.25	9.1	166.43	6.82 Ω /km
ANM07.002.04.013AB	UL20233	300V	4X13AWG	54/0.25	9.9	204.43	6.82 Ω /km
ANM07.002.05.013AB	UL20233	300V	5X13AWG	54/0.25	11.3	259.73	6.82 Ω /km
ANM07.002.06.013AB	UL20233	300V	6X13AWG	54/0.25	12.2	305.03	6.82 Ω /km
ANM07.002.07.013AB	UL20233	300V	7X13AWG	54/0.25	12.2	323.83	6.82 Ω /km
ANM07.002.08.013AB	UL20233	300V	8X13AWG	54/0.25	13.1	371.13	6.82 Ω /km
ANM07.002.09.013AB	UL20233	300V	9X13AWG	54/0.25	14.4	434.63	6.82 Ω /km
ANM07.002.10.013AB	UL20233	300V	10X13AWG	54/0.25	15.3	486.63	6.82 Ω /km
ANM07.002.11.013AB	UL20233	300V	11X13AWG	54/0.25	15.8	524.83	6.82 Ω /km
ANM07.002.12.013AB	UL20233	300V	12X13AWG	54/0.25	15.8	543.73	6.82 Ω /km
ANM07.002.13.013AB	UL20233	300V	13X13AWG	54/0.25	16.6	594.63	6.82 Ω /km
ANM07.002.14.013AB	UL20233	300V	14X13AWG	54/0.25	16.6	613.53	6.82 Ω /km



ANM07.002.15.013AB	UL20233	300V	15X13AWG	54/0.25	17.4	666.03	6.82 Ω /km
ANM07.002.16.013AB	UL20233	300V	16X13AWG	54/0.25	17.4	684.83	6.82 Ω /km
ANM07.002.17.013AB	UL20233	300V	17X13AWG	54/0.25	18.3	743.43	6.82 Ω /km
ANM07.002.18.013AB	UL20233	300V	18X13AWG	54/0.25	18.3	762.33	6.82 Ω /km
ANM07.002.19.013AB	UL20233	300V	19X13AWG	54/0.25	18.3	781.33	6.82 Ω /km
ANM07.002.20.013AB	UL20233	300V	20X13AWG	54/0.25	18.8	823.03	6.82 Ω /km
ANM07.002.21.013AB	UL20233	300V	21X13AWG	54/0.25	19.2	860.73	6.82 Ω /km
ANM07.002.22.013AB	UL20233	300V	22X13AWG	54/0.25	21.4	987.63	6.82 Ω /km
ANM07.002.23.013AB	UL20233	300V	23X13AWG	54/0.25	22.3	1054.93	6.82 Ω /km
ANM07.002.24.013AB	UL20233	300V	24X13AWG	54/0.25	22.3	1073.73	6.82 Ω /km
ANM07.002.25.013AB	UL20233	300V	25X13AWG	54/0.25	22.8	1120.33	6.82 Ω /km
ANM07.002.26.013AB	UL20233	300V	26X13AWG	54/0.25	22.8	1139.23	6.82 Ω /km
ANM07.002.27.013AB	UL20233	300V	27X13AWG	54/0.25	22.8	1158.13	6.82 Ω /km
ANM07.002.28.013AB	UL20233	300V	28X13AWG	54/0.25	23.6	1222.63	6.82 Ω /km
ANM07.002.29.013AB	UL20233	300V	29X13AWG	54/0.25	23.6	1241.43	6.82 Ω /km
ANM07.002.30.013AB	UL20233	300V	30X13AWG	54/0.25	23.6	1260.33	6.82 Ω /km
ANM07.002.31.013AB	UL20233	300V	31X13AWG	54/0.25	24.4	1326.33	6.82 Ω /km
ANM07.002.32.013AB	UL20233	300V	32X13AWG	54/0.25	24.4	1345.23	6.82 Ω /km
ANM07.002.33.013AB	UL20233	300V	33X13AWG	54/0.25	24.4	1364.03	6.82 Ω /km
ANM07.002.34.013AB	UL20233	300V	34X13AWG	54/0.25	25.3	1437.83	6.82 Ω /km
ANM07.002.35.013AB	UL20233	300V	35X13AWG	54/0.25	25.3	1456.63	6.82 Ω /km
ANM07.002.36.013AB	UL20233	300V	36X13AWG	54/0.25	25.3	1475.53	6.82 Ω /km
ANM07.002.37.013AB	UL20233	300V	37X13AWG	54/0.25	25.3	1494.43	6.82 Ω /km
ANM07.002.38.013AB	UL20233	300V	38X13AWG	54/0.25	26.2	1570.33	6.82 Ω /km
ANM07.002.39.013AB	UL20233	300V	39X13AWG	54/0.25	26.2	1589.13	6.82 Ω /km
ANM07.002.40.013AB	UL20233	300V	40X13AWG	54/0.25	26.2	1607.93	6.82 Ω /km
ANM07.002.41.013AB	UL20233	300V	41X13AWG	54/0.25	28.3	1767.13	6.82 Ω /km
ANM07.002.42.013AB	UL20233	300V	42X13AWG	54/0.25	28.3	1786.03	6.82 Ω /km
ANM07.002.43.013AB	UL20233	300V	43X13AWG	54/0.25	28.3	1804.83	6.82 Ω /km
ANM07.002.44.013AB	UL20233	300V	44X13AWG	54/0.25	28.3	1823.73	6.82 Ω /km
ANM07.002.45.013AB	UL20233	300V	45X13AWG	54/0.25	29.8	1947.03	6.82 Ω /km
ANM07.002.46.013AB	UL20233	300V	46X13AWG	54/0.25	29.8	1965.83	6.82 Ω /km
ANM07.002.47.013AB	UL20233	300V	47X13AWG	54/0.25	29.8	1984.63	6.82 Ω /km
ANM07.002.48.013AB	UL20233	300V	48X13AWG	54/0.25	29.8	2003.43	6.82 Ω /km
ANM07.002.49.013AB	UL20233	300V	49X13AWG	54/0.25	31	2146.23	6.82 Ω /km
ANM07.002.50.013AB	UL20233	300V	50X13AWG	54/0.25	31	2165.03	6.82 Ω /km
ANM07.002.51.013AB	UL20233	300V	51X13AWG	54/0.25	31	2183.93	6.82 Ω /km
ANM07.002.52.013AB	UL20233	300V	52X13AWG	54/0.25	31	2202.83	6.82 Ω /km