



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
线芯 PVC 材质							
ANM05.008.02.023AB	UL20549	300V	2X23AWG	17/0.14	5.2	40.16	69.2 Ω/km
ANM05.008.03.023AB	UL20549	300V	3X23AWG	17/0.14	5.5	46.16	69.2 Ω/km
ANM05.008.04.023AB	UL20549	300V	4X23AWG	17/0.14	5.9	53.96	69.2 Ω/km
ANM05.008.05.023AB	UL20549	300V	5X23AWG	17/0.14	6.3	62.06	69.2 Ω/km
ANM05.008.06.023AB	UL20549	300V	6X23AWG	17/0.14	6.7	70.46	69.2 Ω/km
ANM05.008.07.023AB	UL20549	300V	7X23AWG	17/0.14	6.7	72.26	69.2 Ω/km
ANM05.008.08.023AB	UL20549	300V	8X23AWG	17/0.14	7.2	83.06	69.2 Ω/km
ANM05.008.09.023AB	UL20549	300V	9X23AWG	17/0.14	7.8	96.36	69.2 Ω/km
ANM05.008.10.023AB	UL20549	300V	10X23AWG	17/0.14	8.2	106.36	69.2 Ω/km
ANM05.008.11.023AB	UL20549	300V	11X23AWG	17/0.14	8.5	114.56	69.2 Ω/km
ANM05.008.12.023AB	UL20549	300V	12X23AWG	17/0.14	8.5	116.46	69.2 Ω/km
ANM05.008.13.023AB	UL20549	300V	13X23AWG	17/0.14	8.9	126.96	69.2 Ω/km
ANM05.008.14.023AB	UL20549	300V	14X23AWG	17/0.14	8.9	128.76	69.2 Ω/km
ANM05.008.15.023AB	UL20549	300V	15X23AWG	17/0.14	9.3	139.86	69.2 Ω/km
ANM05.008.16.023AB	UL20549	300V	16X23AWG	17/0.14	9.3	141.66	69.2 Ω/km
ANM05.008.17.023AB	UL20549	300V	17X23AWG	17/0.14	9.7	153.06	69.2 Ω/km
ANM05.008.18.023AB	UL20549	300V	18X23AWG	17/0.14	9.7	154.86	69.2 Ω/km
ANM05.008.19.023AB	UL20549	300V	19X23AWG	17/0.14	9.7	156.76	69.2 Ω/km
ANM05.008.20.023AB	UL20549	300V	20X23AWG	17/0.14	10	165.86	69.2 Ω/km
ANM05.008.21.023AB	UL20549	300V	21X23AWG	17/0.14	10.2	172.86	69.2 Ω/km
ANM05.008.22.023AB	UL20549	300V	22X23AWG	17/0.14	11.8	217.26	69.2 Ω/km
ANM05.008.23.023AB	UL20549	300V	23X23AWG	17/0.14	12.2	231.06	69.2 Ω/km
ANM05.008.24.023AB	UL20549	300V	24X23AWG	17/0.14	12.2	232.96	69.2 Ω/km
ANM05.008.25.023AB	UL20549	300V	25X23AWG	17/0.14	12.5	244.06	69.2 Ω/km
ANM05.008.26.023AB	UL20549	300V	26X23AWG	17/0.14	12.5	245.86	69.2 Ω/km
ANM05.008.27.023AB	UL20549	300V	27X23AWG	17/0.14	12.5	247.56	69.2 Ω/km
ANM05.008.28.023AB	UL20549	300V	28X23AWG	17/0.14	12.9	262.16	69.2 Ω/km
ANM05.008.29.023AB	UL20549	300V	29X23AWG	17/0.14	12.9	263.96	69.2 Ω/km
ANM05.008.30.023AB	UL20549	300V	30X23AWG	17/0.14	12.9	265.86	69.2 Ω/km
ANM05.008.31.023AB	UL20549	300V	31X23AWG	17/0.14	13.4	283.96	69.2 Ω/km
ANM05.008.32.023AB	UL20549	300V	32X23AWG	17/0.14	13.4	285.76	69.2 Ω/km
ANM05.008.33.023AB	UL20549	300V	33X23AWG	17/0.14	13.4	287.56	69.2 Ω/km
ANM05.008.34.023AB	UL20549	300V	34X23AWG	17/0.14	13.8	302.86	69.2 Ω/km
ANM05.008.35.023AB	UL20549	300V	35X23AWG	17/0.14	13.8	304.76	69.2 Ω/km
ANM05.008.36.023AB	UL20549	300V	36X23AWG	17/0.14	13.8	306.56	69.2 Ω/km
ANM05.008.37.023AB	UL20549	300V	37X23AWG	17/0.14	13.8	308.36	69.2 Ω/km
ANM05.008.38.023AB	UL20549	300V	38X23AWG	17/0.14	14.3	327.66	69.2 Ω/km
ANM05.008.39.023AB	UL20549	300V	39X23AWG	17/0.14	14.3	329.36	69.2 Ω/km
ANM05.008.40.023AB	UL20549	300V	40X23AWG	17/0.14	14.3	331.16	69.2 Ω/km



ANM05.008.41.023AB	UL20549	300V	41X23AWG	17/0.14	15.3	369.76	69.2Ω/km
ANM05.008.42.023AB	UL20549	300V	42X23AWG	17/0.14	15.3	371.56	69.2Ω/km
ANM05.008.43.023AB	UL20549	300V	43X23AWG	17/0.14	15.3	373.36	69.2Ω/km
ANM05.008.44.023AB	UL20549	300V	44X23AWG	17/0.14	15.3	375.26	69.2Ω/km
ANM05.008.45.023AB	UL20549	300V	45X23AWG	17/0.14	15.6	388.56	69.2Ω/km
ANM05.008.46.023AB	UL20549	300V	46X23AWG	17/0.14	15.6	390.26	69.2Ω/km
ANM05.008.47.023AB	UL20549	300V	47X23AWG	17/0.14	15.6	392.16	69.2Ω/km
ANM05.008.48.023AB	UL20549	300V	48X23AWG	17/0.14	15.6	393.86	69.2Ω/km
ANM05.008.49.023AB	UL20549	300V	49X23AWG	17/0.14	16	411.46	69.2Ω/km
ANM05.008.50.023AB	UL20549	300V	50X23AWG	17/0.14	16	413.26	69.2Ω/km
ANM05.008.51.023AB	UL20549	300V	51X23AWG	17/0.14	16	415.16	69.2Ω/km
ANM05.008.52.023AB	UL20549	300V	52X23AWG	17/0.14	16	416.76	69.2Ω/km
ANM05.008.53.023AB	UL20549	300V	53X23AWG	17/0.14	16.4	434.86	69.2Ω/km
ANM05.008.54.023AB	UL20549	300V	54X23AWG	17/0.14	16.4	436.66	69.2Ω/km
ANM05.008.55.023AB	UL20549	300V	55X23AWG	17/0.14	16.4	438.46	69.2Ω/km
ANM05.008.56.023AB	UL20549	300V	56X23AWG	17/0.14	16.4	440.26	69.2Ω/km
ANM05.008.57.023AB	UL20549	300V	57X23AWG	17/0.14	16.8	458.46	69.2Ω/km
ANM05.008.58.023AB	UL20549	300V	58X23AWG	17/0.14	16.8	460.26	69.2Ω/km
ANM05.008.59.023AB	UL20549	300V	59X23AWG	17/0.14	16.8	461.96	69.2Ω/km
ANM05.008.60.023AB	UL20549	300V	60X23AWG	17/0.14	16.8	463.86	69.2Ω/km
ANM05.008.61.023AB	UL20549	300V	61X23AWG	17/0.14	16.8	465.66	69.2Ω/km
ANM05.008.62.023AB	UL20549	300V	62X23AWG	17/0.14	17.3	488.66	69.2Ω/km
ANM05.008.63.023AB	UL20549	300V	63X23AWG	17/0.14	17.3	490.46	69.2Ω/km
ANM05.008.64.023AB	UL20549	300V	64X23AWG	17/0.14	17.3	492.26	69.2Ω/km
ANM05.008.65.023AB	UL20549	300V	65X23AWG	17/0.14	17.3	494.06	69.2Ω/km
ANM05.008.02.022AB	UL20549	300V	2X22AWG	22/0.14	5.4	43.83	55.4Ω/km
ANM05.008.03.022AB	UL20549	300V	3X22AWG	22/0.14	5.7	50.43	55.4Ω/km
ANM05.008.04.022AB	UL20549	300V	4X22AWG	22/0.14	6.1	58.83	55.4Ω/km
ANM05.008.05.022AB	UL20549	300V	5X22AWG	22/0.14	6.6	69.23	55.4Ω/km
ANM05.008.06.022AB	UL20549	300V	6X22AWG	22/0.14	7	78.43	55.4Ω/km
ANM05.008.07.022AB	UL20549	300V	7X22AWG	22/0.14	7	80.63	55.4Ω/km
ANM05.008.08.022AB	UL20549	300V	8X22AWG	22/0.14	7.5	92.23	55.4Ω/km
ANM05.008.09.022AB	UL20549	300V	9X22AWG	22/0.14	8.2	108.53	55.4Ω/km
ANM05.008.10.022AB	UL20549	300V	10X22AWG	22/0.14	8.6	119.23	55.4Ω/km
ANM05.008.11.022AB	UL20549	300V	11X22AWG	22/0.14	8.9	128.23	55.4Ω/km
ANM05.008.12.022AB	UL20549	300V	12X22AWG	22/0.14	8.9	130.33	55.4Ω/km
ANM05.008.13.022AB	UL20549	300V	13X22AWG	22/0.14	9.3	141.93	55.4Ω/km
ANM05.008.14.022AB	UL20549	300V	14X22AWG	22/0.14	9.3	144.13	55.4Ω/km
ANM05.008.15.022AB	UL20549	300V	15X22AWG	22/0.14	9.8	158.43	55.4Ω/km
ANM05.008.16.022AB	UL20549	300V	16X22AWG	22/0.14	9.8	160.63	55.4Ω/km
ANM05.008.17.022AB	UL20549	300V	17X22AWG	22/0.14	10.2	172.93	55.4Ω/km
ANM05.008.18.022AB	UL20549	300V	18X22AWG	22/0.14	10.2	175.23	55.4Ω/km



ANM05.008.19.022AB	UL20549	300V	19X22AWG	22/0.14	10.2	177.43	55.4Ω/km
ANM05.008.20.022AB	UL20549	300V	20X22AWG	22/0.14	11.5	213.53	55.4Ω/km
ANM05.008.21.022AB	UL20549	300V	21X22AWG	22/0.14	11.7	221.53	55.4Ω/km
ANM05.008.22.022AB	UL20549	300V	22X22AWG	22/0.14	12.4	244.93	55.4Ω/km
ANM05.008.23.022AB	UL20549	300V	23X22AWG	22/0.14	12.8	259.83	55.4Ω/km
ANM05.008.24.022AB	UL20549	300V	24X22AWG	22/0.14	12.8	261.93	55.4Ω/km
ANM05.008.25.022AB	UL20549	300V	25X22AWG	22/0.14	13.1	273.93	55.4Ω/km
ANM05.008.26.022AB	UL20549	300V	26X22AWG	22/0.14	13.1	276.13	55.4Ω/km
ANM05.008.27.022AB	UL20549	300V	27X22AWG	22/0.14	13.1	278.33	55.4Ω/km
ANM05.008.28.022AB	UL20549	300V	28X22AWG	22/0.14	13.6	297.23	55.4Ω/km
ANM05.008.29.022AB	UL20549	300V	29X22AWG	22/0.14	13.6	299.53	55.4Ω/km
ANM05.008.30.022AB	UL20549	300V	30X22AWG	22/0.14	13.6	301.73	55.4Ω/km
ANM05.008.31.022AB	UL20549	300V	31X22AWG	22/0.14	14.1	321.23	55.4Ω/km
ANM05.008.32.022AB	UL20549	300V	32X22AWG	22/0.14	14.1	323.53	55.4Ω/km
ANM05.008.33.022AB	UL20549	300V	33X22AWG	22/0.14	14.1	325.73	55.4Ω/km
ANM05.008.34.022AB	UL20549	300V	34X22AWG	22/0.14	14.5	342.23	55.4Ω/km
ANM05.008.35.022AB	UL20549	300V	35X22AWG	22/0.14	14.5	344.33	55.4Ω/km
ANM05.008.36.022AB	UL20549	300V	36X22AWG	22/0.14	14.5	346.63	55.4Ω/km
ANM05.008.37.022AB	UL20549	300V	37X22AWG	22/0.14	14.5	348.83	55.4Ω/km
ANM05.008.38.022AB	UL20549	300V	38X22AWG	22/0.14	15	369.53	55.4Ω/km
ANM05.008.39.022AB	UL20549	300V	39X22AWG	22/0.14	15	371.73	55.4Ω/km
ANM05.008.40.022AB	UL20549	300V	40X22AWG	22/0.14	15	373.93	55.4Ω/km
ANM05.008.41.022AB	UL20549	300V	41X22AWG	22/0.14	16.1	418.73	55.4Ω/km
ANM05.008.42.022AB	UL20549	300V	42X22AWG	22/0.14	16.1	420.93	55.4Ω/km
ANM05.008.43.022AB	UL20549	300V	43X22AWG	22/0.14	16.1	423.13	55.4Ω/km
ANM05.008.44.022AB	UL20549	300V	44X22AWG	22/0.14	16.1	425.33	55.4Ω/km
ANM05.008.45.022AB	UL20549	300V	45X22AWG	22/0.14	16.4	439.73	55.4Ω/km
ANM05.008.46.022AB	UL20549	300V	46X22AWG	22/0.14	16.4	442.03	55.4Ω/km
ANM05.008.47.022AB	UL20549	300V	47X22AWG	22/0.14	16.4	444.13	55.4Ω/km
ANM05.008.48.022AB	UL20549	300V	48X22AWG	22/0.14	16.4	446.43	55.4Ω/km
ANM05.008.49.022AB	UL20549	300V	49X22AWG	22/0.14	16.8	465.03	55.4Ω/km
ANM05.008.50.022AB	UL20549	300V	50X22AWG	22/0.14	16.8	467.33	55.4Ω/km
ANM05.008.51.022AB	UL20549	300V	51X22AWG	22/0.14	16.8	469.43	55.4Ω/km
ANM05.008.52.022AB	UL20549	300V	52X22AWG	22/0.14	16.8	471.73	55.4Ω/km
ANM05.008.53.022AB	UL20549	300V	53X22AWG	22/0.14	17.3	495.23	55.4Ω/km
ANM05.008.54.022AB	UL20549	300V	54X22AWG	22/0.14	17.3	497.33	55.4Ω/km
ANM05.008.55.022AB	UL20549	300V	55X22AWG	22/0.14	17.3	499.63	55.4Ω/km
ANM05.008.56.022AB	UL20549	300V	56X22AWG	22/0.14	17.3	501.83	55.4Ω/km
ANM05.008.57.022AB	UL20549	300V	57X22AWG	22/0.14	17.7	521.43	55.4Ω/km
ANM05.008.58.022AB	UL20549	300V	58X22AWG	22/0.14	17.7	523.53	55.4Ω/km
ANM05.008.59.022AB	UL20549	300V	59X22AWG	22/0.14	17.7	525.83	55.4Ω/km
ANM05.008.60.022AB	UL20549	300V	60X22AWG	22/0.14	17.7	528.03	55.4Ω/km



ANM05.008.61.022AB	UL20549	300V	61X22AWG	22/0.14	17.7	530.33	55.4 Ω/km
ANM05.008.62.022AB	UL20549	300V	62X22AWG	22/0.14	18.2	554.73	55.4 Ω/km
ANM05.008.63.022AB	UL20549	300V	63X22AWG	22/0.14	18.2	556.93	55.4 Ω/km
ANM05.008.64.022AB	UL20549	300V	64X22AWG	22/0.14	18.2	559.23	55.4 Ω/km
ANM05.008.65.022AB	UL20549	300V	65X22AWG	22/0.14	18.2	561.43	55.4 Ω/km
ANM05.008.02.021AB	UL20549	300V	2X21AWG	27/0.14	5.6	48.02	43.6 Ω/km
ANM05.008.03.021AB	UL20549	300V	3X21AWG	27/0.14	5.9	55.42	43.6 Ω/km
ANM05.008.04.021AB	UL20549	300V	4X21AWG	27/0.14	6.4	66.32	43.6 Ω/km
ANM05.008.05.021AB	UL20549	300V	5X21AWG	27/0.14	6.8	75.92	43.6 Ω/km
ANM05.008.06.021AB	UL20549	300V	6X21AWG	27/0.14	7.3	87.82	43.6 Ω/km
ANM05.008.07.021AB	UL20549	300V	7X21AWG	27/0.14	7.3	90.72	43.6 Ω/km
ANM05.008.08.021AB	UL20549	300V	8X21AWG	27/0.14	7.9	105.12	43.6 Ω/km
ANM05.008.09.021AB	UL20549	300V	9X21AWG	27/0.14	8.5	120.52	43.6 Ω/km
ANM05.008.10.021AB	UL20549	300V	10X21AWG	27/0.14	9	134.52	43.6 Ω/km
ANM05.008.11.021AB	UL20549	300V	11X21AWG	27/0.14	9.3	144.32	43.6 Ω/km
ANM05.008.12.021AB	UL20549	300V	12X21AWG	27/0.14	9.3	147.22	43.6 Ω/km
ANM05.008.13.021AB	UL20549	300V	13X21AWG	27/0.14	9.8	162.12	43.6 Ω/km
ANM05.008.14.021AB	UL20549	300V	14X21AWG	27/0.14	9.8	164.92	43.6 Ω/km
ANM05.008.15.021AB	UL20549	300V	15X21AWG	27/0.14	10.2	177.92	43.6 Ω/km
ANM05.008.16.021AB	UL20549	300V	16X21AWG	27/0.14	10.2	180.72	43.6 Ω/km
ANM05.008.17.021AB	UL20549	300V	17X21AWG	27/0.14	11.7	223.22	43.6 Ω/km
ANM05.008.18.021AB	UL20549	300V	18X21AWG	27/0.14	11.7	226.12	43.6 Ω/km
ANM05.008.19.021AB	UL20549	300V	19X21AWG	27/0.14	11.7	229.02	43.6 Ω/km
ANM05.008.20.021AB	UL20549	300V	20X21AWG	27/0.14	12	240.72	43.6 Ω/km
ANM05.008.21.021AB	UL20549	300V	21X21AWG	27/0.14	12.3	252.82	43.6 Ω/km
ANM05.008.22.021AB	UL20549	300V	22X21AWG	27/0.14	12.9	274.52	43.6 Ω/km
ANM05.008.23.021AB	UL20549	300V	23X21AWG	27/0.14	13.5	297.02	43.6 Ω/km
ANM05.008.24.021AB	UL20549	300V	24X21AWG	27/0.14	13.5	299.92	43.6 Ω/km
ANM05.008.25.021AB	UL20549	300V	25X21AWG	27/0.14	13.8	312.92	43.6 Ω/km
ANM05.008.26.021AB	UL20549	300V	26X21AWG	27/0.14	13.8	315.82	43.6 Ω/km
ANM05.008.27.021AB	UL20549	300V	27X21AWG	27/0.14	13.8	318.72	43.6 Ω/km
ANM05.008.28.021AB	UL20549	300V	28X21AWG	27/0.14	14.3	339.02	43.6 Ω/km
ANM05.008.29.021AB	UL20549	300V	29X21AWG	27/0.14	14.3	341.92	43.6 Ω/km
ANM05.008.30.021AB	UL20549	300V	30X21AWG	27/0.14	14.3	344.82	43.6 Ω/km
ANM05.008.31.021AB	UL20549	300V	31X21AWG	27/0.14	14.7	362.02	43.6 Ω/km
ANM05.008.32.021AB	UL20549	300V	32X21AWG	27/0.14	14.7	364.92	43.6 Ω/km
ANM05.008.33.021AB	UL20549	300V	33X21AWG	27/0.14	14.7	367.72	43.6 Ω/km
ANM05.008.34.021AB	UL20549	300V	34X21AWG	27/0.14	15.2	389.12	43.6 Ω/km
ANM05.008.35.021AB	UL20549	300V	35X21AWG	27/0.14	15.2	392.02	43.6 Ω/km
ANM05.008.36.021AB	UL20549	300V	36X21AWG	27/0.14	15.2	394.82	43.6 Ω/km
ANM05.008.37.021AB	UL20549	300V	37X21AWG	27/0.14	15.2	397.72	43.6 Ω/km
ANM05.008.38.021AB	UL20549	300V	38X21AWG	27/0.14	15.8	423.72	43.6 Ω/km



ANM05.008.39.021AB	UL20549	300V	39X21AWG	27/0.14	15.8	426.52	43.6Ω/km
ANM05.008.40.021AB	UL20549	300V	40X21AWG	27/0.14	15.8	429.42	43.6Ω/km
ANM05.008.41.021AB	UL20549	300V	41X21AWG	27/0.14	16.9	476.82	43.6Ω/km
ANM05.008.42.021AB	UL20549	300V	42X21AWG	27/0.14	16.9	479.62	43.6Ω/km
ANM05.008.43.021AB	UL20549	300V	43X21AWG	27/0.14	16.9	482.52	43.6Ω/km
ANM05.008.44.021AB	UL20549	300V	44X21AWG	27/0.14	16.9	485.32	43.6Ω/km
ANM05.008.45.021AB	UL20549	300V	45X21AWG	27/0.14	17.2	500.92	43.6Ω/km
ANM05.008.46.021AB	UL20549	300V	46X21AWG	27/0.14	17.2	503.72	43.6Ω/km
ANM05.008.47.021AB	UL20549	300V	47X21AWG	27/0.14	17.2	506.52	43.6Ω/km
ANM05.008.48.021AB	UL20549	300V	48X21AWG	27/0.14	17.2	509.52	43.6Ω/km
ANM05.008.49.021AB	UL20549	300V	49X21AWG	27/0.14	17.7	534.02	43.6Ω/km
ANM05.008.50.021AB	UL20549	300V	50X21AWG	27/0.14	17.7	536.82	43.6Ω/km
ANM05.008.51.021AB	UL20549	300V	51X21AWG	27/0.14	17.7	539.72	43.6Ω/km
ANM05.008.52.021AB	UL20549	300V	52X21AWG	27/0.14	17.7	542.62	43.6Ω/km
ANM05.008.53.021AB	UL20549	300V	53X21AWG	27/0.14	18.1	563.12	43.6Ω/km
ANM05.008.54.021AB	UL20549	300V	54X21AWG	27/0.14	18.1	565.92	43.6Ω/km
ANM05.008.55.021AB	UL20549	300V	55X21AWG	27/0.14	18.1	568.72	43.6Ω/km
ANM05.008.56.021AB	UL20549	300V	56X21AWG	27/0.14	18.1	571.62	43.6Ω/km
ANM05.008.57.021AB	UL20549	300V	57X21AWG	27/0.14	18.6	597.32	43.6Ω/km
ANM05.008.58.021AB	UL20549	300V	58X21AWG	27/0.14	18.6	600.12	43.6Ω/km
ANM05.008.59.021AB	UL20549	300V	59X21AWG	27/0.14	18.6	603.02	43.6Ω/km
ANM05.008.60.021AB	UL20549	300V	60X21AWG	27/0.14	18.6	605.92	43.6Ω/km
ANM05.008.61.021AB	UL20549	300V	61X21AWG	27/0.14	18.6	608.62	43.6Ω/km
ANM05.008.62.021AB	UL20549	300V	62X21AWG	27/0.14	19.2	639.62	43.6Ω/km
ANM05.008.63.021AB	UL20549	300V	63X21AWG	27/0.14	19.2	642.52	43.6Ω/km
ANM05.008.64.021AB	UL20549	300V	64X21AWG	27/0.14	19.2	645.32	43.6Ω/km
ANM05.008.65.021AB	UL20549	300V	65X21AWG	27/0.14	19.2	648.22	43.6Ω/km
ANM05.008.02.020AB	UL20549	300V	2X20AWG	34/0.14	5.8	52.72	34.6Ω/km
ANM05.008.03.020AB	UL20549	300V	3X20AWG	34/0.14	6.1	60.92	34.6Ω/km
ANM05.008.04.020AB	UL20549	300V	4X20AWG	34/0.14	6.6	72.82	34.6Ω/km
ANM05.008.05.020AB	UL20549	300V	5X20AWG	34/0.14	7.1	85.22	34.6Ω/km
ANM05.008.06.020AB	UL20549	300V	6X20AWG	34/0.14	7.6	98.22	34.6Ω/km
ANM05.008.07.020AB	UL20549	300V	7X20AWG	34/0.14	7.6	101.72	34.6Ω/km
ANM05.008.08.020AB	UL20549	300V	8X20AWG	34/0.14	8.2	117.62	34.6Ω/km
ANM05.008.09.020AB	UL20549	300V	9X20AWG	34/0.14	8.9	136.42	34.6Ω/km
ANM05.008.10.020AB	UL20549	300V	10X20AWG	34/0.14	9.4	151.72	34.6Ω/km
ANM05.008.11.020AB	UL20549	300V	11X20AWG	34/0.14	9.7	162.52	34.6Ω/km
ANM05.008.12.020AB	UL20549	300V	12X20AWG	34/0.14	9.7	166.12	34.6Ω/km
ANM05.008.13.020AB	UL20549	300V	13X20AWG	34/0.14	10.2	182.32	34.6Ω/km
ANM05.008.14.020AB	UL20549	300V	14X20AWG	34/0.14	10.2	186.02	34.6Ω/km
ANM05.008.15.020AB	UL20549	300V	15X20AWG	34/0.14	11.7	229.22	34.6Ω/km
ANM05.008.16.020AB	UL20549	300V	16X20AWG	34/0.14	11.7	232.92	34.6Ω/km



ANM05.008.17.020AB	UL20549	300V	17X20AWG	34/0.14	12.2	251.62	34.6Ω/km
ANM05.008.18.020AB	UL20549	300V	18X20AWG	34/0.14	12.2	255.22	34.6Ω/km
ANM05.008.19.020AB	UL20549	300V	19X20AWG	34/0.14	12.2	258.92	34.6Ω/km
ANM05.008.20.020AB	UL20549	300V	20X20AWG	34/0.14	12.5	271.72	34.6Ω/km
ANM05.008.21.020AB	UL20549	300V	21X20AWG	34/0.14	12.8	284.82	34.6Ω/km
ANM05.008.22.020AB	UL20549	300V	22X20AWG	34/0.14	13.6	314.72	34.6Ω/km
ANM05.008.23.020AB	UL20549	300V	23X20AWG	34/0.14	14.1	335.72	34.6Ω/km
ANM05.008.24.020AB	UL20549	300V	24X20AWG	34/0.14	14.1	339.32	34.6Ω/km
ANM05.008.25.020AB	UL20549	300V	25X20AWG	34/0.14	14.4	353.62	34.6Ω/km
ANM05.008.26.020AB	UL20549	300V	26X20AWG	34/0.14	14.4	357.12	34.6Ω/km
ANM05.008.27.020AB	UL20549	300V	27X20AWG	34/0.14	14.4	360.72	34.6Ω/km
ANM05.008.28.020AB	UL20549	300V	28X20AWG	34/0.14	14.9	382.52	34.6Ω/km
ANM05.008.29.020AB	UL20549	300V	29X20AWG	34/0.14	14.9	386.22	34.6Ω/km
ANM05.008.30.020AB	UL20549	300V	30X20AWG	34/0.14	14.9	389.82	34.6Ω/km
ANM05.008.31.020AB	UL20549	300V	31X20AWG	34/0.14	15.4	412.32	34.6Ω/km
ANM05.008.32.020AB	UL20549	300V	32X20AWG	34/0.14	15.4	415.92	34.6Ω/km
ANM05.008.33.020AB	UL20549	300V	33X20AWG	34/0.14	15.4	419.62	34.6Ω/km
ANM05.008.34.020AB	UL20549	300V	34X20AWG	34/0.14	15.9	442.72	34.6Ω/km
ANM05.008.35.020AB	UL20549	300V	35X20AWG	34/0.14	15.9	446.32	34.6Ω/km
ANM05.008.36.020AB	UL20549	300V	36X20AWG	34/0.14	15.9	449.92	34.6Ω/km
ANM05.008.37.020AB	UL20549	300V	37X20AWG	34/0.14	15.9	453.52	34.6Ω/km
ANM05.008.38.020AB	UL20549	300V	38X20AWG	34/0.14	16.5	481.32	34.6Ω/km
ANM05.008.39.020AB	UL20549	300V	39X20AWG	34/0.14	16.5	484.82	34.6Ω/km
ANM05.008.40.020AB	UL20549	300V	40X20AWG	34/0.14	16.5	488.52	34.6Ω/km
ANM05.008.41.020AB	UL20549	300V	41X20AWG	34/0.14	17.7	543.02	34.6Ω/km
ANM05.008.42.020AB	UL20549	300V	42X20AWG	34/0.14	17.7	546.72	34.6Ω/km
ANM05.008.43.020AB	UL20549	300V	43X20AWG	34/0.14	17.7	550.32	34.6Ω/km
ANM05.008.44.020AB	UL20549	300V	44X20AWG	34/0.14	17.7	554.02	34.6Ω/km
ANM05.008.45.020AB	UL20549	300V	45X20AWG	34/0.14	18	570.82	34.6Ω/km
ANM05.008.46.020AB	UL20549	300V	46X20AWG	34/0.14	18	574.52	34.6Ω/km
ANM05.008.47.020AB	UL20549	300V	47X20AWG	34/0.14	18	578.12	34.6Ω/km
ANM05.008.48.020AB	UL20549	300V	48X20AWG	34/0.14	18	581.82	34.6Ω/km
ANM05.008.49.020AB	UL20549	300V	49X20AWG	34/0.14	18.5	607.92	34.6Ω/km
ANM05.008.50.020AB	UL20549	300V	50X20AWG	34/0.14	18.5	611.62	34.6Ω/km
ANM05.008.51.020AB	UL20549	300V	51X20AWG	34/0.14	18.5	615.32	34.6Ω/km
ANM05.008.52.020AB	UL20549	300V	52X20AWG	34/0.14	18.5	618.92	34.6Ω/km
ANM05.008.53.020AB	UL20549	300V	53X20AWG	34/0.14	19	645.62	34.6Ω/km
ANM05.008.54.020AB	UL20549	300V	54X20AWG	34/0.14	19	649.12	34.6Ω/km
ANM05.008.55.020AB	UL20549	300V	55X20AWG	34/0.14	19	652.82	34.6Ω/km
ANM05.008.56.020AB	UL20549	300V	56X20AWG	34/0.14	19	656.32	34.6Ω/km
ANM05.008.57.020AB	UL20549	300V	57X20AWG	34/0.14	19.5	683.92	34.6Ω/km
ANM05.008.58.020AB	UL20549	300V	58X20AWG	34/0.14	19.5	687.42	34.6Ω/km



ANM05.008.59.020AB	UL20549	300V	59X20AWG	34/0.14	19.5	691.12	34.6Ω/km
ANM05.008.60.020AB	UL20549	300V	60X20AWG	34/0.14	19.5	694.72	34.6Ω/km
ANM05.008.61.020AB	UL20549	300V	61X20AWG	34/0.14	19.5	698.42	34.6Ω/km
ANM05.008.62.020AB	UL20549	300V	62X20AWG	34/0.14	20.1	731.42	34.6Ω/km
ANM05.008.63.020AB	UL20549	300V	63X20AWG	34/0.14	20.1	735.02	34.6Ω/km
ANM05.008.64.020AB	UL20549	300V	64X20AWG	34/0.14	20.1	738.62	34.6Ω/km
ANM05.008.65.020AB	UL20549	300V	65X20AWG	34/0.14	20.1	742.32	34.6Ω/km
ANM05.008.02.019AB	UL20549	300V	2X19AWG	43/0.14	6	57.86	27.4Ω/km
ANM05.008.03.019AB	UL20549	300V	3X19AWG	43/0.14	6.3	67.26	27.4Ω/km
ANM05.008.04.019AB	UL20549	300V	4X19AWG	43/0.14	6.8	80.46	27.4Ω/km
ANM05.008.05.019AB	UL20549	300V	5X19AWG	43/0.14	7.4	95.96	27.4Ω/km
ANM05.008.06.019AB	UL20549	300V	6X19AWG	43/0.14	7.9	110.36	27.4Ω/km
ANM05.008.07.019AB	UL20549	300V	7X19AWG	43/0.14	7.9	114.86	27.4Ω/km
ANM05.008.08.019AB	UL20549	300V	8X19AWG	43/0.14	8.5	132.16	27.4Ω/km
ANM05.008.09.019AB	UL20549	300V	9X19AWG	43/0.14	9.3	154.76	27.4Ω/km
ANM05.008.10.019AB	UL20549	300V	10X19AWG	43/0.14	9.8	171.56	27.4Ω/km
ANM05.008.11.019AB	UL20549	300V	11X19AWG	43/0.14	10.1	183.66	27.4Ω/km
ANM05.008.12.019AB	UL20549	300V	12X19AWG	43/0.14	10.1	188.36	27.4Ω/km
ANM05.008.13.019AB	UL20549	300V	13X19AWG	43/0.14	11.6	232.16	27.4Ω/km
ANM05.008.14.019AB	UL20549	300V	14X19AWG	43/0.14	11.6	236.86	27.4Ω/km
ANM05.008.15.019AB	UL20549	300V	15X19AWG	43/0.14	12.2	259.36	27.4Ω/km
ANM05.008.16.019AB	UL20549	300V	16X19AWG	43/0.14	12.2	264.06	27.4Ω/km
ANM05.008.17.019AB	UL20549	300V	17X19AWG	43/0.14	12.7	284.16	27.4Ω/km
ANM05.008.18.019AB	UL20549	300V	18X19AWG	43/0.14	12.7	288.86	27.4Ω/km
ANM05.008.19.019AB	UL20549	300V	19X19AWG	43/0.14	12.7	293.46	27.4Ω/km
ANM05.008.20.019AB	UL20549	300V	20X19AWG	43/0.14	13	307.66	27.4Ω/km
ANM05.008.21.019AB	UL20549	300V	21X19AWG	43/0.14	13.4	325.46	27.4Ω/km
ANM05.008.22.019AB	UL20549	300V	22X19AWG	43/0.14	14.2	357.66	27.4Ω/km
ANM05.008.23.019AB	UL20549	300V	23X19AWG	43/0.14	14.7	380.16	27.4Ω/km
ANM05.008.24.019AB	UL20549	300V	24X19AWG	43/0.14	14.7	384.86	27.4Ω/km
ANM05.008.25.019AB	UL20549	300V	25X19AWG	43/0.14	15	400.56	27.4Ω/km
ANM05.008.26.019AB	UL20549	300V	26X19AWG	43/0.14	15	405.26	27.4Ω/km
ANM05.008.27.019AB	UL20549	300V	27X19AWG	43/0.14	15	409.76	27.4Ω/km
ANM05.008.28.019AB	UL20549	300V	28X19AWG	43/0.14	15.5	433.36	27.4Ω/km
ANM05.008.29.019AB	UL20549	300V	29X19AWG	43/0.14	15.5	437.96	27.4Ω/km
ANM05.008.30.019AB	UL20549	300V	30X19AWG	43/0.14	15.5	442.56	27.4Ω/km
ANM05.008.31.019AB	UL20549	300V	31X19AWG	43/0.14	16.1	470.86	27.4Ω/km
ANM05.008.32.019AB	UL20549	300V	32X19AWG	43/0.14	16.1	475.46	27.4Ω/km
ANM05.008.33.019AB	UL20549	300V	33X19AWG	43/0.14	16.1	480.06	27.4Ω/km
ANM05.008.34.019AB	UL20549	300V	34X19AWG	43/0.14	16.6	504.96	27.4Ω/km
ANM05.008.35.019AB	UL20549	300V	35X19AWG	43/0.14	16.6	509.46	27.4Ω/km
ANM05.008.36.019AB	UL20549	300V	36X19AWG	43/0.14	16.6	514.26	27.4Ω/km



ANM05.008.37.019AB	UL20549	300V	37X19AWG	43/0.14	16.6	518.76	27.4Ω/km
ANM05.008.38.019AB	UL20549	300V	38X19AWG	43/0.14	17.2	548.56	27.4Ω/km
ANM05.008.39.019AB	UL20549	300V	39X19AWG	43/0.14	17.2	553.06	27.4Ω/km
ANM05.008.40.019AB	UL20549	300V	40X19AWG	43/0.14	17.2	557.86	27.4Ω/km
ANM05.008.41.019AB	UL20549	300V	41X19AWG	43/0.14	18.5	619.86	27.4Ω/km
ANM05.008.42.019AB	UL20549	300V	42X19AWG	43/0.14	18.5	624.46	27.4Ω/km
ANM05.008.43.019AB	UL20549	300V	43X19AWG	43/0.14	18.5	629.16	27.4Ω/km
ANM05.008.44.019AB	UL20549	300V	44X19AWG	43/0.14	18.5	633.76	27.4Ω/km
ANM05.008.45.019AB	UL20549	300V	45X19AWG	43/0.14	18.8	652.16	27.4Ω/km
ANM05.008.46.019AB	UL20549	300V	46X19AWG	43/0.14	18.8	656.76	27.4Ω/km
ANM05.008.47.019AB	UL20549	300V	47X19AWG	43/0.14	18.8	661.36	27.4Ω/km
ANM05.008.48.019AB	UL20549	300V	48X19AWG	43/0.14	18.8	666.06	27.4Ω/km
ANM05.008.49.019AB	UL20549	300V	49X19AWG	43/0.14	19.3	694.16	27.4Ω/km
ANM05.008.50.019AB	UL20549	300V	50X19AWG	43/0.14	19.3	698.86	27.4Ω/km
ANM05.008.51.019AB	UL20549	300V	51X19AWG	43/0.14	19.3	703.36	27.4Ω/km
ANM05.008.52.019AB	UL20549	300V	52X19AWG	43/0.14	19.3	708.16	27.4Ω/km
ANM05.008.53.019AB	UL20549	300V	53X19AWG	43/0.14	19.9	741.96	27.4Ω/km
ANM05.008.54.019AB	UL20549	300V	54X19AWG	43/0.14	19.9	746.46	27.4Ω/km
ANM05.008.55.019AB	UL20549	300V	55X19AWG	43/0.14	19.9	751.26	27.4Ω/km
ANM05.008.56.019AB	UL20549	300V	56X19AWG	43/0.14	19.9	755.76	27.4Ω/km
ANM05.008.57.019AB	UL20549	300V	57X19AWG	43/0.14	21.4	834.76	27.4Ω/km
ANM05.008.58.019AB	UL20549	300V	58X19AWG	43/0.14	21.4	839.26	27.4Ω/km
ANM05.008.59.019AB	UL20549	300V	59X19AWG	43/0.14	21.4	843.96	27.4Ω/km
ANM05.008.60.019AB	UL20549	300V	60X19AWG	43/0.14	21.4	848.56	27.4Ω/km
ANM05.008.61.019AB	UL20549	300V	61X19AWG	43/0.14	21.4	853.16	27.4Ω/km
ANM05.008.62.019AB	UL20549	300V	62X19AWG	43/0.14	22	889.86	27.4Ω/km
ANM05.008.63.019AB	UL20549	300V	63X19AWG	43/0.14	22	894.56	27.4Ω/km
ANM05.008.64.019AB	UL20549	300V	64X19AWG	43/0.14	22	899.16	27.4Ω/km
ANM05.008.65.019AB	UL20549	300V	65X19AWG	43/0.14	22	903.76	27.4Ω/km
ANM05.008.02.018AB	UL20549	300V	2X18AWG	29/0.19	6.2	63.83	21.8Ω/km
ANM05.008.03.018AB	UL20549	300V	3X18AWG	29/0.19	6.6	76.33	21.8Ω/km
ANM05.008.04.018AB	UL20549	300V	4X18AWG	29/0.19	7.1	91.33	21.8Ω/km
ANM05.008.05.018AB	UL20549	300V	5X18AWG	29/0.19	7.6	106.53	21.8Ω/km
ANM05.008.06.018AB	UL20549	300V	6X18AWG	29/0.19	8.2	124.53	21.8Ω/km
ANM05.008.07.018AB	UL20549	300V	7X18AWG	29/0.19	8.2	130.63	21.8Ω/km
ANM05.008.08.018AB	UL20549	300V	8X18AWG	29/0.19	8.8	149.53	21.8Ω/km
ANM05.008.09.018AB	UL20549	300V	9X18AWG	29/0.19	9.6	174.13	21.8Ω/km
ANM05.008.10.018AB	UL20549	300V	10X18AWG	29/0.19	10.2	195.13	21.8Ω/km
ANM05.008.11.018AB	UL20549	300V	11X18AWG	29/0.19	11.6	237.83	21.8Ω/km
ANM05.008.12.018AB	UL20549	300V	12X18AWG	29/0.19	11.6	243.63	21.8Ω/km
ANM05.008.13.018AB	UL20549	300V	13X18AWG	29/0.19	12.1	264.53	21.8Ω/km
ANM05.008.14.018AB	UL20549	300V	14X18AWG	29/0.19	12.1	270.43	21.8Ω/km



ANM05.008.15.018AB	UL20549	300V	15X18AWG	29/0.19	12.6	291.83	21.8Ω/km
ANM05.008.16.018AB	UL20549	300V	16X18AWG	29/0.19	12.6	297.93	21.8Ω/km
ANM05.008.17.018AB	UL20549	300V	17X18AWG	29/0.19	13.2	323.03	21.8Ω/km
ANM05.008.18.018AB	UL20549	300V	18X18AWG	29/0.19	13.2	329.03	21.8Ω/km
ANM05.008.19.018AB	UL20549	300V	19X18AWG	29/0.19	13.2	335.13	21.8Ω/km
ANM05.008.20.018AB	UL20549	300V	20X18AWG	29/0.19	13.7	357.73	21.8Ω/km
ANM05.008.21.018AB	UL20549	300V	21X18AWG	29/0.19	13.9	370.53	21.8Ω/km
ANM05.008.22.018AB	UL20549	300V	22X18AWG	29/0.19	14.7	405.13	21.8Ω/km
ANM05.008.23.018AB	UL20549	300V	23X18AWG	29/0.19	15.3	433.33	21.8Ω/km
ANM05.008.24.018AB	UL20549	300V	24X18AWG	29/0.19	15.3	439.23	21.8Ω/km
ANM05.008.25.018AB	UL20549	300V	25X18AWG	29/0.19	15.7	460.83	21.8Ω/km
ANM05.008.26.018AB	UL20549	300V	26X18AWG	29/0.19	15.7	466.63	21.8Ω/km
ANM05.008.27.018AB	UL20549	300V	27X18AWG	29/0.19	15.7	472.63	21.8Ω/km
ANM05.008.28.018AB	UL20549	300V	28X18AWG	29/0.19	16.2	498.23	21.8Ω/km
ANM05.008.29.018AB	UL20549	300V	29X18AWG	29/0.19	16.2	504.33	21.8Ω/km
ANM05.008.30.018AB	UL20549	300V	30X18AWG	29/0.19	16.2	510.33	21.8Ω/km
ANM05.008.31.018AB	UL20549	300V	31X18AWG	29/0.19	16.7	536.53	21.8Ω/km
ANM05.008.32.018AB	UL20549	300V	32X18AWG	29/0.19	16.7	542.53	21.8Ω/km
ANM05.008.33.018AB	UL20549	300V	33X18AWG	29/0.19	16.7	548.53	21.8Ω/km
ANM05.008.34.018AB	UL20549	300V	34X18AWG	29/0.19	17.3	579.73	21.8Ω/km
ANM05.008.35.018AB	UL20549	300V	35X18AWG	29/0.19	17.3	585.83	21.8Ω/km
ANM05.008.36.018AB	UL20549	300V	36X18AWG	29/0.19	17.3	591.73	21.8Ω/km
ANM05.008.37.018AB	UL20549	300V	37X18AWG	29/0.19	17.3	597.63	21.8Ω/km
ANM05.008.38.018AB	UL20549	300V	38X18AWG	29/0.19	17.9	629.73	21.8Ω/km
ANM05.008.39.018AB	UL20549	300V	39X18AWG	29/0.19	17.9	635.73	21.8Ω/km
ANM05.008.40.018AB	UL20549	300V	40X18AWG	29/0.19	17.9	641.63	21.8Ω/km
ANM05.008.41.018AB	UL20549	300V	41X18AWG	29/0.19	19.3	711.93	21.8Ω/km
ANM05.008.42.018AB	UL20549	300V	42X18AWG	29/0.19	19.3	717.83	21.8Ω/km
ANM05.008.43.018AB	UL20549	300V	43X18AWG	29/0.19	19.3	723.83	21.8Ω/km
ANM05.008.44.018AB	UL20549	300V	44X18AWG	29/0.19	19.3	729.83	21.8Ω/km
ANM05.008.45.018AB	UL20549	300V	45X18AWG	29/0.19	19.7	755.03	21.8Ω/km
ANM05.008.46.018AB	UL20549	300V	46X18AWG	29/0.19	19.7	760.93	21.8Ω/km
ANM05.008.47.018AB	UL20549	300V	47X18AWG	29/0.19	19.7	767.03	21.8Ω/km
ANM05.008.48.018AB	UL20549	300V	48X18AWG	29/0.19	19.7	772.83	21.8Ω/km
ANM05.008.49.018AB	UL20549	300V	49X18AWG	29/0.19	20.2	803.53	21.8Ω/km
ANM05.008.50.018AB	UL20549	300V	50X18AWG	29/0.19	20.2	809.63	21.8Ω/km
ANM05.008.51.018AB	UL20549	300V	51X18AWG	29/0.19	20.2	815.43	21.8Ω/km
ANM05.008.52.018AB	UL20549	300V	52X18AWG	29/0.19	20.2	821.43	21.8Ω/km
ANM05.008.53.018AB	UL20549	300V	53X18AWG	29/0.19	21.7	902.83	21.8Ω/km
ANM05.008.54.018AB	UL20549	300V	54X18AWG	29/0.19	21.7	908.73	21.8Ω/km
ANM05.008.55.018AB	UL20549	300V	55X18AWG	29/0.19	21.7	914.73	21.8Ω/km
ANM05.008.56.018AB	UL20549	300V	56X18AWG	29/0.19	21.7	920.53	21.8Ω/km



ANM05.008.57.018AB	UL20549	300V	57X18AWG	29/0.19	22.3	959.13	21.8Ω/km
ANM05.008.58.018AB	UL20549	300V	58X18AWG	29/0.19	22.3	965.13	21.8Ω/km
ANM05.008.59.018AB	UL20549	300V	59X18AWG	29/0.19	22.3	971.03	21.8Ω/km
ANM05.008.60.018AB	UL20549	300V	60X18AWG	29/0.19	22.3	977.03	21.8Ω/km
ANM05.008.61.018AB	UL20549	300V	61X18AWG	29/0.19	22.3	983.03	21.8Ω/km
ANM05.008.62.018AB	UL20549	300V	62X18AWG	29/0.19	22.9	1022.23	21.8Ω/km
ANM05.008.63.018AB	UL20549	300V	63X18AWG	29/0.19	22.9	1028.33	21.8Ω/km
ANM05.008.64.018AB	UL20549	300V	64X18AWG	29/0.19	22.9	1034.33	21.8Ω/km
ANM05.008.65.018AB	UL20549	300V	65X18AWG	29/0.19	22.9	1040.13	21.8Ω/km
ANM05.008.02.017AB	UL20549	300V	2X17AWG	37/0.19	6.6	73.54	17.3Ω/km
ANM05.008.03.017AB	UL20549	300V	3X17AWG	37/0.19	7	87.84	17.3Ω/km
ANM05.008.04.017AB	UL20549	300V	4X17AWG	37/0.19	7.6	106.44	17.3Ω/km
ANM05.008.05.017AB	UL20549	300V	5X17AWG	37/0.19	8.2	125.94	17.3Ω/km
ANM05.008.06.017AB	UL20549	300V	6X17AWG	37/0.19	8.8	146.24	17.3Ω/km
ANM05.008.07.017AB	UL20549	300V	7X17AWG	37/0.19	8.8	153.54	17.3Ω/km
ANM05.008.08.017AB	UL20549	300V	8X17AWG	37/0.19	9.5	177.14	17.3Ω/km
ANM05.008.09.017AB	UL20549	300V	9X17AWG	37/0.19	11.4	232.94	17.3Ω/km
ANM05.008.10.017AB	UL20549	300V	10X17AWG	37/0.19	12	258.04	17.3Ω/km
ANM05.008.11.017AB	UL20549	300V	11X17AWG	37/0.19	12.4	277.54	17.3Ω/km
ANM05.008.12.017AB	UL20549	300V	12X17AWG	37/0.19	12.4	284.94	17.3Ω/km
ANM05.008.13.017AB	UL20549	300V	13X17AWG	37/0.19	13	311.24	17.3Ω/km
ANM05.008.14.017AB	UL20549	300V	14X17AWG	37/0.19	13	318.54	17.3Ω/km
ANM05.008.15.017AB	UL20549	300V	15X17AWG	37/0.19	13.7	349.24	17.3Ω/km
ANM05.008.16.017AB	UL20549	300V	16X17AWG	37/0.19	13.7	356.64	17.3Ω/km
ANM05.008.17.017AB	UL20549	300V	17X17AWG	37/0.19	14.3	384.94	17.3Ω/km
ANM05.008.18.017AB	UL20549	300V	18X17AWG	37/0.19	14.3	392.34	17.3Ω/km
ANM05.008.19.017AB	UL20549	300V	19X17AWG	37/0.19	14.3	399.84	17.3Ω/km
ANM05.008.20.017AB	UL20549	300V	20X17AWG	37/0.19	14.7	421.54	17.3Ω/km
ANM05.008.21.017AB	UL20549	300V	21X17AWG	37/0.19	15	440.04	17.3Ω/km
ANM05.008.22.017AB	UL20549	300V	22X17AWG	37/0.19	15.9	481.84	17.3Ω/km
ANM05.008.23.017AB	UL20549	300V	23X17AWG	37/0.19	16.5	513.24	17.3Ω/km
ANM05.008.24.017AB	UL20549	300V	24X17AWG	37/0.19	16.5	520.64	17.3Ω/km
ANM05.008.25.017AB	UL20549	300V	25X17AWG	37/0.19	16.9	544.54	17.3Ω/km
ANM05.008.26.017AB	UL20549	300V	26X17AWG	37/0.19	16.9	551.84	17.3Ω/km
ANM05.008.27.017AB	UL20549	300V	27X17AWG	37/0.19	16.9	559.34	17.3Ω/km
ANM05.008.28.017AB	UL20549	300V	28X17AWG	37/0.19	17.5	592.34	17.3Ω/km
ANM05.008.29.017AB	UL20549	300V	29X17AWG	37/0.19	17.5	599.74	17.3Ω/km
ANM05.008.30.017AB	UL20549	300V	30X17AWG	37/0.19	17.5	607.04	17.3Ω/km
ANM05.008.31.017AB	UL20549	300V	31X17AWG	37/0.19	18.1	640.84	17.3Ω/km
ANM05.008.32.017AB	UL20549	300V	32X17AWG	37/0.19	18.1	648.14	17.3Ω/km
ANM05.008.33.017AB	UL20549	300V	33X17AWG	37/0.19	18.1	655.44	17.3Ω/km
ANM05.008.34.017AB	UL20549	300V	34X17AWG	37/0.19	18.7	690.14	17.3Ω/km



ANM05.008.35.017AB	UL20549	300V	35X17AWG	37/0.19	18.7	697.54	17.3Ω/km
ANM05.008.36.017AB	UL20549	300V	36X17AWG	37/0.19	18.7	704.94	17.3Ω/km
ANM05.008.37.017AB	UL20549	300V	37X17AWG	37/0.19	18.7	712.44	17.3Ω/km
ANM05.008.38.017AB	UL20549	300V	38X17AWG	37/0.19	19.4	752.74	17.3Ω/km
ANM05.008.39.017AB	UL20549	300V	39X17AWG	37/0.19	19.4	760.14	17.3Ω/km
ANM05.008.40.017AB	UL20549	300V	40X17AWG	37/0.19	19.4	767.44	17.3Ω/km
ANM05.008.41.017AB	UL20549	300V	41X17AWG	37/0.19	21.9	900.04	17.3Ω/km
ANM05.008.42.017AB	UL20549	300V	42X17AWG	37/0.19	21.9	907.34	17.3Ω/km
ANM05.008.43.017AB	UL20549	300V	43X17AWG	37/0.19	21.9	914.74	17.3Ω/km
ANM05.008.44.017AB	UL20549	300V	44X17AWG	37/0.19	21.9	922.04	17.3Ω/km
ANM05.008.45.017AB	UL20549	300V	45X17AWG	37/0.19	22.3	951.34	17.3Ω/km
ANM05.008.46.017AB	UL20549	300V	46X17AWG	37/0.19	22.3	958.74	17.3Ω/km
ANM05.008.47.017AB	UL20549	300V	47X17AWG	37/0.19	22.3	966.14	17.3Ω/km
ANM05.008.48.017AB	UL20549	300V	48X17AWG	37/0.19	22.3	973.44	17.3Ω/km
ANM05.008.49.017AB	UL20549	300V	49X17AWG	37/0.19	22.9	1014.24	17.3Ω/km
ANM05.008.50.017AB	UL20549	300V	50X17AWG	37/0.19	22.9	1021.54	17.3Ω/km
ANM05.008.51.017AB	UL20549	300V	51X17AWG	37/0.19	22.9	1028.84	17.3Ω/km
ANM05.008.52.017AB	UL20549	300V	52X17AWG	37/0.19	22.9	1036.24	17.3Ω/km
ANM05.008.53.017AB	UL20549	300V	53X17AWG	37/0.19	23.5	1077.84	17.3Ω/km
ANM05.008.54.017AB	UL20549	300V	54X17AWG	37/0.19	23.5	1085.14	17.3Ω/km
ANM05.008.55.017AB	UL20549	300V	55X17AWG	37/0.19	23.5	1092.64	17.3Ω/km
ANM05.008.56.017AB	UL20549	300V	56X17AWG	37/0.19	23.5	1099.94	17.3Ω/km
ANM05.008.57.017AB	UL20549	300V	57X17AWG	37/0.19	24.1	1142.54	17.3Ω/km
ANM05.008.58.017AB	UL20549	300V	58X17AWG	37/0.19	24.1	1149.94	17.3Ω/km
ANM05.008.59.017AB	UL20549	300V	59X17AWG	37/0.19	24.1	1157.24	17.3Ω/km
ANM05.008.60.017AB	UL20549	300V	60X17AWG	37/0.19	24.1	1164.64	17.3Ω/km
ANM05.008.61.017AB	UL20549	300V	61X17AWG	37/0.19	24.1	1171.94	17.3Ω/km
ANM05.008.62.017AB	UL20549	300V	62X17AWG	37/0.19	24.8	1221.44	17.3Ω/km
ANM05.008.63.017AB	UL20549	300V	63X17AWG	37/0.19	24.8	1228.74	17.3Ω/km
ANM05.008.64.017AB	UL20549	300V	64X17AWG	37/0.19	24.8	1236.24	17.3Ω/km
ANM05.008.65.017AB	UL20549	300V	65X17AWG	37/0.19	24.8	1243.54	17.3Ω/km
ANM05.008.02.016AB	UL20549	300V	2X16AWG	27/0.25	6.8	81.71	13.7Ω/km
ANM05.008.03.016AB	UL20549	300V	3X16AWG	27/0.25	7.2	98.41	13.7Ω/km
ANM05.008.04.016AB	UL20549	300V	4X16AWG	27/0.25	7.8	119.51	13.7Ω/km
ANM05.008.05.016AB	UL20549	300V	5X16AWG	27/0.25	8.5	143.61	13.7Ω/km
ANM05.008.06.016AB	UL20549	300V	6X16AWG	27/0.25	9.1	166.51	13.7Ω/km
ANM05.008.07.016AB	UL20549	300V	7X16AWG	27/0.25	9.1	176.11	13.7Ω/km
ANM05.008.08.016AB	UL20549	300V	8X16AWG	27/0.25	9.8	202.41	13.7Ω/km
ANM05.008.09.016AB	UL20549	300V	9X16AWG	27/0.25	11.8	264.71	13.7Ω/km
ANM05.008.10.016AB	UL20549	300V	10X16AWG	27/0.25	12.4	292.31	13.7Ω/km
ANM05.008.11.016AB	UL20549	300V	11X16AWG	27/0.25	12.8	314.51	13.7Ω/km
ANM05.008.12.016AB	UL20549	300V	12X16AWG	27/0.25	12.8	324.11	13.7Ω/km



ANM05.008.13.016AB	UL20549	300V	13X16AWG	27/0.25	13.5	356.61	13.7 Ω/km
ANM05.008.14.016AB	UL20549	300V	14X16AWG	27/0.25	13.5	366.21	13.7 Ω/km
ANM05.008.15.016AB	UL20549	300V	15X16AWG	27/0.25	14.2	399.91	13.7 Ω/km
ANM05.008.16.016AB	UL20549	300V	16X16AWG	27/0.25	14.2	409.51	13.7 Ω/km
ANM05.008.17.016AB	UL20549	300V	17X16AWG	27/0.25	14.8	440.71	13.7 Ω/km
ANM05.008.18.016AB	UL20549	300V	18X16AWG	27/0.25	14.8	450.31	13.7 Ω/km
ANM05.008.19.016AB	UL20549	300V	19X16AWG	27/0.25	14.8	459.91	13.7 Ω/km
ANM05.008.20.016AB	UL20549	300V	20X16AWG	27/0.25	15.2	484.21	13.7 Ω/km
ANM05.008.21.016AB	UL20549	300V	21X16AWG	27/0.25	15.5	505.31	13.7 Ω/km
ANM05.008.22.016AB	UL20549	300V	22X16AWG	27/0.25	16.5	554.41	13.7 Ω/km
ANM05.008.23.016AB	UL20549	300V	23X16AWG	27/0.25	17.1	589.11	13.7 Ω/km
ANM05.008.24.016AB	UL20549	300V	24X16AWG	27/0.25	17.1	598.71	13.7 Ω/km
ANM05.008.25.016AB	UL20549	300V	25X16AWG	27/0.25	17.5	625.31	13.7 Ω/km
ANM05.008.26.016AB	UL20549	300V	26X16AWG	27/0.25	17.5	634.91	13.7 Ω/km
ANM05.008.27.016AB	UL20549	300V	27X16AWG	27/0.25	17.5	644.41	13.7 Ω/km
ANM05.008.28.016AB	UL20549	300V	28X16AWG	27/0.25	18.1	680.41	13.7 Ω/km
ANM05.008.29.016AB	UL20549	300V	29X16AWG	27/0.25	18.1	689.91	13.7 Ω/km
ANM05.008.30.016AB	UL20549	300V	30X16AWG	27/0.25	18.1	699.51	13.7 Ω/km
ANM05.008.31.016AB	UL20549	300V	31X16AWG	27/0.25	18.8	741.01	13.7 Ω/km
ANM05.008.32.016AB	UL20549	300V	32X16AWG	27/0.25	18.8	750.51	13.7 Ω/km
ANM05.008.33.016AB	UL20549	300V	33X16AWG	27/0.25	18.8	760.11	13.7 Ω/km
ANM05.008.34.016AB	UL20549	300V	34X16AWG	27/0.25	19.4	798.01	13.7 Ω/km
ANM05.008.35.016AB	UL20549	300V	35X16AWG	27/0.25	19.4	807.61	13.7 Ω/km
ANM05.008.36.016AB	UL20549	300V	36X16AWG	27/0.25	19.4	817.21	13.7 Ω/km
ANM05.008.37.016AB	UL20549	300V	37X16AWG	27/0.25	19.4	826.71	13.7 Ω/km
ANM05.008.38.016AB	UL20549	300V	38X16AWG	27/0.25	20.1	870.51	13.7 Ω/km
ANM05.008.39.016AB	UL20549	300V	39X16AWG	27/0.25	20.1	880.01	13.7 Ω/km
ANM05.008.40.016AB	UL20549	300V	40X16AWG	27/0.25	20.1	889.61	13.7 Ω/km
ANM05.008.41.016AB	UL20549	300V	41X16AWG	27/0.25	22.7	1034.31	13.7 Ω/km
ANM05.008.42.016AB	UL20549	300V	42X16AWG	27/0.25	22.7	1043.81	13.7 Ω/km
ANM05.008.43.016AB	UL20549	300V	43X16AWG	27/0.25	22.7	1053.41	13.7 Ω/km
ANM05.008.44.016AB	UL20549	300V	44X16AWG	27/0.25	22.7	1062.91	13.7 Ω/km
ANM05.008.45.016AB	UL20549	300V	45X16AWG	27/0.25	23.1	1095.01	13.7 Ω/km
ANM05.008.46.016AB	UL20549	300V	46X16AWG	27/0.25	23.1	1104.51	13.7 Ω/km
ANM05.008.47.016AB	UL20549	300V	47X16AWG	27/0.25	23.1	1114.11	13.7 Ω/km
ANM05.008.48.016AB	UL20549	300V	48X16AWG	27/0.25	23.1	1123.71	13.7 Ω/km
ANM05.008.49.016AB	UL20549	300V	49X16AWG	27/0.25	23.7	1167.61	13.7 Ω/km
ANM05.008.50.016AB	UL20549	300V	50X16AWG	27/0.25	23.7	1177.21	13.7 Ω/km
ANM05.008.51.016AB	UL20549	300V	51X16AWG	27/0.25	23.7	1186.71	13.7 Ω/km
ANM05.008.52.016AB	UL20549	300V	52X16AWG	27/0.25	23.7	1196.31	13.7 Ω/km
ANM05.008.53.016AB	UL20549	300V	53X16AWG	27/0.25	24.4	1247.41	13.7 Ω/km
ANM05.008.54.016AB	UL20549	300V	54X16AWG	27/0.25	24.4	1256.91	13.7 Ω/km



ANM05.008.55.016AB	UL20549	300V	55X16AWG	27/0.25	24.4	1266.51	13.7Ω/km
ANM05.008.56.016AB	UL20549	300V	56X16AWG	27/0.25	24.4	1276.01	13.7Ω/km
ANM05.008.57.016AB	UL20549	300V	57X16AWG	27/0.25	25	1322.01	13.7Ω/km
ANM05.008.58.016AB	UL20549	300V	58X16AWG	27/0.25	25	1331.51	13.7Ω/km
ANM05.008.59.016AB	UL20549	300V	59X16AWG	27/0.25	25	1341.11	13.7Ω/km
ANM05.008.60.016AB	UL20549	300V	60X16AWG	27/0.25	25	1350.71	13.7Ω/km
ANM05.008.61.016AB	UL20549	300V	61X16AWG	27/0.25	25	1360.21	13.7Ω/km
ANM05.008.62.016AB	UL20549	300V	62X16AWG	27/0.25	25.7	1413.41	13.7Ω/km
ANM05.008.63.016AB	UL20549	300V	63X16AWG	27/0.25	25.7	1422.91	13.7Ω/km
ANM05.008.64.016AB	UL20549	300V	64X16AWG	27/0.25	25.7	1432.51	13.7Ω/km
ANM05.008.65.016AB	UL20549	300V	65X16AWG	27/0.25	25.7	1442.11	13.7Ω/km
ANM05.008.02.015AB	UL20549	300V	2X15AWG	34/0.25	7.6	101.45	10.9Ω/km
ANM05.008.03.015AB	UL20549	300V	3X15AWG	34/0.25	8.1	123.45	10.9Ω/km
ANM05.008.04.015AB	UL20549	300V	4X15AWG	34/0.25	8.8	150.45	10.9Ω/km
ANM05.008.05.015AB	UL20549	300V	5X15AWG	34/0.25	9.5	178.65	10.9Ω/km
ANM05.008.06.015AB	UL20549	300V	6X15AWG	34/0.25	10.3	210.65	10.9Ω/km
ANM05.008.07.015AB	UL20549	300V	7X15AWG	34/0.25	10.3	222.65	10.9Ω/km
ANM05.008.08.015AB	UL20549	300V	8X15AWG	34/0.25	12.2	286.65	10.9Ω/km
ANM05.008.09.015AB	UL20549	300V	9X15AWG	34/0.25	13.2	330.25	10.9Ω/km
ANM05.008.10.015AB	UL20549	300V	10X15AWG	34/0.25	14.1	372.95	10.9Ω/km
ANM05.008.11.015AB	UL20549	300V	11X15AWG	34/0.25	14.6	402.65	10.9Ω/km
ANM05.008.12.015AB	UL20549	300V	12X15AWG	34/0.25	14.6	414.55	10.9Ω/km
ANM05.008.13.015AB	UL20549	300V	13X15AWG	34/0.25	15.3	452.55	10.9Ω/km
ANM05.008.14.015AB	UL20549	300V	14X15AWG	34/0.25	15.3	464.55	10.9Ω/km
ANM05.008.15.015AB	UL20549	300V	15X15AWG	34/0.25	16	503.65	10.9Ω/km
ANM05.008.16.015AB	UL20549	300V	16X15AWG	34/0.25	16	515.65	10.9Ω/km
ANM05.008.17.015AB	UL20549	300V	17X15AWG	34/0.25	16.8	560.15	10.9Ω/km
ANM05.008.18.015AB	UL20549	300V	18X15AWG	34/0.25	16.8	572.15	10.9Ω/km
ANM05.008.19.015AB	UL20549	300V	19X15AWG	34/0.25	16.8	584.15	10.9Ω/km
ANM05.008.20.015AB	UL20549	300V	20X15AWG	34/0.25	17.3	617.25	10.9Ω/km
ANM05.008.21.015AB	UL20549	300V	21X15AWG	34/0.25	17.7	646.45	10.9Ω/km
ANM05.008.22.015AB	UL20549	300V	22X15AWG	34/0.25	18.7	703.45	10.9Ω/km
ANM05.008.23.015AB	UL20549	300V	23X15AWG	34/0.25	19.5	753.15	10.9Ω/km
ANM05.008.24.015AB	UL20549	300V	24X15AWG	34/0.25	19.5	765.05	10.9Ω/km
ANM05.008.25.015AB	UL20549	300V	25X15AWG	34/0.25	20	801.45	10.9Ω/km
ANM05.008.26.015AB	UL20549	300V	26X15AWG	34/0.25	20	813.35	10.9Ω/km
ANM05.008.27.015AB	UL20549	300V	27X15AWG	34/0.25	20	825.35	10.9Ω/km
ANM05.008.28.015AB	UL20549	300V	28X15AWG	34/0.25	21.7	922.75	10.9Ω/km
ANM05.008.29.015AB	UL20549	300V	29X15AWG	34/0.25	21.7	934.75	10.9Ω/km
ANM05.008.30.015AB	UL20549	300V	30X15AWG	34/0.25	21.7	946.65	10.9Ω/km
ANM05.008.31.015AB	UL20549	300V	31X15AWG	34/0.25	22.4	996.65	10.9Ω/km
ANM05.008.32.015AB	UL20549	300V	32X15AWG	34/0.25	22.4	1008.65	10.9Ω/km



ANM05.008.33.015AB	UL20549	300V	33X15AWG	34/0.25	22.4	1020.55	10.9Ω/km
ANM05.008.34.015AB	UL20549	300V	34X15AWG	34/0.25	23.2	1077.35	10.9Ω/km
ANM05.008.35.015AB	UL20549	300V	35X15AWG	34/0.25	23.2	1089.35	10.9Ω/km
ANM05.008.36.015AB	UL20549	300V	36X15AWG	34/0.25	23.2	1101.35	10.9Ω/km
ANM05.008.37.015AB	UL20549	300V	37X15AWG	34/0.25	23.2	1113.35	10.9Ω/km
ANM05.008.38.015AB	UL20549	300V	38X15AWG	34/0.25	24.1	1177.65	10.9Ω/km
ANM05.008.39.015AB	UL20549	300V	39X15AWG	34/0.25	24.1	1189.55	10.9Ω/km
ANM05.008.40.015AB	UL20549	300V	40X15AWG	34/0.25	24.1	1201.55	10.9Ω/km
ANM05.008.41.015AB	UL20549	300V	41X15AWG	34/0.25	25.9	1324.05	10.9Ω/km
ANM05.008.42.015AB	UL20549	300V	42X15AWG	34/0.25	25.9	1335.95	10.9Ω/km
ANM05.008.43.015AB	UL20549	300V	43X15AWG	34/0.25	25.9	1347.95	10.9Ω/km
ANM05.008.44.015AB	UL20549	300V	44X15AWG	34/0.25	25.9	1359.95	10.9Ω/km
ANM05.008.45.015AB	UL20549	300V	45X15AWG	34/0.25	26.4	1404.05	10.9Ω/km
ANM05.008.46.015AB	UL20549	300V	46X15AWG	34/0.25	26.4	1415.95	10.9Ω/km
ANM05.008.47.015AB	UL20549	300V	47X15AWG	34/0.25	26.4	1427.95	10.9Ω/km
ANM05.008.48.015AB	UL20549	300V	48X15AWG	34/0.25	26.4	1439.85	10.9Ω/km
ANM05.008.49.015AB	UL20549	300V	49X15AWG	34/0.25	27.1	1497.75	10.9Ω/km
ANM05.008.50.015AB	UL20549	300V	50X15AWG	34/0.25	27.1	1509.75	10.9Ω/km
ANM05.008.51.015AB	UL20549	300V	51X15AWG	34/0.25	27.1	1521.65	10.9Ω/km
ANM05.008.52.015AB	UL20549	300V	52X15AWG	34/0.25	27.1	1533.65	10.9Ω/km
ANM05.008.53.015AB	UL20549	300V	53X15AWG	34/0.25	27.8	1592.75	10.9Ω/km
ANM05.008.54.015AB	UL20549	300V	54X15AWG	34/0.25	27.8	1604.75	10.9Ω/km
ANM05.008.55.015AB	UL20549	300V	55X15AWG	34/0.25	27.8	1616.75	10.9Ω/km
ANM05.008.56.015AB	UL20549	300V	56X15AWG	34/0.25	27.8	1628.75	10.9Ω/km
ANM05.008.57.015AB	UL20549	300V	57X15AWG	34/0.25	28.6	1695.85	10.9Ω/km
ANM05.008.58.015AB	UL20549	300V	58X15AWG	34/0.25	28.6	1707.85	10.9Ω/km
ANM05.008.59.015AB	UL20549	300V	59X15AWG	34/0.25	28.6	1719.75	10.9Ω/km
ANM05.008.60.015AB	UL20549	300V	60X15AWG	34/0.25	28.6	1731.75	10.9Ω/km
ANM05.008.61.015AB	UL20549	300V	61X15AWG	34/0.25	28.6	1743.65	10.9Ω/km
ANM05.008.62.015AB	UL20549	300V	62X15AWG	34/0.25	30.9	1955.25	10.9Ω/km
ANM05.008.63.015AB	UL20549	300V	63X15AWG	34/0.25	30.9	1967.25	10.9Ω/km
ANM05.008.64.015AB	UL20549	300V	64X15AWG	34/0.25	30.9	1979.25	10.9Ω/km
ANM05.008.65.015AB	UL20549	300V	65X15AWG	34/0.25	30.9	1991.15	10.9Ω/km
ANM05.008.02.014AB	UL20549	300V	2X14AWG	43/0.25	8	116.28	8.62Ω/km
ANM05.008.03.014AB	UL20549	300V	3X14AWG	43/0.25	8.5	141.88	8.62Ω/km
ANM05.008.04.014AB	UL20549	300V	4X14AWG	43/0.25	9.3	175.08	8.62Ω/km
ANM05.008.05.014AB	UL20549	300V	5X14AWG	43/0.25	10.1	209.88	8.62Ω/km
ANM05.008.06.014AB	UL20549	300V	6X14AWG	43/0.25	11.9	273.18	8.62Ω/km
ANM05.008.07.014AB	UL20549	300V	7X14AWG	43/0.25	11.9	288.28	8.62Ω/km
ANM05.008.08.014AB	UL20549	300V	8X14AWG	43/0.25	12.8	331.08	8.62Ω/km
ANM05.008.09.014AB	UL20549	300V	9X14AWG	43/0.25	14.1	389.98	8.62Ω/km
ANM05.008.10.014AB	UL20549	300V	10X14AWG	43/0.25	14.9	433.88	8.62Ω/km



ANM05.008.11.014AB	UL20549	300V	11X14AWG	43/0.25	15.4	467.88	8.62 Ω/km
ANM05.008.12.014AB	UL20549	300V	12X14AWG	43/0.25	15.4	483.08	8.62 Ω/km
ANM05.008.13.014AB	UL20549	300V	13X14AWG	43/0.25	16.2	529.58	8.62 Ω/km
ANM05.008.14.014AB	UL20549	300V	14X14AWG	43/0.25	16.2	544.68	8.62 Ω/km
ANM05.008.15.014AB	UL20549	300V	15X14AWG	43/0.25	17	592.68	8.62 Ω/km
ANM05.008.16.014AB	UL20549	300V	16X14AWG	43/0.25	17	607.88	8.62 Ω/km
ANM05.008.17.014AB	UL20549	300V	17X14AWG	43/0.25	17.8	657.48	8.62 Ω/km
ANM05.008.18.014AB	UL20549	300V	18X14AWG	43/0.25	17.8	672.68	8.62 Ω/km
ANM05.008.19.014AB	UL20549	300V	19X14AWG	43/0.25	17.8	687.78	8.62 Ω/km
ANM05.008.20.014AB	UL20549	300V	20X14AWG	43/0.25	18.3	725.18	8.62 Ω/km
ANM05.008.21.014AB	UL20549	300V	21X14AWG	43/0.25	18.7	758.58	8.62 Ω/km
ANM05.008.22.014AB	UL20549	300V	22X14AWG	43/0.25	19.9	830.98	8.62 Ω/km
ANM05.008.23.014AB	UL20549	300V	23X14AWG	43/0.25	21.7	936.38	8.62 Ω/km
ANM05.008.24.014AB	UL20549	300V	24X14AWG	43/0.25	21.7	951.58	8.62 Ω/km
ANM05.008.25.014AB	UL20549	300V	25X14AWG	43/0.25	22.2	993.78	8.62 Ω/km
ANM05.008.26.014AB	UL20549	300V	26X14AWG	43/0.25	22.2	1008.88	8.62 Ω/km
ANM05.008.27.014AB	UL20549	300V	27X14AWG	43/0.25	22.2	1023.98	8.62 Ω/km
ANM05.008.28.014AB	UL20549	300V	28X14AWG	43/0.25	23	1083.58	8.62 Ω/km
ANM05.008.29.014AB	UL20549	300V	29X14AWG	43/0.25	23	1098.68	8.62 Ω/km
ANM05.008.30.014AB	UL20549	300V	30X14AWG	43/0.25	23	1113.78	8.62 Ω/km
ANM05.008.31.014AB	UL20549	300V	31X14AWG	43/0.25	23.8	1175.08	8.62 Ω/km
ANM05.008.32.014AB	UL20549	300V	32X14AWG	43/0.25	23.8	1190.18	8.62 Ω/km
ANM05.008.33.014AB	UL20549	300V	33X14AWG	43/0.25	23.8	1205.38	8.62 Ω/km
ANM05.008.34.014AB	UL20549	300V	34X14AWG	43/0.25	24.6	1267.98	8.62 Ω/km
ANM05.008.35.014AB	UL20549	300V	35X14AWG	43/0.25	24.6	1283.08	8.62 Ω/km
ANM05.008.36.014AB	UL20549	300V	36X14AWG	43/0.25	24.6	1298.28	8.62 Ω/km
ANM05.008.37.014AB	UL20549	300V	37X14AWG	43/0.25	24.6	1313.48	8.62 Ω/km
ANM05.008.38.014AB	UL20549	300V	38X14AWG	43/0.25	25.5	1383.98	8.62 Ω/km
ANM05.008.39.014AB	UL20549	300V	39X14AWG	43/0.25	25.5	1399.08	8.62 Ω/km
ANM05.008.40.014AB	UL20549	300V	40X14AWG	43/0.25	25.5	1414.38	8.62 Ω/km
ANM05.008.41.014AB	UL20549	300V	41X14AWG	43/0.25	27.5	1559.48	8.62 Ω/km
ANM05.008.42.014AB	UL20549	300V	42X14AWG	43/0.25	27.5	1574.58	8.62 Ω/km
ANM05.008.43.014AB	UL20549	300V	43X14AWG	43/0.25	27.5	1589.68	8.62 Ω/km
ANM05.008.44.014AB	UL20549	300V	44X14AWG	43/0.25	27.5	1604.78	8.62 Ω/km
ANM05.008.45.014AB	UL20549	300V	45X14AWG	43/0.25	28	1654.18	8.62 Ω/km
ANM05.008.46.014AB	UL20549	300V	46X14AWG	43/0.25	28	1669.28	8.62 Ω/km
ANM05.008.47.014AB	UL20549	300V	47X14AWG	43/0.25	28	1684.28	8.62 Ω/km
ANM05.008.48.014AB	UL20549	300V	48X14AWG	43/0.25	28	1699.48	8.62 Ω/km
ANM05.008.49.014AB	UL20549	300V	49X14AWG	43/0.25	28.8	1770.28	8.62 Ω/km
ANM05.008.50.014AB	UL20549	300V	50X14AWG	43/0.25	28.8	1785.38	8.62 Ω/km
ANM05.008.51.014AB	UL20549	300V	51X14AWG	43/0.25	28.8	1800.58	8.62 Ω/km
ANM05.008.52.014AB	UL20549	300V	52X14AWG	43/0.25	28.8	1815.68	8.62 Ω/km



ANM05.008.02.013AB	UL20549	300V	2X13AWG	54/0.25	8.6	136.83	6.82 Ω/km
ANM05.008.03.013AB	UL20549	300V	3X13AWG	54/0.25	9.1	166.93	6.82 Ω/km
ANM05.008.04.013AB	UL20549	300V	4X13AWG	54/0.25	10	207.43	6.82 Ω/km
ANM05.008.05.013AB	UL20549	300V	5X13AWG	54/0.25	11.9	276.93	6.82 Ω/km
ANM05.008.06.013AB	UL20549	300V	6X13AWG	54/0.25	12.8	323.53	6.82 Ω/km
ANM05.008.07.013AB	UL20549	300V	7X13AWG	54/0.25	12.8	342.33	6.82 Ω/km
ANM05.008.08.013AB	UL20549	300V	8X13AWG	54/0.25	13.9	397.73	6.82 Ω/km
ANM05.008.09.013AB	UL20549	300V	9X13AWG	54/0.25	15.2	463.73	6.82 Ω/km
ANM05.008.10.013AB	UL20549	300V	10X13AWG	54/0.25	16.1	517.63	6.82 Ω/km
ANM05.008.11.013AB	UL20549	300V	11X13AWG	54/0.25	16.6	556.63	6.82 Ω/km
ANM05.008.12.013AB	UL20549	300V	12X13AWG	54/0.25	16.6	575.43	6.82 Ω/km
ANM05.008.13.013AB	UL20549	300V	13X13AWG	54/0.25	17.5	632.23	6.82 Ω/km
ANM05.008.14.013AB	UL20549	300V	14X13AWG	54/0.25	17.5	651.13	6.82 Ω/km
ANM05.008.15.013AB	UL20549	300V	15X13AWG	54/0.25	18.4	709.83	6.82 Ω/km
ANM05.008.16.013AB	UL20549	300V	16X13AWG	54/0.25	18.4	728.63	6.82 Ω/km
ANM05.008.17.013AB	UL20549	300V	17X13AWG	54/0.25	19.3	789.43	6.82 Ω/km
ANM05.008.18.013AB	UL20549	300V	18X13AWG	54/0.25	19.3	808.33	6.82 Ω/km
ANM05.008.19.013AB	UL20549	300V	19X13AWG	54/0.25	19.3	827.13	6.82 Ω/km
ANM05.008.20.013AB	UL20549	300V	20X13AWG	54/0.25	19.8	870.13	6.82 Ω/km
ANM05.008.21.013AB	UL20549	300V	21X13AWG	54/0.25	21.3	963.03	6.82 Ω/km
ANM05.008.22.013AB	UL20549	300V	22X13AWG	54/0.25	22.6	1052.03	6.82 Ω/km
ANM05.008.23.013AB	UL20549	300V	23X13AWG	54/0.25	23.5	1121.83	6.82 Ω/km
ANM05.008.24.013AB	UL20549	300V	24X13AWG	54/0.25	23.5	1140.53	6.82 Ω/km
ANM05.008.25.013AB	UL20549	300V	25X13AWG	54/0.25	24	1188.53	6.82 Ω/km
ANM05.008.26.013AB	UL20549	300V	26X13AWG	54/0.25	24	1207.33	6.82 Ω/km
ANM05.008.27.013AB	UL20549	300V	27X13AWG	54/0.25	24	1226.23	6.82 Ω/km
ANM05.008.28.013AB	UL20549	300V	28X13AWG	54/0.25	24.9	1299.23	6.82 Ω/km
ANM05.008.29.013AB	UL20549	300V	29X13AWG	54/0.25	24.9	1318.03	6.82 Ω/km
ANM05.008.30.013AB	UL20549	300V	30X13AWG	54/0.25	24.9	1336.83	6.82 Ω/km
ANM05.008.31.013AB	UL20549	300V	31X13AWG	54/0.25	25.8	1411.63	6.82 Ω/km
ANM05.008.32.013AB	UL20549	300V	32X13AWG	54/0.25	25.8	1430.43	6.82 Ω/km
ANM05.008.33.013AB	UL20549	300V	33X13AWG	54/0.25	25.8	1449.23	6.82 Ω/km
ANM05.008.34.013AB	UL20549	300V	34X13AWG	54/0.25	26.7	1526.13	6.82 Ω/km
ANM05.008.35.013AB	UL20549	300V	35X13AWG	54/0.25	26.7	1544.93	6.82 Ω/km
ANM05.008.36.013AB	UL20549	300V	36X13AWG	54/0.25	26.7	1563.83	6.82 Ω/km
ANM05.008.37.013AB	UL20549	300V	37X13AWG	54/0.25	26.7	1582.63	6.82 Ω/km
ANM05.008.38.013AB	UL20549	300V	38X13AWG	54/0.25	27.7	1668.23	6.82 Ω/km
ANM05.008.39.013AB	UL20549	300V	39X13AWG	54/0.25	27.7	1687.03	6.82 Ω/km
ANM05.008.40.013AB	UL20549	300V	40X13AWG	54/0.25	27.7	1705.83	6.82 Ω/km
ANM05.008.41.013AB	UL20549	300V	41X13AWG	54/0.25	31.3	2017.33	6.82 Ω/km
ANM05.008.42.013AB	UL20549	300V	42X13AWG	54/0.25	31.3	2036.13	6.82 Ω/km
ANM05.008.43.013AB	UL20549	300V	43X13AWG	54/0.25	31.3	2054.93	6.82 Ω/km



ANM05.008.44.013AB	UL20549	300V	44X13AWG	54/0.25	31.3	2073.83	6.82 Ω/km
ANM05.008.45.013AB	UL20549	300V	45X13AWG	54/0.25	31.8	2132.13	6.82 Ω/km
ANM05.008.46.013AB	UL20549	300V	46X13AWG	54/0.25	31.8	2150.93	6.82 Ω/km
ANM05.008.47.013AB	UL20549	300V	47X13AWG	54/0.25	31.8	2169.63	6.82 Ω/km
ANM05.008.48.013AB	UL20549	300V	48X13AWG	54/0.25	31.8	2188.43	6.82 Ω/km
ANM05.008.49.013AB	UL20549	300V	49X13AWG	54/0.25	32.7	2279.43	6.82 Ω/km
ANM05.008.50.013AB	UL20549	300V	50X13AWG	54/0.25	32.7	2298.23	6.82 Ω/km
ANM05.008.51.013AB	UL20549	300V	51X13AWG	54/0.25	32.7	2317.03	6.82 Ω/km
ANM05.008.52.013AB	UL20549	300V	52X13AWG	54/0.25	32.7	2335.83	6.82 Ω/km
ANM05.008.02.012AB	UL20549	300V	2X12AWG	68/0.25	9.4	166.31	5.43 Ω/km
ANM05.008.03.012AB	UL20549	300V	3X12AWG	68/0.25	10	205.01	5.43 Ω/km
ANM05.008.04.012AB	UL20549	300V	4X12AWG	68/0.25	11.9	280.01	5.43 Ω/km
ANM05.008.05.012AB	UL20549	300V	5X12AWG	68/0.25	13	338.11	5.43 Ω/km
ANM05.008.06.012AB	UL20549	300V	6X12AWG	68/0.25	14.1	399.41	5.43 Ω/km
ANM05.008.07.012AB	UL20549	300V	7X12AWG	68/0.25	14.1	423.41	5.43 Ω/km
ANM05.008.08.012AB	UL20549	300V	8X12AWG	68/0.25	15.2	487.71	5.43 Ω/km
ANM05.008.09.012AB	UL20549	300V	9X12AWG	68/0.25	16.7	571.11	5.43 Ω/km
ANM05.008.10.012AB	UL20549	300V	10X12AWG	68/0.25	17.7	637.81	5.43 Ω/km
ANM05.008.11.012AB	UL20549	300V	11X12AWG	68/0.25	18.3	688.61	5.43 Ω/km
ANM05.008.12.012AB	UL20549	300V	12X12AWG	68/0.25	18.3	712.71	5.43 Ω/km
ANM05.008.13.012AB	UL20549	300V	13X12AWG	68/0.25	19.2	778.51	5.43 Ω/km
ANM05.008.14.012AB	UL20549	300V	14X12AWG	68/0.25	19.2	802.51	5.43 Ω/km
ANM05.008.15.012AB	UL20549	300V	15X12AWG	68/0.25	21.3	929.51	5.43 Ω/km
ANM05.008.16.012AB	UL20549	300V	16X12AWG	68/0.25	21.3	953.61	5.43 Ω/km
ANM05.008.17.012AB	UL20549	300V	17X12AWG	68/0.25	22.3	1031.31	5.43 Ω/km
ANM05.008.18.012AB	UL20549	300V	18X12AWG	68/0.25	22.3	1055.31	5.43 Ω/km
ANM05.008.19.012AB	UL20549	300V	19X12AWG	68/0.25	22.3	1079.61	5.43 Ω/km
ANM05.008.20.012AB	UL20549	300V	20X12AWG	68/0.25	22.9	1137.01	5.43 Ω/km
ANM05.008.21.012AB	UL20549	300V	21X12AWG	68/0.25	23.4	1189.51	5.43 Ω/km
ANM05.008.22.012AB	UL20549	300V	22X12AWG	68/0.25	24.9	1302.61	5.43 Ω/km
ANM05.008.23.012AB	UL20549	300V	23X12AWG	68/0.25	25.9	1389.21	5.43 Ω/km
ANM05.008.24.012AB	UL20549	300V	24X12AWG	68/0.25	25.9	1413.21	5.43 Ω/km
ANM05.008.25.012AB	UL20549	300V	25X12AWG	68/0.25	26.5	1475.81	5.43 Ω/km
ANM05.008.26.012AB	UL20549	300V	26X12AWG	68/0.25	26.5	1499.91	5.43 Ω/km
ANM05.008.27.012AB	UL20549	300V	27X12AWG	68/0.25	26.5	1524.01	5.43 Ω/km
ANM05.008.28.012AB	UL20549	300V	28X12AWG	68/0.25	27.4	1607.51	5.43 Ω/km
ANM05.008.29.012AB	UL20549	300V	29X12AWG	68/0.25	27.4	1631.51	5.43 Ω/km
ANM05.008.30.012AB	UL20549	300V	30X12AWG	68/0.25	27.4	1655.71	5.43 Ω/km
ANM05.008.31.012AB	UL20549	300V	31X12AWG	68/0.25	28.5	1755.31	5.43 Ω/km
ANM05.008.32.012AB	UL20549	300V	32X12AWG	68/0.25	28.5	1779.41	5.43 Ω/km
ANM05.008.33.012AB	UL20549	300V	33X12AWG	68/0.25	28.5	1803.51	5.43 Ω/km
ANM05.008.34.012AB	UL20549	300V	34X12AWG	68/0.25	30.9	2034.21	5.43 Ω/km



ANM05.008.35.012AB	UL20549	300V	35X12AWG	68/0.25	30.9	2058.21	5.43 Ω/km
ANM05.008.36.012AB	UL20549	300V	36X12AWG	68/0.25	30.9	2082.21	5.43 Ω/km
ANM05.008.37.012AB	UL20549	300V	37X12AWG	68/0.25	30.9	2106.41	5.43 Ω/km
ANM05.008.02.011AB	UL20549	300V	2X11AWG	85/0.25	10.2	198.17	4.30 Ω/km
ANM05.008.03.011AB	UL20549	300V	3X11AWG	85/0.25	11.9	273.37	4.30 Ω/km
ANM05.008.04.011AB	UL20549	300V	4X11AWG	85/0.25	12.9	334.07	4.30 Ω/km
ANM05.008.05.011AB	UL20549	300V	5X11AWG	85/0.25	14.1	404.07	4.30 Ω/km
ANM05.008.06.011AB	UL20549	300V	6X11AWG	85/0.25	15.3	477.47	4.30 Ω/km
ANM05.008.07.011AB	UL20549	300V	7X11AWG	85/0.25	15.3	507.17	4.30 Ω/km
ANM05.008.08.011AB	UL20549	300V	8X11AWG	85/0.25	16.5	584.27	4.30 Ω/km
ANM05.008.09.011AB	UL20549	300V	9X11AWG	85/0.25	18.1	682.37	4.30 Ω/km
ANM05.008.10.011AB	UL20549	300V	10X11AWG	85/0.25	19.3	767.47	4.30 Ω/km
ANM05.008.11.011AB	UL20549	300V	11X11AWG	85/0.25	20	831.17	4.30 Ω/km
ANM05.008.12.011AB	UL20549	300V	12X11AWG	85/0.25	20	860.77	4.30 Ω/km
ANM05.008.13.011AB	UL20549	300V	13X11AWG	85/0.25	22	992.07	4.30 Ω/km
ANM05.008.14.011AB	UL20549	300V	14X11AWG	85/0.25	22	1021.67	4.30 Ω/km
ANM05.008.15.011AB	UL20549	300V	15X11AWG	85/0.25	23.1	1112.27	4.30 Ω/km
ANM05.008.16.011AB	UL20549	300V	16X11AWG	85/0.25	23.1	1142.07	4.30 Ω/km
ANM05.008.17.011AB	UL20549	300V	17X11AWG	85/0.25	24.3	1241.57	4.30 Ω/km
ANM05.008.18.011AB	UL20549	300V	18X11AWG	85/0.25	24.3	1271.27	4.30 Ω/km
ANM05.008.19.011AB	UL20549	300V	19X11AWG	85/0.25	24.3	1300.97	4.30 Ω/km
ANM05.008.20.011AB	UL20549	300V	20X11AWG	85/0.25	25	1372.87	4.30 Ω/km
ANM05.008.21.011AB	UL20549	300V	21X11AWG	85/0.25	25.5	1433.67	4.30 Ω/km
ANM05.008.22.011AB	UL20549	300V	22X11AWG	85/0.25	27.1	1566.57	4.30 Ω/km
ANM05.008.23.011AB	UL20549	300V	23X11AWG	85/0.25	28.3	1677.77	4.30 Ω/km
ANM05.008.24.011AB	UL20549	300V	24X11AWG	85/0.25	28.3	1707.37	4.30 Ω/km
ANM05.008.25.011AB	UL20549	300V	25X11AWG	85/0.25	30	1856.07	4.30 Ω/km
ANM05.008.26.011AB	UL20549	300V	26X11AWG	85/0.25	30	1885.67	4.30 Ω/km
ANM05.008.27.011AB	UL20549	300V	27X11AWG	85/0.25	30	1915.37	4.30 Ω/km
ANM05.008.28.011AB	UL20549	300V	28X11AWG	85/0.25	31.4	2085.37	4.30 Ω/km
ANM05.008.29.011AB	UL20549	300V	29X11AWG	85/0.25	31.4	2114.97	4.30 Ω/km
ANM05.008.30.011AB	UL20549	300V	30X11AWG	85/0.25	31.4	2144.57	4.30 Ω/km
ANM05.008.31.011AB	UL20549	300V	31X11AWG	85/0.25	32.5	2261.87	4.30 Ω/km
ANM05.008.32.011AB	UL20549	300V	32X11AWG	85/0.25	32.5	2291.47	4.30 Ω/km
ANM05.008.33.011AB	UL20549	300V	33X11AWG	85/0.25	32.5	2321.17	4.30 Ω/km
ANM05.008.34.011AB	UL20549	300V	34X11AWG	85/0.25	33.7	2449.47	4.30 Ω/km
ANM05.008.35.011AB	UL20549	300V	35X11AWG	85/0.25	33.7	2479.07	4.30 Ω/km
ANM05.008.36.011AB	UL20549	300V	36X11AWG	85/0.25	33.7	2508.87	4.30 Ω/km
ANM05.008.37.011AB	UL20549	300V	37X11AWG	85/0.25	33.7	2538.37	4.30 Ω/km
ANM05.008.02.010AB	UL20549	300V	2X10AWG	108/0.25	12.4	271.47	3.409 Ω/km
ANM05.008.03.010AB	UL20549	300V	3X10AWG	108/0.25	13.2	332.47	3.409 Ω/km
ANM05.008.04.010AB	UL20549	300V	4X10AWG	108/0.25	14.5	412.77	3.409 Ω/km



ANM05.008.05.010AB	UL20549	300V	5X10AWG	108/0.25	15.8	497.17	3.409 Ω/km
ANM05.008.06.010AB	UL20549	300V	6X10AWG	108/0.25	17.1	585.57	3.409 Ω/km
ANM05.008.07.010AB	UL20549	300V	7X10AWG	108/0.25	17.1	620.97	3.409 Ω/km
ANM05.008.08.010AB	UL20549	300V	8X10AWG	108/0.25	18.5	718.07	3.409 Ω/km
ANM05.008.09.010AB	UL20549	300V	9X10AWG	108/0.25	21.4	894.17	3.409 Ω/km
ANM05.008.10.010AB	UL20549	300V	10X10AWG	108/0.25	22.7	1000.37	3.409 Ω/km
ANM05.008.11.010AB	UL20549	300V	11X10AWG	108/0.25	23.5	1080.97	3.409 Ω/km
ANM05.008.12.010AB	UL20549	300V	12X10AWG	108/0.25	23.5	1116.37	3.409 Ω/km
ANM05.008.13.010AB	UL20549	300V	13X10AWG	108/0.25	24.7	1223.07	3.409 Ω/km
ANM05.008.14.010AB	UL20549	300V	14X10AWG	108/0.25	24.7	1258.37	3.409 Ω/km
ANM05.008.15.010AB	UL20549	300V	15X10AWG	108/0.25	26	1374.77	3.409 Ω/km
ANM05.008.16.010AB	UL20549	300V	16X10AWG	108/0.25	26	1410.27	3.409 Ω/km
ANM05.008.17.010AB	UL20549	300V	17X10AWG	108/0.25	27.3	1530.57	3.409 Ω/km
ANM05.008.18.010AB	UL20549	300V	18X10AWG	108/0.25	27.3	1565.97	3.409 Ω/km
ANM05.008.19.010AB	UL20549	300V	19X10AWG	108/0.25	27.3	1601.47	3.409 Ω/km
ANM05.008.20.010AB	UL20549	300V	20X10AWG	108/0.25	28.1	1691.27	3.409 Ω/km
ANM05.008.21.010AB	UL20549	300V	21X10AWG	108/0.25	28.7	1768.37	3.409 Ω/km
ANM05.008.22.010AB	UL20549	300V	22X10AWG	108/0.25	32	2082.57	3.409 Ω/km
ANM05.008.23.010AB	UL20549	300V	23X10AWG	108/0.25	33.3	2223.57	3.409 Ω/km
ANM05.008.24.010AB	UL20549	300V	24X10AWG	108/0.25	33.3	2258.87	3.409 Ω/km
ANM05.008.25.010AB	UL20549	300V	25X10AWG	108/0.25	34.1	2361.37	3.409 Ω/km
ANM05.008.26.010AB	UL20549	300V	26X10AWG	108/0.25	34.1	2396.77	3.409 Ω/km
ANM05.008.27.010AB	UL20549	300V	27X10AWG	108/0.25	34.1	2432.07	3.409 Ω/km
ANM05.008.28.010AB	UL20549	300V	28X10AWG	108/0.25	35.3	2570.97	3.409 Ω/km
ANM05.008.29.010AB	UL20549	300V	29X10AWG	108/0.25	35.3	2606.37	3.409 Ω/km
ANM05.008.30.010AB	UL20549	300V	30X10AWG	108/0.25	35.3	2641.77	3.409 Ω/km
ANM05.008.31.010AB	UL20549	300V	31X10AWG	108/0.25	36.9	2820.57	3.409 Ω/km
ANM05.008.32.010AB	UL20549	300V	32X10AWG	108/0.25	36.9	2855.97	3.409 Ω/km
ANM05.008.33.010AB	UL20549	300V	33X10AWG	108/0.25	36.9	2891.37	3.409 Ω/km
ANM05.008.34.010AB	UL20549	300V	34X10AWG	108/0.25	38.2	3047.67	3.409 Ω/km
ANM05.008.35.010AB	UL20549	300V	35X10AWG	108/0.25	38.2	3083.17	3.409 Ω/km
ANM05.008.36.010AB	UL20549	300V	36X10AWG	108/0.25	38.2	3118.57	3.409 Ω/km
ANM05.008.37.010AB	UL20549	300V	37X10AWG	108/0.25	38.2	3153.87	3.409 Ω/km
ANM05.008.02.009AB	UL20549	300V	2X9AWG	136/0.25	13.9	342.54	2.705 Ω/km
ANM05.008.03.009AB	UL20549	300V	3X9AWG	136/0.25	14.8	420.34	2.705 Ω/km
ANM05.008.04.009AB	UL20549	300V	4X9AWG	136/0.25	16.1	515.94	2.705 Ω/km
ANM05.008.05.009AB	UL20549	300V	5X9AWG	136/0.25	17.7	628.44	2.705 Ω/km
ANM05.008.06.009AB	UL20549	300V	6X9AWG	136/0.25	19.2	742.64	2.705 Ω/km
ANM05.008.07.009AB	UL20549	300V	7X9AWG	136/0.25	19.2	788.14	2.705 Ω/km
ANM05.008.08.009AB	UL20549	300V	8X9AWG	136/0.25	21.8	963.34	2.705 Ω/km
ANM05.008.09.009AB	UL20549	300V	9X9AWG	136/0.25	24	1132.84	2.705 Ω/km
ANM05.008.10.009AB	UL20549	300V	10X9AWG	136/0.25	25.5	1269.74	2.705 Ω/km



ANM05.008.11.009AB	UL20549	300V	11X9AWG	136/0.25	26.4	1372.84	2.705 Ω/km
ANM05.008.12.009AB	UL20549	300V	12X9AWG	136/0.25	26.4	1418.34	2.705 Ω/km
ANM05.008.13.009AB	UL20549	300V	13X9AWG	136/0.25	27.7	1550.24	2.705 Ω/km
ANM05.008.14.009AB	UL20549	300V	14X9AWG	136/0.25	27.7	1595.84	2.705 Ω/km
ANM05.008.15.009AB	UL20549	300V	15X9AWG	136/0.25	30.7	1887.94	2.705 Ω/km
ANM05.008.16.009AB	UL20549	300V	16X9AWG	136/0.25	30.7	1933.54	2.705 Ω/km
ANM05.008.17.009AB	UL20549	300V	17X9AWG	136/0.25	32.2	2096.64	2.705 Ω/km
ANM05.008.18.009AB	UL20549	300V	18X9AWG	136/0.25	32.2	2142.24	2.705 Ω/km
ANM05.008.19.009AB	UL20549	300V	19X9AWG	136/0.25	32.2	2187.84	2.705 Ω/km
ANM05.008.20.009AB	UL20549	300V	20X9AWG	136/0.25	33.1	2306.74	2.705 Ω/km
ANM05.008.21.009AB	UL20549	300V	21X9AWG	136/0.25	33.8	2410.44	2.705 Ω/km
ANM05.008.22.009AB	UL20549	300V	22X9AWG	136/0.25	36.3	2673.84	2.705 Ω/km
ANM05.008.23.009AB	UL20549	300V	23X9AWG	136/0.25	37.8	2857.14	2.705 Ω/km
ANM05.008.24.009AB	UL20549	300V	24X9AWG	136/0.25	37.8	2902.74	2.705 Ω/km
ANM05.008.25.009AB	UL20549	300V	25X9AWG	136/0.25	38.7	3033.74	2.705 Ω/km
ANM05.008.26.009AB	UL20549	300V	26X9AWG	136/0.25	38.7	3079.34	2.705 Ω/km
ANM05.008.27.009AB	UL20549	300V	27X9AWG	136/0.25	38.7	3124.94	2.705 Ω/km
ANM05.008.28.009AB	UL20549	300V	28X9AWG	136/0.25	40	3297.24	2.705 Ω/km
ANM05.008.29.009AB	UL20549	300V	29X9AWG	136/0.25	40	3342.94	2.705 Ω/km
ANM05.008.30.009AB	UL20549	300V	30X9AWG	136/0.25	40	3388.64	2.705 Ω/km
ANM05.008.31.009AB	UL20549	300V	31X9AWG	136/0.25	41.8	3654.94	2.705 Ω/km
ANM05.008.32.009AB	UL20549	300V	32X9AWG	136/0.25	41.8	3700.54	2.705 Ω/km
ANM05.008.33.009AB	UL20549	300V	33X9AWG	136/0.25	41.8	3746.24	2.705 Ω/km
ANM05.008.34.009AB	UL20549	300V	34X9AWG	136/0.25	44.7	4097.04	2.705 Ω/km
ANM05.008.35.009AB	UL20549	300V	35X9AWG	136/0.25	44.7	4142.64	2.705 Ω/km
ANM05.008.36.009AB	UL20549	300V	36X9AWG	136/0.25	44.7	4188.24	2.705 Ω/km
ANM05.008.37.009AB	UL20549	300V	37X9AWG	136/0.25	44.7	4233.94	2.705 Ω/km
ANM05.008.02.028AB	UL20549	300V	2X28AWG	11/0.1	4.6	29.79	223 Ω/km
ANM05.008.03.028AB	UL20549	300V	3X28AWG	11/0.1	4.8	32.79	223 Ω/km
ANM05.008.04.028AB	UL20549	300V	4X28AWG	11/0.1	5.1	37.29	223 Ω/km
ANM05.008.05.028AB	UL20549	300V	5X28AWG	11/0.1	5.5	43.39	223 Ω/km
ANM05.008.06.028AB	UL20549	300V	6X28AWG	11/0.1	5.8	48.49	223 Ω/km
ANM05.008.07.028AB	UL20549	300V	7X28AWG	11/0.1	5.8	48.99	223 Ω/km
ANM05.008.08.028AB	UL20549	300V	8X28AWG	11/0.1	6.2	55.79	223 Ω/km
ANM05.008.09.028AB	UL20549	300V	9X28AWG	11/0.1	6.7	64.59	223 Ω/km
ANM05.008.10.028AB	UL20549	300V	10X28AWG	11/0.1	7	70.49	223 Ω/km
ANM05.008.11.028AB	UL20549	300V	11X28AWG	11/0.1	7.2	74.69	223 Ω/km
ANM05.008.12.028AB	UL20549	300V	12X28AWG	11/0.1	7.2	75.39	223 Ω/km
ANM05.008.13.028AB	UL20549	300V	13X28AWG	11/0.1	7.5	81.49	223 Ω/km
ANM05.008.14.028AB	UL20549	300V	14X28AWG	11/0.1	7.5	82.19	223 Ω/km
ANM05.008.15.028AB	UL20549	300V	15X28AWG	11/0.1	7.9	90.39	223 Ω/km
ANM05.008.16.028AB	UL20549	300V	16X28AWG	11/0.1	7.9	91.09	223 Ω/km



ANM05.008.17.028AB	UL20549	300V	17X28AWG	11/0.1	8.2	97.69	223 Ω /km
ANM05.008.18.028AB	UL20549	300V	18X28AWG	11/0.1	8.2	98.39	223 Ω /km
ANM05.008.19.028AB	UL20549	300V	19X28AWG	11/0.1	8.2	98.99	223 Ω /km
ANM05.008.20.028AB	UL20549	300V	20X28AWG	11/0.1	8.4	103.79	223 Ω /km
ANM05.008.21.028AB	UL20549	300V	21X28AWG	11/0.1	8.6	108.59	223 Ω /km
ANM05.008.22.028AB	UL20549	300V	22X28AWG	11/0.1	9.1	120.39	223 Ω /km
ANM05.008.23.028AB	UL20549	300V	23X28AWG	11/0.1	9.4	127.99	223 Ω /km
ANM05.008.24.028AB	UL20549	300V	24X28AWG	11/0.1	9.4	128.69	223 Ω /km
ANM05.008.25.028AB	UL20549	300V	25X28AWG	11/0.1	9.6	134.09	223 Ω /km
ANM05.008.26.028AB	UL20549	300V	26X28AWG	11/0.1	9.6	134.59	223 Ω /km
ANM05.008.27.028AB	UL20549	300V	27X28AWG	11/0.1	9.6	135.19	223 Ω /km
ANM05.008.28.028AB	UL20549	300V	28X28AWG	11/0.1	9.9	143.09	223 Ω /km
ANM05.008.29.028AB	UL20549	300V	29X28AWG	11/0.1	9.9	143.59	223 Ω /km
ANM05.008.30.028AB	UL20549	300V	30X28AWG	11/0.1	9.9	144.19	223 Ω /km
ANM05.008.31.028AB	UL20549	300V	31X28AWG	11/0.1	10.3	155.09	223 Ω /km
ANM05.008.32.028AB	UL20549	300V	32X28AWG	11/0.1	10.3	155.49	223 Ω /km
ANM05.008.33.028AB	UL20549	300V	33X28AWG	11/0.1	10.3	156.19	223 Ω /km
ANM05.008.34.028AB	UL20549	300V	34X28AWG	11/0.1	11.6	190.79	223 Ω /km
ANM05.008.35.028AB	UL20549	300V	35X28AWG	11/0.1	11.6	191.39	223 Ω /km
ANM05.008.36.028AB	UL20549	300V	36X28AWG	11/0.1	11.6	191.99	223 Ω /km
ANM05.008.37.028AB	UL20549	300V	37X28AWG	11/0.1	11.6	192.59	223 Ω /km
ANM05.008.38.028AB	UL20549	300V	38X28AWG	11/0.1	12	204.89	223 Ω /km
ANM05.008.39.028AB	UL20549	300V	39X28AWG	11/0.1	12	205.49	223 Ω /km
ANM05.008.40.028AB	UL20549	300V	40X28AWG	11/0.1	12	206.09	223 Ω /km
ANM05.008.41.028AB	UL20549	300V	41X28AWG	11/0.1	12.8	231.39	223 Ω /km
ANM05.008.42.028AB	UL20549	300V	42X28AWG	11/0.1	12.8	231.99	223 Ω /km
ANM05.008.43.028AB	UL20549	300V	43X28AWG	11/0.1	12.8	232.59	223 Ω /km
ANM05.008.44.028AB	UL20549	300V	44X28AWG	11/0.1	12.8	233.09	223 Ω /km
ANM05.008.45.028AB	UL20549	300V	45X28AWG	11/0.1	13	240.09	223 Ω /km
ANM05.008.46.028AB	UL20549	300V	46X28AWG	11/0.1	13	240.59	223 Ω /km
ANM05.008.47.028AB	UL20549	300V	47X28AWG	11/0.1	13	241.19	223 Ω /km
ANM05.008.48.028AB	UL20549	300V	48X28AWG	11/0.1	13	241.79	223 Ω /km
ANM05.008.49.028AB	UL20549	300V	49X28AWG	11/0.1	13.4	255.59	223 Ω /km
ANM05.008.50.028AB	UL20549	300V	50X28AWG	11/0.1	13.4	256.29	223 Ω /km
ANM05.008.51.028AB	UL20549	300V	51X28AWG	11/0.1	13.4	256.69	223 Ω /km
ANM05.008.52.028AB	UL20549	300V	52X28AWG	11/0.1	13.4	257.39	223 Ω /km
ANM05.008.53.028AB	UL20549	300V	53X28AWG	11/0.1	13.8	271.49	223 Ω /km
ANM05.008.54.028AB	UL20549	300V	54X28AWG	11/0.1	13.8	272.09	223 Ω /km
ANM05.008.55.028AB	UL20549	300V	55X28AWG	11/0.1	13.8	272.59	223 Ω /km
ANM05.008.56.028AB	UL20549	300V	56X28AWG	11/0.1	13.8	273.19	223 Ω /km
ANM05.008.57.028AB	UL20549	300V	57X28AWG	11/0.1	14.1	284.19	223 Ω /km
ANM05.008.58.028AB	UL20549	300V	58X28AWG	11/0.1	14.1	284.79	223 Ω /km



ANM05.008.59.028AB	UL20549	300V	59X28AWG	11/0.1	14.1	285.29	223 Ω /km
ANM05.008.60.028AB	UL20549	300V	60X28AWG	11/0.1	14.1	285.99	223 Ω /km
ANM05.008.61.028AB	UL20549	300V	61X28AWG	11/0.1	14.1	286.39	223 Ω /km
ANM05.008.62.028AB	UL20549	300V	62X28AWG	11/0.1	14.5	301.29	223 Ω /km
ANM05.008.63.028AB	UL20549	300V	63X28AWG	11/0.1	14.5	301.79	223 Ω /km
ANM05.008.64.028AB	UL20549	300V	64X28AWG	11/0.1	14.5	302.39	223 Ω /km
ANM05.008.65.028AB	UL20549	300V	65X28AWG	11/0.1	14.5	302.99	223 Ω /km
ANM05.008.02.027AB	UL20549	300V	2X27AWG	7/0.14	4.8	32.41	175 Ω /km
ANM05.008.03.027AB	UL20549	300V	3X27AWG	7/0.14	5.1	36.81	175 Ω /km
ANM05.008.04.027AB	UL20549	300V	4X27AWG	7/0.14	5.4	41.71	175 Ω /km
ANM05.008.05.027AB	UL20549	300V	5X27AWG	7/0.14	5.8	48.21	175 Ω /km
ANM05.008.06.027AB	UL20549	300V	6X27AWG	7/0.14	6.1	53.41	175 Ω /km
ANM05.008.07.027AB	UL20549	300V	7X27AWG	7/0.14	6.1	54.11	175 Ω /km
ANM05.008.08.027AB	UL20549	300V	8X27AWG	7/0.14	6.5	61.11	175 Ω /km
ANM05.008.09.027AB	UL20549	300V	9X27AWG	7/0.14	7.1	72.31	175 Ω /km
ANM05.008.10.027AB	UL20549	300V	10X27AWG	7/0.14	7.4	78.51	175 Ω /km
ANM05.008.11.027AB	UL20549	300V	11X27AWG	7/0.14	7.7	84.91	175 Ω /km
ANM05.008.12.027AB	UL20549	300V	12X27AWG	7/0.14	7.7	85.51	175 Ω /km
ANM05.008.13.027AB	UL20549	300V	13X27AWG	7/0.14	8	92.21	175 Ω /km
ANM05.008.14.027AB	UL20549	300V	14X27AWG	7/0.14	8	92.81	175 Ω /km
ANM05.008.15.027AB	UL20549	300V	15X27AWG	7/0.14	8.4	101.71	175 Ω /km
ANM05.008.16.027AB	UL20549	300V	16X27AWG	7/0.14	8.4	102.31	175 Ω /km
ANM05.008.17.027AB	UL20549	300V	17X27AWG	7/0.14	8.7	109.51	175 Ω /km
ANM05.008.18.027AB	UL20549	300V	18X27AWG	7/0.14	8.7	110.21	175 Ω /km
ANM05.008.19.027AB	UL20549	300V	19X27AWG	7/0.14	8.7	110.81	175 Ω /km
ANM05.008.20.027AB	UL20549	300V	20X27AWG	7/0.14	9	118.11	175 Ω /km
ANM05.008.21.027AB	UL20549	300V	21X27AWG	7/0.14	9.1	121.11	175 Ω /km
ANM05.008.22.027AB	UL20549	300V	22X27AWG	7/0.14	9.7	135.91	175 Ω /km
ANM05.008.23.027AB	UL20549	300V	23X27AWG	7/0.14	10	144.01	175 Ω /km
ANM05.008.24.027AB	UL20549	300V	24X27AWG	7/0.14	10	144.61	175 Ω /km
ANM05.008.25.027AB	UL20549	300V	25X27AWG	7/0.14	10.3	153.01	175 Ω /km
ANM05.008.26.027AB	UL20549	300V	26X27AWG	7/0.14	10.3	153.61	175 Ω /km
ANM05.008.27.027AB	UL20549	300V	27X27AWG	7/0.14	10.3	154.21	175 Ω /km
ANM05.008.28.027AB	UL20549	300V	28X27AWG	7/0.14	11.6	189.01	175 Ω /km
ANM05.008.29.027AB	UL20549	300V	29X27AWG	7/0.14	11.6	189.61	175 Ω /km
ANM05.008.30.027AB	UL20549	300V	30X27AWG	7/0.14	11.6	190.21	175 Ω /km
ANM05.008.31.027AB	UL20549	300V	31X27AWG	7/0.14	12	202.71	175 Ω /km
ANM05.008.32.027AB	UL20549	300V	32X27AWG	7/0.14	12	203.21	175 Ω /km
ANM05.008.33.027AB	UL20549	300V	33X27AWG	7/0.14	12	203.91	175 Ω /km
ANM05.008.34.027AB	UL20549	300V	34X27AWG	7/0.14	12.3	213.71	175 Ω /km
ANM05.008.35.027AB	UL20549	300V	35X27AWG	7/0.14	12.3	214.21	175 Ω /km
ANM05.008.36.027AB	UL20549	300V	36X27AWG	7/0.14	12.3	214.91	175 Ω /km



ANM05.008.37.027AB	UL20549	300V	37X27AWG	7/0.14	12.3	215.61	175 Ω /km
ANM05.008.38.027AB	UL20549	300V	38X27AWG	7/0.14	12.7	228.71	175 Ω /km
ANM05.008.39.027AB	UL20549	300V	39X27AWG	7/0.14	12.7	229.31	175 Ω /km
ANM05.008.40.027AB	UL20549	300V	40X27AWG	7/0.14	12.7	229.91	175 Ω /km
ANM05.008.41.027AB	UL20549	300V	41X27AWG	7/0.14	13.7	263.41	175 Ω /km
ANM05.008.42.027AB	UL20549	300V	42X27AWG	7/0.14	13.7	264.11	175 Ω /km
ANM05.008.43.027AB	UL20549	300V	43X27AWG	7/0.14	13.7	264.61	175 Ω /km
ANM05.008.44.027AB	UL20549	300V	44X27AWG	7/0.14	13.7	265.31	175 Ω /km
ANM05.008.45.027AB	UL20549	300V	45X27AWG	7/0.14	14	276.31	175 Ω /km
ANM05.008.46.027AB	UL20549	300V	46X27AWG	7/0.14	14	276.91	175 Ω /km
ANM05.008.47.027AB	UL20549	300V	47X27AWG	7/0.14	14	277.51	175 Ω /km
ANM05.008.48.027AB	UL20549	300V	48X27AWG	7/0.14	14	278.11	175 Ω /km
ANM05.008.49.027AB	UL20549	300V	49X27AWG	7/0.14	14.3	289.31	175 Ω /km
ANM05.008.50.027AB	UL20549	300V	50X27AWG	7/0.14	14.3	290.01	175 Ω /km
ANM05.008.51.027AB	UL20549	300V	51X27AWG	7/0.14	14.3	290.51	175 Ω /km
ANM05.008.52.027AB	UL20549	300V	52X27AWG	7/0.14	14.3	291.21	175 Ω /km
ANM05.008.53.027AB	UL20549	300V	53X27AWG	7/0.14	14.7	306.31	175 Ω /km
ANM05.008.54.027AB	UL20549	300V	54X27AWG	7/0.14	14.7	306.81	175 Ω /km
ANM05.008.55.027AB	UL20549	300V	55X27AWG	7/0.14	14.7	307.61	175 Ω /km
ANM05.008.56.027AB	UL20549	300V	56X27AWG	7/0.14	14.7	308.21	175 Ω /km
ANM05.008.57.027AB	UL20549	300V	57X27AWG	7/0.14	15	319.91	175 Ω /km
ANM05.008.58.027AB	UL20549	300V	58X27AWG	7/0.14	15	320.61	175 Ω /km
ANM05.008.59.027AB	UL20549	300V	59X27AWG	7/0.14	15	321.11	175 Ω /km
ANM05.008.60.027AB	UL20549	300V	60X27AWG	7/0.14	15	321.81	175 Ω /km
ANM05.008.61.027AB	UL20549	300V	61X27AWG	7/0.14	15	322.31	175 Ω /km
ANM05.008.62.027AB	UL20549	300V	62X27AWG	7/0.14	15.4	338.11	175 Ω /km
ANM05.008.63.027AB	UL20549	300V	63X27AWG	7/0.14	15.4	338.71	175 Ω /km
ANM05.008.64.027AB	UL20549	300V	64X27AWG	7/0.14	15.4	339.31	175 Ω /km
ANM05.008.65.027AB	UL20549	300V	65X27AWG	7/0.14	15.4	340.01	175 Ω /km
ANM05.008.02.026AB	UL20549	300V	2X26AWG	9/0.14	4.8	32.93	140 Ω /km
ANM05.008.03.026AB	UL20549	300V	3X26AWG	9/0.14	5.1	37.63	140 Ω /km
ANM05.008.04.026AB	UL20549	300V	4X26AWG	9/0.14	5.4	42.73	140 Ω /km
ANM05.008.05.026AB	UL20549	300V	5X26AWG	9/0.14	5.8	49.43	140 Ω /km
ANM05.008.06.026AB	UL20549	300V	6X26AWG	9/0.14	6.1	54.93	140 Ω /km
ANM05.008.07.026AB	UL20549	300V	7X26AWG	9/0.14	6.1	55.83	140 Ω /km
ANM05.008.08.026AB	UL20549	300V	8X26AWG	9/0.14	6.5	63.13	140 Ω /km
ANM05.008.09.026AB	UL20549	300V	9X26AWG	9/0.14	7.1	74.53	140 Ω /km
ANM05.008.10.026AB	UL20549	300V	10X26AWG	9/0.14	7.4	80.93	140 Ω /km
ANM05.008.11.026AB	UL20549	300V	11X26AWG	9/0.14	7.7	87.63	140 Ω /km
ANM05.008.12.026AB	UL20549	300V	12X26AWG	9/0.14	7.7	88.43	140 Ω /km
ANM05.008.13.026AB	UL20549	300V	13X26AWG	9/0.14	8	95.33	140 Ω /km
ANM05.008.14.026AB	UL20549	300V	14X26AWG	9/0.14	8	96.33	140 Ω /km



ANM05.008.15.026AB	UL20549	300V	15X26AWG	9/0.14	8.4	105.43	140 Ω /km
ANM05.008.16.026AB	UL20549	300V	16X26AWG	9/0.14	8.4	106.33	140 Ω /km
ANM05.008.17.026AB	UL20549	300V	17X26AWG	9/0.14	8.7	113.73	140 Ω /km
ANM05.008.18.026AB	UL20549	300V	18X26AWG	9/0.14	8.7	114.63	140 Ω /km
ANM05.008.19.026AB	UL20549	300V	19X26AWG	9/0.14	8.7	115.53	140 Ω /km
ANM05.008.20.026AB	UL20549	300V	20X26AWG	9/0.14	9	123.03	140 Ω /km
ANM05.008.21.026AB	UL20549	300V	21X26AWG	9/0.14	9.1	126.23	140 Ω /km
ANM05.008.22.026AB	UL20549	300V	22X26AWG	9/0.14	9.7	141.33	140 Ω /km
ANM05.008.23.026AB	UL20549	300V	23X26AWG	9/0.14	10	149.63	140 Ω /km
ANM05.008.24.026AB	UL20549	300V	24X26AWG	9/0.14	10	150.53	140 Ω /km
ANM05.008.25.026AB	UL20549	300V	25X26AWG	9/0.14	10.3	159.13	140 Ω /km
ANM05.008.26.026AB	UL20549	300V	26X26AWG	9/0.14	10.3	159.93	140 Ω /km
ANM05.008.27.026AB	UL20549	300V	27X26AWG	9/0.14	10.3	160.93	140 Ω /km
ANM05.008.28.026AB	UL20549	300V	28X26AWG	9/0.14	11.6	195.93	140 Ω /km
ANM05.008.29.026AB	UL20549	300V	29X26AWG	9/0.14	11.6	196.73	140 Ω /km
ANM05.008.30.026AB	UL20549	300V	30X26AWG	9/0.14	11.6	197.63	140 Ω /km
ANM05.008.31.026AB	UL20549	300V	31X26AWG	9/0.14	12	210.33	140 Ω /km
ANM05.008.32.026AB	UL20549	300V	32X26AWG	9/0.14	12	211.13	140 Ω /km
ANM05.008.33.026AB	UL20549	300V	33X26AWG	9/0.14	12	212.03	140 Ω /km
ANM05.008.34.026AB	UL20549	300V	34X26AWG	9/0.14	12.3	222.03	140 Ω /km
ANM05.008.35.026AB	UL20549	300V	35X26AWG	9/0.14	12.3	222.83	140 Ω /km
ANM05.008.36.026AB	UL20549	300V	36X26AWG	9/0.14	12.3	223.73	140 Ω /km
ANM05.008.37.026AB	UL20549	300V	37X26AWG	9/0.14	12.3	224.63	140 Ω /km
ANM05.008.38.026AB	UL20549	300V	38X26AWG	9/0.14	12.7	238.03	140 Ω /km
ANM05.008.39.026AB	UL20549	300V	39X26AWG	9/0.14	12.7	238.83	140 Ω /km
ANM05.008.40.026AB	UL20549	300V	40X26AWG	9/0.14	12.7	239.83	140 Ω /km
ANM05.008.41.026AB	UL20549	300V	41X26AWG	9/0.14	13.7	273.53	140 Ω /km
ANM05.008.42.026AB	UL20549	300V	42X26AWG	9/0.14	13.7	274.43	140 Ω /km
ANM05.008.43.026AB	UL20549	300V	43X26AWG	9/0.14	13.7	275.23	140 Ω /km
ANM05.008.44.026AB	UL20549	300V	44X26AWG	9/0.14	13.7	276.13	140 Ω /km
ANM05.008.45.026AB	UL20549	300V	45X26AWG	9/0.14	14	287.33	140 Ω /km
ANM05.008.46.026AB	UL20549	300V	46X26AWG	9/0.14	14	288.23	140 Ω /km
ANM05.008.47.026AB	UL20549	300V	47X26AWG	9/0.14	14	289.03	140 Ω /km
ANM05.008.48.026AB	UL20549	300V	48X26AWG	9/0.14	14	289.93	140 Ω /km
ANM05.008.49.026AB	UL20549	300V	49X26AWG	9/0.14	14.3	301.33	140 Ω /km
ANM05.008.50.026AB	UL20549	300V	50X26AWG	9/0.14	14.3	302.23	140 Ω /km
ANM05.008.51.026AB	UL20549	300V	51X26AWG	9/0.14	14.3	303.03	140 Ω /km
ANM05.008.52.026AB	UL20549	300V	52X26AWG	9/0.14	14.3	303.93	140 Ω /km
ANM05.008.53.026AB	UL20549	300V	53X26AWG	9/0.14	14.7	319.33	140 Ω /km
ANM05.008.54.026AB	UL20549	300V	54X26AWG	9/0.14	14.7	320.13	140 Ω /km
ANM05.008.55.026AB	UL20549	300V	55X26AWG	9/0.14	14.7	321.13	140 Ω /km
ANM05.008.56.026AB	UL20549	300V	56X26AWG	9/0.14	14.7	322.03	140 Ω /km



ANM05.008.57.026AB	UL20549	300V	57X26AWG	9/0.14	15	333.93	140 Ω /km
ANM05.008.58.026AB	UL20549	300V	58X26AWG	9/0.14	15	334.83	140 Ω /km
ANM05.008.59.026AB	UL20549	300V	59X26AWG	9/0.14	15	335.63	140 Ω /km
ANM05.008.60.026AB	UL20549	300V	60X26AWG	9/0.14	15	336.53	140 Ω /km
ANM05.008.61.026AB	UL20549	300V	61X26AWG	9/0.14	15	337.33	140 Ω /km
ANM05.008.62.026AB	UL20549	300V	62X26AWG	9/0.14	15.4	353.33	140 Ω /km
ANM05.008.63.026AB	UL20549	300V	63X26AWG	9/0.14	15.4	354.13	140 Ω /km
ANM05.008.64.026AB	UL20549	300V	64X26AWG	9/0.14	15.4	355.03	140 Ω /km
ANM05.008.65.026AB	UL20549	300V	65X26AWG	9/0.14	15.4	355.93	140 Ω /km
ANM05.008.02.025AB	UL20549	300V	2X25AWG	11/0.14	5	35.87	111 Ω /km
ANM05.008.03.025AB	UL20549	300V	3X25AWG	11/0.14	5.3	40.87	111 Ω /km
ANM05.008.04.025AB	UL20549	300V	4X25AWG	11/0.14	5.6	46.27	111 Ω /km
ANM05.008.05.025AB	UL20549	300V	5X25AWG	11/0.14	6	53.27	111 Ω /km
ANM05.008.06.025AB	UL20549	300V	6X25AWG	11/0.14	6.4	60.87	111 Ω /km
ANM05.008.07.025AB	UL20549	300V	7X25AWG	11/0.14	6.4	61.97	111 Ω /km
ANM05.008.08.025AB	UL20549	300V	8X25AWG	11/0.14	6.9	71.47	111 Ω /km
ANM05.008.09.025AB	UL20549	300V	9X25AWG	11/0.14	7.4	81.77	111 Ω /km
ANM05.008.10.025AB	UL20549	300V	10X25AWG	11/0.14	7.8	90.57	111 Ω /km
ANM05.008.11.025AB	UL20549	300V	11X25AWG	11/0.14	8.1	97.77	111 Ω /km
ANM05.008.12.025AB	UL20549	300V	12X25AWG	11/0.14	8.1	98.77	111 Ω /km
ANM05.008.13.025AB	UL20549	300V	13X25AWG	11/0.14	8.4	106.17	111 Ω /km
ANM05.008.14.025AB	UL20549	300V	14X25AWG	11/0.14	8.4	107.17	111 Ω /km
ANM05.008.15.025AB	UL20549	300V	15X25AWG	11/0.14	8.8	116.97	111 Ω /km
ANM05.008.16.025AB	UL20549	300V	16X25AWG	11/0.14	8.8	117.97	111 Ω /km
ANM05.008.17.025AB	UL20549	300V	17X25AWG	11/0.14	9.2	128.17	111 Ω /km
ANM05.008.18.025AB	UL20549	300V	18X25AWG	11/0.14	9.2	129.27	111 Ω /km
ANM05.008.19.025AB	UL20549	300V	19X25AWG	11/0.14	9.2	130.27	111 Ω /km
ANM05.008.20.025AB	UL20549	300V	20X25AWG	11/0.14	9.5	138.47	111 Ω /km
ANM05.008.21.025AB	UL20549	300V	21X25AWG	11/0.14	9.7	144.27	111 Ω /km
ANM05.008.22.025AB	UL20549	300V	22X25AWG	11/0.14	10.2	157.97	111 Ω /km
ANM05.008.23.025AB	UL20549	300V	23X25AWG	11/0.14	11.6	195.77	111 Ω /km
ANM05.008.24.025AB	UL20549	300V	24X25AWG	11/0.14	11.6	196.77	111 Ω /km
ANM05.008.25.025AB	UL20549	300V	25X25AWG	11/0.14	11.9	206.77	111 Ω /km
ANM05.008.26.025AB	UL20549	300V	26X25AWG	11/0.14	11.9	207.77	111 Ω /km
ANM05.008.27.025AB	UL20549	300V	27X25AWG	11/0.14	11.9	208.77	111 Ω /km
ANM05.008.28.025AB	UL20549	300V	28X25AWG	11/0.14	12.2	218.87	111 Ω /km
ANM05.008.29.025AB	UL20549	300V	29X25AWG	11/0.14	12.2	220.07	111 Ω /km
ANM05.008.30.025AB	UL20549	300V	30X25AWG	11/0.14	12.2	221.07	111 Ω /km
ANM05.008.31.025AB	UL20549	300V	31X25AWG	11/0.14	12.6	234.47	111 Ω /km
ANM05.008.32.025AB	UL20549	300V	32X25AWG	11/0.14	12.6	235.67	111 Ω /km
ANM05.008.33.025AB	UL20549	300V	33X25AWG	11/0.14	12.6	236.67	111 Ω /km
ANM05.008.34.025AB	UL20549	300V	34X25AWG	11/0.14	13	250.37	111 Ω /km



ANM05.008.35.025AB	UL20549	300V	35X25AWG	11/0.14	13	251.37	111 Ω /km
ANM05.008.36.025AB	UL20549	300V	36X25AWG	11/0.14	13	252.57	111 Ω /km
ANM05.008.37.025AB	UL20549	300V	37X25AWG	11/0.14	13	253.57	111 Ω /km
ANM05.008.38.025AB	UL20549	300V	38X25AWG	11/0.14	13.6	274.57	111 Ω /km
ANM05.008.39.025AB	UL20549	300V	39X25AWG	11/0.14	13.6	275.67	111 Ω /km
ANM05.008.40.025AB	UL20549	300V	40X25AWG	11/0.14	13.6	276.67	111 Ω /km
ANM05.008.41.025AB	UL20549	300V	41X25AWG	11/0.14	14.5	309.17	111 Ω /km
ANM05.008.42.025AB	UL20549	300V	42X25AWG	11/0.14	14.5	310.17	111 Ω /km
ANM05.008.43.025AB	UL20549	300V	43X25AWG	11/0.14	14.5	311.37	111 Ω /km
ANM05.008.44.025AB	UL20549	300V	44X25AWG	11/0.14	14.5	312.37	111 Ω /km
ANM05.008.45.025AB	UL20549	300V	45X25AWG	11/0.14	14.8	324.37	111 Ω /km
ANM05.008.46.025AB	UL20549	300V	46X25AWG	11/0.14	14.8	325.47	111 Ω /km
ANM05.008.47.025AB	UL20549	300V	47X25AWG	11/0.14	14.8	326.47	111 Ω /km
ANM05.008.48.025AB	UL20549	300V	48X25AWG	11/0.14	14.8	327.57	111 Ω /km
ANM05.008.49.025AB	UL20549	300V	49X25AWG	11/0.14	15.1	339.67	111 Ω /km
ANM05.008.50.025AB	UL20549	300V	50X25AWG	11/0.14	15.1	340.77	111 Ω /km
ANM05.008.51.025AB	UL20549	300V	51X25AWG	11/0.14	15.1	341.77	111 Ω /km
ANM05.008.52.025AB	UL20549	300V	52X25AWG	11/0.14	15.1	342.87	111 Ω /km
ANM05.008.53.025AB	UL20549	300V	53X25AWG	11/0.14	15.5	359.17	111 Ω /km
ANM05.008.54.025AB	UL20549	300V	54X25AWG	11/0.14	15.5	360.17	111 Ω /km
ANM05.008.55.025AB	UL20549	300V	55X25AWG	11/0.14	15.5	361.27	111 Ω /km
ANM05.008.56.025AB	UL20549	300V	56X25AWG	11/0.14	15.5	362.27	111 Ω /km
ANM05.008.57.025AB	UL20549	300V	57X25AWG	11/0.14	15.9	378.97	111 Ω /km
ANM05.008.58.025AB	UL20549	300V	58X25AWG	11/0.14	15.9	379.97	111 Ω /km
ANM05.008.59.025AB	UL20549	300V	59X25AWG	11/0.14	15.9	381.07	111 Ω /km
ANM05.008.60.025AB	UL20549	300V	60X25AWG	11/0.14	15.9	382.07	111 Ω /km
ANM05.008.61.025AB	UL20549	300V	61X25AWG	11/0.14	15.9	383.07	111 Ω /km
ANM05.008.62.025AB	UL20549	300V	62X25AWG	11/0.14	16.4	404.27	111 Ω /km
ANM05.008.63.025AB	UL20549	300V	63X25AWG	11/0.14	16.4	405.27	111 Ω /km
ANM05.008.64.025AB	UL20549	300V	64X25AWG	11/0.14	16.4	406.37	111 Ω /km
ANM05.008.65.025AB	UL20549	300V	65X25AWG	11/0.14	16.4	407.37	111 Ω /km
ANM05.008.02.024AB	UL20549	300V	2X24AWG	14/0.14	5	36.71	87.6 Ω /km
ANM05.008.03.024AB	UL20549	300V	3X24AWG	14/0.14	5.3	42.21	87.6 Ω /km
ANM05.008.04.024AB	UL20549	300V	4X24AWG	14/0.14	5.6	47.91	87.6 Ω /km
ANM05.008.05.024AB	UL20549	300V	5X24AWG	14/0.14	6	55.31	87.6 Ω /km
ANM05.008.06.024AB	UL20549	300V	6X24AWG	14/0.14	6.4	63.41	87.6 Ω /km
ANM05.008.07.024AB	UL20549	300V	7X24AWG	14/0.14	6.4	64.91	87.6 Ω /km
ANM05.008.08.024AB	UL20549	300V	8X24AWG	14/0.14	6.9	74.71	87.6 Ω /km
ANM05.008.09.024AB	UL20549	300V	9X24AWG	14/0.14	7.4	85.51	87.6 Ω /km
ANM05.008.10.024AB	UL20549	300V	10X24AWG	14/0.14	7.8	94.71	87.6 Ω /km
ANM05.008.11.024AB	UL20549	300V	11X24AWG	14/0.14	8.1	102.21	87.6 Ω /km
ANM05.008.12.024AB	UL20549	300V	12X24AWG	14/0.14	8.1	103.71	87.6 Ω /km



ANM05.008.13.024AB	UL20549	300V	13X24AWG	14/0.14	8.4	111.51	87.6Ω/km
ANM05.008.14.024AB	UL20549	300V	14X24AWG	14/0.14	8.4	112.91	87.6Ω/km
ANM05.008.15.024AB	UL20549	300V	15X24AWG	14/0.14	8.8	123.11	87.6Ω/km
ANM05.008.16.024AB	UL20549	300V	16X24AWG	14/0.14	8.8	124.51	87.6Ω/km
ANM05.008.17.024AB	UL20549	300V	17X24AWG	14/0.14	9.2	135.11	87.6Ω/km
ANM05.008.18.024AB	UL20549	300V	18X24AWG	14/0.14	9.2	136.61	87.6Ω/km
ANM05.008.19.024AB	UL20549	300V	19X24AWG	14/0.14	9.2	138.01	87.6Ω/km
ANM05.008.20.024AB	UL20549	300V	20X24AWG	14/0.14	9.5	146.61	87.6Ω/km
ANM05.008.21.024AB	UL20549	300V	21X24AWG	14/0.14	9.7	152.91	87.6Ω/km
ANM05.008.22.024AB	UL20549	300V	22X24AWG	14/0.14	10.2	166.91	87.6Ω/km
ANM05.008.23.024AB	UL20549	300V	23X24AWG	14/0.14	11.6	205.11	87.6Ω/km
ANM05.008.24.024AB	UL20549	300V	24X24AWG	14/0.14	11.6	206.61	87.6Ω/km
ANM05.008.25.024AB	UL20549	300V	25X24AWG	14/0.14	11.9	216.91	87.6Ω/km
ANM05.008.26.024AB	UL20549	300V	26X24AWG	14/0.14	11.9	218.31	87.6Ω/km
ANM05.008.27.024AB	UL20549	300V	27X24AWG	14/0.14	11.9	219.81	87.6Ω/km
ANM05.008.28.024AB	UL20549	300V	28X24AWG	14/0.14	12.2	230.31	87.6Ω/km
ANM05.008.29.024AB	UL20549	300V	29X24AWG	14/0.14	12.2	231.81	87.6Ω/km
ANM05.008.30.024AB	UL20549	300V	30X24AWG	14/0.14	12.2	233.31	87.6Ω/km
ANM05.008.31.024AB	UL20549	300V	31X24AWG	14/0.14	12.6	247.11	87.6Ω/km
ANM05.008.32.024AB	UL20549	300V	32X24AWG	14/0.14	12.6	248.61	87.6Ω/km
ANM05.008.33.024AB	UL20549	300V	33X24AWG	14/0.14	12.6	250.11	87.6Ω/km
ANM05.008.34.024AB	UL20549	300V	34X24AWG	14/0.14	13	264.21	87.6Ω/km
ANM05.008.35.024AB	UL20549	300V	35X24AWG	14/0.14	13	265.61	87.6Ω/km
ANM05.008.36.024AB	UL20549	300V	36X24AWG	14/0.14	13	267.21	87.6Ω/km
ANM05.008.37.024AB	UL20549	300V	37X24AWG	14/0.14	13	268.61	87.6Ω/km
ANM05.008.38.024AB	UL20549	300V	38X24AWG	14/0.14	13.6	290.01	87.6Ω/km
ANM05.008.39.024AB	UL20549	300V	39X24AWG	14/0.14	13.6	291.51	87.6Ω/km
ANM05.008.40.024AB	UL20549	300V	40X24AWG	14/0.14	13.6	292.91	87.6Ω/km
ANM05.008.41.024AB	UL20549	300V	41X24AWG	14/0.14	14.5	325.81	87.6Ω/km
ANM05.008.42.024AB	UL20549	300V	42X24AWG	14/0.14	14.5	327.31	87.6Ω/km
ANM05.008.43.024AB	UL20549	300V	43X24AWG	14/0.14	14.5	328.81	87.6Ω/km
ANM05.008.44.024AB	UL20549	300V	44X24AWG	14/0.14	14.5	330.21	87.6Ω/km
ANM05.008.45.024AB	UL20549	300V	45X24AWG	14/0.14	14.8	342.71	87.6Ω/km
ANM05.008.46.024AB	UL20549	300V	46X24AWG	14/0.14	14.8	344.11	87.6Ω/km
ANM05.008.47.024AB	UL20549	300V	47X24AWG	14/0.14	14.8	345.51	87.6Ω/km
ANM05.008.48.024AB	UL20549	300V	48X24AWG	14/0.14	14.8	347.11	87.6Ω/km
ANM05.008.49.024AB	UL20549	300V	49X24AWG	14/0.14	15.1	359.61	87.6Ω/km
ANM05.008.50.024AB	UL20549	300V	50X24AWG	14/0.14	15.1	361.01	87.6Ω/km
ANM05.008.51.024AB	UL20549	300V	51X24AWG	14/0.14	15.1	362.51	87.6Ω/km
ANM05.008.52.024AB	UL20549	300V	52X24AWG	14/0.14	15.1	364.01	87.6Ω/km
ANM05.008.53.024AB	UL20549	300V	53X24AWG	14/0.14	15.5	380.71	87.6Ω/km
ANM05.008.54.024AB	UL20549	300V	54X24AWG	14/0.14	15.5	382.11	87.6Ω/km



ANM05.008.55.024AB	UL20549	300V	55X24AWG	14/0.14	15.5	383.61	87.6Ω/km
ANM05.008.56.024AB	UL20549	300V	56X24AWG	14/0.14	15.5	385.11	87.6Ω/km
ANM05.008.57.024AB	UL20549	300V	57X24AWG	14/0.14	15.9	402.11	87.6Ω/km
ANM05.008.58.024AB	UL20549	300V	58X24AWG	14/0.14	15.9	403.51	87.6Ω/km
ANM05.008.59.024AB	UL20549	300V	59X24AWG	14/0.14	15.9	405.11	87.6Ω/km
ANM05.008.60.024AB	UL20549	300V	60X24AWG	14/0.14	15.9	406.51	87.6Ω/km
ANM05.008.61.024AB	UL20549	300V	61X24AWG	14/0.14	15.9	407.81	87.6Ω/km
ANM05.008.62.024AB	UL20549	300V	62X24AWG	14/0.14	16.4	429.51	87.6Ω/km
ANM05.008.63.024AB	UL20549	300V	63X24AWG	14/0.14	16.4	430.91	87.6Ω/km
ANM05.008.64.024AB	UL20549	300V	64X24AWG	14/0.14	16.4	432.31	87.6Ω/km
ANM05.008.65.024AB	UL20549	300V	65X24AWG	14/0.14	16.4	433.81	87.6Ω/km
ANM05.008.02.023AB	UL20549	300V	2X23AWG	17/0.14	5.2	40.16	69.2Ω/km
ANM05.008.03.023AB	UL20549	300V	3X23AWG	17/0.14	5.5	46.16	69.2Ω/km
ANM05.008.04.023AB	UL20549	300V	4X23AWG	17/0.14	5.9	53.96	69.2Ω/km
ANM05.008.05.023AB	UL20549	300V	5X23AWG	17/0.14	6.3	62.06	69.2Ω/km
ANM05.008.06.023AB	UL20549	300V	6X23AWG	17/0.14	6.7	70.46	69.2Ω/km
ANM05.008.07.023AB	UL20549	300V	7X23AWG	17/0.14	6.7	72.26	69.2Ω/km
ANM05.008.08.023AB	UL20549	300V	8X23AWG	17/0.14	7.2	83.06	69.2Ω/km
ANM05.008.09.023AB	UL20549	300V	9X23AWG	17/0.14	7.8	96.36	69.2Ω/km
ANM05.008.10.023AB	UL20549	300V	10X23AWG	17/0.14	8.2	106.36	69.2Ω/km
ANM05.008.11.023AB	UL20549	300V	11X23AWG	17/0.14	8.5	114.56	69.2Ω/km
ANM05.008.12.023AB	UL20549	300V	12X23AWG	17/0.14	8.5	116.46	69.2Ω/km
ANM05.008.13.023AB	UL20549	300V	13X23AWG	17/0.14	8.9	126.96	69.2Ω/km
ANM05.008.14.023AB	UL20549	300V	14X23AWG	17/0.14	8.9	128.76	69.2Ω/km
ANM05.008.15.023AB	UL20549	300V	15X23AWG	17/0.14	9.3	139.86	69.2Ω/km
ANM05.008.16.023AB	UL20549	300V	16X23AWG	17/0.14	9.3	141.66	69.2Ω/km
ANM05.008.17.023AB	UL20549	300V	17X23AWG	17/0.14	9.7	153.06	69.2Ω/km
ANM05.008.18.023AB	UL20549	300V	18X23AWG	17/0.14	9.7	154.86	69.2Ω/km
ANM05.008.19.023AB	UL20549	300V	19X23AWG	17/0.14	9.7	156.76	69.2Ω/km
ANM05.008.20.023AB	UL20549	300V	20X23AWG	17/0.14	10	165.86	69.2Ω/km
ANM05.008.21.023AB	UL20549	300V	21X23AWG	17/0.14	10.2	172.86	69.2Ω/km
ANM05.008.22.023AB	UL20549	300V	22X23AWG	17/0.14	11.8	217.26	69.2Ω/km
ANM05.008.23.023AB	UL20549	300V	23X23AWG	17/0.14	12.2	231.06	69.2Ω/km
ANM05.008.24.023AB	UL20549	300V	24X23AWG	17/0.14	12.2	232.96	69.2Ω/km
ANM05.008.25.023AB	UL20549	300V	25X23AWG	17/0.14	12.5	244.06	69.2Ω/km
ANM05.008.26.023AB	UL20549	300V	26X23AWG	17/0.14	12.5	245.86	69.2Ω/km
ANM05.008.27.023AB	UL20549	300V	27X23AWG	17/0.14	12.5	247.56	69.2Ω/km
ANM05.008.28.023AB	UL20549	300V	28X23AWG	17/0.14	12.9	262.16	69.2Ω/km
ANM05.008.29.023AB	UL20549	300V	29X23AWG	17/0.14	12.9	263.96	69.2Ω/km
ANM05.008.30.023AB	UL20549	300V	30X23AWG	17/0.14	12.9	265.86	69.2Ω/km
ANM05.008.31.023AB	UL20549	300V	31X23AWG	17/0.14	13.4	283.96	69.2Ω/km
ANM05.008.32.023AB	UL20549	300V	32X23AWG	17/0.14	13.4	285.76	69.2Ω/km



ANM05.008.33.023AB	UL20549	300V	33X23AWG	17/0.14	13.4	287.56	69.2Ω/km
ANM05.008.34.023AB	UL20549	300V	34X23AWG	17/0.14	13.8	302.86	69.2Ω/km
ANM05.008.35.023AB	UL20549	300V	35X23AWG	17/0.14	13.8	304.76	69.2Ω/km
ANM05.008.36.023AB	UL20549	300V	36X23AWG	17/0.14	13.8	306.56	69.2Ω/km
ANM05.008.37.023AB	UL20549	300V	37X23AWG	17/0.14	13.8	308.36	69.2Ω/km
ANM05.008.38.023AB	UL20549	300V	38X23AWG	17/0.14	14.3	327.66	69.2Ω/km
ANM05.008.39.023AB	UL20549	300V	39X23AWG	17/0.14	14.3	329.36	69.2Ω/km
ANM05.008.40.023AB	UL20549	300V	40X23AWG	17/0.14	14.3	331.16	69.2Ω/km
ANM05.008.41.023AB	UL20549	300V	41X23AWG	17/0.14	15.3	369.76	69.2Ω/km
ANM05.008.42.023AB	UL20549	300V	42X23AWG	17/0.14	15.3	371.56	69.2Ω/km
ANM05.008.43.023AB	UL20549	300V	43X23AWG	17/0.14	15.3	373.36	69.2Ω/km
ANM05.008.44.023AB	UL20549	300V	44X23AWG	17/0.14	15.3	375.26	69.2Ω/km
ANM05.008.45.023AB	UL20549	300V	45X23AWG	17/0.14	15.6	388.56	69.2Ω/km
ANM05.008.46.023AB	UL20549	300V	46X23AWG	17/0.14	15.6	390.26	69.2Ω/km
ANM05.008.47.023AB	UL20549	300V	47X23AWG	17/0.14	15.6	392.16	69.2Ω/km
ANM05.008.48.023AB	UL20549	300V	48X23AWG	17/0.14	15.6	393.86	69.2Ω/km
ANM05.008.49.023AB	UL20549	300V	49X23AWG	17/0.14	16	411.46	69.2Ω/km
ANM05.008.50.023AB	UL20549	300V	50X23AWG	17/0.14	16	413.26	69.2Ω/km
ANM05.008.51.023AB	UL20549	300V	51X23AWG	17/0.14	16	415.16	69.2Ω/km
ANM05.008.52.023AB	UL20549	300V	52X23AWG	17/0.14	16	416.76	69.2Ω/km
ANM05.008.53.023AB	UL20549	300V	53X23AWG	17/0.14	16.4	434.86	69.2Ω/km
ANM05.008.54.023AB	UL20549	300V	54X23AWG	17/0.14	16.4	436.66	69.2Ω/km
ANM05.008.55.023AB	UL20549	300V	55X23AWG	17/0.14	16.4	438.46	69.2Ω/km
ANM05.008.56.023AB	UL20549	300V	56X23AWG	17/0.14	16.4	440.26	69.2Ω/km
ANM05.008.57.023AB	UL20549	300V	57X23AWG	17/0.14	16.8	458.46	69.2Ω/km
ANM05.008.58.023AB	UL20549	300V	58X23AWG	17/0.14	16.8	460.26	69.2Ω/km
ANM05.008.59.023AB	UL20549	300V	59X23AWG	17/0.14	16.8	461.96	69.2Ω/km
ANM05.008.60.023AB	UL20549	300V	60X23AWG	17/0.14	16.8	463.86	69.2Ω/km
ANM05.008.61.023AB	UL20549	300V	61X23AWG	17/0.14	16.8	465.66	69.2Ω/km
ANM05.008.62.023AB	UL20549	300V	62X23AWG	17/0.14	17.3	488.66	69.2Ω/km
ANM05.008.63.023AB	UL20549	300V	63X23AWG	17/0.14	17.3	490.46	69.2Ω/km
ANM05.008.64.023AB	UL20549	300V	64X23AWG	17/0.14	17.3	492.26	69.2Ω/km
ANM05.008.65.023AB	UL20549	300V	65X23AWG	17/0.14	17.3	494.06	69.2Ω/km
ANM05.008.02.022AB	UL20549	300V	2X22AWG	22/0.14	5.4	43.83	55.4Ω/km
ANM05.008.03.022AB	UL20549	300V	3X22AWG	22/0.14	5.7	50.43	55.4Ω/km
ANM05.008.04.022AB	UL20549	300V	4X22AWG	22/0.14	6.1	58.83	55.4Ω/km
ANM05.008.05.022AB	UL20549	300V	5X22AWG	22/0.14	6.6	69.23	55.4Ω/km
ANM05.008.06.022AB	UL20549	300V	6X22AWG	22/0.14	7	78.43	55.4Ω/km
ANM05.008.07.022AB	UL20549	300V	7X22AWG	22/0.14	7	80.63	55.4Ω/km
ANM05.008.08.022AB	UL20549	300V	8X22AWG	22/0.14	7.5	92.23	55.4Ω/km
ANM05.008.09.022AB	UL20549	300V	9X22AWG	22/0.14	8.2	108.53	55.4Ω/km
ANM05.008.10.022AB	UL20549	300V	10X22AWG	22/0.14	8.6	119.23	55.4Ω/km



ANM05.008.11.022AB	UL20549	300V	11X22AWG	22/0.14	8.9	128.23	55.4Ω/km
ANM05.008.12.022AB	UL20549	300V	12X22AWG	22/0.14	8.9	130.33	55.4Ω/km
ANM05.008.13.022AB	UL20549	300V	13X22AWG	22/0.14	9.3	141.93	55.4Ω/km
ANM05.008.14.022AB	UL20549	300V	14X22AWG	22/0.14	9.3	144.13	55.4Ω/km
ANM05.008.15.022AB	UL20549	300V	15X22AWG	22/0.14	9.8	158.43	55.4Ω/km
ANM05.008.16.022AB	UL20549	300V	16X22AWG	22/0.14	9.8	160.63	55.4Ω/km
ANM05.008.17.022AB	UL20549	300V	17X22AWG	22/0.14	10.2	172.93	55.4Ω/km
ANM05.008.18.022AB	UL20549	300V	18X22AWG	22/0.14	10.2	175.23	55.4Ω/km
ANM05.008.19.022AB	UL20549	300V	19X22AWG	22/0.14	10.2	177.43	55.4Ω/km
ANM05.008.20.022AB	UL20549	300V	20X22AWG	22/0.14	11.5	213.53	55.4Ω/km
ANM05.008.21.022AB	UL20549	300V	21X22AWG	22/0.14	11.7	221.53	55.4Ω/km
ANM05.008.22.022AB	UL20549	300V	22X22AWG	22/0.14	12.4	244.93	55.4Ω/km
ANM05.008.23.022AB	UL20549	300V	23X22AWG	22/0.14	12.8	259.83	55.4Ω/km
ANM05.008.24.022AB	UL20549	300V	24X22AWG	22/0.14	12.8	261.93	55.4Ω/km
ANM05.008.25.022AB	UL20549	300V	25X22AWG	22/0.14	13.1	273.93	55.4Ω/km
ANM05.008.26.022AB	UL20549	300V	26X22AWG	22/0.14	13.1	276.13	55.4Ω/km
ANM05.008.27.022AB	UL20549	300V	27X22AWG	22/0.14	13.1	278.33	55.4Ω/km
ANM05.008.28.022AB	UL20549	300V	28X22AWG	22/0.14	13.6	297.23	55.4Ω/km
ANM05.008.29.022AB	UL20549	300V	29X22AWG	22/0.14	13.6	299.53	55.4Ω/km
ANM05.008.30.022AB	UL20549	300V	30X22AWG	22/0.14	13.6	301.73	55.4Ω/km
ANM05.008.31.022AB	UL20549	300V	31X22AWG	22/0.14	14.1	321.23	55.4Ω/km
ANM05.008.32.022AB	UL20549	300V	32X22AWG	22/0.14	14.1	323.53	55.4Ω/km
ANM05.008.33.022AB	UL20549	300V	33X22AWG	22/0.14	14.1	325.73	55.4Ω/km
ANM05.008.34.022AB	UL20549	300V	34X22AWG	22/0.14	14.5	342.23	55.4Ω/km
ANM05.008.35.022AB	UL20549	300V	35X22AWG	22/0.14	14.5	344.33	55.4Ω/km
ANM05.008.36.022AB	UL20549	300V	36X22AWG	22/0.14	14.5	346.63	55.4Ω/km
ANM05.008.37.022AB	UL20549	300V	37X22AWG	22/0.14	14.5	348.83	55.4Ω/km
ANM05.008.38.022AB	UL20549	300V	38X22AWG	22/0.14	15	369.53	55.4Ω/km
ANM05.008.39.022AB	UL20549	300V	39X22AWG	22/0.14	15	371.73	55.4Ω/km
ANM05.008.40.022AB	UL20549	300V	40X22AWG	22/0.14	15	373.93	55.4Ω/km
ANM05.008.41.022AB	UL20549	300V	41X22AWG	22/0.14	16.1	418.73	55.4Ω/km
ANM05.008.42.022AB	UL20549	300V	42X22AWG	22/0.14	16.1	420.93	55.4Ω/km
ANM05.008.43.022AB	UL20549	300V	43X22AWG	22/0.14	16.1	423.13	55.4Ω/km
ANM05.008.44.022AB	UL20549	300V	44X22AWG	22/0.14	16.1	425.33	55.4Ω/km
ANM05.008.45.022AB	UL20549	300V	45X22AWG	22/0.14	16.4	439.73	55.4Ω/km
ANM05.008.46.022AB	UL20549	300V	46X22AWG	22/0.14	16.4	442.03	55.4Ω/km
ANM05.008.47.022AB	UL20549	300V	47X22AWG	22/0.14	16.4	444.13	55.4Ω/km
ANM05.008.48.022AB	UL20549	300V	48X22AWG	22/0.14	16.4	446.43	55.4Ω/km
ANM05.008.49.022AB	UL20549	300V	49X22AWG	22/0.14	16.8	465.03	55.4Ω/km
ANM05.008.50.022AB	UL20549	300V	50X22AWG	22/0.14	16.8	467.33	55.4Ω/km
ANM05.008.51.022AB	UL20549	300V	51X22AWG	22/0.14	16.8	469.43	55.4Ω/km
ANM05.008.52.022AB	UL20549	300V	52X22AWG	22/0.14	16.8	471.73	55.4Ω/km



ANM05.008.53.022AB	UL20549	300V	53X22AWG	22/0.14	17.3	495.23	55.4Ω/km
ANM05.008.54.022AB	UL20549	300V	54X22AWG	22/0.14	17.3	497.33	55.4Ω/km
ANM05.008.55.022AB	UL20549	300V	55X22AWG	22/0.14	17.3	499.63	55.4Ω/km
ANM05.008.56.022AB	UL20549	300V	56X22AWG	22/0.14	17.3	501.83	55.4Ω/km
ANM05.008.57.022AB	UL20549	300V	57X22AWG	22/0.14	17.7	521.43	55.4Ω/km
ANM05.008.58.022AB	UL20549	300V	58X22AWG	22/0.14	17.7	523.53	55.4Ω/km
ANM05.008.59.022AB	UL20549	300V	59X22AWG	22/0.14	17.7	525.83	55.4Ω/km
ANM05.008.60.022AB	UL20549	300V	60X22AWG	22/0.14	17.7	528.03	55.4Ω/km
ANM05.008.61.022AB	UL20549	300V	61X22AWG	22/0.14	17.7	530.33	55.4Ω/km
ANM05.008.62.022AB	UL20549	300V	62X22AWG	22/0.14	18.2	554.73	55.4Ω/km
ANM05.008.63.022AB	UL20549	300V	63X22AWG	22/0.14	18.2	556.93	55.4Ω/km
ANM05.008.64.022AB	UL20549	300V	64X22AWG	22/0.14	18.2	559.23	55.4Ω/km
ANM05.008.65.022AB	UL20549	300V	65X22AWG	22/0.14	18.2	561.43	55.4Ω/km
ANM05.008.02.021AB	UL20549	300V	2X21AWG	27/0.14	5.6	48.02	43.6Ω/km
ANM05.008.03.021AB	UL20549	300V	3X21AWG	27/0.14	5.9	55.42	43.6Ω/km
ANM05.008.04.021AB	UL20549	300V	4X21AWG	27/0.14	6.4	66.32	43.6Ω/km
ANM05.008.05.021AB	UL20549	300V	5X21AWG	27/0.14	6.8	75.92	43.6Ω/km
ANM05.008.06.021AB	UL20549	300V	6X21AWG	27/0.14	7.3	87.82	43.6Ω/km
ANM05.008.07.021AB	UL20549	300V	7X21AWG	27/0.14	7.3	90.72	43.6Ω/km
ANM05.008.08.021AB	UL20549	300V	8X21AWG	27/0.14	7.9	105.12	43.6Ω/km
ANM05.008.09.021AB	UL20549	300V	9X21AWG	27/0.14	8.5	120.52	43.6Ω/km
ANM05.008.10.021AB	UL20549	300V	10X21AWG	27/0.14	9	134.52	43.6Ω/km
ANM05.008.11.021AB	UL20549	300V	11X21AWG	27/0.14	9.3	144.32	43.6Ω/km
ANM05.008.12.021AB	UL20549	300V	12X21AWG	27/0.14	9.3	147.22	43.6Ω/km
ANM05.008.13.021AB	UL20549	300V	13X21AWG	27/0.14	9.8	162.12	43.6Ω/km
ANM05.008.14.021AB	UL20549	300V	14X21AWG	27/0.14	9.8	164.92	43.6Ω/km
ANM05.008.15.021AB	UL20549	300V	15X21AWG	27/0.14	10.2	177.92	43.6Ω/km
ANM05.008.16.021AB	UL20549	300V	16X21AWG	27/0.14	10.2	180.72	43.6Ω/km
ANM05.008.17.021AB	UL20549	300V	17X21AWG	27/0.14	11.7	223.22	43.6Ω/km
ANM05.008.18.021AB	UL20549	300V	18X21AWG	27/0.14	11.7	226.12	43.6Ω/km
ANM05.008.19.021AB	UL20549	300V	19X21AWG	27/0.14	11.7	229.02	43.6Ω/km
ANM05.008.20.021AB	UL20549	300V	20X21AWG	27/0.14	12	240.72	43.6Ω/km
ANM05.008.21.021AB	UL20549	300V	21X21AWG	27/0.14	12.3	252.82	43.6Ω/km
ANM05.008.22.021AB	UL20549	300V	22X21AWG	27/0.14	12.9	274.52	43.6Ω/km
ANM05.008.23.021AB	UL20549	300V	23X21AWG	27/0.14	13.5	297.02	43.6Ω/km
ANM05.008.24.021AB	UL20549	300V	24X21AWG	27/0.14	13.5	299.92	43.6Ω/km
ANM05.008.25.021AB	UL20549	300V	25X21AWG	27/0.14	13.8	312.92	43.6Ω/km
ANM05.008.26.021AB	UL20549	300V	26X21AWG	27/0.14	13.8	315.82	43.6Ω/km
ANM05.008.27.021AB	UL20549	300V	27X21AWG	27/0.14	13.8	318.72	43.6Ω/km
ANM05.008.28.021AB	UL20549	300V	28X21AWG	27/0.14	14.3	339.02	43.6Ω/km
ANM05.008.29.021AB	UL20549	300V	29X21AWG	27/0.14	14.3	341.92	43.6Ω/km
ANM05.008.30.021AB	UL20549	300V	30X21AWG	27/0.14	14.3	344.82	43.6Ω/km



ANM05.008.31.021AB	UL20549	300V	31X21AWG	27/0.14	14.7	362.02	43.6Ω/km
ANM05.008.32.021AB	UL20549	300V	32X21AWG	27/0.14	14.7	364.92	43.6Ω/km
ANM05.008.33.021AB	UL20549	300V	33X21AWG	27/0.14	14.7	367.72	43.6Ω/km
ANM05.008.34.021AB	UL20549	300V	34X21AWG	27/0.14	15.2	389.12	43.6Ω/km
ANM05.008.35.021AB	UL20549	300V	35X21AWG	27/0.14	15.2	392.02	43.6Ω/km
ANM05.008.36.021AB	UL20549	300V	36X21AWG	27/0.14	15.2	394.82	43.6Ω/km
ANM05.008.37.021AB	UL20549	300V	37X21AWG	27/0.14	15.2	397.72	43.6Ω/km
ANM05.008.38.021AB	UL20549	300V	38X21AWG	27/0.14	15.8	423.72	43.6Ω/km
ANM05.008.39.021AB	UL20549	300V	39X21AWG	27/0.14	15.8	426.52	43.6Ω/km
ANM05.008.40.021AB	UL20549	300V	40X21AWG	27/0.14	15.8	429.42	43.6Ω/km
ANM05.008.41.021AB	UL20549	300V	41X21AWG	27/0.14	16.9	476.82	43.6Ω/km
ANM05.008.42.021AB	UL20549	300V	42X21AWG	27/0.14	16.9	479.62	43.6Ω/km
ANM05.008.43.021AB	UL20549	300V	43X21AWG	27/0.14	16.9	482.52	43.6Ω/km
ANM05.008.44.021AB	UL20549	300V	44X21AWG	27/0.14	16.9	485.32	43.6Ω/km
ANM05.008.45.021AB	UL20549	300V	45X21AWG	27/0.14	17.2	500.92	43.6Ω/km
ANM05.008.46.021AB	UL20549	300V	46X21AWG	27/0.14	17.2	503.72	43.6Ω/km
ANM05.008.47.021AB	UL20549	300V	47X21AWG	27/0.14	17.2	506.52	43.6Ω/km
ANM05.008.48.021AB	UL20549	300V	48X21AWG	27/0.14	17.2	509.52	43.6Ω/km
ANM05.008.49.021AB	UL20549	300V	49X21AWG	27/0.14	17.7	534.02	43.6Ω/km
ANM05.008.50.021AB	UL20549	300V	50X21AWG	27/0.14	17.7	536.82	43.6Ω/km
ANM05.008.51.021AB	UL20549	300V	51X21AWG	27/0.14	17.7	539.72	43.6Ω/km
ANM05.008.52.021AB	UL20549	300V	52X21AWG	27/0.14	17.7	542.62	43.6Ω/km
ANM05.008.53.021AB	UL20549	300V	53X21AWG	27/0.14	18.1	563.12	43.6Ω/km
ANM05.008.54.021AB	UL20549	300V	54X21AWG	27/0.14	18.1	565.92	43.6Ω/km
ANM05.008.55.021AB	UL20549	300V	55X21AWG	27/0.14	18.1	568.72	43.6Ω/km
ANM05.008.56.021AB	UL20549	300V	56X21AWG	27/0.14	18.1	571.62	43.6Ω/km
ANM05.008.57.021AB	UL20549	300V	57X21AWG	27/0.14	18.6	597.32	43.6Ω/km
ANM05.008.58.021AB	UL20549	300V	58X21AWG	27/0.14	18.6	600.12	43.6Ω/km
ANM05.008.59.021AB	UL20549	300V	59X21AWG	27/0.14	18.6	603.02	43.6Ω/km
ANM05.008.60.021AB	UL20549	300V	60X21AWG	27/0.14	18.6	605.92	43.6Ω/km
ANM05.008.61.021AB	UL20549	300V	61X21AWG	27/0.14	18.6	608.62	43.6Ω/km
ANM05.008.62.021AB	UL20549	300V	62X21AWG	27/0.14	19.2	639.62	43.6Ω/km
ANM05.008.63.021AB	UL20549	300V	63X21AWG	27/0.14	19.2	642.52	43.6Ω/km
ANM05.008.64.021AB	UL20549	300V	64X21AWG	27/0.14	19.2	645.32	43.6Ω/km
ANM05.008.65.021AB	UL20549	300V	65X21AWG	27/0.14	19.2	648.22	43.6Ω/km
ANM05.008.02.020AB	UL20549	300V	2X20AWG	34/0.14	5.8	52.72	34.6Ω/km
ANM05.008.03.020AB	UL20549	300V	3X20AWG	34/0.14	6.1	60.92	34.6Ω/km
ANM05.008.04.020AB	UL20549	300V	4X20AWG	34/0.14	6.6	72.82	34.6Ω/km
ANM05.008.05.020AB	UL20549	300V	5X20AWG	34/0.14	7.1	85.22	34.6Ω/km
ANM05.008.06.020AB	UL20549	300V	6X20AWG	34/0.14	7.6	98.22	34.6Ω/km
ANM05.008.07.020AB	UL20549	300V	7X20AWG	34/0.14	7.6	101.72	34.6Ω/km
ANM05.008.08.020AB	UL20549	300V	8X20AWG	34/0.14	8.2	117.62	34.6Ω/km



ANM05.008.09.020AB	UL20549	300V	9X20AWG	34/0.14	8.9	136.42	34.6Ω/km
ANM05.008.10.020AB	UL20549	300V	10X20AWG	34/0.14	9.4	151.72	34.6Ω/km
ANM05.008.11.020AB	UL20549	300V	11X20AWG	34/0.14	9.7	162.52	34.6Ω/km
ANM05.008.12.020AB	UL20549	300V	12X20AWG	34/0.14	9.7	166.12	34.6Ω/km
ANM05.008.13.020AB	UL20549	300V	13X20AWG	34/0.14	10.2	182.32	34.6Ω/km
ANM05.008.14.020AB	UL20549	300V	14X20AWG	34/0.14	10.2	186.02	34.6Ω/km
ANM05.008.15.020AB	UL20549	300V	15X20AWG	34/0.14	11.7	229.22	34.6Ω/km
ANM05.008.16.020AB	UL20549	300V	16X20AWG	34/0.14	11.7	232.92	34.6Ω/km
ANM05.008.17.020AB	UL20549	300V	17X20AWG	34/0.14	12.2	251.62	34.6Ω/km
ANM05.008.18.020AB	UL20549	300V	18X20AWG	34/0.14	12.2	255.22	34.6Ω/km
ANM05.008.19.020AB	UL20549	300V	19X20AWG	34/0.14	12.2	258.92	34.6Ω/km
ANM05.008.20.020AB	UL20549	300V	20X20AWG	34/0.14	12.5	271.72	34.6Ω/km
ANM05.008.21.020AB	UL20549	300V	21X20AWG	34/0.14	12.8	284.82	34.6Ω/km
ANM05.008.22.020AB	UL20549	300V	22X20AWG	34/0.14	13.6	314.72	34.6Ω/km
ANM05.008.23.020AB	UL20549	300V	23X20AWG	34/0.14	14.1	335.72	34.6Ω/km
ANM05.008.24.020AB	UL20549	300V	24X20AWG	34/0.14	14.1	339.32	34.6Ω/km
ANM05.008.25.020AB	UL20549	300V	25X20AWG	34/0.14	14.4	353.62	34.6Ω/km
ANM05.008.26.020AB	UL20549	300V	26X20AWG	34/0.14	14.4	357.12	34.6Ω/km
ANM05.008.27.020AB	UL20549	300V	27X20AWG	34/0.14	14.4	360.72	34.6Ω/km
ANM05.008.28.020AB	UL20549	300V	28X20AWG	34/0.14	14.9	382.52	34.6Ω/km
ANM05.008.29.020AB	UL20549	300V	29X20AWG	34/0.14	14.9	386.22	34.6Ω/km
ANM05.008.30.020AB	UL20549	300V	30X20AWG	34/0.14	14.9	389.82	34.6Ω/km
ANM05.008.31.020AB	UL20549	300V	31X20AWG	34/0.14	15.4	412.32	34.6Ω/km
ANM05.008.32.020AB	UL20549	300V	32X20AWG	34/0.14	15.4	415.92	34.6Ω/km
ANM05.008.33.020AB	UL20549	300V	33X20AWG	34/0.14	15.4	419.62	34.6Ω/km
ANM05.008.34.020AB	UL20549	300V	34X20AWG	34/0.14	15.9	442.72	34.6Ω/km
ANM05.008.35.020AB	UL20549	300V	35X20AWG	34/0.14	15.9	446.32	34.6Ω/km
ANM05.008.36.020AB	UL20549	300V	36X20AWG	34/0.14	15.9	449.92	34.6Ω/km
ANM05.008.37.020AB	UL20549	300V	37X20AWG	34/0.14	15.9	453.52	34.6Ω/km
ANM05.008.38.020AB	UL20549	300V	38X20AWG	34/0.14	16.5	481.32	34.6Ω/km
ANM05.008.39.020AB	UL20549	300V	39X20AWG	34/0.14	16.5	484.82	34.6Ω/km
ANM05.008.40.020AB	UL20549	300V	40X20AWG	34/0.14	16.5	488.52	34.6Ω/km
ANM05.008.41.020AB	UL20549	300V	41X20AWG	34/0.14	17.7	543.02	34.6Ω/km
ANM05.008.42.020AB	UL20549	300V	42X20AWG	34/0.14	17.7	546.72	34.6Ω/km
ANM05.008.43.020AB	UL20549	300V	43X20AWG	34/0.14	17.7	550.32	34.6Ω/km
ANM05.008.44.020AB	UL20549	300V	44X20AWG	34/0.14	17.7	554.02	34.6Ω/km
ANM05.008.45.020AB	UL20549	300V	45X20AWG	34/0.14	18	570.82	34.6Ω/km
ANM05.008.46.020AB	UL20549	300V	46X20AWG	34/0.14	18	574.52	34.6Ω/km
ANM05.008.47.020AB	UL20549	300V	47X20AWG	34/0.14	18	578.12	34.6Ω/km
ANM05.008.48.020AB	UL20549	300V	48X20AWG	34/0.14	18	581.82	34.6Ω/km
ANM05.008.49.020AB	UL20549	300V	49X20AWG	34/0.14	18.5	607.92	34.6Ω/km
ANM05.008.50.020AB	UL20549	300V	50X20AWG	34/0.14	18.5	611.62	34.6Ω/km



ANM05.008.51.020AB	UL20549	300V	51X20AWG	34/0.14	18.5	615.32	34.6Ω/km
ANM05.008.52.020AB	UL20549	300V	52X20AWG	34/0.14	18.5	618.92	34.6Ω/km
ANM05.008.53.020AB	UL20549	300V	53X20AWG	34/0.14	19	645.62	34.6Ω/km
ANM05.008.54.020AB	UL20549	300V	54X20AWG	34/0.14	19	649.12	34.6Ω/km
ANM05.008.55.020AB	UL20549	300V	55X20AWG	34/0.14	19	652.82	34.6Ω/km
ANM05.008.56.020AB	UL20549	300V	56X20AWG	34/0.14	19	656.32	34.6Ω/km
ANM05.008.57.020AB	UL20549	300V	57X20AWG	34/0.14	19.5	683.92	34.6Ω/km
ANM05.008.58.020AB	UL20549	300V	58X20AWG	34/0.14	19.5	687.42	34.6Ω/km
ANM05.008.59.020AB	UL20549	300V	59X20AWG	34/0.14	19.5	691.12	34.6Ω/km
ANM05.008.60.020AB	UL20549	300V	60X20AWG	34/0.14	19.5	694.72	34.6Ω/km
ANM05.008.61.020AB	UL20549	300V	61X20AWG	34/0.14	19.5	698.42	34.6Ω/km
ANM05.008.62.020AB	UL20549	300V	62X20AWG	34/0.14	20.1	731.42	34.6Ω/km
ANM05.008.63.020AB	UL20549	300V	63X20AWG	34/0.14	20.1	735.02	34.6Ω/km
ANM05.008.64.020AB	UL20549	300V	64X20AWG	34/0.14	20.1	738.62	34.6Ω/km
ANM05.008.65.020AB	UL20549	300V	65X20AWG	34/0.14	20.1	742.32	34.6Ω/km
ANM05.008.02.019AB	UL20549	300V	2X19AWG	43/0.14	6	57.86	27.4Ω/km
ANM05.008.03.019AB	UL20549	300V	3X19AWG	43/0.14	6.3	67.26	27.4Ω/km
ANM05.008.04.019AB	UL20549	300V	4X19AWG	43/0.14	6.8	80.46	27.4Ω/km
ANM05.008.05.019AB	UL20549	300V	5X19AWG	43/0.14	7.4	95.96	27.4Ω/km
ANM05.008.06.019AB	UL20549	300V	6X19AWG	43/0.14	7.9	110.36	27.4Ω/km
ANM05.008.07.019AB	UL20549	300V	7X19AWG	43/0.14	7.9	114.86	27.4Ω/km
ANM05.008.08.019AB	UL20549	300V	8X19AWG	43/0.14	8.5	132.16	27.4Ω/km
ANM05.008.09.019AB	UL20549	300V	9X19AWG	43/0.14	9.3	154.76	27.4Ω/km
ANM05.008.10.019AB	UL20549	300V	10X19AWG	43/0.14	9.8	171.56	27.4Ω/km
ANM05.008.11.019AB	UL20549	300V	11X19AWG	43/0.14	10.1	183.66	27.4Ω/km
ANM05.008.12.019AB	UL20549	300V	12X19AWG	43/0.14	10.1	188.36	27.4Ω/km
ANM05.008.13.019AB	UL20549	300V	13X19AWG	43/0.14	11.6	232.16	27.4Ω/km
ANM05.008.14.019AB	UL20549	300V	14X19AWG	43/0.14	11.6	236.86	27.4Ω/km
ANM05.008.15.019AB	UL20549	300V	15X19AWG	43/0.14	12.2	259.36	27.4Ω/km
ANM05.008.16.019AB	UL20549	300V	16X19AWG	43/0.14	12.2	264.06	27.4Ω/km
ANM05.008.17.019AB	UL20549	300V	17X19AWG	43/0.14	12.7	284.16	27.4Ω/km
ANM05.008.18.019AB	UL20549	300V	18X19AWG	43/0.14	12.7	288.86	27.4Ω/km
ANM05.008.19.019AB	UL20549	300V	19X19AWG	43/0.14	12.7	293.46	27.4Ω/km
ANM05.008.20.019AB	UL20549	300V	20X19AWG	43/0.14	13	307.66	27.4Ω/km
ANM05.008.21.019AB	UL20549	300V	21X19AWG	43/0.14	13.4	325.46	27.4Ω/km
ANM05.008.22.019AB	UL20549	300V	22X19AWG	43/0.14	14.2	357.66	27.4Ω/km
ANM05.008.23.019AB	UL20549	300V	23X19AWG	43/0.14	14.7	380.16	27.4Ω/km
ANM05.008.24.019AB	UL20549	300V	24X19AWG	43/0.14	14.7	384.86	27.4Ω/km
ANM05.008.25.019AB	UL20549	300V	25X19AWG	43/0.14	15	400.56	27.4Ω/km
ANM05.008.26.019AB	UL20549	300V	26X19AWG	43/0.14	15	405.26	27.4Ω/km
ANM05.008.27.019AB	UL20549	300V	27X19AWG	43/0.14	15	409.76	27.4Ω/km
ANM05.008.28.019AB	UL20549	300V	28X19AWG	43/0.14	15.5	433.36	27.4Ω/km



ANM05.008.29.019AB	UL20549	300V	29X19AWG	43/0.14	15.5	437.96	27.4Ω/km
ANM05.008.30.019AB	UL20549	300V	30X19AWG	43/0.14	15.5	442.56	27.4Ω/km
ANM05.008.31.019AB	UL20549	300V	31X19AWG	43/0.14	16.1	470.86	27.4Ω/km
ANM05.008.32.019AB	UL20549	300V	32X19AWG	43/0.14	16.1	475.46	27.4Ω/km
ANM05.008.33.019AB	UL20549	300V	33X19AWG	43/0.14	16.1	480.06	27.4Ω/km
ANM05.008.34.019AB	UL20549	300V	34X19AWG	43/0.14	16.6	504.96	27.4Ω/km
ANM05.008.35.019AB	UL20549	300V	35X19AWG	43/0.14	16.6	509.46	27.4Ω/km
ANM05.008.36.019AB	UL20549	300V	36X19AWG	43/0.14	16.6	514.26	27.4Ω/km
ANM05.008.37.019AB	UL20549	300V	37X19AWG	43/0.14	16.6	518.76	27.4Ω/km
ANM05.008.38.019AB	UL20549	300V	38X19AWG	43/0.14	17.2	548.56	27.4Ω/km
ANM05.008.39.019AB	UL20549	300V	39X19AWG	43/0.14	17.2	553.06	27.4Ω/km
ANM05.008.40.019AB	UL20549	300V	40X19AWG	43/0.14	17.2	557.86	27.4Ω/km
ANM05.008.41.019AB	UL20549	300V	41X19AWG	43/0.14	18.5	619.86	27.4Ω/km
ANM05.008.42.019AB	UL20549	300V	42X19AWG	43/0.14	18.5	624.46	27.4Ω/km
ANM05.008.43.019AB	UL20549	300V	43X19AWG	43/0.14	18.5	629.16	27.4Ω/km
ANM05.008.44.019AB	UL20549	300V	44X19AWG	43/0.14	18.5	633.76	27.4Ω/km
ANM05.008.45.019AB	UL20549	300V	45X19AWG	43/0.14	18.8	652.16	27.4Ω/km
ANM05.008.46.019AB	UL20549	300V	46X19AWG	43/0.14	18.8	656.76	27.4Ω/km
ANM05.008.47.019AB	UL20549	300V	47X19AWG	43/0.14	18.8	661.36	27.4Ω/km
ANM05.008.48.019AB	UL20549	300V	48X19AWG	43/0.14	18.8	666.06	27.4Ω/km
ANM05.008.49.019AB	UL20549	300V	49X19AWG	43/0.14	19.3	694.16	27.4Ω/km
ANM05.008.50.019AB	UL20549	300V	50X19AWG	43/0.14	19.3	698.86	27.4Ω/km
ANM05.008.51.019AB	UL20549	300V	51X19AWG	43/0.14	19.3	703.36	27.4Ω/km
ANM05.008.52.019AB	UL20549	300V	52X19AWG	43/0.14	19.3	708.16	27.4Ω/km
ANM05.008.53.019AB	UL20549	300V	53X19AWG	43/0.14	19.9	741.96	27.4Ω/km
ANM05.008.54.019AB	UL20549	300V	54X19AWG	43/0.14	19.9	746.46	27.4Ω/km
ANM05.008.55.019AB	UL20549	300V	55X19AWG	43/0.14	19.9	751.26	27.4Ω/km
ANM05.008.56.019AB	UL20549	300V	56X19AWG	43/0.14	19.9	755.76	27.4Ω/km
ANM05.008.57.019AB	UL20549	300V	57X19AWG	43/0.14	21.4	834.76	27.4Ω/km
ANM05.008.58.019AB	UL20549	300V	58X19AWG	43/0.14	21.4	839.26	27.4Ω/km
ANM05.008.59.019AB	UL20549	300V	59X19AWG	43/0.14	21.4	843.96	27.4Ω/km
ANM05.008.60.019AB	UL20549	300V	60X19AWG	43/0.14	21.4	848.56	27.4Ω/km
ANM05.008.61.019AB	UL20549	300V	61X19AWG	43/0.14	21.4	853.16	27.4Ω/km
ANM05.008.62.019AB	UL20549	300V	62X19AWG	43/0.14	22	889.86	27.4Ω/km
ANM05.008.63.019AB	UL20549	300V	63X19AWG	43/0.14	22	894.56	27.4Ω/km
ANM05.008.64.019AB	UL20549	300V	64X19AWG	43/0.14	22	899.16	27.4Ω/km
ANM05.008.65.019AB	UL20549	300V	65X19AWG	43/0.14	22	903.76	27.4Ω/km
ANM05.008.02.018AB	UL20549	300V	2X18AWG	29/0.19	6.2	63.83	21.8Ω/km
ANM05.008.03.018AB	UL20549	300V	3X18AWG	29/0.19	6.6	76.33	21.8Ω/km
ANM05.008.04.018AB	UL20549	300V	4X18AWG	29/0.19	7.1	91.33	21.8Ω/km
ANM05.008.05.018AB	UL20549	300V	5X18AWG	29/0.19	7.6	106.53	21.8Ω/km
ANM05.008.06.018AB	UL20549	300V	6X18AWG	29/0.19	8.2	124.53	21.8Ω/km



ANM05.008.07.018AB	UL20549	300V	7X18AWG	29/0.19	8.2	130.63	21.8Ω/km
ANM05.008.08.018AB	UL20549	300V	8X18AWG	29/0.19	8.8	149.53	21.8Ω/km
ANM05.008.09.018AB	UL20549	300V	9X18AWG	29/0.19	9.6	174.13	21.8Ω/km
ANM05.008.10.018AB	UL20549	300V	10X18AWG	29/0.19	10.2	195.13	21.8Ω/km
ANM05.008.11.018AB	UL20549	300V	11X18AWG	29/0.19	11.6	237.83	21.8Ω/km
ANM05.008.12.018AB	UL20549	300V	12X18AWG	29/0.19	11.6	243.63	21.8Ω/km
ANM05.008.13.018AB	UL20549	300V	13X18AWG	29/0.19	12.1	264.53	21.8Ω/km
ANM05.008.14.018AB	UL20549	300V	14X18AWG	29/0.19	12.1	270.43	21.8Ω/km
ANM05.008.15.018AB	UL20549	300V	15X18AWG	29/0.19	12.6	291.83	21.8Ω/km
ANM05.008.16.018AB	UL20549	300V	16X18AWG	29/0.19	12.6	297.93	21.8Ω/km
ANM05.008.17.018AB	UL20549	300V	17X18AWG	29/0.19	13.2	323.03	21.8Ω/km
ANM05.008.18.018AB	UL20549	300V	18X18AWG	29/0.19	13.2	329.03	21.8Ω/km
ANM05.008.19.018AB	UL20549	300V	19X18AWG	29/0.19	13.2	335.13	21.8Ω/km
ANM05.008.20.018AB	UL20549	300V	20X18AWG	29/0.19	13.7	357.73	21.8Ω/km
ANM05.008.21.018AB	UL20549	300V	21X18AWG	29/0.19	13.9	370.53	21.8Ω/km
ANM05.008.22.018AB	UL20549	300V	22X18AWG	29/0.19	14.7	405.13	21.8Ω/km
ANM05.008.23.018AB	UL20549	300V	23X18AWG	29/0.19	15.3	433.33	21.8Ω/km
ANM05.008.24.018AB	UL20549	300V	24X18AWG	29/0.19	15.3	439.23	21.8Ω/km
ANM05.008.25.018AB	UL20549	300V	25X18AWG	29/0.19	15.7	460.83	21.8Ω/km
ANM05.008.26.018AB	UL20549	300V	26X18AWG	29/0.19	15.7	466.63	21.8Ω/km
ANM05.008.27.018AB	UL20549	300V	27X18AWG	29/0.19	15.7	472.63	21.8Ω/km
ANM05.008.28.018AB	UL20549	300V	28X18AWG	29/0.19	16.2	498.23	21.8Ω/km
ANM05.008.29.018AB	UL20549	300V	29X18AWG	29/0.19	16.2	504.33	21.8Ω/km
ANM05.008.30.018AB	UL20549	300V	30X18AWG	29/0.19	16.2	510.33	21.8Ω/km
ANM05.008.31.018AB	UL20549	300V	31X18AWG	29/0.19	16.7	536.53	21.8Ω/km
ANM05.008.32.018AB	UL20549	300V	32X18AWG	29/0.19	16.7	542.53	21.8Ω/km
ANM05.008.33.018AB	UL20549	300V	33X18AWG	29/0.19	16.7	548.53	21.8Ω/km
ANM05.008.34.018AB	UL20549	300V	34X18AWG	29/0.19	17.3	579.73	21.8Ω/km
ANM05.008.35.018AB	UL20549	300V	35X18AWG	29/0.19	17.3	585.83	21.8Ω/km
ANM05.008.36.018AB	UL20549	300V	36X18AWG	29/0.19	17.3	591.73	21.8Ω/km
ANM05.008.37.018AB	UL20549	300V	37X18AWG	29/0.19	17.3	597.63	21.8Ω/km
ANM05.008.38.018AB	UL20549	300V	38X18AWG	29/0.19	17.9	629.73	21.8Ω/km
ANM05.008.39.018AB	UL20549	300V	39X18AWG	29/0.19	17.9	635.73	21.8Ω/km
ANM05.008.40.018AB	UL20549	300V	40X18AWG	29/0.19	17.9	641.63	21.8Ω/km
ANM05.008.41.018AB	UL20549	300V	41X18AWG	29/0.19	19.3	711.93	21.8Ω/km
ANM05.008.42.018AB	UL20549	300V	42X18AWG	29/0.19	19.3	717.83	21.8Ω/km
ANM05.008.43.018AB	UL20549	300V	43X18AWG	29/0.19	19.3	723.83	21.8Ω/km
ANM05.008.44.018AB	UL20549	300V	44X18AWG	29/0.19	19.3	729.83	21.8Ω/km
ANM05.008.45.018AB	UL20549	300V	45X18AWG	29/0.19	19.7	755.03	21.8Ω/km
ANM05.008.46.018AB	UL20549	300V	46X18AWG	29/0.19	19.7	760.93	21.8Ω/km
ANM05.008.47.018AB	UL20549	300V	47X18AWG	29/0.19	19.7	767.03	21.8Ω/km
ANM05.008.48.018AB	UL20549	300V	48X18AWG	29/0.19	19.7	772.83	21.8Ω/km



ANM05.008.49.018AB	UL20549	300V	49X18AWG	29/0.19	20.2	803.53	21.8Ω/km
ANM05.008.50.018AB	UL20549	300V	50X18AWG	29/0.19	20.2	809.63	21.8Ω/km
ANM05.008.51.018AB	UL20549	300V	51X18AWG	29/0.19	20.2	815.43	21.8Ω/km
ANM05.008.52.018AB	UL20549	300V	52X18AWG	29/0.19	20.2	821.43	21.8Ω/km
ANM05.008.53.018AB	UL20549	300V	53X18AWG	29/0.19	21.7	902.83	21.8Ω/km
ANM05.008.54.018AB	UL20549	300V	54X18AWG	29/0.19	21.7	908.73	21.8Ω/km
ANM05.008.55.018AB	UL20549	300V	55X18AWG	29/0.19	21.7	914.73	21.8Ω/km
ANM05.008.56.018AB	UL20549	300V	56X18AWG	29/0.19	21.7	920.53	21.8Ω/km
ANM05.008.57.018AB	UL20549	300V	57X18AWG	29/0.19	22.3	959.13	21.8Ω/km
ANM05.008.58.018AB	UL20549	300V	58X18AWG	29/0.19	22.3	965.13	21.8Ω/km
ANM05.008.59.018AB	UL20549	300V	59X18AWG	29/0.19	22.3	971.03	21.8Ω/km
ANM05.008.60.018AB	UL20549	300V	60X18AWG	29/0.19	22.3	977.03	21.8Ω/km
ANM05.008.61.018AB	UL20549	300V	61X18AWG	29/0.19	22.3	983.03	21.8Ω/km
ANM05.008.62.018AB	UL20549	300V	62X18AWG	29/0.19	22.9	1022.23	21.8Ω/km
ANM05.008.63.018AB	UL20549	300V	63X18AWG	29/0.19	22.9	1028.33	21.8Ω/km
ANM05.008.64.018AB	UL20549	300V	64X18AWG	29/0.19	22.9	1034.33	21.8Ω/km
ANM05.008.65.018AB	UL20549	300V	65X18AWG	29/0.19	22.9	1040.13	21.8Ω/km
ANM05.008.02.017AB	UL20549	300V	2X17AWG	37/0.19	6.6	73.54	17.3Ω/km
ANM05.008.03.017AB	UL20549	300V	3X17AWG	37/0.19	7	87.84	17.3Ω/km
ANM05.008.04.017AB	UL20549	300V	4X17AWG	37/0.19	7.6	106.44	17.3Ω/km
ANM05.008.05.017AB	UL20549	300V	5X17AWG	37/0.19	8.2	125.94	17.3Ω/km
ANM05.008.06.017AB	UL20549	300V	6X17AWG	37/0.19	8.8	146.24	17.3Ω/km
ANM05.008.07.017AB	UL20549	300V	7X17AWG	37/0.19	8.8	153.54	17.3Ω/km
ANM05.008.08.017AB	UL20549	300V	8X17AWG	37/0.19	9.5	177.14	17.3Ω/km
ANM05.008.09.017AB	UL20549	300V	9X17AWG	37/0.19	11.4	232.94	17.3Ω/km
ANM05.008.10.017AB	UL20549	300V	10X17AWG	37/0.19	12	258.04	17.3Ω/km
ANM05.008.11.017AB	UL20549	300V	11X17AWG	37/0.19	12.4	277.54	17.3Ω/km
ANM05.008.12.017AB	UL20549	300V	12X17AWG	37/0.19	12.4	284.94	17.3Ω/km
ANM05.008.13.017AB	UL20549	300V	13X17AWG	37/0.19	13	311.24	17.3Ω/km
ANM05.008.14.017AB	UL20549	300V	14X17AWG	37/0.19	13	318.54	17.3Ω/km
ANM05.008.15.017AB	UL20549	300V	15X17AWG	37/0.19	13.7	349.24	17.3Ω/km
ANM05.008.16.017AB	UL20549	300V	16X17AWG	37/0.19	13.7	356.64	17.3Ω/km
ANM05.008.17.017AB	UL20549	300V	17X17AWG	37/0.19	14.3	384.94	17.3Ω/km
ANM05.008.18.017AB	UL20549	300V	18X17AWG	37/0.19	14.3	392.34	17.3Ω/km
ANM05.008.19.017AB	UL20549	300V	19X17AWG	37/0.19	14.3	399.84	17.3Ω/km
ANM05.008.20.017AB	UL20549	300V	20X17AWG	37/0.19	14.7	421.54	17.3Ω/km
ANM05.008.21.017AB	UL20549	300V	21X17AWG	37/0.19	15	440.04	17.3Ω/km
ANM05.008.22.017AB	UL20549	300V	22X17AWG	37/0.19	15.9	481.84	17.3Ω/km
ANM05.008.23.017AB	UL20549	300V	23X17AWG	37/0.19	16.5	513.24	17.3Ω/km
ANM05.008.24.017AB	UL20549	300V	24X17AWG	37/0.19	16.5	520.64	17.3Ω/km
ANM05.008.25.017AB	UL20549	300V	25X17AWG	37/0.19	16.9	544.54	17.3Ω/km
ANM05.008.26.017AB	UL20549	300V	26X17AWG	37/0.19	16.9	551.84	17.3Ω/km



ANM05.008.27.017AB	UL20549	300V	27X17AWG	37/0.19	16.9	559.34	17.3 Ω/km
ANM05.008.28.017AB	UL20549	300V	28X17AWG	37/0.19	17.5	592.34	17.3 Ω/km
ANM05.008.29.017AB	UL20549	300V	29X17AWG	37/0.19	17.5	599.74	17.3 Ω/km
ANM05.008.30.017AB	UL20549	300V	30X17AWG	37/0.19	17.5	607.04	17.3 Ω/km
ANM05.008.31.017AB	UL20549	300V	31X17AWG	37/0.19	18.1	640.84	17.3 Ω/km
ANM05.008.32.017AB	UL20549	300V	32X17AWG	37/0.19	18.1	648.14	17.3 Ω/km
ANM05.008.33.017AB	UL20549	300V	33X17AWG	37/0.19	18.1	655.44	17.3 Ω/km
ANM05.008.34.017AB	UL20549	300V	34X17AWG	37/0.19	18.7	690.14	17.3 Ω/km
ANM05.008.35.017AB	UL20549	300V	35X17AWG	37/0.19	18.7	697.54	17.3 Ω/km
ANM05.008.36.017AB	UL20549	300V	36X17AWG	37/0.19	18.7	704.94	17.3 Ω/km
ANM05.008.37.017AB	UL20549	300V	37X17AWG	37/0.19	18.7	712.44	17.3 Ω/km
ANM05.008.38.017AB	UL20549	300V	38X17AWG	37/0.19	19.4	752.74	17.3 Ω/km
ANM05.008.39.017AB	UL20549	300V	39X17AWG	37/0.19	19.4	760.14	17.3 Ω/km
ANM05.008.40.017AB	UL20549	300V	40X17AWG	37/0.19	19.4	767.44	17.3 Ω/km
ANM05.008.41.017AB	UL20549	300V	41X17AWG	37/0.19	21.9	900.04	17.3 Ω/km
ANM05.008.42.017AB	UL20549	300V	42X17AWG	37/0.19	21.9	907.34	17.3 Ω/km
ANM05.008.43.017AB	UL20549	300V	43X17AWG	37/0.19	21.9	914.74	17.3 Ω/km
ANM05.008.44.017AB	UL20549	300V	44X17AWG	37/0.19	21.9	922.04	17.3 Ω/km
ANM05.008.45.017AB	UL20549	300V	45X17AWG	37/0.19	22.3	951.34	17.3 Ω/km
ANM05.008.46.017AB	UL20549	300V	46X17AWG	37/0.19	22.3	958.74	17.3 Ω/km
ANM05.008.47.017AB	UL20549	300V	47X17AWG	37/0.19	22.3	966.14	17.3 Ω/km
ANM05.008.48.017AB	UL20549	300V	48X17AWG	37/0.19	22.3	973.44	17.3 Ω/km
ANM05.008.49.017AB	UL20549	300V	49X17AWG	37/0.19	22.9	1014.24	17.3 Ω/km
ANM05.008.50.017AB	UL20549	300V	50X17AWG	37/0.19	22.9	1021.54	17.3 Ω/km
ANM05.008.51.017AB	UL20549	300V	51X17AWG	37/0.19	22.9	1028.84	17.3 Ω/km
ANM05.008.52.017AB	UL20549	300V	52X17AWG	37/0.19	22.9	1036.24	17.3 Ω/km
ANM05.008.53.017AB	UL20549	300V	53X17AWG	37/0.19	23.5	1077.84	17.3 Ω/km
ANM05.008.54.017AB	UL20549	300V	54X17AWG	37/0.19	23.5	1085.14	17.3 Ω/km
ANM05.008.55.017AB	UL20549	300V	55X17AWG	37/0.19	23.5	1092.64	17.3 Ω/km
ANM05.008.56.017AB	UL20549	300V	56X17AWG	37/0.19	23.5	1099.94	17.3 Ω/km
ANM05.008.57.017AB	UL20549	300V	57X17AWG	37/0.19	24.1	1142.54	17.3 Ω/km
ANM05.008.58.017AB	UL20549	300V	58X17AWG	37/0.19	24.1	1149.94	17.3 Ω/km
ANM05.008.59.017AB	UL20549	300V	59X17AWG	37/0.19	24.1	1157.24	17.3 Ω/km
ANM05.008.60.017AB	UL20549	300V	60X17AWG	37/0.19	24.1	1164.64	17.3 Ω/km
ANM05.008.61.017AB	UL20549	300V	61X17AWG	37/0.19	24.1	1171.94	17.3 Ω/km
ANM05.008.62.017AB	UL20549	300V	62X17AWG	37/0.19	24.8	1221.44	17.3 Ω/km
ANM05.008.63.017AB	UL20549	300V	63X17AWG	37/0.19	24.8	1228.74	17.3 Ω/km
ANM05.008.64.017AB	UL20549	300V	64X17AWG	37/0.19	24.8	1236.24	17.3 Ω/km
ANM05.008.65.017AB	UL20549	300V	65X17AWG	37/0.19	24.8	1243.54	17.3 Ω/km
ANM05.008.02.016AB	UL20549	300V	2X16AWG	27/0.25	6.8	81.71	13.7 Ω/km
ANM05.008.03.016AB	UL20549	300V	3X16AWG	27/0.25	7.2	98.41	13.7 Ω/km
ANM05.008.04.016AB	UL20549	300V	4X16AWG	27/0.25	7.8	119.51	13.7 Ω/km



ANM05.008.05.016AB	UL20549	300V	5X16AWG	27/0.25	8.5	143.61	13.7Ω/km
ANM05.008.06.016AB	UL20549	300V	6X16AWG	27/0.25	9.1	166.51	13.7Ω/km
ANM05.008.07.016AB	UL20549	300V	7X16AWG	27/0.25	9.1	176.11	13.7Ω/km
ANM05.008.08.016AB	UL20549	300V	8X16AWG	27/0.25	9.8	202.41	13.7Ω/km
ANM05.008.09.016AB	UL20549	300V	9X16AWG	27/0.25	11.8	264.71	13.7Ω/km
ANM05.008.10.016AB	UL20549	300V	10X16AWG	27/0.25	12.4	292.31	13.7Ω/km
ANM05.008.11.016AB	UL20549	300V	11X16AWG	27/0.25	12.8	314.51	13.7Ω/km
ANM05.008.12.016AB	UL20549	300V	12X16AWG	27/0.25	12.8	324.11	13.7Ω/km
ANM05.008.13.016AB	UL20549	300V	13X16AWG	27/0.25	13.5	356.61	13.7Ω/km
ANM05.008.14.016AB	UL20549	300V	14X16AWG	27/0.25	13.5	366.21	13.7Ω/km
ANM05.008.15.016AB	UL20549	300V	15X16AWG	27/0.25	14.2	399.91	13.7Ω/km
ANM05.008.16.016AB	UL20549	300V	16X16AWG	27/0.25	14.2	409.51	13.7Ω/km
ANM05.008.17.016AB	UL20549	300V	17X16AWG	27/0.25	14.8	440.71	13.7Ω/km
ANM05.008.18.016AB	UL20549	300V	18X16AWG	27/0.25	14.8	450.31	13.7Ω/km
ANM05.008.19.016AB	UL20549	300V	19X16AWG	27/0.25	14.8	459.91	13.7Ω/km
ANM05.008.20.016AB	UL20549	300V	20X16AWG	27/0.25	15.2	484.21	13.7Ω/km
ANM05.008.21.016AB	UL20549	300V	21X16AWG	27/0.25	15.5	505.31	13.7Ω/km
ANM05.008.22.016AB	UL20549	300V	22X16AWG	27/0.25	16.5	554.41	13.7Ω/km
ANM05.008.23.016AB	UL20549	300V	23X16AWG	27/0.25	17.1	589.11	13.7Ω/km
ANM05.008.24.016AB	UL20549	300V	24X16AWG	27/0.25	17.1	598.71	13.7Ω/km
ANM05.008.25.016AB	UL20549	300V	25X16AWG	27/0.25	17.5	625.31	13.7Ω/km
ANM05.008.26.016AB	UL20549	300V	26X16AWG	27/0.25	17.5	634.91	13.7Ω/km
ANM05.008.27.016AB	UL20549	300V	27X16AWG	27/0.25	17.5	644.41	13.7Ω/km
ANM05.008.28.016AB	UL20549	300V	28X16AWG	27/0.25	18.1	680.41	13.7Ω/km
ANM05.008.29.016AB	UL20549	300V	29X16AWG	27/0.25	18.1	689.91	13.7Ω/km
ANM05.008.30.016AB	UL20549	300V	30X16AWG	27/0.25	18.1	699.51	13.7Ω/km
ANM05.008.31.016AB	UL20549	300V	31X16AWG	27/0.25	18.8	741.01	13.7Ω/km
ANM05.008.32.016AB	UL20549	300V	32X16AWG	27/0.25	18.8	750.51	13.7Ω/km
ANM05.008.33.016AB	UL20549	300V	33X16AWG	27/0.25	18.8	760.11	13.7Ω/km
ANM05.008.34.016AB	UL20549	300V	34X16AWG	27/0.25	19.4	798.01	13.7Ω/km
ANM05.008.35.016AB	UL20549	300V	35X16AWG	27/0.25	19.4	807.61	13.7Ω/km
ANM05.008.36.016AB	UL20549	300V	36X16AWG	27/0.25	19.4	817.21	13.7Ω/km
ANM05.008.37.016AB	UL20549	300V	37X16AWG	27/0.25	19.4	826.71	13.7Ω/km
ANM05.008.38.016AB	UL20549	300V	38X16AWG	27/0.25	20.1	870.51	13.7Ω/km
ANM05.008.39.016AB	UL20549	300V	39X16AWG	27/0.25	20.1	880.01	13.7Ω/km
ANM05.008.40.016AB	UL20549	300V	40X16AWG	27/0.25	20.1	889.61	13.7Ω/km
ANM05.008.41.016AB	UL20549	300V	41X16AWG	27/0.25	22.7	1034.31	13.7Ω/km
ANM05.008.42.016AB	UL20549	300V	42X16AWG	27/0.25	22.7	1043.81	13.7Ω/km
ANM05.008.43.016AB	UL20549	300V	43X16AWG	27/0.25	22.7	1053.41	13.7Ω/km
ANM05.008.44.016AB	UL20549	300V	44X16AWG	27/0.25	22.7	1062.91	13.7Ω/km
ANM05.008.45.016AB	UL20549	300V	45X16AWG	27/0.25	23.1	1095.01	13.7Ω/km
ANM05.008.46.016AB	UL20549	300V	46X16AWG	27/0.25	23.1	1104.51	13.7Ω/km



ANM05.008.47.016AB	UL20549	300V	47X16AWG	27/0.25	23.1	1114.11	13.7Ω/km
ANM05.008.48.016AB	UL20549	300V	48X16AWG	27/0.25	23.1	1123.71	13.7Ω/km
ANM05.008.49.016AB	UL20549	300V	49X16AWG	27/0.25	23.7	1167.61	13.7Ω/km
ANM05.008.50.016AB	UL20549	300V	50X16AWG	27/0.25	23.7	1177.21	13.7Ω/km
ANM05.008.51.016AB	UL20549	300V	51X16AWG	27/0.25	23.7	1186.71	13.7Ω/km
ANM05.008.52.016AB	UL20549	300V	52X16AWG	27/0.25	23.7	1196.31	13.7Ω/km
ANM05.008.53.016AB	UL20549	300V	53X16AWG	27/0.25	24.4	1247.41	13.7Ω/km
ANM05.008.54.016AB	UL20549	300V	54X16AWG	27/0.25	24.4	1256.91	13.7Ω/km
ANM05.008.55.016AB	UL20549	300V	55X16AWG	27/0.25	24.4	1266.51	13.7Ω/km
ANM05.008.56.016AB	UL20549	300V	56X16AWG	27/0.25	24.4	1276.01	13.7Ω/km
ANM05.008.57.016AB	UL20549	300V	57X16AWG	27/0.25	25	1322.01	13.7Ω/km
ANM05.008.58.016AB	UL20549	300V	58X16AWG	27/0.25	25	1331.51	13.7Ω/km
ANM05.008.59.016AB	UL20549	300V	59X16AWG	27/0.25	25	1341.11	13.7Ω/km
ANM05.008.60.016AB	UL20549	300V	60X16AWG	27/0.25	25	1350.71	13.7Ω/km
ANM05.008.61.016AB	UL20549	300V	61X16AWG	27/0.25	25	1360.21	13.7Ω/km
ANM05.008.62.016AB	UL20549	300V	62X16AWG	27/0.25	25.7	1413.41	13.7Ω/km
ANM05.008.63.016AB	UL20549	300V	63X16AWG	27/0.25	25.7	1422.91	13.7Ω/km
ANM05.008.64.016AB	UL20549	300V	64X16AWG	27/0.25	25.7	1432.51	13.7Ω/km
ANM05.008.65.016AB	UL20549	300V	65X16AWG	27/0.25	25.7	1442.11	13.7Ω/km
ANM05.008.02.015AB	UL20549	300V	2X15AWG	34/0.25	7.6	101.45	10.9Ω/km
ANM05.008.03.015AB	UL20549	300V	3X15AWG	34/0.25	8.1	123.45	10.9Ω/km
ANM05.008.04.015AB	UL20549	300V	4X15AWG	34/0.25	8.8	150.45	10.9Ω/km
ANM05.008.05.015AB	UL20549	300V	5X15AWG	34/0.25	9.5	178.65	10.9Ω/km
ANM05.008.06.015AB	UL20549	300V	6X15AWG	34/0.25	10.3	210.65	10.9Ω/km
ANM05.008.07.015AB	UL20549	300V	7X15AWG	34/0.25	10.3	222.65	10.9Ω/km
ANM05.008.08.015AB	UL20549	300V	8X15AWG	34/0.25	12.2	286.65	10.9Ω/km
ANM05.008.09.015AB	UL20549	300V	9X15AWG	34/0.25	13.2	330.25	10.9Ω/km
ANM05.008.10.015AB	UL20549	300V	10X15AWG	34/0.25	14.1	372.95	10.9Ω/km
ANM05.008.11.015AB	UL20549	300V	11X15AWG	34/0.25	14.6	402.65	10.9Ω/km
ANM05.008.12.015AB	UL20549	300V	12X15AWG	34/0.25	14.6	414.55	10.9Ω/km
ANM05.008.13.015AB	UL20549	300V	13X15AWG	34/0.25	15.3	452.55	10.9Ω/km
ANM05.008.14.015AB	UL20549	300V	14X15AWG	34/0.25	15.3	464.55	10.9Ω/km
ANM05.008.15.015AB	UL20549	300V	15X15AWG	34/0.25	16	503.65	10.9Ω/km
ANM05.008.16.015AB	UL20549	300V	16X15AWG	34/0.25	16	515.65	10.9Ω/km
ANM05.008.17.015AB	UL20549	300V	17X15AWG	34/0.25	16.8	560.15	10.9Ω/km
ANM05.008.18.015AB	UL20549	300V	18X15AWG	34/0.25	16.8	572.15	10.9Ω/km
ANM05.008.19.015AB	UL20549	300V	19X15AWG	34/0.25	16.8	584.15	10.9Ω/km
ANM05.008.20.015AB	UL20549	300V	20X15AWG	34/0.25	17.3	617.25	10.9Ω/km
ANM05.008.21.015AB	UL20549	300V	21X15AWG	34/0.25	17.7	646.45	10.9Ω/km
ANM05.008.22.015AB	UL20549	300V	22X15AWG	34/0.25	18.7	703.45	10.9Ω/km
ANM05.008.23.015AB	UL20549	300V	23X15AWG	34/0.25	19.5	753.15	10.9Ω/km
ANM05.008.24.015AB	UL20549	300V	24X15AWG	34/0.25	19.5	765.05	10.9Ω/km



ANM05.008.25.015AB	UL20549	300V	25X15AWG	34/0.25	20	801.45	10.9Ω/km
ANM05.008.26.015AB	UL20549	300V	26X15AWG	34/0.25	20	813.35	10.9Ω/km
ANM05.008.27.015AB	UL20549	300V	27X15AWG	34/0.25	20	825.35	10.9Ω/km
ANM05.008.28.015AB	UL20549	300V	28X15AWG	34/0.25	21.7	922.75	10.9Ω/km
ANM05.008.29.015AB	UL20549	300V	29X15AWG	34/0.25	21.7	934.75	10.9Ω/km
ANM05.008.30.015AB	UL20549	300V	30X15AWG	34/0.25	21.7	946.65	10.9Ω/km
ANM05.008.31.015AB	UL20549	300V	31X15AWG	34/0.25	22.4	996.65	10.9Ω/km
ANM05.008.32.015AB	UL20549	300V	32X15AWG	34/0.25	22.4	1008.65	10.9Ω/km
ANM05.008.33.015AB	UL20549	300V	33X15AWG	34/0.25	22.4	1020.55	10.9Ω/km
ANM05.008.34.015AB	UL20549	300V	34X15AWG	34/0.25	23.2	1077.35	10.9Ω/km
ANM05.008.35.015AB	UL20549	300V	35X15AWG	34/0.25	23.2	1089.35	10.9Ω/km
ANM05.008.36.015AB	UL20549	300V	36X15AWG	34/0.25	23.2	1101.35	10.9Ω/km
ANM05.008.37.015AB	UL20549	300V	37X15AWG	34/0.25	23.2	1113.35	10.9Ω/km
ANM05.008.38.015AB	UL20549	300V	38X15AWG	34/0.25	24.1	1177.65	10.9Ω/km
ANM05.008.39.015AB	UL20549	300V	39X15AWG	34/0.25	24.1	1189.55	10.9Ω/km
ANM05.008.40.015AB	UL20549	300V	40X15AWG	34/0.25	24.1	1201.55	10.9Ω/km
ANM05.008.41.015AB	UL20549	300V	41X15AWG	34/0.25	25.9	1324.05	10.9Ω/km
ANM05.008.42.015AB	UL20549	300V	42X15AWG	34/0.25	25.9	1335.95	10.9Ω/km
ANM05.008.43.015AB	UL20549	300V	43X15AWG	34/0.25	25.9	1347.95	10.9Ω/km
ANM05.008.44.015AB	UL20549	300V	44X15AWG	34/0.25	25.9	1359.95	10.9Ω/km
ANM05.008.45.015AB	UL20549	300V	45X15AWG	34/0.25	26.4	1404.05	10.9Ω/km
ANM05.008.46.015AB	UL20549	300V	46X15AWG	34/0.25	26.4	1415.95	10.9Ω/km
ANM05.008.47.015AB	UL20549	300V	47X15AWG	34/0.25	26.4	1427.95	10.9Ω/km
ANM05.008.48.015AB	UL20549	300V	48X15AWG	34/0.25	26.4	1439.85	10.9Ω/km
ANM05.008.49.015AB	UL20549	300V	49X15AWG	34/0.25	27.1	1497.75	10.9Ω/km
ANM05.008.50.015AB	UL20549	300V	50X15AWG	34/0.25	27.1	1509.75	10.9Ω/km
ANM05.008.51.015AB	UL20549	300V	51X15AWG	34/0.25	27.1	1521.65	10.9Ω/km
ANM05.008.52.015AB	UL20549	300V	52X15AWG	34/0.25	27.1	1533.65	10.9Ω/km
ANM05.008.53.015AB	UL20549	300V	53X15AWG	34/0.25	27.8	1592.75	10.9Ω/km
ANM05.008.54.015AB	UL20549	300V	54X15AWG	34/0.25	27.8	1604.75	10.9Ω/km
ANM05.008.55.015AB	UL20549	300V	55X15AWG	34/0.25	27.8	1616.75	10.9Ω/km
ANM05.008.56.015AB	UL20549	300V	56X15AWG	34/0.25	27.8	1628.75	10.9Ω/km
ANM05.008.57.015AB	UL20549	300V	57X15AWG	34/0.25	28.6	1695.85	10.9Ω/km
ANM05.008.58.015AB	UL20549	300V	58X15AWG	34/0.25	28.6	1707.85	10.9Ω/km
ANM05.008.59.015AB	UL20549	300V	59X15AWG	34/0.25	28.6	1719.75	10.9Ω/km
ANM05.008.60.015AB	UL20549	300V	60X15AWG	34/0.25	28.6	1731.75	10.9Ω/km
ANM05.008.61.015AB	UL20549	300V	61X15AWG	34/0.25	28.6	1743.65	10.9Ω/km
ANM05.008.62.015AB	UL20549	300V	62X15AWG	34/0.25	30.9	1955.25	10.9Ω/km
ANM05.008.63.015AB	UL20549	300V	63X15AWG	34/0.25	30.9	1967.25	10.9Ω/km
ANM05.008.64.015AB	UL20549	300V	64X15AWG	34/0.25	30.9	1979.25	10.9Ω/km
ANM05.008.65.015AB	UL20549	300V	65X15AWG	34/0.25	30.9	1991.15	10.9Ω/km
ANM05.008.02.014AB	UL20549	300V	2X14AWG	43/0.25	8	116.28	8.62Ω/km



ANM05.008.03.014AB	UL20549	300V	3X14AWG	43/0.25	8.5	141.88	8.62 Ω/km
ANM05.008.04.014AB	UL20549	300V	4X14AWG	43/0.25	9.3	175.08	8.62 Ω/km
ANM05.008.05.014AB	UL20549	300V	5X14AWG	43/0.25	10.1	209.88	8.62 Ω/km
ANM05.008.06.014AB	UL20549	300V	6X14AWG	43/0.25	11.9	273.18	8.62 Ω/km
ANM05.008.07.014AB	UL20549	300V	7X14AWG	43/0.25	11.9	288.28	8.62 Ω/km
ANM05.008.08.014AB	UL20549	300V	8X14AWG	43/0.25	12.8	331.08	8.62 Ω/km
ANM05.008.09.014AB	UL20549	300V	9X14AWG	43/0.25	14.1	389.98	8.62 Ω/km
ANM05.008.10.014AB	UL20549	300V	10X14AWG	43/0.25	14.9	433.88	8.62 Ω/km
ANM05.008.11.014AB	UL20549	300V	11X14AWG	43/0.25	15.4	467.88	8.62 Ω/km
ANM05.008.12.014AB	UL20549	300V	12X14AWG	43/0.25	15.4	483.08	8.62 Ω/km
ANM05.008.13.014AB	UL20549	300V	13X14AWG	43/0.25	16.2	529.58	8.62 Ω/km
ANM05.008.14.014AB	UL20549	300V	14X14AWG	43/0.25	16.2	544.68	8.62 Ω/km
ANM05.008.15.014AB	UL20549	300V	15X14AWG	43/0.25	17	592.68	8.62 Ω/km
ANM05.008.16.014AB	UL20549	300V	16X14AWG	43/0.25	17	607.88	8.62 Ω/km
ANM05.008.17.014AB	UL20549	300V	17X14AWG	43/0.25	17.8	657.48	8.62 Ω/km
ANM05.008.18.014AB	UL20549	300V	18X14AWG	43/0.25	17.8	672.68	8.62 Ω/km
ANM05.008.19.014AB	UL20549	300V	19X14AWG	43/0.25	17.8	687.78	8.62 Ω/km
ANM05.008.20.014AB	UL20549	300V	20X14AWG	43/0.25	18.3	725.18	8.62 Ω/km
ANM05.008.21.014AB	UL20549	300V	21X14AWG	43/0.25	18.7	758.58	8.62 Ω/km
ANM05.008.22.014AB	UL20549	300V	22X14AWG	43/0.25	19.9	830.98	8.62 Ω/km
ANM05.008.23.014AB	UL20549	300V	23X14AWG	43/0.25	21.7	936.38	8.62 Ω/km
ANM05.008.24.014AB	UL20549	300V	24X14AWG	43/0.25	21.7	951.58	8.62 Ω/km
ANM05.008.25.014AB	UL20549	300V	25X14AWG	43/0.25	22.2	993.78	8.62 Ω/km
ANM05.008.26.014AB	UL20549	300V	26X14AWG	43/0.25	22.2	1008.88	8.62 Ω/km
ANM05.008.27.014AB	UL20549	300V	27X14AWG	43/0.25	22.2	1023.98	8.62 Ω/km
ANM05.008.28.014AB	UL20549	300V	28X14AWG	43/0.25	23	1083.58	8.62 Ω/km
ANM05.008.29.014AB	UL20549	300V	29X14AWG	43/0.25	23	1098.68	8.62 Ω/km
ANM05.008.30.014AB	UL20549	300V	30X14AWG	43/0.25	23	1113.78	8.62 Ω/km
ANM05.008.31.014AB	UL20549	300V	31X14AWG	43/0.25	23.8	1175.08	8.62 Ω/km
ANM05.008.32.014AB	UL20549	300V	32X14AWG	43/0.25	23.8	1190.18	8.62 Ω/km
ANM05.008.33.014AB	UL20549	300V	33X14AWG	43/0.25	23.8	1205.38	8.62 Ω/km
ANM05.008.34.014AB	UL20549	300V	34X14AWG	43/0.25	24.6	1267.98	8.62 Ω/km
ANM05.008.35.014AB	UL20549	300V	35X14AWG	43/0.25	24.6	1283.08	8.62 Ω/km
ANM05.008.36.014AB	UL20549	300V	36X14AWG	43/0.25	24.6	1298.28	8.62 Ω/km
ANM05.008.37.014AB	UL20549	300V	37X14AWG	43/0.25	24.6	1313.48	8.62 Ω/km
ANM05.008.38.014AB	UL20549	300V	38X14AWG	43/0.25	25.5	1383.98	8.62 Ω/km
ANM05.008.39.014AB	UL20549	300V	39X14AWG	43/0.25	25.5	1399.08	8.62 Ω/km
ANM05.008.40.014AB	UL20549	300V	40X14AWG	43/0.25	25.5	1414.38	8.62 Ω/km
ANM05.008.41.014AB	UL20549	300V	41X14AWG	43/0.25	27.5	1559.48	8.62 Ω/km
ANM05.008.42.014AB	UL20549	300V	42X14AWG	43/0.25	27.5	1574.58	8.62 Ω/km
ANM05.008.43.014AB	UL20549	300V	43X14AWG	43/0.25	27.5	1589.68	8.62 Ω/km
ANM05.008.44.014AB	UL20549	300V	44X14AWG	43/0.25	27.5	1604.78	8.62 Ω/km



ANM05.008.45.014AB	UL20549	300V	45X14AWG	43/0.25	28	1654.18	8.62 Ω/km
ANM05.008.46.014AB	UL20549	300V	46X14AWG	43/0.25	28	1669.28	8.62 Ω/km
ANM05.008.47.014AB	UL20549	300V	47X14AWG	43/0.25	28	1684.28	8.62 Ω/km
ANM05.008.48.014AB	UL20549	300V	48X14AWG	43/0.25	28	1699.48	8.62 Ω/km
ANM05.008.49.014AB	UL20549	300V	49X14AWG	43/0.25	28.8	1770.28	8.62 Ω/km
ANM05.008.50.014AB	UL20549	300V	50X14AWG	43/0.25	28.8	1785.38	8.62 Ω/km
ANM05.008.51.014AB	UL20549	300V	51X14AWG	43/0.25	28.8	1800.58	8.62 Ω/km
ANM05.008.52.014AB	UL20549	300V	52X14AWG	43/0.25	28.8	1815.68	8.62 Ω/km
ANM05.008.02.013AB	UL20549	300V	2X13AWG	54/0.25	8.6	136.83	6.82 Ω/km
ANM05.008.03.013AB	UL20549	300V	3X13AWG	54/0.25	9.1	166.93	6.82 Ω/km
ANM05.008.04.013AB	UL20549	300V	4X13AWG	54/0.25	10	207.43	6.82 Ω/km
ANM05.008.05.013AB	UL20549	300V	5X13AWG	54/0.25	11.9	276.93	6.82 Ω/km
ANM05.008.06.013AB	UL20549	300V	6X13AWG	54/0.25	12.8	323.53	6.82 Ω/km
ANM05.008.07.013AB	UL20549	300V	7X13AWG	54/0.25	12.8	342.33	6.82 Ω/km
ANM05.008.08.013AB	UL20549	300V	8X13AWG	54/0.25	13.9	397.73	6.82 Ω/km
ANM05.008.09.013AB	UL20549	300V	9X13AWG	54/0.25	15.2	463.73	6.82 Ω/km
ANM05.008.10.013AB	UL20549	300V	10X13AWG	54/0.25	16.1	517.63	6.82 Ω/km
ANM05.008.11.013AB	UL20549	300V	11X13AWG	54/0.25	16.6	556.63	6.82 Ω/km
ANM05.008.12.013AB	UL20549	300V	12X13AWG	54/0.25	16.6	575.43	6.82 Ω/km
ANM05.008.13.013AB	UL20549	300V	13X13AWG	54/0.25	17.5	632.23	6.82 Ω/km
ANM05.008.14.013AB	UL20549	300V	14X13AWG	54/0.25	17.5	651.13	6.82 Ω/km
ANM05.008.15.013AB	UL20549	300V	15X13AWG	54/0.25	18.4	709.83	6.82 Ω/km
ANM05.008.16.013AB	UL20549	300V	16X13AWG	54/0.25	18.4	728.63	6.82 Ω/km
ANM05.008.17.013AB	UL20549	300V	17X13AWG	54/0.25	19.3	789.43	6.82 Ω/km
ANM05.008.18.013AB	UL20549	300V	18X13AWG	54/0.25	19.3	808.33	6.82 Ω/km
ANM05.008.19.013AB	UL20549	300V	19X13AWG	54/0.25	19.3	827.13	6.82 Ω/km
ANM05.008.20.013AB	UL20549	300V	20X13AWG	54/0.25	19.8	870.13	6.82 Ω/km
ANM05.008.21.013AB	UL20549	300V	21X13AWG	54/0.25	21.3	963.03	6.82 Ω/km
ANM05.008.22.013AB	UL20549	300V	22X13AWG	54/0.25	22.6	1052.03	6.82 Ω/km
ANM05.008.23.013AB	UL20549	300V	23X13AWG	54/0.25	23.5	1121.83	6.82 Ω/km
ANM05.008.24.013AB	UL20549	300V	24X13AWG	54/0.25	23.5	1140.53	6.82 Ω/km
ANM05.008.25.013AB	UL20549	300V	25X13AWG	54/0.25	24	1188.53	6.82 Ω/km
ANM05.008.26.013AB	UL20549	300V	26X13AWG	54/0.25	24	1207.33	6.82 Ω/km
ANM05.008.27.013AB	UL20549	300V	27X13AWG	54/0.25	24	1226.23	6.82 Ω/km
ANM05.008.28.013AB	UL20549	300V	28X13AWG	54/0.25	24.9	1299.23	6.82 Ω/km
ANM05.008.29.013AB	UL20549	300V	29X13AWG	54/0.25	24.9	1318.03	6.82 Ω/km
ANM05.008.30.013AB	UL20549	300V	30X13AWG	54/0.25	24.9	1336.83	6.82 Ω/km
ANM05.008.31.013AB	UL20549	300V	31X13AWG	54/0.25	25.8	1411.63	6.82 Ω/km
ANM05.008.32.013AB	UL20549	300V	32X13AWG	54/0.25	25.8	1430.43	6.82 Ω/km
ANM05.008.33.013AB	UL20549	300V	33X13AWG	54/0.25	25.8	1449.23	6.82 Ω/km
ANM05.008.34.013AB	UL20549	300V	34X13AWG	54/0.25	26.7	1526.13	6.82 Ω/km
ANM05.008.35.013AB	UL20549	300V	35X13AWG	54/0.25	26.7	1544.93	6.82 Ω/km



ANM05.008.36.013AB	UL20549	300V	36X13AWG	54/0.25	26.7	1563.83	6.82 Ω/km
ANM05.008.37.013AB	UL20549	300V	37X13AWG	54/0.25	26.7	1582.63	6.82 Ω/km
ANM05.008.38.013AB	UL20549	300V	38X13AWG	54/0.25	27.7	1668.23	6.82 Ω/km
ANM05.008.39.013AB	UL20549	300V	39X13AWG	54/0.25	27.7	1687.03	6.82 Ω/km
ANM05.008.40.013AB	UL20549	300V	40X13AWG	54/0.25	27.7	1705.83	6.82 Ω/km
ANM05.008.41.013AB	UL20549	300V	41X13AWG	54/0.25	31.3	2017.33	6.82 Ω/km
ANM05.008.42.013AB	UL20549	300V	42X13AWG	54/0.25	31.3	2036.13	6.82 Ω/km
ANM05.008.43.013AB	UL20549	300V	43X13AWG	54/0.25	31.3	2054.93	6.82 Ω/km
ANM05.008.44.013AB	UL20549	300V	44X13AWG	54/0.25	31.3	2073.83	6.82 Ω/km
ANM05.008.45.013AB	UL20549	300V	45X13AWG	54/0.25	31.8	2132.13	6.82 Ω/km
ANM05.008.46.013AB	UL20549	300V	46X13AWG	54/0.25	31.8	2150.93	6.82 Ω/km
ANM05.008.47.013AB	UL20549	300V	47X13AWG	54/0.25	31.8	2169.63	6.82 Ω/km
ANM05.008.48.013AB	UL20549	300V	48X13AWG	54/0.25	31.8	2188.43	6.82 Ω/km
ANM05.008.49.013AB	UL20549	300V	49X13AWG	54/0.25	32.7	2279.43	6.82 Ω/km
ANM05.008.50.013AB	UL20549	300V	50X13AWG	54/0.25	32.7	2298.23	6.82 Ω/km
ANM05.008.51.013AB	UL20549	300V	51X13AWG	54/0.25	32.7	2317.03	6.82 Ω/km
ANM05.008.52.013AB	UL20549	300V	52X13AWG	54/0.25	32.7	2335.83	6.82 Ω/km
ANM05.008.02.012AB	UL20549	300V	2X12AWG	68/0.25	9.4	166.31	5.43 Ω/km
ANM05.008.03.012AB	UL20549	300V	3X12AWG	68/0.25	10	205.01	5.43 Ω/km
ANM05.008.04.012AB	UL20549	300V	4X12AWG	68/0.25	11.9	280.01	5.43 Ω/km
ANM05.008.05.012AB	UL20549	300V	5X12AWG	68/0.25	13	338.11	5.43 Ω/km
ANM05.008.06.012AB	UL20549	300V	6X12AWG	68/0.25	14.1	399.41	5.43 Ω/km
ANM05.008.07.012AB	UL20549	300V	7X12AWG	68/0.25	14.1	423.41	5.43 Ω/km
ANM05.008.08.012AB	UL20549	300V	8X12AWG	68/0.25	15.2	487.71	5.43 Ω/km
ANM05.008.09.012AB	UL20549	300V	9X12AWG	68/0.25	16.7	571.11	5.43 Ω/km
ANM05.008.10.012AB	UL20549	300V	10X12AWG	68/0.25	17.7	637.81	5.43 Ω/km
ANM05.008.11.012AB	UL20549	300V	11X12AWG	68/0.25	18.3	688.61	5.43 Ω/km
ANM05.008.12.012AB	UL20549	300V	12X12AWG	68/0.25	18.3	712.71	5.43 Ω/km
ANM05.008.13.012AB	UL20549	300V	13X12AWG	68/0.25	19.2	778.51	5.43 Ω/km
ANM05.008.14.012AB	UL20549	300V	14X12AWG	68/0.25	19.2	802.51	5.43 Ω/km
ANM05.008.15.012AB	UL20549	300V	15X12AWG	68/0.25	21.3	929.51	5.43 Ω/km
ANM05.008.16.012AB	UL20549	300V	16X12AWG	68/0.25	21.3	953.61	5.43 Ω/km
ANM05.008.17.012AB	UL20549	300V	17X12AWG	68/0.25	22.3	1031.31	5.43 Ω/km
ANM05.008.18.012AB	UL20549	300V	18X12AWG	68/0.25	22.3	1055.31	5.43 Ω/km
ANM05.008.19.012AB	UL20549	300V	19X12AWG	68/0.25	22.3	1079.61	5.43 Ω/km
ANM05.008.20.012AB	UL20549	300V	20X12AWG	68/0.25	22.9	1137.01	5.43 Ω/km
ANM05.008.21.012AB	UL20549	300V	21X12AWG	68/0.25	23.4	1189.51	5.43 Ω/km
ANM05.008.22.012AB	UL20549	300V	22X12AWG	68/0.25	24.9	1302.61	5.43 Ω/km
ANM05.008.23.012AB	UL20549	300V	23X12AWG	68/0.25	25.9	1389.21	5.43 Ω/km
ANM05.008.24.012AB	UL20549	300V	24X12AWG	68/0.25	25.9	1413.21	5.43 Ω/km
ANM05.008.25.012AB	UL20549	300V	25X12AWG	68/0.25	26.5	1475.81	5.43 Ω/km
ANM05.008.26.012AB	UL20549	300V	26X12AWG	68/0.25	26.5	1499.91	5.43 Ω/km



ANM05.008.27.012AB	UL20549	300V	27X12AWG	68/0.25	26.5	1524.01	5.43 Ω/km
ANM05.008.28.012AB	UL20549	300V	28X12AWG	68/0.25	27.4	1607.51	5.43 Ω/km
ANM05.008.29.012AB	UL20549	300V	29X12AWG	68/0.25	27.4	1631.51	5.43 Ω/km
ANM05.008.30.012AB	UL20549	300V	30X12AWG	68/0.25	27.4	1655.71	5.43 Ω/km
ANM05.008.31.012AB	UL20549	300V	31X12AWG	68/0.25	28.5	1755.31	5.43 Ω/km
ANM05.008.32.012AB	UL20549	300V	32X12AWG	68/0.25	28.5	1779.41	5.43 Ω/km
ANM05.008.33.012AB	UL20549	300V	33X12AWG	68/0.25	28.5	1803.51	5.43 Ω/km
ANM05.008.34.012AB	UL20549	300V	34X12AWG	68/0.25	30.9	2034.21	5.43 Ω/km
ANM05.008.35.012AB	UL20549	300V	35X12AWG	68/0.25	30.9	2058.21	5.43 Ω/km
ANM05.008.36.012AB	UL20549	300V	36X12AWG	68/0.25	30.9	2082.21	5.43 Ω/km
ANM05.008.37.012AB	UL20549	300V	37X12AWG	68/0.25	30.9	2106.41	5.43 Ω/km
ANM05.008.02.011AB	UL20549	300V	2X11AWG	85/0.25	10.2	198.17	4.30 Ω/km
ANM05.008.03.011AB	UL20549	300V	3X11AWG	85/0.25	11.9	273.37	4.30 Ω/km
ANM05.008.04.011AB	UL20549	300V	4X11AWG	85/0.25	12.9	334.07	4.30 Ω/km
ANM05.008.05.011AB	UL20549	300V	5X11AWG	85/0.25	14.1	404.07	4.30 Ω/km
ANM05.008.06.011AB	UL20549	300V	6X11AWG	85/0.25	15.3	477.47	4.30 Ω/km
ANM05.008.07.011AB	UL20549	300V	7X11AWG	85/0.25	15.3	507.17	4.30 Ω/km
ANM05.008.08.011AB	UL20549	300V	8X11AWG	85/0.25	16.5	584.27	4.30 Ω/km
ANM05.008.09.011AB	UL20549	300V	9X11AWG	85/0.25	18.1	682.37	4.30 Ω/km
ANM05.008.10.011AB	UL20549	300V	10X11AWG	85/0.25	19.3	767.47	4.30 Ω/km
ANM05.008.11.011AB	UL20549	300V	11X11AWG	85/0.25	20	831.17	4.30 Ω/km
ANM05.008.12.011AB	UL20549	300V	12X11AWG	85/0.25	20	860.77	4.30 Ω/km
ANM05.008.13.011AB	UL20549	300V	13X11AWG	85/0.25	22	992.07	4.30 Ω/km
ANM05.008.14.011AB	UL20549	300V	14X11AWG	85/0.25	22	1021.67	4.30 Ω/km
ANM05.008.15.011AB	UL20549	300V	15X11AWG	85/0.25	23.1	1112.27	4.30 Ω/km
ANM05.008.16.011AB	UL20549	300V	16X11AWG	85/0.25	23.1	1142.07	4.30 Ω/km
ANM05.008.17.011AB	UL20549	300V	17X11AWG	85/0.25	24.3	1241.57	4.30 Ω/km
ANM05.008.18.011AB	UL20549	300V	18X11AWG	85/0.25	24.3	1271.27	4.30 Ω/km
ANM05.008.19.011AB	UL20549	300V	19X11AWG	85/0.25	24.3	1300.97	4.30 Ω/km
ANM05.008.20.011AB	UL20549	300V	20X11AWG	85/0.25	25	1372.87	4.30 Ω/km
ANM05.008.21.011AB	UL20549	300V	21X11AWG	85/0.25	25.5	1433.67	4.30 Ω/km
ANM05.008.22.011AB	UL20549	300V	22X11AWG	85/0.25	27.1	1566.57	4.30 Ω/km
ANM05.008.23.011AB	UL20549	300V	23X11AWG	85/0.25	28.3	1677.77	4.30 Ω/km
ANM05.008.24.011AB	UL20549	300V	24X11AWG	85/0.25	28.3	1707.37	4.30 Ω/km
ANM05.008.25.011AB	UL20549	300V	25X11AWG	85/0.25	30	1856.07	4.30 Ω/km
ANM05.008.26.011AB	UL20549	300V	26X11AWG	85/0.25	30	1885.67	4.30 Ω/km
ANM05.008.27.011AB	UL20549	300V	27X11AWG	85/0.25	30	1915.37	4.30 Ω/km
ANM05.008.28.011AB	UL20549	300V	28X11AWG	85/0.25	31.4	2085.37	4.30 Ω/km
ANM05.008.29.011AB	UL20549	300V	29X11AWG	85/0.25	31.4	2114.97	4.30 Ω/km
ANM05.008.30.011AB	UL20549	300V	30X11AWG	85/0.25	31.4	2144.57	4.30 Ω/km
ANM05.008.31.011AB	UL20549	300V	31X11AWG	85/0.25	32.5	2261.87	4.30 Ω/km
ANM05.008.32.011AB	UL20549	300V	32X11AWG	85/0.25	32.5	2291.47	4.30 Ω/km



ANM05.008.33.011AB	UL20549	300V	33X11AWG	85/0.25	32.5	2321.17	4.30 Ω/km
ANM05.008.34.011AB	UL20549	300V	34X11AWG	85/0.25	33.7	2449.47	4.30 Ω/km
ANM05.008.35.011AB	UL20549	300V	35X11AWG	85/0.25	33.7	2479.07	4.30 Ω/km
ANM05.008.36.011AB	UL20549	300V	36X11AWG	85/0.25	33.7	2508.87	4.30 Ω/km
ANM05.008.37.011AB	UL20549	300V	37X11AWG	85/0.25	33.7	2538.37	4.30 Ω/km
ANM05.008.02.010AB	UL20549	300V	2X10AWG	108/0.25	12.4	271.47	3.409 Ω/km
ANM05.008.03.010AB	UL20549	300V	3X10AWG	108/0.25	13.2	332.47	3.409 Ω/km
ANM05.008.04.010AB	UL20549	300V	4X10AWG	108/0.25	14.5	412.77	3.409 Ω/km
ANM05.008.05.010AB	UL20549	300V	5X10AWG	108/0.25	15.8	497.17	3.409 Ω/km
ANM05.008.06.010AB	UL20549	300V	6X10AWG	108/0.25	17.1	585.57	3.409 Ω/km
ANM05.008.07.010AB	UL20549	300V	7X10AWG	108/0.25	17.1	620.97	3.409 Ω/km
ANM05.008.08.010AB	UL20549	300V	8X10AWG	108/0.25	18.5	718.07	3.409 Ω/km
ANM05.008.09.010AB	UL20549	300V	9X10AWG	108/0.25	21.4	894.17	3.409 Ω/km
ANM05.008.10.010AB	UL20549	300V	10X10AWG	108/0.25	22.7	1000.37	3.409 Ω/km
ANM05.008.11.010AB	UL20549	300V	11X10AWG	108/0.25	23.5	1080.97	3.409 Ω/km
ANM05.008.12.010AB	UL20549	300V	12X10AWG	108/0.25	23.5	1116.37	3.409 Ω/km
ANM05.008.13.010AB	UL20549	300V	13X10AWG	108/0.25	24.7	1223.07	3.409 Ω/km
ANM05.008.14.010AB	UL20549	300V	14X10AWG	108/0.25	24.7	1258.37	3.409 Ω/km
ANM05.008.15.010AB	UL20549	300V	15X10AWG	108/0.25	26	1374.77	3.409 Ω/km
ANM05.008.16.010AB	UL20549	300V	16X10AWG	108/0.25	26	1410.27	3.409 Ω/km
ANM05.008.17.010AB	UL20549	300V	17X10AWG	108/0.25	27.3	1530.57	3.409 Ω/km
ANM05.008.18.010AB	UL20549	300V	18X10AWG	108/0.25	27.3	1565.97	3.409 Ω/km
ANM05.008.19.010AB	UL20549	300V	19X10AWG	108/0.25	27.3	1601.47	3.409 Ω/km
ANM05.008.20.010AB	UL20549	300V	20X10AWG	108/0.25	28.1	1691.27	3.409 Ω/km
ANM05.008.21.010AB	UL20549	300V	21X10AWG	108/0.25	28.7	1768.37	3.409 Ω/km
ANM05.008.22.010AB	UL20549	300V	22X10AWG	108/0.25	32	2082.57	3.409 Ω/km
ANM05.008.23.010AB	UL20549	300V	23X10AWG	108/0.25	33.3	2223.57	3.409 Ω/km
ANM05.008.24.010AB	UL20549	300V	24X10AWG	108/0.25	33.3	2258.87	3.409 Ω/km
ANM05.008.25.010AB	UL20549	300V	25X10AWG	108/0.25	34.1	2361.37	3.409 Ω/km
ANM05.008.26.010AB	UL20549	300V	26X10AWG	108/0.25	34.1	2396.77	3.409 Ω/km
ANM05.008.27.010AB	UL20549	300V	27X10AWG	108/0.25	34.1	2432.07	3.409 Ω/km
ANM05.008.28.010AB	UL20549	300V	28X10AWG	108/0.25	35.3	2570.97	3.409 Ω/km
ANM05.008.29.010AB	UL20549	300V	29X10AWG	108/0.25	35.3	2606.37	3.409 Ω/km
ANM05.008.30.010AB	UL20549	300V	30X10AWG	108/0.25	35.3	2641.77	3.409 Ω/km
ANM05.008.31.010AB	UL20549	300V	31X10AWG	108/0.25	36.9	2820.57	3.409 Ω/km
ANM05.008.32.010AB	UL20549	300V	32X10AWG	108/0.25	36.9	2855.97	3.409 Ω/km
ANM05.008.33.010AB	UL20549	300V	33X10AWG	108/0.25	36.9	2891.37	3.409 Ω/km
ANM05.008.34.010AB	UL20549	300V	34X10AWG	108/0.25	38.2	3047.67	3.409 Ω/km
ANM05.008.35.010AB	UL20549	300V	35X10AWG	108/0.25	38.2	3083.17	3.409 Ω/km
ANM05.008.36.010AB	UL20549	300V	36X10AWG	108/0.25	38.2	3118.57	3.409 Ω/km
ANM05.008.37.010AB	UL20549	300V	37X10AWG	108/0.25	38.2	3153.87	3.409 Ω/km
ANM05.008.02.009AB	UL20549	300V	2X9AWG	136/0.25	13.9	342.54	2.705 Ω/km



ANM05.008.03.009AB	UL20549	300V	3X9AWG	136/0.25	14.8	420.34	2.705 Ω/km
ANM05.008.04.009AB	UL20549	300V	4X9AWG	136/0.25	16.1	515.94	2.705 Ω/km
ANM05.008.05.009AB	UL20549	300V	5X9AWG	136/0.25	17.7	628.44	2.705 Ω/km
ANM05.008.06.009AB	UL20549	300V	6X9AWG	136/0.25	19.2	742.64	2.705 Ω/km
ANM05.008.07.009AB	UL20549	300V	7X9AWG	136/0.25	19.2	788.14	2.705 Ω/km
ANM05.008.08.009AB	UL20549	300V	8X9AWG	136/0.25	21.8	963.34	2.705 Ω/km
ANM05.008.09.009AB	UL20549	300V	9X9AWG	136/0.25	24	1132.84	2.705 Ω/km
ANM05.008.10.009AB	UL20549	300V	10X9AWG	136/0.25	25.5	1269.74	2.705 Ω/km
ANM05.008.11.009AB	UL20549	300V	11X9AWG	136/0.25	26.4	1372.84	2.705 Ω/km
ANM05.008.12.009AB	UL20549	300V	12X9AWG	136/0.25	26.4	1418.34	2.705 Ω/km
ANM05.008.13.009AB	UL20549	300V	13X9AWG	136/0.25	27.7	1550.24	2.705 Ω/km
ANM05.008.14.009AB	UL20549	300V	14X9AWG	136/0.25	27.7	1595.84	2.705 Ω/km
ANM05.008.15.009AB	UL20549	300V	15X9AWG	136/0.25	30.7	1887.94	2.705 Ω/km
ANM05.008.16.009AB	UL20549	300V	16X9AWG	136/0.25	30.7	1933.54	2.705 Ω/km
ANM05.008.17.009AB	UL20549	300V	17X9AWG	136/0.25	32.2	2096.64	2.705 Ω/km
ANM05.008.18.009AB	UL20549	300V	18X9AWG	136/0.25	32.2	2142.24	2.705 Ω/km
ANM05.008.19.009AB	UL20549	300V	19X9AWG	136/0.25	32.2	2187.84	2.705 Ω/km
ANM05.008.20.009AB	UL20549	300V	20X9AWG	136/0.25	33.1	2306.74	2.705 Ω/km
ANM05.008.21.009AB	UL20549	300V	21X9AWG	136/0.25	33.8	2410.44	2.705 Ω/km
ANM05.008.22.009AB	UL20549	300V	22X9AWG	136/0.25	36.3	2673.84	2.705 Ω/km
ANM05.008.23.009AB	UL20549	300V	23X9AWG	136/0.25	37.8	2857.14	2.705 Ω/km
ANM05.008.24.009AB	UL20549	300V	24X9AWG	136/0.25	37.8	2902.74	2.705 Ω/km
ANM05.008.25.009AB	UL20549	300V	25X9AWG	136/0.25	38.7	3033.74	2.705 Ω/km
ANM05.008.26.009AB	UL20549	300V	26X9AWG	136/0.25	38.7	3079.34	2.705 Ω/km
ANM05.008.27.009AB	UL20549	300V	27X9AWG	136/0.25	38.7	3124.94	2.705 Ω/km
ANM05.008.28.009AB	UL20549	300V	28X9AWG	136/0.25	40	3297.24	2.705 Ω/km
ANM05.008.29.009AB	UL20549	300V	29X9AWG	136/0.25	40	3342.94	2.705 Ω/km
ANM05.008.30.009AB	UL20549	300V	30X9AWG	136/0.25	40	3388.64	2.705 Ω/km
ANM05.008.31.009AB	UL20549	300V	31X9AWG	136/0.25	41.8	3654.94	2.705 Ω/km
ANM05.008.32.009AB	UL20549	300V	32X9AWG	136/0.25	41.8	3700.54	2.705 Ω/km
ANM05.008.33.009AB	UL20549	300V	33X9AWG	136/0.25	41.8	3746.24	2.705 Ω/km
ANM05.008.34.009AB	UL20549	300V	34X9AWG	136/0.25	44.7	4097.04	2.705 Ω/km
ANM05.008.35.009AB	UL20549	300V	35X9AWG	136/0.25	44.7	4142.64	2.705 Ω/km
ANM05.008.36.009AB	UL20549	300V	36X9AWG	136/0.25	44.7	4188.24	2.705 Ω/km
ANM05.008.37.009AB	UL20549	300V	37X9AWG	136/0.25	44.7	4233.94	2.705 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
线芯 TPE 材质							
ANM06.002.02.023AB	UL20549	300V	2X23AWG	17/0.14	5.2	40.16	69.2 Ω/km
ANM06.002.03.023AB	UL20549	300V	3X23AWG	17/0.14	5.5	46.16	69.2 Ω/km
ANM06.002.04.023AB	UL20549	300V	4X23AWG	17/0.14	5.9	53.96	69.2 Ω/km
ANM06.002.05.023AB	UL20549	300V	5X23AWG	17/0.14	6.3	62.06	69.2 Ω/km



ANM06.002.06.023AB	UL20549	300V	6X23AWG	17/0.14	6.7	70.46	69.2Ω/km
ANM06.002.07.023AB	UL20549	300V	7X23AWG	17/0.14	6.7	72.26	69.2Ω/km
ANM06.002.08.023AB	UL20549	300V	8X23AWG	17/0.14	7.2	83.06	69.2Ω/km
ANM06.002.09.023AB	UL20549	300V	9X23AWG	17/0.14	7.8	96.36	69.2Ω/km
ANM06.002.10.023AB	UL20549	300V	10X23AWG	17/0.14	8.2	106.36	69.2Ω/km
ANM06.002.11.023AB	UL20549	300V	11X23AWG	17/0.14	8.5	114.56	69.2Ω/km
ANM06.002.12.023AB	UL20549	300V	12X23AWG	17/0.14	8.5	116.46	69.2Ω/km
ANM06.002.13.023AB	UL20549	300V	13X23AWG	17/0.14	8.9	126.96	69.2Ω/km
ANM06.002.14.023AB	UL20549	300V	14X23AWG	17/0.14	8.9	128.76	69.2Ω/km
ANM06.002.15.023AB	UL20549	300V	15X23AWG	17/0.14	9.3	139.86	69.2Ω/km
ANM06.002.16.023AB	UL20549	300V	16X23AWG	17/0.14	9.3	141.66	69.2Ω/km
ANM06.002.17.023AB	UL20549	300V	17X23AWG	17/0.14	9.7	153.06	69.2Ω/km
ANM06.002.18.023AB	UL20549	300V	18X23AWG	17/0.14	9.7	154.86	69.2Ω/km
ANM06.002.19.023AB	UL20549	300V	19X23AWG	17/0.14	9.7	156.76	69.2Ω/km
ANM06.002.20.023AB	UL20549	300V	20X23AWG	17/0.14	10	165.86	69.2Ω/km
ANM06.002.21.023AB	UL20549	300V	21X23AWG	17/0.14	10.2	172.86	69.2Ω/km
ANM06.002.22.023AB	UL20549	300V	22X23AWG	17/0.14	11.8	217.26	69.2Ω/km
ANM06.002.23.023AB	UL20549	300V	23X23AWG	17/0.14	12.2	231.06	69.2Ω/km
ANM06.002.24.023AB	UL20549	300V	24X23AWG	17/0.14	12.2	232.96	69.2Ω/km
ANM06.002.25.023AB	UL20549	300V	25X23AWG	17/0.14	12.5	244.06	69.2Ω/km
ANM06.002.26.023AB	UL20549	300V	26X23AWG	17/0.14	12.5	245.86	69.2Ω/km
ANM06.002.27.023AB	UL20549	300V	27X23AWG	17/0.14	12.5	247.56	69.2Ω/km
ANM06.002.28.023AB	UL20549	300V	28X23AWG	17/0.14	12.9	262.16	69.2Ω/km
ANM06.002.29.023AB	UL20549	300V	29X23AWG	17/0.14	12.9	263.96	69.2Ω/km
ANM06.002.30.023AB	UL20549	300V	30X23AWG	17/0.14	12.9	265.86	69.2Ω/km
ANM06.002.31.023AB	UL20549	300V	31X23AWG	17/0.14	13.4	283.96	69.2Ω/km
ANM06.002.32.023AB	UL20549	300V	32X23AWG	17/0.14	13.4	285.76	69.2Ω/km
ANM06.002.33.023AB	UL20549	300V	33X23AWG	17/0.14	13.4	287.56	69.2Ω/km
ANM06.002.34.023AB	UL20549	300V	34X23AWG	17/0.14	13.8	302.86	69.2Ω/km
ANM06.002.35.023AB	UL20549	300V	35X23AWG	17/0.14	13.8	304.76	69.2Ω/km
ANM06.002.36.023AB	UL20549	300V	36X23AWG	17/0.14	13.8	306.56	69.2Ω/km
ANM06.002.37.023AB	UL20549	300V	37X23AWG	17/0.14	13.8	308.36	69.2Ω/km
ANM06.002.38.023AB	UL20549	300V	38X23AWG	17/0.14	14.3	327.66	69.2Ω/km
ANM06.002.39.023AB	UL20549	300V	39X23AWG	17/0.14	14.3	329.36	69.2Ω/km
ANM06.002.40.023AB	UL20549	300V	40X23AWG	17/0.14	14.3	331.16	69.2Ω/km
ANM06.002.41.023AB	UL20549	300V	41X23AWG	17/0.14	15.3	369.76	69.2Ω/km
ANM06.002.42.023AB	UL20549	300V	42X23AWG	17/0.14	15.3	371.56	69.2Ω/km
ANM06.002.43.023AB	UL20549	300V	43X23AWG	17/0.14	15.3	373.36	69.2Ω/km
ANM06.002.44.023AB	UL20549	300V	44X23AWG	17/0.14	15.3	375.26	69.2Ω/km
ANM06.002.45.023AB	UL20549	300V	45X23AWG	17/0.14	15.6	388.56	69.2Ω/km
ANM06.002.46.023AB	UL20549	300V	46X23AWG	17/0.14	15.6	390.26	69.2Ω/km
ANM06.002.47.023AB	UL20549	300V	47X23AWG	17/0.14	15.6	392.16	69.2Ω/km



ANM06.002.48.023AB	UL20549	300V	48X23AWG	17/0.14	15.6	393.86	69.2Ω/km
ANM06.002.49.023AB	UL20549	300V	49X23AWG	17/0.14	16	411.46	69.2Ω/km
ANM06.002.50.023AB	UL20549	300V	50X23AWG	17/0.14	16	413.26	69.2Ω/km
ANM06.002.51.023AB	UL20549	300V	51X23AWG	17/0.14	16	415.16	69.2Ω/km
ANM06.002.52.023AB	UL20549	300V	52X23AWG	17/0.14	16	416.76	69.2Ω/km
ANM06.002.53.023AB	UL20549	300V	53X23AWG	17/0.14	16.4	434.86	69.2Ω/km
ANM06.002.54.023AB	UL20549	300V	54X23AWG	17/0.14	16.4	436.66	69.2Ω/km
ANM06.002.55.023AB	UL20549	300V	55X23AWG	17/0.14	16.4	438.46	69.2Ω/km
ANM06.002.56.023AB	UL20549	300V	56X23AWG	17/0.14	16.4	440.26	69.2Ω/km
ANM06.002.57.023AB	UL20549	300V	57X23AWG	17/0.14	16.8	458.46	69.2Ω/km
ANM06.002.58.023AB	UL20549	300V	58X23AWG	17/0.14	16.8	460.26	69.2Ω/km
ANM06.002.59.023AB	UL20549	300V	59X23AWG	17/0.14	16.8	461.96	69.2Ω/km
ANM06.002.60.023AB	UL20549	300V	60X23AWG	17/0.14	16.8	463.86	69.2Ω/km
ANM06.002.61.023AB	UL20549	300V	61X23AWG	17/0.14	16.8	465.66	69.2Ω/km
ANM06.002.62.023AB	UL20549	300V	62X23AWG	17/0.14	17.3	488.66	69.2Ω/km
ANM06.002.63.023AB	UL20549	300V	63X23AWG	17/0.14	17.3	490.46	69.2Ω/km
ANM06.002.64.023AB	UL20549	300V	64X23AWG	17/0.14	17.3	492.26	69.2Ω/km
ANM06.002.65.023AB	UL20549	300V	65X23AWG	17/0.14	17.3	494.06	69.2Ω/km
ANM06.002.02.022AB	UL20549	300V	2X22AWG	22/0.14	5.4	43.83	55.4Ω/km
ANM06.002.03.022AB	UL20549	300V	3X22AWG	22/0.14	5.7	50.43	55.4Ω/km
ANM06.002.04.022AB	UL20549	300V	4X22AWG	22/0.14	6.1	58.83	55.4Ω/km
ANM06.002.05.022AB	UL20549	300V	5X22AWG	22/0.14	6.6	69.23	55.4Ω/km
ANM06.002.06.022AB	UL20549	300V	6X22AWG	22/0.14	7	78.43	55.4Ω/km
ANM06.002.07.022AB	UL20549	300V	7X22AWG	22/0.14	7	80.63	55.4Ω/km
ANM06.002.08.022AB	UL20549	300V	8X22AWG	22/0.14	7.5	92.23	55.4Ω/km
ANM06.002.09.022AB	UL20549	300V	9X22AWG	22/0.14	8.2	108.53	55.4Ω/km
ANM06.002.10.022AB	UL20549	300V	10X22AWG	22/0.14	8.6	119.23	55.4Ω/km
ANM06.002.11.022AB	UL20549	300V	11X22AWG	22/0.14	8.9	128.23	55.4Ω/km
ANM06.002.12.022AB	UL20549	300V	12X22AWG	22/0.14	8.9	130.33	55.4Ω/km
ANM06.002.13.022AB	UL20549	300V	13X22AWG	22/0.14	9.3	141.93	55.4Ω/km
ANM06.002.14.022AB	UL20549	300V	14X22AWG	22/0.14	9.3	144.13	55.4Ω/km
ANM06.002.15.022AB	UL20549	300V	15X22AWG	22/0.14	9.8	158.43	55.4Ω/km
ANM06.002.16.022AB	UL20549	300V	16X22AWG	22/0.14	9.8	160.63	55.4Ω/km
ANM06.002.17.022AB	UL20549	300V	17X22AWG	22/0.14	10.2	172.93	55.4Ω/km
ANM06.002.18.022AB	UL20549	300V	18X22AWG	22/0.14	10.2	175.23	55.4Ω/km
ANM06.002.19.022AB	UL20549	300V	19X22AWG	22/0.14	10.2	177.43	55.4Ω/km
ANM06.002.20.022AB	UL20549	300V	20X22AWG	22/0.14	11.5	213.53	55.4Ω/km
ANM06.002.21.022AB	UL20549	300V	21X22AWG	22/0.14	11.7	221.53	55.4Ω/km
ANM06.002.22.022AB	UL20549	300V	22X22AWG	22/0.14	12.4	244.93	55.4Ω/km
ANM06.002.23.022AB	UL20549	300V	23X22AWG	22/0.14	12.8	259.83	55.4Ω/km
ANM06.002.24.022AB	UL20549	300V	24X22AWG	22/0.14	12.8	261.93	55.4Ω/km
ANM06.002.25.022AB	UL20549	300V	25X22AWG	22/0.14	13.1	273.93	55.4Ω/km



ANM06.002.26.022AB	UL20549	300V	26X22AWG	22/0.14	13.1	276.13	55.4Ω/km
ANM06.002.27.022AB	UL20549	300V	27X22AWG	22/0.14	13.1	278.33	55.4Ω/km
ANM06.002.28.022AB	UL20549	300V	28X22AWG	22/0.14	13.6	297.23	55.4Ω/km
ANM06.002.29.022AB	UL20549	300V	29X22AWG	22/0.14	13.6	299.53	55.4Ω/km
ANM06.002.30.022AB	UL20549	300V	30X22AWG	22/0.14	13.6	301.73	55.4Ω/km
ANM06.002.31.022AB	UL20549	300V	31X22AWG	22/0.14	14.1	321.23	55.4Ω/km
ANM06.002.32.022AB	UL20549	300V	32X22AWG	22/0.14	14.1	323.53	55.4Ω/km
ANM06.002.33.022AB	UL20549	300V	33X22AWG	22/0.14	14.1	325.73	55.4Ω/km
ANM06.002.34.022AB	UL20549	300V	34X22AWG	22/0.14	14.5	342.23	55.4Ω/km
ANM06.002.35.022AB	UL20549	300V	35X22AWG	22/0.14	14.5	344.33	55.4Ω/km
ANM06.002.36.022AB	UL20549	300V	36X22AWG	22/0.14	14.5	346.63	55.4Ω/km
ANM06.002.37.022AB	UL20549	300V	37X22AWG	22/0.14	14.5	348.83	55.4Ω/km
ANM06.002.38.022AB	UL20549	300V	38X22AWG	22/0.14	15	369.53	55.4Ω/km
ANM06.002.39.022AB	UL20549	300V	39X22AWG	22/0.14	15	371.73	55.4Ω/km
ANM06.002.40.022AB	UL20549	300V	40X22AWG	22/0.14	15	373.93	55.4Ω/km
ANM06.002.41.022AB	UL20549	300V	41X22AWG	22/0.14	16.1	418.73	55.4Ω/km
ANM06.002.42.022AB	UL20549	300V	42X22AWG	22/0.14	16.1	420.93	55.4Ω/km
ANM06.002.43.022AB	UL20549	300V	43X22AWG	22/0.14	16.1	423.13	55.4Ω/km
ANM06.002.44.022AB	UL20549	300V	44X22AWG	22/0.14	16.1	425.33	55.4Ω/km
ANM06.002.45.022AB	UL20549	300V	45X22AWG	22/0.14	16.4	439.73	55.4Ω/km
ANM06.002.46.022AB	UL20549	300V	46X22AWG	22/0.14	16.4	442.03	55.4Ω/km
ANM06.002.47.022AB	UL20549	300V	47X22AWG	22/0.14	16.4	444.13	55.4Ω/km
ANM06.002.48.022AB	UL20549	300V	48X22AWG	22/0.14	16.4	446.43	55.4Ω/km
ANM06.002.49.022AB	UL20549	300V	49X22AWG	22/0.14	16.8	465.03	55.4Ω/km
ANM06.002.50.022AB	UL20549	300V	50X22AWG	22/0.14	16.8	467.33	55.4Ω/km
ANM06.002.51.022AB	UL20549	300V	51X22AWG	22/0.14	16.8	469.43	55.4Ω/km
ANM06.002.52.022AB	UL20549	300V	52X22AWG	22/0.14	16.8	471.73	55.4Ω/km
ANM06.002.53.022AB	UL20549	300V	53X22AWG	22/0.14	17.3	495.23	55.4Ω/km
ANM06.002.54.022AB	UL20549	300V	54X22AWG	22/0.14	17.3	497.33	55.4Ω/km
ANM06.002.55.022AB	UL20549	300V	55X22AWG	22/0.14	17.3	499.63	55.4Ω/km
ANM06.002.56.022AB	UL20549	300V	56X22AWG	22/0.14	17.3	501.83	55.4Ω/km
ANM06.002.57.022AB	UL20549	300V	57X22AWG	22/0.14	17.7	521.43	55.4Ω/km
ANM06.002.58.022AB	UL20549	300V	58X22AWG	22/0.14	17.7	523.53	55.4Ω/km
ANM06.002.59.022AB	UL20549	300V	59X22AWG	22/0.14	17.7	525.83	55.4Ω/km
ANM06.002.60.022AB	UL20549	300V	60X22AWG	22/0.14	17.7	528.03	55.4Ω/km
ANM06.002.61.022AB	UL20549	300V	61X22AWG	22/0.14	17.7	530.33	55.4Ω/km
ANM06.002.62.022AB	UL20549	300V	62X22AWG	22/0.14	18.2	554.73	55.4Ω/km
ANM06.002.63.022AB	UL20549	300V	63X22AWG	22/0.14	18.2	556.93	55.4Ω/km
ANM06.002.64.022AB	UL20549	300V	64X22AWG	22/0.14	18.2	559.23	55.4Ω/km
ANM06.002.65.022AB	UL20549	300V	65X22AWG	22/0.14	18.2	561.43	55.4Ω/km
ANM06.002.02.021AB	UL20549	300V	2X21AWG	27/0.14	5.6	48.02	43.6Ω/km
ANM06.002.03.021AB	UL20549	300V	3X21AWG	27/0.14	5.9	55.42	43.6Ω/km



ANM06.002.04.021AB	UL20549	300V	4X21AWG	27/0.14	6.4	66.32	43.6Ω/km
ANM06.002.05.021AB	UL20549	300V	5X21AWG	27/0.14	6.8	75.92	43.6Ω/km
ANM06.002.06.021AB	UL20549	300V	6X21AWG	27/0.14	7.3	87.82	43.6Ω/km
ANM06.002.07.021AB	UL20549	300V	7X21AWG	27/0.14	7.3	90.72	43.6Ω/km
ANM06.002.08.021AB	UL20549	300V	8X21AWG	27/0.14	7.9	105.12	43.6Ω/km
ANM06.002.09.021AB	UL20549	300V	9X21AWG	27/0.14	8.5	120.52	43.6Ω/km
ANM06.002.10.021AB	UL20549	300V	10X21AWG	27/0.14	9	134.52	43.6Ω/km
ANM06.002.11.021AB	UL20549	300V	11X21AWG	27/0.14	9.3	144.32	43.6Ω/km
ANM06.002.12.021AB	UL20549	300V	12X21AWG	27/0.14	9.3	147.22	43.6Ω/km
ANM06.002.13.021AB	UL20549	300V	13X21AWG	27/0.14	9.8	162.12	43.6Ω/km
ANM06.002.14.021AB	UL20549	300V	14X21AWG	27/0.14	9.8	164.92	43.6Ω/km
ANM06.002.15.021AB	UL20549	300V	15X21AWG	27/0.14	10.2	177.92	43.6Ω/km
ANM06.002.16.021AB	UL20549	300V	16X21AWG	27/0.14	10.2	180.72	43.6Ω/km
ANM06.002.17.021AB	UL20549	300V	17X21AWG	27/0.14	11.7	223.22	43.6Ω/km
ANM06.002.18.021AB	UL20549	300V	18X21AWG	27/0.14	11.7	226.12	43.6Ω/km
ANM06.002.19.021AB	UL20549	300V	19X21AWG	27/0.14	11.7	229.02	43.6Ω/km
ANM06.002.20.021AB	UL20549	300V	20X21AWG	27/0.14	12	240.72	43.6Ω/km
ANM06.002.21.021AB	UL20549	300V	21X21AWG	27/0.14	12.3	252.82	43.6Ω/km
ANM06.002.22.021AB	UL20549	300V	22X21AWG	27/0.14	12.9	274.52	43.6Ω/km
ANM06.002.23.021AB	UL20549	300V	23X21AWG	27/0.14	13.5	297.02	43.6Ω/km
ANM06.002.24.021AB	UL20549	300V	24X21AWG	27/0.14	13.5	299.92	43.6Ω/km
ANM06.002.25.021AB	UL20549	300V	25X21AWG	27/0.14	13.8	312.92	43.6Ω/km
ANM06.002.26.021AB	UL20549	300V	26X21AWG	27/0.14	13.8	315.82	43.6Ω/km
ANM06.002.27.021AB	UL20549	300V	27X21AWG	27/0.14	13.8	318.72	43.6Ω/km
ANM06.002.28.021AB	UL20549	300V	28X21AWG	27/0.14	14.3	339.02	43.6Ω/km
ANM06.002.29.021AB	UL20549	300V	29X21AWG	27/0.14	14.3	341.92	43.6Ω/km
ANM06.002.30.021AB	UL20549	300V	30X21AWG	27/0.14	14.3	344.82	43.6Ω/km
ANM06.002.31.021AB	UL20549	300V	31X21AWG	27/0.14	14.7	362.02	43.6Ω/km
ANM06.002.32.021AB	UL20549	300V	32X21AWG	27/0.14	14.7	364.92	43.6Ω/km
ANM06.002.33.021AB	UL20549	300V	33X21AWG	27/0.14	14.7	367.72	43.6Ω/km
ANM06.002.34.021AB	UL20549	300V	34X21AWG	27/0.14	15.2	389.12	43.6Ω/km
ANM06.002.35.021AB	UL20549	300V	35X21AWG	27/0.14	15.2	392.02	43.6Ω/km
ANM06.002.36.021AB	UL20549	300V	36X21AWG	27/0.14	15.2	394.82	43.6Ω/km
ANM06.002.37.021AB	UL20549	300V	37X21AWG	27/0.14	15.2	397.72	43.6Ω/km
ANM06.002.38.021AB	UL20549	300V	38X21AWG	27/0.14	15.8	423.72	43.6Ω/km
ANM06.002.39.021AB	UL20549	300V	39X21AWG	27/0.14	15.8	426.52	43.6Ω/km
ANM06.002.40.021AB	UL20549	300V	40X21AWG	27/0.14	15.8	429.42	43.6Ω/km
ANM06.002.41.021AB	UL20549	300V	41X21AWG	27/0.14	16.9	476.82	43.6Ω/km
ANM06.002.42.021AB	UL20549	300V	42X21AWG	27/0.14	16.9	479.62	43.6Ω/km
ANM06.002.43.021AB	UL20549	300V	43X21AWG	27/0.14	16.9	482.52	43.6Ω/km
ANM06.002.44.021AB	UL20549	300V	44X21AWG	27/0.14	16.9	485.32	43.6Ω/km
ANM06.002.45.021AB	UL20549	300V	45X21AWG	27/0.14	17.2	500.92	43.6Ω/km



ANM06.002.46.021AB	UL20549	300V	46X21AWG	27/0.14	17.2	503.72	43.6Ω/km
ANM06.002.47.021AB	UL20549	300V	47X21AWG	27/0.14	17.2	506.52	43.6Ω/km
ANM06.002.48.021AB	UL20549	300V	48X21AWG	27/0.14	17.2	509.52	43.6Ω/km
ANM06.002.49.021AB	UL20549	300V	49X21AWG	27/0.14	17.7	534.02	43.6Ω/km
ANM06.002.50.021AB	UL20549	300V	50X21AWG	27/0.14	17.7	536.82	43.6Ω/km
ANM06.002.51.021AB	UL20549	300V	51X21AWG	27/0.14	17.7	539.72	43.6Ω/km
ANM06.002.52.021AB	UL20549	300V	52X21AWG	27/0.14	17.7	542.62	43.6Ω/km
ANM06.002.53.021AB	UL20549	300V	53X21AWG	27/0.14	18.1	563.12	43.6Ω/km
ANM06.002.54.021AB	UL20549	300V	54X21AWG	27/0.14	18.1	565.92	43.6Ω/km
ANM06.002.55.021AB	UL20549	300V	55X21AWG	27/0.14	18.1	568.72	43.6Ω/km
ANM06.002.56.021AB	UL20549	300V	56X21AWG	27/0.14	18.1	571.62	43.6Ω/km
ANM06.002.57.021AB	UL20549	300V	57X21AWG	27/0.14	18.6	597.32	43.6Ω/km
ANM06.002.58.021AB	UL20549	300V	58X21AWG	27/0.14	18.6	600.12	43.6Ω/km
ANM06.002.59.021AB	UL20549	300V	59X21AWG	27/0.14	18.6	603.02	43.6Ω/km
ANM06.002.60.021AB	UL20549	300V	60X21AWG	27/0.14	18.6	605.92	43.6Ω/km
ANM06.002.61.021AB	UL20549	300V	61X21AWG	27/0.14	18.6	608.62	43.6Ω/km
ANM06.002.62.021AB	UL20549	300V	62X21AWG	27/0.14	19.2	639.62	43.6Ω/km
ANM06.002.63.021AB	UL20549	300V	63X21AWG	27/0.14	19.2	642.52	43.6Ω/km
ANM06.002.64.021AB	UL20549	300V	64X21AWG	27/0.14	19.2	645.32	43.6Ω/km
ANM06.002.65.021AB	UL20549	300V	65X21AWG	27/0.14	19.2	648.22	43.6Ω/km
ANM06.002.02.020AB	UL20549	300V	2X20AWG	34/0.14	5.8	52.72	34.6Ω/km
ANM06.002.03.020AB	UL20549	300V	3X20AWG	34/0.14	6.1	60.92	34.6Ω/km
ANM06.002.04.020AB	UL20549	300V	4X20AWG	34/0.14	6.6	72.82	34.6Ω/km
ANM06.002.05.020AB	UL20549	300V	5X20AWG	34/0.14	7.1	85.22	34.6Ω/km
ANM06.002.06.020AB	UL20549	300V	6X20AWG	34/0.14	7.6	98.22	34.6Ω/km
ANM06.002.07.020AB	UL20549	300V	7X20AWG	34/0.14	7.6	101.72	34.6Ω/km
ANM06.002.08.020AB	UL20549	300V	8X20AWG	34/0.14	8.2	117.62	34.6Ω/km
ANM06.002.09.020AB	UL20549	300V	9X20AWG	34/0.14	8.9	136.42	34.6Ω/km
ANM06.002.10.020AB	UL20549	300V	10X20AWG	34/0.14	9.4	151.72	34.6Ω/km
ANM06.002.11.020AB	UL20549	300V	11X20AWG	34/0.14	9.7	162.52	34.6Ω/km
ANM06.002.12.020AB	UL20549	300V	12X20AWG	34/0.14	9.7	166.12	34.6Ω/km
ANM06.002.13.020AB	UL20549	300V	13X20AWG	34/0.14	10.2	182.32	34.6Ω/km
ANM06.002.14.020AB	UL20549	300V	14X20AWG	34/0.14	10.2	186.02	34.6Ω/km
ANM06.002.15.020AB	UL20549	300V	15X20AWG	34/0.14	11.7	229.22	34.6Ω/km
ANM06.002.16.020AB	UL20549	300V	16X20AWG	34/0.14	11.7	232.92	34.6Ω/km
ANM06.002.17.020AB	UL20549	300V	17X20AWG	34/0.14	12.2	251.62	34.6Ω/km
ANM06.002.18.020AB	UL20549	300V	18X20AWG	34/0.14	12.2	255.22	34.6Ω/km
ANM06.002.19.020AB	UL20549	300V	19X20AWG	34/0.14	12.2	258.92	34.6Ω/km
ANM06.002.20.020AB	UL20549	300V	20X20AWG	34/0.14	12.5	271.72	34.6Ω/km
ANM06.002.21.020AB	UL20549	300V	21X20AWG	34/0.14	12.8	284.82	34.6Ω/km
ANM06.002.22.020AB	UL20549	300V	22X20AWG	34/0.14	13.6	314.72	34.6Ω/km
ANM06.002.23.020AB	UL20549	300V	23X20AWG	34/0.14	14.1	335.72	34.6Ω/km



ANM06.002.24.020AB	UL20549	300V	24X20AWG	34/0.14	14.1	339.32	34.6Ω/km
ANM06.002.25.020AB	UL20549	300V	25X20AWG	34/0.14	14.4	353.62	34.6Ω/km
ANM06.002.26.020AB	UL20549	300V	26X20AWG	34/0.14	14.4	357.12	34.6Ω/km
ANM06.002.27.020AB	UL20549	300V	27X20AWG	34/0.14	14.4	360.72	34.6Ω/km
ANM06.002.28.020AB	UL20549	300V	28X20AWG	34/0.14	14.9	382.52	34.6Ω/km
ANM06.002.29.020AB	UL20549	300V	29X20AWG	34/0.14	14.9	386.22	34.6Ω/km
ANM06.002.30.020AB	UL20549	300V	30X20AWG	34/0.14	14.9	389.82	34.6Ω/km
ANM06.002.31.020AB	UL20549	300V	31X20AWG	34/0.14	15.4	412.32	34.6Ω/km
ANM06.002.32.020AB	UL20549	300V	32X20AWG	34/0.14	15.4	415.92	34.6Ω/km
ANM06.002.33.020AB	UL20549	300V	33X20AWG	34/0.14	15.4	419.62	34.6Ω/km
ANM06.002.34.020AB	UL20549	300V	34X20AWG	34/0.14	15.9	442.72	34.6Ω/km
ANM06.002.35.020AB	UL20549	300V	35X20AWG	34/0.14	15.9	446.32	34.6Ω/km
ANM06.002.36.020AB	UL20549	300V	36X20AWG	34/0.14	15.9	449.92	34.6Ω/km
ANM06.002.37.020AB	UL20549	300V	37X20AWG	34/0.14	15.9	453.52	34.6Ω/km
ANM06.002.38.020AB	UL20549	300V	38X20AWG	34/0.14	16.5	481.32	34.6Ω/km
ANM06.002.39.020AB	UL20549	300V	39X20AWG	34/0.14	16.5	484.82	34.6Ω/km
ANM06.002.40.020AB	UL20549	300V	40X20AWG	34/0.14	16.5	488.52	34.6Ω/km
ANM06.002.41.020AB	UL20549	300V	41X20AWG	34/0.14	17.7	543.02	34.6Ω/km
ANM06.002.42.020AB	UL20549	300V	42X20AWG	34/0.14	17.7	546.72	34.6Ω/km
ANM06.002.43.020AB	UL20549	300V	43X20AWG	34/0.14	17.7	550.32	34.6Ω/km
ANM06.002.44.020AB	UL20549	300V	44X20AWG	34/0.14	17.7	554.02	34.6Ω/km
ANM06.002.45.020AB	UL20549	300V	45X20AWG	34/0.14	18	570.82	34.6Ω/km
ANM06.002.46.020AB	UL20549	300V	46X20AWG	34/0.14	18	574.52	34.6Ω/km
ANM06.002.47.020AB	UL20549	300V	47X20AWG	34/0.14	18	578.12	34.6Ω/km
ANM06.002.48.020AB	UL20549	300V	48X20AWG	34/0.14	18	581.82	34.6Ω/km
ANM06.002.49.020AB	UL20549	300V	49X20AWG	34/0.14	18.5	607.92	34.6Ω/km
ANM06.002.50.020AB	UL20549	300V	50X20AWG	34/0.14	18.5	611.62	34.6Ω/km
ANM06.002.51.020AB	UL20549	300V	51X20AWG	34/0.14	18.5	615.32	34.6Ω/km
ANM06.002.52.020AB	UL20549	300V	52X20AWG	34/0.14	18.5	618.92	34.6Ω/km
ANM06.002.53.020AB	UL20549	300V	53X20AWG	34/0.14	19	645.62	34.6Ω/km
ANM06.002.54.020AB	UL20549	300V	54X20AWG	34/0.14	19	649.12	34.6Ω/km
ANM06.002.55.020AB	UL20549	300V	55X20AWG	34/0.14	19	652.82	34.6Ω/km
ANM06.002.56.020AB	UL20549	300V	56X20AWG	34/0.14	19	656.32	34.6Ω/km
ANM06.002.57.020AB	UL20549	300V	57X20AWG	34/0.14	19.5	683.92	34.6Ω/km
ANM06.002.58.020AB	UL20549	300V	58X20AWG	34/0.14	19.5	687.42	34.6Ω/km
ANM06.002.59.020AB	UL20549	300V	59X20AWG	34/0.14	19.5	691.12	34.6Ω/km
ANM06.002.60.020AB	UL20549	300V	60X20AWG	34/0.14	19.5	694.72	34.6Ω/km
ANM06.002.61.020AB	UL20549	300V	61X20AWG	34/0.14	19.5	698.42	34.6Ω/km
ANM06.002.62.020AB	UL20549	300V	62X20AWG	34/0.14	20.1	731.42	34.6Ω/km
ANM06.002.63.020AB	UL20549	300V	63X20AWG	34/0.14	20.1	735.02	34.6Ω/km
ANM06.002.64.020AB	UL20549	300V	64X20AWG	34/0.14	20.1	738.62	34.6Ω/km
ANM06.002.65.020AB	UL20549	300V	65X20AWG	34/0.14	20.1	742.32	34.6Ω/km



ANM06.002.02.019AB	UL20549	300V	2X19AWG	43/0.14	6	57.86	27.4Ω/km
ANM06.002.03.019AB	UL20549	300V	3X19AWG	43/0.14	6.3	67.26	27.4Ω/km
ANM06.002.04.019AB	UL20549	300V	4X19AWG	43/0.14	6.8	80.46	27.4Ω/km
ANM06.002.05.019AB	UL20549	300V	5X19AWG	43/0.14	7.4	95.96	27.4Ω/km
ANM06.002.06.019AB	UL20549	300V	6X19AWG	43/0.14	7.9	110.36	27.4Ω/km
ANM06.002.07.019AB	UL20549	300V	7X19AWG	43/0.14	7.9	114.86	27.4Ω/km
ANM06.002.08.019AB	UL20549	300V	8X19AWG	43/0.14	8.5	132.16	27.4Ω/km
ANM06.002.09.019AB	UL20549	300V	9X19AWG	43/0.14	9.3	154.76	27.4Ω/km
ANM06.002.10.019AB	UL20549	300V	10X19AWG	43/0.14	9.8	171.56	27.4Ω/km
ANM06.002.11.019AB	UL20549	300V	11X19AWG	43/0.14	10.1	183.66	27.4Ω/km
ANM06.002.12.019AB	UL20549	300V	12X19AWG	43/0.14	10.1	188.36	27.4Ω/km
ANM06.002.13.019AB	UL20549	300V	13X19AWG	43/0.14	11.6	232.16	27.4Ω/km
ANM06.002.14.019AB	UL20549	300V	14X19AWG	43/0.14	11.6	236.86	27.4Ω/km
ANM06.002.15.019AB	UL20549	300V	15X19AWG	43/0.14	12.2	259.36	27.4Ω/km
ANM06.002.16.019AB	UL20549	300V	16X19AWG	43/0.14	12.2	264.06	27.4Ω/km
ANM06.002.17.019AB	UL20549	300V	17X19AWG	43/0.14	12.7	284.16	27.4Ω/km
ANM06.002.18.019AB	UL20549	300V	18X19AWG	43/0.14	12.7	288.86	27.4Ω/km
ANM06.002.19.019AB	UL20549	300V	19X19AWG	43/0.14	12.7	293.46	27.4Ω/km
ANM06.002.20.019AB	UL20549	300V	20X19AWG	43/0.14	13	307.66	27.4Ω/km
ANM06.002.21.019AB	UL20549	300V	21X19AWG	43/0.14	13.4	325.46	27.4Ω/km
ANM06.002.22.019AB	UL20549	300V	22X19AWG	43/0.14	14.2	357.66	27.4Ω/km
ANM06.002.23.019AB	UL20549	300V	23X19AWG	43/0.14	14.7	380.16	27.4Ω/km
ANM06.002.24.019AB	UL20549	300V	24X19AWG	43/0.14	14.7	384.86	27.4Ω/km
ANM06.002.25.019AB	UL20549	300V	25X19AWG	43/0.14	15	400.56	27.4Ω/km
ANM06.002.26.019AB	UL20549	300V	26X19AWG	43/0.14	15	405.26	27.4Ω/km
ANM06.002.27.019AB	UL20549	300V	27X19AWG	43/0.14	15	409.76	27.4Ω/km
ANM06.002.28.019AB	UL20549	300V	28X19AWG	43/0.14	15.5	433.36	27.4Ω/km
ANM06.002.29.019AB	UL20549	300V	29X19AWG	43/0.14	15.5	437.96	27.4Ω/km
ANM06.002.30.019AB	UL20549	300V	30X19AWG	43/0.14	15.5	442.56	27.4Ω/km
ANM06.002.31.019AB	UL20549	300V	31X19AWG	43/0.14	16.1	470.86	27.4Ω/km
ANM06.002.32.019AB	UL20549	300V	32X19AWG	43/0.14	16.1	475.46	27.4Ω/km
ANM06.002.33.019AB	UL20549	300V	33X19AWG	43/0.14	16.1	480.06	27.4Ω/km
ANM06.002.34.019AB	UL20549	300V	34X19AWG	43/0.14	16.6	504.96	27.4Ω/km
ANM06.002.35.019AB	UL20549	300V	35X19AWG	43/0.14	16.6	509.46	27.4Ω/km
ANM06.002.36.019AB	UL20549	300V	36X19AWG	43/0.14	16.6	514.26	27.4Ω/km
ANM06.002.37.019AB	UL20549	300V	37X19AWG	43/0.14	16.6	518.76	27.4Ω/km
ANM06.002.38.019AB	UL20549	300V	38X19AWG	43/0.14	17.2	548.56	27.4Ω/km
ANM06.002.39.019AB	UL20549	300V	39X19AWG	43/0.14	17.2	553.06	27.4Ω/km
ANM06.002.40.019AB	UL20549	300V	40X19AWG	43/0.14	17.2	557.86	27.4Ω/km
ANM06.002.41.019AB	UL20549	300V	41X19AWG	43/0.14	18.5	619.86	27.4Ω/km
ANM06.002.42.019AB	UL20549	300V	42X19AWG	43/0.14	18.5	624.46	27.4Ω/km
ANM06.002.43.019AB	UL20549	300V	43X19AWG	43/0.14	18.5	629.16	27.4Ω/km



ANM06.002.44.019AB	UL20549	300V	44X19AWG	43/0.14	18.5	633.76	27.4Ω/km
ANM06.002.45.019AB	UL20549	300V	45X19AWG	43/0.14	18.8	652.16	27.4Ω/km
ANM06.002.46.019AB	UL20549	300V	46X19AWG	43/0.14	18.8	656.76	27.4Ω/km
ANM06.002.47.019AB	UL20549	300V	47X19AWG	43/0.14	18.8	661.36	27.4Ω/km
ANM06.002.48.019AB	UL20549	300V	48X19AWG	43/0.14	18.8	666.06	27.4Ω/km
ANM06.002.49.019AB	UL20549	300V	49X19AWG	43/0.14	19.3	694.16	27.4Ω/km
ANM06.002.50.019AB	UL20549	300V	50X19AWG	43/0.14	19.3	698.86	27.4Ω/km
ANM06.002.51.019AB	UL20549	300V	51X19AWG	43/0.14	19.3	703.36	27.4Ω/km
ANM06.002.52.019AB	UL20549	300V	52X19AWG	43/0.14	19.3	708.16	27.4Ω/km
ANM06.002.53.019AB	UL20549	300V	53X19AWG	43/0.14	19.9	741.96	27.4Ω/km
ANM06.002.54.019AB	UL20549	300V	54X19AWG	43/0.14	19.9	746.46	27.4Ω/km
ANM06.002.55.019AB	UL20549	300V	55X19AWG	43/0.14	19.9	751.26	27.4Ω/km
ANM06.002.56.019AB	UL20549	300V	56X19AWG	43/0.14	19.9	755.76	27.4Ω/km
ANM06.002.57.019AB	UL20549	300V	57X19AWG	43/0.14	21.4	834.76	27.4Ω/km
ANM06.002.58.019AB	UL20549	300V	58X19AWG	43/0.14	21.4	839.26	27.4Ω/km
ANM06.002.59.019AB	UL20549	300V	59X19AWG	43/0.14	21.4	843.96	27.4Ω/km
ANM06.002.60.019AB	UL20549	300V	60X19AWG	43/0.14	21.4	848.56	27.4Ω/km
ANM06.002.61.019AB	UL20549	300V	61X19AWG	43/0.14	21.4	853.16	27.4Ω/km
ANM06.002.62.019AB	UL20549	300V	62X19AWG	43/0.14	22	889.86	27.4Ω/km
ANM06.002.63.019AB	UL20549	300V	63X19AWG	43/0.14	22	894.56	27.4Ω/km
ANM06.002.64.019AB	UL20549	300V	64X19AWG	43/0.14	22	899.16	27.4Ω/km
ANM06.002.65.019AB	UL20549	300V	65X19AWG	43/0.14	22	903.76	27.4Ω/km
ANM06.002.02.018AB	UL20549	300V	2X18AWG	29/0.19	6.2	63.83	21.8Ω/km
ANM06.002.03.018AB	UL20549	300V	3X18AWG	29/0.19	6.6	76.33	21.8Ω/km
ANM06.002.04.018AB	UL20549	300V	4X18AWG	29/0.19	7.1	91.33	21.8Ω/km
ANM06.002.05.018AB	UL20549	300V	5X18AWG	29/0.19	7.6	106.53	21.8Ω/km
ANM06.002.06.018AB	UL20549	300V	6X18AWG	29/0.19	8.2	124.53	21.8Ω/km
ANM06.002.07.018AB	UL20549	300V	7X18AWG	29/0.19	8.2	130.63	21.8Ω/km
ANM06.002.08.018AB	UL20549	300V	8X18AWG	29/0.19	8.8	149.53	21.8Ω/km
ANM06.002.09.018AB	UL20549	300V	9X18AWG	29/0.19	9.6	174.13	21.8Ω/km
ANM06.002.10.018AB	UL20549	300V	10X18AWG	29/0.19	10.2	195.13	21.8Ω/km
ANM06.002.11.018AB	UL20549	300V	11X18AWG	29/0.19	11.6	237.83	21.8Ω/km
ANM06.002.12.018AB	UL20549	300V	12X18AWG	29/0.19	11.6	243.63	21.8Ω/km
ANM06.002.13.018AB	UL20549	300V	13X18AWG	29/0.19	12.1	264.53	21.8Ω/km
ANM06.002.14.018AB	UL20549	300V	14X18AWG	29/0.19	12.1	270.43	21.8Ω/km
ANM06.002.15.018AB	UL20549	300V	15X18AWG	29/0.19	12.6	291.83	21.8Ω/km
ANM06.002.16.018AB	UL20549	300V	16X18AWG	29/0.19	12.6	297.93	21.8Ω/km
ANM06.002.17.018AB	UL20549	300V	17X18AWG	29/0.19	13.2	323.03	21.8Ω/km
ANM06.002.18.018AB	UL20549	300V	18X18AWG	29/0.19	13.2	329.03	21.8Ω/km
ANM06.002.19.018AB	UL20549	300V	19X18AWG	29/0.19	13.2	335.13	21.8Ω/km
ANM06.002.20.018AB	UL20549	300V	20X18AWG	29/0.19	13.7	357.73	21.8Ω/km
ANM06.002.21.018AB	UL20549	300V	21X18AWG	29/0.19	13.9	370.53	21.8Ω/km



ANM06.002.22.018AB	UL20549	300V	22X18AWG	29/0.19	14.7	405.13	21.8Ω/km
ANM06.002.23.018AB	UL20549	300V	23X18AWG	29/0.19	15.3	433.33	21.8Ω/km
ANM06.002.24.018AB	UL20549	300V	24X18AWG	29/0.19	15.3	439.23	21.8Ω/km
ANM06.002.25.018AB	UL20549	300V	25X18AWG	29/0.19	15.7	460.83	21.8Ω/km
ANM06.002.26.018AB	UL20549	300V	26X18AWG	29/0.19	15.7	466.63	21.8Ω/km
ANM06.002.27.018AB	UL20549	300V	27X18AWG	29/0.19	15.7	472.63	21.8Ω/km
ANM06.002.28.018AB	UL20549	300V	28X18AWG	29/0.19	16.2	498.23	21.8Ω/km
ANM06.002.29.018AB	UL20549	300V	29X18AWG	29/0.19	16.2	504.33	21.8Ω/km
ANM06.002.30.018AB	UL20549	300V	30X18AWG	29/0.19	16.2	510.33	21.8Ω/km
ANM06.002.31.018AB	UL20549	300V	31X18AWG	29/0.19	16.7	536.53	21.8Ω/km
ANM06.002.32.018AB	UL20549	300V	32X18AWG	29/0.19	16.7	542.53	21.8Ω/km
ANM06.002.33.018AB	UL20549	300V	33X18AWG	29/0.19	16.7	548.53	21.8Ω/km
ANM06.002.34.018AB	UL20549	300V	34X18AWG	29/0.19	17.3	579.73	21.8Ω/km
ANM06.002.35.018AB	UL20549	300V	35X18AWG	29/0.19	17.3	585.83	21.8Ω/km
ANM06.002.36.018AB	UL20549	300V	36X18AWG	29/0.19	17.3	591.73	21.8Ω/km
ANM06.002.37.018AB	UL20549	300V	37X18AWG	29/0.19	17.3	597.63	21.8Ω/km
ANM06.002.38.018AB	UL20549	300V	38X18AWG	29/0.19	17.9	629.73	21.8Ω/km
ANM06.002.39.018AB	UL20549	300V	39X18AWG	29/0.19	17.9	635.73	21.8Ω/km
ANM06.002.40.018AB	UL20549	300V	40X18AWG	29/0.19	17.9	641.63	21.8Ω/km
ANM06.002.41.018AB	UL20549	300V	41X18AWG	29/0.19	19.3	711.93	21.8Ω/km
ANM06.002.42.018AB	UL20549	300V	42X18AWG	29/0.19	19.3	717.83	21.8Ω/km
ANM06.002.43.018AB	UL20549	300V	43X18AWG	29/0.19	19.3	723.83	21.8Ω/km
ANM06.002.44.018AB	UL20549	300V	44X18AWG	29/0.19	19.3	729.83	21.8Ω/km
ANM06.002.45.018AB	UL20549	300V	45X18AWG	29/0.19	19.7	755.03	21.8Ω/km
ANM06.002.46.018AB	UL20549	300V	46X18AWG	29/0.19	19.7	760.93	21.8Ω/km
ANM06.002.47.018AB	UL20549	300V	47X18AWG	29/0.19	19.7	767.03	21.8Ω/km
ANM06.002.48.018AB	UL20549	300V	48X18AWG	29/0.19	19.7	772.83	21.8Ω/km
ANM06.002.49.018AB	UL20549	300V	49X18AWG	29/0.19	20.2	803.53	21.8Ω/km
ANM06.002.50.018AB	UL20549	300V	50X18AWG	29/0.19	20.2	809.63	21.8Ω/km
ANM06.002.51.018AB	UL20549	300V	51X18AWG	29/0.19	20.2	815.43	21.8Ω/km
ANM06.002.52.018AB	UL20549	300V	52X18AWG	29/0.19	20.2	821.43	21.8Ω/km
ANM06.002.53.018AB	UL20549	300V	53X18AWG	29/0.19	21.7	902.83	21.8Ω/km
ANM06.002.54.018AB	UL20549	300V	54X18AWG	29/0.19	21.7	908.73	21.8Ω/km
ANM06.002.55.018AB	UL20549	300V	55X18AWG	29/0.19	21.7	914.73	21.8Ω/km
ANM06.002.56.018AB	UL20549	300V	56X18AWG	29/0.19	21.7	920.53	21.8Ω/km
ANM06.002.57.018AB	UL20549	300V	57X18AWG	29/0.19	22.3	959.13	21.8Ω/km
ANM06.002.58.018AB	UL20549	300V	58X18AWG	29/0.19	22.3	965.13	21.8Ω/km
ANM06.002.59.018AB	UL20549	300V	59X18AWG	29/0.19	22.3	971.03	21.8Ω/km
ANM06.002.60.018AB	UL20549	300V	60X18AWG	29/0.19	22.3	977.03	21.8Ω/km
ANM06.002.61.018AB	UL20549	300V	61X18AWG	29/0.19	22.3	983.03	21.8Ω/km
ANM06.002.62.018AB	UL20549	300V	62X18AWG	29/0.19	22.9	1022.23	21.8Ω/km
ANM06.002.63.018AB	UL20549	300V	63X18AWG	29/0.19	22.9	1028.33	21.8Ω/km



ANM06.002.64.018AB	UL20549	300V	64X18AWG	29/0.19	22.9	1034.33	21.8Ω/km
ANM06.002.65.018AB	UL20549	300V	65X18AWG	29/0.19	22.9	1040.13	21.8Ω/km
ANM06.002.02.017AB	UL20549	300V	2X17AWG	37/0.19	6.6	73.54	17.3Ω/km
ANM06.002.03.017AB	UL20549	300V	3X17AWG	37/0.19	7	87.84	17.3Ω/km
ANM06.002.04.017AB	UL20549	300V	4X17AWG	37/0.19	7.6	106.44	17.3Ω/km
ANM06.002.05.017AB	UL20549	300V	5X17AWG	37/0.19	8.2	125.94	17.3Ω/km
ANM06.002.06.017AB	UL20549	300V	6X17AWG	37/0.19	8.8	146.24	17.3Ω/km
ANM06.002.07.017AB	UL20549	300V	7X17AWG	37/0.19	8.8	153.54	17.3Ω/km
ANM06.002.08.017AB	UL20549	300V	8X17AWG	37/0.19	9.5	177.14	17.3Ω/km
ANM06.002.09.017AB	UL20549	300V	9X17AWG	37/0.19	11.4	232.94	17.3Ω/km
ANM06.002.10.017AB	UL20549	300V	10X17AWG	37/0.19	12	258.04	17.3Ω/km
ANM06.002.11.017AB	UL20549	300V	11X17AWG	37/0.19	12.4	277.54	17.3Ω/km
ANM06.002.12.017AB	UL20549	300V	12X17AWG	37/0.19	12.4	284.94	17.3Ω/km
ANM06.002.13.017AB	UL20549	300V	13X17AWG	37/0.19	13	311.24	17.3Ω/km
ANM06.002.14.017AB	UL20549	300V	14X17AWG	37/0.19	13	318.54	17.3Ω/km
ANM06.002.15.017AB	UL20549	300V	15X17AWG	37/0.19	13.7	349.24	17.3Ω/km
ANM06.002.16.017AB	UL20549	300V	16X17AWG	37/0.19	13.7	356.64	17.3Ω/km
ANM06.002.17.017AB	UL20549	300V	17X17AWG	37/0.19	14.3	384.94	17.3Ω/km
ANM06.002.18.017AB	UL20549	300V	18X17AWG	37/0.19	14.3	392.34	17.3Ω/km
ANM06.002.19.017AB	UL20549	300V	19X17AWG	37/0.19	14.3	399.84	17.3Ω/km
ANM06.002.20.017AB	UL20549	300V	20X17AWG	37/0.19	14.7	421.54	17.3Ω/km
ANM06.002.21.017AB	UL20549	300V	21X17AWG	37/0.19	15	440.04	17.3Ω/km
ANM06.002.22.017AB	UL20549	300V	22X17AWG	37/0.19	15.9	481.84	17.3Ω/km
ANM06.002.23.017AB	UL20549	300V	23X17AWG	37/0.19	16.5	513.24	17.3Ω/km
ANM06.002.24.017AB	UL20549	300V	24X17AWG	37/0.19	16.5	520.64	17.3Ω/km
ANM06.002.25.017AB	UL20549	300V	25X17AWG	37/0.19	16.9	544.54	17.3Ω/km
ANM06.002.26.017AB	UL20549	300V	26X17AWG	37/0.19	16.9	551.84	17.3Ω/km
ANM06.002.27.017AB	UL20549	300V	27X17AWG	37/0.19	16.9	559.34	17.3Ω/km
ANM06.002.28.017AB	UL20549	300V	28X17AWG	37/0.19	17.5	592.34	17.3Ω/km
ANM06.002.29.017AB	UL20549	300V	29X17AWG	37/0.19	17.5	599.74	17.3Ω/km
ANM06.002.30.017AB	UL20549	300V	30X17AWG	37/0.19	17.5	607.04	17.3Ω/km
ANM06.002.31.017AB	UL20549	300V	31X17AWG	37/0.19	18.1	640.84	17.3Ω/km
ANM06.002.32.017AB	UL20549	300V	32X17AWG	37/0.19	18.1	648.14	17.3Ω/km
ANM06.002.33.017AB	UL20549	300V	33X17AWG	37/0.19	18.1	655.44	17.3Ω/km
ANM06.002.34.017AB	UL20549	300V	34X17AWG	37/0.19	18.7	690.14	17.3Ω/km
ANM06.002.35.017AB	UL20549	300V	35X17AWG	37/0.19	18.7	697.54	17.3Ω/km
ANM06.002.36.017AB	UL20549	300V	36X17AWG	37/0.19	18.7	704.94	17.3Ω/km
ANM06.002.37.017AB	UL20549	300V	37X17AWG	37/0.19	18.7	712.44	17.3Ω/km
ANM06.002.38.017AB	UL20549	300V	38X17AWG	37/0.19	19.4	752.74	17.3Ω/km
ANM06.002.39.017AB	UL20549	300V	39X17AWG	37/0.19	19.4	760.14	17.3Ω/km
ANM06.002.40.017AB	UL20549	300V	40X17AWG	37/0.19	19.4	767.44	17.3Ω/km
ANM06.002.41.017AB	UL20549	300V	41X17AWG	37/0.19	21.9	900.04	17.3Ω/km



ANM06.002.42.017AB	UL20549	300V	42X17AWG	37/0.19	21.9	907.34	17.3 Ω/km
ANM06.002.43.017AB	UL20549	300V	43X17AWG	37/0.19	21.9	914.74	17.3 Ω/km
ANM06.002.44.017AB	UL20549	300V	44X17AWG	37/0.19	21.9	922.04	17.3 Ω/km
ANM06.002.45.017AB	UL20549	300V	45X17AWG	37/0.19	22.3	951.34	17.3 Ω/km
ANM06.002.46.017AB	UL20549	300V	46X17AWG	37/0.19	22.3	958.74	17.3 Ω/km
ANM06.002.47.017AB	UL20549	300V	47X17AWG	37/0.19	22.3	966.14	17.3 Ω/km
ANM06.002.48.017AB	UL20549	300V	48X17AWG	37/0.19	22.3	973.44	17.3 Ω/km
ANM06.002.49.017AB	UL20549	300V	49X17AWG	37/0.19	22.9	1014.24	17.3 Ω/km
ANM06.002.50.017AB	UL20549	300V	50X17AWG	37/0.19	22.9	1021.54	17.3 Ω/km
ANM06.002.51.017AB	UL20549	300V	51X17AWG	37/0.19	22.9	1028.84	17.3 Ω/km
ANM06.002.52.017AB	UL20549	300V	52X17AWG	37/0.19	22.9	1036.24	17.3 Ω/km
ANM06.002.53.017AB	UL20549	300V	53X17AWG	37/0.19	23.5	1077.84	17.3 Ω/km
ANM06.002.54.017AB	UL20549	300V	54X17AWG	37/0.19	23.5	1085.14	17.3 Ω/km
ANM06.002.55.017AB	UL20549	300V	55X17AWG	37/0.19	23.5	1092.64	17.3 Ω/km
ANM06.002.56.017AB	UL20549	300V	56X17AWG	37/0.19	23.5	1099.94	17.3 Ω/km
ANM06.002.57.017AB	UL20549	300V	57X17AWG	37/0.19	24.1	1142.54	17.3 Ω/km
ANM06.002.58.017AB	UL20549	300V	58X17AWG	37/0.19	24.1	1149.94	17.3 Ω/km
ANM06.002.59.017AB	UL20549	300V	59X17AWG	37/0.19	24.1	1157.24	17.3 Ω/km
ANM06.002.60.017AB	UL20549	300V	60X17AWG	37/0.19	24.1	1164.64	17.3 Ω/km
ANM06.002.61.017AB	UL20549	300V	61X17AWG	37/0.19	24.1	1171.94	17.3 Ω/km
ANM06.002.62.017AB	UL20549	300V	62X17AWG	37/0.19	24.8	1221.44	17.3 Ω/km
ANM06.002.63.017AB	UL20549	300V	63X17AWG	37/0.19	24.8	1228.74	17.3 Ω/km
ANM06.002.64.017AB	UL20549	300V	64X17AWG	37/0.19	24.8	1236.24	17.3 Ω/km
ANM06.002.65.017AB	UL20549	300V	65X17AWG	37/0.19	24.8	1243.54	17.3 Ω/km
ANM06.002.02.016AB	UL20549	300V	2X16AWG	27/0.25	6.8	81.71	13.7 Ω/km
ANM06.002.03.016AB	UL20549	300V	3X16AWG	27/0.25	7.2	98.41	13.7 Ω/km
ANM06.002.04.016AB	UL20549	300V	4X16AWG	27/0.25	7.8	119.51	13.7 Ω/km
ANM06.002.05.016AB	UL20549	300V	5X16AWG	27/0.25	8.5	143.61	13.7 Ω/km
ANM06.002.06.016AB	UL20549	300V	6X16AWG	27/0.25	9.1	166.51	13.7 Ω/km
ANM06.002.07.016AB	UL20549	300V	7X16AWG	27/0.25	9.1	176.11	13.7 Ω/km
ANM06.002.08.016AB	UL20549	300V	8X16AWG	27/0.25	9.8	202.41	13.7 Ω/km
ANM06.002.09.016AB	UL20549	300V	9X16AWG	27/0.25	11.8	264.71	13.7 Ω/km
ANM06.002.10.016AB	UL20549	300V	10X16AWG	27/0.25	12.4	292.31	13.7 Ω/km
ANM06.002.11.016AB	UL20549	300V	11X16AWG	27/0.25	12.8	314.51	13.7 Ω/km
ANM06.002.12.016AB	UL20549	300V	12X16AWG	27/0.25	12.8	324.11	13.7 Ω/km
ANM06.002.13.016AB	UL20549	300V	13X16AWG	27/0.25	13.5	356.61	13.7 Ω/km
ANM06.002.14.016AB	UL20549	300V	14X16AWG	27/0.25	13.5	366.21	13.7 Ω/km
ANM06.002.15.016AB	UL20549	300V	15X16AWG	27/0.25	14.2	399.91	13.7 Ω/km
ANM06.002.16.016AB	UL20549	300V	16X16AWG	27/0.25	14.2	409.51	13.7 Ω/km
ANM06.002.17.016AB	UL20549	300V	17X16AWG	27/0.25	14.8	440.71	13.7 Ω/km
ANM06.002.18.016AB	UL20549	300V	18X16AWG	27/0.25	14.8	450.31	13.7 Ω/km
ANM06.002.19.016AB	UL20549	300V	19X16AWG	27/0.25	14.8	459.91	13.7 Ω/km



ANM06.002.20.016AB	UL20549	300V	20X16AWG	27/0.25	15.2	484.21	13.7 Ω/km
ANM06.002.21.016AB	UL20549	300V	21X16AWG	27/0.25	15.5	505.31	13.7 Ω/km
ANM06.002.22.016AB	UL20549	300V	22X16AWG	27/0.25	16.5	554.41	13.7 Ω/km
ANM06.002.23.016AB	UL20549	300V	23X16AWG	27/0.25	17.1	589.11	13.7 Ω/km
ANM06.002.24.016AB	UL20549	300V	24X16AWG	27/0.25	17.1	598.71	13.7 Ω/km
ANM06.002.25.016AB	UL20549	300V	25X16AWG	27/0.25	17.5	625.31	13.7 Ω/km
ANM06.002.26.016AB	UL20549	300V	26X16AWG	27/0.25	17.5	634.91	13.7 Ω/km
ANM06.002.27.016AB	UL20549	300V	27X16AWG	27/0.25	17.5	644.41	13.7 Ω/km
ANM06.002.28.016AB	UL20549	300V	28X16AWG	27/0.25	18.1	680.41	13.7 Ω/km
ANM06.002.29.016AB	UL20549	300V	29X16AWG	27/0.25	18.1	689.91	13.7 Ω/km
ANM06.002.30.016AB	UL20549	300V	30X16AWG	27/0.25	18.1	699.51	13.7 Ω/km
ANM06.002.31.016AB	UL20549	300V	31X16AWG	27/0.25	18.8	741.01	13.7 Ω/km
ANM06.002.32.016AB	UL20549	300V	32X16AWG	27/0.25	18.8	750.51	13.7 Ω/km
ANM06.002.33.016AB	UL20549	300V	33X16AWG	27/0.25	18.8	760.11	13.7 Ω/km
ANM06.002.34.016AB	UL20549	300V	34X16AWG	27/0.25	19.4	798.01	13.7 Ω/km
ANM06.002.35.016AB	UL20549	300V	35X16AWG	27/0.25	19.4	807.61	13.7 Ω/km
ANM06.002.36.016AB	UL20549	300V	36X16AWG	27/0.25	19.4	817.21	13.7 Ω/km
ANM06.002.37.016AB	UL20549	300V	37X16AWG	27/0.25	19.4	826.71	13.7 Ω/km
ANM06.002.38.016AB	UL20549	300V	38X16AWG	27/0.25	20.1	870.51	13.7 Ω/km
ANM06.002.39.016AB	UL20549	300V	39X16AWG	27/0.25	20.1	880.01	13.7 Ω/km
ANM06.002.40.016AB	UL20549	300V	40X16AWG	27/0.25	20.1	889.61	13.7 Ω/km
ANM06.002.41.016AB	UL20549	300V	41X16AWG	27/0.25	22.7	1034.31	13.7 Ω/km
ANM06.002.42.016AB	UL20549	300V	42X16AWG	27/0.25	22.7	1043.81	13.7 Ω/km
ANM06.002.43.016AB	UL20549	300V	43X16AWG	27/0.25	22.7	1053.41	13.7 Ω/km
ANM06.002.44.016AB	UL20549	300V	44X16AWG	27/0.25	22.7	1062.91	13.7 Ω/km
ANM06.002.45.016AB	UL20549	300V	45X16AWG	27/0.25	23.1	1095.01	13.7 Ω/km
ANM06.002.46.016AB	UL20549	300V	46X16AWG	27/0.25	23.1	1104.51	13.7 Ω/km
ANM06.002.47.016AB	UL20549	300V	47X16AWG	27/0.25	23.1	1114.11	13.7 Ω/km
ANM06.002.48.016AB	UL20549	300V	48X16AWG	27/0.25	23.1	1123.71	13.7 Ω/km
ANM06.002.49.016AB	UL20549	300V	49X16AWG	27/0.25	23.7	1167.61	13.7 Ω/km
ANM06.002.50.016AB	UL20549	300V	50X16AWG	27/0.25	23.7	1177.21	13.7 Ω/km
ANM06.002.51.016AB	UL20549	300V	51X16AWG	27/0.25	23.7	1186.71	13.7 Ω/km
ANM06.002.52.016AB	UL20549	300V	52X16AWG	27/0.25	23.7	1196.31	13.7 Ω/km
ANM06.002.53.016AB	UL20549	300V	53X16AWG	27/0.25	24.4	1247.41	13.7 Ω/km
ANM06.002.54.016AB	UL20549	300V	54X16AWG	27/0.25	24.4	1256.91	13.7 Ω/km
ANM06.002.55.016AB	UL20549	300V	55X16AWG	27/0.25	24.4	1266.51	13.7 Ω/km
ANM06.002.56.016AB	UL20549	300V	56X16AWG	27/0.25	24.4	1276.01	13.7 Ω/km
ANM06.002.57.016AB	UL20549	300V	57X16AWG	27/0.25	25	1322.01	13.7 Ω/km
ANM06.002.58.016AB	UL20549	300V	58X16AWG	27/0.25	25	1331.51	13.7 Ω/km
ANM06.002.59.016AB	UL20549	300V	59X16AWG	27/0.25	25	1341.11	13.7 Ω/km
ANM06.002.60.016AB	UL20549	300V	60X16AWG	27/0.25	25	1350.71	13.7 Ω/km
ANM06.002.61.016AB	UL20549	300V	61X16AWG	27/0.25	25	1360.21	13.7 Ω/km



ANM06.002.62.016AB	UL20549	300V	62X16AWG	27/0.25	25.7	1413.41	13.7 Ω/km
ANM06.002.63.016AB	UL20549	300V	63X16AWG	27/0.25	25.7	1422.91	13.7 Ω/km
ANM06.002.64.016AB	UL20549	300V	64X16AWG	27/0.25	25.7	1432.51	13.7 Ω/km
ANM06.002.65.016AB	UL20549	300V	65X16AWG	27/0.25	25.7	1442.11	13.7 Ω/km
ANM06.002.02.015AB	UL20549	300V	2X15AWG	34/0.25	7.2	93.95	10.9 Ω/km
ANM06.002.03.015AB	UL20549	300V	3X15AWG	34/0.25	7.6	113.45	10.9 Ω/km
ANM06.002.04.015AB	UL20549	300V	4X15AWG	34/0.25	8.3	139.75	10.9 Ω/km
ANM06.002.05.015AB	UL20549	300V	5X15AWG	34/0.25	9	167.05	10.9 Ω/km
ANM06.002.06.015AB	UL20549	300V	6X15AWG	34/0.25	9.7	195.55	10.9 Ω/km
ANM06.002.07.015AB	UL20549	300V	7X15AWG	34/0.25	9.7	207.55	10.9 Ω/km
ANM06.002.08.015AB	UL20549	300V	8X15AWG	34/0.25	11.5	266.15	10.9 Ω/km
ANM06.002.09.015AB	UL20549	300V	9X15AWG	34/0.25	12.5	308.15	10.9 Ω/km
ANM06.002.10.015AB	UL20549	300V	10X15AWG	34/0.25	13.2	342.45	10.9 Ω/km
ANM06.002.11.015AB	UL20549	300V	11X15AWG	34/0.25	13.7	371.25	10.9 Ω/km
ANM06.002.12.015AB	UL20549	300V	12X15AWG	34/0.25	13.7	383.15	10.9 Ω/km
ANM06.002.13.015AB	UL20549	300V	13X15AWG	34/0.25	14.4	419.75	10.9 Ω/km
ANM06.002.14.015AB	UL20549	300V	14X15AWG	34/0.25	14.4	431.75	10.9 Ω/km
ANM06.002.15.015AB	UL20549	300V	15X15AWG	34/0.25	15.1	469.25	10.9 Ω/km
ANM06.002.16.015AB	UL20549	300V	16X15AWG	34/0.25	15.1	481.35	10.9 Ω/km
ANM06.002.17.015AB	UL20549	300V	17X15AWG	34/0.25	15.8	520.25	10.9 Ω/km
ANM06.002.18.015AB	UL20549	300V	18X15AWG	34/0.25	15.8	532.15	10.9 Ω/km
ANM06.002.19.015AB	UL20549	300V	19X15AWG	34/0.25	15.8	544.25	10.9 Ω/km
ANM06.002.20.015AB	UL20549	300V	20X15AWG	34/0.25	16.2	572.05	10.9 Ω/km
ANM06.002.21.015AB	UL20549	300V	21X15AWG	34/0.25	16.6	600.25	10.9 Ω/km
ANM06.002.22.015AB	UL20549	300V	22X15AWG	34/0.25	17.6	654.65	10.9 Ω/km
ANM06.002.23.015AB	UL20549	300V	23X15AWG	34/0.25	18.3	697.75	10.9 Ω/km
ANM06.002.24.015AB	UL20549	300V	24X15AWG	34/0.25	18.3	709.75	10.9 Ω/km
ANM06.002.25.015AB	UL20549	300V	25X15AWG	34/0.25	18.7	739.95	10.9 Ω/km
ANM06.002.26.015AB	UL20549	300V	26X15AWG	34/0.25	18.7	751.95	10.9 Ω/km
ANM06.002.27.015AB	UL20549	300V	27X15AWG	34/0.25	18.7	763.95	10.9 Ω/km
ANM06.002.28.015AB	UL20549	300V	28X15AWG	34/0.25	19.4	808.95	10.9 Ω/km
ANM06.002.29.015AB	UL20549	300V	29X15AWG	34/0.25	19.4	820.95	10.9 Ω/km
ANM06.002.30.015AB	UL20549	300V	30X15AWG	34/0.25	19.4	832.85	10.9 Ω/km
ANM06.002.31.015AB	UL20549	300V	31X15AWG	34/0.25	20.1	879.05	10.9 Ω/km
ANM06.002.32.015AB	UL20549	300V	32X15AWG	34/0.25	20.1	891.05	10.9 Ω/km
ANM06.002.33.015AB	UL20549	300V	33X15AWG	34/0.25	20.1	903.05	10.9 Ω/km
ANM06.002.34.015AB	UL20549	300V	34X15AWG	34/0.25	21.8	1000.85	10.9 Ω/km
ANM06.002.35.015AB	UL20549	300V	35X15AWG	34/0.25	21.8	1012.75	10.9 Ω/km
ANM06.002.36.015AB	UL20549	300V	36X15AWG	34/0.25	21.8	1024.65	10.9 Ω/km
ANM06.002.37.015AB	UL20549	300V	37X15AWG	34/0.25	21.8	1036.75	10.9 Ω/km
ANM06.002.38.015AB	UL20549	300V	38X15AWG	34/0.25	22.6	1092.45	10.9 Ω/km
ANM06.002.39.015AB	UL20549	300V	39X15AWG	34/0.25	22.6	1104.45	10.9 Ω/km



ANM06.002.40.015AB	UL20549	300V	40X15AWG	34/0.25	22.6	1116.35	10.9Ω/km
ANM06.002.41.015AB	UL20549	300V	41X15AWG	34/0.25	24.3	1226.45	10.9Ω/km
ANM06.002.42.015AB	UL20549	300V	42X15AWG	34/0.25	24.3	1238.45	10.9Ω/km
ANM06.002.43.015AB	UL20549	300V	43X15AWG	34/0.25	24.3	1250.45	10.9Ω/km
ANM06.002.44.015AB	UL20549	300V	44X15AWG	34/0.25	24.3	1262.45	10.9Ω/km
ANM06.002.45.015AB	UL20549	300V	45X15AWG	34/0.25	24.7	1298.35	10.9Ω/km
ANM06.002.46.015AB	UL20549	300V	46X15AWG	34/0.25	24.7	1310.45	10.9Ω/km
ANM06.002.47.015AB	UL20549	300V	47X15AWG	34/0.25	24.7	1322.45	10.9Ω/km
ANM06.002.48.015AB	UL20549	300V	48X15AWG	34/0.25	24.7	1334.45	10.9Ω/km
ANM06.002.49.015AB	UL20549	300V	49X15AWG	34/0.25	25.4	1389.35	10.9Ω/km
ANM06.002.50.015AB	UL20549	300V	50X15AWG	34/0.25	25.4	1401.45	10.9Ω/km
ANM06.002.51.015AB	UL20549	300V	51X15AWG	34/0.25	25.4	1413.35	10.9Ω/km
ANM06.002.52.015AB	UL20549	300V	52X15AWG	34/0.25	25.4	1425.45	10.9Ω/km
ANM06.002.53.015AB	UL20549	300V	53X15AWG	34/0.25	26.1	1481.75	10.9Ω/km
ANM06.002.54.015AB	UL20549	300V	54X15AWG	34/0.25	26.1	1493.65	10.9Ω/km
ANM06.002.55.015AB	UL20549	300V	55X15AWG	34/0.25	26.1	1505.65	10.9Ω/km
ANM06.002.56.015AB	UL20549	300V	56X15AWG	34/0.25	26.1	1517.75	10.9Ω/km
ANM06.002.57.015AB	UL20549	300V	57X15AWG	34/0.25	26.8	1575.05	10.9Ω/km
ANM06.002.58.015AB	UL20549	300V	58X15AWG	34/0.25	26.8	1587.15	10.9Ω/km
ANM06.002.59.015AB	UL20549	300V	59X15AWG	34/0.25	26.8	1598.95	10.9Ω/km
ANM06.002.60.015AB	UL20549	300V	60X15AWG	34/0.25	26.8	1610.95	10.9Ω/km
ANM06.002.61.015AB	UL20549	300V	61X15AWG	34/0.25	26.8	1623.05	10.9Ω/km
ANM06.002.62.015AB	UL20549	300V	62X15AWG	34/0.25	27.6	1688.35	10.9Ω/km
ANM06.002.63.015AB	UL20549	300V	63X15AWG	34/0.25	27.6	1700.45	10.9Ω/km
ANM06.002.64.015AB	UL20549	300V	64X15AWG	34/0.25	27.6	1712.35	10.9Ω/km
ANM06.002.65.015AB	UL20549	300V	65X15AWG	34/0.25	27.6	1724.25	10.9Ω/km
ANM06.002.02.014AB	UL20549	300V	2X14AWG	43/0.25	7.6	108.28	8.62Ω/km
ANM06.002.03.014AB	UL20549	300V	3X14AWG	43/0.25	8.1	133.48	8.62Ω/km
ANM06.002.04.014AB	UL20549	300V	4X14AWG	43/0.25	8.8	163.68	8.62Ω/km
ANM06.002.05.014AB	UL20549	300V	5X14AWG	43/0.25	9.5	195.08	8.62Ω/km
ANM06.002.06.014AB	UL20549	300V	6X14AWG	43/0.25	10.3	230.38	8.62Ω/km
ANM06.002.07.014AB	UL20549	300V	7X14AWG	43/0.25	10.3	245.58	8.62Ω/km
ANM06.002.08.014AB	UL20549	300V	8X14AWG	43/0.25	12.2	312.68	8.62Ω/km
ANM06.002.09.014AB	UL20549	300V	9X14AWG	43/0.25	13.2	359.58	8.62Ω/km
ANM06.002.10.014AB	UL20549	300V	10X14AWG	43/0.25	14.1	405.38	8.62Ω/km
ANM06.002.11.014AB	UL20549	300V	11X14AWG	43/0.25	14.6	438.28	8.62Ω/km
ANM06.002.12.014AB	UL20549	300V	12X14AWG	43/0.25	14.6	453.48	8.62Ω/km
ANM06.002.13.014AB	UL20549	300V	13X14AWG	43/0.25	15.3	494.58	8.62Ω/km
ANM06.002.14.014AB	UL20549	300V	14X14AWG	43/0.25	15.3	509.88	8.62Ω/km
ANM06.002.15.014AB	UL20549	300V	15X14AWG	43/0.25	16	552.18	8.62Ω/km
ANM06.002.16.014AB	UL20549	300V	16X14AWG	43/0.25	16	567.38	8.62Ω/km
ANM06.002.17.014AB	UL20549	300V	17X14AWG	43/0.25	16.8	614.98	8.62Ω/km



ANM06.002.18.014AB	UL20549	300V	18X14AWG	43/0.25	16.8	630.28	8.62 Ω/km
ANM06.002.19.014AB	UL20549	300V	19X14AWG	43/0.25	16.8	645.48	8.62 Ω/km
ANM06.002.20.014AB	UL20549	300V	20X14AWG	43/0.25	17.3	681.68	8.62 Ω/km
ANM06.002.21.014AB	UL20549	300V	21X14AWG	43/0.25	17.7	714.18	8.62 Ω/km
ANM06.002.22.014AB	UL20549	300V	22X14AWG	43/0.25	18.7	774.28	8.62 Ω/km
ANM06.002.23.014AB	UL20549	300V	23X14AWG	43/0.25	19.5	827.28	8.62 Ω/km
ANM06.002.24.014AB	UL20549	300V	24X14AWG	43/0.25	19.5	842.48	8.62 Ω/km
ANM06.002.25.014AB	UL20549	300V	25X14AWG	43/0.25	20	881.98	8.62 Ω/km
ANM06.002.26.014AB	UL20549	300V	26X14AWG	43/0.25	20	897.08	8.62 Ω/km
ANM06.002.27.014AB	UL20549	300V	27X14AWG	43/0.25	20	912.28	8.62 Ω/km
ANM06.002.28.014AB	UL20549	300V	28X14AWG	43/0.25	21.7	1012.88	8.62 Ω/km
ANM06.002.29.014AB	UL20549	300V	29X14AWG	43/0.25	21.7	1027.98	8.62 Ω/km
ANM06.002.30.014AB	UL20549	300V	30X14AWG	43/0.25	21.7	1043.18	8.62 Ω/km
ANM06.002.31.014AB	UL20549	300V	31X14AWG	43/0.25	22.4	1096.48	8.62 Ω/km
ANM06.002.32.014AB	UL20549	300V	32X14AWG	43/0.25	22.4	1111.58	8.62 Ω/km
ANM06.002.33.014AB	UL20549	300V	33X14AWG	43/0.25	22.4	1126.78	8.62 Ω/km
ANM06.002.34.014AB	UL20549	300V	34X14AWG	43/0.25	23.2	1186.68	8.62 Ω/km
ANM06.002.35.014AB	UL20549	300V	35X14AWG	43/0.25	23.2	1201.88	8.62 Ω/km
ANM06.002.36.014AB	UL20549	300V	36X14AWG	43/0.25	23.2	1217.18	8.62 Ω/km
ANM06.002.37.014AB	UL20549	300V	37X14AWG	43/0.25	23.2	1232.28	8.62 Ω/km
ANM06.002.38.014AB	UL20549	300V	38X14AWG	43/0.25	24.1	1299.78	8.62 Ω/km
ANM06.002.39.014AB	UL20549	300V	39X14AWG	43/0.25	24.1	1314.88	8.62 Ω/km
ANM06.002.40.014AB	UL20549	300V	40X14AWG	43/0.25	24.1	1330.18	8.62 Ω/km
ANM06.002.41.014AB	UL20549	300V	41X14AWG	43/0.25	25.9	1455.78	8.62 Ω/km
ANM06.002.42.014AB	UL20549	300V	42X14AWG	43/0.25	25.9	1470.98	8.62 Ω/km
ANM06.002.43.014AB	UL20549	300V	43X14AWG	43/0.25	25.9	1486.18	8.62 Ω/km
ANM06.002.44.014AB	UL20549	300V	44X14AWG	43/0.25	25.9	1501.28	8.62 Ω/km
ANM06.002.45.014AB	UL20549	300V	45X14AWG	43/0.25	26.4	1548.68	8.62 Ω/km
ANM06.002.46.014AB	UL20549	300V	46X14AWG	43/0.25	26.4	1563.68	8.62 Ω/km
ANM06.002.47.014AB	UL20549	300V	47X14AWG	43/0.25	26.4	1578.88	8.62 Ω/km
ANM06.002.48.014AB	UL20549	300V	48X14AWG	43/0.25	26.4	1594.08	8.62 Ω/km
ANM06.002.49.014AB	UL20549	300V	49X14AWG	43/0.25	27.1	1655.18	8.62 Ω/km
ANM06.002.50.014AB	UL20549	300V	50X14AWG	43/0.25	27.1	1670.38	8.62 Ω/km
ANM06.002.51.014AB	UL20549	300V	51X14AWG	43/0.25	27.1	1685.48	8.62 Ω/km
ANM06.002.52.014AB	UL20549	300V	52X14AWG	43/0.25	27.1	1700.68	8.62 Ω/km
ANM06.002.02.013AB	UL20549	300V	2X13AWG	54/0.25	8.2	128.43	6.82 Ω/km
ANM06.002.03.013AB	UL20549	300V	3X13AWG	54/0.25	8.7	158.03	6.82 Ω/km
ANM06.002.04.013AB	UL20549	300V	4X13AWG	54/0.25	9.5	195.23	6.82 Ω/km
ANM06.002.05.013AB	UL20549	300V	5X13AWG	54/0.25	10.3	234.13	6.82 Ω/km
ANM06.002.06.013AB	UL20549	300V	6X13AWG	54/0.25	12.2	305.03	6.82 Ω/km
ANM06.002.07.013AB	UL20549	300V	7X13AWG	54/0.25	12.2	323.83	6.82 Ω/km
ANM06.002.08.013AB	UL20549	300V	8X13AWG	54/0.25	13.1	371.13	6.82 Ω/km



ANM06.002.09.013AB	UL20549	300V	9X13AWG	54/0.25	14.4	434.63	6.82 Ω/km
ANM06.002.10.013AB	UL20549	300V	10X13AWG	54/0.25	15.3	486.63	6.82 Ω/km
ANM06.002.11.013AB	UL20549	300V	11X13AWG	54/0.25	15.8	524.83	6.82 Ω/km
ANM06.002.12.013AB	UL20549	300V	12X13AWG	54/0.25	15.8	543.73	6.82 Ω/km
ANM06.002.13.013AB	UL20549	300V	13X13AWG	54/0.25	16.6	594.63	6.82 Ω/km
ANM06.002.14.013AB	UL20549	300V	14X13AWG	54/0.25	16.6	613.53	6.82 Ω/km
ANM06.002.15.013AB	UL20549	300V	15X13AWG	54/0.25	17.4	666.03	6.82 Ω/km
ANM06.002.16.013AB	UL20549	300V	16X13AWG	54/0.25	17.4	684.83	6.82 Ω/km
ANM06.002.17.013AB	UL20549	300V	17X13AWG	54/0.25	18.3	743.43	6.82 Ω/km
ANM06.002.18.013AB	UL20549	300V	18X13AWG	54/0.25	18.3	762.33	6.82 Ω/km
ANM06.002.19.013AB	UL20549	300V	19X13AWG	54/0.25	18.3	781.33	6.82 Ω/km
ANM06.002.20.013AB	UL20549	300V	20X13AWG	54/0.25	18.8	823.03	6.82 Ω/km
ANM06.002.21.013AB	UL20549	300V	21X13AWG	54/0.25	19.2	860.73	6.82 Ω/km
ANM06.002.22.013AB	UL20549	300V	22X13AWG	54/0.25	21.4	987.63	6.82 Ω/km
ANM06.002.23.013AB	UL20549	300V	23X13AWG	54/0.25	22.3	1054.93	6.82 Ω/km
ANM06.002.24.013AB	UL20549	300V	24X13AWG	54/0.25	22.3	1073.73	6.82 Ω/km
ANM06.002.25.013AB	UL20549	300V	25X13AWG	54/0.25	22.8	1120.33	6.82 Ω/km
ANM06.002.26.013AB	UL20549	300V	26X13AWG	54/0.25	22.8	1139.23	6.82 Ω/km
ANM06.002.27.013AB	UL20549	300V	27X13AWG	54/0.25	22.8	1158.13	6.82 Ω/km
ANM06.002.28.013AB	UL20549	300V	28X13AWG	54/0.25	23.6	1222.63	6.82 Ω/km
ANM06.002.29.013AB	UL20549	300V	29X13AWG	54/0.25	23.6	1241.43	6.82 Ω/km
ANM06.002.30.013AB	UL20549	300V	30X13AWG	54/0.25	23.6	1260.33	6.82 Ω/km
ANM06.002.31.013AB	UL20549	300V	31X13AWG	54/0.25	24.4	1326.33	6.82 Ω/km
ANM06.002.32.013AB	UL20549	300V	32X13AWG	54/0.25	24.4	1345.23	6.82 Ω/km
ANM06.002.33.013AB	UL20549	300V	33X13AWG	54/0.25	24.4	1364.03	6.82 Ω/km
ANM06.002.34.013AB	UL20549	300V	34X13AWG	54/0.25	25.3	1437.83	6.82 Ω/km
ANM06.002.35.013AB	UL20549	300V	35X13AWG	54/0.25	25.3	1456.63	6.82 Ω/km
ANM06.002.36.013AB	UL20549	300V	36X13AWG	54/0.25	25.3	1475.53	6.82 Ω/km
ANM06.002.37.013AB	UL20549	300V	37X13AWG	54/0.25	25.3	1494.43	6.82 Ω/km
ANM06.002.38.013AB	UL20549	300V	38X13AWG	54/0.25	26.2	1570.33	6.82 Ω/km
ANM06.002.39.013AB	UL20549	300V	39X13AWG	54/0.25	26.2	1589.13	6.82 Ω/km
ANM06.002.40.013AB	UL20549	300V	40X13AWG	54/0.25	26.2	1607.93	6.82 Ω/km
ANM06.002.41.013AB	UL20549	300V	41X13AWG	54/0.25	28.3	1767.13	6.82 Ω/km
ANM06.002.42.013AB	UL20549	300V	42X13AWG	54/0.25	28.3	1786.03	6.82 Ω/km
ANM06.002.43.013AB	UL20549	300V	43X13AWG	54/0.25	28.3	1804.83	6.82 Ω/km
ANM06.002.44.013AB	UL20549	300V	44X13AWG	54/0.25	28.3	1823.73	6.82 Ω/km
ANM06.002.45.013AB	UL20549	300V	45X13AWG	54/0.25	28.8	1877.63	6.82 Ω/km
ANM06.002.46.013AB	UL20549	300V	46X13AWG	54/0.25	28.8	1896.43	6.82 Ω/km
ANM06.002.47.013AB	UL20549	300V	47X13AWG	54/0.25	28.8	1915.23	6.82 Ω/km
ANM06.002.48.013AB	UL20549	300V	48X13AWG	54/0.25	28.8	1934.03	6.82 Ω/km
ANM06.002.49.013AB	UL20549	300V	49X13AWG	54/0.25	31	2146.23	6.82 Ω/km
ANM06.002.50.013AB	UL20549	300V	50X13AWG	54/0.25	31	2165.03	6.82 Ω/km



ANM06.002.51.013AB	UL20549	300V	51X13AWG	54/0.25	31	2183.93	6.82 Ω/km
ANM06.002.52.013AB	UL20549	300V	52X13AWG	54/0.25	31	2202.83	6.82 Ω/km
ANM06.002.02.028AB	UL20549	300V	2X28AWG	11/0.1	4.6	29.79	223 Ω/km
ANM06.002.03.028AB	UL20549	300V	3X28AWG	11/0.1	4.8	32.79	223 Ω/km
ANM06.002.04.028AB	UL20549	300V	4X28AWG	11/0.1	5.1	37.29	223 Ω/km
ANM06.002.05.028AB	UL20549	300V	5X28AWG	11/0.1	5.5	43.39	223 Ω/km
ANM06.002.06.028AB	UL20549	300V	6X28AWG	11/0.1	5.8	48.49	223 Ω/km
ANM06.002.07.028AB	UL20549	300V	7X28AWG	11/0.1	5.8	48.99	223 Ω/km
ANM06.002.08.028AB	UL20549	300V	8X28AWG	11/0.1	6.2	55.79	223 Ω/km
ANM06.002.09.028AB	UL20549	300V	9X28AWG	11/0.1	6.7	64.59	223 Ω/km
ANM06.002.10.028AB	UL20549	300V	10X28AWG	11/0.1	7	70.49	223 Ω/km
ANM06.002.11.028AB	UL20549	300V	11X28AWG	11/0.1	7.2	74.69	223 Ω/km
ANM06.002.12.028AB	UL20549	300V	12X28AWG	11/0.1	7.2	75.39	223 Ω/km
ANM06.002.13.028AB	UL20549	300V	13X28AWG	11/0.1	7.5	81.49	223 Ω/km
ANM06.002.14.028AB	UL20549	300V	14X28AWG	11/0.1	7.5	82.19	223 Ω/km
ANM06.002.15.028AB	UL20549	300V	15X28AWG	11/0.1	7.9	90.39	223 Ω/km
ANM06.002.16.028AB	UL20549	300V	16X28AWG	11/0.1	7.9	91.09	223 Ω/km
ANM06.002.17.028AB	UL20549	300V	17X28AWG	11/0.1	8.2	97.69	223 Ω/km
ANM06.002.18.028AB	UL20549	300V	18X28AWG	11/0.1	8.2	98.39	223 Ω/km
ANM06.002.19.028AB	UL20549	300V	19X28AWG	11/0.1	8.2	98.99	223 Ω/km
ANM06.002.20.028AB	UL20549	300V	20X28AWG	11/0.1	8.4	103.79	223 Ω/km
ANM06.002.21.028AB	UL20549	300V	21X28AWG	11/0.1	8.6	108.59	223 Ω/km
ANM06.002.22.028AB	UL20549	300V	22X28AWG	11/0.1	9.1	120.39	223 Ω/km
ANM06.002.23.028AB	UL20549	300V	23X28AWG	11/0.1	9.4	127.99	223 Ω/km
ANM06.002.24.028AB	UL20549	300V	24X28AWG	11/0.1	9.4	128.69	223 Ω/km
ANM06.002.25.028AB	UL20549	300V	25X28AWG	11/0.1	9.6	134.09	223 Ω/km
ANM06.002.26.028AB	UL20549	300V	26X28AWG	11/0.1	9.6	134.59	223 Ω/km
ANM06.002.27.028AB	UL20549	300V	27X28AWG	11/0.1	9.6	135.19	223 Ω/km
ANM06.002.28.028AB	UL20549	300V	28X28AWG	11/0.1	9.9	143.09	223 Ω/km
ANM06.002.29.028AB	UL20549	300V	29X28AWG	11/0.1	9.9	143.59	223 Ω/km
ANM06.002.30.028AB	UL20549	300V	30X28AWG	11/0.1	9.9	144.19	223 Ω/km
ANM06.002.31.028AB	UL20549	300V	31X28AWG	11/0.1	10.3	155.09	223 Ω/km
ANM06.002.32.028AB	UL20549	300V	32X28AWG	11/0.1	10.3	155.49	223 Ω/km
ANM06.002.33.028AB	UL20549	300V	33X28AWG	11/0.1	10.3	156.19	223 Ω/km
ANM06.002.34.028AB	UL20549	300V	34X28AWG	11/0.1	11.6	190.79	223 Ω/km
ANM06.002.35.028AB	UL20549	300V	35X28AWG	11/0.1	11.6	191.39	223 Ω/km
ANM06.002.36.028AB	UL20549	300V	36X28AWG	11/0.1	11.6	191.99	223 Ω/km
ANM06.002.37.028AB	UL20549	300V	37X28AWG	11/0.1	11.6	192.59	223 Ω/km
ANM06.002.38.028AB	UL20549	300V	38X28AWG	11/0.1	12	204.89	223 Ω/km
ANM06.002.39.028AB	UL20549	300V	39X28AWG	11/0.1	12	205.49	223 Ω/km
ANM06.002.40.028AB	UL20549	300V	40X28AWG	11/0.1	12	206.09	223 Ω/km
ANM06.002.41.028AB	UL20549	300V	41X28AWG	11/0.1	12.8	231.39	223 Ω/km



ANM06.002.42.028AB	UL20549	300V	42X28AWG	11/0.1	12.8	231.99	223 Ω /km
ANM06.002.43.028AB	UL20549	300V	43X28AWG	11/0.1	12.8	232.59	223 Ω /km
ANM06.002.44.028AB	UL20549	300V	44X28AWG	11/0.1	12.8	233.09	223 Ω /km
ANM06.002.45.028AB	UL20549	300V	45X28AWG	11/0.1	13	240.09	223 Ω /km
ANM06.002.46.028AB	UL20549	300V	46X28AWG	11/0.1	13	240.59	223 Ω /km
ANM06.002.47.028AB	UL20549	300V	47X28AWG	11/0.1	13	241.19	223 Ω /km
ANM06.002.48.028AB	UL20549	300V	48X28AWG	11/0.1	13	241.79	223 Ω /km
ANM06.002.49.028AB	UL20549	300V	49X28AWG	11/0.1	13.4	255.59	223 Ω /km
ANM06.002.50.028AB	UL20549	300V	50X28AWG	11/0.1	13.4	256.29	223 Ω /km
ANM06.002.51.028AB	UL20549	300V	51X28AWG	11/0.1	13.4	256.69	223 Ω /km
ANM06.002.52.028AB	UL20549	300V	52X28AWG	11/0.1	13.4	257.39	223 Ω /km
ANM06.002.53.028AB	UL20549	300V	53X28AWG	11/0.1	13.8	271.49	223 Ω /km
ANM06.002.54.028AB	UL20549	300V	54X28AWG	11/0.1	13.8	272.09	223 Ω /km
ANM06.002.55.028AB	UL20549	300V	55X28AWG	11/0.1	13.8	272.59	223 Ω /km
ANM06.002.56.028AB	UL20549	300V	56X28AWG	11/0.1	13.8	273.19	223 Ω /km
ANM06.002.57.028AB	UL20549	300V	57X28AWG	11/0.1	14.1	284.19	223 Ω /km
ANM06.002.58.028AB	UL20549	300V	58X28AWG	11/0.1	14.1	284.79	223 Ω /km
ANM06.002.59.028AB	UL20549	300V	59X28AWG	11/0.1	14.1	285.29	223 Ω /km
ANM06.002.60.028AB	UL20549	300V	60X28AWG	11/0.1	14.1	285.99	223 Ω /km
ANM06.002.61.028AB	UL20549	300V	61X28AWG	11/0.1	14.1	286.39	223 Ω /km
ANM06.002.62.028AB	UL20549	300V	62X28AWG	11/0.1	14.5	301.29	223 Ω /km
ANM06.002.63.028AB	UL20549	300V	63X28AWG	11/0.1	14.5	301.79	223 Ω /km
ANM06.002.64.028AB	UL20549	300V	64X28AWG	11/0.1	14.5	302.39	223 Ω /km
ANM06.002.65.028AB	UL20549	300V	65X28AWG	11/0.1	14.5	302.99	223 Ω /km
ANM06.002.02.027AB	UL20549	300V	2X27AWG	7/0.14	4.8	32.41	175 Ω /km
ANM06.002.03.027AB	UL20549	300V	3X27AWG	7/0.14	5.1	36.81	175 Ω /km
ANM06.002.04.027AB	UL20549	300V	4X27AWG	7/0.14	5.4	41.71	175 Ω /km
ANM06.002.05.027AB	UL20549	300V	5X27AWG	7/0.14	5.8	48.21	175 Ω /km
ANM06.002.06.027AB	UL20549	300V	6X27AWG	7/0.14	6.1	53.41	175 Ω /km
ANM06.002.07.027AB	UL20549	300V	7X27AWG	7/0.14	6.1	54.11	175 Ω /km
ANM06.002.08.027AB	UL20549	300V	8X27AWG	7/0.14	6.5	61.11	175 Ω /km
ANM06.002.09.027AB	UL20549	300V	9X27AWG	7/0.14	7.1	72.31	175 Ω /km
ANM06.002.10.027AB	UL20549	300V	10X27AWG	7/0.14	7.4	78.51	175 Ω /km
ANM06.002.11.027AB	UL20549	300V	11X27AWG	7/0.14	7.7	84.91	175 Ω /km
ANM06.002.12.027AB	UL20549	300V	12X27AWG	7/0.14	7.7	85.51	175 Ω /km
ANM06.002.13.027AB	UL20549	300V	13X27AWG	7/0.14	8	92.21	175 Ω /km
ANM06.002.14.027AB	UL20549	300V	14X27AWG	7/0.14	8	92.81	175 Ω /km
ANM06.002.15.027AB	UL20549	300V	15X27AWG	7/0.14	8.4	101.71	175 Ω /km
ANM06.002.16.027AB	UL20549	300V	16X27AWG	7/0.14	8.4	102.31	175 Ω /km
ANM06.002.17.027AB	UL20549	300V	17X27AWG	7/0.14	8.7	109.51	175 Ω /km
ANM06.002.18.027AB	UL20549	300V	18X27AWG	7/0.14	8.7	110.21	175 Ω /km
ANM06.002.19.027AB	UL20549	300V	19X27AWG	7/0.14	8.7	110.81	175 Ω /km



ANM06.002.20.027AB	UL20549	300V	20X27AWG	7/0.14	9	118.11	175 Ω /km
ANM06.002.21.027AB	UL20549	300V	21X27AWG	7/0.14	9.1	121.11	175 Ω /km
ANM06.002.22.027AB	UL20549	300V	22X27AWG	7/0.14	9.7	135.91	175 Ω /km
ANM06.002.23.027AB	UL20549	300V	23X27AWG	7/0.14	10	144.01	175 Ω /km
ANM06.002.24.027AB	UL20549	300V	24X27AWG	7/0.14	10	144.61	175 Ω /km
ANM06.002.25.027AB	UL20549	300V	25X27AWG	7/0.14	10.3	153.01	175 Ω /km
ANM06.002.26.027AB	UL20549	300V	26X27AWG	7/0.14	10.3	153.61	175 Ω /km
ANM06.002.27.027AB	UL20549	300V	27X27AWG	7/0.14	10.3	154.21	175 Ω /km
ANM06.002.28.027AB	UL20549	300V	28X27AWG	7/0.14	11.6	189.01	175 Ω /km
ANM06.002.29.027AB	UL20549	300V	29X27AWG	7/0.14	11.6	189.61	175 Ω /km
ANM06.002.30.027AB	UL20549	300V	30X27AWG	7/0.14	11.6	190.21	175 Ω /km
ANM06.002.31.027AB	UL20549	300V	31X27AWG	7/0.14	12	202.71	175 Ω /km
ANM06.002.32.027AB	UL20549	300V	32X27AWG	7/0.14	12	203.21	175 Ω /km
ANM06.002.33.027AB	UL20549	300V	33X27AWG	7/0.14	12	203.91	175 Ω /km
ANM06.002.34.027AB	UL20549	300V	34X27AWG	7/0.14	12.3	213.71	175 Ω /km
ANM06.002.35.027AB	UL20549	300V	35X27AWG	7/0.14	12.3	214.21	175 Ω /km
ANM06.002.36.027AB	UL20549	300V	36X27AWG	7/0.14	12.3	214.91	175 Ω /km
ANM06.002.37.027AB	UL20549	300V	37X27AWG	7/0.14	12.3	215.61	175 Ω /km
ANM06.002.38.027AB	UL20549	300V	38X27AWG	7/0.14	12.7	228.71	175 Ω /km
ANM06.002.39.027AB	UL20549	300V	39X27AWG	7/0.14	12.7	229.31	175 Ω /km
ANM06.002.40.027AB	UL20549	300V	40X27AWG	7/0.14	12.7	229.91	175 Ω /km
ANM06.002.41.027AB	UL20549	300V	41X27AWG	7/0.14	13.7	263.41	175 Ω /km
ANM06.002.42.027AB	UL20549	300V	42X27AWG	7/0.14	13.7	264.11	175 Ω /km
ANM06.002.43.027AB	UL20549	300V	43X27AWG	7/0.14	13.7	264.61	175 Ω /km
ANM06.002.44.027AB	UL20549	300V	44X27AWG	7/0.14	13.7	265.31	175 Ω /km
ANM06.002.45.027AB	UL20549	300V	45X27AWG	7/0.14	14	276.31	175 Ω /km
ANM06.002.46.027AB	UL20549	300V	46X27AWG	7/0.14	14	276.91	175 Ω /km
ANM06.002.47.027AB	UL20549	300V	47X27AWG	7/0.14	14	277.51	175 Ω /km
ANM06.002.48.027AB	UL20549	300V	48X27AWG	7/0.14	14	278.11	175 Ω /km
ANM06.002.49.027AB	UL20549	300V	49X27AWG	7/0.14	14.3	289.31	175 Ω /km
ANM06.002.50.027AB	UL20549	300V	50X27AWG	7/0.14	14.3	290.01	175 Ω /km
ANM06.002.51.027AB	UL20549	300V	51X27AWG	7/0.14	14.3	290.51	175 Ω /km
ANM06.002.52.027AB	UL20549	300V	52X27AWG	7/0.14	14.3	291.21	175 Ω /km
ANM06.002.53.027AB	UL20549	300V	53X27AWG	7/0.14	14.7	306.31	175 Ω /km
ANM06.002.54.027AB	UL20549	300V	54X27AWG	7/0.14	14.7	306.81	175 Ω /km
ANM06.002.55.027AB	UL20549	300V	55X27AWG	7/0.14	14.7	307.61	175 Ω /km
ANM06.002.56.027AB	UL20549	300V	56X27AWG	7/0.14	14.7	308.21	175 Ω /km
ANM06.002.57.027AB	UL20549	300V	57X27AWG	7/0.14	15	319.91	175 Ω /km
ANM06.002.58.027AB	UL20549	300V	58X27AWG	7/0.14	15	320.61	175 Ω /km
ANM06.002.59.027AB	UL20549	300V	59X27AWG	7/0.14	15	321.11	175 Ω /km
ANM06.002.60.027AB	UL20549	300V	60X27AWG	7/0.14	15	321.81	175 Ω /km
ANM06.002.61.027AB	UL20549	300V	61X27AWG	7/0.14	15	322.31	175 Ω /km



ANM06.002.62.027AB	UL20549	300V	62X27AWG	7/0.14	15.4	338.11	175 Ω /km
ANM06.002.63.027AB	UL20549	300V	63X27AWG	7/0.14	15.4	338.71	175 Ω /km
ANM06.002.64.027AB	UL20549	300V	64X27AWG	7/0.14	15.4	339.31	175 Ω /km
ANM06.002.65.027AB	UL20549	300V	65X27AWG	7/0.14	15.4	340.01	175 Ω /km
ANM06.002.02.026AB	UL20549	300V	2X26AWG	9/0.14	4.8	32.93	140 Ω /km
ANM06.002.03.026AB	UL20549	300V	3X26AWG	9/0.14	5.1	37.63	140 Ω /km
ANM06.002.04.026AB	UL20549	300V	4X26AWG	9/0.14	5.4	42.73	140 Ω /km
ANM06.002.05.026AB	UL20549	300V	5X26AWG	9/0.14	5.8	49.43	140 Ω /km
ANM06.002.06.026AB	UL20549	300V	6X26AWG	9/0.14	6.1	54.93	140 Ω /km
ANM06.002.07.026AB	UL20549	300V	7X26AWG	9/0.14	6.1	55.83	140 Ω /km
ANM06.002.08.026AB	UL20549	300V	8X26AWG	9/0.14	6.5	63.13	140 Ω /km
ANM06.002.09.026AB	UL20549	300V	9X26AWG	9/0.14	7.1	74.53	140 Ω /km
ANM06.002.10.026AB	UL20549	300V	10X26AWG	9/0.14	7.4	80.93	140 Ω /km
ANM06.002.11.026AB	UL20549	300V	11X26AWG	9/0.14	7.7	87.63	140 Ω /km
ANM06.002.12.026AB	UL20549	300V	12X26AWG	9/0.14	7.7	88.43	140 Ω /km
ANM06.002.13.026AB	UL20549	300V	13X26AWG	9/0.14	8	95.33	140 Ω /km
ANM06.002.14.026AB	UL20549	300V	14X26AWG	9/0.14	8	96.33	140 Ω /km
ANM06.002.15.026AB	UL20549	300V	15X26AWG	9/0.14	8.4	105.43	140 Ω /km
ANM06.002.16.026AB	UL20549	300V	16X26AWG	9/0.14	8.4	106.33	140 Ω /km
ANM06.002.17.026AB	UL20549	300V	17X26AWG	9/0.14	8.7	113.73	140 Ω /km
ANM06.002.18.026AB	UL20549	300V	18X26AWG	9/0.14	8.7	114.63	140 Ω /km
ANM06.002.19.026AB	UL20549	300V	19X26AWG	9/0.14	8.7	115.53	140 Ω /km
ANM06.002.20.026AB	UL20549	300V	20X26AWG	9/0.14	9	123.03	140 Ω /km
ANM06.002.21.026AB	UL20549	300V	21X26AWG	9/0.14	9.1	126.23	140 Ω /km
ANM06.002.22.026AB	UL20549	300V	22X26AWG	9/0.14	9.7	141.33	140 Ω /km
ANM06.002.23.026AB	UL20549	300V	23X26AWG	9/0.14	10	149.63	140 Ω /km
ANM06.002.24.026AB	UL20549	300V	24X26AWG	9/0.14	10	150.53	140 Ω /km
ANM06.002.25.026AB	UL20549	300V	25X26AWG	9/0.14	10.3	159.13	140 Ω /km
ANM06.002.26.026AB	UL20549	300V	26X26AWG	9/0.14	10.3	159.93	140 Ω /km
ANM06.002.27.026AB	UL20549	300V	27X26AWG	9/0.14	10.3	160.93	140 Ω /km
ANM06.002.28.026AB	UL20549	300V	28X26AWG	9/0.14	11.6	195.93	140 Ω /km
ANM06.002.29.026AB	UL20549	300V	29X26AWG	9/0.14	11.6	196.73	140 Ω /km
ANM06.002.30.026AB	UL20549	300V	30X26AWG	9/0.14	11.6	197.63	140 Ω /km
ANM06.002.31.026AB	UL20549	300V	31X26AWG	9/0.14	12	210.33	140 Ω /km
ANM06.002.32.026AB	UL20549	300V	32X26AWG	9/0.14	12	211.13	140 Ω /km
ANM06.002.33.026AB	UL20549	300V	33X26AWG	9/0.14	12	212.03	140 Ω /km
ANM06.002.34.026AB	UL20549	300V	34X26AWG	9/0.14	12.3	222.03	140 Ω /km
ANM06.002.35.026AB	UL20549	300V	35X26AWG	9/0.14	12.3	222.83	140 Ω /km
ANM06.002.36.026AB	UL20549	300V	36X26AWG	9/0.14	12.3	223.73	140 Ω /km
ANM06.002.37.026AB	UL20549	300V	37X26AWG	9/0.14	12.3	224.63	140 Ω /km
ANM06.002.38.026AB	UL20549	300V	38X26AWG	9/0.14	12.7	238.03	140 Ω /km
ANM06.002.39.026AB	UL20549	300V	39X26AWG	9/0.14	12.7	238.83	140 Ω /km



ANM06.002.40.026AB	UL20549	300V	40X26AWG	9/0.14	12.7	239.83	140 Ω /km
ANM06.002.41.026AB	UL20549	300V	41X26AWG	9/0.14	13.7	273.53	140 Ω /km
ANM06.002.42.026AB	UL20549	300V	42X26AWG	9/0.14	13.7	274.43	140 Ω /km
ANM06.002.43.026AB	UL20549	300V	43X26AWG	9/0.14	13.7	275.23	140 Ω /km
ANM06.002.44.026AB	UL20549	300V	44X26AWG	9/0.14	13.7	276.13	140 Ω /km
ANM06.002.45.026AB	UL20549	300V	45X26AWG	9/0.14	14	287.33	140 Ω /km
ANM06.002.46.026AB	UL20549	300V	46X26AWG	9/0.14	14	288.23	140 Ω /km
ANM06.002.47.026AB	UL20549	300V	47X26AWG	9/0.14	14	289.03	140 Ω /km
ANM06.002.48.026AB	UL20549	300V	48X26AWG	9/0.14	14	289.93	140 Ω /km
ANM06.002.49.026AB	UL20549	300V	49X26AWG	9/0.14	14.3	301.33	140 Ω /km
ANM06.002.50.026AB	UL20549	300V	50X26AWG	9/0.14	14.3	302.23	140 Ω /km
ANM06.002.51.026AB	UL20549	300V	51X26AWG	9/0.14	14.3	303.03	140 Ω /km
ANM06.002.52.026AB	UL20549	300V	52X26AWG	9/0.14	14.3	303.93	140 Ω /km
ANM06.002.53.026AB	UL20549	300V	53X26AWG	9/0.14	14.7	319.33	140 Ω /km
ANM06.002.54.026AB	UL20549	300V	54X26AWG	9/0.14	14.7	320.13	140 Ω /km
ANM06.002.55.026AB	UL20549	300V	55X26AWG	9/0.14	14.7	321.13	140 Ω /km
ANM06.002.56.026AB	UL20549	300V	56X26AWG	9/0.14	14.7	322.03	140 Ω /km
ANM06.002.57.026AB	UL20549	300V	57X26AWG	9/0.14	15	333.93	140 Ω /km
ANM06.002.58.026AB	UL20549	300V	58X26AWG	9/0.14	15	334.83	140 Ω /km
ANM06.002.59.026AB	UL20549	300V	59X26AWG	9/0.14	15	335.63	140 Ω /km
ANM06.002.60.026AB	UL20549	300V	60X26AWG	9/0.14	15	336.53	140 Ω /km
ANM06.002.61.026AB	UL20549	300V	61X26AWG	9/0.14	15	337.33	140 Ω /km
ANM06.002.62.026AB	UL20549	300V	62X26AWG	9/0.14	15.4	353.33	140 Ω /km
ANM06.002.63.026AB	UL20549	300V	63X26AWG	9/0.14	15.4	354.13	140 Ω /km
ANM06.002.64.026AB	UL20549	300V	64X26AWG	9/0.14	15.4	355.03	140 Ω /km
ANM06.002.65.026AB	UL20549	300V	65X26AWG	9/0.14	15.4	355.93	140 Ω /km
ANM06.002.02.025AB	UL20549	300V	2X25AWG	11/0.14	5	35.87	111 Ω /km
ANM06.002.03.025AB	UL20549	300V	3X25AWG	11/0.14	5.3	40.87	111 Ω /km
ANM06.002.04.025AB	UL20549	300V	4X25AWG	11/0.14	5.6	46.27	111 Ω /km
ANM06.002.05.025AB	UL20549	300V	5X25AWG	11/0.14	6	53.27	111 Ω /km
ANM06.002.06.025AB	UL20549	300V	6X25AWG	11/0.14	6.4	60.87	111 Ω /km
ANM06.002.07.025AB	UL20549	300V	7X25AWG	11/0.14	6.4	61.97	111 Ω /km
ANM06.002.08.025AB	UL20549	300V	8X25AWG	11/0.14	6.9	71.47	111 Ω /km
ANM06.002.09.025AB	UL20549	300V	9X25AWG	11/0.14	7.4	81.77	111 Ω /km
ANM06.002.10.025AB	UL20549	300V	10X25AWG	11/0.14	7.8	90.57	111 Ω /km
ANM06.002.11.025AB	UL20549	300V	11X25AWG	11/0.14	8.1	97.77	111 Ω /km
ANM06.002.12.025AB	UL20549	300V	12X25AWG	11/0.14	8.1	98.77	111 Ω /km
ANM06.002.13.025AB	UL20549	300V	13X25AWG	11/0.14	8.4	106.17	111 Ω /km
ANM06.002.14.025AB	UL20549	300V	14X25AWG	11/0.14	8.4	107.17	111 Ω /km
ANM06.002.15.025AB	UL20549	300V	15X25AWG	11/0.14	8.8	116.97	111 Ω /km
ANM06.002.16.025AB	UL20549	300V	16X25AWG	11/0.14	8.8	117.97	111 Ω /km
ANM06.002.17.025AB	UL20549	300V	17X25AWG	11/0.14	9.2	128.17	111 Ω /km



ANM06.002.18.025AB	UL20549	300V	18X25AWG	11/0.14	9.2	129.27	111 Ω /km
ANM06.002.19.025AB	UL20549	300V	19X25AWG	11/0.14	9.2	130.27	111 Ω /km
ANM06.002.20.025AB	UL20549	300V	20X25AWG	11/0.14	9.5	138.47	111 Ω /km
ANM06.002.21.025AB	UL20549	300V	21X25AWG	11/0.14	9.7	144.27	111 Ω /km
ANM06.002.22.025AB	UL20549	300V	22X25AWG	11/0.14	10.2	157.97	111 Ω /km
ANM06.002.23.025AB	UL20549	300V	23X25AWG	11/0.14	11.6	195.77	111 Ω /km
ANM06.002.24.025AB	UL20549	300V	24X25AWG	11/0.14	11.6	196.77	111 Ω /km
ANM06.002.25.025AB	UL20549	300V	25X25AWG	11/0.14	11.9	206.77	111 Ω /km
ANM06.002.26.025AB	UL20549	300V	26X25AWG	11/0.14	11.9	207.77	111 Ω /km
ANM06.002.27.025AB	UL20549	300V	27X25AWG	11/0.14	11.9	208.77	111 Ω /km
ANM06.002.28.025AB	UL20549	300V	28X25AWG	11/0.14	12.2	218.87	111 Ω /km
ANM06.002.29.025AB	UL20549	300V	29X25AWG	11/0.14	12.2	220.07	111 Ω /km
ANM06.002.30.025AB	UL20549	300V	30X25AWG	11/0.14	12.2	221.07	111 Ω /km
ANM06.002.31.025AB	UL20549	300V	31X25AWG	11/0.14	12.6	234.47	111 Ω /km
ANM06.002.32.025AB	UL20549	300V	32X25AWG	11/0.14	12.6	235.67	111 Ω /km
ANM06.002.33.025AB	UL20549	300V	33X25AWG	11/0.14	12.6	236.67	111 Ω /km
ANM06.002.34.025AB	UL20549	300V	34X25AWG	11/0.14	13	250.37	111 Ω /km
ANM06.002.35.025AB	UL20549	300V	35X25AWG	11/0.14	13	251.37	111 Ω /km
ANM06.002.36.025AB	UL20549	300V	36X25AWG	11/0.14	13	252.57	111 Ω /km
ANM06.002.37.025AB	UL20549	300V	37X25AWG	11/0.14	13	253.57	111 Ω /km
ANM06.002.38.025AB	UL20549	300V	38X25AWG	11/0.14	13.6	274.57	111 Ω /km
ANM06.002.39.025AB	UL20549	300V	39X25AWG	11/0.14	13.6	275.67	111 Ω /km
ANM06.002.40.025AB	UL20549	300V	40X25AWG	11/0.14	13.6	276.67	111 Ω /km
ANM06.002.41.025AB	UL20549	300V	41X25AWG	11/0.14	14.5	309.17	111 Ω /km
ANM06.002.42.025AB	UL20549	300V	42X25AWG	11/0.14	14.5	310.17	111 Ω /km
ANM06.002.43.025AB	UL20549	300V	43X25AWG	11/0.14	14.5	311.37	111 Ω /km
ANM06.002.44.025AB	UL20549	300V	44X25AWG	11/0.14	14.5	312.37	111 Ω /km
ANM06.002.45.025AB	UL20549	300V	45X25AWG	11/0.14	14.8	324.37	111 Ω /km
ANM06.002.46.025AB	UL20549	300V	46X25AWG	11/0.14	14.8	325.47	111 Ω /km
ANM06.002.47.025AB	UL20549	300V	47X25AWG	11/0.14	14.8	326.47	111 Ω /km
ANM06.002.48.025AB	UL20549	300V	48X25AWG	11/0.14	14.8	327.57	111 Ω /km
ANM06.002.49.025AB	UL20549	300V	49X25AWG	11/0.14	15.1	339.67	111 Ω /km
ANM06.002.50.025AB	UL20549	300V	50X25AWG	11/0.14	15.1	340.77	111 Ω /km
ANM06.002.51.025AB	UL20549	300V	51X25AWG	11/0.14	15.1	341.77	111 Ω /km
ANM06.002.52.025AB	UL20549	300V	52X25AWG	11/0.14	15.1	342.87	111 Ω /km
ANM06.002.53.025AB	UL20549	300V	53X25AWG	11/0.14	15.5	359.17	111 Ω /km
ANM06.002.54.025AB	UL20549	300V	54X25AWG	11/0.14	15.5	360.17	111 Ω /km
ANM06.002.55.025AB	UL20549	300V	55X25AWG	11/0.14	15.5	361.27	111 Ω /km
ANM06.002.56.025AB	UL20549	300V	56X25AWG	11/0.14	15.5	362.27	111 Ω /km
ANM06.002.57.025AB	UL20549	300V	57X25AWG	11/0.14	15.9	378.97	111 Ω /km
ANM06.002.58.025AB	UL20549	300V	58X25AWG	11/0.14	15.9	379.97	111 Ω /km
ANM06.002.59.025AB	UL20549	300V	59X25AWG	11/0.14	15.9	381.07	111 Ω /km



ANM06.002.60.025AB	UL20549	300V	60X25AWG	11/0.14	15.9	382.07	111 Ω/km
ANM06.002.61.025AB	UL20549	300V	61X25AWG	11/0.14	15.9	383.07	111 Ω/km
ANM06.002.62.025AB	UL20549	300V	62X25AWG	11/0.14	16.4	404.27	111 Ω/km
ANM06.002.63.025AB	UL20549	300V	63X25AWG	11/0.14	16.4	405.27	111 Ω/km
ANM06.002.64.025AB	UL20549	300V	64X25AWG	11/0.14	16.4	406.37	111 Ω/km
ANM06.002.65.025AB	UL20549	300V	65X25AWG	11/0.14	16.4	407.37	111 Ω/km
ANM06.002.02.024AB	UL20549	300V	2X24AWG	14/0.14	5	36.71	87.6 Ω/km
ANM06.002.03.024AB	UL20549	300V	3X24AWG	14/0.14	5.3	42.21	87.6 Ω/km
ANM06.002.04.024AB	UL20549	300V	4X24AWG	14/0.14	5.6	47.91	87.6 Ω/km
ANM06.002.05.024AB	UL20549	300V	5X24AWG	14/0.14	6	55.31	87.6 Ω/km
ANM06.002.06.024AB	UL20549	300V	6X24AWG	14/0.14	6.4	63.41	87.6 Ω/km
ANM06.002.07.024AB	UL20549	300V	7X24AWG	14/0.14	6.4	64.91	87.6 Ω/km
ANM06.002.08.024AB	UL20549	300V	8X24AWG	14/0.14	6.9	74.71	87.6 Ω/km
ANM06.002.09.024AB	UL20549	300V	9X24AWG	14/0.14	7.4	85.51	87.6 Ω/km
ANM06.002.10.024AB	UL20549	300V	10X24AWG	14/0.14	7.8	94.71	87.6 Ω/km
ANM06.002.11.024AB	UL20549	300V	11X24AWG	14/0.14	8.1	102.21	87.6 Ω/km
ANM06.002.12.024AB	UL20549	300V	12X24AWG	14/0.14	8.1	103.71	87.6 Ω/km
ANM06.002.13.024AB	UL20549	300V	13X24AWG	14/0.14	8.4	111.51	87.6 Ω/km
ANM06.002.14.024AB	UL20549	300V	14X24AWG	14/0.14	8.4	112.91	87.6 Ω/km
ANM06.002.15.024AB	UL20549	300V	15X24AWG	14/0.14	8.8	123.11	87.6 Ω/km
ANM06.002.16.024AB	UL20549	300V	16X24AWG	14/0.14	8.8	124.51	87.6 Ω/km
ANM06.002.17.024AB	UL20549	300V	17X24AWG	14/0.14	9.2	135.11	87.6 Ω/km
ANM06.002.18.024AB	UL20549	300V	18X24AWG	14/0.14	9.2	136.61	87.6 Ω/km
ANM06.002.19.024AB	UL20549	300V	19X24AWG	14/0.14	9.2	138.01	87.6 Ω/km
ANM06.002.20.024AB	UL20549	300V	20X24AWG	14/0.14	9.5	146.61	87.6 Ω/km
ANM06.002.21.024AB	UL20549	300V	21X24AWG	14/0.14	9.7	152.91	87.6 Ω/km
ANM06.002.22.024AB	UL20549	300V	22X24AWG	14/0.14	10.2	166.91	87.6 Ω/km
ANM06.002.23.024AB	UL20549	300V	23X24AWG	14/0.14	11.6	205.11	87.6 Ω/km
ANM06.002.24.024AB	UL20549	300V	24X24AWG	14/0.14	11.6	206.61	87.6 Ω/km
ANM06.002.25.024AB	UL20549	300V	25X24AWG	14/0.14	11.9	216.91	87.6 Ω/km
ANM06.002.26.024AB	UL20549	300V	26X24AWG	14/0.14	11.9	218.31	87.6 Ω/km
ANM06.002.27.024AB	UL20549	300V	27X24AWG	14/0.14	11.9	219.81	87.6 Ω/km
ANM06.002.28.024AB	UL20549	300V	28X24AWG	14/0.14	12.2	230.31	87.6 Ω/km
ANM06.002.29.024AB	UL20549	300V	29X24AWG	14/0.14	12.2	231.81	87.6 Ω/km
ANM06.002.30.024AB	UL20549	300V	30X24AWG	14/0.14	12.2	233.31	87.6 Ω/km
ANM06.002.31.024AB	UL20549	300V	31X24AWG	14/0.14	12.6	247.11	87.6 Ω/km
ANM06.002.32.024AB	UL20549	300V	32X24AWG	14/0.14	12.6	248.61	87.6 Ω/km
ANM06.002.33.024AB	UL20549	300V	33X24AWG	14/0.14	12.6	250.11	87.6 Ω/km
ANM06.002.34.024AB	UL20549	300V	34X24AWG	14/0.14	13	264.21	87.6 Ω/km
ANM06.002.35.024AB	UL20549	300V	35X24AWG	14/0.14	13	265.61	87.6 Ω/km
ANM06.002.36.024AB	UL20549	300V	36X24AWG	14/0.14	13	267.21	87.6 Ω/km
ANM06.002.37.024AB	UL20549	300V	37X24AWG	14/0.14	13	268.61	87.6 Ω/km



ANM06.002.38.024AB	UL20549	300V	38X24AWG	14/0.14	13.6	290.01	87.6Ω/km
ANM06.002.39.024AB	UL20549	300V	39X24AWG	14/0.14	13.6	291.51	87.6Ω/km
ANM06.002.40.024AB	UL20549	300V	40X24AWG	14/0.14	13.6	292.91	87.6Ω/km
ANM06.002.41.024AB	UL20549	300V	41X24AWG	14/0.14	14.5	325.81	87.6Ω/km
ANM06.002.42.024AB	UL20549	300V	42X24AWG	14/0.14	14.5	327.31	87.6Ω/km
ANM06.002.43.024AB	UL20549	300V	43X24AWG	14/0.14	14.5	328.81	87.6Ω/km
ANM06.002.44.024AB	UL20549	300V	44X24AWG	14/0.14	14.5	330.21	87.6Ω/km
ANM06.002.45.024AB	UL20549	300V	45X24AWG	14/0.14	14.8	342.71	87.6Ω/km
ANM06.002.46.024AB	UL20549	300V	46X24AWG	14/0.14	14.8	344.11	87.6Ω/km
ANM06.002.47.024AB	UL20549	300V	47X24AWG	14/0.14	14.8	345.51	87.6Ω/km
ANM06.002.48.024AB	UL20549	300V	48X24AWG	14/0.14	14.8	347.11	87.6Ω/km
ANM06.002.49.024AB	UL20549	300V	49X24AWG	14/0.14	15.1	359.61	87.6Ω/km
ANM06.002.50.024AB	UL20549	300V	50X24AWG	14/0.14	15.1	361.01	87.6Ω/km
ANM06.002.51.024AB	UL20549	300V	51X24AWG	14/0.14	15.1	362.51	87.6Ω/km
ANM06.002.52.024AB	UL20549	300V	52X24AWG	14/0.14	15.1	364.01	87.6Ω/km
ANM06.002.53.024AB	UL20549	300V	53X24AWG	14/0.14	15.5	380.71	87.6Ω/km
ANM06.002.54.024AB	UL20549	300V	54X24AWG	14/0.14	15.5	382.11	87.6Ω/km
ANM06.002.55.024AB	UL20549	300V	55X24AWG	14/0.14	15.5	383.61	87.6Ω/km
ANM06.002.56.024AB	UL20549	300V	56X24AWG	14/0.14	15.5	385.11	87.6Ω/km
ANM06.002.57.024AB	UL20549	300V	57X24AWG	14/0.14	15.9	402.11	87.6Ω/km
ANM06.002.58.024AB	UL20549	300V	58X24AWG	14/0.14	15.9	403.51	87.6Ω/km
ANM06.002.59.024AB	UL20549	300V	59X24AWG	14/0.14	15.9	405.11	87.6Ω/km
ANM06.002.60.024AB	UL20549	300V	60X24AWG	14/0.14	15.9	406.51	87.6Ω/km
ANM06.002.61.024AB	UL20549	300V	61X24AWG	14/0.14	15.9	407.81	87.6Ω/km
ANM06.002.62.024AB	UL20549	300V	62X24AWG	14/0.14	16.4	429.51	87.6Ω/km
ANM06.002.63.024AB	UL20549	300V	63X24AWG	14/0.14	16.4	430.91	87.6Ω/km
ANM06.002.64.024AB	UL20549	300V	64X24AWG	14/0.14	16.4	432.31	87.6Ω/km
ANM06.002.65.024AB	UL20549	300V	65X24AWG	14/0.14	16.4	433.81	87.6Ω/km
ANM06.002.02.023AB	UL20549	300V	2X23AWG	17/0.14	5.2	40.16	69.2Ω/km
ANM06.002.03.023AB	UL20549	300V	3X23AWG	17/0.14	5.5	46.16	69.2Ω/km
ANM06.002.04.023AB	UL20549	300V	4X23AWG	17/0.14	5.9	53.96	69.2Ω/km
ANM06.002.05.023AB	UL20549	300V	5X23AWG	17/0.14	6.3	62.06	69.2Ω/km
ANM06.002.06.023AB	UL20549	300V	6X23AWG	17/0.14	6.7	70.46	69.2Ω/km
ANM06.002.07.023AB	UL20549	300V	7X23AWG	17/0.14	6.7	72.26	69.2Ω/km
ANM06.002.08.023AB	UL20549	300V	8X23AWG	17/0.14	7.2	83.06	69.2Ω/km
ANM06.002.09.023AB	UL20549	300V	9X23AWG	17/0.14	7.8	96.36	69.2Ω/km
ANM06.002.10.023AB	UL20549	300V	10X23AWG	17/0.14	8.2	106.36	69.2Ω/km
ANM06.002.11.023AB	UL20549	300V	11X23AWG	17/0.14	8.5	114.56	69.2Ω/km
ANM06.002.12.023AB	UL20549	300V	12X23AWG	17/0.14	8.5	116.46	69.2Ω/km
ANM06.002.13.023AB	UL20549	300V	13X23AWG	17/0.14	8.9	126.96	69.2Ω/km
ANM06.002.14.023AB	UL20549	300V	14X23AWG	17/0.14	8.9	128.76	69.2Ω/km
ANM06.002.15.023AB	UL20549	300V	15X23AWG	17/0.14	9.3	139.86	69.2Ω/km



ANM06.002.16.023AB	UL20549	300V	16X23AWG	17/0.14	9.3	141.66	69.2Ω/km
ANM06.002.17.023AB	UL20549	300V	17X23AWG	17/0.14	9.7	153.06	69.2Ω/km
ANM06.002.18.023AB	UL20549	300V	18X23AWG	17/0.14	9.7	154.86	69.2Ω/km
ANM06.002.19.023AB	UL20549	300V	19X23AWG	17/0.14	9.7	156.76	69.2Ω/km
ANM06.002.20.023AB	UL20549	300V	20X23AWG	17/0.14	10	165.86	69.2Ω/km
ANM06.002.21.023AB	UL20549	300V	21X23AWG	17/0.14	10.2	172.86	69.2Ω/km
ANM06.002.22.023AB	UL20549	300V	22X23AWG	17/0.14	11.8	217.26	69.2Ω/km
ANM06.002.23.023AB	UL20549	300V	23X23AWG	17/0.14	12.2	231.06	69.2Ω/km
ANM06.002.24.023AB	UL20549	300V	24X23AWG	17/0.14	12.2	232.96	69.2Ω/km
ANM06.002.25.023AB	UL20549	300V	25X23AWG	17/0.14	12.5	244.06	69.2Ω/km
ANM06.002.26.023AB	UL20549	300V	26X23AWG	17/0.14	12.5	245.86	69.2Ω/km
ANM06.002.27.023AB	UL20549	300V	27X23AWG	17/0.14	12.5	247.56	69.2Ω/km
ANM06.002.28.023AB	UL20549	300V	28X23AWG	17/0.14	12.9	262.16	69.2Ω/km
ANM06.002.29.023AB	UL20549	300V	29X23AWG	17/0.14	12.9	263.96	69.2Ω/km
ANM06.002.30.023AB	UL20549	300V	30X23AWG	17/0.14	12.9	265.86	69.2Ω/km
ANM06.002.31.023AB	UL20549	300V	31X23AWG	17/0.14	13.4	283.96	69.2Ω/km
ANM06.002.32.023AB	UL20549	300V	32X23AWG	17/0.14	13.4	285.76	69.2Ω/km
ANM06.002.33.023AB	UL20549	300V	33X23AWG	17/0.14	13.4	287.56	69.2Ω/km
ANM06.002.34.023AB	UL20549	300V	34X23AWG	17/0.14	13.8	302.86	69.2Ω/km
ANM06.002.35.023AB	UL20549	300V	35X23AWG	17/0.14	13.8	304.76	69.2Ω/km
ANM06.002.36.023AB	UL20549	300V	36X23AWG	17/0.14	13.8	306.56	69.2Ω/km
ANM06.002.37.023AB	UL20549	300V	37X23AWG	17/0.14	13.8	308.36	69.2Ω/km
ANM06.002.38.023AB	UL20549	300V	38X23AWG	17/0.14	14.3	327.66	69.2Ω/km
ANM06.002.39.023AB	UL20549	300V	39X23AWG	17/0.14	14.3	329.36	69.2Ω/km
ANM06.002.40.023AB	UL20549	300V	40X23AWG	17/0.14	14.3	331.16	69.2Ω/km
ANM06.002.41.023AB	UL20549	300V	41X23AWG	17/0.14	15.3	369.76	69.2Ω/km
ANM06.002.42.023AB	UL20549	300V	42X23AWG	17/0.14	15.3	371.56	69.2Ω/km
ANM06.002.43.023AB	UL20549	300V	43X23AWG	17/0.14	15.3	373.36	69.2Ω/km
ANM06.002.44.023AB	UL20549	300V	44X23AWG	17/0.14	15.3	375.26	69.2Ω/km
ANM06.002.45.023AB	UL20549	300V	45X23AWG	17/0.14	15.6	388.56	69.2Ω/km
ANM06.002.46.023AB	UL20549	300V	46X23AWG	17/0.14	15.6	390.26	69.2Ω/km
ANM06.002.47.023AB	UL20549	300V	47X23AWG	17/0.14	15.6	392.16	69.2Ω/km
ANM06.002.48.023AB	UL20549	300V	48X23AWG	17/0.14	15.6	393.86	69.2Ω/km
ANM06.002.49.023AB	UL20549	300V	49X23AWG	17/0.14	16	411.46	69.2Ω/km
ANM06.002.50.023AB	UL20549	300V	50X23AWG	17/0.14	16	413.26	69.2Ω/km
ANM06.002.51.023AB	UL20549	300V	51X23AWG	17/0.14	16	415.16	69.2Ω/km
ANM06.002.52.023AB	UL20549	300V	52X23AWG	17/0.14	16	416.76	69.2Ω/km
ANM06.002.53.023AB	UL20549	300V	53X23AWG	17/0.14	16.4	434.86	69.2Ω/km
ANM06.002.54.023AB	UL20549	300V	54X23AWG	17/0.14	16.4	436.66	69.2Ω/km
ANM06.002.55.023AB	UL20549	300V	55X23AWG	17/0.14	16.4	438.46	69.2Ω/km
ANM06.002.56.023AB	UL20549	300V	56X23AWG	17/0.14	16.4	440.26	69.2Ω/km
ANM06.002.57.023AB	UL20549	300V	57X23AWG	17/0.14	16.8	458.46	69.2Ω/km



ANM06.002.58.023AB	UL20549	300V	58X23AWG	17/0.14	16.8	460.26	69.2 Ω/km
ANM06.002.59.023AB	UL20549	300V	59X23AWG	17/0.14	16.8	461.96	69.2 Ω/km
ANM06.002.60.023AB	UL20549	300V	60X23AWG	17/0.14	16.8	463.86	69.2 Ω/km
ANM06.002.61.023AB	UL20549	300V	61X23AWG	17/0.14	16.8	465.66	69.2 Ω/km
ANM06.002.62.023AB	UL20549	300V	62X23AWG	17/0.14	17.3	488.66	69.2 Ω/km
ANM06.002.63.023AB	UL20549	300V	63X23AWG	17/0.14	17.3	490.46	69.2 Ω/km
ANM06.002.64.023AB	UL20549	300V	64X23AWG	17/0.14	17.3	492.26	69.2 Ω/km
ANM06.002.65.023AB	UL20549	300V	65X23AWG	17/0.14	17.3	494.06	69.2 Ω/km
ANM06.002.02.022AB	UL20549	300V	2X22AWG	22/0.14	5.4	43.83	55.4 Ω/km
ANM06.002.03.022AB	UL20549	300V	3X22AWG	22/0.14	5.7	50.43	55.4 Ω/km
ANM06.002.04.022AB	UL20549	300V	4X22AWG	22/0.14	6.1	58.83	55.4 Ω/km
ANM06.002.05.022AB	UL20549	300V	5X22AWG	22/0.14	6.6	69.23	55.4 Ω/km
ANM06.002.06.022AB	UL20549	300V	6X22AWG	22/0.14	7	78.43	55.4 Ω/km
ANM06.002.07.022AB	UL20549	300V	7X22AWG	22/0.14	7	80.63	55.4 Ω/km
ANM06.002.08.022AB	UL20549	300V	8X22AWG	22/0.14	7.5	92.23	55.4 Ω/km
ANM06.002.09.022AB	UL20549	300V	9X22AWG	22/0.14	8.2	108.53	55.4 Ω/km
ANM06.002.10.022AB	UL20549	300V	10X22AWG	22/0.14	8.6	119.23	55.4 Ω/km
ANM06.002.11.022AB	UL20549	300V	11X22AWG	22/0.14	8.9	128.23	55.4 Ω/km
ANM06.002.12.022AB	UL20549	300V	12X22AWG	22/0.14	8.9	130.33	55.4 Ω/km
ANM06.002.13.022AB	UL20549	300V	13X22AWG	22/0.14	9.3	141.93	55.4 Ω/km
ANM06.002.14.022AB	UL20549	300V	14X22AWG	22/0.14	9.3	144.13	55.4 Ω/km
ANM06.002.15.022AB	UL20549	300V	15X22AWG	22/0.14	9.8	158.43	55.4 Ω/km
ANM06.002.16.022AB	UL20549	300V	16X22AWG	22/0.14	9.8	160.63	55.4 Ω/km
ANM06.002.17.022AB	UL20549	300V	17X22AWG	22/0.14	10.2	172.93	55.4 Ω/km
ANM06.002.18.022AB	UL20549	300V	18X22AWG	22/0.14	10.2	175.23	55.4 Ω/km
ANM06.002.19.022AB	UL20549	300V	19X22AWG	22/0.14	10.2	177.43	55.4 Ω/km
ANM06.002.20.022AB	UL20549	300V	20X22AWG	22/0.14	11.5	213.53	55.4 Ω/km
ANM06.002.21.022AB	UL20549	300V	21X22AWG	22/0.14	11.7	221.53	55.4 Ω/km
ANM06.002.22.022AB	UL20549	300V	22X22AWG	22/0.14	12.4	244.93	55.4 Ω/km
ANM06.002.23.022AB	UL20549	300V	23X22AWG	22/0.14	12.8	259.83	55.4 Ω/km
ANM06.002.24.022AB	UL20549	300V	24X22AWG	22/0.14	12.8	261.93	55.4 Ω/km
ANM06.002.25.022AB	UL20549	300V	25X22AWG	22/0.14	13.1	273.93	55.4 Ω/km
ANM06.002.26.022AB	UL20549	300V	26X22AWG	22/0.14	13.1	276.13	55.4 Ω/km
ANM06.002.27.022AB	UL20549	300V	27X22AWG	22/0.14	13.1	278.33	55.4 Ω/km
ANM06.002.28.022AB	UL20549	300V	28X22AWG	22/0.14	13.6	297.23	55.4 Ω/km
ANM06.002.29.022AB	UL20549	300V	29X22AWG	22/0.14	13.6	299.53	55.4 Ω/km
ANM06.002.30.022AB	UL20549	300V	30X22AWG	22/0.14	13.6	301.73	55.4 Ω/km
ANM06.002.31.022AB	UL20549	300V	31X22AWG	22/0.14	14.1	321.23	55.4 Ω/km
ANM06.002.32.022AB	UL20549	300V	32X22AWG	22/0.14	14.1	323.53	55.4 Ω/km
ANM06.002.33.022AB	UL20549	300V	33X22AWG	22/0.14	14.1	325.73	55.4 Ω/km
ANM06.002.34.022AB	UL20549	300V	34X22AWG	22/0.14	14.5	342.23	55.4 Ω/km
ANM06.002.35.022AB	UL20549	300V	35X22AWG	22/0.14	14.5	344.33	55.4 Ω/km



ANM06.002.36.022AB	UL20549	300V	36X22AWG	22/0.14	14.5	346.63	55.4Ω/km
ANM06.002.37.022AB	UL20549	300V	37X22AWG	22/0.14	14.5	348.83	55.4Ω/km
ANM06.002.38.022AB	UL20549	300V	38X22AWG	22/0.14	15	369.53	55.4Ω/km
ANM06.002.39.022AB	UL20549	300V	39X22AWG	22/0.14	15	371.73	55.4Ω/km
ANM06.002.40.022AB	UL20549	300V	40X22AWG	22/0.14	15	373.93	55.4Ω/km
ANM06.002.41.022AB	UL20549	300V	41X22AWG	22/0.14	16.1	418.73	55.4Ω/km
ANM06.002.42.022AB	UL20549	300V	42X22AWG	22/0.14	16.1	420.93	55.4Ω/km
ANM06.002.43.022AB	UL20549	300V	43X22AWG	22/0.14	16.1	423.13	55.4Ω/km
ANM06.002.44.022AB	UL20549	300V	44X22AWG	22/0.14	16.1	425.33	55.4Ω/km
ANM06.002.45.022AB	UL20549	300V	45X22AWG	22/0.14	16.4	439.73	55.4Ω/km
ANM06.002.46.022AB	UL20549	300V	46X22AWG	22/0.14	16.4	442.03	55.4Ω/km
ANM06.002.47.022AB	UL20549	300V	47X22AWG	22/0.14	16.4	444.13	55.4Ω/km
ANM06.002.48.022AB	UL20549	300V	48X22AWG	22/0.14	16.4	446.43	55.4Ω/km
ANM06.002.49.022AB	UL20549	300V	49X22AWG	22/0.14	16.8	465.03	55.4Ω/km
ANM06.002.50.022AB	UL20549	300V	50X22AWG	22/0.14	16.8	467.33	55.4Ω/km
ANM06.002.51.022AB	UL20549	300V	51X22AWG	22/0.14	16.8	469.43	55.4Ω/km
ANM06.002.52.022AB	UL20549	300V	52X22AWG	22/0.14	16.8	471.73	55.4Ω/km
ANM06.002.53.022AB	UL20549	300V	53X22AWG	22/0.14	17.3	495.23	55.4Ω/km
ANM06.002.54.022AB	UL20549	300V	54X22AWG	22/0.14	17.3	497.33	55.4Ω/km
ANM06.002.55.022AB	UL20549	300V	55X22AWG	22/0.14	17.3	499.63	55.4Ω/km
ANM06.002.56.022AB	UL20549	300V	56X22AWG	22/0.14	17.3	501.83	55.4Ω/km
ANM06.002.57.022AB	UL20549	300V	57X22AWG	22/0.14	17.7	521.43	55.4Ω/km
ANM06.002.58.022AB	UL20549	300V	58X22AWG	22/0.14	17.7	523.53	55.4Ω/km
ANM06.002.59.022AB	UL20549	300V	59X22AWG	22/0.14	17.7	525.83	55.4Ω/km
ANM06.002.60.022AB	UL20549	300V	60X22AWG	22/0.14	17.7	528.03	55.4Ω/km
ANM06.002.61.022AB	UL20549	300V	61X22AWG	22/0.14	17.7	530.33	55.4Ω/km
ANM06.002.62.022AB	UL20549	300V	62X22AWG	22/0.14	18.2	554.73	55.4Ω/km
ANM06.002.63.022AB	UL20549	300V	63X22AWG	22/0.14	18.2	556.93	55.4Ω/km
ANM06.002.64.022AB	UL20549	300V	64X22AWG	22/0.14	18.2	559.23	55.4Ω/km
ANM06.002.65.022AB	UL20549	300V	65X22AWG	22/0.14	18.2	561.43	55.4Ω/km
ANM06.002.02.021AB	UL20549	300V	2X21AWG	27/0.14	5.6	48.02	43.6Ω/km
ANM06.002.03.021AB	UL20549	300V	3X21AWG	27/0.14	5.9	55.42	43.6Ω/km
ANM06.002.04.021AB	UL20549	300V	4X21AWG	27/0.14	6.4	66.32	43.6Ω/km
ANM06.002.05.021AB	UL20549	300V	5X21AWG	27/0.14	6.8	75.92	43.6Ω/km
ANM06.002.06.021AB	UL20549	300V	6X21AWG	27/0.14	7.3	87.82	43.6Ω/km
ANM06.002.07.021AB	UL20549	300V	7X21AWG	27/0.14	7.3	90.72	43.6Ω/km
ANM06.002.08.021AB	UL20549	300V	8X21AWG	27/0.14	7.9	105.12	43.6Ω/km
ANM06.002.09.021AB	UL20549	300V	9X21AWG	27/0.14	8.5	120.52	43.6Ω/km
ANM06.002.10.021AB	UL20549	300V	10X21AWG	27/0.14	9	134.52	43.6Ω/km
ANM06.002.11.021AB	UL20549	300V	11X21AWG	27/0.14	9.3	144.32	43.6Ω/km
ANM06.002.12.021AB	UL20549	300V	12X21AWG	27/0.14	9.3	147.22	43.6Ω/km
ANM06.002.13.021AB	UL20549	300V	13X21AWG	27/0.14	9.8	162.12	43.6Ω/km



ANM06.002.14.021AB	UL20549	300V	14X21AWG	27/0.14	9.8	164.92	43.6Ω/km
ANM06.002.15.021AB	UL20549	300V	15X21AWG	27/0.14	10.2	177.92	43.6Ω/km
ANM06.002.16.021AB	UL20549	300V	16X21AWG	27/0.14	10.2	180.72	43.6Ω/km
ANM06.002.17.021AB	UL20549	300V	17X21AWG	27/0.14	11.7	223.22	43.6Ω/km
ANM06.002.18.021AB	UL20549	300V	18X21AWG	27/0.14	11.7	226.12	43.6Ω/km
ANM06.002.19.021AB	UL20549	300V	19X21AWG	27/0.14	11.7	229.02	43.6Ω/km
ANM06.002.20.021AB	UL20549	300V	20X21AWG	27/0.14	12	240.72	43.6Ω/km
ANM06.002.21.021AB	UL20549	300V	21X21AWG	27/0.14	12.3	252.82	43.6Ω/km
ANM06.002.22.021AB	UL20549	300V	22X21AWG	27/0.14	12.9	274.52	43.6Ω/km
ANM06.002.23.021AB	UL20549	300V	23X21AWG	27/0.14	13.5	297.02	43.6Ω/km
ANM06.002.24.021AB	UL20549	300V	24X21AWG	27/0.14	13.5	299.92	43.6Ω/km
ANM06.002.25.021AB	UL20549	300V	25X21AWG	27/0.14	13.8	312.92	43.6Ω/km
ANM06.002.26.021AB	UL20549	300V	26X21AWG	27/0.14	13.8	315.82	43.6Ω/km
ANM06.002.27.021AB	UL20549	300V	27X21AWG	27/0.14	13.8	318.72	43.6Ω/km
ANM06.002.28.021AB	UL20549	300V	28X21AWG	27/0.14	14.3	339.02	43.6Ω/km
ANM06.002.29.021AB	UL20549	300V	29X21AWG	27/0.14	14.3	341.92	43.6Ω/km
ANM06.002.30.021AB	UL20549	300V	30X21AWG	27/0.14	14.3	344.82	43.6Ω/km
ANM06.002.31.021AB	UL20549	300V	31X21AWG	27/0.14	14.7	362.02	43.6Ω/km
ANM06.002.32.021AB	UL20549	300V	32X21AWG	27/0.14	14.7	364.92	43.6Ω/km
ANM06.002.33.021AB	UL20549	300V	33X21AWG	27/0.14	14.7	367.72	43.6Ω/km
ANM06.002.34.021AB	UL20549	300V	34X21AWG	27/0.14	15.2	389.12	43.6Ω/km
ANM06.002.35.021AB	UL20549	300V	35X21AWG	27/0.14	15.2	392.02	43.6Ω/km
ANM06.002.36.021AB	UL20549	300V	36X21AWG	27/0.14	15.2	394.82	43.6Ω/km
ANM06.002.37.021AB	UL20549	300V	37X21AWG	27/0.14	15.2	397.72	43.6Ω/km
ANM06.002.38.021AB	UL20549	300V	38X21AWG	27/0.14	15.8	423.72	43.6Ω/km
ANM06.002.39.021AB	UL20549	300V	39X21AWG	27/0.14	15.8	426.52	43.6Ω/km
ANM06.002.40.021AB	UL20549	300V	40X21AWG	27/0.14	15.8	429.42	43.6Ω/km
ANM06.002.41.021AB	UL20549	300V	41X21AWG	27/0.14	16.9	476.82	43.6Ω/km
ANM06.002.42.021AB	UL20549	300V	42X21AWG	27/0.14	16.9	479.62	43.6Ω/km
ANM06.002.43.021AB	UL20549	300V	43X21AWG	27/0.14	16.9	482.52	43.6Ω/km
ANM06.002.44.021AB	UL20549	300V	44X21AWG	27/0.14	16.9	485.32	43.6Ω/km
ANM06.002.45.021AB	UL20549	300V	45X21AWG	27/0.14	17.2	500.92	43.6Ω/km
ANM06.002.46.021AB	UL20549	300V	46X21AWG	27/0.14	17.2	503.72	43.6Ω/km
ANM06.002.47.021AB	UL20549	300V	47X21AWG	27/0.14	17.2	506.52	43.6Ω/km
ANM06.002.48.021AB	UL20549	300V	48X21AWG	27/0.14	17.2	509.52	43.6Ω/km
ANM06.002.49.021AB	UL20549	300V	49X21AWG	27/0.14	17.7	534.02	43.6Ω/km
ANM06.002.50.021AB	UL20549	300V	50X21AWG	27/0.14	17.7	536.82	43.6Ω/km
ANM06.002.51.021AB	UL20549	300V	51X21AWG	27/0.14	17.7	539.72	43.6Ω/km
ANM06.002.52.021AB	UL20549	300V	52X21AWG	27/0.14	17.7	542.62	43.6Ω/km
ANM06.002.53.021AB	UL20549	300V	53X21AWG	27/0.14	18.1	563.12	43.6Ω/km
ANM06.002.54.021AB	UL20549	300V	54X21AWG	27/0.14	18.1	565.92	43.6Ω/km
ANM06.002.55.021AB	UL20549	300V	55X21AWG	27/0.14	18.1	568.72	43.6Ω/km



ANM06.002.56.021AB	UL20549	300V	56X21AWG	27/0.14	18.1	571.62	43.6Ω/km
ANM06.002.57.021AB	UL20549	300V	57X21AWG	27/0.14	18.6	597.32	43.6Ω/km
ANM06.002.58.021AB	UL20549	300V	58X21AWG	27/0.14	18.6	600.12	43.6Ω/km
ANM06.002.59.021AB	UL20549	300V	59X21AWG	27/0.14	18.6	603.02	43.6Ω/km
ANM06.002.60.021AB	UL20549	300V	60X21AWG	27/0.14	18.6	605.92	43.6Ω/km
ANM06.002.61.021AB	UL20549	300V	61X21AWG	27/0.14	18.6	608.62	43.6Ω/km
ANM06.002.62.021AB	UL20549	300V	62X21AWG	27/0.14	19.2	639.62	43.6Ω/km
ANM06.002.63.021AB	UL20549	300V	63X21AWG	27/0.14	19.2	642.52	43.6Ω/km
ANM06.002.64.021AB	UL20549	300V	64X21AWG	27/0.14	19.2	645.32	43.6Ω/km
ANM06.002.65.021AB	UL20549	300V	65X21AWG	27/0.14	19.2	648.22	43.6Ω/km
ANM06.002.02.020AB	UL20549	300V	2X20AWG	34/0.14	5.8	52.72	34.6Ω/km
ANM06.002.03.020AB	UL20549	300V	3X20AWG	34/0.14	6.1	60.92	34.6Ω/km
ANM06.002.04.020AB	UL20549	300V	4X20AWG	34/0.14	6.6	72.82	34.6Ω/km
ANM06.002.05.020AB	UL20549	300V	5X20AWG	34/0.14	7.1	85.22	34.6Ω/km
ANM06.002.06.020AB	UL20549	300V	6X20AWG	34/0.14	7.6	98.22	34.6Ω/km
ANM06.002.07.020AB	UL20549	300V	7X20AWG	34/0.14	7.6	101.72	34.6Ω/km
ANM06.002.08.020AB	UL20549	300V	8X20AWG	34/0.14	8.2	117.62	34.6Ω/km
ANM06.002.09.020AB	UL20549	300V	9X20AWG	34/0.14	8.9	136.42	34.6Ω/km
ANM06.002.10.020AB	UL20549	300V	10X20AWG	34/0.14	9.4	151.72	34.6Ω/km
ANM06.002.11.020AB	UL20549	300V	11X20AWG	34/0.14	9.7	162.52	34.6Ω/km
ANM06.002.12.020AB	UL20549	300V	12X20AWG	34/0.14	9.7	166.12	34.6Ω/km
ANM06.002.13.020AB	UL20549	300V	13X20AWG	34/0.14	10.2	182.32	34.6Ω/km
ANM06.002.14.020AB	UL20549	300V	14X20AWG	34/0.14	10.2	186.02	34.6Ω/km
ANM06.002.15.020AB	UL20549	300V	15X20AWG	34/0.14	11.7	229.22	34.6Ω/km
ANM06.002.16.020AB	UL20549	300V	16X20AWG	34/0.14	11.7	232.92	34.6Ω/km
ANM06.002.17.020AB	UL20549	300V	17X20AWG	34/0.14	12.2	251.62	34.6Ω/km
ANM06.002.18.020AB	UL20549	300V	18X20AWG	34/0.14	12.2	255.22	34.6Ω/km
ANM06.002.19.020AB	UL20549	300V	19X20AWG	34/0.14	12.2	258.92	34.6Ω/km
ANM06.002.20.020AB	UL20549	300V	20X20AWG	34/0.14	12.5	271.72	34.6Ω/km
ANM06.002.21.020AB	UL20549	300V	21X20AWG	34/0.14	12.8	284.82	34.6Ω/km
ANM06.002.22.020AB	UL20549	300V	22X20AWG	34/0.14	13.6	314.72	34.6Ω/km
ANM06.002.23.020AB	UL20549	300V	23X20AWG	34/0.14	14.1	335.72	34.6Ω/km
ANM06.002.24.020AB	UL20549	300V	24X20AWG	34/0.14	14.1	339.32	34.6Ω/km
ANM06.002.25.020AB	UL20549	300V	25X20AWG	34/0.14	14.4	353.62	34.6Ω/km
ANM06.002.26.020AB	UL20549	300V	26X20AWG	34/0.14	14.4	357.12	34.6Ω/km
ANM06.002.27.020AB	UL20549	300V	27X20AWG	34/0.14	14.4	360.72	34.6Ω/km
ANM06.002.28.020AB	UL20549	300V	28X20AWG	34/0.14	14.9	382.52	34.6Ω/km
ANM06.002.29.020AB	UL20549	300V	29X20AWG	34/0.14	14.9	386.22	34.6Ω/km
ANM06.002.30.020AB	UL20549	300V	30X20AWG	34/0.14	14.9	389.82	34.6Ω/km
ANM06.002.31.020AB	UL20549	300V	31X20AWG	34/0.14	15.4	412.32	34.6Ω/km
ANM06.002.32.020AB	UL20549	300V	32X20AWG	34/0.14	15.4	415.92	34.6Ω/km
ANM06.002.33.020AB	UL20549	300V	33X20AWG	34/0.14	15.4	419.62	34.6Ω/km



ANM06.002.34.020AB	UL20549	300V	34X20AWG	34/0.14	15.9	442.72	34.6Ω/km
ANM06.002.35.020AB	UL20549	300V	35X20AWG	34/0.14	15.9	446.32	34.6Ω/km
ANM06.002.36.020AB	UL20549	300V	36X20AWG	34/0.14	15.9	449.92	34.6Ω/km
ANM06.002.37.020AB	UL20549	300V	37X20AWG	34/0.14	15.9	453.52	34.6Ω/km
ANM06.002.38.020AB	UL20549	300V	38X20AWG	34/0.14	16.5	481.32	34.6Ω/km
ANM06.002.39.020AB	UL20549	300V	39X20AWG	34/0.14	16.5	484.82	34.6Ω/km
ANM06.002.40.020AB	UL20549	300V	40X20AWG	34/0.14	16.5	488.52	34.6Ω/km
ANM06.002.41.020AB	UL20549	300V	41X20AWG	34/0.14	17.7	543.02	34.6Ω/km
ANM06.002.42.020AB	UL20549	300V	42X20AWG	34/0.14	17.7	546.72	34.6Ω/km
ANM06.002.43.020AB	UL20549	300V	43X20AWG	34/0.14	17.7	550.32	34.6Ω/km
ANM06.002.44.020AB	UL20549	300V	44X20AWG	34/0.14	17.7	554.02	34.6Ω/km
ANM06.002.45.020AB	UL20549	300V	45X20AWG	34/0.14	18	570.82	34.6Ω/km
ANM06.002.46.020AB	UL20549	300V	46X20AWG	34/0.14	18	574.52	34.6Ω/km
ANM06.002.47.020AB	UL20549	300V	47X20AWG	34/0.14	18	578.12	34.6Ω/km
ANM06.002.48.020AB	UL20549	300V	48X20AWG	34/0.14	18	581.82	34.6Ω/km
ANM06.002.49.020AB	UL20549	300V	49X20AWG	34/0.14	18.5	607.92	34.6Ω/km
ANM06.002.50.020AB	UL20549	300V	50X20AWG	34/0.14	18.5	611.62	34.6Ω/km
ANM06.002.51.020AB	UL20549	300V	51X20AWG	34/0.14	18.5	615.32	34.6Ω/km
ANM06.002.52.020AB	UL20549	300V	52X20AWG	34/0.14	18.5	618.92	34.6Ω/km
ANM06.002.53.020AB	UL20549	300V	53X20AWG	34/0.14	19	645.62	34.6Ω/km
ANM06.002.54.020AB	UL20549	300V	54X20AWG	34/0.14	19	649.12	34.6Ω/km
ANM06.002.55.020AB	UL20549	300V	55X20AWG	34/0.14	19	652.82	34.6Ω/km
ANM06.002.56.020AB	UL20549	300V	56X20AWG	34/0.14	19	656.32	34.6Ω/km
ANM06.002.57.020AB	UL20549	300V	57X20AWG	34/0.14	19.5	683.92	34.6Ω/km
ANM06.002.58.020AB	UL20549	300V	58X20AWG	34/0.14	19.5	687.42	34.6Ω/km
ANM06.002.59.020AB	UL20549	300V	59X20AWG	34/0.14	19.5	691.12	34.6Ω/km
ANM06.002.60.020AB	UL20549	300V	60X20AWG	34/0.14	19.5	694.72	34.6Ω/km
ANM06.002.61.020AB	UL20549	300V	61X20AWG	34/0.14	19.5	698.42	34.6Ω/km
ANM06.002.62.020AB	UL20549	300V	62X20AWG	34/0.14	20.1	731.42	34.6Ω/km
ANM06.002.63.020AB	UL20549	300V	63X20AWG	34/0.14	20.1	735.02	34.6Ω/km
ANM06.002.64.020AB	UL20549	300V	64X20AWG	34/0.14	20.1	738.62	34.6Ω/km
ANM06.002.65.020AB	UL20549	300V	65X20AWG	34/0.14	20.1	742.32	34.6Ω/km
ANM06.002.02.019AB	UL20549	300V	2X19AWG	43/0.14	6	57.86	27.4Ω/km
ANM06.002.03.019AB	UL20549	300V	3X19AWG	43/0.14	6.3	67.26	27.4Ω/km
ANM06.002.04.019AB	UL20549	300V	4X19AWG	43/0.14	6.8	80.46	27.4Ω/km
ANM06.002.05.019AB	UL20549	300V	5X19AWG	43/0.14	7.4	95.96	27.4Ω/km
ANM06.002.06.019AB	UL20549	300V	6X19AWG	43/0.14	7.9	110.36	27.4Ω/km
ANM06.002.07.019AB	UL20549	300V	7X19AWG	43/0.14	7.9	114.86	27.4Ω/km
ANM06.002.08.019AB	UL20549	300V	8X19AWG	43/0.14	8.5	132.16	27.4Ω/km
ANM06.002.09.019AB	UL20549	300V	9X19AWG	43/0.14	9.3	154.76	27.4Ω/km
ANM06.002.10.019AB	UL20549	300V	10X19AWG	43/0.14	9.8	171.56	27.4Ω/km
ANM06.002.11.019AB	UL20549	300V	11X19AWG	43/0.14	10.1	183.66	27.4Ω/km



ANM06.002.12.019AB	UL20549	300V	12X19AWG	43/0.14	10.1	188.36	27.4Ω/km
ANM06.002.13.019AB	UL20549	300V	13X19AWG	43/0.14	11.6	232.16	27.4Ω/km
ANM06.002.14.019AB	UL20549	300V	14X19AWG	43/0.14	11.6	236.86	27.4Ω/km
ANM06.002.15.019AB	UL20549	300V	15X19AWG	43/0.14	12.2	259.36	27.4Ω/km
ANM06.002.16.019AB	UL20549	300V	16X19AWG	43/0.14	12.2	264.06	27.4Ω/km
ANM06.002.17.019AB	UL20549	300V	17X19AWG	43/0.14	12.7	284.16	27.4Ω/km
ANM06.002.18.019AB	UL20549	300V	18X19AWG	43/0.14	12.7	288.86	27.4Ω/km
ANM06.002.19.019AB	UL20549	300V	19X19AWG	43/0.14	12.7	293.46	27.4Ω/km
ANM06.002.20.019AB	UL20549	300V	20X19AWG	43/0.14	13	307.66	27.4Ω/km
ANM06.002.21.019AB	UL20549	300V	21X19AWG	43/0.14	13.4	325.46	27.4Ω/km
ANM06.002.22.019AB	UL20549	300V	22X19AWG	43/0.14	14.2	357.66	27.4Ω/km
ANM06.002.23.019AB	UL20549	300V	23X19AWG	43/0.14	14.7	380.16	27.4Ω/km
ANM06.002.24.019AB	UL20549	300V	24X19AWG	43/0.14	14.7	384.86	27.4Ω/km
ANM06.002.25.019AB	UL20549	300V	25X19AWG	43/0.14	15	400.56	27.4Ω/km
ANM06.002.26.019AB	UL20549	300V	26X19AWG	43/0.14	15	405.26	27.4Ω/km
ANM06.002.27.019AB	UL20549	300V	27X19AWG	43/0.14	15	409.76	27.4Ω/km
ANM06.002.28.019AB	UL20549	300V	28X19AWG	43/0.14	15.5	433.36	27.4Ω/km
ANM06.002.29.019AB	UL20549	300V	29X19AWG	43/0.14	15.5	437.96	27.4Ω/km
ANM06.002.30.019AB	UL20549	300V	30X19AWG	43/0.14	15.5	442.56	27.4Ω/km
ANM06.002.31.019AB	UL20549	300V	31X19AWG	43/0.14	16.1	470.86	27.4Ω/km
ANM06.002.32.019AB	UL20549	300V	32X19AWG	43/0.14	16.1	475.46	27.4Ω/km
ANM06.002.33.019AB	UL20549	300V	33X19AWG	43/0.14	16.1	480.06	27.4Ω/km
ANM06.002.34.019AB	UL20549	300V	34X19AWG	43/0.14	16.6	504.96	27.4Ω/km
ANM06.002.35.019AB	UL20549	300V	35X19AWG	43/0.14	16.6	509.46	27.4Ω/km
ANM06.002.36.019AB	UL20549	300V	36X19AWG	43/0.14	16.6	514.26	27.4Ω/km
ANM06.002.37.019AB	UL20549	300V	37X19AWG	43/0.14	16.6	518.76	27.4Ω/km
ANM06.002.38.019AB	UL20549	300V	38X19AWG	43/0.14	17.2	548.56	27.4Ω/km
ANM06.002.39.019AB	UL20549	300V	39X19AWG	43/0.14	17.2	553.06	27.4Ω/km
ANM06.002.40.019AB	UL20549	300V	40X19AWG	43/0.14	17.2	557.86	27.4Ω/km
ANM06.002.41.019AB	UL20549	300V	41X19AWG	43/0.14	18.5	619.86	27.4Ω/km
ANM06.002.42.019AB	UL20549	300V	42X19AWG	43/0.14	18.5	624.46	27.4Ω/km
ANM06.002.43.019AB	UL20549	300V	43X19AWG	43/0.14	18.5	629.16	27.4Ω/km
ANM06.002.44.019AB	UL20549	300V	44X19AWG	43/0.14	18.5	633.76	27.4Ω/km
ANM06.002.45.019AB	UL20549	300V	45X19AWG	43/0.14	18.8	652.16	27.4Ω/km
ANM06.002.46.019AB	UL20549	300V	46X19AWG	43/0.14	18.8	656.76	27.4Ω/km
ANM06.002.47.019AB	UL20549	300V	47X19AWG	43/0.14	18.8	661.36	27.4Ω/km
ANM06.002.48.019AB	UL20549	300V	48X19AWG	43/0.14	18.8	666.06	27.4Ω/km
ANM06.002.49.019AB	UL20549	300V	49X19AWG	43/0.14	19.3	694.16	27.4Ω/km
ANM06.002.50.019AB	UL20549	300V	50X19AWG	43/0.14	19.3	698.86	27.4Ω/km
ANM06.002.51.019AB	UL20549	300V	51X19AWG	43/0.14	19.3	703.36	27.4Ω/km
ANM06.002.52.019AB	UL20549	300V	52X19AWG	43/0.14	19.3	708.16	27.4Ω/km
ANM06.002.53.019AB	UL20549	300V	53X19AWG	43/0.14	19.9	741.96	27.4Ω/km



ANM06.002.54.019AB	UL20549	300V	54X19AWG	43/0.14	19.9	746.46	27.4Ω/km
ANM06.002.55.019AB	UL20549	300V	55X19AWG	43/0.14	19.9	751.26	27.4Ω/km
ANM06.002.56.019AB	UL20549	300V	56X19AWG	43/0.14	19.9	755.76	27.4Ω/km
ANM06.002.57.019AB	UL20549	300V	57X19AWG	43/0.14	21.4	834.76	27.4Ω/km
ANM06.002.58.019AB	UL20549	300V	58X19AWG	43/0.14	21.4	839.26	27.4Ω/km
ANM06.002.59.019AB	UL20549	300V	59X19AWG	43/0.14	21.4	843.96	27.4Ω/km
ANM06.002.60.019AB	UL20549	300V	60X19AWG	43/0.14	21.4	848.56	27.4Ω/km
ANM06.002.61.019AB	UL20549	300V	61X19AWG	43/0.14	21.4	853.16	27.4Ω/km
ANM06.002.62.019AB	UL20549	300V	62X19AWG	43/0.14	22	889.86	27.4Ω/km
ANM06.002.63.019AB	UL20549	300V	63X19AWG	43/0.14	22	894.56	27.4Ω/km
ANM06.002.64.019AB	UL20549	300V	64X19AWG	43/0.14	22	899.16	27.4Ω/km
ANM06.002.65.019AB	UL20549	300V	65X19AWG	43/0.14	22	903.76	27.4Ω/km
ANM06.002.02.018AB	UL20549	300V	2X18AWG	29/0.19	6.2	63.83	21.8Ω/km
ANM06.002.03.018AB	UL20549	300V	3X18AWG	29/0.19	6.6	76.33	21.8Ω/km
ANM06.002.04.018AB	UL20549	300V	4X18AWG	29/0.19	7.1	91.33	21.8Ω/km
ANM06.002.05.018AB	UL20549	300V	5X18AWG	29/0.19	7.6	106.53	21.8Ω/km
ANM06.002.06.018AB	UL20549	300V	6X18AWG	29/0.19	8.2	124.53	21.8Ω/km
ANM06.002.07.018AB	UL20549	300V	7X18AWG	29/0.19	8.2	130.63	21.8Ω/km
ANM06.002.08.018AB	UL20549	300V	8X18AWG	29/0.19	8.8	149.53	21.8Ω/km
ANM06.002.09.018AB	UL20549	300V	9X18AWG	29/0.19	9.6	174.13	21.8Ω/km
ANM06.002.10.018AB	UL20549	300V	10X18AWG	29/0.19	10.2	195.13	21.8Ω/km
ANM06.002.11.018AB	UL20549	300V	11X18AWG	29/0.19	11.6	237.83	21.8Ω/km
ANM06.002.12.018AB	UL20549	300V	12X18AWG	29/0.19	11.6	243.63	21.8Ω/km
ANM06.002.13.018AB	UL20549	300V	13X18AWG	29/0.19	12.1	264.53	21.8Ω/km
ANM06.002.14.018AB	UL20549	300V	14X18AWG	29/0.19	12.1	270.43	21.8Ω/km
ANM06.002.15.018AB	UL20549	300V	15X18AWG	29/0.19	12.6	291.83	21.8Ω/km
ANM06.002.16.018AB	UL20549	300V	16X18AWG	29/0.19	12.6	297.93	21.8Ω/km
ANM06.002.17.018AB	UL20549	300V	17X18AWG	29/0.19	13.2	323.03	21.8Ω/km
ANM06.002.18.018AB	UL20549	300V	18X18AWG	29/0.19	13.2	329.03	21.8Ω/km
ANM06.002.19.018AB	UL20549	300V	19X18AWG	29/0.19	13.2	335.13	21.8Ω/km
ANM06.002.20.018AB	UL20549	300V	20X18AWG	29/0.19	13.7	357.73	21.8Ω/km
ANM06.002.21.018AB	UL20549	300V	21X18AWG	29/0.19	13.9	370.53	21.8Ω/km
ANM06.002.22.018AB	UL20549	300V	22X18AWG	29/0.19	14.7	405.13	21.8Ω/km
ANM06.002.23.018AB	UL20549	300V	23X18AWG	29/0.19	15.3	433.33	21.8Ω/km
ANM06.002.24.018AB	UL20549	300V	24X18AWG	29/0.19	15.3	439.23	21.8Ω/km
ANM06.002.25.018AB	UL20549	300V	25X18AWG	29/0.19	15.7	460.83	21.8Ω/km
ANM06.002.26.018AB	UL20549	300V	26X18AWG	29/0.19	15.7	466.63	21.8Ω/km
ANM06.002.27.018AB	UL20549	300V	27X18AWG	29/0.19	15.7	472.63	21.8Ω/km
ANM06.002.28.018AB	UL20549	300V	28X18AWG	29/0.19	16.2	498.23	21.8Ω/km
ANM06.002.29.018AB	UL20549	300V	29X18AWG	29/0.19	16.2	504.33	21.8Ω/km
ANM06.002.30.018AB	UL20549	300V	30X18AWG	29/0.19	16.2	510.33	21.8Ω/km
ANM06.002.31.018AB	UL20549	300V	31X18AWG	29/0.19	16.7	536.53	21.8Ω/km



ANM06.002.32.018AB	UL20549	300V	32X18AWG	29/0.19	16.7	542.53	21.8Ω/km
ANM06.002.33.018AB	UL20549	300V	33X18AWG	29/0.19	16.7	548.53	21.8Ω/km
ANM06.002.34.018AB	UL20549	300V	34X18AWG	29/0.19	17.3	579.73	21.8Ω/km
ANM06.002.35.018AB	UL20549	300V	35X18AWG	29/0.19	17.3	585.83	21.8Ω/km
ANM06.002.36.018AB	UL20549	300V	36X18AWG	29/0.19	17.3	591.73	21.8Ω/km
ANM06.002.37.018AB	UL20549	300V	37X18AWG	29/0.19	17.3	597.63	21.8Ω/km
ANM06.002.38.018AB	UL20549	300V	38X18AWG	29/0.19	17.9	629.73	21.8Ω/km
ANM06.002.39.018AB	UL20549	300V	39X18AWG	29/0.19	17.9	635.73	21.8Ω/km
ANM06.002.40.018AB	UL20549	300V	40X18AWG	29/0.19	17.9	641.63	21.8Ω/km
ANM06.002.41.018AB	UL20549	300V	41X18AWG	29/0.19	19.3	711.93	21.8Ω/km
ANM06.002.42.018AB	UL20549	300V	42X18AWG	29/0.19	19.3	717.83	21.8Ω/km
ANM06.002.43.018AB	UL20549	300V	43X18AWG	29/0.19	19.3	723.83	21.8Ω/km
ANM06.002.44.018AB	UL20549	300V	44X18AWG	29/0.19	19.3	729.83	21.8Ω/km
ANM06.002.45.018AB	UL20549	300V	45X18AWG	29/0.19	19.7	755.03	21.8Ω/km
ANM06.002.46.018AB	UL20549	300V	46X18AWG	29/0.19	19.7	760.93	21.8Ω/km
ANM06.002.47.018AB	UL20549	300V	47X18AWG	29/0.19	19.7	767.03	21.8Ω/km
ANM06.002.48.018AB	UL20549	300V	48X18AWG	29/0.19	19.7	772.83	21.8Ω/km
ANM06.002.49.018AB	UL20549	300V	49X18AWG	29/0.19	20.2	803.53	21.8Ω/km
ANM06.002.50.018AB	UL20549	300V	50X18AWG	29/0.19	20.2	809.63	21.8Ω/km
ANM06.002.51.018AB	UL20549	300V	51X18AWG	29/0.19	20.2	815.43	21.8Ω/km
ANM06.002.52.018AB	UL20549	300V	52X18AWG	29/0.19	20.2	821.43	21.8Ω/km
ANM06.002.53.018AB	UL20549	300V	53X18AWG	29/0.19	21.7	902.83	21.8Ω/km
ANM06.002.54.018AB	UL20549	300V	54X18AWG	29/0.19	21.7	908.73	21.8Ω/km
ANM06.002.55.018AB	UL20549	300V	55X18AWG	29/0.19	21.7	914.73	21.8Ω/km
ANM06.002.56.018AB	UL20549	300V	56X18AWG	29/0.19	21.7	920.53	21.8Ω/km
ANM06.002.57.018AB	UL20549	300V	57X18AWG	29/0.19	22.3	959.13	21.8Ω/km
ANM06.002.58.018AB	UL20549	300V	58X18AWG	29/0.19	22.3	965.13	21.8Ω/km
ANM06.002.59.018AB	UL20549	300V	59X18AWG	29/0.19	22.3	971.03	21.8Ω/km
ANM06.002.60.018AB	UL20549	300V	60X18AWG	29/0.19	22.3	977.03	21.8Ω/km
ANM06.002.61.018AB	UL20549	300V	61X18AWG	29/0.19	22.3	983.03	21.8Ω/km
ANM06.002.62.018AB	UL20549	300V	62X18AWG	29/0.19	22.9	1022.23	21.8Ω/km
ANM06.002.63.018AB	UL20549	300V	63X18AWG	29/0.19	22.9	1028.33	21.8Ω/km
ANM06.002.64.018AB	UL20549	300V	64X18AWG	29/0.19	22.9	1034.33	21.8Ω/km
ANM06.002.65.018AB	UL20549	300V	65X18AWG	29/0.19	22.9	1040.13	21.8Ω/km
ANM06.002.02.017AB	UL20549	300V	2X17AWG	37/0.19	6.6	73.54	17.3Ω/km
ANM06.002.03.017AB	UL20549	300V	3X17AWG	37/0.19	7	87.84	17.3Ω/km
ANM06.002.04.017AB	UL20549	300V	4X17AWG	37/0.19	7.6	106.44	17.3Ω/km
ANM06.002.05.017AB	UL20549	300V	5X17AWG	37/0.19	8.2	125.94	17.3Ω/km
ANM06.002.06.017AB	UL20549	300V	6X17AWG	37/0.19	8.8	146.24	17.3Ω/km
ANM06.002.07.017AB	UL20549	300V	7X17AWG	37/0.19	8.8	153.54	17.3Ω/km
ANM06.002.08.017AB	UL20549	300V	8X17AWG	37/0.19	9.5	177.14	17.3Ω/km
ANM06.002.09.017AB	UL20549	300V	9X17AWG	37/0.19	11.4	232.94	17.3Ω/km



ANM06.002.10.017AB	UL20549	300V	10X17AWG	37/0.19	12	258.04	17.3Ω/km
ANM06.002.11.017AB	UL20549	300V	11X17AWG	37/0.19	12.4	277.54	17.3Ω/km
ANM06.002.12.017AB	UL20549	300V	12X17AWG	37/0.19	12.4	284.94	17.3Ω/km
ANM06.002.13.017AB	UL20549	300V	13X17AWG	37/0.19	13	311.24	17.3Ω/km
ANM06.002.14.017AB	UL20549	300V	14X17AWG	37/0.19	13	318.54	17.3Ω/km
ANM06.002.15.017AB	UL20549	300V	15X17AWG	37/0.19	13.7	349.24	17.3Ω/km
ANM06.002.16.017AB	UL20549	300V	16X17AWG	37/0.19	13.7	356.64	17.3Ω/km
ANM06.002.17.017AB	UL20549	300V	17X17AWG	37/0.19	14.3	384.94	17.3Ω/km
ANM06.002.18.017AB	UL20549	300V	18X17AWG	37/0.19	14.3	392.34	17.3Ω/km
ANM06.002.19.017AB	UL20549	300V	19X17AWG	37/0.19	14.3	399.84	17.3Ω/km
ANM06.002.20.017AB	UL20549	300V	20X17AWG	37/0.19	14.7	421.54	17.3Ω/km
ANM06.002.21.017AB	UL20549	300V	21X17AWG	37/0.19	15	440.04	17.3Ω/km
ANM06.002.22.017AB	UL20549	300V	22X17AWG	37/0.19	15.9	481.84	17.3Ω/km
ANM06.002.23.017AB	UL20549	300V	23X17AWG	37/0.19	16.5	513.24	17.3Ω/km
ANM06.002.24.017AB	UL20549	300V	24X17AWG	37/0.19	16.5	520.64	17.3Ω/km
ANM06.002.25.017AB	UL20549	300V	25X17AWG	37/0.19	16.9	544.54	17.3Ω/km
ANM06.002.26.017AB	UL20549	300V	26X17AWG	37/0.19	16.9	551.84	17.3Ω/km
ANM06.002.27.017AB	UL20549	300V	27X17AWG	37/0.19	16.9	559.34	17.3Ω/km
ANM06.002.28.017AB	UL20549	300V	28X17AWG	37/0.19	17.5	592.34	17.3Ω/km
ANM06.002.29.017AB	UL20549	300V	29X17AWG	37/0.19	17.5	599.74	17.3Ω/km
ANM06.002.30.017AB	UL20549	300V	30X17AWG	37/0.19	17.5	607.04	17.3Ω/km
ANM06.002.31.017AB	UL20549	300V	31X17AWG	37/0.19	18.1	640.84	17.3Ω/km
ANM06.002.32.017AB	UL20549	300V	32X17AWG	37/0.19	18.1	648.14	17.3Ω/km
ANM06.002.33.017AB	UL20549	300V	33X17AWG	37/0.19	18.1	655.44	17.3Ω/km
ANM06.002.34.017AB	UL20549	300V	34X17AWG	37/0.19	18.7	690.14	17.3Ω/km
ANM06.002.35.017AB	UL20549	300V	35X17AWG	37/0.19	18.7	697.54	17.3Ω/km
ANM06.002.36.017AB	UL20549	300V	36X17AWG	37/0.19	18.7	704.94	17.3Ω/km
ANM06.002.37.017AB	UL20549	300V	37X17AWG	37/0.19	18.7	712.44	17.3Ω/km
ANM06.002.38.017AB	UL20549	300V	38X17AWG	37/0.19	19.4	752.74	17.3Ω/km
ANM06.002.39.017AB	UL20549	300V	39X17AWG	37/0.19	19.4	760.14	17.3Ω/km
ANM06.002.40.017AB	UL20549	300V	40X17AWG	37/0.19	19.4	767.44	17.3Ω/km
ANM06.002.41.017AB	UL20549	300V	41X17AWG	37/0.19	21.9	900.04	17.3Ω/km
ANM06.002.42.017AB	UL20549	300V	42X17AWG	37/0.19	21.9	907.34	17.3Ω/km
ANM06.002.43.017AB	UL20549	300V	43X17AWG	37/0.19	21.9	914.74	17.3Ω/km
ANM06.002.44.017AB	UL20549	300V	44X17AWG	37/0.19	21.9	922.04	17.3Ω/km
ANM06.002.45.017AB	UL20549	300V	45X17AWG	37/0.19	22.3	951.34	17.3Ω/km
ANM06.002.46.017AB	UL20549	300V	46X17AWG	37/0.19	22.3	958.74	17.3Ω/km
ANM06.002.47.017AB	UL20549	300V	47X17AWG	37/0.19	22.3	966.14	17.3Ω/km
ANM06.002.48.017AB	UL20549	300V	48X17AWG	37/0.19	22.3	973.44	17.3Ω/km
ANM06.002.49.017AB	UL20549	300V	49X17AWG	37/0.19	22.9	1014.24	17.3Ω/km
ANM06.002.50.017AB	UL20549	300V	50X17AWG	37/0.19	22.9	1021.54	17.3Ω/km
ANM06.002.51.017AB	UL20549	300V	51X17AWG	37/0.19	22.9	1028.84	17.3Ω/km



ANM06.002.52.017AB	UL20549	300V	52X17AWG	37/0.19	22.9	1036.24	17.3 Ω/km
ANM06.002.53.017AB	UL20549	300V	53X17AWG	37/0.19	23.5	1077.84	17.3 Ω/km
ANM06.002.54.017AB	UL20549	300V	54X17AWG	37/0.19	23.5	1085.14	17.3 Ω/km
ANM06.002.55.017AB	UL20549	300V	55X17AWG	37/0.19	23.5	1092.64	17.3 Ω/km
ANM06.002.56.017AB	UL20549	300V	56X17AWG	37/0.19	23.5	1099.94	17.3 Ω/km
ANM06.002.57.017AB	UL20549	300V	57X17AWG	37/0.19	24.1	1142.54	17.3 Ω/km
ANM06.002.58.017AB	UL20549	300V	58X17AWG	37/0.19	24.1	1149.94	17.3 Ω/km
ANM06.002.59.017AB	UL20549	300V	59X17AWG	37/0.19	24.1	1157.24	17.3 Ω/km
ANM06.002.60.017AB	UL20549	300V	60X17AWG	37/0.19	24.1	1164.64	17.3 Ω/km
ANM06.002.61.017AB	UL20549	300V	61X17AWG	37/0.19	24.1	1171.94	17.3 Ω/km
ANM06.002.62.017AB	UL20549	300V	62X17AWG	37/0.19	24.8	1221.44	17.3 Ω/km
ANM06.002.63.017AB	UL20549	300V	63X17AWG	37/0.19	24.8	1228.74	17.3 Ω/km
ANM06.002.64.017AB	UL20549	300V	64X17AWG	37/0.19	24.8	1236.24	17.3 Ω/km
ANM06.002.65.017AB	UL20549	300V	65X17AWG	37/0.19	24.8	1243.54	17.3 Ω/km
ANM06.002.02.016AB	UL20549	300V	2X16AWG	27/0.25	6.8	81.71	13.7 Ω/km
ANM06.002.03.016AB	UL20549	300V	3X16AWG	27/0.25	7.2	98.41	13.7 Ω/km
ANM06.002.04.016AB	UL20549	300V	4X16AWG	27/0.25	7.8	119.51	13.7 Ω/km
ANM06.002.05.016AB	UL20549	300V	5X16AWG	27/0.25	8.5	143.61	13.7 Ω/km
ANM06.002.06.016AB	UL20549	300V	6X16AWG	27/0.25	9.1	166.51	13.7 Ω/km
ANM06.002.07.016AB	UL20549	300V	7X16AWG	27/0.25	9.1	176.11	13.7 Ω/km
ANM06.002.08.016AB	UL20549	300V	8X16AWG	27/0.25	9.8	202.41	13.7 Ω/km
ANM06.002.09.016AB	UL20549	300V	9X16AWG	27/0.25	11.8	264.71	13.7 Ω/km
ANM06.002.10.016AB	UL20549	300V	10X16AWG	27/0.25	12.4	292.31	13.7 Ω/km
ANM06.002.11.016AB	UL20549	300V	11X16AWG	27/0.25	12.8	314.51	13.7 Ω/km
ANM06.002.12.016AB	UL20549	300V	12X16AWG	27/0.25	12.8	324.11	13.7 Ω/km
ANM06.002.13.016AB	UL20549	300V	13X16AWG	27/0.25	13.5	356.61	13.7 Ω/km
ANM06.002.14.016AB	UL20549	300V	14X16AWG	27/0.25	13.5	366.21	13.7 Ω/km
ANM06.002.15.016AB	UL20549	300V	15X16AWG	27/0.25	14.2	399.91	13.7 Ω/km
ANM06.002.16.016AB	UL20549	300V	16X16AWG	27/0.25	14.2	409.51	13.7 Ω/km
ANM06.002.17.016AB	UL20549	300V	17X16AWG	27/0.25	14.8	440.71	13.7 Ω/km
ANM06.002.18.016AB	UL20549	300V	18X16AWG	27/0.25	14.8	450.31	13.7 Ω/km
ANM06.002.19.016AB	UL20549	300V	19X16AWG	27/0.25	14.8	459.91	13.7 Ω/km
ANM06.002.20.016AB	UL20549	300V	20X16AWG	27/0.25	15.2	484.21	13.7 Ω/km
ANM06.002.21.016AB	UL20549	300V	21X16AWG	27/0.25	15.5	505.31	13.7 Ω/km
ANM06.002.22.016AB	UL20549	300V	22X16AWG	27/0.25	16.5	554.41	13.7 Ω/km
ANM06.002.23.016AB	UL20549	300V	23X16AWG	27/0.25	17.1	589.11	13.7 Ω/km
ANM06.002.24.016AB	UL20549	300V	24X16AWG	27/0.25	17.1	598.71	13.7 Ω/km
ANM06.002.25.016AB	UL20549	300V	25X16AWG	27/0.25	17.5	625.31	13.7 Ω/km
ANM06.002.26.016AB	UL20549	300V	26X16AWG	27/0.25	17.5	634.91	13.7 Ω/km
ANM06.002.27.016AB	UL20549	300V	27X16AWG	27/0.25	17.5	644.41	13.7 Ω/km
ANM06.002.28.016AB	UL20549	300V	28X16AWG	27/0.25	18.1	680.41	13.7 Ω/km
ANM06.002.29.016AB	UL20549	300V	29X16AWG	27/0.25	18.1	689.91	13.7 Ω/km



ANM06.002.30.016AB	UL20549	300V	30X16AWG	27/0.25	18.1	699.51	13.7 Ω/km
ANM06.002.31.016AB	UL20549	300V	31X16AWG	27/0.25	18.8	741.01	13.7 Ω/km
ANM06.002.32.016AB	UL20549	300V	32X16AWG	27/0.25	18.8	750.51	13.7 Ω/km
ANM06.002.33.016AB	UL20549	300V	33X16AWG	27/0.25	18.8	760.11	13.7 Ω/km
ANM06.002.34.016AB	UL20549	300V	34X16AWG	27/0.25	19.4	798.01	13.7 Ω/km
ANM06.002.35.016AB	UL20549	300V	35X16AWG	27/0.25	19.4	807.61	13.7 Ω/km
ANM06.002.36.016AB	UL20549	300V	36X16AWG	27/0.25	19.4	817.21	13.7 Ω/km
ANM06.002.37.016AB	UL20549	300V	37X16AWG	27/0.25	19.4	826.71	13.7 Ω/km
ANM06.002.38.016AB	UL20549	300V	38X16AWG	27/0.25	20.1	870.51	13.7 Ω/km
ANM06.002.39.016AB	UL20549	300V	39X16AWG	27/0.25	20.1	880.01	13.7 Ω/km
ANM06.002.40.016AB	UL20549	300V	40X16AWG	27/0.25	20.1	889.61	13.7 Ω/km
ANM06.002.41.016AB	UL20549	300V	41X16AWG	27/0.25	22.7	1034.31	13.7 Ω/km
ANM06.002.42.016AB	UL20549	300V	42X16AWG	27/0.25	22.7	1043.81	13.7 Ω/km
ANM06.002.43.016AB	UL20549	300V	43X16AWG	27/0.25	22.7	1053.41	13.7 Ω/km
ANM06.002.44.016AB	UL20549	300V	44X16AWG	27/0.25	22.7	1062.91	13.7 Ω/km
ANM06.002.45.016AB	UL20549	300V	45X16AWG	27/0.25	23.1	1095.01	13.7 Ω/km
ANM06.002.46.016AB	UL20549	300V	46X16AWG	27/0.25	23.1	1104.51	13.7 Ω/km
ANM06.002.47.016AB	UL20549	300V	47X16AWG	27/0.25	23.1	1114.11	13.7 Ω/km
ANM06.002.48.016AB	UL20549	300V	48X16AWG	27/0.25	23.1	1123.71	13.7 Ω/km
ANM06.002.49.016AB	UL20549	300V	49X16AWG	27/0.25	23.7	1167.61	13.7 Ω/km
ANM06.002.50.016AB	UL20549	300V	50X16AWG	27/0.25	23.7	1177.21	13.7 Ω/km
ANM06.002.51.016AB	UL20549	300V	51X16AWG	27/0.25	23.7	1186.71	13.7 Ω/km
ANM06.002.52.016AB	UL20549	300V	52X16AWG	27/0.25	23.7	1196.31	13.7 Ω/km
ANM06.002.53.016AB	UL20549	300V	53X16AWG	27/0.25	24.4	1247.41	13.7 Ω/km
ANM06.002.54.016AB	UL20549	300V	54X16AWG	27/0.25	24.4	1256.91	13.7 Ω/km
ANM06.002.55.016AB	UL20549	300V	55X16AWG	27/0.25	24.4	1266.51	13.7 Ω/km
ANM06.002.56.016AB	UL20549	300V	56X16AWG	27/0.25	24.4	1276.01	13.7 Ω/km
ANM06.002.57.016AB	UL20549	300V	57X16AWG	27/0.25	25	1322.01	13.7 Ω/km
ANM06.002.58.016AB	UL20549	300V	58X16AWG	27/0.25	25	1331.51	13.7 Ω/km
ANM06.002.59.016AB	UL20549	300V	59X16AWG	27/0.25	25	1341.11	13.7 Ω/km
ANM06.002.60.016AB	UL20549	300V	60X16AWG	27/0.25	25	1350.71	13.7 Ω/km
ANM06.002.61.016AB	UL20549	300V	61X16AWG	27/0.25	25	1360.21	13.7 Ω/km
ANM06.002.62.016AB	UL20549	300V	62X16AWG	27/0.25	25.7	1413.41	13.7 Ω/km
ANM06.002.63.016AB	UL20549	300V	63X16AWG	27/0.25	25.7	1422.91	13.7 Ω/km
ANM06.002.64.016AB	UL20549	300V	64X16AWG	27/0.25	25.7	1432.51	13.7 Ω/km
ANM06.002.65.016AB	UL20549	300V	65X16AWG	27/0.25	25.7	1442.11	13.7 Ω/km
ANM06.002.02.015AB	UL20549	300V	2X15AWG	34/0.25	7.2	93.95	10.9 Ω/km
ANM06.002.03.015AB	UL20549	300V	3X15AWG	34/0.25	7.6	113.45	10.9 Ω/km
ANM06.002.04.015AB	UL20549	300V	4X15AWG	34/0.25	8.3	139.75	10.9 Ω/km
ANM06.002.05.015AB	UL20549	300V	5X15AWG	34/0.25	9	167.05	10.9 Ω/km
ANM06.002.06.015AB	UL20549	300V	6X15AWG	34/0.25	9.7	195.55	10.9 Ω/km
ANM06.002.07.015AB	UL20549	300V	7X15AWG	34/0.25	9.7	207.55	10.9 Ω/km



ANM06.002.08.015AB	UL20549	300V	8X15AWG	34/0.25	11.5	266.15	10.9Ω/km
ANM06.002.09.015AB	UL20549	300V	9X15AWG	34/0.25	12.5	308.15	10.9Ω/km
ANM06.002.10.015AB	UL20549	300V	10X15AWG	34/0.25	13.2	342.45	10.9Ω/km
ANM06.002.11.015AB	UL20549	300V	11X15AWG	34/0.25	13.7	371.25	10.9Ω/km
ANM06.002.12.015AB	UL20549	300V	12X15AWG	34/0.25	13.7	383.15	10.9Ω/km
ANM06.002.13.015AB	UL20549	300V	13X15AWG	34/0.25	14.4	419.75	10.9Ω/km
ANM06.002.14.015AB	UL20549	300V	14X15AWG	34/0.25	14.4	431.75	10.9Ω/km
ANM06.002.15.015AB	UL20549	300V	15X15AWG	34/0.25	15.1	469.25	10.9Ω/km
ANM06.002.16.015AB	UL20549	300V	16X15AWG	34/0.25	15.1	481.35	10.9Ω/km
ANM06.002.17.015AB	UL20549	300V	17X15AWG	34/0.25	15.8	520.25	10.9Ω/km
ANM06.002.18.015AB	UL20549	300V	18X15AWG	34/0.25	15.8	532.15	10.9Ω/km
ANM06.002.19.015AB	UL20549	300V	19X15AWG	34/0.25	15.8	544.25	10.9Ω/km
ANM06.002.20.015AB	UL20549	300V	20X15AWG	34/0.25	16.2	572.05	10.9Ω/km
ANM06.002.21.015AB	UL20549	300V	21X15AWG	34/0.25	16.6	600.25	10.9Ω/km
ANM06.002.22.015AB	UL20549	300V	22X15AWG	34/0.25	17.6	654.65	10.9Ω/km
ANM06.002.23.015AB	UL20549	300V	23X15AWG	34/0.25	18.3	697.75	10.9Ω/km
ANM06.002.24.015AB	UL20549	300V	24X15AWG	34/0.25	18.3	709.75	10.9Ω/km
ANM06.002.25.015AB	UL20549	300V	25X15AWG	34/0.25	18.7	739.95	10.9Ω/km
ANM06.002.26.015AB	UL20549	300V	26X15AWG	34/0.25	18.7	751.95	10.9Ω/km
ANM06.002.27.015AB	UL20549	300V	27X15AWG	34/0.25	18.7	763.95	10.9Ω/km
ANM06.002.28.015AB	UL20549	300V	28X15AWG	34/0.25	19.4	808.95	10.9Ω/km
ANM06.002.29.015AB	UL20549	300V	29X15AWG	34/0.25	19.4	820.95	10.9Ω/km
ANM06.002.30.015AB	UL20549	300V	30X15AWG	34/0.25	19.4	832.85	10.9Ω/km
ANM06.002.31.015AB	UL20549	300V	31X15AWG	34/0.25	20.1	879.05	10.9Ω/km
ANM06.002.32.015AB	UL20549	300V	32X15AWG	34/0.25	20.1	891.05	10.9Ω/km
ANM06.002.33.015AB	UL20549	300V	33X15AWG	34/0.25	20.1	903.05	10.9Ω/km
ANM06.002.34.015AB	UL20549	300V	34X15AWG	34/0.25	21.8	1000.85	10.9Ω/km
ANM06.002.35.015AB	UL20549	300V	35X15AWG	34/0.25	21.8	1012.75	10.9Ω/km
ANM06.002.36.015AB	UL20549	300V	36X15AWG	34/0.25	21.8	1024.65	10.9Ω/km
ANM06.002.37.015AB	UL20549	300V	37X15AWG	34/0.25	21.8	1036.75	10.9Ω/km
ANM06.002.38.015AB	UL20549	300V	38X15AWG	34/0.25	22.6	1092.45	10.9Ω/km
ANM06.002.39.015AB	UL20549	300V	39X15AWG	34/0.25	22.6	1104.45	10.9Ω/km
ANM06.002.40.015AB	UL20549	300V	40X15AWG	34/0.25	22.6	1116.35	10.9Ω/km
ANM06.002.41.015AB	UL20549	300V	41X15AWG	34/0.25	24.3	1226.45	10.9Ω/km
ANM06.002.42.015AB	UL20549	300V	42X15AWG	34/0.25	24.3	1238.45	10.9Ω/km
ANM06.002.43.015AB	UL20549	300V	43X15AWG	34/0.25	24.3	1250.45	10.9Ω/km
ANM06.002.44.015AB	UL20549	300V	44X15AWG	34/0.25	24.3	1262.45	10.9Ω/km
ANM06.002.45.015AB	UL20549	300V	45X15AWG	34/0.25	24.7	1298.35	10.9Ω/km
ANM06.002.46.015AB	UL20549	300V	46X15AWG	34/0.25	24.7	1310.45	10.9Ω/km
ANM06.002.47.015AB	UL20549	300V	47X15AWG	34/0.25	24.7	1322.45	10.9Ω/km
ANM06.002.48.015AB	UL20549	300V	48X15AWG	34/0.25	24.7	1334.45	10.9Ω/km
ANM06.002.49.015AB	UL20549	300V	49X15AWG	34/0.25	25.4	1389.35	10.9Ω/km



ANM06.002.50.015AB	UL20549	300V	50X15AWG	34/0.25	25.4	1401.45	10.9Ω/km
ANM06.002.51.015AB	UL20549	300V	51X15AWG	34/0.25	25.4	1413.35	10.9Ω/km
ANM06.002.52.015AB	UL20549	300V	52X15AWG	34/0.25	25.4	1425.45	10.9Ω/km
ANM06.002.53.015AB	UL20549	300V	53X15AWG	34/0.25	26.1	1481.75	10.9Ω/km
ANM06.002.54.015AB	UL20549	300V	54X15AWG	34/0.25	26.1	1493.65	10.9Ω/km
ANM06.002.55.015AB	UL20549	300V	55X15AWG	34/0.25	26.1	1505.65	10.9Ω/km
ANM06.002.56.015AB	UL20549	300V	56X15AWG	34/0.25	26.1	1517.75	10.9Ω/km
ANM06.002.57.015AB	UL20549	300V	57X15AWG	34/0.25	26.8	1575.05	10.9Ω/km
ANM06.002.58.015AB	UL20549	300V	58X15AWG	34/0.25	26.8	1587.15	10.9Ω/km
ANM06.002.59.015AB	UL20549	300V	59X15AWG	34/0.25	26.8	1598.95	10.9Ω/km
ANM06.002.60.015AB	UL20549	300V	60X15AWG	34/0.25	26.8	1610.95	10.9Ω/km
ANM06.002.61.015AB	UL20549	300V	61X15AWG	34/0.25	26.8	1623.05	10.9Ω/km
ANM06.002.62.015AB	UL20549	300V	62X15AWG	34/0.25	27.6	1688.35	10.9Ω/km
ANM06.002.63.015AB	UL20549	300V	63X15AWG	34/0.25	27.6	1700.45	10.9Ω/km
ANM06.002.64.015AB	UL20549	300V	64X15AWG	34/0.25	27.6	1712.35	10.9Ω/km
ANM06.002.65.015AB	UL20549	300V	65X15AWG	34/0.25	27.6	1724.25	10.9Ω/km
ANM06.002.02.014AB	UL20549	300V	2X14AWG	43/0.25	7.6	108.28	8.62Ω/km
ANM06.002.03.014AB	UL20549	300V	3X14AWG	43/0.25	8.1	133.48	8.62Ω/km
ANM06.002.04.014AB	UL20549	300V	4X14AWG	43/0.25	8.8	163.68	8.62Ω/km
ANM06.002.05.014AB	UL20549	300V	5X14AWG	43/0.25	9.5	195.08	8.62Ω/km
ANM06.002.06.014AB	UL20549	300V	6X14AWG	43/0.25	10.3	230.38	8.62Ω/km
ANM06.002.07.014AB	UL20549	300V	7X14AWG	43/0.25	10.3	245.58	8.62Ω/km
ANM06.002.08.014AB	UL20549	300V	8X14AWG	43/0.25	12.2	312.68	8.62Ω/km
ANM06.002.09.014AB	UL20549	300V	9X14AWG	43/0.25	13.2	359.58	8.62Ω/km
ANM06.002.10.014AB	UL20549	300V	10X14AWG	43/0.25	14.1	405.38	8.62Ω/km
ANM06.002.11.014AB	UL20549	300V	11X14AWG	43/0.25	14.6	438.28	8.62Ω/km
ANM06.002.12.014AB	UL20549	300V	12X14AWG	43/0.25	14.6	453.48	8.62Ω/km
ANM06.002.13.014AB	UL20549	300V	13X14AWG	43/0.25	15.3	494.58	8.62Ω/km
ANM06.002.14.014AB	UL20549	300V	14X14AWG	43/0.25	15.3	509.88	8.62Ω/km
ANM06.002.15.014AB	UL20549	300V	15X14AWG	43/0.25	16	552.18	8.62Ω/km
ANM06.002.16.014AB	UL20549	300V	16X14AWG	43/0.25	16	567.38	8.62Ω/km
ANM06.002.17.014AB	UL20549	300V	17X14AWG	43/0.25	16.8	614.98	8.62Ω/km
ANM06.002.18.014AB	UL20549	300V	18X14AWG	43/0.25	16.8	630.28	8.62Ω/km
ANM06.002.19.014AB	UL20549	300V	19X14AWG	43/0.25	16.8	645.48	8.62Ω/km
ANM06.002.20.014AB	UL20549	300V	20X14AWG	43/0.25	17.3	681.68	8.62Ω/km
ANM06.002.21.014AB	UL20549	300V	21X14AWG	43/0.25	17.7	714.18	8.62Ω/km
ANM06.002.22.014AB	UL20549	300V	22X14AWG	43/0.25	18.7	774.28	8.62Ω/km
ANM06.002.23.014AB	UL20549	300V	23X14AWG	43/0.25	19.5	827.28	8.62Ω/km
ANM06.002.24.014AB	UL20549	300V	24X14AWG	43/0.25	19.5	842.48	8.62Ω/km
ANM06.002.25.014AB	UL20549	300V	25X14AWG	43/0.25	20	881.98	8.62Ω/km
ANM06.002.26.014AB	UL20549	300V	26X14AWG	43/0.25	20	897.08	8.62Ω/km
ANM06.002.27.014AB	UL20549	300V	27X14AWG	43/0.25	20	912.28	8.62Ω/km



ANM06.002.28.014AB	UL20549	300V	28X14AWG	43/0.25	21.7	1012.88	8.62 Ω/km
ANM06.002.29.014AB	UL20549	300V	29X14AWG	43/0.25	21.7	1027.98	8.62 Ω/km
ANM06.002.30.014AB	UL20549	300V	30X14AWG	43/0.25	21.7	1043.18	8.62 Ω/km
ANM06.002.31.014AB	UL20549	300V	31X14AWG	43/0.25	22.4	1096.48	8.62 Ω/km
ANM06.002.32.014AB	UL20549	300V	32X14AWG	43/0.25	22.4	1111.58	8.62 Ω/km
ANM06.002.33.014AB	UL20549	300V	33X14AWG	43/0.25	22.4	1126.78	8.62 Ω/km
ANM06.002.34.014AB	UL20549	300V	34X14AWG	43/0.25	23.2	1186.68	8.62 Ω/km
ANM06.002.35.014AB	UL20549	300V	35X14AWG	43/0.25	23.2	1201.88	8.62 Ω/km
ANM06.002.36.014AB	UL20549	300V	36X14AWG	43/0.25	23.2	1217.18	8.62 Ω/km
ANM06.002.37.014AB	UL20549	300V	37X14AWG	43/0.25	23.2	1232.28	8.62 Ω/km
ANM06.002.38.014AB	UL20549	300V	38X14AWG	43/0.25	24.1	1299.78	8.62 Ω/km
ANM06.002.39.014AB	UL20549	300V	39X14AWG	43/0.25	24.1	1314.88	8.62 Ω/km
ANM06.002.40.014AB	UL20549	300V	40X14AWG	43/0.25	24.1	1330.18	8.62 Ω/km
ANM06.002.41.014AB	UL20549	300V	41X14AWG	43/0.25	25.9	1455.78	8.62 Ω/km
ANM06.002.42.014AB	UL20549	300V	42X14AWG	43/0.25	25.9	1470.98	8.62 Ω/km
ANM06.002.43.014AB	UL20549	300V	43X14AWG	43/0.25	25.9	1486.18	8.62 Ω/km
ANM06.002.44.014AB	UL20549	300V	44X14AWG	43/0.25	25.9	1501.28	8.62 Ω/km
ANM06.002.45.014AB	UL20549	300V	45X14AWG	43/0.25	26.4	1548.68	8.62 Ω/km
ANM06.002.46.014AB	UL20549	300V	46X14AWG	43/0.25	26.4	1563.68	8.62 Ω/km
ANM06.002.47.014AB	UL20549	300V	47X14AWG	43/0.25	26.4	1578.88	8.62 Ω/km
ANM06.002.48.014AB	UL20549	300V	48X14AWG	43/0.25	26.4	1594.08	8.62 Ω/km
ANM06.002.49.014AB	UL20549	300V	49X14AWG	43/0.25	27.1	1655.18	8.62 Ω/km
ANM06.002.50.014AB	UL20549	300V	50X14AWG	43/0.25	27.1	1670.38	8.62 Ω/km
ANM06.002.51.014AB	UL20549	300V	51X14AWG	43/0.25	27.1	1685.48	8.62 Ω/km
ANM06.002.52.014AB	UL20549	300V	52X14AWG	43/0.25	27.1	1700.68	8.62 Ω/km
ANM06.002.02.013AB	UL20549	300V	2X13AWG	54/0.25	8.2	128.43	6.82 Ω/km
ANM06.002.03.013AB	UL20549	300V	3X13AWG	54/0.25	8.7	158.03	6.82 Ω/km
ANM06.002.04.013AB	UL20549	300V	4X13AWG	54/0.25	9.5	195.23	6.82 Ω/km
ANM06.002.05.013AB	UL20549	300V	5X13AWG	54/0.25	10.3	234.13	6.82 Ω/km
ANM06.002.06.013AB	UL20549	300V	6X13AWG	54/0.25	12.2	305.03	6.82 Ω/km
ANM06.002.07.013AB	UL20549	300V	7X13AWG	54/0.25	12.2	323.83	6.82 Ω/km
ANM06.002.08.013AB	UL20549	300V	8X13AWG	54/0.25	13.1	371.13	6.82 Ω/km
ANM06.002.09.013AB	UL20549	300V	9X13AWG	54/0.25	14.4	434.63	6.82 Ω/km
ANM06.002.10.013AB	UL20549	300V	10X13AWG	54/0.25	15.3	486.63	6.82 Ω/km
ANM06.002.11.013AB	UL20549	300V	11X13AWG	54/0.25	15.8	524.83	6.82 Ω/km
ANM06.002.12.013AB	UL20549	300V	12X13AWG	54/0.25	15.8	543.73	6.82 Ω/km
ANM06.002.13.013AB	UL20549	300V	13X13AWG	54/0.25	16.6	594.63	6.82 Ω/km
ANM06.002.14.013AB	UL20549	300V	14X13AWG	54/0.25	16.6	613.53	6.82 Ω/km
ANM06.002.15.013AB	UL20549	300V	15X13AWG	54/0.25	17.4	666.03	6.82 Ω/km
ANM06.002.16.013AB	UL20549	300V	16X13AWG	54/0.25	17.4	684.83	6.82 Ω/km
ANM06.002.17.013AB	UL20549	300V	17X13AWG	54/0.25	18.3	743.43	6.82 Ω/km
ANM06.002.18.013AB	UL20549	300V	18X13AWG	54/0.25	18.3	762.33	6.82 Ω/km



ANM06.002.19.013AB	UL20549	300V	19X13AWG	54/0.25	18.3	781.33	6.82 Ω/km
ANM06.002.20.013AB	UL20549	300V	20X13AWG	54/0.25	18.8	823.03	6.82 Ω/km
ANM06.002.21.013AB	UL20549	300V	21X13AWG	54/0.25	19.2	860.73	6.82 Ω/km
ANM06.002.22.013AB	UL20549	300V	22X13AWG	54/0.25	21.4	987.63	6.82 Ω/km
ANM06.002.23.013AB	UL20549	300V	23X13AWG	54/0.25	22.3	1054.93	6.82 Ω/km
ANM06.002.24.013AB	UL20549	300V	24X13AWG	54/0.25	22.3	1073.73	6.82 Ω/km
ANM06.002.25.013AB	UL20549	300V	25X13AWG	54/0.25	22.8	1120.33	6.82 Ω/km
ANM06.002.26.013AB	UL20549	300V	26X13AWG	54/0.25	22.8	1139.23	6.82 Ω/km
ANM06.002.27.013AB	UL20549	300V	27X13AWG	54/0.25	22.8	1158.13	6.82 Ω/km
ANM06.002.28.013AB	UL20549	300V	28X13AWG	54/0.25	23.6	1222.63	6.82 Ω/km
ANM06.002.29.013AB	UL20549	300V	29X13AWG	54/0.25	23.6	1241.43	6.82 Ω/km
ANM06.002.30.013AB	UL20549	300V	30X13AWG	54/0.25	23.6	1260.33	6.82 Ω/km
ANM06.002.31.013AB	UL20549	300V	31X13AWG	54/0.25	24.4	1326.33	6.82 Ω/km
ANM06.002.32.013AB	UL20549	300V	32X13AWG	54/0.25	24.4	1345.23	6.82 Ω/km
ANM06.002.33.013AB	UL20549	300V	33X13AWG	54/0.25	24.4	1364.03	6.82 Ω/km
ANM06.002.34.013AB	UL20549	300V	34X13AWG	54/0.25	25.3	1437.83	6.82 Ω/km
ANM06.002.35.013AB	UL20549	300V	35X13AWG	54/0.25	25.3	1456.63	6.82 Ω/km
ANM06.002.36.013AB	UL20549	300V	36X13AWG	54/0.25	25.3	1475.53	6.82 Ω/km
ANM06.002.37.013AB	UL20549	300V	37X13AWG	54/0.25	25.3	1494.43	6.82 Ω/km
ANM06.002.38.013AB	UL20549	300V	38X13AWG	54/0.25	26.2	1570.33	6.82 Ω/km
ANM06.002.39.013AB	UL20549	300V	39X13AWG	54/0.25	26.2	1589.13	6.82 Ω/km
ANM06.002.40.013AB	UL20549	300V	40X13AWG	54/0.25	26.2	1607.93	6.82 Ω/km
ANM06.002.41.013AB	UL20549	300V	41X13AWG	54/0.25	28.3	1767.13	6.82 Ω/km
ANM06.002.42.013AB	UL20549	300V	42X13AWG	54/0.25	28.3	1786.03	6.82 Ω/km
ANM06.002.43.013AB	UL20549	300V	43X13AWG	54/0.25	28.3	1804.83	6.82 Ω/km
ANM06.002.44.013AB	UL20549	300V	44X13AWG	54/0.25	28.3	1823.73	6.82 Ω/km
ANM06.002.45.013AB	UL20549	300V	45X13AWG	54/0.25	28.8	1877.63	6.82 Ω/km
ANM06.002.46.013AB	UL20549	300V	46X13AWG	54/0.25	28.8	1896.43	6.82 Ω/km
ANM06.002.47.013AB	UL20549	300V	47X13AWG	54/0.25	28.8	1915.23	6.82 Ω/km
ANM06.002.48.013AB	UL20549	300V	48X13AWG	54/0.25	28.8	1934.03	6.82 Ω/km
ANM06.002.49.013AB	UL20549	300V	49X13AWG	54/0.25	31	2146.23	6.82 Ω/km
ANM06.002.50.013AB	UL20549	300V	50X13AWG	54/0.25	31	2165.03	6.82 Ω/km
ANM06.002.51.013AB	UL20549	300V	51X13AWG	54/0.25	31	2183.93	6.82 Ω/km
ANM06.002.52.013AB	UL20549	300V	52X13AWG	54/0.25	31	2202.83	6.82 Ω/km