



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 PVC 材质							
ANM05.009.02.023AB	UL20549	300V	2X2X23AWG	17/0.14	7.5	81.56	69.2 Ω/km
ANM05.009.03.023AB	UL20549	300V	3X2X23AWG	17/0.14	7.9	92.96	69.2 Ω/km
ANM05.009.04.023AB	UL20549	300V	4X2X23AWG	17/0.14	8.6	111.26	69.2 Ω/km
ANM05.009.05.023AB	UL20549	300V	5X2X23AWG	17/0.14	9.4	133.26	69.2 Ω/km
ANM05.009.06.023AB	UL20549	300V	6X2X23AWG	17/0.14	11.2	181.96	69.2 Ω/km
ANM05.009.07.023AB	UL20549	300V	7X2X23AWG	17/0.14	11.2	185.56	69.2 Ω/km
ANM05.009.08.023AB	UL20549	300V	8X2X23AWG	17/0.14	12	212.36	69.2 Ω/km
ANM05.009.09.023AB	UL20549	300V	9X2X23AWG	17/0.14	13	247.16	69.2 Ω/km
ANM05.009.10.023AB	UL20549	300V	10X2X23AWG	17/0.14	13.9	280.86	69.2 Ω/km
ANM05.009.11.023AB	UL20549	300V	11X2X23AWG	17/0.14	14.3	298.66	69.2 Ω/km
ANM05.009.12.023AB	UL20549	300V	12X2X23AWG	17/0.14	14.3	302.36	69.2 Ω/km
ANM05.009.13.023AB	UL20549	300V	13X2X23AWG	17/0.14	15	331.46	69.2 Ω/km
ANM05.009.14.023AB	UL20549	300V	14X2X23AWG	17/0.14	15	335.06	69.2 Ω/km
ANM05.009.15.023AB	UL20549	300V	15X2X23AWG	17/0.14	15.8	369.36	69.2 Ω/km
ANM05.009.16.023AB	UL20549	300V	16X2X23AWG	17/0.14	15.8	372.86	69.2 Ω/km
ANM05.009.17.023AB	UL20549	300V	17X2X23AWG	17/0.14	16.5	404.46	69.2 Ω/km
ANM05.009.18.023AB	UL20549	300V	18X2X23AWG	17/0.14	16.5	408.06	69.2 Ω/km
ANM05.009.19.023AB	UL20549	300V	19X2X23AWG	17/0.14	16.5	411.76	69.2 Ω/km
ANM05.009.20.023AB	UL20549	300V	20X2X23AWG	17/0.14	17	436.16	69.2 Ω/km
ANM05.009.21.023AB	UL20549	300V	21X2X23AWG	17/0.14	17.3	452.56	69.2 Ω/km
ANM05.009.22.023AB	UL20549	300V	22X2X23AWG	17/0.14	18.4	504.76	69.2 Ω/km
ANM05.009.23.023AB	UL20549	300V	23X2X23AWG	17/0.14	19.2	545.46	69.2 Ω/km
ANM05.009.24.023AB	UL20549	300V	24X2X23AWG	17/0.14	19.2	549.06	69.2 Ω/km
ANM05.009.25.023AB	UL20549	300V	25X2X23AWG	17/0.14	20.6	619.56	69.2 Ω/km
ANM05.009.26.023AB	UL20549	300V	26X2X23AWG	17/0.14	20.6	623.06	69.2 Ω/km
ANM05.009.27.023AB	UL20549	300V	27X2X23AWG	17/0.14	20.6	626.76	69.2 Ω/km
ANM05.009.28.023AB	UL20549	300V	28X2X23AWG	17/0.14	21.3	666.46	69.2 Ω/km
ANM05.009.29.023AB	UL20549	300V	29X2X23AWG	17/0.14	21.3	670.16	69.2 Ω/km
ANM05.009.30.023AB	UL20549	300V	30X2X23AWG	17/0.14	21.3	673.76	69.2 Ω/km
ANM05.009.31.023AB	UL20549	300V	31X2X23AWG	17/0.14	22	714.56	69.2 Ω/km
ANM05.009.32.023AB	UL20549	300V	32X2X23AWG	17/0.14	22	718.26	69.2 Ω/km
ANM05.009.33.023AB	UL20549	300V	33X2X23AWG	17/0.14	22	721.76	69.2 Ω/km
ANM05.009.34.023AB	UL20549	300V	34X2X23AWG	17/0.14	22.8	769.56	69.2 Ω/km
ANM05.009.35.023AB	UL20549	300V	35X2X23AWG	17/0.14	22.8	773.16	69.2 Ω/km
ANM05.009.36.023AB	UL20549	300V	36X2X23AWG	17/0.14	22.8	776.76	69.2 Ω/km
ANM05.009.37.023AB	UL20549	300V	37X2X23AWG	17/0.14	22.8	780.46	69.2 Ω/km
ANM05.009.38.023AB	UL20549	300V	38X2X23AWG	17/0.14	23.6	829.66	69.2 Ω/km
ANM05.009.39.023AB	UL20549	300V	39X2X23AWG	17/0.14	23.6	833.16	69.2 Ω/km
ANM05.009.40.023AB	UL20549	300V	40X2X23AWG	17/0.14	23.6	836.86	69.2 Ω/km



ANM05.009.41.023AB	UL20549	300V	41X2X23AWG	17/0.14	25.5	955.16	69.2Ω/km
ANM05.009.42.023AB	UL20549	300V	42X2X23AWG	17/0.14	25.5	958.76	69.2Ω/km
ANM05.009.43.023AB	UL20549	300V	43X2X23AWG	17/0.14	25.5	962.36	69.2Ω/km
ANM05.009.44.023AB	UL20549	300V	44X2X23AWG	17/0.14	25.5	966.06	69.2Ω/km
ANM05.009.45.023AB	UL20549	300V	45X2X23AWG	17/0.14	25.9	994.96	69.2Ω/km
ANM05.009.46.023AB	UL20549	300V	46X2X23AWG	17/0.14	25.9	998.46	69.2Ω/km
ANM05.009.47.023AB	UL20549	300V	47X2X23AWG	17/0.14	25.9	1002.06	69.2Ω/km
ANM05.009.48.023AB	UL20549	300V	48X2X23AWG	17/0.14	25.9	1005.76	69.2Ω/km
ANM05.009.49.023AB	UL20549	300V	49X2X23AWG	17/0.14	26.6	1054.36	69.2Ω/km
ANM05.009.50.023AB	UL20549	300V	50X2X23AWG	17/0.14	26.6	1058.06	69.2Ω/km
ANM05.009.51.023AB	UL20549	300V	51X2X23AWG	17/0.14	26.6	1061.66	69.2Ω/km
ANM05.009.52.023AB	UL20549	300V	52X2X23AWG	17/0.14	26.6	1065.26	69.2Ω/km
ANM05.009.53.023AB	UL20549	300V	53X2X23AWG	17/0.14	27.3	1115.16	69.2Ω/km
ANM05.009.54.023AB	UL20549	300V	54X2X23AWG	17/0.14	27.3	1118.76	69.2Ω/km
ANM05.009.55.023AB	UL20549	300V	55X2X23AWG	17/0.14	27.3	1122.26	69.2Ω/km
ANM05.009.56.023AB	UL20549	300V	56X2X23AWG	17/0.14	27.3	1125.96	69.2Ω/km
ANM05.009.57.023AB	UL20549	300V	57X2X23AWG	17/0.14	28.1	1183.96	69.2Ω/km
ANM05.009.58.023AB	UL20549	300V	58X2X23AWG	17/0.14	28.1	1187.66	69.2Ω/km
ANM05.009.59.023AB	UL20549	300V	59X2X23AWG	17/0.14	28.1	1191.16	69.2Ω/km
ANM05.009.60.023AB	UL20549	300V	60X2X23AWG	17/0.14	28.1	1194.86	69.2Ω/km
ANM05.009.61.023AB	UL20549	300V	61X2X23AWG	17/0.14	28.1	1198.36	69.2Ω/km
ANM05.009.62.023AB	UL20549	300V	62X2X23AWG	17/0.14	29.9	1327.56	69.2Ω/km
ANM05.009.63.023AB	UL20549	300V	63X2X23AWG	17/0.14	29.9	1331.26	69.2Ω/km
ANM05.009.64.023AB	UL20549	300V	64X2X23AWG	17/0.14	29.9	1334.86	69.2Ω/km
ANM05.009.65.023AB	UL20549	300V	65X2X23AWG	17/0.14	29.9	1338.46	69.2Ω/km
ANM05.009.02.022AB	UL20549	300V	2X2X22AWG	22/0.14	7.9	91.13	55.4Ω/km
ANM05.009.03.022AB	UL20549	300V	3X2X22AWG	22/0.14	8.3	103.93	55.4Ω/km
ANM05.009.04.022AB	UL20549	300V	4X2X22AWG	22/0.14	9	123.63	55.4Ω/km
ANM05.009.05.022AB	UL20549	300V	5X2X22AWG	22/0.14	9.9	149.73	55.4Ω/km
ANM05.009.06.022AB	UL20549	300V	6X2X22AWG	22/0.14	11.7	201.33	55.4Ω/km
ANM05.009.07.022AB	UL20549	300V	7X2X22AWG	22/0.14	11.7	205.83	55.4Ω/km
ANM05.009.08.022AB	UL20549	300V	8X2X22AWG	22/0.14	12.5	234.73	55.4Ω/km
ANM05.009.09.022AB	UL20549	300V	9X2X22AWG	22/0.14	13.8	281.83	55.4Ω/km
ANM05.009.10.022AB	UL20549	300V	10X2X22AWG	22/0.14	14.6	314.43	55.4Ω/km
ANM05.009.11.022AB	UL20549	300V	11X2X22AWG	22/0.14	15.1	337.43	55.4Ω/km
ANM05.009.12.022AB	UL20549	300V	12X2X22AWG	22/0.14	15.1	341.83	55.4Ω/km
ANM05.009.13.022AB	UL20549	300V	13X2X22AWG	22/0.14	15.8	373.23	55.4Ω/km
ANM05.009.14.022AB	UL20549	300V	14X2X22AWG	22/0.14	15.8	377.63	55.4Ω/km
ANM05.009.15.022AB	UL20549	300V	15X2X22AWG	22/0.14	16.6	414.33	55.4Ω/km
ANM05.009.16.022AB	UL20549	300V	16X2X22AWG	22/0.14	16.6	418.83	55.4Ω/km
ANM05.009.17.022AB	UL20549	300V	17X2X22AWG	22/0.14	17.4	456.93	55.4Ω/km
ANM05.009.18.022AB	UL20549	300V	18X2X22AWG	22/0.14	17.4	461.33	55.4Ω/km



ANM05.009.19.022AB	UL20549	300V	19X2X22AWG	22/0.14	17.4	465.83	55.4 Ω/km
ANM05.009.20.022AB	UL20549	300V	20X2X22AWG	22/0.14	17.9	492.13	55.4 Ω/km
ANM05.009.21.022AB	UL20549	300V	21X2X22AWG	22/0.14	18.3	514.53	55.4 Ω/km
ANM05.009.22.022AB	UL20549	300V	22X2X22AWG	22/0.14	19.4	570.23	55.4 Ω/km
ANM05.009.23.022AB	UL20549	300V	23X2X22AWG	22/0.14	21.2	662.93	55.4 Ω/km
ANM05.009.24.022AB	UL20549	300V	24X2X22AWG	22/0.14	21.2	667.33	55.4 Ω/km
ANM05.009.25.022AB	UL20549	300V	25X2X22AWG	22/0.14	21.7	698.33	55.4 Ω/km
ANM05.009.26.022AB	UL20549	300V	26X2X22AWG	22/0.14	21.7	702.73	55.4 Ω/km
ANM05.009.27.022AB	UL20549	300V	27X2X22AWG	22/0.14	21.7	707.13	55.4 Ω/km
ANM05.009.28.022AB	UL20549	300V	28X2X22AWG	22/0.14	22.4	749.63	55.4 Ω/km
ANM05.009.29.022AB	UL20549	300V	29X2X22AWG	22/0.14	22.4	754.13	55.4 Ω/km
ANM05.009.30.022AB	UL20549	300V	30X2X22AWG	22/0.14	22.4	758.63	55.4 Ω/km
ANM05.009.31.022AB	UL20549	300V	31X2X22AWG	22/0.14	23.2	808.03	55.4 Ω/km
ANM05.009.32.022AB	UL20549	300V	32X2X22AWG	22/0.14	23.2	812.53	55.4 Ω/km
ANM05.009.33.022AB	UL20549	300V	33X2X22AWG	22/0.14	23.2	816.93	55.4 Ω/km
ANM05.009.34.022AB	UL20549	300V	34X2X22AWG	22/0.14	24.1	873.83	55.4 Ω/km
ANM05.009.35.022AB	UL20549	300V	35X2X22AWG	22/0.14	24.1	878.23	55.4 Ω/km
ANM05.009.36.022AB	UL20549	300V	36X2X22AWG	22/0.14	24.1	882.73	55.4 Ω/km
ANM05.009.37.022AB	UL20549	300V	37X2X22AWG	22/0.14	24.1	887.13	55.4 Ω/km
ANM05.009.38.022AB	UL20549	300V	38X2X22AWG	22/0.14	24.9	939.83	55.4 Ω/km
ANM05.009.39.022AB	UL20549	300V	39X2X22AWG	22/0.14	24.9	944.23	55.4 Ω/km
ANM05.009.40.022AB	UL20549	300V	40X2X22AWG	22/0.14	24.9	948.73	55.4 Ω/km
ANM05.009.41.022AB	UL20549	300V	41X2X22AWG	22/0.14	26.9	1080.33	55.4 Ω/km
ANM05.009.42.022AB	UL20549	300V	42X2X22AWG	22/0.14	26.9	1084.83	55.4 Ω/km
ANM05.009.43.022AB	UL20549	300V	43X2X22AWG	22/0.14	26.9	1089.23	55.4 Ω/km
ANM05.009.44.022AB	UL20549	300V	44X2X22AWG	22/0.14	26.9	1093.83	55.4 Ω/km
ANM05.009.45.022AB	UL20549	300V	45X2X22AWG	22/0.14	27.3	1124.73	55.4 Ω/km
ANM05.009.46.022AB	UL20549	300V	46X2X22AWG	22/0.14	27.3	1129.33	55.4 Ω/km
ANM05.009.47.022AB	UL20549	300V	47X2X22AWG	22/0.14	27.3	1133.73	55.4 Ω/km
ANM05.009.48.022AB	UL20549	300V	48X2X22AWG	22/0.14	27.3	1138.23	55.4 Ω/km
ANM05.009.49.022AB	UL20549	300V	49X2X22AWG	22/0.14	28	1190.23	55.4 Ω/km
ANM05.009.50.022AB	UL20549	300V	50X2X22AWG	22/0.14	28	1194.73	55.4 Ω/km
ANM05.009.51.022AB	UL20549	300V	51X2X22AWG	22/0.14	28	1199.13	55.4 Ω/km
ANM05.009.52.022AB	UL20549	300V	52X2X22AWG	22/0.14	28	1203.53	55.4 Ω/km
ANM05.009.53.022AB	UL20549	300V	53X2X22AWG	22/0.14	29.9	1340.53	55.4 Ω/km
ANM05.009.54.022AB	UL20549	300V	54X2X22AWG	22/0.14	29.9	1345.03	55.4 Ω/km
ANM05.009.55.022AB	UL20549	300V	55X2X22AWG	22/0.14	29.9	1349.53	55.4 Ω/km
ANM05.009.56.022AB	UL20549	300V	56X2X22AWG	22/0.14	29.9	1353.93	55.4 Ω/km
ANM05.009.57.022AB	UL20549	300V	57X2X22AWG	22/0.14	31.1	1482.63	55.4 Ω/km
ANM05.009.58.022AB	UL20549	300V	58X2X22AWG	22/0.14	31.1	1487.03	55.4 Ω/km
ANM05.009.59.022AB	UL20549	300V	59X2X22AWG	22/0.14	31.1	1491.63	55.4 Ω/km
ANM05.009.60.022AB	UL20549	300V	60X2X22AWG	22/0.14	31.1	1496.03	55.4 Ω/km



ANM05.009.61.022AB	UL20549	300V	61X2X22AWG	22/0.14	31.1	1500.63	55.4 Ω/km
ANM05.009.62.022AB	UL20549	300V	62X2X22AWG	22/0.14	31.9	1567.73	55.4 Ω/km
ANM05.009.63.022AB	UL20549	300V	63X2X22AWG	22/0.14	31.9	1572.23	55.4 Ω/km
ANM05.009.64.022AB	UL20549	300V	64X2X22AWG	22/0.14	31.9	1576.63	55.4 Ω/km
ANM05.009.65.022AB	UL20549	300V	65X2X22AWG	22/0.14	31.9	1581.13	55.4 Ω/km
ANM05.009.02.021AB	UL20549	300V	2X2X21AWG	27/0.14	8.2	99.92	43.6 Ω/km
ANM05.009.03.021AB	UL20549	300V	3X2X21AWG	27/0.14	8.7	116.42	43.6 Ω/km
ANM05.009.04.021AB	UL20549	300V	4X2X21AWG	27/0.14	9.5	140.42	43.6 Ω/km
ANM05.009.05.021AB	UL20549	300V	5X2X21AWG	27/0.14	11.3	191.82	43.6 Ω/km
ANM05.009.06.021AB	UL20549	300V	6X2X21AWG	27/0.14	12.2	224.02	43.6 Ω/km
ANM05.009.07.021AB	UL20549	300V	7X2X21AWG	27/0.14	12.2	229.72	43.6 Ω/km
ANM05.009.08.021AB	UL20549	300V	8X2X21AWG	27/0.14	13.1	263.82	43.6 Ω/km
ANM05.009.09.021AB	UL20549	300V	9X2X21AWG	27/0.14	14.4	314.02	43.6 Ω/km
ANM05.009.10.021AB	UL20549	300V	10X2X21AWG	27/0.14	15.3	352.92	43.6 Ω/km
ANM05.009.11.021AB	UL20549	300V	11X2X21AWG	27/0.14	15.8	378.02	43.6 Ω/km
ANM05.009.12.021AB	UL20549	300V	12X2X21AWG	27/0.14	15.8	383.72	43.6 Ω/km
ANM05.009.13.021AB	UL20549	300V	13X2X21AWG	27/0.14	16.6	421.62	43.6 Ω/km
ANM05.009.14.021AB	UL20549	300V	14X2X21AWG	27/0.14	16.6	427.32	43.6 Ω/km
ANM05.009.15.021AB	UL20549	300V	15X2X21AWG	27/0.14	17.4	466.72	43.6 Ω/km
ANM05.009.16.021AB	UL20549	300V	16X2X21AWG	27/0.14	17.4	472.32	43.6 Ω/km
ANM05.009.17.021AB	UL20549	300V	17X2X21AWG	27/0.14	18.3	517.82	43.6 Ω/km
ANM05.009.18.021AB	UL20549	300V	18X2X21AWG	27/0.14	18.3	523.52	43.6 Ω/km
ANM05.009.19.021AB	UL20549	300V	19X2X21AWG	27/0.14	18.3	529.32	43.6 Ω/km
ANM05.009.20.021AB	UL20549	300V	20X2X21AWG	27/0.14	18.8	557.92	43.6 Ω/km
ANM05.009.21.021AB	UL20549	300V	21X2X21AWG	27/0.14	19.2	582.52	43.6 Ω/km
ANM05.009.22.021AB	UL20549	300V	22X2X21AWG	27/0.14	21.4	696.22	43.6 Ω/km
ANM05.009.23.021AB	UL20549	300V	23X2X21AWG	27/0.14	22.3	750.42	43.6 Ω/km
ANM05.009.24.021AB	UL20549	300V	24X2X21AWG	27/0.14	22.3	756.12	43.6 Ω/km
ANM05.009.25.021AB	UL20549	300V	25X2X21AWG	27/0.14	22.8	789.62	43.6 Ω/km
ANM05.009.26.021AB	UL20549	300V	26X2X21AWG	27/0.14	22.8	795.42	43.6 Ω/km
ANM05.009.27.021AB	UL20549	300V	27X2X21AWG	27/0.14	22.8	801.02	43.6 Ω/km
ANM05.009.28.021AB	UL20549	300V	28X2X21AWG	27/0.14	23.5	846.52	43.6 Ω/km
ANM05.009.29.021AB	UL20549	300V	29X2X21AWG	27/0.14	23.5	852.22	43.6 Ω/km
ANM05.009.30.021AB	UL20549	300V	30X2X21AWG	27/0.14	23.5	858.02	43.6 Ω/km
ANM05.009.31.021AB	UL20549	300V	31X2X21AWG	27/0.14	24.4	916.72	43.6 Ω/km
ANM05.009.32.021AB	UL20549	300V	32X2X21AWG	27/0.14	24.4	922.42	43.6 Ω/km
ANM05.009.33.021AB	UL20549	300V	33X2X21AWG	27/0.14	24.4	928.12	43.6 Ω/km
ANM05.009.34.021AB	UL20549	300V	34X2X21AWG	27/0.14	25.3	988.82	43.6 Ω/km
ANM05.009.35.021AB	UL20549	300V	35X2X21AWG	27/0.14	25.3	994.42	43.6 Ω/km
ANM05.009.36.021AB	UL20549	300V	36X2X21AWG	27/0.14	25.3	1000.12	43.6 Ω/km
ANM05.009.37.021AB	UL20549	300V	37X2X21AWG	27/0.14	25.3	1005.92	43.6 Ω/km
ANM05.009.38.021AB	UL20549	300V	38X2X21AWG	27/0.14	26.2	1068.62	43.6 Ω/km



ANM05.009.39.021AB	UL20549	300V	39X2X21AWG	27/0.14	26.2	1074.32	43.6Ω/km
ANM05.009.40.021AB	UL20549	300V	40X2X21AWG	27/0.14	26.2	1080.02	43.6Ω/km
ANM05.009.41.021AB	UL20549	300V	41X2X21AWG	27/0.14	28.3	1226.12	43.6Ω/km
ANM05.009.42.021AB	UL20549	300V	42X2X21AWG	27/0.14	28.3	1231.72	43.6Ω/km
ANM05.009.43.021AB	UL20549	300V	43X2X21AWG	27/0.14	28.3	1237.42	43.6Ω/km
ANM05.009.44.021AB	UL20549	300V	44X2X21AWG	27/0.14	28.3	1243.22	43.6Ω/km
ANM05.009.45.021AB	UL20549	300V	45X2X21AWG	27/0.14	29.8	1353.42	43.6Ω/km
ANM05.009.46.021AB	UL20549	300V	46X2X21AWG	27/0.14	29.8	1359.02	43.6Ω/km
ANM05.009.47.021AB	UL20549	300V	47X2X21AWG	27/0.14	29.8	1364.72	43.6Ω/km
ANM05.009.48.021AB	UL20549	300V	48X2X21AWG	27/0.14	29.8	1370.42	43.6Ω/km
ANM05.009.49.021AB	UL20549	300V	49X2X21AWG	27/0.14	30.9	1492.42	43.6Ω/km
ANM05.009.50.021AB	UL20549	300V	50X2X21AWG	27/0.14	30.9	1498.02	43.6Ω/km
ANM05.009.51.021AB	UL20549	300V	51X2X21AWG	27/0.14	30.9	1503.72	43.6Ω/km
ANM05.009.52.021AB	UL20549	300V	52X2X21AWG	27/0.14	30.9	1509.52	43.6Ω/km
ANM05.009.53.021AB	UL20549	300V	53X2X21AWG	27/0.14	31.8	1585.52	43.6Ω/km
ANM05.009.54.021AB	UL20549	300V	54X2X21AWG	27/0.14	31.8	1591.12	43.6Ω/km
ANM05.009.55.021AB	UL20549	300V	55X2X21AWG	27/0.14	31.8	1596.82	43.6Ω/km
ANM05.009.56.021AB	UL20549	300V	56X2X21AWG	27/0.14	31.8	1602.62	43.6Ω/km
ANM05.009.57.021AB	UL20549	300V	57X2X21AWG	27/0.14	32.7	1680.42	43.6Ω/km
ANM05.009.58.021AB	UL20549	300V	58X2X21AWG	27/0.14	32.7	1686.12	43.6Ω/km
ANM05.009.59.021AB	UL20549	300V	59X2X21AWG	27/0.14	32.7	1691.82	43.6Ω/km
ANM05.009.60.021AB	UL20549	300V	60X2X21AWG	27/0.14	32.7	1697.62	43.6Ω/km
ANM05.009.61.021AB	UL20549	300V	61X2X21AWG	27/0.14	32.7	1703.22	43.6Ω/km
ANM05.009.62.021AB	UL20549	300V	62X2X21AWG	27/0.14	33.6	1783.22	43.6Ω/km
ANM05.009.63.021AB	UL20549	300V	63X2X21AWG	27/0.14	33.6	1789.02	43.6Ω/km
ANM05.009.64.021AB	UL20549	300V	64X2X21AWG	27/0.14	33.6	1794.72	43.6Ω/km
ANM05.009.65.021AB	UL20549	300V	65X2X21AWG	27/0.14	33.6	1800.32	43.6Ω/km
ANM05.009.02.020AB	UL20549	300V	2X2X20AWG	34/0.14	8.6	111.62	34.6Ω/km
ANM05.009.03.020AB	UL20549	300V	3X2X20AWG	34/0.14	9.1	130.12	34.6Ω/km
ANM05.009.04.020AB	UL20549	300V	4X2X20AWG	34/0.14	9.9	156.62	34.6Ω/km
ANM05.009.05.020AB	UL20549	300V	5X2X20AWG	34/0.14	11.8	214.12	34.6Ω/km
ANM05.009.06.020AB	UL20549	300V	6X2X20AWG	34/0.14	12.8	252.12	34.6Ω/km
ANM05.009.07.020AB	UL20549	300V	7X2X20AWG	34/0.14	12.8	259.32	34.6Ω/km
ANM05.009.08.020AB	UL20549	300V	8X2X20AWG	34/0.14	13.8	299.82	34.6Ω/km
ANM05.009.09.020AB	UL20549	300V	9X2X20AWG	34/0.14	15.1	353.82	34.6Ω/km
ANM05.009.10.020AB	UL20549	300V	10X2X20AWG	34/0.14	16	395.82	34.6Ω/km
ANM05.009.11.020AB	UL20549	300V	11X2X20AWG	34/0.14	16.5	423.22	34.6Ω/km
ANM05.009.12.020AB	UL20549	300V	12X2X20AWG	34/0.14	16.5	430.42	34.6Ω/km
ANM05.009.13.020AB	UL20549	300V	13X2X20AWG	34/0.14	17.3	471.32	34.6Ω/km
ANM05.009.14.020AB	UL20549	300V	14X2X20AWG	34/0.14	17.3	478.52	34.6Ω/km
ANM05.009.15.020AB	UL20549	300V	15X2X20AWG	34/0.14	18.3	529.72	34.6Ω/km
ANM05.009.16.020AB	UL20549	300V	16X2X20AWG	34/0.14	18.3	537.02	34.6Ω/km



ANM05.009.17.020AB	UL20549	300V	17X2X20AWG	34/0.14	19.2	586.12	34.6Ω/km
ANM05.009.18.020AB	UL20549	300V	18X2X20AWG	34/0.14	19.2	593.42	34.6Ω/km
ANM05.009.19.020AB	UL20549	300V	19X2X20AWG	34/0.14	19.2	600.72	34.6Ω/km
ANM05.009.20.020AB	UL20549	300V	20X2X20AWG	34/0.14	20.7	679.72	34.6Ω/km
ANM05.009.21.020AB	UL20549	300V	21X2X20AWG	34/0.14	21.1	707.62	34.6Ω/km
ANM05.009.22.020AB	UL20549	300V	22X2X20AWG	34/0.14	22.4	784.52	34.6Ω/km
ANM05.009.23.020AB	UL20549	300V	23X2X20AWG	34/0.14	23.4	848.12	34.6Ω/km
ANM05.009.24.020AB	UL20549	300V	24X2X20AWG	34/0.14	23.4	855.42	34.6Ω/km
ANM05.009.25.020AB	UL20549	300V	25X2X20AWG	34/0.14	23.9	891.72	34.6Ω/km
ANM05.009.26.020AB	UL20549	300V	26X2X20AWG	34/0.14	23.9	899.02	34.6Ω/km
ANM05.009.27.020AB	UL20549	300V	27X2X20AWG	34/0.14	23.9	906.12	34.6Ω/km
ANM05.009.28.020AB	UL20549	300V	28X2X20AWG	34/0.14	24.7	961.22	34.6Ω/km
ANM05.009.29.020AB	UL20549	300V	29X2X20AWG	34/0.14	24.7	968.42	34.6Ω/km
ANM05.009.30.020AB	UL20549	300V	30X2X20AWG	34/0.14	24.7	975.72	34.6Ω/km
ANM05.009.31.020AB	UL20549	300V	31X2X20AWG	34/0.14	25.6	1038.52	34.6Ω/km
ANM05.009.32.020AB	UL20549	300V	32X2X20AWG	34/0.14	25.6	1045.82	34.6Ω/km
ANM05.009.33.020AB	UL20549	300V	33X2X20AWG	34/0.14	25.6	1053.02	34.6Ω/km
ANM05.009.34.020AB	UL20549	300V	34X2X20AWG	34/0.14	26.5	1118.02	34.6Ω/km
ANM05.009.35.020AB	UL20549	300V	35X2X20AWG	34/0.14	26.5	1125.22	34.6Ω/km
ANM05.009.36.020AB	UL20549	300V	36X2X20AWG	34/0.14	26.5	1132.52	34.6Ω/km
ANM05.009.37.020AB	UL20549	300V	37X2X20AWG	34/0.14	26.5	1139.82	34.6Ω/km
ANM05.009.38.020AB	UL20549	300V	38X2X20AWG	34/0.14	27.5	1213.32	34.6Ω/km
ANM05.009.39.020AB	UL20549	300V	39X2X20AWG	34/0.14	27.5	1220.52	34.6Ω/km
ANM05.009.40.020AB	UL20549	300V	40X2X20AWG	34/0.14	27.5	1227.72	34.6Ω/km
ANM05.009.41.020AB	UL20549	300V	41X2X20AWG	34/0.14	31.1	1525.82	34.6Ω/km
ANM05.009.42.020AB	UL20549	300V	42X2X20AWG	34/0.14	31.1	1533.02	34.6Ω/km
ANM05.009.43.020AB	UL20549	300V	43X2X20AWG	34/0.14	31.1	1540.32	34.6Ω/km
ANM05.009.44.020AB	UL20549	300V	44X2X20AWG	34/0.14	31.1	1547.62	34.6Ω/km
ANM05.009.45.020AB	UL20549	300V	45X2X20AWG	34/0.14	31.6	1593.82	34.6Ω/km
ANM05.009.46.020AB	UL20549	300V	46X2X20AWG	34/0.14	31.6	1601.12	34.6Ω/km
ANM05.009.47.020AB	UL20549	300V	47X2X20AWG	34/0.14	31.6	1608.32	34.6Ω/km
ANM05.009.48.020AB	UL20549	300V	48X2X20AWG	34/0.14	31.6	1615.62	34.6Ω/km
ANM05.009.49.020AB	UL20549	300V	49X2X20AWG	34/0.14	32.4	1686.52	34.6Ω/km
ANM05.009.50.020AB	UL20549	300V	50X2X20AWG	34/0.14	32.4	1693.92	34.6Ω/km
ANM05.009.51.020AB	UL20549	300V	51X2X20AWG	34/0.14	32.4	1701.22	34.6Ω/km
ANM05.009.52.020AB	UL20549	300V	52X2X20AWG	34/0.14	32.4	1708.42	34.6Ω/km
ANM05.009.53.020AB	UL20549	300V	53X2X20AWG	34/0.14	33.3	1789.32	34.6Ω/km
ANM05.009.54.020AB	UL20549	300V	54X2X20AWG	34/0.14	33.3	1796.42	34.6Ω/km
ANM05.009.55.020AB	UL20549	300V	55X2X20AWG	34/0.14	33.3	1803.72	34.6Ω/km
ANM05.009.56.020AB	UL20549	300V	56X2X20AWG	34/0.14	33.3	1810.92	34.6Ω/km
ANM05.009.57.020AB	UL20549	300V	57X2X20AWG	34/0.14	34.3	1902.22	34.6Ω/km
ANM05.009.58.020AB	UL20549	300V	58X2X20AWG	34/0.14	34.3	1909.52	34.6Ω/km



ANM05.009.59.020AB	UL20549	300V	59X2X20AWG	34/0.14	34.3	1916.72	34.6Ω/km
ANM05.009.60.020AB	UL20549	300V	60X2X20AWG	34/0.14	34.3	1924.02	34.6Ω/km
ANM05.009.61.020AB	UL20549	300V	61X2X20AWG	34/0.14	34.3	1931.32	34.6Ω/km
ANM05.009.62.020AB	UL20549	300V	62X2X20AWG	34/0.14	35.2	2016.22	34.6Ω/km
ANM05.009.63.020AB	UL20549	300V	63X2X20AWG	34/0.14	35.2	2023.52	34.6Ω/km
ANM05.009.64.020AB	UL20549	300V	64X2X20AWG	34/0.14	35.2	2030.72	34.6Ω/km
ANM05.009.65.020AB	UL20549	300V	65X2X20AWG	34/0.14	35.2	2038.02	34.6Ω/km
ANM05.009.02.019AB	UL20549	300V	2X2X19AWG	43/0.14	8.9	122.46	27.4Ω/km
ANM05.009.03.019AB	UL20549	300V	3X2X19AWG	43/0.14	9.5	145.66	27.4Ω/km
ANM05.009.04.019AB	UL20549	300V	4X2X19AWG	43/0.14	11.3	200.56	27.4Ω/km
ANM05.009.05.019AB	UL20549	300V	5X2X19AWG	43/0.14	12.3	239.36	27.4Ω/km
ANM05.009.06.019AB	UL20549	300V	6X2X19AWG	43/0.14	13.4	283.96	27.4Ω/km
ANM05.009.07.019AB	UL20549	300V	7X2X19AWG	43/0.14	13.4	293.06	27.4Ω/km
ANM05.009.08.019AB	UL20549	300V	8X2X19AWG	43/0.14	14.4	336.96	27.4Ω/km
ANM05.009.09.019AB	UL20549	300V	9X2X19AWG	43/0.14	15.7	394.86	27.4Ω/km
ANM05.009.10.019AB	UL20549	300V	10X2X19AWG	43/0.14	16.7	444.26	27.4Ω/km
ANM05.009.11.019AB	UL20549	300V	11X2X19AWG	43/0.14	17.3	478.86	27.4Ω/km
ANM05.009.12.019AB	UL20549	300V	12X2X19AWG	43/0.14	17.3	488.16	27.4Ω/km
ANM05.009.13.019AB	UL20549	300V	13X2X19AWG	43/0.14	18.1	532.36	27.4Ω/km
ANM05.009.14.019AB	UL20549	300V	14X2X19AWG	43/0.14	18.1	541.56	27.4Ω/km
ANM05.009.15.019AB	UL20549	300V	15X2X19AWG	43/0.14	19.1	596.86	27.4Ω/km
ANM05.009.16.019AB	UL20549	300V	16X2X19AWG	43/0.14	19.1	606.06	27.4Ω/km
ANM05.009.17.019AB	UL20549	300V	17X2X19AWG	43/0.14	21.1	712.66	27.4Ω/km
ANM05.009.18.019AB	UL20549	300V	18X2X19AWG	43/0.14	21.1	721.86	27.4Ω/km
ANM05.009.19.019AB	UL20549	300V	19X2X19AWG	43/0.14	21.1	731.16	27.4Ω/km
ANM05.009.20.019AB	UL20549	300V	20X2X19AWG	43/0.14	21.6	766.66	27.4Ω/km
ANM05.009.21.019AB	UL20549	300V	21X2X19AWG	43/0.14	22.1	802.66	27.4Ω/km
ANM05.009.22.019AB	UL20549	300V	22X2X19AWG	43/0.14	23.4	884.76	27.4Ω/km
ANM05.009.23.019AB	UL20549	300V	23X2X19AWG	43/0.14	24.4	952.76	27.4Ω/km
ANM05.009.24.019AB	UL20549	300V	24X2X19AWG	43/0.14	24.4	962.06	27.4Ω/km
ANM05.009.25.019AB	UL20549	300V	25X2X19AWG	43/0.14	24.9	1001.66	27.4Ω/km
ANM05.009.26.019AB	UL20549	300V	26X2X19AWG	43/0.14	24.9	1010.86	27.4Ω/km
ANM05.009.27.019AB	UL20549	300V	27X2X19AWG	43/0.14	24.9	1020.06	27.4Ω/km
ANM05.009.28.019AB	UL20549	300V	28X2X19AWG	43/0.14	25.8	1085.26	27.4Ω/km
ANM05.009.29.019AB	UL20549	300V	29X2X19AWG	43/0.14	25.8	1094.56	27.4Ω/km
ANM05.009.30.019AB	UL20549	300V	30X2X19AWG	43/0.14	25.8	1103.86	27.4Ω/km
ANM05.009.31.019AB	UL20549	300V	31X2X19AWG	43/0.14	26.8	1177.76	27.4Ω/km
ANM05.009.32.019AB	UL20549	300V	32X2X19AWG	43/0.14	26.8	1187.06	27.4Ω/km
ANM05.009.33.019AB	UL20549	300V	33X2X19AWG	43/0.14	26.8	1196.26	27.4Ω/km
ANM05.009.34.019AB	UL20549	300V	34X2X19AWG	43/0.14	27.8	1272.56	27.4Ω/km
ANM05.009.35.019AB	UL20549	300V	35X2X19AWG	43/0.14	27.8	1281.76	27.4Ω/km
ANM05.009.36.019AB	UL20549	300V	36X2X19AWG	43/0.14	27.8	1291.06	27.4Ω/km



ANM05.009.37.019AB	UL20549	300V	37X2X19AWG	43/0.14	27.8	1300.36	27.4Ω/km
ANM05.009.38.019AB	UL20549	300V	38X2X19AWG	43/0.14	29.8	1448.26	27.4Ω/km
ANM05.009.39.019AB	UL20549	300V	39X2X19AWG	43/0.14	29.8	1457.56	27.4Ω/km
ANM05.009.40.019AB	UL20549	300V	40X2X19AWG	43/0.14	29.8	1466.76	27.4Ω/km
ANM05.009.41.019AB	UL20549	300V	41X2X19AWG	43/0.14	32.5	1718.46	27.4Ω/km
ANM05.009.42.019AB	UL20549	300V	42X2X19AWG	43/0.14	32.5	1727.76	27.4Ω/km
ANM05.009.43.019AB	UL20549	300V	43X2X19AWG	43/0.14	32.5	1736.96	27.4Ω/km
ANM05.009.44.019AB	UL20549	300V	44X2X19AWG	43/0.14	32.5	1746.26	27.4Ω/km
ANM05.009.45.019AB	UL20549	300V	45X2X19AWG	43/0.14	33	1796.16	27.4Ω/km
ANM05.009.46.019AB	UL20549	300V	46X2X19AWG	43/0.14	33	1805.46	27.4Ω/km
ANM05.009.47.019AB	UL20549	300V	47X2X19AWG	43/0.14	33	1814.66	27.4Ω/km
ANM05.009.48.019AB	UL20549	300V	48X2X19AWG	43/0.14	33	1823.86	27.4Ω/km
ANM05.009.49.019AB	UL20549	300V	49X2X19AWG	43/0.14	33.9	1907.96	27.4Ω/km
ANM05.009.50.019AB	UL20549	300V	50X2X19AWG	43/0.14	33.9	1917.16	27.4Ω/km
ANM05.009.51.019AB	UL20549	300V	51X2X19AWG	43/0.14	33.9	1926.46	27.4Ω/km
ANM05.009.52.019AB	UL20549	300V	52X2X19AWG	43/0.14	33.9	1935.86	27.4Ω/km
ANM05.009.53.019AB	UL20549	300V	53X2X19AWG	43/0.14	34.9	2030.66	27.4Ω/km
ANM05.009.54.019AB	UL20549	300V	54X2X19AWG	43/0.14	34.9	2039.86	27.4Ω/km
ANM05.009.55.019AB	UL20549	300V	55X2X19AWG	43/0.14	34.9	2049.06	27.4Ω/km
ANM05.009.56.019AB	UL20549	300V	56X2X19AWG	43/0.14	34.9	2058.36	27.4Ω/km
ANM05.009.57.019AB	UL20549	300V	57X2X19AWG	43/0.14	36.1	2173.36	27.4Ω/km
ANM05.009.58.019AB	UL20549	300V	58X2X19AWG	43/0.14	36.1	2182.66	27.4Ω/km
ANM05.009.59.019AB	UL20549	300V	59X2X19AWG	43/0.14	36.1	2191.96	27.4Ω/km
ANM05.009.60.019AB	UL20549	300V	60X2X19AWG	43/0.14	36.1	2201.16	27.4Ω/km
ANM05.009.61.019AB	UL20549	300V	61X2X19AWG	43/0.14	36.1	2210.36	27.4Ω/km
ANM05.009.62.019AB	UL20549	300V	62X2X19AWG	43/0.14	37.2	2319.46	27.4Ω/km
ANM05.009.63.019AB	UL20549	300V	63X2X19AWG	43/0.14	37.2	2328.76	27.4Ω/km
ANM05.009.64.019AB	UL20549	300V	64X2X19AWG	43/0.14	37.2	2338.06	27.4Ω/km
ANM05.009.65.019AB	UL20549	300V	65X2X19AWG	43/0.14	37.2	2347.26	27.4Ω/km
ANM05.009.02.018AB	UL20549	300V	2X2X18AWG	29/0.19	9.3	137.23	21.8Ω/km
ANM05.009.03.018AB	UL20549	300V	3X2X18AWG	29/0.19	9.8	161.03	21.8Ω/km
ANM05.009.04.018AB	UL20549	300V	4X2X18AWG	29/0.19	11.7	222.83	21.8Ω/km
ANM05.009.05.018AB	UL20549	300V	5X2X18AWG	29/0.19	12.8	268.43	21.8Ω/km
ANM05.009.06.018AB	UL20549	300V	6X2X18AWG	29/0.19	13.9	316.83	21.8Ω/km
ANM05.009.07.018AB	UL20549	300V	7X2X18AWG	29/0.19	13.9	328.73	21.8Ω/km
ANM05.009.08.018AB	UL20549	300V	8X2X18AWG	29/0.19	15	380.43	21.8Ω/km
ANM05.009.09.018AB	UL20549	300V	9X2X18AWG	29/0.19	16.4	446.83	21.8Ω/km
ANM05.009.10.018AB	UL20549	300V	10X2X18AWG	29/0.19	17.4	500.53	21.8Ω/km
ANM05.009.11.018AB	UL20549	300V	11X2X18AWG	29/0.19	18	539.03	21.8Ω/km
ANM05.009.12.018AB	UL20549	300V	12X2X18AWG	29/0.19	18	550.83	21.8Ω/km
ANM05.009.13.018AB	UL20549	300V	13X2X18AWG	29/0.19	18.9	603.73	21.8Ω/km
ANM05.009.14.018AB	UL20549	300V	14X2X18AWG	29/0.19	18.9	615.63	21.8Ω/km





ANM05.009.15.018AB	UL20549	300V	15X2X18AWG	29/0.19	20.9	723.93	21.8Ω/km
ANM05.009.16.018AB	UL20549	300V	16X2X18AWG	29/0.19	20.9	735.83	21.8Ω/km
ANM05.009.17.018AB	UL20549	300V	17X2X18AWG	29/0.19	21.9	800.23	21.8Ω/km
ANM05.009.18.018AB	UL20549	300V	18X2X18AWG	29/0.19	21.9	812.23	21.8Ω/km
ANM05.009.19.018AB	UL20549	300V	19X2X18AWG	29/0.19	21.9	824.13	21.8Ω/km
ANM05.009.20.018AB	UL20549	300V	20X2X18AWG	29/0.19	22.5	868.93	21.8Ω/km
ANM05.009.21.018AB	UL20549	300V	21X2X18AWG	29/0.19	23	908.73	21.8Ω/km
ANM05.009.22.018AB	UL20549	300V	22X2X18AWG	29/0.19	24.4	1002.33	21.8Ω/km
ANM05.009.23.018AB	UL20549	300V	23X2X18AWG	29/0.19	25.5	1081.63	21.8Ω/km
ANM05.009.24.018AB	UL20549	300V	24X2X18AWG	29/0.19	25.5	1093.53	21.8Ω/km
ANM05.009.25.018AB	UL20549	300V	25X2X18AWG	29/0.19	26	1137.23	21.8Ω/km
ANM05.009.26.018AB	UL20549	300V	26X2X18AWG	29/0.19	26	1149.03	21.8Ω/km
ANM05.009.27.018AB	UL20549	300V	27X2X18AWG	29/0.19	26	1160.93	21.8Ω/km
ANM05.009.28.018AB	UL20549	300V	28X2X18AWG	29/0.19	26.9	1231.23	21.8Ω/km
ANM05.009.29.018AB	UL20549	300V	29X2X18AWG	29/0.19	26.9	1243.23	21.8Ω/km
ANM05.009.30.018AB	UL20549	300V	30X2X18AWG	29/0.19	26.9	1255.13	21.8Ω/km
ANM05.009.31.018AB	UL20549	300V	31X2X18AWG	29/0.19	27.9	1334.23	21.8Ω/km
ANM05.009.32.018AB	UL20549	300V	32X2X18AWG	29/0.19	27.9	1346.23	21.8Ω/km
ANM05.009.33.018AB	UL20549	300V	33X2X18AWG	29/0.19	27.9	1358.13	21.8Ω/km
ANM05.009.34.018AB	UL20549	300V	34X2X18AWG	29/0.19	30	1516.53	21.8Ω/km
ANM05.009.35.018AB	UL20549	300V	35X2X18AWG	29/0.19	30	1528.43	21.8Ω/km
ANM05.009.36.018AB	UL20549	300V	36X2X18AWG	29/0.19	30	1540.53	21.8Ω/km
ANM05.009.37.018AB	UL20549	300V	37X2X18AWG	29/0.19	30	1552.33	21.8Ω/km
ANM05.009.38.018AB	UL20549	300V	38X2X18AWG	29/0.19	31.4	1704.53	21.8Ω/km
ANM05.009.39.018AB	UL20549	300V	39X2X18AWG	29/0.19	31.4	1716.43	21.8Ω/km
ANM05.009.40.018AB	UL20549	300V	40X2X18AWG	29/0.19	31.4	1728.33	21.8Ω/km
ANM05.009.41.018AB	UL20549	300V	41X2X18AWG	29/0.19	33.9	1943.33	21.8Ω/km
ANM05.009.42.018AB	UL20549	300V	42X2X18AWG	29/0.19	33.9	1955.13	21.8Ω/km
ANM05.009.43.018AB	UL20549	300V	43X2X18AWG	29/0.19	33.9	1967.13	21.8Ω/km
ANM05.009.44.018AB	UL20549	300V	44X2X18AWG	29/0.19	33.9	1979.03	21.8Ω/km
ANM05.009.45.018AB	UL20549	300V	45X2X18AWG	29/0.19	34.5	2041.93	21.8Ω/km
ANM05.009.46.018AB	UL20549	300V	46X2X18AWG	29/0.19	34.5	2053.93	21.8Ω/km
ANM05.009.47.018AB	UL20549	300V	47X2X18AWG	29/0.19	34.5	2065.83	21.8Ω/km
ANM05.009.48.018AB	UL20549	300V	48X2X18AWG	29/0.19	34.5	2077.63	21.8Ω/km
ANM05.009.49.018AB	UL20549	300V	49X2X18AWG	29/0.19	35.4	2167.73	21.8Ω/km
ANM05.009.50.018AB	UL20549	300V	50X2X18AWG	29/0.19	35.4	2179.73	21.8Ω/km
ANM05.009.51.018AB	UL20549	300V	51X2X18AWG	29/0.19	35.4	2191.53	21.8Ω/km
ANM05.009.52.018AB	UL20549	300V	52X2X18AWG	29/0.19	35.4	2203.53	21.8Ω/km
ANM05.009.53.018AB	UL20549	300V	53X2X18AWG	29/0.19	36.7	2331.73	21.8Ω/km
ANM05.009.54.018AB	UL20549	300V	54X2X18AWG	29/0.19	36.7	2343.63	21.8Ω/km
ANM05.009.55.018AB	UL20549	300V	55X2X18AWG	29/0.19	36.7	2355.53	21.8Ω/km
ANM05.009.56.018AB	UL20549	300V	56X2X18AWG	29/0.19	36.7	2367.33	21.8Ω/km



ANM05.009.57.018AB	UL20549	300V	57X2X18AWG	29/0.19	37.7	2471.73	21.8Ω/km
ANM05.009.58.018AB	UL20549	300V	58X2X18AWG	29/0.19	37.7	2483.63	21.8Ω/km
ANM05.009.59.018AB	UL20549	300V	59X2X18AWG	29/0.19	37.7	2495.43	21.8Ω/km
ANM05.009.60.018AB	UL20549	300V	60X2X18AWG	29/0.19	37.7	2507.53	21.8Ω/km
ANM05.009.61.018AB	UL20549	300V	61X2X18AWG	29/0.19	37.7	2519.43	21.8Ω/km
ANM05.009.62.018AB	UL20549	300V	62X2X18AWG	29/0.19	38.8	2635.33	21.8Ω/km
ANM05.009.63.018AB	UL20549	300V	63X2X18AWG	29/0.19	38.8	2647.23	21.8Ω/km
ANM05.009.64.018AB	UL20549	300V	64X2X18AWG	29/0.19	38.8	2659.23	21.8Ω/km
ANM05.009.65.018AB	UL20549	300V	65X2X18AWG	29/0.19	38.8	2671.13	21.8Ω/km
ANM05.009.02.017AB	UL20549	300V	2X2X17AWG	37/0.19	11	184.94	17.3Ω/km
ANM05.009.03.017AB	UL20549	300V	3X2X17AWG	37/0.19	11.6	216.64	17.3Ω/km
ANM05.009.04.017AB	UL20549	300V	4X2X17AWG	37/0.19	12.6	261.64	17.3Ω/km
ANM05.009.05.017AB	UL20549	300V	5X2X17AWG	37/0.19	13.8	316.04	17.3Ω/km
ANM05.009.06.017AB	UL20549	300V	6X2X17AWG	37/0.19	15	373.74	17.3Ω/km
ANM05.009.07.017AB	UL20549	300V	7X2X17AWG	37/0.19	15	388.44	17.3Ω/km
ANM05.009.08.017AB	UL20549	300V	8X2X17AWG	37/0.19	16.1	445.64	17.3Ω/km
ANM05.009.09.017AB	UL20549	300V	9X2X17AWG	37/0.19	17.7	527.34	17.3Ω/km
ANM05.009.10.017AB	UL20549	300V	10X2X17AWG	37/0.19	18.8	591.74	17.3Ω/km
ANM05.009.11.017AB	UL20549	300V	11X2X17AWG	37/0.19	20.5	687.04	17.3Ω/km
ANM05.009.12.017AB	UL20549	300V	12X2X17AWG	37/0.19	20.5	701.64	17.3Ω/km
ANM05.009.13.017AB	UL20549	300V	13X2X17AWG	37/0.19	21.4	762.74	17.3Ω/km
ANM05.009.14.017AB	UL20549	300V	14X2X17AWG	37/0.19	21.4	777.64	17.3Ω/km
ANM05.009.15.017AB	UL20549	300V	15X2X17AWG	37/0.19	22.6	857.44	17.3Ω/km
ANM05.009.16.017AB	UL20549	300V	16X2X17AWG	37/0.19	22.6	872.14	17.3Ω/km
ANM05.009.17.017AB	UL20549	300V	17X2X17AWG	37/0.19	23.7	949.34	17.3Ω/km
ANM05.009.18.017AB	UL20549	300V	18X2X17AWG	37/0.19	23.7	964.14	17.3Ω/km
ANM05.009.19.017AB	UL20549	300V	19X2X17AWG	37/0.19	23.7	978.94	17.3Ω/km
ANM05.009.20.017AB	UL20549	300V	20X2X17AWG	37/0.19	24.3	1029.14	17.3Ω/km
ANM05.009.21.017AB	UL20549	300V	21X2X17AWG	37/0.19	24.9	1080.04	17.3Ω/km
ANM05.009.22.017AB	UL20549	300V	22X2X17AWG	37/0.19	26.4	1189.34	17.3Ω/km
ANM05.009.23.017AB	UL20549	300V	23X2X17AWG	37/0.19	27.6	1283.64	17.3Ω/km
ANM05.009.24.017AB	UL20549	300V	24X2X17AWG	37/0.19	27.6	1298.34	17.3Ω/km
ANM05.009.25.017AB	UL20549	300V	25X2X17AWG	37/0.19	28.2	1354.14	17.3Ω/km
ANM05.009.26.017AB	UL20549	300V	26X2X17AWG	37/0.19	28.2	1368.84	17.3Ω/km
ANM05.009.27.017AB	UL20549	300V	27X2X17AWG	37/0.19	28.2	1383.64	17.3Ω/km
ANM05.009.28.017AB	UL20549	300V	28X2X17AWG	37/0.19	30.6	1602.84	17.3Ω/km
ANM05.009.29.017AB	UL20549	300V	29X2X17AWG	37/0.19	30.6	1617.54	17.3Ω/km
ANM05.009.30.017AB	UL20549	300V	30X2X17AWG	37/0.19	30.6	1632.24	17.3Ω/km
ANM05.009.31.017AB	UL20549	300V	31X2X17AWG	37/0.19	31.7	1732.34	17.3Ω/km
ANM05.009.32.017AB	UL20549	300V	32X2X17AWG	37/0.19	31.7	1747.14	17.3Ω/km
ANM05.009.33.017AB	UL20549	300V	33X2X17AWG	37/0.19	31.7	1761.84	17.3Ω/km
ANM05.009.34.017AB	UL20549	300V	34X2X17AWG	37/0.19	32.9	1872.94	17.3Ω/km



ANM05.009.35.017AB	UL20549	300V	35X2X17AWG	37/0.19	32.9	1887.64	17.3Ω/km
ANM05.009.36.017AB	UL20549	300V	36X2X17AWG	37/0.19	32.9	1902.44	17.3Ω/km
ANM05.009.37.017AB	UL20549	300V	37X2X17AWG	37/0.19	32.9	1917.14	17.3Ω/km
ANM05.009.38.017AB	UL20549	300V	38X2X17AWG	37/0.19	34	2023.44	17.3Ω/km
ANM05.009.39.017AB	UL20549	300V	39X2X17AWG	37/0.19	34	2038.14	17.3Ω/km
ANM05.009.40.017AB	UL20549	300V	40X2X17AWG	37/0.19	34	2052.94	17.3Ω/km
ANM05.009.41.017AB	UL20549	300V	41X2X17AWG	37/0.19	37	2332.04	17.3Ω/km
ANM05.009.42.017AB	UL20549	300V	42X2X17AWG	37/0.19	37	2346.74	17.3Ω/km
ANM05.009.43.017AB	UL20549	300V	43X2X17AWG	37/0.19	37	2361.44	17.3Ω/km
ANM05.009.44.017AB	UL20549	300V	44X2X17AWG	37/0.19	37	2376.14	17.3Ω/km
ANM05.009.45.017AB	UL20549	300V	45X2X17AWG	37/0.19	37.6	2446.44	17.3Ω/km
ANM05.009.46.017AB	UL20549	300V	46X2X17AWG	37/0.19	37.6	2461.24	17.3Ω/km
ANM05.009.47.017AB	UL20549	300V	47X2X17AWG	37/0.19	37.6	2475.84	17.3Ω/km
ANM05.009.48.017AB	UL20549	300V	48X2X17AWG	37/0.19	37.6	2490.54	17.3Ω/km
ANM05.009.49.017AB	UL20549	300V	49X2X17AWG	37/0.19	38.6	2599.64	17.3Ω/km
ANM05.009.50.017AB	UL20549	300V	50X2X17AWG	37/0.19	38.6	2614.44	17.3Ω/km
ANM05.009.51.017AB	UL20549	300V	51X2X17AWG	37/0.19	38.6	2629.14	17.3Ω/km
ANM05.009.52.017AB	UL20549	300V	52X2X17AWG	37/0.19	38.6	2643.84	17.3Ω/km
ANM05.009.53.017AB	UL20549	300V	53X2X17AWG	37/0.19	39.8	2775.14	17.3Ω/km
ANM05.009.54.017AB	UL20549	300V	54X2X17AWG	37/0.19	39.8	2789.84	17.3Ω/km
ANM05.009.55.017AB	UL20549	300V	55X2X17AWG	37/0.19	39.8	2804.64	17.3Ω/km
ANM05.009.56.017AB	UL20549	300V	56X2X17AWG	37/0.19	39.8	2819.34	17.3Ω/km
ANM05.009.57.017AB	UL20549	300V	57X2X17AWG	37/0.19	41.1	3002.04	17.3Ω/km
ANM05.009.58.017AB	UL20549	300V	58X2X17AWG	37/0.19	41.1	3016.84	17.3Ω/km
ANM05.009.59.017AB	UL20549	300V	59X2X17AWG	37/0.19	41.1	3031.64	17.3Ω/km
ANM05.009.60.017AB	UL20549	300V	60X2X17AWG	37/0.19	41.1	3046.34	17.3Ω/km
ANM05.009.61.017AB	UL20549	300V	61X2X17AWG	37/0.19	41.1	3060.94	17.3Ω/km
ANM05.009.62.017AB	UL20549	300V	62X2X17AWG	37/0.19	42.3	3200.74	17.3Ω/km
ANM05.009.63.017AB	UL20549	300V	63X2X17AWG	37/0.19	42.3	3215.44	17.3Ω/km
ANM05.009.64.017AB	UL20549	300V	64X2X17AWG	37/0.19	42.3	3230.24	17.3Ω/km
ANM05.009.65.017AB	UL20549	300V	65X2X17AWG	37/0.19	42.3	3244.94	17.3Ω/km
ANM05.009.02.016AB	UL20549	300V	2X2X16AWG	27/0.25	11.3	202.51	13.7Ω/km
ANM05.009.03.016AB	UL20549	300V	3X2X16AWG	27/0.25	12	241.91	13.7Ω/km
ANM05.009.04.016AB	UL20549	300V	4X2X16AWG	27/0.25	13	292.21	13.7Ω/km
ANM05.009.05.016AB	UL20549	300V	5X2X16AWG	27/0.25	14.3	355.61	13.7Ω/km
ANM05.009.06.016AB	UL20549	300V	6X2X16AWG	27/0.25	15.5	419.31	13.7Ω/km
ANM05.009.07.016AB	UL20549	300V	7X2X16AWG	27/0.25	15.5	438.41	13.7Ω/km
ANM05.009.08.016AB	UL20549	300V	8X2X16AWG	27/0.25	16.7	505.41	13.7Ω/km
ANM05.009.09.016AB	UL20549	300V	9X2X16AWG	27/0.25	18.3	593.81	13.7Ω/km
ANM05.009.10.016AB	UL20549	300V	10X2X16AWG	27/0.25	20.5	716.41	13.7Ω/km
ANM05.009.11.016AB	UL20549	300V	11X2X16AWG	27/0.25	21.2	771.41	13.7Ω/km
ANM05.009.12.016AB	UL20549	300V	12X2X16AWG	27/0.25	21.2	790.61	13.7Ω/km



ANM05.009.13.016AB	UL20549	300V	13X2X16AWG	27/0.25	22.2	863.21	13.7 Ω/km
ANM05.009.14.016AB	UL20549	300V	14X2X16AWG	27/0.25	22.2	882.31	13.7 Ω/km
ANM05.009.15.016AB	UL20549	300V	15X2X16AWG	27/0.25	23.4	968.71	13.7 Ω/km
ANM05.009.16.016AB	UL20549	300V	16X2X16AWG	27/0.25	23.4	987.81	13.7 Ω/km
ANM05.009.17.016AB	UL20549	300V	17X2X16AWG	27/0.25	24.6	1077.71	13.7 Ω/km
ANM05.009.18.016AB	UL20549	300V	18X2X16AWG	27/0.25	24.6	1096.91	13.7 Ω/km
ANM05.009.19.016AB	UL20549	300V	19X2X16AWG	27/0.25	24.6	1116.01	13.7 Ω/km
ANM05.009.20.016AB	UL20549	300V	20X2X16AWG	27/0.25	25.2	1171.81	13.7 Ω/km
ANM05.009.21.016AB	UL20549	300V	21X2X16AWG	27/0.25	25.8	1228.41	13.7 Ω/km
ANM05.009.22.016AB	UL20549	300V	22X2X16AWG	27/0.25	27.4	1352.01	13.7 Ω/km
ANM05.009.23.016AB	UL20549	300V	23X2X16AWG	27/0.25	29.6	1522.51	13.7 Ω/km
ANM05.009.24.016AB	UL20549	300V	24X2X16AWG	27/0.25	29.6	1541.71	13.7 Ω/km
ANM05.009.25.016AB	UL20549	300V	25X2X16AWG	27/0.25	30.7	1676.11	13.7 Ω/km
ANM05.009.26.016AB	UL20549	300V	26X2X16AWG	27/0.25	30.7	1695.21	13.7 Ω/km
ANM05.009.27.016AB	UL20549	300V	27X2X16AWG	27/0.25	30.7	1714.31	13.7 Ω/km
ANM05.009.28.016AB	UL20549	300V	28X2X16AWG	27/0.25	31.7	1811.21	13.7 Ω/km
ANM05.009.29.016AB	UL20549	300V	29X2X16AWG	27/0.25	31.7	1830.31	13.7 Ω/km
ANM05.009.30.016AB	UL20549	300V	30X2X16AWG	27/0.25	31.7	1849.51	13.7 Ω/km
ANM05.009.31.016AB	UL20549	300V	31X2X16AWG	27/0.25	32.9	1964.91	13.7 Ω/km
ANM05.009.32.016AB	UL20549	300V	32X2X16AWG	27/0.25	32.9	1984.11	13.7 Ω/km
ANM05.009.33.016AB	UL20549	300V	33X2X16AWG	27/0.25	32.9	2003.21	13.7 Ω/km
ANM05.009.34.016AB	UL20549	300V	34X2X16AWG	27/0.25	34.1	2122.21	13.7 Ω/km
ANM05.009.35.016AB	UL20549	300V	35X2X16AWG	27/0.25	34.1	2141.31	13.7 Ω/km
ANM05.009.36.016AB	UL20549	300V	36X2X16AWG	27/0.25	34.1	2160.51	13.7 Ω/km
ANM05.009.37.016AB	UL20549	300V	37X2X16AWG	27/0.25	34.1	2179.61	13.7 Ω/km
ANM05.009.38.016AB	UL20549	300V	38X2X16AWG	27/0.25	35.3	2302.11	13.7 Ω/km
ANM05.009.39.016AB	UL20549	300V	39X2X16AWG	27/0.25	35.3	2321.21	13.7 Ω/km
ANM05.009.40.016AB	UL20549	300V	40X2X16AWG	27/0.25	35.3	2340.31	13.7 Ω/km
ANM05.009.41.016AB	UL20549	300V	41X2X16AWG	27/0.25	38.4	2642.81	13.7 Ω/km
ANM05.009.42.016AB	UL20549	300V	42X2X16AWG	27/0.25	38.4	2662.01	13.7 Ω/km
ANM05.009.43.016AB	UL20549	300V	43X2X16AWG	27/0.25	38.4	2681.11	13.7 Ω/km
ANM05.009.44.016AB	UL20549	300V	44X2X16AWG	27/0.25	38.4	2700.21	13.7 Ω/km
ANM05.009.45.016AB	UL20549	300V	45X2X16AWG	27/0.25	39.1	2786.41	13.7 Ω/km
ANM05.009.46.016AB	UL20549	300V	46X2X16AWG	27/0.25	39.1	2805.51	13.7 Ω/km
ANM05.009.47.016AB	UL20549	300V	47X2X16AWG	27/0.25	39.1	2824.71	13.7 Ω/km
ANM05.009.48.016AB	UL20549	300V	48X2X16AWG	27/0.25	39.1	2843.81	13.7 Ω/km
ANM05.009.49.016AB	UL20549	300V	49X2X16AWG	27/0.25	40.1	2961.11	13.7 Ω/km
ANM05.009.50.016AB	UL20549	300V	50X2X16AWG	27/0.25	40.1	2980.21	13.7 Ω/km
ANM05.009.51.016AB	UL20549	300V	51X2X16AWG	27/0.25	40.1	2999.31	13.7 Ω/km
ANM05.009.52.016AB	UL20549	300V	52X2X16AWG	27/0.25	40.1	3018.41	13.7 Ω/km
ANM05.009.53.016AB	UL20549	300V	53X2X16AWG	27/0.25	41.5	3217.21	13.7 Ω/km
ANM05.009.54.016AB	UL20549	300V	54X2X16AWG	27/0.25	41.5	3236.31	13.7 Ω/km



ANM05.009.55.016AB	UL20549	300V	55X2X16AWG	27/0.25	41.5	3255.41	13.7Ω/km
ANM05.009.56.016AB	UL20549	300V	56X2X16AWG	27/0.25	41.5	3274.51	13.7Ω/km
ANM05.009.57.016AB	UL20549	300V	57X2X16AWG	27/0.25	44.1	3563.61	13.7Ω/km
ANM05.009.58.016AB	UL20549	300V	58X2X16AWG	27/0.25	44.1	3582.71	13.7Ω/km
ANM05.009.59.016AB	UL20549	300V	59X2X16AWG	27/0.25	44.1	3601.91	13.7Ω/km
ANM05.009.60.016AB	UL20549	300V	60X2X16AWG	27/0.25	44.1	3621.01	13.7Ω/km
ANM05.009.61.016AB	UL20549	300V	61X2X16AWG	27/0.25	44.1	3640.11	13.7Ω/km
ANM05.009.62.016AB	UL20549	300V	62X2X16AWG	27/0.25	45.3	3792.91	13.7Ω/km
ANM05.009.63.016AB	UL20549	300V	63X2X16AWG	27/0.25	45.3	3812.01	13.7Ω/km
ANM05.009.64.016AB	UL20549	300V	64X2X16AWG	27/0.25	45.3	3831.11	13.7Ω/km
ANM05.009.65.016AB	UL20549	300V	65X2X16AWG	27/0.25	45.3	3850.31	13.7Ω/km
ANM05.009.02.015AB	UL20549	300V	2X2X15AWG	34/0.25	12.8	257.45	10.9Ω/km
ANM05.009.03.015AB	UL20549	300V	3X2X15AWG	34/0.25	13.6	307.65	10.9Ω/km
ANM05.009.04.015AB	UL20549	300V	4X2X15AWG	34/0.25	14.8	374.15	10.9Ω/km
ANM05.009.05.015AB	UL20549	300V	5X2X15AWG	34/0.25	16.2	451.95	10.9Ω/km
ANM05.009.06.015AB	UL20549	300V	6X2X15AWG	34/0.25	17.6	534.45	10.9Ω/km
ANM05.009.07.015AB	UL20549	300V	7X2X15AWG	34/0.25	17.6	558.35	10.9Ω/km
ANM05.009.08.015AB	UL20549	300V	8X2X15AWG	34/0.25	19	645.55	10.9Ω/km
ANM05.009.09.015AB	UL20549	300V	9X2X15AWG	34/0.25	22	819.25	10.9Ω/km
ANM05.009.10.015AB	UL20549	300V	10X2X15AWG	34/0.25	23.4	921.45	10.9Ω/km
ANM05.009.11.015AB	UL20549	300V	11X2X15AWG	34/0.25	24.1	986.25	10.9Ω/km
ANM05.009.12.015AB	UL20549	300V	12X2X15AWG	34/0.25	24.1	1010.15	10.9Ω/km
ANM05.009.13.015AB	UL20549	300V	13X2X15AWG	34/0.25	25.3	1106.75	10.9Ω/km
ANM05.009.14.015AB	UL20549	300V	14X2X15AWG	34/0.25	25.3	1130.75	10.9Ω/km
ANM05.009.15.015AB	UL20549	300V	15X2X15AWG	34/0.25	26.7	1244.05	10.9Ω/km
ANM05.009.16.015AB	UL20549	300V	16X2X15AWG	34/0.25	26.7	1267.95	10.9Ω/km
ANM05.009.17.015AB	UL20549	300V	17X2X15AWG	34/0.25	28.1	1386.05	10.9Ω/km
ANM05.009.18.015AB	UL20549	300V	18X2X15AWG	34/0.25	28.1	1409.95	10.9Ω/km
ANM05.009.19.015AB	UL20549	300V	19X2X15AWG	34/0.25	28.1	1433.95	10.9Ω/km
ANM05.009.20.015AB	UL20549	300V	20X2X15AWG	34/0.25	29.9	1583.45	10.9Ω/km
ANM05.009.21.015AB	UL20549	300V	21X2X15AWG	34/0.25	30.9	1716.05	10.9Ω/km
ANM05.009.22.015AB	UL20549	300V	22X2X15AWG	34/0.25	32.9	1898.75	10.9Ω/km
ANM05.009.23.015AB	UL20549	300V	23X2X15AWG	34/0.25	34.3	2039.75	10.9Ω/km
ANM05.009.24.015AB	UL20549	300V	24X2X15AWG	34/0.25	34.3	2063.55	10.9Ω/km
ANM05.009.25.015AB	UL20549	300V	25X2X15AWG	34/0.25	35	2147.75	10.9Ω/km
ANM05.009.26.015AB	UL20549	300V	26X2X15AWG	34/0.25	35	2171.65	10.9Ω/km
ANM05.009.27.015AB	UL20549	300V	27X2X15AWG	34/0.25	35	2195.55	10.9Ω/km
ANM05.009.28.015AB	UL20549	300V	28X2X15AWG	34/0.25	36.5	2352.55	10.9Ω/km
ANM05.009.29.015AB	UL20549	300V	29X2X15AWG	34/0.25	36.5	2376.45	10.9Ω/km
ANM05.009.30.015AB	UL20549	300V	30X2X15AWG	34/0.25	36.5	2400.35	10.9Ω/km
ANM05.009.31.015AB	UL20549	300V	31X2X15AWG	34/0.25	37.9	2553.25	10.9Ω/km
ANM05.009.32.015AB	UL20549	300V	32X2X15AWG	34/0.25	37.9	2577.35	10.9Ω/km



ANM05.009.33.015AB	UL20549	300V	33X2X15AWG	34/0.25	37.9	2601.25	10.9Ω/km
ANM05.009.34.015AB	UL20549	300V	34X2X15AWG	34/0.25	39.3	2759.05	10.9Ω/km
ANM05.009.35.015AB	UL20549	300V	35X2X15AWG	34/0.25	39.3	2782.95	10.9Ω/km
ANM05.009.36.015AB	UL20549	300V	36X2X15AWG	34/0.25	39.3	2806.95	10.9Ω/km
ANM05.009.37.015AB	UL20549	300V	37X2X15AWG	34/0.25	39.3	2830.85	10.9Ω/km
ANM05.009.38.015AB	UL20549	300V	38X2X15AWG	34/0.25	40.9	3051.15	10.9Ω/km
ANM05.009.39.015AB	UL20549	300V	39X2X15AWG	34/0.25	40.9	3075.05	10.9Ω/km
ANM05.009.40.015AB	UL20549	300V	40X2X15AWG	34/0.25	40.9	3098.95	10.9Ω/km
ANM05.009.41.015AB	UL20549	300V	41X2X15AWG	34/0.25	45.7	3633.75	10.9Ω/km
ANM05.009.42.015AB	UL20549	300V	42X2X15AWG	34/0.25	45.7	3657.65	10.9Ω/km
ANM05.009.43.015AB	UL20549	300V	43X2X15AWG	34/0.25	45.7	3681.45	10.9Ω/km
ANM05.009.44.015AB	UL20549	300V	44X2X15AWG	34/0.25	45.7	3705.45	10.9Ω/km
ANM05.009.45.015AB	UL20549	300V	45X2X15AWG	34/0.25	46.4	3809.65	10.9Ω/km
ANM05.009.46.015AB	UL20549	300V	46X2X15AWG	34/0.25	46.4	3833.55	10.9Ω/km
ANM05.009.47.015AB	UL20549	300V	47X2X15AWG	34/0.25	46.4	3857.45	10.9Ω/km
ANM05.009.48.015AB	UL20549	300V	48X2X15AWG	34/0.25	46.4	3881.35	10.9Ω/km
ANM05.009.49.015AB	UL20549	300V	49X2X15AWG	34/0.25	47.6	4045.65	10.9Ω/km
ANM05.009.50.015AB	UL20549	300V	50X2X15AWG	34/0.25	47.6	4069.55	10.9Ω/km
ANM05.009.51.015AB	UL20549	300V	51X2X15AWG	34/0.25	47.6	4093.45	10.9Ω/km
ANM05.009.52.015AB	UL20549	300V	52X2X15AWG	34/0.25	47.6	4117.35	10.9Ω/km
ANM05.009.53.015AB	UL20549	300V	53X2X15AWG	34/0.25	49	4309.35	10.9Ω/km
ANM05.009.54.015AB	UL20549	300V	54X2X15AWG	34/0.25	49	4333.35	10.9Ω/km
ANM05.009.55.015AB	UL20549	300V	55X2X15AWG	34/0.25	49	4357.15	10.9Ω/km
ANM05.009.56.015AB	UL20549	300V	56X2X15AWG	34/0.25	49	4381.15	10.9Ω/km
ANM05.009.57.015AB	UL20549	300V	57X2X15AWG	34/0.25	50.4	4577.85	10.9Ω/km
ANM05.009.58.015AB	UL20549	300V	58X2X15AWG	34/0.25	50.4	4601.75	10.9Ω/km
ANM05.009.59.015AB	UL20549	300V	59X2X15AWG	34/0.25	50.4	4625.65	10.9Ω/km
ANM05.009.60.015AB	UL20549	300V	60X2X15AWG	34/0.25	50.4	4649.65	10.9Ω/km
ANM05.009.61.015AB	UL20549	300V	61X2X15AWG	34/0.25	50.4	4673.45	10.9Ω/km
ANM05.009.62.015AB	UL20549	300V	62X2X15AWG	34/0.25	51.8	4874.95	10.9Ω/km
ANM05.009.63.015AB	UL20549	300V	63X2X15AWG	34/0.25	51.8	4899.05	10.9Ω/km
ANM05.009.64.015AB	UL20549	300V	64X2X15AWG	34/0.25	51.8	4922.95	10.9Ω/km
ANM05.009.65.015AB	UL20549	300V	65X2X15AWG	34/0.25	51.8	4946.75	10.9Ω/km
ANM05.009.02.014AB	UL20549	300V	2X2X14AWG	43/0.25	13.6	296.98	8.62Ω/km
ANM05.009.03.014AB	UL20549	300V	3X2X14AWG	43/0.25	14.4	355.18	8.62Ω/km
ANM05.009.04.014AB	UL20549	300V	4X2X14AWG	43/0.25	15.7	434.08	8.62Ω/km
ANM05.009.05.014AB	UL20549	300V	5X2X14AWG	43/0.25	17.2	525.48	8.62Ω/km
ANM05.009.06.014AB	UL20549	300V	6X2X14AWG	43/0.25	18.7	622.38	8.62Ω/km
ANM05.009.07.014AB	UL20549	300V	7X2X14AWG	43/0.25	18.7	652.68	8.62Ω/km
ANM05.009.08.014AB	UL20549	300V	8X2X14AWG	43/0.25	21.2	803.98	8.62Ω/km
ANM05.009.09.014AB	UL20549	300V	9X2X14AWG	43/0.25	23.3	949.38	8.62Ω/km
ANM05.009.10.014AB	UL20549	300V	10X2X14AWG	43/0.25	24.8	1068.38	8.62Ω/km



ANM05.009.11.014AB	UL20549	300V	11X2X14AWG	43/0.25	25.6	1147.98	8.62 Ω/km
ANM05.009.12.014AB	UL20549	300V	12X2X14AWG	43/0.25	25.6	1178.28	8.62 Ω/km
ANM05.009.13.014AB	UL20549	300V	13X2X14AWG	43/0.25	26.9	1292.48	8.62 Ω/km
ANM05.009.14.014AB	UL20549	300V	14X2X14AWG	43/0.25	26.9	1322.68	8.62 Ω/km
ANM05.009.15.014AB	UL20549	300V	15X2X14AWG	43/0.25	28.4	1454.68	8.62 Ω/km
ANM05.009.16.014AB	UL20549	300V	16X2X14AWG	43/0.25	28.4	1484.98	8.62 Ω/km
ANM05.009.17.014AB	UL20549	300V	17X2X14AWG	43/0.25	31.3	1759.68	8.62 Ω/km
ANM05.009.18.014AB	UL20549	300V	18X2X14AWG	43/0.25	31.3	1789.98	8.62 Ω/km
ANM05.009.19.014AB	UL20549	300V	19X2X14AWG	43/0.25	31.3	1820.28	8.62 Ω/km
ANM05.009.20.014AB	UL20549	300V	20X2X14AWG	43/0.25	32.1	1913.78	8.62 Ω/km
ANM05.009.21.014AB	UL20549	300V	21X2X14AWG	43/0.25	32.8	2000.58	8.62 Ω/km
ANM05.009.22.014AB	UL20549	300V	22X2X14AWG	43/0.25	34.9	2207.48	8.62 Ω/km
ANM05.009.23.014AB	UL20549	300V	23X2X14AWG	43/0.25	36.7	2397.68	8.62 Ω/km
ANM05.009.24.014AB	UL20549	300V	24X2X14AWG	43/0.25	36.7	2427.78	8.62 Ω/km
ANM05.009.25.014AB	UL20549	300V	25X2X14AWG	43/0.25	37.5	2531.78	8.62 Ω/km
ANM05.009.26.014AB	UL20549	300V	26X2X14AWG	43/0.25	37.5	2562.08	8.62 Ω/km
ANM05.009.27.014AB	UL20549	300V	27X2X14AWG	43/0.25	37.5	2592.38	8.62 Ω/km
ANM05.009.28.014AB	UL20549	300V	28X2X14AWG	43/0.25	38.8	2745.38	8.62 Ω/km
ANM05.009.29.014AB	UL20549	300V	29X2X14AWG	43/0.25	38.8	2775.78	8.62 Ω/km
ANM05.009.30.014AB	UL20549	300V	30X2X14AWG	43/0.25	38.8	2805.98	8.62 Ω/km
ANM05.009.31.014AB	UL20549	300V	31X2X14AWG	43/0.25	40.3	2983.08	8.62 Ω/km
ANM05.009.32.014AB	UL20549	300V	32X2X14AWG	43/0.25	40.3	3013.28	8.62 Ω/km
ANM05.009.33.014AB	UL20549	300V	33X2X14AWG	43/0.25	40.3	3043.58	8.62 Ω/km
ANM05.009.34.014AB	UL20549	300V	34X2X14AWG	43/0.25	42	3285.78	8.62 Ω/km
ANM05.009.35.014AB	UL20549	300V	35X2X14AWG	43/0.25	42	3316.08	8.62 Ω/km
ANM05.009.36.014AB	UL20549	300V	36X2X14AWG	43/0.25	42	3346.38	8.62 Ω/km
ANM05.009.37.014AB	UL20549	300V	37X2X14AWG	43/0.25	42	3376.58	8.62 Ω/km
ANM05.009.38.014AB	UL20549	300V	38X2X14AWG	43/0.25	44.9	3713.48	8.62 Ω/km
ANM05.009.39.014AB	UL20549	300V	39X2X14AWG	43/0.25	44.9	3743.78	8.62 Ω/km
ANM05.009.40.014AB	UL20549	300V	40X2X14AWG	43/0.25	44.9	3774.08	8.62 Ω/km
ANM05.009.41.014AB	UL20549	300V	41X2X14AWG	43/0.25	48.5	4222.48	8.62 Ω/km
ANM05.009.42.014AB	UL20549	300V	42X2X14AWG	43/0.25	48.5	4252.88	8.62 Ω/km
ANM05.009.43.014AB	UL20549	300V	43X2X14AWG	43/0.25	48.5	4283.08	8.62 Ω/km
ANM05.009.44.014AB	UL20549	300V	44X2X14AWG	43/0.25	48.5	4313.28	8.62 Ω/km
ANM05.009.45.014AB	UL20549	300V	45X2X14AWG	43/0.25	49.3	4440.78	8.62 Ω/km
ANM05.009.46.014AB	UL20549	300V	46X2X14AWG	43/0.25	49.3	4471.08	8.62 Ω/km
ANM05.009.47.014AB	UL20549	300V	47X2X14AWG	43/0.25	49.3	4501.38	8.62 Ω/km
ANM05.009.48.014AB	UL20549	300V	48X2X14AWG	43/0.25	49.3	4531.58	8.62 Ω/km
ANM05.009.49.014AB	UL20549	300V	49X2X14AWG	43/0.25	50.6	4723.28	8.62 Ω/km
ANM05.009.50.014AB	UL20549	300V	50X2X14AWG	43/0.25	50.6	4753.58	8.62 Ω/km
ANM05.009.51.014AB	UL20549	300V	51X2X14AWG	43/0.25	50.6	4783.78	8.62 Ω/km
ANM05.009.52.014AB	UL20549	300V	52X2X14AWG	43/0.25	50.6	4814.08	8.62 Ω/km



ANM05.009.02.013AB	UL20549	300V	2X2X13AWG	54/0.25	14.6	347.33	6.82 Ω/km
ANM05.009.03.013AB	UL20549	300V	3X2X13AWG	54/0.25	15.5	418.63	6.82 Ω/km
ANM05.009.04.013AB	UL20549	300V	4X2X13AWG	54/0.25	16.9	512.53	6.82 Ω/km
ANM05.009.05.013AB	UL20549	300V	5X2X13AWG	54/0.25	18.6	624.93	6.82 Ω/km
ANM05.009.06.013AB	UL20549	300V	6X2X13AWG	54/0.25	21.2	788.23	6.82 Ω/km
ANM05.009.07.013AB	UL20549	300V	7X2X13AWG	54/0.25	21.2	825.93	6.82 Ω/km
ANM05.009.08.013AB	UL20549	300V	8X2X13AWG	54/0.25	22.9	955.83	6.82 Ω/km
ANM05.009.09.013AB	UL20549	300V	9X2X13AWG	54/0.25	25.2	1129.53	6.82 Ω/km
ANM05.009.10.013AB	UL20549	300V	10X2X13AWG	54/0.25	26.9	1275.93	6.82 Ω/km
ANM05.009.11.013AB	UL20549	300V	11X2X13AWG	54/0.25	27.8	1374.03	6.82 Ω/km
ANM05.009.12.013AB	UL20549	300V	12X2X13AWG	54/0.25	27.8	1411.53	6.82 Ω/km
ANM05.009.13.013AB	UL20549	300V	13X2X13AWG	54/0.25	30.6	1681.03	6.82 Ω/km
ANM05.009.14.013AB	UL20549	300V	14X2X13AWG	54/0.25	30.6	1718.73	6.82 Ω/km
ANM05.009.15.013AB	UL20549	300V	15X2X13AWG	54/0.25	32.2	1881.43	6.82 Ω/km
ANM05.009.16.013AB	UL20549	300V	16X2X13AWG	54/0.25	32.2	1919.03	6.82 Ω/km
ANM05.009.17.013AB	UL20549	300V	17X2X13AWG	54/0.25	33.9	2096.43	6.82 Ω/km
ANM05.009.18.013AB	UL20549	300V	18X2X13AWG	54/0.25	33.9	2134.13	6.82 Ω/km
ANM05.009.19.013AB	UL20549	300V	19X2X13AWG	54/0.25	33.9	2171.73	6.82 Ω/km
ANM05.009.20.013AB	UL20549	300V	20X2X13AWG	54/0.25	34.8	2286.23	6.82 Ω/km
ANM05.009.21.013AB	UL20549	300V	21X2X13AWG	54/0.25	35.6	2393.83	6.82 Ω/km
ANM05.009.22.013AB	UL20549	300V	22X2X13AWG	54/0.25	38.2	2669.43	6.82 Ω/km
ANM05.009.23.013AB	UL20549	300V	23X2X13AWG	54/0.25	39.8	2861.53	6.82 Ω/km
ANM05.009.24.013AB	UL20549	300V	24X2X13AWG	54/0.25	39.8	2899.03	6.82 Ω/km
ANM05.009.25.013AB	UL20549	300V	25X2X13AWG	54/0.25	40.9	3084.13	6.82 Ω/km
ANM05.009.26.013AB	UL20549	300V	26X2X13AWG	54/0.25	40.9	3121.83	6.82 Ω/km
ANM05.009.27.013AB	UL20549	300V	27X2X13AWG	54/0.25	40.9	3159.53	6.82 Ω/km
ANM05.009.28.013AB	UL20549	300V	28X2X13AWG	54/0.25	42.4	3353.13	6.82 Ω/km
ANM05.009.29.013AB	UL20549	300V	29X2X13AWG	54/0.25	42.4	3390.83	6.82 Ω/km
ANM05.009.30.013AB	UL20549	300V	30X2X13AWG	54/0.25	42.4	3428.43	6.82 Ω/km
ANM05.009.31.013AB	UL20549	300V	31X2X13AWG	54/0.25	45.4	3787.03	6.82 Ω/km
ANM05.009.32.013AB	UL20549	300V	32X2X13AWG	54/0.25	45.4	3824.63	6.82 Ω/km
ANM05.009.33.013AB	UL20549	300V	33X2X13AWG	54/0.25	45.4	3862.23	6.82 Ω/km
ANM05.009.34.013AB	UL20549	300V	34X2X13AWG	54/0.25	47.1	4095.53	6.82 Ω/km
ANM05.009.35.013AB	UL20549	300V	35X2X13AWG	54/0.25	47.1	4133.03	6.82 Ω/km
ANM05.009.36.013AB	UL20549	300V	36X2X13AWG	54/0.25	47.1	4170.73	6.82 Ω/km
ANM05.009.37.013AB	UL20549	300V	37X2X13AWG	54/0.25	47.1	4208.33	6.82 Ω/km
ANM05.009.38.013AB	UL20549	300V	38X2X13AWG	54/0.25	48.8	4448.73	6.82 Ω/km
ANM05.009.39.013AB	UL20549	300V	39X2X13AWG	54/0.25	48.8	4486.33	6.82 Ω/km
ANM05.009.40.013AB	UL20549	300V	40X2X13AWG	54/0.25	48.8	4524.03	6.82 Ω/km
ANM05.009.41.013AB	UL20549	300V	41X2X13AWG	54/0.25	52.7	5053.03	6.82 Ω/km
ANM05.009.42.013AB	UL20549	300V	42X2X13AWG	54/0.25	52.7	5090.63	6.82 Ω/km
ANM05.009.43.013AB	UL20549	300V	43X2X13AWG	54/0.25	52.7	5128.33	6.82 Ω/km





ANM05.009.44.013AB	UL20549	300V	44X2X13AWG	54/0.25	52.7	5166.03	6.82 Ω/km
ANM05.009.45.013AB	UL20549	300V	45X2X13AWG	54/0.25	53.6	5322.23	6.82 Ω/km
ANM05.009.46.013AB	UL20549	300V	46X2X13AWG	54/0.25	53.6	5359.83	6.82 Ω/km
ANM05.009.47.013AB	UL20549	300V	47X2X13AWG	54/0.25	53.6	5397.43	6.82 Ω/km
ANM05.009.48.013AB	UL20549	300V	48X2X13AWG	54/0.25	53.6	5435.03	6.82 Ω/km
ANM05.009.49.013AB	UL20549	300V	49X2X13AWG	54/0.25	55	5661.13	6.82 Ω/km
ANM05.009.50.013AB	UL20549	300V	50X2X13AWG	54/0.25	55	5698.73	6.82 Ω/km
ANM05.009.51.013AB	UL20549	300V	51X2X13AWG	54/0.25	55	5736.43	6.82 Ω/km
ANM05.009.52.013AB	UL20549	300V	52X2X13AWG	54/0.25	55	5774.03	6.82 Ω/km
ANM05.009.02.028AB	UL20549	300V	2X2X28AWG	11/0.1	6.5	58.49	223 Ω/km
ANM05.009.03.028AB	UL20549	300V	3X2X28AWG	11/0.1	6.8	64.79	223 Ω/km
ANM05.009.04.028AB	UL20549	300V	4X2X28AWG	11/0.1	7.3	74.89	223 Ω/km
ANM05.009.05.028AB	UL20549	300V	5X2X28AWG	11/0.1	8	89.79	223 Ω/km
ANM05.009.06.028AB	UL20549	300V	6X2X28AWG	11/0.1	8.6	103.49	223 Ω/km
ANM05.009.07.028AB	UL20549	300V	7X2X28AWG	11/0.1	8.6	104.69	223 Ω/km
ANM05.009.08.028AB	UL20549	300V	8X2X28AWG	11/0.1	9.2	119.29	223 Ω/km
ANM05.009.09.028AB	UL20549	300V	9X2X28AWG	11/0.1	11.1	167.59	223 Ω/km
ANM05.009.10.028AB	UL20549	300V	10X2X28AWG	11/0.1	11.7	185.79	223 Ω/km
ANM05.009.11.028AB	UL20549	300V	11X2X28AWG	11/0.1	12	195.79	223 Ω/km
ANM05.009.12.028AB	UL20549	300V	12X2X28AWG	11/0.1	12	196.99	223 Ω/km
ANM05.009.13.028AB	UL20549	300V	13X2X28AWG	11/0.1	12.6	216.59	223 Ω/km
ANM05.009.14.028AB	UL20549	300V	14X2X28AWG	11/0.1	12.6	217.79	223 Ω/km
ANM05.009.15.028AB	UL20549	300V	15X2X28AWG	11/0.1	13.2	238.09	223 Ω/km
ANM05.009.16.028AB	UL20549	300V	16X2X28AWG	11/0.1	13.2	239.29	223 Ω/km
ANM05.009.17.028AB	UL20549	300V	17X2X28AWG	11/0.1	13.9	263.89	223 Ω/km
ANM05.009.18.028AB	UL20549	300V	18X2X28AWG	11/0.1	13.9	265.19	223 Ω/km
ANM05.009.19.028AB	UL20549	300V	19X2X28AWG	11/0.1	13.9	266.29	223 Ω/km
ANM05.009.20.028AB	UL20549	300V	20X2X28AWG	11/0.1	14.2	277.99	223 Ω/km
ANM05.009.21.028AB	UL20549	300V	21X2X28AWG	11/0.1	14.5	289.89	223 Ω/km
ANM05.009.22.028AB	UL20549	300V	22X2X28AWG	11/0.1	15.4	324.39	223 Ω/km
ANM05.009.23.028AB	UL20549	300V	23X2X28AWG	11/0.1	16	348.79	223 Ω/km
ANM05.009.24.028AB	UL20549	300V	24X2X28AWG	11/0.1	16	350.09	223 Ω/km
ANM05.009.25.028AB	UL20549	300V	25X2X28AWG	11/0.1	16.4	367.39	223 Ω/km
ANM05.009.26.028AB	UL20549	300V	26X2X28AWG	11/0.1	16.4	368.59	223 Ω/km
ANM05.009.27.028AB	UL20549	300V	27X2X28AWG	11/0.1	16.4	369.69	223 Ω/km
ANM05.009.28.028AB	UL20549	300V	28X2X28AWG	11/0.1	16.9	391.29	223 Ω/km
ANM05.009.29.028AB	UL20549	300V	29X2X28AWG	11/0.1	16.9	392.39	223 Ω/km
ANM05.009.30.028AB	UL20549	300V	30X2X28AWG	11/0.1	16.9	393.59	223 Ω/km
ANM05.009.31.028AB	UL20549	300V	31X2X28AWG	11/0.1	17.5	420.39	223 Ω/km
ANM05.009.32.028AB	UL20549	300V	32X2X28AWG	11/0.1	17.5	421.49	223 Ω/km
ANM05.009.33.028AB	UL20549	300V	33X2X28AWG	11/0.1	17.5	422.59	223 Ω/km
ANM05.009.34.028AB	UL20549	300V	34X2X28AWG	11/0.1	18.1	450.09	223 Ω/km



ANM05.009.35.028AB	UL20549	300V	35X2X28AWG	11/0.1	18.1	451.19	223 Ω/km
ANM05.009.36.028AB	UL20549	300V	36X2X28AWG	11/0.1	18.1	452.39	223 Ω/km
ANM05.009.37.028AB	UL20549	300V	37X2X28AWG	11/0.1	18.1	453.49	223 Ω/km
ANM05.009.38.028AB	UL20549	300V	38X2X28AWG	11/0.1	18.8	486.59	223 Ω/km
ANM05.009.39.028AB	UL20549	300V	39X2X28AWG	11/0.1	18.8	487.69	223 Ω/km
ANM05.009.40.028AB	UL20549	300V	40X2X28AWG	11/0.1	18.8	488.89	223 Ω/km
ANM05.009.41.028AB	UL20549	300V	41X2X28AWG	11/0.1	21.2	606.49	223 Ω/km
ANM05.009.42.028AB	UL20549	300V	42X2X28AWG	11/0.1	21.2	607.69	223 Ω/km
ANM05.009.43.028AB	UL20549	300V	43X2X28AWG	11/0.1	21.2	608.79	223 Ω/km
ANM05.009.44.028AB	UL20549	300V	44X2X28AWG	11/0.1	21.2	609.89	223 Ω/km
ANM05.009.45.028AB	UL20549	300V	45X2X28AWG	11/0.1	21.6	632.09	223 Ω/km
ANM05.009.46.028AB	UL20549	300V	46X2X28AWG	11/0.1	21.6	633.19	223 Ω/km
ANM05.009.47.028AB	UL20549	300V	47X2X28AWG	11/0.1	21.6	634.29	223 Ω/km
ANM05.009.48.028AB	UL20549	300V	48X2X28AWG	11/0.1	21.6	635.49	223 Ω/km
ANM05.009.49.028AB	UL20549	300V	49X2X28AWG	11/0.1	22.1	663.49	223 Ω/km
ANM05.009.50.028AB	UL20549	300V	50X2X28AWG	11/0.1	22.1	664.69	223 Ω/km
ANM05.009.51.028AB	UL20549	300V	51X2X28AWG	11/0.1	22.1	665.79	223 Ω/km
ANM05.009.52.028AB	UL20549	300V	52X2X28AWG	11/0.1	22.1	666.99	223 Ω/km
ANM05.009.53.028AB	UL20549	300V	53X2X28AWG	11/0.1	22.7	701.39	223 Ω/km
ANM05.009.54.028AB	UL20549	300V	54X2X28AWG	11/0.1	22.7	702.49	223 Ω/km
ANM05.009.55.028AB	UL20549	300V	55X2X28AWG	11/0.1	22.7	703.59	223 Ω/km
ANM05.009.56.028AB	UL20549	300V	56X2X28AWG	11/0.1	22.7	704.69	223 Ω/km
ANM05.009.57.028AB	UL20549	300V	57X2X28AWG	11/0.1	23.4	745.49	223 Ω/km
ANM05.009.58.028AB	UL20549	300V	58X2X28AWG	11/0.1	23.4	746.59	223 Ω/km
ANM05.009.59.028AB	UL20549	300V	59X2X28AWG	11/0.1	23.4	747.79	223 Ω/km
ANM05.009.60.028AB	UL20549	300V	60X2X28AWG	11/0.1	23.4	748.99	223 Ω/km
ANM05.009.61.028AB	UL20549	300V	61X2X28AWG	11/0.1	23.4	750.09	223 Ω/km
ANM05.009.62.028AB	UL20549	300V	62X2X28AWG	11/0.1	24	786.09	223 Ω/km
ANM05.009.63.028AB	UL20549	300V	63X2X28AWG	11/0.1	24	787.19	223 Ω/km
ANM05.009.64.028AB	UL20549	300V	64X2X28AWG	11/0.1	24	788.29	223 Ω/km
ANM05.009.65.028AB	UL20549	300V	65X2X28AWG	11/0.1	24	789.49	223 Ω/km
ANM05.009.02.027AB	UL20549	300V	2X2X27AWG	7/0.14	6.8	63.81	175 Ω/km
ANM05.009.03.027AB	UL20549	300V	3X2X27AWG	7/0.14	7.2	72.21	175 Ω/km
ANM05.009.04.027AB	UL20549	300V	4X2X27AWG	7/0.14	7.8	85.01	175 Ω/km
ANM05.009.05.027AB	UL20549	300V	5X2X27AWG	7/0.14	8.4	98.71	175 Ω/km
ANM05.009.06.027AB	UL20549	300V	6X2X27AWG	7/0.14	9.1	115.41	175 Ω/km
ANM05.009.07.027AB	UL20549	300V	7X2X27AWG	7/0.14	9.1	116.61	175 Ω/km
ANM05.009.08.027AB	UL20549	300V	8X2X27AWG	7/0.14	9.8	134.51	175 Ω/km
ANM05.009.09.027AB	UL20549	300V	9X2X27AWG	7/0.14	11.7	185.61	175 Ω/km
ANM05.009.10.027AB	UL20549	300V	10X2X27AWG	7/0.14	12.4	208.01	175 Ω/km
ANM05.009.11.027AB	UL20549	300V	11X2X27AWG	7/0.14	12.8	221.81	175 Ω/km
ANM05.009.12.027AB	UL20549	300V	12X2X27AWG	7/0.14	12.8	223.11	175 Ω/km



ANM05.009.13.027AB	UL20549	300V	13X2X27AWG	7/0.14	13.5	247.41	175 Ω/km
ANM05.009.14.027AB	UL20549	300V	14X2X27AWG	7/0.14	13.5	248.61	175 Ω/km
ANM05.009.15.027AB	UL20549	300V	15X2X27AWG	7/0.14	14.1	270.51	175 Ω/km
ANM05.009.16.027AB	UL20549	300V	16X2X27AWG	7/0.14	14.1	271.71	175 Ω/km
ANM05.009.17.027AB	UL20549	300V	17X2X27AWG	7/0.14	14.8	298.21	175 Ω/km
ANM05.009.18.027AB	UL20549	300V	18X2X27AWG	7/0.14	14.8	299.41	175 Ω/km
ANM05.009.19.027AB	UL20549	300V	19X2X27AWG	7/0.14	14.8	300.71	175 Ω/km
ANM05.009.20.027AB	UL20549	300V	20X2X27AWG	7/0.14	15.2	316.71	175 Ω/km
ANM05.009.21.027AB	UL20549	300V	21X2X27AWG	7/0.14	15.5	329.51	175 Ω/km
ANM05.009.22.027AB	UL20549	300V	22X2X27AWG	7/0.14	16.4	366.41	175 Ω/km
ANM05.009.23.027AB	UL20549	300V	23X2X27AWG	7/0.14	17.1	396.61	175 Ω/km
ANM05.009.24.027AB	UL20549	300V	24X2X27AWG	7/0.14	17.1	397.81	175 Ω/km
ANM05.009.25.027AB	UL20549	300V	25X2X27AWG	7/0.14	17.4	411.91	175 Ω/km
ANM05.009.26.027AB	UL20549	300V	26X2X27AWG	7/0.14	17.4	413.11	175 Ω/km
ANM05.009.27.027AB	UL20549	300V	27X2X27AWG	7/0.14	17.4	414.31	175 Ω/km
ANM05.009.28.027AB	UL20549	300V	28X2X27AWG	7/0.14	18	442.01	175 Ω/km
ANM05.009.29.027AB	UL20549	300V	29X2X27AWG	7/0.14	18	443.31	175 Ω/km
ANM05.009.30.027AB	UL20549	300V	30X2X27AWG	7/0.14	18	444.51	175 Ω/km
ANM05.009.31.027AB	UL20549	300V	31X2X27AWG	7/0.14	18.7	477.51	175 Ω/km
ANM05.009.32.027AB	UL20549	300V	32X2X27AWG	7/0.14	18.7	478.71	175 Ω/km
ANM05.009.33.027AB	UL20549	300V	33X2X27AWG	7/0.14	18.7	480.01	175 Ω/km
ANM05.009.34.027AB	UL20549	300V	34X2X27AWG	7/0.14	19.4	514.21	175 Ω/km
ANM05.009.35.027AB	UL20549	300V	35X2X27AWG	7/0.14	19.4	515.41	175 Ω/km
ANM05.009.36.027AB	UL20549	300V	36X2X27AWG	7/0.14	19.4	516.61	175 Ω/km
ANM05.009.37.027AB	UL20549	300V	37X2X27AWG	7/0.14	19.4	518.01	175 Ω/km
ANM05.009.38.027AB	UL20549	300V	38X2X27AWG	7/0.14	21.1	602.21	175 Ω/km
ANM05.009.39.027AB	UL20549	300V	39X2X27AWG	7/0.14	21.1	603.41	175 Ω/km
ANM05.009.40.027AB	UL20549	300V	40X2X27AWG	7/0.14	21.1	604.61	175 Ω/km
ANM05.009.41.027AB	UL20549	300V	41X2X27AWG	7/0.14	22.7	692.21	175 Ω/km
ANM05.009.42.027AB	UL20549	300V	42X2X27AWG	7/0.14	22.7	693.41	175 Ω/km
ANM05.009.43.027AB	UL20549	300V	43X2X27AWG	7/0.14	22.7	694.61	175 Ω/km
ANM05.009.44.027AB	UL20549	300V	44X2X27AWG	7/0.14	22.7	695.81	175 Ω/km
ANM05.009.45.027AB	UL20549	300V	45X2X27AWG	7/0.14	23	713.91	175 Ω/km
ANM05.009.46.027AB	UL20549	300V	46X2X27AWG	7/0.14	23	715.21	175 Ω/km
ANM05.009.47.027AB	UL20549	300V	47X2X27AWG	7/0.14	23	716.41	175 Ω/km
ANM05.009.48.027AB	UL20549	300V	48X2X27AWG	7/0.14	23	717.71	175 Ω/km
ANM05.009.49.027AB	UL20549	300V	49X2X27AWG	7/0.14	23.6	753.41	175 Ω/km
ANM05.009.50.027AB	UL20549	300V	50X2X27AWG	7/0.14	23.6	754.61	175 Ω/km
ANM05.009.51.027AB	UL20549	300V	51X2X27AWG	7/0.14	23.6	755.81	175 Ω/km
ANM05.009.52.027AB	UL20549	300V	52X2X27AWG	7/0.14	23.6	757.01	175 Ω/km
ANM05.009.53.027AB	UL20549	300V	53X2X27AWG	7/0.14	24.3	799.61	175 Ω/km
ANM05.009.54.027AB	UL20549	300V	54X2X27AWG	7/0.14	24.3	800.81	175 Ω/km



ANM05.009.55.027AB	UL20549	300V	55X2X27AWG	7/0.14	24.3	802.11	175 Ω/km
ANM05.009.56.027AB	UL20549	300V	56X2X27AWG	7/0.14	24.3	803.31	175 Ω/km
ANM05.009.57.027AB	UL20549	300V	57X2X27AWG	7/0.14	24.9	840.81	175 Ω/km
ANM05.009.58.027AB	UL20549	300V	58X2X27AWG	7/0.14	24.9	842.11	175 Ω/km
ANM05.009.59.027AB	UL20549	300V	59X2X27AWG	7/0.14	24.9	843.31	175 Ω/km
ANM05.009.60.027AB	UL20549	300V	60X2X27AWG	7/0.14	24.9	844.51	175 Ω/km
ANM05.009.61.027AB	UL20549	300V	61X2X27AWG	7/0.14	24.9	845.71	175 Ω/km
ANM05.009.62.027AB	UL20549	300V	62X2X27AWG	7/0.14	25.6	890.41	175 Ω/km
ANM05.009.63.027AB	UL20549	300V	63X2X27AWG	7/0.14	25.6	891.61	175 Ω/km
ANM05.009.64.027AB	UL20549	300V	64X2X27AWG	7/0.14	25.6	892.91	175 Ω/km
ANM05.009.65.027AB	UL20549	300V	65X2X27AWG	7/0.14	25.6	894.11	175 Ω/km
ANM05.009.02.026AB	UL20549	300V	2X2X26AWG	9/0.14	6.8	64.83	140 Ω/km
ANM05.009.03.026AB	UL20549	300V	3X2X26AWG	9/0.14	7.2	73.73	140 Ω/km
ANM05.009.04.026AB	UL20549	300V	4X2X26AWG	9/0.14	7.8	87.03	140 Ω/km
ANM05.009.05.026AB	UL20549	300V	5X2X26AWG	9/0.14	8.4	101.13	140 Ω/km
ANM05.009.06.026AB	UL20549	300V	6X2X26AWG	9/0.14	9.1	118.33	140 Ω/km
ANM05.009.07.026AB	UL20549	300V	7X2X26AWG	9/0.14	9.1	120.13	140 Ω/km
ANM05.009.08.026AB	UL20549	300V	8X2X26AWG	9/0.14	9.8	138.53	140 Ω/km
ANM05.009.09.026AB	UL20549	300V	9X2X26AWG	9/0.14	11.7	190.03	140 Ω/km
ANM05.009.10.026AB	UL20549	300V	10X2X26AWG	9/0.14	12.4	212.93	140 Ω/km
ANM05.009.11.026AB	UL20549	300V	11X2X26AWG	9/0.14	12.8	227.23	140 Ω/km
ANM05.009.12.026AB	UL20549	300V	12X2X26AWG	9/0.14	12.8	229.03	140 Ω/km
ANM05.009.13.026AB	UL20549	300V	13X2X26AWG	9/0.14	13.5	253.73	140 Ω/km
ANM05.009.14.026AB	UL20549	300V	14X2X26AWG	9/0.14	13.5	255.53	140 Ω/km
ANM05.009.15.026AB	UL20549	300V	15X2X26AWG	9/0.14	14.1	277.93	140 Ω/km
ANM05.009.16.026AB	UL20549	300V	16X2X26AWG	9/0.14	14.1	279.63	140 Ω/km
ANM05.009.17.026AB	UL20549	300V	17X2X26AWG	9/0.14	14.8	306.53	140 Ω/km
ANM05.009.18.026AB	UL20549	300V	18X2X26AWG	9/0.14	14.8	308.23	140 Ω/km
ANM05.009.19.026AB	UL20549	300V	19X2X26AWG	9/0.14	14.8	310.03	140 Ω/km
ANM05.009.20.026AB	UL20549	300V	20X2X26AWG	9/0.14	15.2	326.63	140 Ω/km
ANM05.009.21.026AB	UL20549	300V	21X2X26AWG	9/0.14	15.5	339.83	140 Ω/km
ANM05.009.22.026AB	UL20549	300V	22X2X26AWG	9/0.14	16.4	377.23	140 Ω/km
ANM05.009.23.026AB	UL20549	300V	23X2X26AWG	9/0.14	17.1	407.93	140 Ω/km
ANM05.009.24.026AB	UL20549	300V	24X2X26AWG	9/0.14	17.1	409.63	140 Ω/km
ANM05.009.25.026AB	UL20549	300V	25X2X26AWG	9/0.14	17.4	424.13	140 Ω/km
ANM05.009.26.026AB	UL20549	300V	26X2X26AWG	9/0.14	17.4	425.83	140 Ω/km
ANM05.009.27.026AB	UL20549	300V	27X2X26AWG	9/0.14	17.4	427.63	140 Ω/km
ANM05.009.28.026AB	UL20549	300V	28X2X26AWG	9/0.14	18	455.83	140 Ω/km
ANM05.009.29.026AB	UL20549	300V	29X2X26AWG	9/0.14	18	457.53	140 Ω/km
ANM05.009.30.026AB	UL20549	300V	30X2X26AWG	9/0.14	18	459.23	140 Ω/km
ANM05.009.31.026AB	UL20549	300V	31X2X26AWG	9/0.14	18.7	492.73	140 Ω/km
ANM05.009.32.026AB	UL20549	300V	32X2X26AWG	9/0.14	18.7	494.43	140 Ω/km



ANM05.009.33.026AB	UL20549	300V	33X2X26AWG	9/0.14	18.7	496.13	140 Ω/km
ANM05.009.34.026AB	UL20549	300V	34X2X26AWG	9/0.14	19.4	530.93	140 Ω/km
ANM05.009.35.026AB	UL20549	300V	35X2X26AWG	9/0.14	19.4	532.63	140 Ω/km
ANM05.009.36.026AB	UL20549	300V	36X2X26AWG	9/0.14	19.4	534.33	140 Ω/km
ANM05.009.37.026AB	UL20549	300V	37X2X26AWG	9/0.14	19.4	536.13	140 Ω/km
ANM05.009.38.026AB	UL20549	300V	38X2X26AWG	9/0.14	21.1	620.83	140 Ω/km
ANM05.009.39.026AB	UL20549	300V	39X2X26AWG	9/0.14	21.1	622.53	140 Ω/km
ANM05.009.40.026AB	UL20549	300V	40X2X26AWG	9/0.14	21.1	624.33	140 Ω/km
ANM05.009.41.026AB	UL20549	300V	41X2X26AWG	9/0.14	22.7	712.33	140 Ω/km
ANM05.009.42.026AB	UL20549	300V	42X2X26AWG	9/0.14	22.7	714.03	140 Ω/km
ANM05.009.43.026AB	UL20549	300V	43X2X26AWG	9/0.14	22.7	715.73	140 Ω/km
ANM05.009.44.026AB	UL20549	300V	44X2X26AWG	9/0.14	22.7	717.43	140 Ω/km
ANM05.009.45.026AB	UL20549	300V	45X2X26AWG	9/0.14	23	735.93	140 Ω/km
ANM05.009.46.026AB	UL20549	300V	46X2X26AWG	9/0.14	23	737.73	140 Ω/km
ANM05.009.47.026AB	UL20549	300V	47X2X26AWG	9/0.14	23	739.53	140 Ω/km
ANM05.009.48.026AB	UL20549	300V	48X2X26AWG	9/0.14	23	741.33	140 Ω/km
ANM05.009.49.026AB	UL20549	300V	49X2X26AWG	9/0.14	23.6	777.43	140 Ω/km
ANM05.009.50.026AB	UL20549	300V	50X2X26AWG	9/0.14	23.6	779.13	140 Ω/km
ANM05.009.51.026AB	UL20549	300V	51X2X26AWG	9/0.14	23.6	780.83	140 Ω/km
ANM05.009.52.026AB	UL20549	300V	52X2X26AWG	9/0.14	23.6	782.53	140 Ω/km
ANM05.009.53.026AB	UL20549	300V	53X2X26AWG	9/0.14	24.3	825.63	140 Ω/km
ANM05.009.54.026AB	UL20549	300V	54X2X26AWG	9/0.14	24.3	827.33	140 Ω/km
ANM05.009.55.026AB	UL20549	300V	55X2X26AWG	9/0.14	24.3	829.13	140 Ω/km
ANM05.009.56.026AB	UL20549	300V	56X2X26AWG	9/0.14	24.3	830.83	140 Ω/km
ANM05.009.57.026AB	UL20549	300V	57X2X26AWG	9/0.14	24.9	868.83	140 Ω/km
ANM05.009.58.026AB	UL20549	300V	58X2X26AWG	9/0.14	24.9	870.53	140 Ω/km
ANM05.009.59.026AB	UL20549	300V	59X2X26AWG	9/0.14	24.9	872.23	140 Ω/km
ANM05.009.60.026AB	UL20549	300V	60X2X26AWG	9/0.14	24.9	874.03	140 Ω/km
ANM05.009.61.026AB	UL20549	300V	61X2X26AWG	9/0.14	24.9	875.73	140 Ω/km
ANM05.009.62.026AB	UL20549	300V	62X2X26AWG	9/0.14	25.6	920.83	140 Ω/km
ANM05.009.63.026AB	UL20549	300V	63X2X26AWG	9/0.14	25.6	922.53	140 Ω/km
ANM05.009.64.026AB	UL20549	300V	64X2X26AWG	9/0.14	25.6	924.33	140 Ω/km
ANM05.009.65.026AB	UL20549	300V	65X2X26AWG	9/0.14	25.6	926.03	140 Ω/km
ANM05.009.02.025AB	UL20549	300V	2X2X25AWG	11/0.14	7.2	72.77	111 Ω/km
ANM05.009.03.025AB	UL20549	300V	3X2X25AWG	11/0.14	7.6	82.37	111 Ω/km
ANM05.009.04.025AB	UL20549	300V	4X2X25AWG	11/0.14	8.2	96.67	111 Ω/km
ANM05.009.05.025AB	UL20549	300V	5X2X25AWG	11/0.14	8.9	113.87	111 Ω/km
ANM05.009.06.025AB	UL20549	300V	6X2X25AWG	11/0.14	9.6	132.57	111 Ω/km
ANM05.009.07.025AB	UL20549	300V	7X2X25AWG	11/0.14	9.6	134.57	111 Ω/km
ANM05.009.08.025AB	UL20549	300V	8X2X25AWG	11/0.14	11.4	182.67	111 Ω/km
ANM05.009.09.025AB	UL20549	300V	9X2X25AWG	11/0.14	12.4	214.67	111 Ω/km
ANM05.009.10.025AB	UL20549	300V	10X2X25AWG	11/0.14	13.1	238.97	111 Ω/km



ANM05.009.11.025AB	UL20549	300V	11X2X25AWG	11/0.14	13.6	257.67	111 Ω/km
ANM05.009.12.025AB	UL20549	300V	12X2X25AWG	11/0.14	13.6	259.77	111 Ω/km
ANM05.009.13.025AB	UL20549	300V	13X2X25AWG	11/0.14	14.2	282.67	111 Ω/km
ANM05.009.14.025AB	UL20549	300V	14X2X25AWG	11/0.14	14.2	284.77	111 Ω/km
ANM05.009.15.025AB	UL20549	300V	15X2X25AWG	11/0.14	14.9	312.17	111 Ω/km
ANM05.009.16.025AB	UL20549	300V	16X2X25AWG	11/0.14	14.9	314.37	111 Ω/km
ANM05.009.17.025AB	UL20549	300V	17X2X25AWG	11/0.14	15.7	346.87	111 Ω/km
ANM05.009.18.025AB	UL20549	300V	18X2X25AWG	11/0.14	15.7	349.07	111 Ω/km
ANM05.009.19.025AB	UL20549	300V	19X2X25AWG	11/0.14	15.7	351.07	111 Ω/km
ANM05.009.20.025AB	UL20549	300V	20X2X25AWG	11/0.14	16.1	369.07	111 Ω/km
ANM05.009.21.025AB	UL20549	300V	21X2X25AWG	11/0.14	16.4	383.17	111 Ω/km
ANM05.009.22.025AB	UL20549	300V	22X2X25AWG	11/0.14	17.4	426.97	111 Ω/km
ANM05.009.23.025AB	UL20549	300V	23X2X25AWG	11/0.14	18.1	459.97	111 Ω/km
ANM05.009.24.025AB	UL20549	300V	24X2X25AWG	11/0.14	18.1	461.97	111 Ω/km
ANM05.009.25.025AB	UL20549	300V	25X2X25AWG	11/0.14	18.5	482.37	111 Ω/km
ANM05.009.26.025AB	UL20549	300V	26X2X25AWG	11/0.14	18.5	484.47	111 Ω/km
ANM05.009.27.025AB	UL20549	300V	27X2X25AWG	11/0.14	18.5	486.57	111 Ω/km
ANM05.009.28.025AB	UL20549	300V	28X2X25AWG	11/0.14	19.2	521.27	111 Ω/km
ANM05.009.29.025AB	UL20549	300V	29X2X25AWG	11/0.14	19.2	523.47	111 Ω/km
ANM05.009.30.025AB	UL20549	300V	30X2X25AWG	11/0.14	19.2	525.47	111 Ω/km
ANM05.009.31.025AB	UL20549	300V	31X2X25AWG	11/0.14	20.9	609.67	111 Ω/km
ANM05.009.32.025AB	UL20549	300V	32X2X25AWG	11/0.14	20.9	611.87	111 Ω/km
ANM05.009.33.025AB	UL20549	300V	33X2X25AWG	11/0.14	20.9	613.87	111 Ω/km
ANM05.009.34.025AB	UL20549	300V	34X2X25AWG	11/0.14	21.6	652.57	111 Ω/km
ANM05.009.35.025AB	UL20549	300V	35X2X25AWG	11/0.14	21.6	654.67	111 Ω/km
ANM05.009.36.025AB	UL20549	300V	36X2X25AWG	11/0.14	21.6	656.77	111 Ω/km
ANM05.009.37.025AB	UL20549	300V	37X2X25AWG	11/0.14	21.6	658.87	111 Ω/km
ANM05.009.38.025AB	UL20549	300V	38X2X25AWG	11/0.14	22.3	698.87	111 Ω/km
ANM05.009.39.025AB	UL20549	300V	39X2X25AWG	11/0.14	22.3	701.07	111 Ω/km
ANM05.009.40.025AB	UL20549	300V	40X2X25AWG	11/0.14	22.3	703.17	111 Ω/km
ANM05.009.41.025AB	UL20549	300V	41X2X25AWG	11/0.14	24.1	807.97	111 Ω/km
ANM05.009.42.025AB	UL20549	300V	42X2X25AWG	11/0.14	24.1	810.07	111 Ω/km
ANM05.009.43.025AB	UL20549	300V	43X2X25AWG	11/0.14	24.1	812.17	111 Ω/km
ANM05.009.44.025AB	UL20549	300V	44X2X25AWG	11/0.14	24.1	814.27	111 Ω/km
ANM05.009.45.025AB	UL20549	300V	45X2X25AWG	11/0.14	24.5	840.27	111 Ω/km
ANM05.009.46.025AB	UL20549	300V	46X2X25AWG	11/0.14	24.5	842.37	111 Ω/km
ANM05.009.47.025AB	UL20549	300V	47X2X25AWG	11/0.14	24.5	844.47	111 Ω/km
ANM05.009.48.025AB	UL20549	300V	48X2X25AWG	11/0.14	24.5	846.67	111 Ω/km
ANM05.009.49.025AB	UL20549	300V	49X2X25AWG	11/0.14	25.1	885.17	111 Ω/km
ANM05.009.50.025AB	UL20549	300V	50X2X25AWG	11/0.14	25.1	887.37	111 Ω/km
ANM05.009.51.025AB	UL20549	300V	51X2X25AWG	11/0.14	25.1	889.27	111 Ω/km
ANM05.009.52.025AB	UL20549	300V	52X2X25AWG	11/0.14	25.1	891.47	111 Ω/km



ANM05.009.53.025AB	UL20549	300V	53X2X25AWG	11/0.14	25.8	937.37	111 Ω/km
ANM05.009.54.025AB	UL20549	300V	54X2X25AWG	11/0.14	25.8	939.37	111 Ω/km
ANM05.009.55.025AB	UL20549	300V	55X2X25AWG	11/0.14	25.8	941.57	111 Ω/km
ANM05.009.56.025AB	UL20549	300V	56X2X25AWG	11/0.14	25.8	943.57	111 Ω/km
ANM05.009.57.025AB	UL20549	300V	57X2X25AWG	11/0.14	26.5	990.77	111 Ω/km
ANM05.009.58.025AB	UL20549	300V	58X2X25AWG	11/0.14	26.5	992.87	111 Ω/km
ANM05.009.59.025AB	UL20549	300V	59X2X25AWG	11/0.14	26.5	994.97	111 Ω/km
ANM05.009.60.025AB	UL20549	300V	60X2X25AWG	11/0.14	26.5	997.07	111 Ω/km
ANM05.009.61.025AB	UL20549	300V	61X2X25AWG	11/0.14	26.5	999.07	111 Ω/km
ANM05.009.62.025AB	UL20549	300V	62X2X25AWG	11/0.14	27.3	1054.07	111 Ω/km
ANM05.009.63.025AB	UL20549	300V	63X2X25AWG	11/0.14	27.3	1056.17	111 Ω/km
ANM05.009.64.025AB	UL20549	300V	64X2X25AWG	11/0.14	27.3	1058.27	111 Ω/km
ANM05.009.65.025AB	UL20549	300V	65X2X25AWG	11/0.14	27.3	1060.37	111 Ω/km
ANM05.009.02.024AB	UL20549	300V	2X2X24AWG	14/0.14	7.2	74.41	87.6 Ω/km
ANM05.009.03.024AB	UL20549	300V	3X2X24AWG	14/0.14	7.6	84.91	87.6 Ω/km
ANM05.009.04.024AB	UL20549	300V	4X2X24AWG	14/0.14	8.2	99.91	87.6 Ω/km
ANM05.009.05.024AB	UL20549	300V	5X2X24AWG	14/0.14	8.9	118.01	87.6 Ω/km
ANM05.009.06.024AB	UL20549	300V	6X2X24AWG	14/0.14	9.6	137.51	87.6 Ω/km
ANM05.009.07.024AB	UL20549	300V	7X2X24AWG	14/0.14	9.6	140.31	87.6 Ω/km
ANM05.009.08.024AB	UL20549	300V	8X2X24AWG	14/0.14	11.4	189.21	87.6 Ω/km
ANM05.009.09.024AB	UL20549	300V	9X2X24AWG	14/0.14	12.4	222.01	87.6 Ω/km
ANM05.009.10.024AB	UL20549	300V	10X2X24AWG	14/0.14	13.1	247.11	87.6 Ω/km
ANM05.009.11.024AB	UL20549	300V	11X2X24AWG	14/0.14	13.6	266.61	87.6 Ω/km
ANM05.009.12.024AB	UL20549	300V	12X2X24AWG	14/0.14	13.6	269.61	87.6 Ω/km
ANM05.009.13.024AB	UL20549	300V	13X2X24AWG	14/0.14	14.2	293.21	87.6 Ω/km
ANM05.009.14.024AB	UL20549	300V	14X2X24AWG	14/0.14	14.2	296.21	87.6 Ω/km
ANM05.009.15.024AB	UL20549	300V	15X2X24AWG	14/0.14	14.9	324.41	87.6 Ω/km
ANM05.009.16.024AB	UL20549	300V	16X2X24AWG	14/0.14	14.9	327.31	87.6 Ω/km
ANM05.009.17.024AB	UL20549	300V	17X2X24AWG	14/0.14	15.7	360.71	87.6 Ω/km
ANM05.009.18.024AB	UL20549	300V	18X2X24AWG	14/0.14	15.7	363.71	87.6 Ω/km
ANM05.009.19.024AB	UL20549	300V	19X2X24AWG	14/0.14	15.7	366.51	87.6 Ω/km
ANM05.009.20.024AB	UL20549	300V	20X2X24AWG	14/0.14	16.1	385.31	87.6 Ω/km
ANM05.009.21.024AB	UL20549	300V	21X2X24AWG	14/0.14	16.4	400.31	87.6 Ω/km
ANM05.009.22.024AB	UL20549	300V	22X2X24AWG	14/0.14	17.4	444.81	87.6 Ω/km
ANM05.009.23.024AB	UL20549	300V	23X2X24AWG	14/0.14	18.1	478.61	87.6 Ω/km
ANM05.009.24.024AB	UL20549	300V	24X2X24AWG	14/0.14	18.1	481.51	87.6 Ω/km
ANM05.009.25.024AB	UL20549	300V	25X2X24AWG	14/0.14	18.5	502.61	87.6 Ω/km
ANM05.009.26.024AB	UL20549	300V	26X2X24AWG	14/0.14	18.5	505.61	87.6 Ω/km
ANM05.009.27.024AB	UL20549	300V	27X2X24AWG	14/0.14	18.5	508.51	87.6 Ω/km
ANM05.009.28.024AB	UL20549	300V	28X2X24AWG	14/0.14	19.2	544.11	87.6 Ω/km
ANM05.009.29.024AB	UL20549	300V	29X2X24AWG	14/0.14	19.2	547.01	87.6 Ω/km
ANM05.009.30.024AB	UL20549	300V	30X2X24AWG	14/0.14	19.2	549.91	87.6 Ω/km



ANM05.009.31.024AB	UL20549	300V	31X2X24AWG	14/0.14	20.9	634.91	87.6 Ω/km
ANM05.009.32.024AB	UL20549	300V	32X2X24AWG	14/0.14	20.9	637.81	87.6 Ω/km
ANM05.009.33.024AB	UL20549	300V	33X2X24AWG	14/0.14	20.9	640.71	87.6 Ω/km
ANM05.009.34.024AB	UL20549	300V	34X2X24AWG	14/0.14	21.6	680.21	87.6 Ω/km
ANM05.009.35.024AB	UL20549	300V	35X2X24AWG	14/0.14	21.6	683.11	87.6 Ω/km
ANM05.009.36.024AB	UL20549	300V	36X2X24AWG	14/0.14	21.6	686.01	87.6 Ω/km
ANM05.009.37.024AB	UL20549	300V	37X2X24AWG	14/0.14	21.6	689.01	87.6 Ω/km
ANM05.009.38.024AB	UL20549	300V	38X2X24AWG	14/0.14	22.3	729.71	87.6 Ω/km
ANM05.009.39.024AB	UL20549	300V	39X2X24AWG	14/0.14	22.3	732.71	87.6 Ω/km
ANM05.009.40.024AB	UL20549	300V	40X2X24AWG	14/0.14	22.3	735.71	87.6 Ω/km
ANM05.009.41.024AB	UL20549	300V	41X2X24AWG	14/0.14	24.1	841.21	87.6 Ω/km
ANM05.009.42.024AB	UL20549	300V	42X2X24AWG	14/0.14	24.1	844.21	87.6 Ω/km
ANM05.009.43.024AB	UL20549	300V	43X2X24AWG	14/0.14	24.1	847.11	87.6 Ω/km
ANM05.009.44.024AB	UL20549	300V	44X2X24AWG	14/0.14	24.1	850.01	87.6 Ω/km
ANM05.009.45.024AB	UL20549	300V	45X2X24AWG	14/0.14	24.5	876.81	87.6 Ω/km
ANM05.009.46.024AB	UL20549	300V	46X2X24AWG	14/0.14	24.5	879.71	87.6 Ω/km
ANM05.009.47.024AB	UL20549	300V	47X2X24AWG	14/0.14	24.5	882.61	87.6 Ω/km
ANM05.009.48.024AB	UL20549	300V	48X2X24AWG	14/0.14	24.5	885.61	87.6 Ω/km
ANM05.009.49.024AB	UL20549	300V	49X2X24AWG	14/0.14	25.1	925.01	87.6 Ω/km
ANM05.009.50.024AB	UL20549	300V	50X2X24AWG	14/0.14	25.1	927.91	87.6 Ω/km
ANM05.009.51.024AB	UL20549	300V	51X2X24AWG	14/0.14	25.1	930.71	87.6 Ω/km
ANM05.009.52.024AB	UL20549	300V	52X2X24AWG	14/0.14	25.1	933.71	87.6 Ω/km
ANM05.009.53.024AB	UL20549	300V	53X2X24AWG	14/0.14	25.8	980.41	87.6 Ω/km
ANM05.009.54.024AB	UL20549	300V	54X2X24AWG	14/0.14	25.8	983.21	87.6 Ω/km
ANM05.009.55.024AB	UL20549	300V	55X2X24AWG	14/0.14	25.8	986.21	87.6 Ω/km
ANM05.009.56.024AB	UL20549	300V	56X2X24AWG	14/0.14	25.8	989.11	87.6 Ω/km
ANM05.009.57.024AB	UL20549	300V	57X2X24AWG	14/0.14	26.5	1037.01	87.6 Ω/km
ANM05.009.58.024AB	UL20549	300V	58X2X24AWG	14/0.14	26.5	1040.01	87.6 Ω/km
ANM05.009.59.024AB	UL20549	300V	59X2X24AWG	14/0.14	26.5	1042.91	87.6 Ω/km
ANM05.009.60.024AB	UL20549	300V	60X2X24AWG	14/0.14	26.5	1045.81	87.6 Ω/km
ANM05.009.61.024AB	UL20549	300V	61X2X24AWG	14/0.14	26.5	1048.61	87.6 Ω/km
ANM05.009.62.024AB	UL20549	300V	62X2X24AWG	14/0.14	27.3	1104.41	87.6 Ω/km
ANM05.009.63.024AB	UL20549	300V	63X2X24AWG	14/0.14	27.3	1107.31	87.6 Ω/km
ANM05.009.64.024AB	UL20549	300V	64X2X24AWG	14/0.14	27.3	1110.21	87.6 Ω/km
ANM05.009.65.024AB	UL20549	300V	65X2X24AWG	14/0.14	27.3	1113.21	87.6 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
线芯 TPE 材质							
ANM06.003.02.023AB	UL20549	300V	2X2X23AWG	17/0.14	7.5	81.56	69.2 Ω/km
ANM06.003.03.023AB	UL20549	300V	3X2X23AWG	17/0.14	7.9	92.96	69.2 Ω/km
ANM06.003.04.023AB	UL20549	300V	4X2X23AWG	17/0.14	8.6	111.26	69.2 Ω/km
ANM06.003.05.023AB	UL20549	300V	5X2X23AWG	17/0.14	9.4	133.26	69.2 Ω/km





ANM06.003.06.023AB	UL20549	300V	6X2X23AWG	17/0.14	11.2	181.96	69.2Ω/km
ANM06.003.07.023AB	UL20549	300V	7X2X23AWG	17/0.14	11.2	185.56	69.2Ω/km
ANM06.003.08.023AB	UL20549	300V	8X2X23AWG	17/0.14	12	212.36	69.2Ω/km
ANM06.003.09.023AB	UL20549	300V	9X2X23AWG	17/0.14	13	247.16	69.2Ω/km
ANM06.003.10.023AB	UL20549	300V	10X2X23AWG	17/0.14	13.9	280.86	69.2Ω/km
ANM06.003.11.023AB	UL20549	300V	11X2X23AWG	17/0.14	14.3	298.66	69.2Ω/km
ANM06.003.12.023AB	UL20549	300V	12X2X23AWG	17/0.14	14.3	302.36	69.2Ω/km
ANM06.003.13.023AB	UL20549	300V	13X2X23AWG	17/0.14	15	331.46	69.2Ω/km
ANM06.003.14.023AB	UL20549	300V	14X2X23AWG	17/0.14	15	335.06	69.2Ω/km
ANM06.003.15.023AB	UL20549	300V	15X2X23AWG	17/0.14	15.8	369.36	69.2Ω/km
ANM06.003.16.023AB	UL20549	300V	16X2X23AWG	17/0.14	15.8	372.86	69.2Ω/km
ANM06.003.17.023AB	UL20549	300V	17X2X23AWG	17/0.14	16.5	404.46	69.2Ω/km
ANM06.003.18.023AB	UL20549	300V	18X2X23AWG	17/0.14	16.5	408.06	69.2Ω/km
ANM06.003.19.023AB	UL20549	300V	19X2X23AWG	17/0.14	16.5	411.76	69.2Ω/km
ANM06.003.20.023AB	UL20549	300V	20X2X23AWG	17/0.14	17	436.16	69.2Ω/km
ANM06.003.21.023AB	UL20549	300V	21X2X23AWG	17/0.14	17.3	452.56	69.2Ω/km
ANM06.003.22.023AB	UL20549	300V	22X2X23AWG	17/0.14	18.4	504.76	69.2Ω/km
ANM06.003.23.023AB	UL20549	300V	23X2X23AWG	17/0.14	19.2	545.46	69.2Ω/km
ANM06.003.24.023AB	UL20549	300V	24X2X23AWG	17/0.14	19.2	549.06	69.2Ω/km
ANM06.003.25.023AB	UL20549	300V	25X2X23AWG	17/0.14	20.6	619.56	69.2Ω/km
ANM06.003.26.023AB	UL20549	300V	26X2X23AWG	17/0.14	20.6	623.06	69.2Ω/km
ANM06.003.27.023AB	UL20549	300V	27X2X23AWG	17/0.14	20.6	626.76	69.2Ω/km
ANM06.003.28.023AB	UL20549	300V	28X2X23AWG	17/0.14	21.3	666.46	69.2Ω/km
ANM06.003.29.023AB	UL20549	300V	29X2X23AWG	17/0.14	21.3	670.16	69.2Ω/km
ANM06.003.30.023AB	UL20549	300V	30X2X23AWG	17/0.14	21.3	673.76	69.2Ω/km
ANM06.003.31.023AB	UL20549	300V	31X2X23AWG	17/0.14	22	714.56	69.2Ω/km
ANM06.003.32.023AB	UL20549	300V	32X2X23AWG	17/0.14	22	718.26	69.2Ω/km
ANM06.003.33.023AB	UL20549	300V	33X2X23AWG	17/0.14	22	721.76	69.2Ω/km
ANM06.003.34.023AB	UL20549	300V	34X2X23AWG	17/0.14	22.8	769.56	69.2Ω/km
ANM06.003.35.023AB	UL20549	300V	35X2X23AWG	17/0.14	22.8	773.16	69.2Ω/km
ANM06.003.36.023AB	UL20549	300V	36X2X23AWG	17/0.14	22.8	776.76	69.2Ω/km
ANM06.003.37.023AB	UL20549	300V	37X2X23AWG	17/0.14	22.8	780.46	69.2Ω/km
ANM06.003.38.023AB	UL20549	300V	38X2X23AWG	17/0.14	23.6	829.66	69.2Ω/km
ANM06.003.39.023AB	UL20549	300V	39X2X23AWG	17/0.14	23.6	833.16	69.2Ω/km
ANM06.003.40.023AB	UL20549	300V	40X2X23AWG	17/0.14	23.6	836.86	69.2Ω/km
ANM06.003.41.023AB	UL20549	300V	41X2X23AWG	17/0.14	25.5	955.16	69.2Ω/km
ANM06.003.42.023AB	UL20549	300V	42X2X23AWG	17/0.14	25.5	958.76	69.2Ω/km
ANM06.003.43.023AB	UL20549	300V	43X2X23AWG	17/0.14	25.5	962.36	69.2Ω/km
ANM06.003.44.023AB	UL20549	300V	44X2X23AWG	17/0.14	25.5	966.06	69.2Ω/km
ANM06.003.45.023AB	UL20549	300V	45X2X23AWG	17/0.14	25.9	994.96	69.2Ω/km
ANM06.003.46.023AB	UL20549	300V	46X2X23AWG	17/0.14	25.9	998.46	69.2Ω/km
ANM06.003.47.023AB	UL20549	300V	47X2X23AWG	17/0.14	25.9	1002.06	69.2Ω/km



ANM06.003.48.023AB	UL20549	300V	48X2X23AWG	17/0.14	25.9	1005.76	69.2Ω/km
ANM06.003.49.023AB	UL20549	300V	49X2X23AWG	17/0.14	26.6	1054.36	69.2Ω/km
ANM06.003.50.023AB	UL20549	300V	50X2X23AWG	17/0.14	26.6	1058.06	69.2Ω/km
ANM06.003.51.023AB	UL20549	300V	51X2X23AWG	17/0.14	26.6	1061.66	69.2Ω/km
ANM06.003.52.023AB	UL20549	300V	52X2X23AWG	17/0.14	26.6	1065.26	69.2Ω/km
ANM06.003.53.023AB	UL20549	300V	53X2X23AWG	17/0.14	27.3	1115.16	69.2Ω/km
ANM06.003.54.023AB	UL20549	300V	54X2X23AWG	17/0.14	27.3	1118.76	69.2Ω/km
ANM06.003.55.023AB	UL20549	300V	55X2X23AWG	17/0.14	27.3	1122.26	69.2Ω/km
ANM06.003.56.023AB	UL20549	300V	56X2X23AWG	17/0.14	27.3	1125.96	69.2Ω/km
ANM06.003.57.023AB	UL20549	300V	57X2X23AWG	17/0.14	28.1	1183.96	69.2Ω/km
ANM06.003.58.023AB	UL20549	300V	58X2X23AWG	17/0.14	28.1	1187.66	69.2Ω/km
ANM06.003.59.023AB	UL20549	300V	59X2X23AWG	17/0.14	28.1	1191.16	69.2Ω/km
ANM06.003.60.023AB	UL20549	300V	60X2X23AWG	17/0.14	28.1	1194.86	69.2Ω/km
ANM06.003.61.023AB	UL20549	300V	61X2X23AWG	17/0.14	28.1	1198.36	69.2Ω/km
ANM06.003.62.023AB	UL20549	300V	62X2X23AWG	17/0.14	29.9	1327.56	69.2Ω/km
ANM06.003.63.023AB	UL20549	300V	63X2X23AWG	17/0.14	29.9	1331.26	69.2Ω/km
ANM06.003.64.023AB	UL20549	300V	64X2X23AWG	17/0.14	29.9	1334.86	69.2Ω/km
ANM06.003.65.023AB	UL20549	300V	65X2X23AWG	17/0.14	29.9	1338.46	69.2Ω/km
ANM06.003.02.022AB	UL20549	300V	2X2X22AWG	22/0.14	7.9	91.13	55.4Ω/km
ANM06.003.03.022AB	UL20549	300V	3X2X22AWG	22/0.14	8.3	103.93	55.4Ω/km
ANM06.003.04.022AB	UL20549	300V	4X2X22AWG	22/0.14	9	123.63	55.4Ω/km
ANM06.003.05.022AB	UL20549	300V	5X2X22AWG	22/0.14	9.9	149.73	55.4Ω/km
ANM06.003.06.022AB	UL20549	300V	6X2X22AWG	22/0.14	11.7	201.33	55.4Ω/km
ANM06.003.07.022AB	UL20549	300V	7X2X22AWG	22/0.14	11.7	205.83	55.4Ω/km
ANM06.003.08.022AB	UL20549	300V	8X2X22AWG	22/0.14	12.5	234.73	55.4Ω/km
ANM06.003.09.022AB	UL20549	300V	9X2X22AWG	22/0.14	13.8	281.83	55.4Ω/km
ANM06.003.10.022AB	UL20549	300V	10X2X22AWG	22/0.14	14.6	314.43	55.4Ω/km
ANM06.003.11.022AB	UL20549	300V	11X2X22AWG	22/0.14	15.1	337.43	55.4Ω/km
ANM06.003.12.022AB	UL20549	300V	12X2X22AWG	22/0.14	15.1	341.83	55.4Ω/km
ANM06.003.13.022AB	UL20549	300V	13X2X22AWG	22/0.14	15.8	373.23	55.4Ω/km
ANM06.003.14.022AB	UL20549	300V	14X2X22AWG	22/0.14	15.8	377.63	55.4Ω/km
ANM06.003.15.022AB	UL20549	300V	15X2X22AWG	22/0.14	16.6	414.33	55.4Ω/km
ANM06.003.16.022AB	UL20549	300V	16X2X22AWG	22/0.14	16.6	418.83	55.4Ω/km
ANM06.003.17.022AB	UL20549	300V	17X2X22AWG	22/0.14	17.4	456.93	55.4Ω/km
ANM06.003.18.022AB	UL20549	300V	18X2X22AWG	22/0.14	17.4	461.33	55.4Ω/km
ANM06.003.19.022AB	UL20549	300V	19X2X22AWG	22/0.14	17.4	465.83	55.4Ω/km
ANM06.003.20.022AB	UL20549	300V	20X2X22AWG	22/0.14	17.9	492.13	55.4Ω/km
ANM06.003.21.022AB	UL20549	300V	21X2X22AWG	22/0.14	18.3	514.53	55.4Ω/km
ANM06.003.22.022AB	UL20549	300V	22X2X22AWG	22/0.14	19.4	570.23	55.4Ω/km
ANM06.003.23.022AB	UL20549	300V	23X2X22AWG	22/0.14	21.2	662.93	55.4Ω/km
ANM06.003.24.022AB	UL20549	300V	24X2X22AWG	22/0.14	21.2	667.33	55.4Ω/km
ANM06.003.25.022AB	UL20549	300V	25X2X22AWG	22/0.14	21.7	698.33	55.4Ω/km



ANM06.003.26.022AB	UL20549	300V	26X2X22AWG	22/0.14	21.7	702.73	55.4 Ω/km
ANM06.003.27.022AB	UL20549	300V	27X2X22AWG	22/0.14	21.7	707.13	55.4 Ω/km
ANM06.003.28.022AB	UL20549	300V	28X2X22AWG	22/0.14	22.4	749.63	55.4 Ω/km
ANM06.003.29.022AB	UL20549	300V	29X2X22AWG	22/0.14	22.4	754.13	55.4 Ω/km
ANM06.003.30.022AB	UL20549	300V	30X2X22AWG	22/0.14	22.4	758.63	55.4 Ω/km
ANM06.003.31.022AB	UL20549	300V	31X2X22AWG	22/0.14	23.2	808.03	55.4 Ω/km
ANM06.003.32.022AB	UL20549	300V	32X2X22AWG	22/0.14	23.2	812.53	55.4 Ω/km
ANM06.003.33.022AB	UL20549	300V	33X2X22AWG	22/0.14	23.2	816.93	55.4 Ω/km
ANM06.003.34.022AB	UL20549	300V	34X2X22AWG	22/0.14	24.1	873.83	55.4 Ω/km
ANM06.003.35.022AB	UL20549	300V	35X2X22AWG	22/0.14	24.1	878.23	55.4 Ω/km
ANM06.003.36.022AB	UL20549	300V	36X2X22AWG	22/0.14	24.1	882.73	55.4 Ω/km
ANM06.003.37.022AB	UL20549	300V	37X2X22AWG	22/0.14	24.1	887.13	55.4 Ω/km
ANM06.003.38.022AB	UL20549	300V	38X2X22AWG	22/0.14	24.9	939.83	55.4 Ω/km
ANM06.003.39.022AB	UL20549	300V	39X2X22AWG	22/0.14	24.9	944.23	55.4 Ω/km
ANM06.003.40.022AB	UL20549	300V	40X2X22AWG	22/0.14	24.9	948.73	55.4 Ω/km
ANM06.003.41.022AB	UL20549	300V	41X2X22AWG	22/0.14	26.9	1080.33	55.4 Ω/km
ANM06.003.42.022AB	UL20549	300V	42X2X22AWG	22/0.14	26.9	1084.83	55.4 Ω/km
ANM06.003.43.022AB	UL20549	300V	43X2X22AWG	22/0.14	26.9	1089.23	55.4 Ω/km
ANM06.003.44.022AB	UL20549	300V	44X2X22AWG	22/0.14	26.9	1093.83	55.4 Ω/km
ANM06.003.45.022AB	UL20549	300V	45X2X22AWG	22/0.14	27.3	1124.73	55.4 Ω/km
ANM06.003.46.022AB	UL20549	300V	46X2X22AWG	22/0.14	27.3	1129.33	55.4 Ω/km
ANM06.003.47.022AB	UL20549	300V	47X2X22AWG	22/0.14	27.3	1133.73	55.4 Ω/km
ANM06.003.48.022AB	UL20549	300V	48X2X22AWG	22/0.14	27.3	1138.23	55.4 Ω/km
ANM06.003.49.022AB	UL20549	300V	49X2X22AWG	22/0.14	28	1190.23	55.4 Ω/km
ANM06.003.50.022AB	UL20549	300V	50X2X22AWG	22/0.14	28	1194.73	55.4 Ω/km
ANM06.003.51.022AB	UL20549	300V	51X2X22AWG	22/0.14	28	1199.13	55.4 Ω/km
ANM06.003.52.022AB	UL20549	300V	52X2X22AWG	22/0.14	28	1203.53	55.4 Ω/km
ANM06.003.53.022AB	UL20549	300V	53X2X22AWG	22/0.14	29.9	1340.53	55.4 Ω/km
ANM06.003.54.022AB	UL20549	300V	54X2X22AWG	22/0.14	29.9	1345.03	55.4 Ω/km
ANM06.003.55.022AB	UL20549	300V	55X2X22AWG	22/0.14	29.9	1349.53	55.4 Ω/km
ANM06.003.56.022AB	UL20549	300V	56X2X22AWG	22/0.14	29.9	1353.93	55.4 Ω/km
ANM06.003.57.022AB	UL20549	300V	57X2X22AWG	22/0.14	31.1	1482.63	55.4 Ω/km
ANM06.003.58.022AB	UL20549	300V	58X2X22AWG	22/0.14	31.1	1487.03	55.4 Ω/km
ANM06.003.59.022AB	UL20549	300V	59X2X22AWG	22/0.14	31.1	1491.63	55.4 Ω/km
ANM06.003.60.022AB	UL20549	300V	60X2X22AWG	22/0.14	31.1	1496.03	55.4 Ω/km
ANM06.003.61.022AB	UL20549	300V	61X2X22AWG	22/0.14	31.1	1500.63	55.4 Ω/km
ANM06.003.62.022AB	UL20549	300V	62X2X22AWG	22/0.14	31.9	1567.73	55.4 Ω/km
ANM06.003.63.022AB	UL20549	300V	63X2X22AWG	22/0.14	31.9	1572.23	55.4 Ω/km
ANM06.003.64.022AB	UL20549	300V	64X2X22AWG	22/0.14	31.9	1576.63	55.4 Ω/km
ANM06.003.65.022AB	UL20549	300V	65X2X22AWG	22/0.14	31.9	1581.13	55.4 Ω/km
ANM06.003.02.021AB	UL20549	300V	2X2X21AWG	27/0.14	8.2	99.92	43.6 Ω/km
ANM06.003.03.021AB	UL20549	300V	3X2X21AWG	27/0.14	8.7	116.42	43.6 Ω/km



ANM06.003.04.021AB	UL20549	300V	4X2X21AWG	27/0.14	9.5	140.42	43.6Ω/km
ANM06.003.05.021AB	UL20549	300V	5X2X21AWG	27/0.14	11.3	191.82	43.6Ω/km
ANM06.003.06.021AB	UL20549	300V	6X2X21AWG	27/0.14	12.2	224.02	43.6Ω/km
ANM06.003.07.021AB	UL20549	300V	7X2X21AWG	27/0.14	12.2	229.72	43.6Ω/km
ANM06.003.08.021AB	UL20549	300V	8X2X21AWG	27/0.14	13.1	263.82	43.6Ω/km
ANM06.003.09.021AB	UL20549	300V	9X2X21AWG	27/0.14	14.4	314.02	43.6Ω/km
ANM06.003.10.021AB	UL20549	300V	10X2X21AWG	27/0.14	15.3	352.92	43.6Ω/km
ANM06.003.11.021AB	UL20549	300V	11X2X21AWG	27/0.14	15.8	378.02	43.6Ω/km
ANM06.003.12.021AB	UL20549	300V	12X2X21AWG	27/0.14	15.8	383.72	43.6Ω/km
ANM06.003.13.021AB	UL20549	300V	13X2X21AWG	27/0.14	16.6	421.62	43.6Ω/km
ANM06.003.14.021AB	UL20549	300V	14X2X21AWG	27/0.14	16.6	427.32	43.6Ω/km
ANM06.003.15.021AB	UL20549	300V	15X2X21AWG	27/0.14	17.4	466.72	43.6Ω/km
ANM06.003.16.021AB	UL20549	300V	16X2X21AWG	27/0.14	17.4	472.32	43.6Ω/km
ANM06.003.17.021AB	UL20549	300V	17X2X21AWG	27/0.14	18.3	517.82	43.6Ω/km
ANM06.003.18.021AB	UL20549	300V	18X2X21AWG	27/0.14	18.3	523.52	43.6Ω/km
ANM06.003.19.021AB	UL20549	300V	19X2X21AWG	27/0.14	18.3	529.32	43.6Ω/km
ANM06.003.20.021AB	UL20549	300V	20X2X21AWG	27/0.14	18.8	557.92	43.6Ω/km
ANM06.003.21.021AB	UL20549	300V	21X2X21AWG	27/0.14	19.2	582.52	43.6Ω/km
ANM06.003.22.021AB	UL20549	300V	22X2X21AWG	27/0.14	21.4	696.22	43.6Ω/km
ANM06.003.23.021AB	UL20549	300V	23X2X21AWG	27/0.14	22.3	750.42	43.6Ω/km
ANM06.003.24.021AB	UL20549	300V	24X2X21AWG	27/0.14	22.3	756.12	43.6Ω/km
ANM06.003.25.021AB	UL20549	300V	25X2X21AWG	27/0.14	22.8	789.62	43.6Ω/km
ANM06.003.26.021AB	UL20549	300V	26X2X21AWG	27/0.14	22.8	795.42	43.6Ω/km
ANM06.003.27.021AB	UL20549	300V	27X2X21AWG	27/0.14	22.8	801.02	43.6Ω/km
ANM06.003.28.021AB	UL20549	300V	28X2X21AWG	27/0.14	23.5	846.52	43.6Ω/km
ANM06.003.29.021AB	UL20549	300V	29X2X21AWG	27/0.14	23.5	852.22	43.6Ω/km
ANM06.003.30.021AB	UL20549	300V	30X2X21AWG	27/0.14	23.5	858.02	43.6Ω/km
ANM06.003.31.021AB	UL20549	300V	31X2X21AWG	27/0.14	24.4	916.72	43.6Ω/km
ANM06.003.32.021AB	UL20549	300V	32X2X21AWG	27/0.14	24.4	922.42	43.6Ω/km
ANM06.003.33.021AB	UL20549	300V	33X2X21AWG	27/0.14	24.4	928.12	43.6Ω/km
ANM06.003.34.021AB	UL20549	300V	34X2X21AWG	27/0.14	25.3	988.82	43.6Ω/km
ANM06.003.35.021AB	UL20549	300V	35X2X21AWG	27/0.14	25.3	994.42	43.6Ω/km
ANM06.003.36.021AB	UL20549	300V	36X2X21AWG	27/0.14	25.3	1000.12	43.6Ω/km
ANM06.003.37.021AB	UL20549	300V	37X2X21AWG	27/0.14	25.3	1005.92	43.6Ω/km
ANM06.003.38.021AB	UL20549	300V	38X2X21AWG	27/0.14	26.2	1068.62	43.6Ω/km
ANM06.003.39.021AB	UL20549	300V	39X2X21AWG	27/0.14	26.2	1074.32	43.6Ω/km
ANM06.003.40.021AB	UL20549	300V	40X2X21AWG	27/0.14	26.2	1080.02	43.6Ω/km
ANM06.003.41.021AB	UL20549	300V	41X2X21AWG	27/0.14	28.3	1226.12	43.6Ω/km
ANM06.003.42.021AB	UL20549	300V	42X2X21AWG	27/0.14	28.3	1231.72	43.6Ω/km
ANM06.003.43.021AB	UL20549	300V	43X2X21AWG	27/0.14	28.3	1237.42	43.6Ω/km
ANM06.003.44.021AB	UL20549	300V	44X2X21AWG	27/0.14	28.3	1243.22	43.6Ω/km
ANM06.003.45.021AB	UL20549	300V	45X2X21AWG	27/0.14	29.8	1353.42	43.6Ω/km



ANM06.003.46.021AB	UL20549	300V	46X2X21AWG	27/0.14	29.8	1359.02	43.6Ω/km
ANM06.003.47.021AB	UL20549	300V	47X2X21AWG	27/0.14	29.8	1364.72	43.6Ω/km
ANM06.003.48.021AB	UL20549	300V	48X2X21AWG	27/0.14	29.8	1370.42	43.6Ω/km
ANM06.003.49.021AB	UL20549	300V	49X2X21AWG	27/0.14	30.9	1492.42	43.6Ω/km
ANM06.003.50.021AB	UL20549	300V	50X2X21AWG	27/0.14	30.9	1498.02	43.6Ω/km
ANM06.003.51.021AB	UL20549	300V	51X2X21AWG	27/0.14	30.9	1503.72	43.6Ω/km
ANM06.003.52.021AB	UL20549	300V	52X2X21AWG	27/0.14	30.9	1509.52	43.6Ω/km
ANM06.003.53.021AB	UL20549	300V	53X2X21AWG	27/0.14	31.8	1585.52	43.6Ω/km
ANM06.003.54.021AB	UL20549	300V	54X2X21AWG	27/0.14	31.8	1591.12	43.6Ω/km
ANM06.003.55.021AB	UL20549	300V	55X2X21AWG	27/0.14	31.8	1596.82	43.6Ω/km
ANM06.003.56.021AB	UL20549	300V	56X2X21AWG	27/0.14	31.8	1602.62	43.6Ω/km
ANM06.003.57.021AB	UL20549	300V	57X2X21AWG	27/0.14	32.7	1680.42	43.6Ω/km
ANM06.003.58.021AB	UL20549	300V	58X2X21AWG	27/0.14	32.7	1686.12	43.6Ω/km
ANM06.003.59.021AB	UL20549	300V	59X2X21AWG	27/0.14	32.7	1691.82	43.6Ω/km
ANM06.003.60.021AB	UL20549	300V	60X2X21AWG	27/0.14	32.7	1697.62	43.6Ω/km
ANM06.003.61.021AB	UL20549	300V	61X2X21AWG	27/0.14	32.7	1703.22	43.6Ω/km
ANM06.003.62.021AB	UL20549	300V	62X2X21AWG	27/0.14	33.6	1783.22	43.6Ω/km
ANM06.003.63.021AB	UL20549	300V	63X2X21AWG	27/0.14	33.6	1789.02	43.6Ω/km
ANM06.003.64.021AB	UL20549	300V	64X2X21AWG	27/0.14	33.6	1794.72	43.6Ω/km
ANM06.003.65.021AB	UL20549	300V	65X2X21AWG	27/0.14	33.6	1800.32	43.6Ω/km
ANM06.003.02.020AB	UL20549	300V	2X2X20AWG	34/0.14	8.6	111.62	34.6Ω/km
ANM06.003.03.020AB	UL20549	300V	3X2X20AWG	34/0.14	9.1	130.12	34.6Ω/km
ANM06.003.04.020AB	UL20549	300V	4X2X20AWG	34/0.14	9.9	156.62	34.6Ω/km
ANM06.003.05.020AB	UL20549	300V	5X2X20AWG	34/0.14	11.8	214.12	34.6Ω/km
ANM06.003.06.020AB	UL20549	300V	6X2X20AWG	34/0.14	12.8	252.12	34.6Ω/km
ANM06.003.07.020AB	UL20549	300V	7X2X20AWG	34/0.14	12.8	259.32	34.6Ω/km
ANM06.003.08.020AB	UL20549	300V	8X2X20AWG	34/0.14	13.8	299.82	34.6Ω/km
ANM06.003.09.020AB	UL20549	300V	9X2X20AWG	34/0.14	15.1	353.82	34.6Ω/km
ANM06.003.10.020AB	UL20549	300V	10X2X20AWG	34/0.14	16	395.82	34.6Ω/km
ANM06.003.11.020AB	UL20549	300V	11X2X20AWG	34/0.14	16.5	423.22	34.6Ω/km
ANM06.003.12.020AB	UL20549	300V	12X2X20AWG	34/0.14	16.5	430.42	34.6Ω/km
ANM06.003.13.020AB	UL20549	300V	13X2X20AWG	34/0.14	17.3	471.32	34.6Ω/km
ANM06.003.14.020AB	UL20549	300V	14X2X20AWG	34/0.14	17.3	478.52	34.6Ω/km
ANM06.003.15.020AB	UL20549	300V	15X2X20AWG	34/0.14	18.3	529.72	34.6Ω/km
ANM06.003.16.020AB	UL20549	300V	16X2X20AWG	34/0.14	18.3	537.02	34.6Ω/km
ANM06.003.17.020AB	UL20549	300V	17X2X20AWG	34/0.14	19.2	586.12	34.6Ω/km
ANM06.003.18.020AB	UL20549	300V	18X2X20AWG	34/0.14	19.2	593.42	34.6Ω/km
ANM06.003.19.020AB	UL20549	300V	19X2X20AWG	34/0.14	19.2	600.72	34.6Ω/km
ANM06.003.20.020AB	UL20549	300V	20X2X20AWG	34/0.14	20.7	679.72	34.6Ω/km
ANM06.003.21.020AB	UL20549	300V	21X2X20AWG	34/0.14	21.1	707.62	34.6Ω/km
ANM06.003.22.020AB	UL20549	300V	22X2X20AWG	34/0.14	22.4	784.52	34.6Ω/km
ANM06.003.23.020AB	UL20549	300V	23X2X20AWG	34/0.14	23.4	848.12	34.6Ω/km



ANM06.003.24.020AB	UL20549	300V	24X2X20AWG	34/0.14	23.4	855.42	34.6Ω/km
ANM06.003.25.020AB	UL20549	300V	25X2X20AWG	34/0.14	23.9	891.72	34.6Ω/km
ANM06.003.26.020AB	UL20549	300V	26X2X20AWG	34/0.14	23.9	899.02	34.6Ω/km
ANM06.003.27.020AB	UL20549	300V	27X2X20AWG	34/0.14	23.9	906.12	34.6Ω/km
ANM06.003.28.020AB	UL20549	300V	28X2X20AWG	34/0.14	24.7	961.22	34.6Ω/km
ANM06.003.29.020AB	UL20549	300V	29X2X20AWG	34/0.14	24.7	968.42	34.6Ω/km
ANM06.003.30.020AB	UL20549	300V	30X2X20AWG	34/0.14	24.7	975.72	34.6Ω/km
ANM06.003.31.020AB	UL20549	300V	31X2X20AWG	34/0.14	25.6	1038.52	34.6Ω/km
ANM06.003.32.020AB	UL20549	300V	32X2X20AWG	34/0.14	25.6	1045.82	34.6Ω/km
ANM06.003.33.020AB	UL20549	300V	33X2X20AWG	34/0.14	25.6	1053.02	34.6Ω/km
ANM06.003.34.020AB	UL20549	300V	34X2X20AWG	34/0.14	26.5	1118.02	34.6Ω/km
ANM06.003.35.020AB	UL20549	300V	35X2X20AWG	34/0.14	26.5	1125.22	34.6Ω/km
ANM06.003.36.020AB	UL20549	300V	36X2X20AWG	34/0.14	26.5	1132.52	34.6Ω/km
ANM06.003.37.020AB	UL20549	300V	37X2X20AWG	34/0.14	26.5	1139.82	34.6Ω/km
ANM06.003.38.020AB	UL20549	300V	38X2X20AWG	34/0.14	27.5	1213.32	34.6Ω/km
ANM06.003.39.020AB	UL20549	300V	39X2X20AWG	34/0.14	27.5	1220.52	34.6Ω/km
ANM06.003.40.020AB	UL20549	300V	40X2X20AWG	34/0.14	27.5	1227.72	34.6Ω/km
ANM06.003.41.020AB	UL20549	300V	41X2X20AWG	34/0.14	31.1	1525.82	34.6Ω/km
ANM06.003.42.020AB	UL20549	300V	42X2X20AWG	34/0.14	31.1	1533.02	34.6Ω/km
ANM06.003.43.020AB	UL20549	300V	43X2X20AWG	34/0.14	31.1	1540.32	34.6Ω/km
ANM06.003.44.020AB	UL20549	300V	44X2X20AWG	34/0.14	31.1	1547.62	34.6Ω/km
ANM06.003.45.020AB	UL20549	300V	45X2X20AWG	34/0.14	31.6	1593.82	34.6Ω/km
ANM06.003.46.020AB	UL20549	300V	46X2X20AWG	34/0.14	31.6	1601.12	34.6Ω/km
ANM06.003.47.020AB	UL20549	300V	47X2X20AWG	34/0.14	31.6	1608.32	34.6Ω/km
ANM06.003.48.020AB	UL20549	300V	48X2X20AWG	34/0.14	31.6	1615.62	34.6Ω/km
ANM06.003.49.020AB	UL20549	300V	49X2X20AWG	34/0.14	32.4	1686.52	34.6Ω/km
ANM06.003.50.020AB	UL20549	300V	50X2X20AWG	34/0.14	32.4	1693.92	34.6Ω/km
ANM06.003.51.020AB	UL20549	300V	51X2X20AWG	34/0.14	32.4	1701.22	34.6Ω/km
ANM06.003.52.020AB	UL20549	300V	52X2X20AWG	34/0.14	32.4	1708.42	34.6Ω/km
ANM06.003.53.020AB	UL20549	300V	53X2X20AWG	34/0.14	33.3	1789.32	34.6Ω/km
ANM06.003.54.020AB	UL20549	300V	54X2X20AWG	34/0.14	33.3	1796.42	34.6Ω/km
ANM06.003.55.020AB	UL20549	300V	55X2X20AWG	34/0.14	33.3	1803.72	34.6Ω/km
ANM06.003.56.020AB	UL20549	300V	56X2X20AWG	34/0.14	33.3	1810.92	34.6Ω/km
ANM06.003.57.020AB	UL20549	300V	57X2X20AWG	34/0.14	34.3	1902.22	34.6Ω/km
ANM06.003.58.020AB	UL20549	300V	58X2X20AWG	34/0.14	34.3	1909.52	34.6Ω/km
ANM06.003.59.020AB	UL20549	300V	59X2X20AWG	34/0.14	34.3	1916.72	34.6Ω/km
ANM06.003.60.020AB	UL20549	300V	60X2X20AWG	34/0.14	34.3	1924.02	34.6Ω/km
ANM06.003.61.020AB	UL20549	300V	61X2X20AWG	34/0.14	34.3	1931.32	34.6Ω/km
ANM06.003.62.020AB	UL20549	300V	62X2X20AWG	34/0.14	35.2	2016.22	34.6Ω/km
ANM06.003.63.020AB	UL20549	300V	63X2X20AWG	34/0.14	35.2	2023.52	34.6Ω/km
ANM06.003.64.020AB	UL20549	300V	64X2X20AWG	34/0.14	35.2	2030.72	34.6Ω/km
ANM06.003.65.020AB	UL20549	300V	65X2X20AWG	34/0.14	35.2	2038.02	34.6Ω/km



ANM06.003.02.019AB	UL20549	300V	2X2X19AWG	43/0.14	8.9	122.46	27.4 Ω/km
ANM06.003.03.019AB	UL20549	300V	3X2X19AWG	43/0.14	9.5	145.66	27.4 Ω/km
ANM06.003.04.019AB	UL20549	300V	4X2X19AWG	43/0.14	11.3	200.56	27.4 Ω/km
ANM06.003.05.019AB	UL20549	300V	5X2X19AWG	43/0.14	12.3	239.36	27.4 Ω/km
ANM06.003.06.019AB	UL20549	300V	6X2X19AWG	43/0.14	13.4	283.96	27.4 Ω/km
ANM06.003.07.019AB	UL20549	300V	7X2X19AWG	43/0.14	13.4	293.06	27.4 Ω/km
ANM06.003.08.019AB	UL20549	300V	8X2X19AWG	43/0.14	14.4	336.96	27.4 Ω/km
ANM06.003.09.019AB	UL20549	300V	9X2X19AWG	43/0.14	15.7	394.86	27.4 Ω/km
ANM06.003.10.019AB	UL20549	300V	10X2X19AWG	43/0.14	16.7	444.26	27.4 Ω/km
ANM06.003.11.019AB	UL20549	300V	11X2X19AWG	43/0.14	17.3	478.86	27.4 Ω/km
ANM06.003.12.019AB	UL20549	300V	12X2X19AWG	43/0.14	17.3	488.16	27.4 Ω/km
ANM06.003.13.019AB	UL20549	300V	13X2X19AWG	43/0.14	18.1	532.36	27.4 Ω/km
ANM06.003.14.019AB	UL20549	300V	14X2X19AWG	43/0.14	18.1	541.56	27.4 Ω/km
ANM06.003.15.019AB	UL20549	300V	15X2X19AWG	43/0.14	19.1	596.86	27.4 Ω/km
ANM06.003.16.019AB	UL20549	300V	16X2X19AWG	43/0.14	19.1	606.06	27.4 Ω/km
ANM06.003.17.019AB	UL20549	300V	17X2X19AWG	43/0.14	21.1	712.66	27.4 Ω/km
ANM06.003.18.019AB	UL20549	300V	18X2X19AWG	43/0.14	21.1	721.86	27.4 Ω/km
ANM06.003.19.019AB	UL20549	300V	19X2X19AWG	43/0.14	21.1	731.16	27.4 Ω/km
ANM06.003.20.019AB	UL20549	300V	20X2X19AWG	43/0.14	21.6	766.66	27.4 Ω/km
ANM06.003.21.019AB	UL20549	300V	21X2X19AWG	43/0.14	22.1	802.66	27.4 Ω/km
ANM06.003.22.019AB	UL20549	300V	22X2X19AWG	43/0.14	23.4	884.76	27.4 Ω/km
ANM06.003.23.019AB	UL20549	300V	23X2X19AWG	43/0.14	24.4	952.76	27.4 Ω/km
ANM06.003.24.019AB	UL20549	300V	24X2X19AWG	43/0.14	24.4	962.06	27.4 Ω/km
ANM06.003.25.019AB	UL20549	300V	25X2X19AWG	43/0.14	24.9	1001.66	27.4 Ω/km
ANM06.003.26.019AB	UL20549	300V	26X2X19AWG	43/0.14	24.9	1010.86	27.4 Ω/km
ANM06.003.27.019AB	UL20549	300V	27X2X19AWG	43/0.14	24.9	1020.06	27.4 Ω/km
ANM06.003.28.019AB	UL20549	300V	28X2X19AWG	43/0.14	25.8	1085.26	27.4 Ω/km
ANM06.003.29.019AB	UL20549	300V	29X2X19AWG	43/0.14	25.8	1094.56	27.4 Ω/km
ANM06.003.30.019AB	UL20549	300V	30X2X19AWG	43/0.14	25.8	1103.86	27.4 Ω/km
ANM06.003.31.019AB	UL20549	300V	31X2X19AWG	43/0.14	26.8	1177.76	27.4 Ω/km
ANM06.003.32.019AB	UL20549	300V	32X2X19AWG	43/0.14	26.8	1187.06	27.4 Ω/km
ANM06.003.33.019AB	UL20549	300V	33X2X19AWG	43/0.14	26.8	1196.26	27.4 Ω/km
ANM06.003.34.019AB	UL20549	300V	34X2X19AWG	43/0.14	27.8	1272.56	27.4 Ω/km
ANM06.003.35.019AB	UL20549	300V	35X2X19AWG	43/0.14	27.8	1281.76	27.4 Ω/km
ANM06.003.36.019AB	UL20549	300V	36X2X19AWG	43/0.14	27.8	1291.06	27.4 Ω/km
ANM06.003.37.019AB	UL20549	300V	37X2X19AWG	43/0.14	27.8	1300.36	27.4 Ω/km
ANM06.003.38.019AB	UL20549	300V	38X2X19AWG	43/0.14	29.8	1448.26	27.4 Ω/km
ANM06.003.39.019AB	UL20549	300V	39X2X19AWG	43/0.14	29.8	1457.56	27.4 Ω/km
ANM06.003.40.019AB	UL20549	300V	40X2X19AWG	43/0.14	29.8	1466.76	27.4 Ω/km
ANM06.003.41.019AB	UL20549	300V	41X2X19AWG	43/0.14	32.5	1718.46	27.4 Ω/km
ANM06.003.42.019AB	UL20549	300V	42X2X19AWG	43/0.14	32.5	1727.76	27.4 Ω/km
ANM06.003.43.019AB	UL20549	300V	43X2X19AWG	43/0.14	32.5	1736.96	27.4 Ω/km



ANM06.003.44.019AB	UL20549	300V	44X2X19AWG	43/0.14	32.5	1746.26	27.4Ω/km
ANM06.003.45.019AB	UL20549	300V	45X2X19AWG	43/0.14	33	1796.16	27.4Ω/km
ANM06.003.46.019AB	UL20549	300V	46X2X19AWG	43/0.14	33	1805.46	27.4Ω/km
ANM06.003.47.019AB	UL20549	300V	47X2X19AWG	43/0.14	33	1814.66	27.4Ω/km
ANM06.003.48.019AB	UL20549	300V	48X2X19AWG	43/0.14	33	1823.86	27.4Ω/km
ANM06.003.49.019AB	UL20549	300V	49X2X19AWG	43/0.14	33.9	1907.96	27.4Ω/km
ANM06.003.50.019AB	UL20549	300V	50X2X19AWG	43/0.14	33.9	1917.16	27.4Ω/km
ANM06.003.51.019AB	UL20549	300V	51X2X19AWG	43/0.14	33.9	1926.46	27.4Ω/km
ANM06.003.52.019AB	UL20549	300V	52X2X19AWG	43/0.14	33.9	1935.86	27.4Ω/km
ANM06.003.53.019AB	UL20549	300V	53X2X19AWG	43/0.14	34.9	2030.66	27.4Ω/km
ANM06.003.54.019AB	UL20549	300V	54X2X19AWG	43/0.14	34.9	2039.86	27.4Ω/km
ANM06.003.55.019AB	UL20549	300V	55X2X19AWG	43/0.14	34.9	2049.06	27.4Ω/km
ANM06.003.56.019AB	UL20549	300V	56X2X19AWG	43/0.14	34.9	2058.36	27.4Ω/km
ANM06.003.57.019AB	UL20549	300V	57X2X19AWG	43/0.14	36.1	2173.36	27.4Ω/km
ANM06.003.58.019AB	UL20549	300V	58X2X19AWG	43/0.14	36.1	2182.66	27.4Ω/km
ANM06.003.59.019AB	UL20549	300V	59X2X19AWG	43/0.14	36.1	2191.96	27.4Ω/km
ANM06.003.60.019AB	UL20549	300V	60X2X19AWG	43/0.14	36.1	2201.16	27.4Ω/km
ANM06.003.61.019AB	UL20549	300V	61X2X19AWG	43/0.14	36.1	2210.36	27.4Ω/km
ANM06.003.62.019AB	UL20549	300V	62X2X19AWG	43/0.14	37.2	2319.46	27.4Ω/km
ANM06.003.63.019AB	UL20549	300V	63X2X19AWG	43/0.14	37.2	2328.76	27.4Ω/km
ANM06.003.64.019AB	UL20549	300V	64X2X19AWG	43/0.14	37.2	2338.06	27.4Ω/km
ANM06.003.65.019AB	UL20549	300V	65X2X19AWG	43/0.14	37.2	2347.26	27.4Ω/km
ANM06.003.02.018AB	UL20549	300V	2X2X18AWG	29/0.19	9.3	137.23	21.8Ω/km
ANM06.003.03.018AB	UL20549	300V	3X2X18AWG	29/0.19	9.8	161.03	21.8Ω/km
ANM06.003.04.018AB	UL20549	300V	4X2X18AWG	29/0.19	11.7	222.83	21.8Ω/km
ANM06.003.05.018AB	UL20549	300V	5X2X18AWG	29/0.19	12.8	268.43	21.8Ω/km
ANM06.003.06.018AB	UL20549	300V	6X2X18AWG	29/0.19	13.9	316.83	21.8Ω/km
ANM06.003.07.018AB	UL20549	300V	7X2X18AWG	29/0.19	13.9	328.73	21.8Ω/km
ANM06.003.08.018AB	UL20549	300V	8X2X18AWG	29/0.19	15	380.43	21.8Ω/km
ANM06.003.09.018AB	UL20549	300V	9X2X18AWG	29/0.19	16.4	446.83	21.8Ω/km
ANM06.003.10.018AB	UL20549	300V	10X2X18AWG	29/0.19	17.4	500.53	21.8Ω/km
ANM06.003.11.018AB	UL20549	300V	11X2X18AWG	29/0.19	18	539.03	21.8Ω/km
ANM06.003.12.018AB	UL20549	300V	12X2X18AWG	29/0.19	18	550.83	21.8Ω/km
ANM06.003.13.018AB	UL20549	300V	13X2X18AWG	29/0.19	18.9	603.73	21.8Ω/km
ANM06.003.14.018AB	UL20549	300V	14X2X18AWG	29/0.19	18.9	615.63	21.8Ω/km
ANM06.003.15.018AB	UL20549	300V	15X2X18AWG	29/0.19	20.9	723.93	21.8Ω/km
ANM06.003.16.018AB	UL20549	300V	16X2X18AWG	29/0.19	20.9	735.83	21.8Ω/km
ANM06.003.17.018AB	UL20549	300V	17X2X18AWG	29/0.19	21.9	800.23	21.8Ω/km
ANM06.003.18.018AB	UL20549	300V	18X2X18AWG	29/0.19	21.9	812.23	21.8Ω/km
ANM06.003.19.018AB	UL20549	300V	19X2X18AWG	29/0.19	21.9	824.13	21.8Ω/km
ANM06.003.20.018AB	UL20549	300V	20X2X18AWG	29/0.19	22.5	868.93	21.8Ω/km
ANM06.003.21.018AB	UL20549	300V	21X2X18AWG	29/0.19	23	908.73	21.8Ω/km





ANM06.003.22.018AB	UL20549	300V	22X2X18AWG	29/0.19	24.4	1002.33	21.8Ω/km
ANM06.003.23.018AB	UL20549	300V	23X2X18AWG	29/0.19	25.5	1081.63	21.8Ω/km
ANM06.003.24.018AB	UL20549	300V	24X2X18AWG	29/0.19	25.5	1093.53	21.8Ω/km
ANM06.003.25.018AB	UL20549	300V	25X2X18AWG	29/0.19	26	1137.23	21.8Ω/km
ANM06.003.26.018AB	UL20549	300V	26X2X18AWG	29/0.19	26	1149.03	21.8Ω/km
ANM06.003.27.018AB	UL20549	300V	27X2X18AWG	29/0.19	26	1160.93	21.8Ω/km
ANM06.003.28.018AB	UL20549	300V	28X2X18AWG	29/0.19	26.9	1231.23	21.8Ω/km
ANM06.003.29.018AB	UL20549	300V	29X2X18AWG	29/0.19	26.9	1243.23	21.8Ω/km
ANM06.003.30.018AB	UL20549	300V	30X2X18AWG	29/0.19	26.9	1255.13	21.8Ω/km
ANM06.003.31.018AB	UL20549	300V	31X2X18AWG	29/0.19	27.9	1334.23	21.8Ω/km
ANM06.003.32.018AB	UL20549	300V	32X2X18AWG	29/0.19	27.9	1346.23	21.8Ω/km
ANM06.003.33.018AB	UL20549	300V	33X2X18AWG	29/0.19	27.9	1358.13	21.8Ω/km
ANM06.003.34.018AB	UL20549	300V	34X2X18AWG	29/0.19	30	1516.53	21.8Ω/km
ANM06.003.35.018AB	UL20549	300V	35X2X18AWG	29/0.19	30	1528.43	21.8Ω/km
ANM06.003.36.018AB	UL20549	300V	36X2X18AWG	29/0.19	30	1540.53	21.8Ω/km
ANM06.003.37.018AB	UL20549	300V	37X2X18AWG	29/0.19	30	1552.33	21.8Ω/km
ANM06.003.38.018AB	UL20549	300V	38X2X18AWG	29/0.19	31.4	1704.53	21.8Ω/km
ANM06.003.39.018AB	UL20549	300V	39X2X18AWG	29/0.19	31.4	1716.43	21.8Ω/km
ANM06.003.40.018AB	UL20549	300V	40X2X18AWG	29/0.19	31.4	1728.33	21.8Ω/km
ANM06.003.41.018AB	UL20549	300V	41X2X18AWG	29/0.19	33.9	1943.33	21.8Ω/km
ANM06.003.42.018AB	UL20549	300V	42X2X18AWG	29/0.19	33.9	1955.13	21.8Ω/km
ANM06.003.43.018AB	UL20549	300V	43X2X18AWG	29/0.19	33.9	1967.13	21.8Ω/km
ANM06.003.44.018AB	UL20549	300V	44X2X18AWG	29/0.19	33.9	1979.03	21.8Ω/km
ANM06.003.45.018AB	UL20549	300V	45X2X18AWG	29/0.19	34.5	2041.93	21.8Ω/km
ANM06.003.46.018AB	UL20549	300V	46X2X18AWG	29/0.19	34.5	2053.93	21.8Ω/km
ANM06.003.47.018AB	UL20549	300V	47X2X18AWG	29/0.19	34.5	2065.83	21.8Ω/km
ANM06.003.48.018AB	UL20549	300V	48X2X18AWG	29/0.19	34.5	2077.63	21.8Ω/km
ANM06.003.49.018AB	UL20549	300V	49X2X18AWG	29/0.19	35.4	2167.73	21.8Ω/km
ANM06.003.50.018AB	UL20549	300V	50X2X18AWG	29/0.19	35.4	2179.73	21.8Ω/km
ANM06.003.51.018AB	UL20549	300V	51X2X18AWG	29/0.19	35.4	2191.53	21.8Ω/km
ANM06.003.52.018AB	UL20549	300V	52X2X18AWG	29/0.19	35.4	2203.53	21.8Ω/km
ANM06.003.53.018AB	UL20549	300V	53X2X18AWG	29/0.19	36.7	2331.73	21.8Ω/km
ANM06.003.54.018AB	UL20549	300V	54X2X18AWG	29/0.19	36.7	2343.63	21.8Ω/km
ANM06.003.55.018AB	UL20549	300V	55X2X18AWG	29/0.19	36.7	2355.53	21.8Ω/km
ANM06.003.56.018AB	UL20549	300V	56X2X18AWG	29/0.19	36.7	2367.33	21.8Ω/km
ANM06.003.57.018AB	UL20549	300V	57X2X18AWG	29/0.19	37.7	2471.73	21.8Ω/km
ANM06.003.58.018AB	UL20549	300V	58X2X18AWG	29/0.19	37.7	2483.63	21.8Ω/km
ANM06.003.59.018AB	UL20549	300V	59X2X18AWG	29/0.19	37.7	2495.43	21.8Ω/km
ANM06.003.60.018AB	UL20549	300V	60X2X18AWG	29/0.19	37.7	2507.53	21.8Ω/km
ANM06.003.61.018AB	UL20549	300V	61X2X18AWG	29/0.19	37.7	2519.43	21.8Ω/km
ANM06.003.62.018AB	UL20549	300V	62X2X18AWG	29/0.19	38.8	2635.33	21.8Ω/km
ANM06.003.63.018AB	UL20549	300V	63X2X18AWG	29/0.19	38.8	2647.23	21.8Ω/km



ANM06.003.64.018AB	UL20549	300V	64X2X18AWG	29/0.19	38.8	2659.23	21.8Ω/km
ANM06.003.65.018AB	UL20549	300V	65X2X18AWG	29/0.19	38.8	2671.13	21.8Ω/km
ANM06.003.02.017AB	UL20549	300V	2X2X17AWG	37/0.19	11	184.94	17.3Ω/km
ANM06.003.03.017AB	UL20549	300V	3X2X17AWG	37/0.19	11.6	216.64	17.3Ω/km
ANM06.003.04.017AB	UL20549	300V	4X2X17AWG	37/0.19	12.6	261.64	17.3Ω/km
ANM06.003.05.017AB	UL20549	300V	5X2X17AWG	37/0.19	13.8	316.04	17.3Ω/km
ANM06.003.06.017AB	UL20549	300V	6X2X17AWG	37/0.19	15	373.74	17.3Ω/km
ANM06.003.07.017AB	UL20549	300V	7X2X17AWG	37/0.19	15	388.44	17.3Ω/km
ANM06.003.08.017AB	UL20549	300V	8X2X17AWG	37/0.19	16.1	445.64	17.3Ω/km
ANM06.003.09.017AB	UL20549	300V	9X2X17AWG	37/0.19	17.7	527.34	17.3Ω/km
ANM06.003.10.017AB	UL20549	300V	10X2X17AWG	37/0.19	18.8	591.74	17.3Ω/km
ANM06.003.11.017AB	UL20549	300V	11X2X17AWG	37/0.19	20.5	687.04	17.3Ω/km
ANM06.003.12.017AB	UL20549	300V	12X2X17AWG	37/0.19	20.5	701.64	17.3Ω/km
ANM06.003.13.017AB	UL20549	300V	13X2X17AWG	37/0.19	21.4	762.74	17.3Ω/km
ANM06.003.14.017AB	UL20549	300V	14X2X17AWG	37/0.19	21.4	777.64	17.3Ω/km
ANM06.003.15.017AB	UL20549	300V	15X2X17AWG	37/0.19	22.6	857.44	17.3Ω/km
ANM06.003.16.017AB	UL20549	300V	16X2X17AWG	37/0.19	22.6	872.14	17.3Ω/km
ANM06.003.17.017AB	UL20549	300V	17X2X17AWG	37/0.19	23.7	949.34	17.3Ω/km
ANM06.003.18.017AB	UL20549	300V	18X2X17AWG	37/0.19	23.7	964.14	17.3Ω/km
ANM06.003.19.017AB	UL20549	300V	19X2X17AWG	37/0.19	23.7	978.94	17.3Ω/km
ANM06.003.20.017AB	UL20549	300V	20X2X17AWG	37/0.19	24.3	1029.14	17.3Ω/km
ANM06.003.21.017AB	UL20549	300V	21X2X17AWG	37/0.19	24.9	1080.04	17.3Ω/km
ANM06.003.22.017AB	UL20549	300V	22X2X17AWG	37/0.19	26.4	1189.34	17.3Ω/km
ANM06.003.23.017AB	UL20549	300V	23X2X17AWG	37/0.19	27.6	1283.64	17.3Ω/km
ANM06.003.24.017AB	UL20549	300V	24X2X17AWG	37/0.19	27.6	1298.34	17.3Ω/km
ANM06.003.25.017AB	UL20549	300V	25X2X17AWG	37/0.19	28.2	1354.14	17.3Ω/km
ANM06.003.26.017AB	UL20549	300V	26X2X17AWG	37/0.19	28.2	1368.84	17.3Ω/km
ANM06.003.27.017AB	UL20549	300V	27X2X17AWG	37/0.19	28.2	1383.64	17.3Ω/km
ANM06.003.28.017AB	UL20549	300V	28X2X17AWG	37/0.19	30.6	1602.84	17.3Ω/km
ANM06.003.29.017AB	UL20549	300V	29X2X17AWG	37/0.19	30.6	1617.54	17.3Ω/km
ANM06.003.30.017AB	UL20549	300V	30X2X17AWG	37/0.19	30.6	1632.24	17.3Ω/km
ANM06.003.31.017AB	UL20549	300V	31X2X17AWG	37/0.19	31.7	1732.34	17.3Ω/km
ANM06.003.32.017AB	UL20549	300V	32X2X17AWG	37/0.19	31.7	1747.14	17.3Ω/km
ANM06.003.33.017AB	UL20549	300V	33X2X17AWG	37/0.19	31.7	1761.84	17.3Ω/km
ANM06.003.34.017AB	UL20549	300V	34X2X17AWG	37/0.19	32.9	1872.94	17.3Ω/km
ANM06.003.35.017AB	UL20549	300V	35X2X17AWG	37/0.19	32.9	1887.64	17.3Ω/km
ANM06.003.36.017AB	UL20549	300V	36X2X17AWG	37/0.19	32.9	1902.44	17.3Ω/km
ANM06.003.37.017AB	UL20549	300V	37X2X17AWG	37/0.19	32.9	1917.14	17.3Ω/km
ANM06.003.38.017AB	UL20549	300V	38X2X17AWG	37/0.19	34	2023.44	17.3Ω/km
ANM06.003.39.017AB	UL20549	300V	39X2X17AWG	37/0.19	34	2038.14	17.3Ω/km
ANM06.003.40.017AB	UL20549	300V	40X2X17AWG	37/0.19	34	2052.94	17.3Ω/km
ANM06.003.41.017AB	UL20549	300V	41X2X17AWG	37/0.19	37	2332.04	17.3Ω/km



ANM06.003.42.017AB	UL20549	300V	42X2X17AWG	37/0.19	37	2346.74	17.3Ω/km
ANM06.003.43.017AB	UL20549	300V	43X2X17AWG	37/0.19	37	2361.44	17.3Ω/km
ANM06.003.44.017AB	UL20549	300V	44X2X17AWG	37/0.19	37	2376.14	17.3Ω/km
ANM06.003.45.017AB	UL20549	300V	45X2X17AWG	37/0.19	37.6	2446.44	17.3Ω/km
ANM06.003.46.017AB	UL20549	300V	46X2X17AWG	37/0.19	37.6	2461.24	17.3Ω/km
ANM06.003.47.017AB	UL20549	300V	47X2X17AWG	37/0.19	37.6	2475.84	17.3Ω/km
ANM06.003.48.017AB	UL20549	300V	48X2X17AWG	37/0.19	37.6	2490.54	17.3Ω/km
ANM06.003.49.017AB	UL20549	300V	49X2X17AWG	37/0.19	38.6	2599.64	17.3Ω/km
ANM06.003.50.017AB	UL20549	300V	50X2X17AWG	37/0.19	38.6	2614.44	17.3Ω/km
ANM06.003.51.017AB	UL20549	300V	51X2X17AWG	37/0.19	38.6	2629.14	17.3Ω/km
ANM06.003.52.017AB	UL20549	300V	52X2X17AWG	37/0.19	38.6	2643.84	17.3Ω/km
ANM06.003.53.017AB	UL20549	300V	53X2X17AWG	37/0.19	39.8	2775.14	17.3Ω/km
ANM06.003.54.017AB	UL20549	300V	54X2X17AWG	37/0.19	39.8	2789.84	17.3Ω/km
ANM06.003.55.017AB	UL20549	300V	55X2X17AWG	37/0.19	39.8	2804.64	17.3Ω/km
ANM06.003.56.017AB	UL20549	300V	56X2X17AWG	37/0.19	39.8	2819.34	17.3Ω/km
ANM06.003.57.017AB	UL20549	300V	57X2X17AWG	37/0.19	41.1	3002.04	17.3Ω/km
ANM06.003.58.017AB	UL20549	300V	58X2X17AWG	37/0.19	41.1	3016.84	17.3Ω/km
ANM06.003.59.017AB	UL20549	300V	59X2X17AWG	37/0.19	41.1	3031.64	17.3Ω/km
ANM06.003.60.017AB	UL20549	300V	60X2X17AWG	37/0.19	41.1	3046.34	17.3Ω/km
ANM06.003.61.017AB	UL20549	300V	61X2X17AWG	37/0.19	41.1	3060.94	17.3Ω/km
ANM06.003.62.017AB	UL20549	300V	62X2X17AWG	37/0.19	42.3	3200.74	17.3Ω/km
ANM06.003.63.017AB	UL20549	300V	63X2X17AWG	37/0.19	42.3	3215.44	17.3Ω/km
ANM06.003.64.017AB	UL20549	300V	64X2X17AWG	37/0.19	42.3	3230.24	17.3Ω/km
ANM06.003.65.017AB	UL20549	300V	65X2X17AWG	37/0.19	42.3	3244.94	17.3Ω/km
ANM06.003.02.016AB	UL20549	300V	2X2X16AWG	27/0.25	11.3	202.51	13.7Ω/km
ANM06.003.03.016AB	UL20549	300V	3X2X16AWG	27/0.25	12	241.91	13.7Ω/km
ANM06.003.04.016AB	UL20549	300V	4X2X16AWG	27/0.25	13	292.21	13.7Ω/km
ANM06.003.05.016AB	UL20549	300V	5X2X16AWG	27/0.25	14.3	355.61	13.7Ω/km
ANM06.003.06.016AB	UL20549	300V	6X2X16AWG	27/0.25	15.5	419.31	13.7Ω/km
ANM06.003.07.016AB	UL20549	300V	7X2X16AWG	27/0.25	15.5	438.41	13.7Ω/km
ANM06.003.08.016AB	UL20549	300V	8X2X16AWG	27/0.25	16.7	505.41	13.7Ω/km
ANM06.003.09.016AB	UL20549	300V	9X2X16AWG	27/0.25	18.3	593.81	13.7Ω/km
ANM06.003.10.016AB	UL20549	300V	10X2X16AWG	27/0.25	20.5	716.41	13.7Ω/km
ANM06.003.11.016AB	UL20549	300V	11X2X16AWG	27/0.25	21.2	771.41	13.7Ω/km
ANM06.003.12.016AB	UL20549	300V	12X2X16AWG	27/0.25	21.2	790.61	13.7Ω/km
ANM06.003.13.016AB	UL20549	300V	13X2X16AWG	27/0.25	22.2	863.21	13.7Ω/km
ANM06.003.14.016AB	UL20549	300V	14X2X16AWG	27/0.25	22.2	882.31	13.7Ω/km
ANM06.003.15.016AB	UL20549	300V	15X2X16AWG	27/0.25	23.4	968.71	13.7Ω/km
ANM06.003.16.016AB	UL20549	300V	16X2X16AWG	27/0.25	23.4	987.81	13.7Ω/km
ANM06.003.17.016AB	UL20549	300V	17X2X16AWG	27/0.25	24.6	1077.71	13.7Ω/km
ANM06.003.18.016AB	UL20549	300V	18X2X16AWG	27/0.25	24.6	1096.91	13.7Ω/km
ANM06.003.19.016AB	UL20549	300V	19X2X16AWG	27/0.25	24.6	1116.01	13.7Ω/km



ANM06.003.20.016AB	UL20549	300V	20X2X16AWG	27/0.25	25.2	1171.81	13.7 Ω/km
ANM06.003.21.016AB	UL20549	300V	21X2X16AWG	27/0.25	25.8	1228.41	13.7 Ω/km
ANM06.003.22.016AB	UL20549	300V	22X2X16AWG	27/0.25	27.4	1352.01	13.7 Ω/km
ANM06.003.23.016AB	UL20549	300V	23X2X16AWG	27/0.25	29.6	1522.51	13.7 Ω/km
ANM06.003.24.016AB	UL20549	300V	24X2X16AWG	27/0.25	29.6	1541.71	13.7 Ω/km
ANM06.003.25.016AB	UL20549	300V	25X2X16AWG	27/0.25	30.7	1676.11	13.7 Ω/km
ANM06.003.26.016AB	UL20549	300V	26X2X16AWG	27/0.25	30.7	1695.21	13.7 Ω/km
ANM06.003.27.016AB	UL20549	300V	27X2X16AWG	27/0.25	30.7	1714.31	13.7 Ω/km
ANM06.003.28.016AB	UL20549	300V	28X2X16AWG	27/0.25	31.7	1811.21	13.7 Ω/km
ANM06.003.29.016AB	UL20549	300V	29X2X16AWG	27/0.25	31.7	1830.31	13.7 Ω/km
ANM06.003.30.016AB	UL20549	300V	30X2X16AWG	27/0.25	31.7	1849.51	13.7 Ω/km
ANM06.003.31.016AB	UL20549	300V	31X2X16AWG	27/0.25	32.9	1964.91	13.7 Ω/km
ANM06.003.32.016AB	UL20549	300V	32X2X16AWG	27/0.25	32.9	1984.11	13.7 Ω/km
ANM06.003.33.016AB	UL20549	300V	33X2X16AWG	27/0.25	32.9	2003.21	13.7 Ω/km
ANM06.003.34.016AB	UL20549	300V	34X2X16AWG	27/0.25	34.1	2122.21	13.7 Ω/km
ANM06.003.35.016AB	UL20549	300V	35X2X16AWG	27/0.25	34.1	2141.31	13.7 Ω/km
ANM06.003.36.016AB	UL20549	300V	36X2X16AWG	27/0.25	34.1	2160.51	13.7 Ω/km
ANM06.003.37.016AB	UL20549	300V	37X2X16AWG	27/0.25	34.1	2179.61	13.7 Ω/km
ANM06.003.38.016AB	UL20549	300V	38X2X16AWG	27/0.25	35.3	2302.11	13.7 Ω/km
ANM06.003.39.016AB	UL20549	300V	39X2X16AWG	27/0.25	35.3	2321.21	13.7 Ω/km
ANM06.003.40.016AB	UL20549	300V	40X2X16AWG	27/0.25	35.3	2340.31	13.7 Ω/km
ANM06.003.41.016AB	UL20549	300V	41X2X16AWG	27/0.25	38.4	2642.81	13.7 Ω/km
ANM06.003.42.016AB	UL20549	300V	42X2X16AWG	27/0.25	38.4	2662.01	13.7 Ω/km
ANM06.003.43.016AB	UL20549	300V	43X2X16AWG	27/0.25	38.4	2681.11	13.7 Ω/km
ANM06.003.44.016AB	UL20549	300V	44X2X16AWG	27/0.25	38.4	2700.21	13.7 Ω/km
ANM06.003.45.016AB	UL20549	300V	45X2X16AWG	27/0.25	39.1	2786.41	13.7 Ω/km
ANM06.003.46.016AB	UL20549	300V	46X2X16AWG	27/0.25	39.1	2805.51	13.7 Ω/km
ANM06.003.47.016AB	UL20549	300V	47X2X16AWG	27/0.25	39.1	2824.71	13.7 Ω/km
ANM06.003.48.016AB	UL20549	300V	48X2X16AWG	27/0.25	39.1	2843.81	13.7 Ω/km
ANM06.003.49.016AB	UL20549	300V	49X2X16AWG	27/0.25	40.1	2961.11	13.7 Ω/km
ANM06.003.50.016AB	UL20549	300V	50X2X16AWG	27/0.25	40.1	2980.21	13.7 Ω/km
ANM06.003.51.016AB	UL20549	300V	51X2X16AWG	27/0.25	40.1	2999.31	13.7 Ω/km
ANM06.003.52.016AB	UL20549	300V	52X2X16AWG	27/0.25	40.1	3018.41	13.7 Ω/km
ANM06.003.53.016AB	UL20549	300V	53X2X16AWG	27/0.25	41.5	3217.21	13.7 Ω/km
ANM06.003.54.016AB	UL20549	300V	54X2X16AWG	27/0.25	41.5	3236.31	13.7 Ω/km
ANM06.003.55.016AB	UL20549	300V	55X2X16AWG	27/0.25	41.5	3255.41	13.7 Ω/km
ANM06.003.56.016AB	UL20549	300V	56X2X16AWG	27/0.25	41.5	3274.51	13.7 Ω/km
ANM06.003.57.016AB	UL20549	300V	57X2X16AWG	27/0.25	44.1	3563.61	13.7 Ω/km
ANM06.003.58.016AB	UL20549	300V	58X2X16AWG	27/0.25	44.1	3582.71	13.7 Ω/km
ANM06.003.59.016AB	UL20549	300V	59X2X16AWG	27/0.25	44.1	3601.91	13.7 Ω/km
ANM06.003.60.016AB	UL20549	300V	60X2X16AWG	27/0.25	44.1	3621.01	13.7 Ω/km
ANM06.003.61.016AB	UL20549	300V	61X2X16AWG	27/0.25	44.1	3640.11	13.7 Ω/km



ANM06.003.62.016AB	UL20549	300V	62X2X16AWG	27/0.25	45.3	3792.91	13.7Ω/km
ANM06.003.63.016AB	UL20549	300V	63X2X16AWG	27/0.25	45.3	3812.01	13.7Ω/km
ANM06.003.64.016AB	UL20549	300V	64X2X16AWG	27/0.25	45.3	3831.11	13.7Ω/km
ANM06.003.65.016AB	UL20549	300V	65X2X16AWG	27/0.25	45.3	3850.31	13.7Ω/km
ANM06.003.02.015AB	UL20549	300V	2X2X15AWG	34/0.25	12	232.85	10.9Ω/km
ANM06.003.03.015AB	UL20549	300V	3X2X15AWG	34/0.25	12.7	278.35	10.9Ω/km
ANM06.003.04.015AB	UL20549	300V	4X2X15AWG	34/0.25	14	345.65	10.9Ω/km
ANM06.003.05.015AB	UL20549	300V	5X2X15AWG	34/0.25	15.2	413.15	10.9Ω/km
ANM06.003.06.015AB	UL20549	300V	6X2X15AWG	34/0.25	16.5	488.25	10.9Ω/km
ANM06.003.07.015AB	UL20549	300V	7X2X15AWG	34/0.25	16.5	512.35	10.9Ω/km
ANM06.003.08.015AB	UL20549	300V	8X2X15AWG	34/0.25	17.9	595.85	10.9Ω/km
ANM06.003.09.015AB	UL20549	300V	9X2X15AWG	34/0.25	20.6	746.35	10.9Ω/km
ANM06.003.10.015AB	UL20549	300V	10X2X15AWG	34/0.25	21.9	838.25	10.9Ω/km
ANM06.003.11.015AB	UL20549	300V	11X2X15AWG	34/0.25	22.6	900.65	10.9Ω/km
ANM06.003.12.015AB	UL20549	300V	12X2X15AWG	34/0.25	22.6	924.65	10.9Ω/km
ANM06.003.13.015AB	UL20549	300V	13X2X15AWG	34/0.25	23.8	1017.05	10.9Ω/km
ANM06.003.14.015AB	UL20549	300V	14X2X15AWG	34/0.25	23.8	1041.05	10.9Ω/km
ANM06.003.15.015AB	UL20549	300V	15X2X15AWG	34/0.25	25	1136.95	10.9Ω/km
ANM06.003.16.015AB	UL20549	300V	16X2X15AWG	34/0.25	25	1160.95	10.9Ω/km
ANM06.003.17.015AB	UL20549	300V	17X2X15AWG	34/0.25	26.3	1266.85	10.9Ω/km
ANM06.003.18.015AB	UL20549	300V	18X2X15AWG	34/0.25	26.3	1290.75	10.9Ω/km
ANM06.003.19.015AB	UL20549	300V	19X2X15AWG	34/0.25	26.3	1314.85	10.9Ω/km
ANM06.003.20.015AB	UL20549	300V	20X2X15AWG	34/0.25	27	1384.45	10.9Ω/km
ANM06.003.21.015AB	UL20549	300V	21X2X15AWG	34/0.25	27.7	1455.35	10.9Ω/km
ANM06.003.22.015AB	UL20549	300V	22X2X15AWG	34/0.25	30.8	1733.45	10.9Ω/km
ANM06.003.23.015AB	UL20549	300V	23X2X15AWG	34/0.25	32.1	1859.25	10.9Ω/km
ANM06.003.24.015AB	UL20549	300V	24X2X15AWG	34/0.25	32.1	1883.15	10.9Ω/km
ANM06.003.25.015AB	UL20549	300V	25X2X15AWG	34/0.25	32.8	1963.75	10.9Ω/km
ANM06.003.26.015AB	UL20549	300V	26X2X15AWG	34/0.25	32.8	1987.75	10.9Ω/km
ANM06.003.27.015AB	UL20549	300V	27X2X15AWG	34/0.25	32.8	2011.65	10.9Ω/km
ANM06.003.28.015AB	UL20549	300V	28X2X15AWG	34/0.25	34	2135.35	10.9Ω/km
ANM06.003.29.015AB	UL20549	300V	29X2X15AWG	34/0.25	34	2159.25	10.9Ω/km
ANM06.003.30.015AB	UL20549	300V	30X2X15AWG	34/0.25	34	2183.15	10.9Ω/km
ANM06.003.31.015AB	UL20549	300V	31X2X15AWG	34/0.25	35.2	2310.35	10.9Ω/km
ANM06.003.32.015AB	UL20549	300V	32X2X15AWG	34/0.25	35.2	2334.25	10.9Ω/km
ANM06.003.33.015AB	UL20549	300V	33X2X15AWG	34/0.25	35.2	2358.25	10.9Ω/km
ANM06.003.34.015AB	UL20549	300V	34X2X15AWG	34/0.25	36.8	2525.15	10.9Ω/km
ANM06.003.35.015AB	UL20549	300V	35X2X15AWG	34/0.25	36.8	2549.15	10.9Ω/km
ANM06.003.36.015AB	UL20549	300V	36X2X15AWG	34/0.25	36.8	2573.15	10.9Ω/km
ANM06.003.37.015AB	UL20549	300V	37X2X15AWG	34/0.25	36.8	2597.05	10.9Ω/km
ANM06.003.38.015AB	UL20549	300V	38X2X15AWG	34/0.25	38.2	2751.25	10.9Ω/km
ANM06.003.39.015AB	UL20549	300V	39X2X15AWG	34/0.25	38.2	2775.25	10.9Ω/km



ANM06.003.40.015AB	UL20549	300V	40X2X15AWG	34/0.25	38.2	2799.05	10.9Ω/km
ANM06.003.41.015AB	UL20549	300V	41X2X15AWG	34/0.25	41.4	3176.45	10.9Ω/km
ANM06.003.42.015AB	UL20549	300V	42X2X15AWG	34/0.25	41.4	3200.35	10.9Ω/km
ANM06.003.43.015AB	UL20549	300V	43X2X15AWG	34/0.25	41.4	3224.35	10.9Ω/km
ANM06.003.44.015AB	UL20549	300V	44X2X15AWG	34/0.25	41.4	3248.35	10.9Ω/km
ANM06.003.45.015AB	UL20549	300V	45X2X15AWG	34/0.25	42.1	3345.35	10.9Ω/km
ANM06.003.46.015AB	UL20549	300V	46X2X15AWG	34/0.25	42.1	3369.35	10.9Ω/km
ANM06.003.47.015AB	UL20549	300V	47X2X15AWG	34/0.25	42.1	3393.25	10.9Ω/km
ANM06.003.48.015AB	UL20549	300V	48X2X15AWG	34/0.25	42.1	3417.25	10.9Ω/km
ANM06.003.49.015AB	UL20549	300V	49X2X15AWG	34/0.25	44.7	3714.95	10.9Ω/km
ANM06.003.50.015AB	UL20549	300V	50X2X15AWG	34/0.25	44.7	3739.05	10.9Ω/km
ANM06.003.51.015AB	UL20549	300V	51X2X15AWG	34/0.25	44.7	3763.05	10.9Ω/km
ANM06.003.52.015AB	UL20549	300V	52X2X15AWG	34/0.25	44.7	3786.85	10.9Ω/km
ANM06.003.53.015AB	UL20549	300V	53X2X15AWG	34/0.25	45.9	3946.35	10.9Ω/km
ANM06.003.54.015AB	UL20549	300V	54X2X15AWG	34/0.25	45.9	3970.25	10.9Ω/km
ANM06.003.55.015AB	UL20549	300V	55X2X15AWG	34/0.25	45.9	3994.25	10.9Ω/km
ANM06.003.56.015AB	UL20549	300V	56X2X15AWG	34/0.25	45.9	4018.25	10.9Ω/km
ANM06.003.57.015AB	UL20549	300V	57X2X15AWG	34/0.25	47.2	4192.85	10.9Ω/km
ANM06.003.58.015AB	UL20549	300V	58X2X15AWG	34/0.25	47.2	4216.85	10.9Ω/km
ANM06.003.59.015AB	UL20549	300V	59X2X15AWG	34/0.25	47.2	4240.75	10.9Ω/km
ANM06.003.60.015AB	UL20549	300V	60X2X15AWG	34/0.25	47.2	4264.75	10.9Ω/km
ANM06.003.61.015AB	UL20549	300V	61X2X15AWG	34/0.25	47.2	4288.75	10.9Ω/km
ANM06.003.62.015AB	UL20549	300V	62X2X15AWG	34/0.25	48.6	4479.35	10.9Ω/km
ANM06.003.63.015AB	UL20549	300V	63X2X15AWG	34/0.25	48.6	4503.45	10.9Ω/km
ANM06.003.64.015AB	UL20549	300V	64X2X15AWG	34/0.25	48.6	4527.35	10.9Ω/km
ANM06.003.65.015AB	UL20549	300V	65X2X15AWG	34/0.25	48.6	4551.35	10.9Ω/km
ANM06.003.02.014AB	UL20549	300V	2X2X14AWG	43/0.25	12.8	270.68	8.62Ω/km
ANM06.003.03.014AB	UL20549	300V	3X2X14AWG	43/0.25	13.6	327.38	8.62Ω/km
ANM06.003.04.014AB	UL20549	300V	4X2X14AWG	43/0.25	14.8	400.18	8.62Ω/km
ANM06.003.05.014AB	UL20549	300V	5X2X14AWG	43/0.25	16.2	484.38	8.62Ω/km
ANM06.003.06.014AB	UL20549	300V	6X2X14AWG	43/0.25	17.6	573.38	8.62Ω/km
ANM06.003.07.014AB	UL20549	300V	7X2X14AWG	43/0.25	17.6	603.68	8.62Ω/km
ANM06.003.08.014AB	UL20549	300V	8X2X14AWG	43/0.25	19	697.28	8.62Ω/km
ANM06.003.09.014AB	UL20549	300V	9X2X14AWG	43/0.25	22	877.38	8.62Ω/km
ANM06.003.10.014AB	UL20549	300V	10X2X14AWG	43/0.25	23.4	985.88	8.62Ω/km
ANM06.003.11.014AB	UL20549	300V	11X2X14AWG	43/0.25	24.1	1057.08	8.62Ω/km
ANM06.003.12.014AB	UL20549	300V	12X2X14AWG	43/0.25	24.1	1087.58	8.62Ω/km
ANM06.003.13.014AB	UL20549	300V	13X2X14AWG	43/0.25	25.3	1190.48	8.62Ω/km
ANM06.003.14.014AB	UL20549	300V	14X2X14AWG	43/0.25	25.3	1220.88	8.62Ω/km
ANM06.003.15.014AB	UL20549	300V	15X2X14AWG	43/0.25	26.7	1340.58	8.62Ω/km
ANM06.003.16.014AB	UL20549	300V	16X2X14AWG	43/0.25	26.7	1370.88	8.62Ω/km
ANM06.003.17.014AB	UL20549	300V	17X2X14AWG	43/0.25	28.1	1495.38	8.62Ω/km



ANM06.003.18.014AB	UL20549	300V	18X2X14AWG	43/0.25	28.1	1525.78	8.62 Ω/km
ANM06.003.19.014AB	UL20549	300V	19X2X14AWG	43/0.25	28.1	1556.08	8.62 Ω/km
ANM06.003.20.014AB	UL20549	300V	20X2X14AWG	43/0.25	29.9	1712.08	8.62 Ω/km
ANM06.003.21.014AB	UL20549	300V	21X2X14AWG	43/0.25	30.9	1851.08	8.62 Ω/km
ANM06.003.22.014AB	UL20549	300V	22X2X14AWG	43/0.25	32.9	2040.08	8.62 Ω/km
ANM06.003.23.014AB	UL20549	300V	23X2X14AWG	43/0.25	34.3	2187.48	8.62 Ω/km
ANM06.003.24.014AB	UL20549	300V	24X2X14AWG	43/0.25	34.3	2217.78	8.62 Ω/km
ANM06.003.25.014AB	UL20549	300V	25X2X14AWG	43/0.25	35	2308.38	8.62 Ω/km
ANM06.003.26.014AB	UL20549	300V	26X2X14AWG	43/0.25	35	2338.68	8.62 Ω/km
ANM06.003.27.014AB	UL20549	300V	27X2X14AWG	43/0.25	35	2368.98	8.62 Ω/km
ANM06.003.28.014AB	UL20549	300V	28X2X14AWG	43/0.25	36.5	2532.28	8.62 Ω/km
ANM06.003.29.014AB	UL20549	300V	29X2X14AWG	43/0.25	36.5	2562.68	8.62 Ω/km
ANM06.003.30.014AB	UL20549	300V	30X2X14AWG	43/0.25	36.5	2593.08	8.62 Ω/km
ANM06.003.31.014AB	UL20549	300V	31X2X14AWG	43/0.25	37.9	2752.48	8.62 Ω/km
ANM06.003.32.014AB	UL20549	300V	32X2X14AWG	43/0.25	37.9	2782.78	8.62 Ω/km
ANM06.003.33.014AB	UL20549	300V	33X2X14AWG	43/0.25	37.9	2813.08	8.62 Ω/km
ANM06.003.34.014AB	UL20549	300V	34X2X14AWG	43/0.25	39.3	2977.38	8.62 Ω/km
ANM06.003.35.014AB	UL20549	300V	35X2X14AWG	43/0.25	39.3	3007.58	8.62 Ω/km
ANM06.003.36.014AB	UL20549	300V	36X2X14AWG	43/0.25	39.3	3038.08	8.62 Ω/km
ANM06.003.37.014AB	UL20549	300V	37X2X14AWG	43/0.25	39.3	3068.38	8.62 Ω/km
ANM06.003.38.014AB	UL20549	300V	38X2X14AWG	43/0.25	40.9	3295.08	8.62 Ω/km
ANM06.003.39.014AB	UL20549	300V	39X2X14AWG	43/0.25	40.9	3325.38	8.62 Ω/km
ANM06.003.40.014AB	UL20549	300V	40X2X14AWG	43/0.25	40.9	3355.68	8.62 Ω/km
ANM06.003.41.014AB	UL20549	300V	41X2X14AWG	43/0.25	45.7	3896.78	8.62 Ω/km
ANM06.003.42.014AB	UL20549	300V	42X2X14AWG	43/0.25	45.7	3927.28	8.62 Ω/km
ANM06.003.43.014AB	UL20549	300V	43X2X14AWG	43/0.25	45.7	3957.48	8.62 Ω/km
ANM06.003.44.014AB	UL20549	300V	44X2X14AWG	43/0.25	45.7	3987.78	8.62 Ω/km
ANM06.003.45.014AB	UL20549	300V	45X2X14AWG	43/0.25	46.4	4098.38	8.62 Ω/km
ANM06.003.46.014AB	UL20549	300V	46X2X14AWG	43/0.25	46.4	4128.68	8.62 Ω/km
ANM06.003.47.014AB	UL20549	300V	47X2X14AWG	43/0.25	46.4	4159.08	8.62 Ω/km
ANM06.003.48.014AB	UL20549	300V	48X2X14AWG	43/0.25	46.4	4189.38	8.62 Ω/km
ANM06.003.49.014AB	UL20549	300V	49X2X14AWG	43/0.25	47.6	4360.08	8.62 Ω/km
ANM06.003.50.014AB	UL20549	300V	50X2X14AWG	43/0.25	47.6	4390.28	8.62 Ω/km
ANM06.003.51.014AB	UL20549	300V	51X2X14AWG	43/0.25	47.6	4420.68	8.62 Ω/km
ANM06.003.52.014AB	UL20549	300V	52X2X14AWG	43/0.25	47.6	4450.98	8.62 Ω/km
ANM06.003.02.013AB	UL20549	300V	2X2X13AWG	54/0.25	13.9	322.63	6.82 Ω/km
ANM06.003.03.013AB	UL20549	300V	3X2X13AWG	54/0.25	14.7	388.83	6.82 Ω/km
ANM06.003.04.013AB	UL20549	300V	4X2X13AWG	54/0.25	16.1	480.13	6.82 Ω/km
ANM06.003.05.013AB	UL20549	300V	5X2X13AWG	54/0.25	17.6	580.43	6.82 Ω/km
ANM06.003.06.013AB	UL20549	300V	6X2X13AWG	54/0.25	19.2	691.03	6.82 Ω/km
ANM06.003.07.013AB	UL20549	300V	7X2X13AWG	54/0.25	19.2	728.73	6.82 Ω/km
ANM06.003.08.013AB	UL20549	300V	8X2X13AWG	54/0.25	21.8	895.83	6.82 Ω/km



ANM06.003.09.013AB	UL20549	300V	9X2X13AWG	54/0.25	23.9	1051.63	6.82 Ω/km
ANM06.003.10.013AB	UL20549	300V	10X2X13AWG	54/0.25	25.5	1186.43	6.82 Ω/km
ANM06.003.11.013AB	UL20549	300V	11X2X13AWG	54/0.25	26.3	1274.93	6.82 Ω/km
ANM06.003.12.013AB	UL20549	300V	12X2X13AWG	54/0.25	26.3	1312.73	6.82 Ω/km
ANM06.003.13.013AB	UL20549	300V	13X2X13AWG	54/0.25	27.7	1443.13	6.82 Ω/km
ANM06.003.14.013AB	UL20549	300V	14X2X13AWG	54/0.25	27.7	1480.83	6.82 Ω/km
ANM06.003.15.013AB	UL20549	300V	15X2X13AWG	54/0.25	30.6	1757.43	6.82 Ω/km
ANM06.003.16.013AB	UL20549	300V	16X2X13AWG	54/0.25	30.6	1795.03	6.82 Ω/km
ANM06.003.17.013AB	UL20549	300V	17X2X13AWG	54/0.25	32.1	1949.83	6.82 Ω/km
ANM06.003.18.013AB	UL20549	300V	18X2X13AWG	54/0.25	32.1	1987.53	6.82 Ω/km
ANM06.003.19.013AB	UL20549	300V	19X2X13AWG	54/0.25	32.1	2025.23	6.82 Ω/km
ANM06.003.20.013AB	UL20549	300V	20X2X13AWG	54/0.25	33	2135.83	6.82 Ω/km
ANM06.003.21.013AB	UL20549	300V	21X2X13AWG	54/0.25	33.7	2231.53	6.82 Ω/km
ANM06.003.22.013AB	UL20549	300V	22X2X13AWG	54/0.25	36.2	2486.23	6.82 Ω/km
ANM06.003.23.013AB	UL20549	300V	23X2X13AWG	54/0.25	37.7	2661.53	6.82 Ω/km
ANM06.003.24.013AB	UL20549	300V	24X2X13AWG	54/0.25	37.7	2699.13	6.82 Ω/km
ANM06.003.25.013AB	UL20549	300V	25X2X13AWG	54/0.25	38.6	2821.73	6.82 Ω/km
ANM06.003.26.013AB	UL20549	300V	26X2X13AWG	54/0.25	38.6	2859.53	6.82 Ω/km
ANM06.003.27.013AB	UL20549	300V	27X2X13AWG	54/0.25	38.6	2897.23	6.82 Ω/km
ANM06.003.28.013AB	UL20549	300V	28X2X13AWG	54/0.25	39.9	3061.43	6.82 Ω/km
ANM06.003.29.013AB	UL20549	300V	29X2X13AWG	54/0.25	39.9	3099.03	6.82 Ω/km
ANM06.003.30.013AB	UL20549	300V	30X2X13AWG	54/0.25	39.9	3136.73	6.82 Ω/km
ANM06.003.31.013AB	UL20549	300V	31X2X13AWG	54/0.25	41.6	3384.23	6.82 Ω/km
ANM06.003.32.013AB	UL20549	300V	32X2X13AWG	54/0.25	41.6	3421.93	6.82 Ω/km
ANM06.003.33.013AB	UL20549	300V	33X2X13AWG	54/0.25	41.6	3459.53	6.82 Ω/km
ANM06.003.34.013AB	UL20549	300V	34X2X13AWG	54/0.25	44.6	3812.33	6.82 Ω/km
ANM06.003.35.013AB	UL20549	300V	35X2X13AWG	54/0.25	44.6	3849.93	6.82 Ω/km
ANM06.003.36.013AB	UL20549	300V	36X2X13AWG	54/0.25	44.6	3887.73	6.82 Ω/km
ANM06.003.37.013AB	UL20549	300V	37X2X13AWG	54/0.25	44.6	3925.53	6.82 Ω/km
ANM06.003.38.013AB	UL20549	300V	38X2X13AWG	54/0.25	46.2	4143.93	6.82 Ω/km
ANM06.003.39.013AB	UL20549	300V	39X2X13AWG	54/0.25	46.2	4181.73	6.82 Ω/km
ANM06.003.40.013AB	UL20549	300V	40X2X13AWG	54/0.25	46.2	4219.43	6.82 Ω/km
ANM06.003.41.013AB	UL20549	300V	41X2X13AWG	54/0.25	49.9	4699.13	6.82 Ω/km
ANM06.003.42.013AB	UL20549	300V	42X2X13AWG	54/0.25	49.9	4736.83	6.82 Ω/km
ANM06.003.43.013AB	UL20549	300V	43X2X13AWG	54/0.25	49.9	4774.53	6.82 Ω/km
ANM06.003.44.013AB	UL20549	300V	44X2X13AWG	54/0.25	49.9	4812.23	6.82 Ω/km
ANM06.003.45.013AB	UL20549	300V	45X2X13AWG	54/0.25	50.7	4949.83	6.82 Ω/km
ANM06.003.46.013AB	UL20549	300V	46X2X13AWG	54/0.25	50.7	4987.53	6.82 Ω/km
ANM06.003.47.013AB	UL20549	300V	47X2X13AWG	54/0.25	50.7	5025.23	6.82 Ω/km
ANM06.003.48.013AB	UL20549	300V	48X2X13AWG	54/0.25	50.7	5062.83	6.82 Ω/km
ANM06.003.49.013AB	UL20549	300V	49X2X13AWG	54/0.25	52.1	5279.23	6.82 Ω/km
ANM06.003.50.013AB	UL20549	300V	50X2X13AWG	54/0.25	52.1	5317.03	6.82 Ω/km





ANM06.003.51.013AB	UL20549	300V	51X2X13AWG	54/0.25	52.1	5354.63	6.82 Ω/km
ANM06.003.52.013AB	UL20549	300V	52X2X13AWG	54/0.25	52.1	5392.33	6.82 Ω/km
ANM06.003.02.028AB	UL20549	300V	2X2X28AWG	11/0.1	6.5	58.49	223 Ω/km
ANM06.003.03.028AB	UL20549	300V	3X2X28AWG	11/0.1	6.8	64.79	223 Ω/km
ANM06.003.04.028AB	UL20549	300V	4X2X28AWG	11/0.1	7.3	74.89	223 Ω/km
ANM06.003.05.028AB	UL20549	300V	5X2X28AWG	11/0.1	8	89.79	223 Ω/km
ANM06.003.06.028AB	UL20549	300V	6X2X28AWG	11/0.1	8.6	103.49	223 Ω/km
ANM06.003.07.028AB	UL20549	300V	7X2X28AWG	11/0.1	8.6	104.69	223 Ω/km
ANM06.003.08.028AB	UL20549	300V	8X2X28AWG	11/0.1	9.2	119.29	223 Ω/km
ANM06.003.09.028AB	UL20549	300V	9X2X28AWG	11/0.1	11.1	167.59	223 Ω/km
ANM06.003.10.028AB	UL20549	300V	10X2X28AWG	11/0.1	11.7	185.79	223 Ω/km
ANM06.003.11.028AB	UL20549	300V	11X2X28AWG	11/0.1	12	195.79	223 Ω/km
ANM06.003.12.028AB	UL20549	300V	12X2X28AWG	11/0.1	12	196.99	223 Ω/km
ANM06.003.13.028AB	UL20549	300V	13X2X28AWG	11/0.1	12.6	216.59	223 Ω/km
ANM06.003.14.028AB	UL20549	300V	14X2X28AWG	11/0.1	12.6	217.79	223 Ω/km
ANM06.003.15.028AB	UL20549	300V	15X2X28AWG	11/0.1	13.2	238.09	223 Ω/km
ANM06.003.16.028AB	UL20549	300V	16X2X28AWG	11/0.1	13.2	239.29	223 Ω/km
ANM06.003.17.028AB	UL20549	300V	17X2X28AWG	11/0.1	13.9	263.89	223 Ω/km
ANM06.003.18.028AB	UL20549	300V	18X2X28AWG	11/0.1	13.9	265.19	223 Ω/km
ANM06.003.19.028AB	UL20549	300V	19X2X28AWG	11/0.1	13.9	266.29	223 Ω/km
ANM06.003.20.028AB	UL20549	300V	20X2X28AWG	11/0.1	14.2	277.99	223 Ω/km
ANM06.003.21.028AB	UL20549	300V	21X2X28AWG	11/0.1	14.5	289.89	223 Ω/km
ANM06.003.22.028AB	UL20549	300V	22X2X28AWG	11/0.1	15.4	324.39	223 Ω/km
ANM06.003.23.028AB	UL20549	300V	23X2X28AWG	11/0.1	16	348.79	223 Ω/km
ANM06.003.24.028AB	UL20549	300V	24X2X28AWG	11/0.1	16	350.09	223 Ω/km
ANM06.003.25.028AB	UL20549	300V	25X2X28AWG	11/0.1	16.4	367.39	223 Ω/km
ANM06.003.26.028AB	UL20549	300V	26X2X28AWG	11/0.1	16.4	368.59	223 Ω/km
ANM06.003.27.028AB	UL20549	300V	27X2X28AWG	11/0.1	16.4	369.69	223 Ω/km
ANM06.003.28.028AB	UL20549	300V	28X2X28AWG	11/0.1	16.9	391.29	223 Ω/km
ANM06.003.29.028AB	UL20549	300V	29X2X28AWG	11/0.1	16.9	392.39	223 Ω/km
ANM06.003.30.028AB	UL20549	300V	30X2X28AWG	11/0.1	16.9	393.59	223 Ω/km
ANM06.003.31.028AB	UL20549	300V	31X2X28AWG	11/0.1	17.5	420.39	223 Ω/km
ANM06.003.32.028AB	UL20549	300V	32X2X28AWG	11/0.1	17.5	421.49	223 Ω/km
ANM06.003.33.028AB	UL20549	300V	33X2X28AWG	11/0.1	17.5	422.59	223 Ω/km
ANM06.003.34.028AB	UL20549	300V	34X2X28AWG	11/0.1	18.1	450.09	223 Ω/km
ANM06.003.35.028AB	UL20549	300V	35X2X28AWG	11/0.1	18.1	451.19	223 Ω/km
ANM06.003.36.028AB	UL20549	300V	36X2X28AWG	11/0.1	18.1	452.39	223 Ω/km
ANM06.003.37.028AB	UL20549	300V	37X2X28AWG	11/0.1	18.1	453.49	223 Ω/km
ANM06.003.38.028AB	UL20549	300V	38X2X28AWG	11/0.1	18.8	486.59	223 Ω/km
ANM06.003.39.028AB	UL20549	300V	39X2X28AWG	11/0.1	18.8	487.69	223 Ω/km
ANM06.003.40.028AB	UL20549	300V	40X2X28AWG	11/0.1	18.8	488.89	223 Ω/km
ANM06.003.41.028AB	UL20549	300V	41X2X28AWG	11/0.1	21.2	606.49	223 Ω/km



ANM06.003.42.028AB	UL20549	300V	42X2X28AWG	11/0.1	21.2	607.69	223 Ω/km
ANM06.003.43.028AB	UL20549	300V	43X2X28AWG	11/0.1	21.2	608.79	223 Ω/km
ANM06.003.44.028AB	UL20549	300V	44X2X28AWG	11/0.1	21.2	609.89	223 Ω/km
ANM06.003.45.028AB	UL20549	300V	45X2X28AWG	11/0.1	21.6	632.09	223 Ω/km
ANM06.003.46.028AB	UL20549	300V	46X2X28AWG	11/0.1	21.6	633.19	223 Ω/km
ANM06.003.47.028AB	UL20549	300V	47X2X28AWG	11/0.1	21.6	634.29	223 Ω/km
ANM06.003.48.028AB	UL20549	300V	48X2X28AWG	11/0.1	21.6	635.49	223 Ω/km
ANM06.003.49.028AB	UL20549	300V	49X2X28AWG	11/0.1	22.1	663.49	223 Ω/km
ANM06.003.50.028AB	UL20549	300V	50X2X28AWG	11/0.1	22.1	664.69	223 Ω/km
ANM06.003.51.028AB	UL20549	300V	51X2X28AWG	11/0.1	22.1	665.79	223 Ω/km
ANM06.003.52.028AB	UL20549	300V	52X2X28AWG	11/0.1	22.1	666.99	223 Ω/km
ANM06.003.53.028AB	UL20549	300V	53X2X28AWG	11/0.1	22.7	701.39	223 Ω/km
ANM06.003.54.028AB	UL20549	300V	54X2X28AWG	11/0.1	22.7	702.49	223 Ω/km
ANM06.003.55.028AB	UL20549	300V	55X2X28AWG	11/0.1	22.7	703.59	223 Ω/km
ANM06.003.56.028AB	UL20549	300V	56X2X28AWG	11/0.1	22.7	704.69	223 Ω/km
ANM06.003.57.028AB	UL20549	300V	57X2X28AWG	11/0.1	23.4	745.49	223 Ω/km
ANM06.003.58.028AB	UL20549	300V	58X2X28AWG	11/0.1	23.4	746.59	223 Ω/km
ANM06.003.59.028AB	UL20549	300V	59X2X28AWG	11/0.1	23.4	747.79	223 Ω/km
ANM06.003.60.028AB	UL20549	300V	60X2X28AWG	11/0.1	23.4	748.99	223 Ω/km
ANM06.003.61.028AB	UL20549	300V	61X2X28AWG	11/0.1	23.4	750.09	223 Ω/km
ANM06.003.62.028AB	UL20549	300V	62X2X28AWG	11/0.1	24	786.09	223 Ω/km
ANM06.003.63.028AB	UL20549	300V	63X2X28AWG	11/0.1	24	787.19	223 Ω/km
ANM06.003.64.028AB	UL20549	300V	64X2X28AWG	11/0.1	24	788.29	223 Ω/km
ANM06.003.65.028AB	UL20549	300V	65X2X28AWG	11/0.1	24	789.49	223 Ω/km
ANM06.003.02.027AB	UL20549	300V	2X2X27AWG	7/0.14	6.8	63.81	175 Ω/km
ANM06.003.03.027AB	UL20549	300V	3X2X27AWG	7/0.14	7.2	72.21	175 Ω/km
ANM06.003.04.027AB	UL20549	300V	4X2X27AWG	7/0.14	7.8	85.01	175 Ω/km
ANM06.003.05.027AB	UL20549	300V	5X2X27AWG	7/0.14	8.4	98.71	175 Ω/km
ANM06.003.06.027AB	UL20549	300V	6X2X27AWG	7/0.14	9.1	115.41	175 Ω/km
ANM06.003.07.027AB	UL20549	300V	7X2X27AWG	7/0.14	9.1	116.61	175 Ω/km
ANM06.003.08.027AB	UL20549	300V	8X2X27AWG	7/0.14	9.8	134.51	175 Ω/km
ANM06.003.09.027AB	UL20549	300V	9X2X27AWG	7/0.14	11.7	185.61	175 Ω/km
ANM06.003.10.027AB	UL20549	300V	10X2X27AWG	7/0.14	12.4	208.01	175 Ω/km
ANM06.003.11.027AB	UL20549	300V	11X2X27AWG	7/0.14	12.8	221.81	175 Ω/km
ANM06.003.12.027AB	UL20549	300V	12X2X27AWG	7/0.14	12.8	223.11	175 Ω/km
ANM06.003.13.027AB	UL20549	300V	13X2X27AWG	7/0.14	13.5	247.41	175 Ω/km
ANM06.003.14.027AB	UL20549	300V	14X2X27AWG	7/0.14	13.5	248.61	175 Ω/km
ANM06.003.15.027AB	UL20549	300V	15X2X27AWG	7/0.14	14.1	270.51	175 Ω/km
ANM06.003.16.027AB	UL20549	300V	16X2X27AWG	7/0.14	14.1	271.71	175 Ω/km
ANM06.003.17.027AB	UL20549	300V	17X2X27AWG	7/0.14	14.8	298.21	175 Ω/km
ANM06.003.18.027AB	UL20549	300V	18X2X27AWG	7/0.14	14.8	299.41	175 Ω/km
ANM06.003.19.027AB	UL20549	300V	19X2X27AWG	7/0.14	14.8	300.71	175 Ω/km



ANM06.003.20.027AB	UL20549	300V	20X2X27AWG	7/0.14	15.2	316.71	175 Ω/km
ANM06.003.21.027AB	UL20549	300V	21X2X27AWG	7/0.14	15.5	329.51	175 Ω/km
ANM06.003.22.027AB	UL20549	300V	22X2X27AWG	7/0.14	16.4	366.41	175 Ω/km
ANM06.003.23.027AB	UL20549	300V	23X2X27AWG	7/0.14	17.1	396.61	175 Ω/km
ANM06.003.24.027AB	UL20549	300V	24X2X27AWG	7/0.14	17.1	397.81	175 Ω/km
ANM06.003.25.027AB	UL20549	300V	25X2X27AWG	7/0.14	17.4	411.91	175 Ω/km
ANM06.003.26.027AB	UL20549	300V	26X2X27AWG	7/0.14	17.4	413.11	175 Ω/km
ANM06.003.27.027AB	UL20549	300V	27X2X27AWG	7/0.14	17.4	414.31	175 Ω/km
ANM06.003.28.027AB	UL20549	300V	28X2X27AWG	7/0.14	18	442.01	175 Ω/km
ANM06.003.29.027AB	UL20549	300V	29X2X27AWG	7/0.14	18	443.31	175 Ω/km
ANM06.003.30.027AB	UL20549	300V	30X2X27AWG	7/0.14	18	444.51	175 Ω/km
ANM06.003.31.027AB	UL20549	300V	31X2X27AWG	7/0.14	18.7	477.51	175 Ω/km
ANM06.003.32.027AB	UL20549	300V	32X2X27AWG	7/0.14	18.7	478.71	175 Ω/km
ANM06.003.33.027AB	UL20549	300V	33X2X27AWG	7/0.14	18.7	480.01	175 Ω/km
ANM06.003.34.027AB	UL20549	300V	34X2X27AWG	7/0.14	19.4	514.21	175 Ω/km
ANM06.003.35.027AB	UL20549	300V	35X2X27AWG	7/0.14	19.4	515.41	175 Ω/km
ANM06.003.36.027AB	UL20549	300V	36X2X27AWG	7/0.14	19.4	516.61	175 Ω/km
ANM06.003.37.027AB	UL20549	300V	37X2X27AWG	7/0.14	19.4	518.01	175 Ω/km
ANM06.003.38.027AB	UL20549	300V	38X2X27AWG	7/0.14	21.1	602.21	175 Ω/km
ANM06.003.39.027AB	UL20549	300V	39X2X27AWG	7/0.14	21.1	603.41	175 Ω/km
ANM06.003.40.027AB	UL20549	300V	40X2X27AWG	7/0.14	21.1	604.61	175 Ω/km
ANM06.003.41.027AB	UL20549	300V	41X2X27AWG	7/0.14	22.7	692.21	175 Ω/km
ANM06.003.42.027AB	UL20549	300V	42X2X27AWG	7/0.14	22.7	693.41	175 Ω/km
ANM06.003.43.027AB	UL20549	300V	43X2X27AWG	7/0.14	22.7	694.61	175 Ω/km
ANM06.003.44.027AB	UL20549	300V	44X2X27AWG	7/0.14	22.7	695.81	175 Ω/km
ANM06.003.45.027AB	UL20549	300V	45X2X27AWG	7/0.14	23	713.91	175 Ω/km
ANM06.003.46.027AB	UL20549	300V	46X2X27AWG	7/0.14	23	715.21	175 Ω/km
ANM06.003.47.027AB	UL20549	300V	47X2X27AWG	7/0.14	23	716.41	175 Ω/km
ANM06.003.48.027AB	UL20549	300V	48X2X27AWG	7/0.14	23	717.71	175 Ω/km
ANM06.003.49.027AB	UL20549	300V	49X2X27AWG	7/0.14	23.6	753.41	175 Ω/km
ANM06.003.50.027AB	UL20549	300V	50X2X27AWG	7/0.14	23.6	754.61	175 Ω/km
ANM06.003.51.027AB	UL20549	300V	51X2X27AWG	7/0.14	23.6	755.81	175 Ω/km
ANM06.003.52.027AB	UL20549	300V	52X2X27AWG	7/0.14	23.6	757.01	175 Ω/km
ANM06.003.53.027AB	UL20549	300V	53X2X27AWG	7/0.14	24.3	799.61	175 Ω/km
ANM06.003.54.027AB	UL20549	300V	54X2X27AWG	7/0.14	24.3	800.81	175 Ω/km
ANM06.003.55.027AB	UL20549	300V	55X2X27AWG	7/0.14	24.3	802.11	175 Ω/km
ANM06.003.56.027AB	UL20549	300V	56X2X27AWG	7/0.14	24.3	803.31	175 Ω/km
ANM06.003.57.027AB	UL20549	300V	57X2X27AWG	7/0.14	24.9	840.81	175 Ω/km
ANM06.003.58.027AB	UL20549	300V	58X2X27AWG	7/0.14	24.9	842.11	175 Ω/km
ANM06.003.59.027AB	UL20549	300V	59X2X27AWG	7/0.14	24.9	843.31	175 Ω/km
ANM06.003.60.027AB	UL20549	300V	60X2X27AWG	7/0.14	24.9	844.51	175 Ω/km
ANM06.003.61.027AB	UL20549	300V	61X2X27AWG	7/0.14	24.9	845.71	175 Ω/km



ANM06.003.62.027AB	UL20549	300V	62X2X27AWG	7/0.14	25.6	890.41	175 Ω/km
ANM06.003.63.027AB	UL20549	300V	63X2X27AWG	7/0.14	25.6	891.61	175 Ω/km
ANM06.003.64.027AB	UL20549	300V	64X2X27AWG	7/0.14	25.6	892.91	175 Ω/km
ANM06.003.65.027AB	UL20549	300V	65X2X27AWG	7/0.14	25.6	894.11	175 Ω/km
ANM06.003.02.026AB	UL20549	300V	2X2X26AWG	9/0.14	6.8	64.83	140 Ω/km
ANM06.003.03.026AB	UL20549	300V	3X2X26AWG	9/0.14	7.2	73.73	140 Ω/km
ANM06.003.04.026AB	UL20549	300V	4X2X26AWG	9/0.14	7.8	87.03	140 Ω/km
ANM06.003.05.026AB	UL20549	300V	5X2X26AWG	9/0.14	8.4	101.13	140 Ω/km
ANM06.003.06.026AB	UL20549	300V	6X2X26AWG	9/0.14	9.1	118.33	140 Ω/km
ANM06.003.07.026AB	UL20549	300V	7X2X26AWG	9/0.14	9.1	120.13	140 Ω/km
ANM06.003.08.026AB	UL20549	300V	8X2X26AWG	9/0.14	9.8	138.53	140 Ω/km
ANM06.003.09.026AB	UL20549	300V	9X2X26AWG	9/0.14	11.7	190.03	140 Ω/km
ANM06.003.10.026AB	UL20549	300V	10X2X26AWG	9/0.14	12.4	212.93	140 Ω/km
ANM06.003.11.026AB	UL20549	300V	11X2X26AWG	9/0.14	12.8	227.23	140 Ω/km
ANM06.003.12.026AB	UL20549	300V	12X2X26AWG	9/0.14	12.8	229.03	140 Ω/km
ANM06.003.13.026AB	UL20549	300V	13X2X26AWG	9/0.14	13.5	253.73	140 Ω/km
ANM06.003.14.026AB	UL20549	300V	14X2X26AWG	9/0.14	13.5	255.53	140 Ω/km
ANM06.003.15.026AB	UL20549	300V	15X2X26AWG	9/0.14	14.1	277.93	140 Ω/km
ANM06.003.16.026AB	UL20549	300V	16X2X26AWG	9/0.14	14.1	279.63	140 Ω/km
ANM06.003.17.026AB	UL20549	300V	17X2X26AWG	9/0.14	14.8	306.53	140 Ω/km
ANM06.003.18.026AB	UL20549	300V	18X2X26AWG	9/0.14	14.8	308.23	140 Ω/km
ANM06.003.19.026AB	UL20549	300V	19X2X26AWG	9/0.14	14.8	310.03	140 Ω/km
ANM06.003.20.026AB	UL20549	300V	20X2X26AWG	9/0.14	15.2	326.63	140 Ω/km
ANM06.003.21.026AB	UL20549	300V	21X2X26AWG	9/0.14	15.5	339.83	140 Ω/km
ANM06.003.22.026AB	UL20549	300V	22X2X26AWG	9/0.14	16.4	377.23	140 Ω/km
ANM06.003.23.026AB	UL20549	300V	23X2X26AWG	9/0.14	17.1	407.93	140 Ω/km
ANM06.003.24.026AB	UL20549	300V	24X2X26AWG	9/0.14	17.1	409.63	140 Ω/km
ANM06.003.25.026AB	UL20549	300V	25X2X26AWG	9/0.14	17.4	424.13	140 Ω/km
ANM06.003.26.026AB	UL20549	300V	26X2X26AWG	9/0.14	17.4	425.83	140 Ω/km
ANM06.003.27.026AB	UL20549	300V	27X2X26AWG	9/0.14	17.4	427.63	140 Ω/km
ANM06.003.28.026AB	UL20549	300V	28X2X26AWG	9/0.14	18	455.83	140 Ω/km
ANM06.003.29.026AB	UL20549	300V	29X2X26AWG	9/0.14	18	457.53	140 Ω/km
ANM06.003.30.026AB	UL20549	300V	30X2X26AWG	9/0.14	18	459.23	140 Ω/km
ANM06.003.31.026AB	UL20549	300V	31X2X26AWG	9/0.14	18.7	492.73	140 Ω/km
ANM06.003.32.026AB	UL20549	300V	32X2X26AWG	9/0.14	18.7	494.43	140 Ω/km
ANM06.003.33.026AB	UL20549	300V	33X2X26AWG	9/0.14	18.7	496.13	140 Ω/km
ANM06.003.34.026AB	UL20549	300V	34X2X26AWG	9/0.14	19.4	530.93	140 Ω/km
ANM06.003.35.026AB	UL20549	300V	35X2X26AWG	9/0.14	19.4	532.63	140 Ω/km
ANM06.003.36.026AB	UL20549	300V	36X2X26AWG	9/0.14	19.4	534.33	140 Ω/km
ANM06.003.37.026AB	UL20549	300V	37X2X26AWG	9/0.14	19.4	536.13	140 Ω/km
ANM06.003.38.026AB	UL20549	300V	38X2X26AWG	9/0.14	21.1	620.83	140 Ω/km
ANM06.003.39.026AB	UL20549	300V	39X2X26AWG	9/0.14	21.1	622.53	140 Ω/km



ANM06.003.40.026AB	UL20549	300V	40X2X26AWG	9/0.14	21.1	624.33	140 Ω/km
ANM06.003.41.026AB	UL20549	300V	41X2X26AWG	9/0.14	22.7	712.33	140 Ω/km
ANM06.003.42.026AB	UL20549	300V	42X2X26AWG	9/0.14	22.7	714.03	140 Ω/km
ANM06.003.43.026AB	UL20549	300V	43X2X26AWG	9/0.14	22.7	715.73	140 Ω/km
ANM06.003.44.026AB	UL20549	300V	44X2X26AWG	9/0.14	22.7	717.43	140 Ω/km
ANM06.003.45.026AB	UL20549	300V	45X2X26AWG	9/0.14	23	735.93	140 Ω/km
ANM06.003.46.026AB	UL20549	300V	46X2X26AWG	9/0.14	23	737.73	140 Ω/km
ANM06.003.47.026AB	UL20549	300V	47X2X26AWG	9/0.14	23	739.53	140 Ω/km
ANM06.003.48.026AB	UL20549	300V	48X2X26AWG	9/0.14	23	741.33	140 Ω/km
ANM06.003.49.026AB	UL20549	300V	49X2X26AWG	9/0.14	23.6	777.43	140 Ω/km
ANM06.003.50.026AB	UL20549	300V	50X2X26AWG	9/0.14	23.6	779.13	140 Ω/km
ANM06.003.51.026AB	UL20549	300V	51X2X26AWG	9/0.14	23.6	780.83	140 Ω/km
ANM06.003.52.026AB	UL20549	300V	52X2X26AWG	9/0.14	23.6	782.53	140 Ω/km
ANM06.003.53.026AB	UL20549	300V	53X2X26AWG	9/0.14	24.3	825.63	140 Ω/km
ANM06.003.54.026AB	UL20549	300V	54X2X26AWG	9/0.14	24.3	827.33	140 Ω/km
ANM06.003.55.026AB	UL20549	300V	55X2X26AWG	9/0.14	24.3	829.13	140 Ω/km
ANM06.003.56.026AB	UL20549	300V	56X2X26AWG	9/0.14	24.3	830.83	140 Ω/km
ANM06.003.57.026AB	UL20549	300V	57X2X26AWG	9/0.14	24.9	868.83	140 Ω/km
ANM06.003.58.026AB	UL20549	300V	58X2X26AWG	9/0.14	24.9	870.53	140 Ω/km
ANM06.003.59.026AB	UL20549	300V	59X2X26AWG	9/0.14	24.9	872.23	140 Ω/km
ANM06.003.60.026AB	UL20549	300V	60X2X26AWG	9/0.14	24.9	874.03	140 Ω/km
ANM06.003.61.026AB	UL20549	300V	61X2X26AWG	9/0.14	24.9	875.73	140 Ω/km
ANM06.003.62.026AB	UL20549	300V	62X2X26AWG	9/0.14	25.6	920.83	140 Ω/km
ANM06.003.63.026AB	UL20549	300V	63X2X26AWG	9/0.14	25.6	922.53	140 Ω/km
ANM06.003.64.026AB	UL20549	300V	64X2X26AWG	9/0.14	25.6	924.33	140 Ω/km
ANM06.003.65.026AB	UL20549	300V	65X2X26AWG	9/0.14	25.6	926.03	140 Ω/km
ANM06.003.02.025AB	UL20549	300V	2X2X25AWG	11/0.14	7.2	72.77	111 Ω/km
ANM06.003.03.025AB	UL20549	300V	3X2X25AWG	11/0.14	7.6	82.37	111 Ω/km
ANM06.003.04.025AB	UL20549	300V	4X2X25AWG	11/0.14	8.2	96.67	111 Ω/km
ANM06.003.05.025AB	UL20549	300V	5X2X25AWG	11/0.14	8.9	113.87	111 Ω/km
ANM06.003.06.025AB	UL20549	300V	6X2X25AWG	11/0.14	9.6	132.57	111 Ω/km
ANM06.003.07.025AB	UL20549	300V	7X2X25AWG	11/0.14	9.6	134.57	111 Ω/km
ANM06.003.08.025AB	UL20549	300V	8X2X25AWG	11/0.14	11.4	182.67	111 Ω/km
ANM06.003.09.025AB	UL20549	300V	9X2X25AWG	11/0.14	12.4	214.67	111 Ω/km
ANM06.003.10.025AB	UL20549	300V	10X2X25AWG	11/0.14	13.1	238.97	111 Ω/km
ANM06.003.11.025AB	UL20549	300V	11X2X25AWG	11/0.14	13.6	257.67	111 Ω/km
ANM06.003.12.025AB	UL20549	300V	12X2X25AWG	11/0.14	13.6	259.77	111 Ω/km
ANM06.003.13.025AB	UL20549	300V	13X2X25AWG	11/0.14	14.2	282.67	111 Ω/km
ANM06.003.14.025AB	UL20549	300V	14X2X25AWG	11/0.14	14.2	284.77	111 Ω/km
ANM06.003.15.025AB	UL20549	300V	15X2X25AWG	11/0.14	14.9	312.17	111 Ω/km
ANM06.003.16.025AB	UL20549	300V	16X2X25AWG	11/0.14	14.9	314.37	111 Ω/km
ANM06.003.17.025AB	UL20549	300V	17X2X25AWG	11/0.14	15.7	346.87	111 Ω/km



ANM06.003.18.025AB	UL20549	300V	18X2X25AWG	11/0.14	15.7	349.07	111 Ω/km
ANM06.003.19.025AB	UL20549	300V	19X2X25AWG	11/0.14	15.7	351.07	111 Ω/km
ANM06.003.20.025AB	UL20549	300V	20X2X25AWG	11/0.14	16.1	369.07	111 Ω/km
ANM06.003.21.025AB	UL20549	300V	21X2X25AWG	11/0.14	16.4	383.17	111 Ω/km
ANM06.003.22.025AB	UL20549	300V	22X2X25AWG	11/0.14	17.4	426.97	111 Ω/km
ANM06.003.23.025AB	UL20549	300V	23X2X25AWG	11/0.14	18.1	459.97	111 Ω/km
ANM06.003.24.025AB	UL20549	300V	24X2X25AWG	11/0.14	18.1	461.97	111 Ω/km
ANM06.003.25.025AB	UL20549	300V	25X2X25AWG	11/0.14	18.5	482.37	111 Ω/km
ANM06.003.26.025AB	UL20549	300V	26X2X25AWG	11/0.14	18.5	484.47	111 Ω/km
ANM06.003.27.025AB	UL20549	300V	27X2X25AWG	11/0.14	18.5	486.57	111 Ω/km
ANM06.003.28.025AB	UL20549	300V	28X2X25AWG	11/0.14	19.2	521.27	111 Ω/km
ANM06.003.29.025AB	UL20549	300V	29X2X25AWG	11/0.14	19.2	523.47	111 Ω/km
ANM06.003.30.025AB	UL20549	300V	30X2X25AWG	11/0.14	19.2	525.47	111 Ω/km
ANM06.003.31.025AB	UL20549	300V	31X2X25AWG	11/0.14	20.9	609.67	111 Ω/km
ANM06.003.32.025AB	UL20549	300V	32X2X25AWG	11/0.14	20.9	611.87	111 Ω/km
ANM06.003.33.025AB	UL20549	300V	33X2X25AWG	11/0.14	20.9	613.87	111 Ω/km
ANM06.003.34.025AB	UL20549	300V	34X2X25AWG	11/0.14	21.6	652.57	111 Ω/km
ANM06.003.35.025AB	UL20549	300V	35X2X25AWG	11/0.14	21.6	654.67	111 Ω/km
ANM06.003.36.025AB	UL20549	300V	36X2X25AWG	11/0.14	21.6	656.77	111 Ω/km
ANM06.003.37.025AB	UL20549	300V	37X2X25AWG	11/0.14	21.6	658.87	111 Ω/km
ANM06.003.38.025AB	UL20549	300V	38X2X25AWG	11/0.14	22.3	698.87	111 Ω/km
ANM06.003.39.025AB	UL20549	300V	39X2X25AWG	11/0.14	22.3	701.07	111 Ω/km
ANM06.003.40.025AB	UL20549	300V	40X2X25AWG	11/0.14	22.3	703.17	111 Ω/km
ANM06.003.41.025AB	UL20549	300V	41X2X25AWG	11/0.14	24.1	807.97	111 Ω/km
ANM06.003.42.025AB	UL20549	300V	42X2X25AWG	11/0.14	24.1	810.07	111 Ω/km
ANM06.003.43.025AB	UL20549	300V	43X2X25AWG	11/0.14	24.1	812.17	111 Ω/km
ANM06.003.44.025AB	UL20549	300V	44X2X25AWG	11/0.14	24.1	814.27	111 Ω/km
ANM06.003.45.025AB	UL20549	300V	45X2X25AWG	11/0.14	24.5	840.27	111 Ω/km
ANM06.003.46.025AB	UL20549	300V	46X2X25AWG	11/0.14	24.5	842.37	111 Ω/km
ANM06.003.47.025AB	UL20549	300V	47X2X25AWG	11/0.14	24.5	844.47	111 Ω/km
ANM06.003.48.025AB	UL20549	300V	48X2X25AWG	11/0.14	24.5	846.67	111 Ω/km
ANM06.003.49.025AB	UL20549	300V	49X2X25AWG	11/0.14	25.1	885.17	111 Ω/km
ANM06.003.50.025AB	UL20549	300V	50X2X25AWG	11/0.14	25.1	887.37	111 Ω/km
ANM06.003.51.025AB	UL20549	300V	51X2X25AWG	11/0.14	25.1	889.27	111 Ω/km
ANM06.003.52.025AB	UL20549	300V	52X2X25AWG	11/0.14	25.1	891.47	111 Ω/km
ANM06.003.53.025AB	UL20549	300V	53X2X25AWG	11/0.14	25.8	937.37	111 Ω/km
ANM06.003.54.025AB	UL20549	300V	54X2X25AWG	11/0.14	25.8	939.37	111 Ω/km
ANM06.003.55.025AB	UL20549	300V	55X2X25AWG	11/0.14	25.8	941.57	111 Ω/km
ANM06.003.56.025AB	UL20549	300V	56X2X25AWG	11/0.14	25.8	943.57	111 Ω/km
ANM06.003.57.025AB	UL20549	300V	57X2X25AWG	11/0.14	26.5	990.77	111 Ω/km
ANM06.003.58.025AB	UL20549	300V	58X2X25AWG	11/0.14	26.5	992.87	111 Ω/km
ANM06.003.59.025AB	UL20549	300V	59X2X25AWG	11/0.14	26.5	994.97	111 Ω/km



ANM06.003.60.025AB	UL20549	300V	60X2X25AWG	11/0.14	26.5	997.07	111 Ω/km
ANM06.003.61.025AB	UL20549	300V	61X2X25AWG	11/0.14	26.5	999.07	111 Ω/km
ANM06.003.62.025AB	UL20549	300V	62X2X25AWG	11/0.14	27.3	1054.07	111 Ω/km
ANM06.003.63.025AB	UL20549	300V	63X2X25AWG	11/0.14	27.3	1056.17	111 Ω/km
ANM06.003.64.025AB	UL20549	300V	64X2X25AWG	11/0.14	27.3	1058.27	111 Ω/km
ANM06.003.65.025AB	UL20549	300V	65X2X25AWG	11/0.14	27.3	1060.37	111 Ω/km
ANM06.003.02.024AB	UL20549	300V	2X2X24AWG	14/0.14	7.2	74.41	87.6 Ω/km
ANM06.003.03.024AB	UL20549	300V	3X2X24AWG	14/0.14	7.6	84.91	87.6 Ω/km
ANM06.003.04.024AB	UL20549	300V	4X2X24AWG	14/0.14	8.2	99.91	87.6 Ω/km
ANM06.003.05.024AB	UL20549	300V	5X2X24AWG	14/0.14	8.9	118.01	87.6 Ω/km
ANM06.003.06.024AB	UL20549	300V	6X2X24AWG	14/0.14	9.6	137.51	87.6 Ω/km
ANM06.003.07.024AB	UL20549	300V	7X2X24AWG	14/0.14	9.6	140.31	87.6 Ω/km
ANM06.003.08.024AB	UL20549	300V	8X2X24AWG	14/0.14	11.4	189.21	87.6 Ω/km
ANM06.003.09.024AB	UL20549	300V	9X2X24AWG	14/0.14	12.4	222.01	87.6 Ω/km
ANM06.003.10.024AB	UL20549	300V	10X2X24AWG	14/0.14	13.1	247.11	87.6 Ω/km
ANM06.003.11.024AB	UL20549	300V	11X2X24AWG	14/0.14	13.6	266.61	87.6 Ω/km
ANM06.003.12.024AB	UL20549	300V	12X2X24AWG	14/0.14	13.6	269.61	87.6 Ω/km
ANM06.003.13.024AB	UL20549	300V	13X2X24AWG	14/0.14	14.2	293.21	87.6 Ω/km
ANM06.003.14.024AB	UL20549	300V	14X2X24AWG	14/0.14	14.2	296.21	87.6 Ω/km
ANM06.003.15.024AB	UL20549	300V	15X2X24AWG	14/0.14	14.9	324.41	87.6 Ω/km
ANM06.003.16.024AB	UL20549	300V	16X2X24AWG	14/0.14	14.9	327.31	87.6 Ω/km
ANM06.003.17.024AB	UL20549	300V	17X2X24AWG	14/0.14	15.7	360.71	87.6 Ω/km
ANM06.003.18.024AB	UL20549	300V	18X2X24AWG	14/0.14	15.7	363.71	87.6 Ω/km
ANM06.003.19.024AB	UL20549	300V	19X2X24AWG	14/0.14	15.7	366.51	87.6 Ω/km
ANM06.003.20.024AB	UL20549	300V	20X2X24AWG	14/0.14	16.1	385.31	87.6 Ω/km
ANM06.003.21.024AB	UL20549	300V	21X2X24AWG	14/0.14	16.4	400.31	87.6 Ω/km
ANM06.003.22.024AB	UL20549	300V	22X2X24AWG	14/0.14	17.4	444.81	87.6 Ω/km
ANM06.003.23.024AB	UL20549	300V	23X2X24AWG	14/0.14	18.1	478.61	87.6 Ω/km
ANM06.003.24.024AB	UL20549	300V	24X2X24AWG	14/0.14	18.1	481.51	87.6 Ω/km
ANM06.003.25.024AB	UL20549	300V	25X2X24AWG	14/0.14	18.5	502.61	87.6 Ω/km
ANM06.003.26.024AB	UL20549	300V	26X2X24AWG	14/0.14	18.5	505.61	87.6 Ω/km
ANM06.003.27.024AB	UL20549	300V	27X2X24AWG	14/0.14	18.5	508.51	87.6 Ω/km
ANM06.003.28.024AB	UL20549	300V	28X2X24AWG	14/0.14	19.2	544.11	87.6 Ω/km
ANM06.003.29.024AB	UL20549	300V	29X2X24AWG	14/0.14	19.2	547.01	87.6 Ω/km
ANM06.003.30.024AB	UL20549	300V	30X2X24AWG	14/0.14	19.2	549.91	87.6 Ω/km
ANM06.003.31.024AB	UL20549	300V	31X2X24AWG	14/0.14	20.9	634.91	87.6 Ω/km
ANM06.003.32.024AB	UL20549	300V	32X2X24AWG	14/0.14	20.9	637.81	87.6 Ω/km
ANM06.003.33.024AB	UL20549	300V	33X2X24AWG	14/0.14	20.9	640.71	87.6 Ω/km
ANM06.003.34.024AB	UL20549	300V	34X2X24AWG	14/0.14	21.6	680.21	87.6 Ω/km
ANM06.003.35.024AB	UL20549	300V	35X2X24AWG	14/0.14	21.6	683.11	87.6 Ω/km
ANM06.003.36.024AB	UL20549	300V	36X2X24AWG	14/0.14	21.6	686.01	87.6 Ω/km
ANM06.003.37.024AB	UL20549	300V	37X2X24AWG	14/0.14	21.6	689.01	87.6 Ω/km



ANM06.003.38.024AB	UL20549	300V	38X2X24AWG	14/0.14	22.3	729.71	87.6 Ω/km
ANM06.003.39.024AB	UL20549	300V	39X2X24AWG	14/0.14	22.3	732.71	87.6 Ω/km
ANM06.003.40.024AB	UL20549	300V	40X2X24AWG	14/0.14	22.3	735.71	87.6 Ω/km
ANM06.003.41.024AB	UL20549	300V	41X2X24AWG	14/0.14	24.1	841.21	87.6 Ω/km
ANM06.003.42.024AB	UL20549	300V	42X2X24AWG	14/0.14	24.1	844.21	87.6 Ω/km
ANM06.003.43.024AB	UL20549	300V	43X2X24AWG	14/0.14	24.1	847.11	87.6 Ω/km
ANM06.003.44.024AB	UL20549	300V	44X2X24AWG	14/0.14	24.1	850.01	87.6 Ω/km
ANM06.003.45.024AB	UL20549	300V	45X2X24AWG	14/0.14	24.5	876.81	87.6 Ω/km
ANM06.003.46.024AB	UL20549	300V	46X2X24AWG	14/0.14	24.5	879.71	87.6 Ω/km
ANM06.003.47.024AB	UL20549	300V	47X2X24AWG	14/0.14	24.5	882.61	87.6 Ω/km
ANM06.003.48.024AB	UL20549	300V	48X2X24AWG	14/0.14	24.5	885.61	87.6 Ω/km
ANM06.003.49.024AB	UL20549	300V	49X2X24AWG	14/0.14	25.1	925.01	87.6 Ω/km
ANM06.003.50.024AB	UL20549	300V	50X2X24AWG	14/0.14	25.1	927.91	87.6 Ω/km
ANM06.003.51.024AB	UL20549	300V	51X2X24AWG	14/0.14	25.1	930.71	87.6 Ω/km
ANM06.003.52.024AB	UL20549	300V	52X2X24AWG	14/0.14	25.1	933.71	87.6 Ω/km
ANM06.003.53.024AB	UL20549	300V	53X2X24AWG	14/0.14	25.8	980.41	87.6 Ω/km
ANM06.003.54.024AB	UL20549	300V	54X2X24AWG	14/0.14	25.8	983.21	87.6 Ω/km
ANM06.003.55.024AB	UL20549	300V	55X2X24AWG	14/0.14	25.8	986.21	87.6 Ω/km
ANM06.003.56.024AB	UL20549	300V	56X2X24AWG	14/0.14	25.8	989.11	87.6 Ω/km
ANM06.003.57.024AB	UL20549	300V	57X2X24AWG	14/0.14	26.5	1037.01	87.6 Ω/km
ANM06.003.58.024AB	UL20549	300V	58X2X24AWG	14/0.14	26.5	1040.01	87.6 Ω/km
ANM06.003.59.024AB	UL20549	300V	59X2X24AWG	14/0.14	26.5	1042.91	87.6 Ω/km
ANM06.003.60.024AB	UL20549	300V	60X2X24AWG	14/0.14	26.5	1045.81	87.6 Ω/km
ANM06.003.61.024AB	UL20549	300V	61X2X24AWG	14/0.14	26.5	1048.61	87.6 Ω/km
ANM06.003.62.024AB	UL20549	300V	62X2X24AWG	14/0.14	27.3	1104.41	87.6 Ω/km
ANM06.003.63.024AB	UL20549	300V	63X2X24AWG	14/0.14	27.3	1107.31	87.6 Ω/km
ANM06.003.64.024AB	UL20549	300V	64X2X24AWG	14/0.14	27.3	1110.21	87.6 Ω/km
ANM06.003.65.024AB	UL20549	300V	65X2X24AWG	14/0.14	27.3	1113.21	87.6 Ω/km
ANM06.003.02.023AB	UL20549	300V	2X2X23AWG	17/0.14	7.5	81.56	69.2 Ω/km
ANM06.003.03.023AB	UL20549	300V	3X2X23AWG	17/0.14	7.9	92.96	69.2 Ω/km
ANM06.003.04.023AB	UL20549	300V	4X2X23AWG	17/0.14	8.6	111.26	69.2 Ω/km
ANM06.003.05.023AB	UL20549	300V	5X2X23AWG	17/0.14	9.4	133.26	69.2 Ω/km
ANM06.003.06.023AB	UL20549	300V	6X2X23AWG	17/0.14	11.2	181.96	69.2 Ω/km
ANM06.003.07.023AB	UL20549	300V	7X2X23AWG	17/0.14	11.2	185.56	69.2 Ω/km
ANM06.003.08.023AB	UL20549	300V	8X2X23AWG	17/0.14	12	212.36	69.2 Ω/km
ANM06.003.09.023AB	UL20549	300V	9X2X23AWG	17/0.14	13	247.16	69.2 Ω/km
ANM06.003.10.023AB	UL20549	300V	10X2X23AWG	17/0.14	13.9	280.86	69.2 Ω/km
ANM06.003.11.023AB	UL20549	300V	11X2X23AWG	17/0.14	14.3	298.66	69.2 Ω/km
ANM06.003.12.023AB	UL20549	300V	12X2X23AWG	17/0.14	14.3	302.36	69.2 Ω/km
ANM06.003.13.023AB	UL20549	300V	13X2X23AWG	17/0.14	15	331.46	69.2 Ω/km
ANM06.003.14.023AB	UL20549	300V	14X2X23AWG	17/0.14	15	335.06	69.2 Ω/km
ANM06.003.15.023AB	UL20549	300V	15X2X23AWG	17/0.14	15.8	369.36	69.2 Ω/km





ANM06.003.16.023AB	UL20549	300V	16X2X23AWG	17/0.14	15.8	372.86	69.2Ω/km
ANM06.003.17.023AB	UL20549	300V	17X2X23AWG	17/0.14	16.5	404.46	69.2Ω/km
ANM06.003.18.023AB	UL20549	300V	18X2X23AWG	17/0.14	16.5	408.06	69.2Ω/km
ANM06.003.19.023AB	UL20549	300V	19X2X23AWG	17/0.14	16.5	411.76	69.2Ω/km
ANM06.003.20.023AB	UL20549	300V	20X2X23AWG	17/0.14	17	436.16	69.2Ω/km
ANM06.003.21.023AB	UL20549	300V	21X2X23AWG	17/0.14	17.3	452.56	69.2Ω/km
ANM06.003.22.023AB	UL20549	300V	22X2X23AWG	17/0.14	18.4	504.76	69.2Ω/km
ANM06.003.23.023AB	UL20549	300V	23X2X23AWG	17/0.14	19.2	545.46	69.2Ω/km
ANM06.003.24.023AB	UL20549	300V	24X2X23AWG	17/0.14	19.2	549.06	69.2Ω/km
ANM06.003.25.023AB	UL20549	300V	25X2X23AWG	17/0.14	20.6	619.56	69.2Ω/km
ANM06.003.26.023AB	UL20549	300V	26X2X23AWG	17/0.14	20.6	623.06	69.2Ω/km
ANM06.003.27.023AB	UL20549	300V	27X2X23AWG	17/0.14	20.6	626.76	69.2Ω/km
ANM06.003.28.023AB	UL20549	300V	28X2X23AWG	17/0.14	21.3	666.46	69.2Ω/km
ANM06.003.29.023AB	UL20549	300V	29X2X23AWG	17/0.14	21.3	670.16	69.2Ω/km
ANM06.003.30.023AB	UL20549	300V	30X2X23AWG	17/0.14	21.3	673.76	69.2Ω/km
ANM06.003.31.023AB	UL20549	300V	31X2X23AWG	17/0.14	22	714.56	69.2Ω/km
ANM06.003.32.023AB	UL20549	300V	32X2X23AWG	17/0.14	22	718.26	69.2Ω/km
ANM06.003.33.023AB	UL20549	300V	33X2X23AWG	17/0.14	22	721.76	69.2Ω/km
ANM06.003.34.023AB	UL20549	300V	34X2X23AWG	17/0.14	22.8	769.56	69.2Ω/km
ANM06.003.35.023AB	UL20549	300V	35X2X23AWG	17/0.14	22.8	773.16	69.2Ω/km
ANM06.003.36.023AB	UL20549	300V	36X2X23AWG	17/0.14	22.8	776.76	69.2Ω/km
ANM06.003.37.023AB	UL20549	300V	37X2X23AWG	17/0.14	22.8	780.46	69.2Ω/km
ANM06.003.38.023AB	UL20549	300V	38X2X23AWG	17/0.14	23.6	829.66	69.2Ω/km
ANM06.003.39.023AB	UL20549	300V	39X2X23AWG	17/0.14	23.6	833.16	69.2Ω/km
ANM06.003.40.023AB	UL20549	300V	40X2X23AWG	17/0.14	23.6	836.86	69.2Ω/km
ANM06.003.41.023AB	UL20549	300V	41X2X23AWG	17/0.14	25.5	955.16	69.2Ω/km
ANM06.003.42.023AB	UL20549	300V	42X2X23AWG	17/0.14	25.5	958.76	69.2Ω/km
ANM06.003.43.023AB	UL20549	300V	43X2X23AWG	17/0.14	25.5	962.36	69.2Ω/km
ANM06.003.44.023AB	UL20549	300V	44X2X23AWG	17/0.14	25.5	966.06	69.2Ω/km
ANM06.003.45.023AB	UL20549	300V	45X2X23AWG	17/0.14	25.9	994.96	69.2Ω/km
ANM06.003.46.023AB	UL20549	300V	46X2X23AWG	17/0.14	25.9	998.46	69.2Ω/km
ANM06.003.47.023AB	UL20549	300V	47X2X23AWG	17/0.14	25.9	1002.06	69.2Ω/km
ANM06.003.48.023AB	UL20549	300V	48X2X23AWG	17/0.14	25.9	1005.76	69.2Ω/km
ANM06.003.49.023AB	UL20549	300V	49X2X23AWG	17/0.14	26.6	1054.36	69.2Ω/km
ANM06.003.50.023AB	UL20549	300V	50X2X23AWG	17/0.14	26.6	1058.06	69.2Ω/km
ANM06.003.51.023AB	UL20549	300V	51X2X23AWG	17/0.14	26.6	1061.66	69.2Ω/km
ANM06.003.52.023AB	UL20549	300V	52X2X23AWG	17/0.14	26.6	1065.26	69.2Ω/km
ANM06.003.53.023AB	UL20549	300V	53X2X23AWG	17/0.14	27.3	1115.16	69.2Ω/km
ANM06.003.54.023AB	UL20549	300V	54X2X23AWG	17/0.14	27.3	1118.76	69.2Ω/km
ANM06.003.55.023AB	UL20549	300V	55X2X23AWG	17/0.14	27.3	1122.26	69.2Ω/km
ANM06.003.56.023AB	UL20549	300V	56X2X23AWG	17/0.14	27.3	1125.96	69.2Ω/km
ANM06.003.57.023AB	UL20549	300V	57X2X23AWG	17/0.14	28.1	1183.96	69.2Ω/km



ANM06.003.58.023AB	UL20549	300V	58X2X23AWG	17/0.14	28.1	1187.66	69.2Ω/km
ANM06.003.59.023AB	UL20549	300V	59X2X23AWG	17/0.14	28.1	1191.16	69.2Ω/km
ANM06.003.60.023AB	UL20549	300V	60X2X23AWG	17/0.14	28.1	1194.86	69.2Ω/km
ANM06.003.61.023AB	UL20549	300V	61X2X23AWG	17/0.14	28.1	1198.36	69.2Ω/km
ANM06.003.62.023AB	UL20549	300V	62X2X23AWG	17/0.14	29.9	1327.56	69.2Ω/km
ANM06.003.63.023AB	UL20549	300V	63X2X23AWG	17/0.14	29.9	1331.26	69.2Ω/km
ANM06.003.64.023AB	UL20549	300V	64X2X23AWG	17/0.14	29.9	1334.86	69.2Ω/km
ANM06.003.65.023AB	UL20549	300V	65X2X23AWG	17/0.14	29.9	1338.46	69.2Ω/km
ANM06.003.02.022AB	UL20549	300V	2X2X22AWG	22/0.14	7.9	91.13	55.4Ω/km
ANM06.003.03.022AB	UL20549	300V	3X2X22AWG	22/0.14	8.3	103.93	55.4Ω/km
ANM06.003.04.022AB	UL20549	300V	4X2X22AWG	22/0.14	9	123.63	55.4Ω/km
ANM06.003.05.022AB	UL20549	300V	5X2X22AWG	22/0.14	9.9	149.73	55.4Ω/km
ANM06.003.06.022AB	UL20549	300V	6X2X22AWG	22/0.14	11.7	201.33	55.4Ω/km
ANM06.003.07.022AB	UL20549	300V	7X2X22AWG	22/0.14	11.7	205.83	55.4Ω/km
ANM06.003.08.022AB	UL20549	300V	8X2X22AWG	22/0.14	12.5	234.73	55.4Ω/km
ANM06.003.09.022AB	UL20549	300V	9X2X22AWG	22/0.14	13.8	281.83	55.4Ω/km
ANM06.003.10.022AB	UL20549	300V	10X2X22AWG	22/0.14	14.6	314.43	55.4Ω/km
ANM06.003.11.022AB	UL20549	300V	11X2X22AWG	22/0.14	15.1	337.43	55.4Ω/km
ANM06.003.12.022AB	UL20549	300V	12X2X22AWG	22/0.14	15.1	341.83	55.4Ω/km
ANM06.003.13.022AB	UL20549	300V	13X2X22AWG	22/0.14	15.8	373.23	55.4Ω/km
ANM06.003.14.022AB	UL20549	300V	14X2X22AWG	22/0.14	15.8	377.63	55.4Ω/km
ANM06.003.15.022AB	UL20549	300V	15X2X22AWG	22/0.14	16.6	414.33	55.4Ω/km
ANM06.003.16.022AB	UL20549	300V	16X2X22AWG	22/0.14	16.6	418.83	55.4Ω/km
ANM06.003.17.022AB	UL20549	300V	17X2X22AWG	22/0.14	17.4	456.93	55.4Ω/km
ANM06.003.18.022AB	UL20549	300V	18X2X22AWG	22/0.14	17.4	461.33	55.4Ω/km
ANM06.003.19.022AB	UL20549	300V	19X2X22AWG	22/0.14	17.4	465.83	55.4Ω/km
ANM06.003.20.022AB	UL20549	300V	20X2X22AWG	22/0.14	17.9	492.13	55.4Ω/km
ANM06.003.21.022AB	UL20549	300V	21X2X22AWG	22/0.14	18.3	514.53	55.4Ω/km
ANM06.003.22.022AB	UL20549	300V	22X2X22AWG	22/0.14	19.4	570.23	55.4Ω/km
ANM06.003.23.022AB	UL20549	300V	23X2X22AWG	22/0.14	21.2	662.93	55.4Ω/km
ANM06.003.24.022AB	UL20549	300V	24X2X22AWG	22/0.14	21.2	667.33	55.4Ω/km
ANM06.003.25.022AB	UL20549	300V	25X2X22AWG	22/0.14	21.7	698.33	55.4Ω/km
ANM06.003.26.022AB	UL20549	300V	26X2X22AWG	22/0.14	21.7	702.73	55.4Ω/km
ANM06.003.27.022AB	UL20549	300V	27X2X22AWG	22/0.14	21.7	707.13	55.4Ω/km
ANM06.003.28.022AB	UL20549	300V	28X2X22AWG	22/0.14	22.4	749.63	55.4Ω/km
ANM06.003.29.022AB	UL20549	300V	29X2X22AWG	22/0.14	22.4	754.13	55.4Ω/km
ANM06.003.30.022AB	UL20549	300V	30X2X22AWG	22/0.14	22.4	758.63	55.4Ω/km
ANM06.003.31.022AB	UL20549	300V	31X2X22AWG	22/0.14	23.2	808.03	55.4Ω/km
ANM06.003.32.022AB	UL20549	300V	32X2X22AWG	22/0.14	23.2	812.53	55.4Ω/km
ANM06.003.33.022AB	UL20549	300V	33X2X22AWG	22/0.14	23.2	816.93	55.4Ω/km
ANM06.003.34.022AB	UL20549	300V	34X2X22AWG	22/0.14	24.1	873.83	55.4Ω/km
ANM06.003.35.022AB	UL20549	300V	35X2X22AWG	22/0.14	24.1	878.23	55.4Ω/km



ANM06.003.36.022AB	UL20549	300V	36X2X22AWG	22/0.14	24.1	882.73	55.4 Ω/km
ANM06.003.37.022AB	UL20549	300V	37X2X22AWG	22/0.14	24.1	887.13	55.4 Ω/km
ANM06.003.38.022AB	UL20549	300V	38X2X22AWG	22/0.14	24.9	939.83	55.4 Ω/km
ANM06.003.39.022AB	UL20549	300V	39X2X22AWG	22/0.14	24.9	944.23	55.4 Ω/km
ANM06.003.40.022AB	UL20549	300V	40X2X22AWG	22/0.14	24.9	948.73	55.4 Ω/km
ANM06.003.41.022AB	UL20549	300V	41X2X22AWG	22/0.14	26.9	1080.33	55.4 Ω/km
ANM06.003.42.022AB	UL20549	300V	42X2X22AWG	22/0.14	26.9	1084.83	55.4 Ω/km
ANM06.003.43.022AB	UL20549	300V	43X2X22AWG	22/0.14	26.9	1089.23	55.4 Ω/km
ANM06.003.44.022AB	UL20549	300V	44X2X22AWG	22/0.14	26.9	1093.83	55.4 Ω/km
ANM06.003.45.022AB	UL20549	300V	45X2X22AWG	22/0.14	27.3	1124.73	55.4 Ω/km
ANM06.003.46.022AB	UL20549	300V	46X2X22AWG	22/0.14	27.3	1129.33	55.4 Ω/km
ANM06.003.47.022AB	UL20549	300V	47X2X22AWG	22/0.14	27.3	1133.73	55.4 Ω/km
ANM06.003.48.022AB	UL20549	300V	48X2X22AWG	22/0.14	27.3	1138.23	55.4 Ω/km
ANM06.003.49.022AB	UL20549	300V	49X2X22AWG	22/0.14	28	1190.23	55.4 Ω/km
ANM06.003.50.022AB	UL20549	300V	50X2X22AWG	22/0.14	28	1194.73	55.4 Ω/km
ANM06.003.51.022AB	UL20549	300V	51X2X22AWG	22/0.14	28	1199.13	55.4 Ω/km
ANM06.003.52.022AB	UL20549	300V	52X2X22AWG	22/0.14	28	1203.53	55.4 Ω/km
ANM06.003.53.022AB	UL20549	300V	53X2X22AWG	22/0.14	29.9	1340.53	55.4 Ω/km
ANM06.003.54.022AB	UL20549	300V	54X2X22AWG	22/0.14	29.9	1345.03	55.4 Ω/km
ANM06.003.55.022AB	UL20549	300V	55X2X22AWG	22/0.14	29.9	1349.53	55.4 Ω/km
ANM06.003.56.022AB	UL20549	300V	56X2X22AWG	22/0.14	29.9	1353.93	55.4 Ω/km
ANM06.003.57.022AB	UL20549	300V	57X2X22AWG	22/0.14	31.1	1482.63	55.4 Ω/km
ANM06.003.58.022AB	UL20549	300V	58X2X22AWG	22/0.14	31.1	1487.03	55.4 Ω/km
ANM06.003.59.022AB	UL20549	300V	59X2X22AWG	22/0.14	31.1	1491.63	55.4 Ω/km
ANM06.003.60.022AB	UL20549	300V	60X2X22AWG	22/0.14	31.1	1496.03	55.4 Ω/km
ANM06.003.61.022AB	UL20549	300V	61X2X22AWG	22/0.14	31.1	1500.63	55.4 Ω/km
ANM06.003.62.022AB	UL20549	300V	62X2X22AWG	22/0.14	31.9	1567.73	55.4 Ω/km
ANM06.003.63.022AB	UL20549	300V	63X2X22AWG	22/0.14	31.9	1572.23	55.4 Ω/km
ANM06.003.64.022AB	UL20549	300V	64X2X22AWG	22/0.14	31.9	1576.63	55.4 Ω/km
ANM06.003.65.022AB	UL20549	300V	65X2X22AWG	22/0.14	31.9	1581.13	55.4 Ω/km
ANM06.003.02.021AB	UL20549	300V	2X2X21AWG	27/0.14	8.2	99.92	43.6 Ω/km
ANM06.003.03.021AB	UL20549	300V	3X2X21AWG	27/0.14	8.7	116.42	43.6 Ω/km
ANM06.003.04.021AB	UL20549	300V	4X2X21AWG	27/0.14	9.5	140.42	43.6 Ω/km
ANM06.003.05.021AB	UL20549	300V	5X2X21AWG	27/0.14	11.3	191.82	43.6 Ω/km
ANM06.003.06.021AB	UL20549	300V	6X2X21AWG	27/0.14	12.2	224.02	43.6 Ω/km
ANM06.003.07.021AB	UL20549	300V	7X2X21AWG	27/0.14	12.2	229.72	43.6 Ω/km
ANM06.003.08.021AB	UL20549	300V	8X2X21AWG	27/0.14	13.1	263.82	43.6 Ω/km
ANM06.003.09.021AB	UL20549	300V	9X2X21AWG	27/0.14	14.4	314.02	43.6 Ω/km
ANM06.003.10.021AB	UL20549	300V	10X2X21AWG	27/0.14	15.3	352.92	43.6 Ω/km
ANM06.003.11.021AB	UL20549	300V	11X2X21AWG	27/0.14	15.8	378.02	43.6 Ω/km
ANM06.003.12.021AB	UL20549	300V	12X2X21AWG	27/0.14	15.8	383.72	43.6 Ω/km
ANM06.003.13.021AB	UL20549	300V	13X2X21AWG	27/0.14	16.6	421.62	43.6 Ω/km



ANM06.003.14.021AB	UL20549	300V	14X2X21AWG	27/0.14	16.6	427.32	43.6Ω/km
ANM06.003.15.021AB	UL20549	300V	15X2X21AWG	27/0.14	17.4	466.72	43.6Ω/km
ANM06.003.16.021AB	UL20549	300V	16X2X21AWG	27/0.14	17.4	472.32	43.6Ω/km
ANM06.003.17.021AB	UL20549	300V	17X2X21AWG	27/0.14	18.3	517.82	43.6Ω/km
ANM06.003.18.021AB	UL20549	300V	18X2X21AWG	27/0.14	18.3	523.52	43.6Ω/km
ANM06.003.19.021AB	UL20549	300V	19X2X21AWG	27/0.14	18.3	529.32	43.6Ω/km
ANM06.003.20.021AB	UL20549	300V	20X2X21AWG	27/0.14	18.8	557.92	43.6Ω/km
ANM06.003.21.021AB	UL20549	300V	21X2X21AWG	27/0.14	19.2	582.52	43.6Ω/km
ANM06.003.22.021AB	UL20549	300V	22X2X21AWG	27/0.14	21.4	696.22	43.6Ω/km
ANM06.003.23.021AB	UL20549	300V	23X2X21AWG	27/0.14	22.3	750.42	43.6Ω/km
ANM06.003.24.021AB	UL20549	300V	24X2X21AWG	27/0.14	22.3	756.12	43.6Ω/km
ANM06.003.25.021AB	UL20549	300V	25X2X21AWG	27/0.14	22.8	789.62	43.6Ω/km
ANM06.003.26.021AB	UL20549	300V	26X2X21AWG	27/0.14	22.8	795.42	43.6Ω/km
ANM06.003.27.021AB	UL20549	300V	27X2X21AWG	27/0.14	22.8	801.02	43.6Ω/km
ANM06.003.28.021AB	UL20549	300V	28X2X21AWG	27/0.14	23.5	846.52	43.6Ω/km
ANM06.003.29.021AB	UL20549	300V	29X2X21AWG	27/0.14	23.5	852.22	43.6Ω/km
ANM06.003.30.021AB	UL20549	300V	30X2X21AWG	27/0.14	23.5	858.02	43.6Ω/km
ANM06.003.31.021AB	UL20549	300V	31X2X21AWG	27/0.14	24.4	916.72	43.6Ω/km
ANM06.003.32.021AB	UL20549	300V	32X2X21AWG	27/0.14	24.4	922.42	43.6Ω/km
ANM06.003.33.021AB	UL20549	300V	33X2X21AWG	27/0.14	24.4	928.12	43.6Ω/km
ANM06.003.34.021AB	UL20549	300V	34X2X21AWG	27/0.14	25.3	988.82	43.6Ω/km
ANM06.003.35.021AB	UL20549	300V	35X2X21AWG	27/0.14	25.3	994.42	43.6Ω/km
ANM06.003.36.021AB	UL20549	300V	36X2X21AWG	27/0.14	25.3	1000.12	43.6Ω/km
ANM06.003.37.021AB	UL20549	300V	37X2X21AWG	27/0.14	25.3	1005.92	43.6Ω/km
ANM06.003.38.021AB	UL20549	300V	38X2X21AWG	27/0.14	26.2	1068.62	43.6Ω/km
ANM06.003.39.021AB	UL20549	300V	39X2X21AWG	27/0.14	26.2	1074.32	43.6Ω/km
ANM06.003.40.021AB	UL20549	300V	40X2X21AWG	27/0.14	26.2	1080.02	43.6Ω/km
ANM06.003.41.021AB	UL20549	300V	41X2X21AWG	27/0.14	28.3	1226.12	43.6Ω/km
ANM06.003.42.021AB	UL20549	300V	42X2X21AWG	27/0.14	28.3	1231.72	43.6Ω/km
ANM06.003.43.021AB	UL20549	300V	43X2X21AWG	27/0.14	28.3	1237.42	43.6Ω/km
ANM06.003.44.021AB	UL20549	300V	44X2X21AWG	27/0.14	28.3	1243.22	43.6Ω/km
ANM06.003.45.021AB	UL20549	300V	45X2X21AWG	27/0.14	29.8	1353.42	43.6Ω/km
ANM06.003.46.021AB	UL20549	300V	46X2X21AWG	27/0.14	29.8	1359.02	43.6Ω/km
ANM06.003.47.021AB	UL20549	300V	47X2X21AWG	27/0.14	29.8	1364.72	43.6Ω/km
ANM06.003.48.021AB	UL20549	300V	48X2X21AWG	27/0.14	29.8	1370.42	43.6Ω/km
ANM06.003.49.021AB	UL20549	300V	49X2X21AWG	27/0.14	30.9	1492.42	43.6Ω/km
ANM06.003.50.021AB	UL20549	300V	50X2X21AWG	27/0.14	30.9	1498.02	43.6Ω/km
ANM06.003.51.021AB	UL20549	300V	51X2X21AWG	27/0.14	30.9	1503.72	43.6Ω/km
ANM06.003.52.021AB	UL20549	300V	52X2X21AWG	27/0.14	30.9	1509.52	43.6Ω/km
ANM06.003.53.021AB	UL20549	300V	53X2X21AWG	27/0.14	31.8	1585.52	43.6Ω/km
ANM06.003.54.021AB	UL20549	300V	54X2X21AWG	27/0.14	31.8	1591.12	43.6Ω/km
ANM06.003.55.021AB	UL20549	300V	55X2X21AWG	27/0.14	31.8	1596.82	43.6Ω/km



ANM06.003.56.021AB	UL20549	300V	56X2X21AWG	27/0.14	31.8	1602.62	43.6Ω/km
ANM06.003.57.021AB	UL20549	300V	57X2X21AWG	27/0.14	32.7	1680.42	43.6Ω/km
ANM06.003.58.021AB	UL20549	300V	58X2X21AWG	27/0.14	32.7	1686.12	43.6Ω/km
ANM06.003.59.021AB	UL20549	300V	59X2X21AWG	27/0.14	32.7	1691.82	43.6Ω/km
ANM06.003.60.021AB	UL20549	300V	60X2X21AWG	27/0.14	32.7	1697.62	43.6Ω/km
ANM06.003.61.021AB	UL20549	300V	61X2X21AWG	27/0.14	32.7	1703.22	43.6Ω/km
ANM06.003.62.021AB	UL20549	300V	62X2X21AWG	27/0.14	33.6	1783.22	43.6Ω/km
ANM06.003.63.021AB	UL20549	300V	63X2X21AWG	27/0.14	33.6	1789.02	43.6Ω/km
ANM06.003.64.021AB	UL20549	300V	64X2X21AWG	27/0.14	33.6	1794.72	43.6Ω/km
ANM06.003.65.021AB	UL20549	300V	65X2X21AWG	27/0.14	33.6	1800.32	43.6Ω/km
ANM06.003.02.020AB	UL20549	300V	2X2X20AWG	34/0.14	8.6	111.62	34.6Ω/km
ANM06.003.03.020AB	UL20549	300V	3X2X20AWG	34/0.14	9.1	130.12	34.6Ω/km
ANM06.003.04.020AB	UL20549	300V	4X2X20AWG	34/0.14	9.9	156.62	34.6Ω/km
ANM06.003.05.020AB	UL20549	300V	5X2X20AWG	34/0.14	11.8	214.12	34.6Ω/km
ANM06.003.06.020AB	UL20549	300V	6X2X20AWG	34/0.14	12.8	252.12	34.6Ω/km
ANM06.003.07.020AB	UL20549	300V	7X2X20AWG	34/0.14	12.8	259.32	34.6Ω/km
ANM06.003.08.020AB	UL20549	300V	8X2X20AWG	34/0.14	13.8	299.82	34.6Ω/km
ANM06.003.09.020AB	UL20549	300V	9X2X20AWG	34/0.14	15.1	353.82	34.6Ω/km
ANM06.003.10.020AB	UL20549	300V	10X2X20AWG	34/0.14	16	395.82	34.6Ω/km
ANM06.003.11.020AB	UL20549	300V	11X2X20AWG	34/0.14	16.5	423.22	34.6Ω/km
ANM06.003.12.020AB	UL20549	300V	12X2X20AWG	34/0.14	16.5	430.42	34.6Ω/km
ANM06.003.13.020AB	UL20549	300V	13X2X20AWG	34/0.14	17.3	471.32	34.6Ω/km
ANM06.003.14.020AB	UL20549	300V	14X2X20AWG	34/0.14	17.3	478.52	34.6Ω/km
ANM06.003.15.020AB	UL20549	300V	15X2X20AWG	34/0.14	18.3	529.72	34.6Ω/km
ANM06.003.16.020AB	UL20549	300V	16X2X20AWG	34/0.14	18.3	537.02	34.6Ω/km
ANM06.003.17.020AB	UL20549	300V	17X2X20AWG	34/0.14	19.2	586.12	34.6Ω/km
ANM06.003.18.020AB	UL20549	300V	18X2X20AWG	34/0.14	19.2	593.42	34.6Ω/km
ANM06.003.19.020AB	UL20549	300V	19X2X20AWG	34/0.14	19.2	600.72	34.6Ω/km
ANM06.003.20.020AB	UL20549	300V	20X2X20AWG	34/0.14	20.7	679.72	34.6Ω/km
ANM06.003.21.020AB	UL20549	300V	21X2X20AWG	34/0.14	21.1	707.62	34.6Ω/km
ANM06.003.22.020AB	UL20549	300V	22X2X20AWG	34/0.14	22.4	784.52	34.6Ω/km
ANM06.003.23.020AB	UL20549	300V	23X2X20AWG	34/0.14	23.4	848.12	34.6Ω/km
ANM06.003.24.020AB	UL20549	300V	24X2X20AWG	34/0.14	23.4	855.42	34.6Ω/km
ANM06.003.25.020AB	UL20549	300V	25X2X20AWG	34/0.14	23.9	891.72	34.6Ω/km
ANM06.003.26.020AB	UL20549	300V	26X2X20AWG	34/0.14	23.9	899.02	34.6Ω/km
ANM06.003.27.020AB	UL20549	300V	27X2X20AWG	34/0.14	23.9	906.12	34.6Ω/km
ANM06.003.28.020AB	UL20549	300V	28X2X20AWG	34/0.14	24.7	961.22	34.6Ω/km
ANM06.003.29.020AB	UL20549	300V	29X2X20AWG	34/0.14	24.7	968.42	34.6Ω/km
ANM06.003.30.020AB	UL20549	300V	30X2X20AWG	34/0.14	24.7	975.72	34.6Ω/km
ANM06.003.31.020AB	UL20549	300V	31X2X20AWG	34/0.14	25.6	1038.52	34.6Ω/km
ANM06.003.32.020AB	UL20549	300V	32X2X20AWG	34/0.14	25.6	1045.82	34.6Ω/km
ANM06.003.33.020AB	UL20549	300V	33X2X20AWG	34/0.14	25.6	1053.02	34.6Ω/km



ANM06.003.34.020AB	UL20549	300V	34X2X20AWG	34/0.14	26.5	1118.02	34.6Ω/km
ANM06.003.35.020AB	UL20549	300V	35X2X20AWG	34/0.14	26.5	1125.22	34.6Ω/km
ANM06.003.36.020AB	UL20549	300V	36X2X20AWG	34/0.14	26.5	1132.52	34.6Ω/km
ANM06.003.37.020AB	UL20549	300V	37X2X20AWG	34/0.14	26.5	1139.82	34.6Ω/km
ANM06.003.38.020AB	UL20549	300V	38X2X20AWG	34/0.14	27.5	1213.32	34.6Ω/km
ANM06.003.39.020AB	UL20549	300V	39X2X20AWG	34/0.14	27.5	1220.52	34.6Ω/km
ANM06.003.40.020AB	UL20549	300V	40X2X20AWG	34/0.14	27.5	1227.72	34.6Ω/km
ANM06.003.41.020AB	UL20549	300V	41X2X20AWG	34/0.14	31.1	1525.82	34.6Ω/km
ANM06.003.42.020AB	UL20549	300V	42X2X20AWG	34/0.14	31.1	1533.02	34.6Ω/km
ANM06.003.43.020AB	UL20549	300V	43X2X20AWG	34/0.14	31.1	1540.32	34.6Ω/km
ANM06.003.44.020AB	UL20549	300V	44X2X20AWG	34/0.14	31.1	1547.62	34.6Ω/km
ANM06.003.45.020AB	UL20549	300V	45X2X20AWG	34/0.14	31.6	1593.82	34.6Ω/km
ANM06.003.46.020AB	UL20549	300V	46X2X20AWG	34/0.14	31.6	1601.12	34.6Ω/km
ANM06.003.47.020AB	UL20549	300V	47X2X20AWG	34/0.14	31.6	1608.32	34.6Ω/km
ANM06.003.48.020AB	UL20549	300V	48X2X20AWG	34/0.14	31.6	1615.62	34.6Ω/km
ANM06.003.49.020AB	UL20549	300V	49X2X20AWG	34/0.14	32.4	1686.52	34.6Ω/km
ANM06.003.50.020AB	UL20549	300V	50X2X20AWG	34/0.14	32.4	1693.92	34.6Ω/km
ANM06.003.51.020AB	UL20549	300V	51X2X20AWG	34/0.14	32.4	1701.22	34.6Ω/km
ANM06.003.52.020AB	UL20549	300V	52X2X20AWG	34/0.14	32.4	1708.42	34.6Ω/km
ANM06.003.53.020AB	UL20549	300V	53X2X20AWG	34/0.14	33.3	1789.32	34.6Ω/km
ANM06.003.54.020AB	UL20549	300V	54X2X20AWG	34/0.14	33.3	1796.42	34.6Ω/km
ANM06.003.55.020AB	UL20549	300V	55X2X20AWG	34/0.14	33.3	1803.72	34.6Ω/km
ANM06.003.56.020AB	UL20549	300V	56X2X20AWG	34/0.14	33.3	1810.92	34.6Ω/km
ANM06.003.57.020AB	UL20549	300V	57X2X20AWG	34/0.14	34.3	1902.22	34.6Ω/km
ANM06.003.58.020AB	UL20549	300V	58X2X20AWG	34/0.14	34.3	1909.52	34.6Ω/km
ANM06.003.59.020AB	UL20549	300V	59X2X20AWG	34/0.14	34.3	1916.72	34.6Ω/km
ANM06.003.60.020AB	UL20549	300V	60X2X20AWG	34/0.14	34.3	1924.02	34.6Ω/km
ANM06.003.61.020AB	UL20549	300V	61X2X20AWG	34/0.14	34.3	1931.32	34.6Ω/km
ANM06.003.62.020AB	UL20549	300V	62X2X20AWG	34/0.14	35.2	2016.22	34.6Ω/km
ANM06.003.63.020AB	UL20549	300V	63X2X20AWG	34/0.14	35.2	2023.52	34.6Ω/km
ANM06.003.64.020AB	UL20549	300V	64X2X20AWG	34/0.14	35.2	2030.72	34.6Ω/km
ANM06.003.65.020AB	UL20549	300V	65X2X20AWG	34/0.14	35.2	2038.02	34.6Ω/km
ANM06.003.02.019AB	UL20549	300V	2X2X19AWG	43/0.14	8.9	122.46	27.4Ω/km
ANM06.003.03.019AB	UL20549	300V	3X2X19AWG	43/0.14	9.5	145.66	27.4Ω/km
ANM06.003.04.019AB	UL20549	300V	4X2X19AWG	43/0.14	11.3	200.56	27.4Ω/km
ANM06.003.05.019AB	UL20549	300V	5X2X19AWG	43/0.14	12.3	239.36	27.4Ω/km
ANM06.003.06.019AB	UL20549	300V	6X2X19AWG	43/0.14	13.4	283.96	27.4Ω/km
ANM06.003.07.019AB	UL20549	300V	7X2X19AWG	43/0.14	13.4	293.06	27.4Ω/km
ANM06.003.08.019AB	UL20549	300V	8X2X19AWG	43/0.14	14.4	336.96	27.4Ω/km
ANM06.003.09.019AB	UL20549	300V	9X2X19AWG	43/0.14	15.7	394.86	27.4Ω/km
ANM06.003.10.019AB	UL20549	300V	10X2X19AWG	43/0.14	16.7	444.26	27.4Ω/km
ANM06.003.11.019AB	UL20549	300V	11X2X19AWG	43/0.14	17.3	478.86	27.4Ω/km



ANM06.003.12.019AB	UL20549	300V	12X2X19AWG	43/0.14	17.3	488.16	27.4Ω/km
ANM06.003.13.019AB	UL20549	300V	13X2X19AWG	43/0.14	18.1	532.36	27.4Ω/km
ANM06.003.14.019AB	UL20549	300V	14X2X19AWG	43/0.14	18.1	541.56	27.4Ω/km
ANM06.003.15.019AB	UL20549	300V	15X2X19AWG	43/0.14	19.1	596.86	27.4Ω/km
ANM06.003.16.019AB	UL20549	300V	16X2X19AWG	43/0.14	19.1	606.06	27.4Ω/km
ANM06.003.17.019AB	UL20549	300V	17X2X19AWG	43/0.14	21.1	712.66	27.4Ω/km
ANM06.003.18.019AB	UL20549	300V	18X2X19AWG	43/0.14	21.1	721.86	27.4Ω/km
ANM06.003.19.019AB	UL20549	300V	19X2X19AWG	43/0.14	21.1	731.16	27.4Ω/km
ANM06.003.20.019AB	UL20549	300V	20X2X19AWG	43/0.14	21.6	766.66	27.4Ω/km
ANM06.003.21.019AB	UL20549	300V	21X2X19AWG	43/0.14	22.1	802.66	27.4Ω/km
ANM06.003.22.019AB	UL20549	300V	22X2X19AWG	43/0.14	23.4	884.76	27.4Ω/km
ANM06.003.23.019AB	UL20549	300V	23X2X19AWG	43/0.14	24.4	952.76	27.4Ω/km
ANM06.003.24.019AB	UL20549	300V	24X2X19AWG	43/0.14	24.4	962.06	27.4Ω/km
ANM06.003.25.019AB	UL20549	300V	25X2X19AWG	43/0.14	24.9	1001.66	27.4Ω/km
ANM06.003.26.019AB	UL20549	300V	26X2X19AWG	43/0.14	24.9	1010.86	27.4Ω/km
ANM06.003.27.019AB	UL20549	300V	27X2X19AWG	43/0.14	24.9	1020.06	27.4Ω/km
ANM06.003.28.019AB	UL20549	300V	28X2X19AWG	43/0.14	25.8	1085.26	27.4Ω/km
ANM06.003.29.019AB	UL20549	300V	29X2X19AWG	43/0.14	25.8	1094.56	27.4Ω/km
ANM06.003.30.019AB	UL20549	300V	30X2X19AWG	43/0.14	25.8	1103.86	27.4Ω/km
ANM06.003.31.019AB	UL20549	300V	31X2X19AWG	43/0.14	26.8	1177.76	27.4Ω/km
ANM06.003.32.019AB	UL20549	300V	32X2X19AWG	43/0.14	26.8	1187.06	27.4Ω/km
ANM06.003.33.019AB	UL20549	300V	33X2X19AWG	43/0.14	26.8	1196.26	27.4Ω/km
ANM06.003.34.019AB	UL20549	300V	34X2X19AWG	43/0.14	27.8	1272.56	27.4Ω/km
ANM06.003.35.019AB	UL20549	300V	35X2X19AWG	43/0.14	27.8	1281.76	27.4Ω/km
ANM06.003.36.019AB	UL20549	300V	36X2X19AWG	43/0.14	27.8	1291.06	27.4Ω/km
ANM06.003.37.019AB	UL20549	300V	37X2X19AWG	43/0.14	27.8	1300.36	27.4Ω/km
ANM06.003.38.019AB	UL20549	300V	38X2X19AWG	43/0.14	29.8	1448.26	27.4Ω/km
ANM06.003.39.019AB	UL20549	300V	39X2X19AWG	43/0.14	29.8	1457.56	27.4Ω/km
ANM06.003.40.019AB	UL20549	300V	40X2X19AWG	43/0.14	29.8	1466.76	27.4Ω/km
ANM06.003.41.019AB	UL20549	300V	41X2X19AWG	43/0.14	32.5	1718.46	27.4Ω/km
ANM06.003.42.019AB	UL20549	300V	42X2X19AWG	43/0.14	32.5	1727.76	27.4Ω/km
ANM06.003.43.019AB	UL20549	300V	43X2X19AWG	43/0.14	32.5	1736.96	27.4Ω/km
ANM06.003.44.019AB	UL20549	300V	44X2X19AWG	43/0.14	32.5	1746.26	27.4Ω/km
ANM06.003.45.019AB	UL20549	300V	45X2X19AWG	43/0.14	33	1796.16	27.4Ω/km
ANM06.003.46.019AB	UL20549	300V	46X2X19AWG	43/0.14	33	1805.46	27.4Ω/km
ANM06.003.47.019AB	UL20549	300V	47X2X19AWG	43/0.14	33	1814.66	27.4Ω/km
ANM06.003.48.019AB	UL20549	300V	48X2X19AWG	43/0.14	33	1823.86	27.4Ω/km
ANM06.003.49.019AB	UL20549	300V	49X2X19AWG	43/0.14	33.9	1907.96	27.4Ω/km
ANM06.003.50.019AB	UL20549	300V	50X2X19AWG	43/0.14	33.9	1917.16	27.4Ω/km
ANM06.003.51.019AB	UL20549	300V	51X2X19AWG	43/0.14	33.9	1926.46	27.4Ω/km
ANM06.003.52.019AB	UL20549	300V	52X2X19AWG	43/0.14	33.9	1935.86	27.4Ω/km
ANM06.003.53.019AB	UL20549	300V	53X2X19AWG	43/0.14	34.9	2030.66	27.4Ω/km



ANM06.003.54.019AB	UL20549	300V	54X2X19AWG	43/0.14	34.9	2039.86	27.4Ω/km
ANM06.003.55.019AB	UL20549	300V	55X2X19AWG	43/0.14	34.9	2049.06	27.4Ω/km
ANM06.003.56.019AB	UL20549	300V	56X2X19AWG	43/0.14	34.9	2058.36	27.4Ω/km
ANM06.003.57.019AB	UL20549	300V	57X2X19AWG	43/0.14	36.1	2173.36	27.4Ω/km
ANM06.003.58.019AB	UL20549	300V	58X2X19AWG	43/0.14	36.1	2182.66	27.4Ω/km
ANM06.003.59.019AB	UL20549	300V	59X2X19AWG	43/0.14	36.1	2191.96	27.4Ω/km
ANM06.003.60.019AB	UL20549	300V	60X2X19AWG	43/0.14	36.1	2201.16	27.4Ω/km
ANM06.003.61.019AB	UL20549	300V	61X2X19AWG	43/0.14	36.1	2210.36	27.4Ω/km
ANM06.003.62.019AB	UL20549	300V	62X2X19AWG	43/0.14	37.2	2319.46	27.4Ω/km
ANM06.003.63.019AB	UL20549	300V	63X2X19AWG	43/0.14	37.2	2328.76	27.4Ω/km
ANM06.003.64.019AB	UL20549	300V	64X2X19AWG	43/0.14	37.2	2338.06	27.4Ω/km
ANM06.003.65.019AB	UL20549	300V	65X2X19AWG	43/0.14	37.2	2347.26	27.4Ω/km
ANM06.003.02.018AB	UL20549	300V	2X2X18AWG	29/0.19	9.3	137.23	21.8Ω/km
ANM06.003.03.018AB	UL20549	300V	3X2X18AWG	29/0.19	9.8	161.03	21.8Ω/km
ANM06.003.04.018AB	UL20549	300V	4X2X18AWG	29/0.19	11.7	222.83	21.8Ω/km
ANM06.003.05.018AB	UL20549	300V	5X2X18AWG	29/0.19	12.8	268.43	21.8Ω/km
ANM06.003.06.018AB	UL20549	300V	6X2X18AWG	29/0.19	13.9	316.83	21.8Ω/km
ANM06.003.07.018AB	UL20549	300V	7X2X18AWG	29/0.19	13.9	328.73	21.8Ω/km
ANM06.003.08.018AB	UL20549	300V	8X2X18AWG	29/0.19	15	380.43	21.8Ω/km
ANM06.003.09.018AB	UL20549	300V	9X2X18AWG	29/0.19	16.4	446.83	21.8Ω/km
ANM06.003.10.018AB	UL20549	300V	10X2X18AWG	29/0.19	17.4	500.53	21.8Ω/km
ANM06.003.11.018AB	UL20549	300V	11X2X18AWG	29/0.19	18	539.03	21.8Ω/km
ANM06.003.12.018AB	UL20549	300V	12X2X18AWG	29/0.19	18	550.83	21.8Ω/km
ANM06.003.13.018AB	UL20549	300V	13X2X18AWG	29/0.19	18.9	603.73	21.8Ω/km
ANM06.003.14.018AB	UL20549	300V	14X2X18AWG	29/0.19	18.9	615.63	21.8Ω/km
ANM06.003.15.018AB	UL20549	300V	15X2X18AWG	29/0.19	20.9	723.93	21.8Ω/km
ANM06.003.16.018AB	UL20549	300V	16X2X18AWG	29/0.19	20.9	735.83	21.8Ω/km
ANM06.003.17.018AB	UL20549	300V	17X2X18AWG	29/0.19	21.9	800.23	21.8Ω/km
ANM06.003.18.018AB	UL20549	300V	18X2X18AWG	29/0.19	21.9	812.23	21.8Ω/km
ANM06.003.19.018AB	UL20549	300V	19X2X18AWG	29/0.19	21.9	824.13	21.8Ω/km
ANM06.003.20.018AB	UL20549	300V	20X2X18AWG	29/0.19	22.5	868.93	21.8Ω/km
ANM06.003.21.018AB	UL20549	300V	21X2X18AWG	29/0.19	23	908.73	21.8Ω/km
ANM06.003.22.018AB	UL20549	300V	22X2X18AWG	29/0.19	24.4	1002.33	21.8Ω/km
ANM06.003.23.018AB	UL20549	300V	23X2X18AWG	29/0.19	25.5	1081.63	21.8Ω/km
ANM06.003.24.018AB	UL20549	300V	24X2X18AWG	29/0.19	25.5	1093.53	21.8Ω/km
ANM06.003.25.018AB	UL20549	300V	25X2X18AWG	29/0.19	26	1137.23	21.8Ω/km
ANM06.003.26.018AB	UL20549	300V	26X2X18AWG	29/0.19	26	1149.03	21.8Ω/km
ANM06.003.27.018AB	UL20549	300V	27X2X18AWG	29/0.19	26	1160.93	21.8Ω/km
ANM06.003.28.018AB	UL20549	300V	28X2X18AWG	29/0.19	26.9	1231.23	21.8Ω/km
ANM06.003.29.018AB	UL20549	300V	29X2X18AWG	29/0.19	26.9	1243.23	21.8Ω/km
ANM06.003.30.018AB	UL20549	300V	30X2X18AWG	29/0.19	26.9	1255.13	21.8Ω/km
ANM06.003.31.018AB	UL20549	300V	31X2X18AWG	29/0.19	27.9	1334.23	21.8Ω/km





ANM06.003.32.018AB	UL20549	300V	32X2X18AWG	29/0.19	27.9	1346.23	21.8Ω/km
ANM06.003.33.018AB	UL20549	300V	33X2X18AWG	29/0.19	27.9	1358.13	21.8Ω/km
ANM06.003.34.018AB	UL20549	300V	34X2X18AWG	29/0.19	30	1516.53	21.8Ω/km
ANM06.003.35.018AB	UL20549	300V	35X2X18AWG	29/0.19	30	1528.43	21.8Ω/km
ANM06.003.36.018AB	UL20549	300V	36X2X18AWG	29/0.19	30	1540.53	21.8Ω/km
ANM06.003.37.018AB	UL20549	300V	37X2X18AWG	29/0.19	30	1552.33	21.8Ω/km
ANM06.003.38.018AB	UL20549	300V	38X2X18AWG	29/0.19	31.4	1704.53	21.8Ω/km
ANM06.003.39.018AB	UL20549	300V	39X2X18AWG	29/0.19	31.4	1716.43	21.8Ω/km
ANM06.003.40.018AB	UL20549	300V	40X2X18AWG	29/0.19	31.4	1728.33	21.8Ω/km
ANM06.003.41.018AB	UL20549	300V	41X2X18AWG	29/0.19	33.9	1943.33	21.8Ω/km
ANM06.003.42.018AB	UL20549	300V	42X2X18AWG	29/0.19	33.9	1955.13	21.8Ω/km
ANM06.003.43.018AB	UL20549	300V	43X2X18AWG	29/0.19	33.9	1967.13	21.8Ω/km
ANM06.003.44.018AB	UL20549	300V	44X2X18AWG	29/0.19	33.9	1979.03	21.8Ω/km
ANM06.003.45.018AB	UL20549	300V	45X2X18AWG	29/0.19	34.5	2041.93	21.8Ω/km
ANM06.003.46.018AB	UL20549	300V	46X2X18AWG	29/0.19	34.5	2053.93	21.8Ω/km
ANM06.003.47.018AB	UL20549	300V	47X2X18AWG	29/0.19	34.5	2065.83	21.8Ω/km
ANM06.003.48.018AB	UL20549	300V	48X2X18AWG	29/0.19	34.5	2077.63	21.8Ω/km
ANM06.003.49.018AB	UL20549	300V	49X2X18AWG	29/0.19	35.4	2167.73	21.8Ω/km
ANM06.003.50.018AB	UL20549	300V	50X2X18AWG	29/0.19	35.4	2179.73	21.8Ω/km
ANM06.003.51.018AB	UL20549	300V	51X2X18AWG	29/0.19	35.4	2191.53	21.8Ω/km
ANM06.003.52.018AB	UL20549	300V	52X2X18AWG	29/0.19	35.4	2203.53	21.8Ω/km
ANM06.003.53.018AB	UL20549	300V	53X2X18AWG	29/0.19	36.7	2331.73	21.8Ω/km
ANM06.003.54.018AB	UL20549	300V	54X2X18AWG	29/0.19	36.7	2343.63	21.8Ω/km
ANM06.003.55.018AB	UL20549	300V	55X2X18AWG	29/0.19	36.7	2355.53	21.8Ω/km
ANM06.003.56.018AB	UL20549	300V	56X2X18AWG	29/0.19	36.7	2367.33	21.8Ω/km
ANM06.003.57.018AB	UL20549	300V	57X2X18AWG	29/0.19	37.7	2471.73	21.8Ω/km
ANM06.003.58.018AB	UL20549	300V	58X2X18AWG	29/0.19	37.7	2483.63	21.8Ω/km
ANM06.003.59.018AB	UL20549	300V	59X2X18AWG	29/0.19	37.7	2495.43	21.8Ω/km
ANM06.003.60.018AB	UL20549	300V	60X2X18AWG	29/0.19	37.7	2507.53	21.8Ω/km
ANM06.003.61.018AB	UL20549	300V	61X2X18AWG	29/0.19	37.7	2519.43	21.8Ω/km
ANM06.003.62.018AB	UL20549	300V	62X2X18AWG	29/0.19	38.8	2635.33	21.8Ω/km
ANM06.003.63.018AB	UL20549	300V	63X2X18AWG	29/0.19	38.8	2647.23	21.8Ω/km
ANM06.003.64.018AB	UL20549	300V	64X2X18AWG	29/0.19	38.8	2659.23	21.8Ω/km
ANM06.003.65.018AB	UL20549	300V	65X2X18AWG	29/0.19	38.8	2671.13	21.8Ω/km
ANM06.003.02.017AB	UL20549	300V	2X2X17AWG	37/0.19	11	184.94	17.3Ω/km
ANM06.003.03.017AB	UL20549	300V	3X2X17AWG	37/0.19	11.6	216.64	17.3Ω/km
ANM06.003.04.017AB	UL20549	300V	4X2X17AWG	37/0.19	12.6	261.64	17.3Ω/km
ANM06.003.05.017AB	UL20549	300V	5X2X17AWG	37/0.19	13.8	316.04	17.3Ω/km
ANM06.003.06.017AB	UL20549	300V	6X2X17AWG	37/0.19	15	373.74	17.3Ω/km
ANM06.003.07.017AB	UL20549	300V	7X2X17AWG	37/0.19	15	388.44	17.3Ω/km
ANM06.003.08.017AB	UL20549	300V	8X2X17AWG	37/0.19	16.1	445.64	17.3Ω/km
ANM06.003.09.017AB	UL20549	300V	9X2X17AWG	37/0.19	17.7	527.34	17.3Ω/km



ANM06.003.10.017AB	UL20549	300V	10X2X17AWG	37/0.19	18.8	591.74	17.3Ω/km
ANM06.003.11.017AB	UL20549	300V	11X2X17AWG	37/0.19	20.5	687.04	17.3Ω/km
ANM06.003.12.017AB	UL20549	300V	12X2X17AWG	37/0.19	20.5	701.64	17.3Ω/km
ANM06.003.13.017AB	UL20549	300V	13X2X17AWG	37/0.19	21.4	762.74	17.3Ω/km
ANM06.003.14.017AB	UL20549	300V	14X2X17AWG	37/0.19	21.4	777.64	17.3Ω/km
ANM06.003.15.017AB	UL20549	300V	15X2X17AWG	37/0.19	22.6	857.44	17.3Ω/km
ANM06.003.16.017AB	UL20549	300V	16X2X17AWG	37/0.19	22.6	872.14	17.3Ω/km
ANM06.003.17.017AB	UL20549	300V	17X2X17AWG	37/0.19	23.7	949.34	17.3Ω/km
ANM06.003.18.017AB	UL20549	300V	18X2X17AWG	37/0.19	23.7	964.14	17.3Ω/km
ANM06.003.19.017AB	UL20549	300V	19X2X17AWG	37/0.19	23.7	978.94	17.3Ω/km
ANM06.003.20.017AB	UL20549	300V	20X2X17AWG	37/0.19	24.3	1029.14	17.3Ω/km
ANM06.003.21.017AB	UL20549	300V	21X2X17AWG	37/0.19	24.9	1080.04	17.3Ω/km
ANM06.003.22.017AB	UL20549	300V	22X2X17AWG	37/0.19	26.4	1189.34	17.3Ω/km
ANM06.003.23.017AB	UL20549	300V	23X2X17AWG	37/0.19	27.6	1283.64	17.3Ω/km
ANM06.003.24.017AB	UL20549	300V	24X2X17AWG	37/0.19	27.6	1298.34	17.3Ω/km
ANM06.003.25.017AB	UL20549	300V	25X2X17AWG	37/0.19	28.2	1354.14	17.3Ω/km
ANM06.003.26.017AB	UL20549	300V	26X2X17AWG	37/0.19	28.2	1368.84	17.3Ω/km
ANM06.003.27.017AB	UL20549	300V	27X2X17AWG	37/0.19	28.2	1383.64	17.3Ω/km
ANM06.003.28.017AB	UL20549	300V	28X2X17AWG	37/0.19	30.6	1602.84	17.3Ω/km
ANM06.003.29.017AB	UL20549	300V	29X2X17AWG	37/0.19	30.6	1617.54	17.3Ω/km
ANM06.003.30.017AB	UL20549	300V	30X2X17AWG	37/0.19	30.6	1632.24	17.3Ω/km
ANM06.003.31.017AB	UL20549	300V	31X2X17AWG	37/0.19	31.7	1732.34	17.3Ω/km
ANM06.003.32.017AB	UL20549	300V	32X2X17AWG	37/0.19	31.7	1747.14	17.3Ω/km
ANM06.003.33.017AB	UL20549	300V	33X2X17AWG	37/0.19	31.7	1761.84	17.3Ω/km
ANM06.003.34.017AB	UL20549	300V	34X2X17AWG	37/0.19	32.9	1872.94	17.3Ω/km
ANM06.003.35.017AB	UL20549	300V	35X2X17AWG	37/0.19	32.9	1887.64	17.3Ω/km
ANM06.003.36.017AB	UL20549	300V	36X2X17AWG	37/0.19	32.9	1902.44	17.3Ω/km
ANM06.003.37.017AB	UL20549	300V	37X2X17AWG	37/0.19	32.9	1917.14	17.3Ω/km
ANM06.003.38.017AB	UL20549	300V	38X2X17AWG	37/0.19	34	2023.44	17.3Ω/km
ANM06.003.39.017AB	UL20549	300V	39X2X17AWG	37/0.19	34	2038.14	17.3Ω/km
ANM06.003.40.017AB	UL20549	300V	40X2X17AWG	37/0.19	34	2052.94	17.3Ω/km
ANM06.003.41.017AB	UL20549	300V	41X2X17AWG	37/0.19	37	2332.04	17.3Ω/km
ANM06.003.42.017AB	UL20549	300V	42X2X17AWG	37/0.19	37	2346.74	17.3Ω/km
ANM06.003.43.017AB	UL20549	300V	43X2X17AWG	37/0.19	37	2361.44	17.3Ω/km
ANM06.003.44.017AB	UL20549	300V	44X2X17AWG	37/0.19	37	2376.14	17.3Ω/km
ANM06.003.45.017AB	UL20549	300V	45X2X17AWG	37/0.19	37.6	2446.44	17.3Ω/km
ANM06.003.46.017AB	UL20549	300V	46X2X17AWG	37/0.19	37.6	2461.24	17.3Ω/km
ANM06.003.47.017AB	UL20549	300V	47X2X17AWG	37/0.19	37.6	2475.84	17.3Ω/km
ANM06.003.48.017AB	UL20549	300V	48X2X17AWG	37/0.19	37.6	2490.54	17.3Ω/km
ANM06.003.49.017AB	UL20549	300V	49X2X17AWG	37/0.19	38.6	2599.64	17.3Ω/km
ANM06.003.50.017AB	UL20549	300V	50X2X17AWG	37/0.19	38.6	2614.44	17.3Ω/km
ANM06.003.51.017AB	UL20549	300V	51X2X17AWG	37/0.19	38.6	2629.14	17.3Ω/km



ANM06.003.52.017AB	UL20549	300V	52X2X17AWG	37/0.19	38.6	2643.84	17.3Ω/km
ANM06.003.53.017AB	UL20549	300V	53X2X17AWG	37/0.19	39.8	2775.14	17.3Ω/km
ANM06.003.54.017AB	UL20549	300V	54X2X17AWG	37/0.19	39.8	2789.84	17.3Ω/km
ANM06.003.55.017AB	UL20549	300V	55X2X17AWG	37/0.19	39.8	2804.64	17.3Ω/km
ANM06.003.56.017AB	UL20549	300V	56X2X17AWG	37/0.19	39.8	2819.34	17.3Ω/km
ANM06.003.57.017AB	UL20549	300V	57X2X17AWG	37/0.19	41.1	3002.04	17.3Ω/km
ANM06.003.58.017AB	UL20549	300V	58X2X17AWG	37/0.19	41.1	3016.84	17.3Ω/km
ANM06.003.59.017AB	UL20549	300V	59X2X17AWG	37/0.19	41.1	3031.64	17.3Ω/km
ANM06.003.60.017AB	UL20549	300V	60X2X17AWG	37/0.19	41.1	3046.34	17.3Ω/km
ANM06.003.61.017AB	UL20549	300V	61X2X17AWG	37/0.19	41.1	3060.94	17.3Ω/km
ANM06.003.62.017AB	UL20549	300V	62X2X17AWG	37/0.19	42.3	3200.74	17.3Ω/km
ANM06.003.63.017AB	UL20549	300V	63X2X17AWG	37/0.19	42.3	3215.44	17.3Ω/km
ANM06.003.64.017AB	UL20549	300V	64X2X17AWG	37/0.19	42.3	3230.24	17.3Ω/km
ANM06.003.65.017AB	UL20549	300V	65X2X17AWG	37/0.19	42.3	3244.94	17.3Ω/km
ANM06.003.02.016AB	UL20549	300V	2X2X16AWG	27/0.25	11.3	202.51	13.7Ω/km
ANM06.003.03.016AB	UL20549	300V	3X2X16AWG	27/0.25	12	241.91	13.7Ω/km
ANM06.003.04.016AB	UL20549	300V	4X2X16AWG	27/0.25	13	292.21	13.7Ω/km
ANM06.003.05.016AB	UL20549	300V	5X2X16AWG	27/0.25	14.3	355.61	13.7Ω/km
ANM06.003.06.016AB	UL20549	300V	6X2X16AWG	27/0.25	15.5	419.31	13.7Ω/km
ANM06.003.07.016AB	UL20549	300V	7X2X16AWG	27/0.25	15.5	438.41	13.7Ω/km
ANM06.003.08.016AB	UL20549	300V	8X2X16AWG	27/0.25	16.7	505.41	13.7Ω/km
ANM06.003.09.016AB	UL20549	300V	9X2X16AWG	27/0.25	18.3	593.81	13.7Ω/km
ANM06.003.10.016AB	UL20549	300V	10X2X16AWG	27/0.25	20.5	716.41	13.7Ω/km
ANM06.003.11.016AB	UL20549	300V	11X2X16AWG	27/0.25	21.2	771.41	13.7Ω/km
ANM06.003.12.016AB	UL20549	300V	12X2X16AWG	27/0.25	21.2	790.61	13.7Ω/km
ANM06.003.13.016AB	UL20549	300V	13X2X16AWG	27/0.25	22.2	863.21	13.7Ω/km
ANM06.003.14.016AB	UL20549	300V	14X2X16AWG	27/0.25	22.2	882.31	13.7Ω/km
ANM06.003.15.016AB	UL20549	300V	15X2X16AWG	27/0.25	23.4	968.71	13.7Ω/km
ANM06.003.16.016AB	UL20549	300V	16X2X16AWG	27/0.25	23.4	987.81	13.7Ω/km
ANM06.003.17.016AB	UL20549	300V	17X2X16AWG	27/0.25	24.6	1077.71	13.7Ω/km
ANM06.003.18.016AB	UL20549	300V	18X2X16AWG	27/0.25	24.6	1096.91	13.7Ω/km
ANM06.003.19.016AB	UL20549	300V	19X2X16AWG	27/0.25	24.6	1116.01	13.7Ω/km
ANM06.003.20.016AB	UL20549	300V	20X2X16AWG	27/0.25	25.2	1171.81	13.7Ω/km
ANM06.003.21.016AB	UL20549	300V	21X2X16AWG	27/0.25	25.8	1228.41	13.7Ω/km
ANM06.003.22.016AB	UL20549	300V	22X2X16AWG	27/0.25	27.4	1352.01	13.7Ω/km
ANM06.003.23.016AB	UL20549	300V	23X2X16AWG	27/0.25	29.6	1522.51	13.7Ω/km
ANM06.003.24.016AB	UL20549	300V	24X2X16AWG	27/0.25	29.6	1541.71	13.7Ω/km
ANM06.003.25.016AB	UL20549	300V	25X2X16AWG	27/0.25	30.7	1676.11	13.7Ω/km
ANM06.003.26.016AB	UL20549	300V	26X2X16AWG	27/0.25	30.7	1695.21	13.7Ω/km
ANM06.003.27.016AB	UL20549	300V	27X2X16AWG	27/0.25	30.7	1714.31	13.7Ω/km
ANM06.003.28.016AB	UL20549	300V	28X2X16AWG	27/0.25	31.7	1811.21	13.7Ω/km
ANM06.003.29.016AB	UL20549	300V	29X2X16AWG	27/0.25	31.7	1830.31	13.7Ω/km



ANM06.003.30.016AB	UL20549	300V	30X2X16AWG	27/0.25	31.7	1849.51	13.7 Ω/km
ANM06.003.31.016AB	UL20549	300V	31X2X16AWG	27/0.25	32.9	1964.91	13.7 Ω/km
ANM06.003.32.016AB	UL20549	300V	32X2X16AWG	27/0.25	32.9	1984.11	13.7 Ω/km
ANM06.003.33.016AB	UL20549	300V	33X2X16AWG	27/0.25	32.9	2003.21	13.7 Ω/km
ANM06.003.34.016AB	UL20549	300V	34X2X16AWG	27/0.25	34.1	2122.21	13.7 Ω/km
ANM06.003.35.016AB	UL20549	300V	35X2X16AWG	27/0.25	34.1	2141.31	13.7 Ω/km
ANM06.003.36.016AB	UL20549	300V	36X2X16AWG	27/0.25	34.1	2160.51	13.7 Ω/km
ANM06.003.37.016AB	UL20549	300V	37X2X16AWG	27/0.25	34.1	2179.61	13.7 Ω/km
ANM06.003.38.016AB	UL20549	300V	38X2X16AWG	27/0.25	35.3	2302.11	13.7 Ω/km
ANM06.003.39.016AB	UL20549	300V	39X2X16AWG	27/0.25	35.3	2321.21	13.7 Ω/km
ANM06.003.40.016AB	UL20549	300V	40X2X16AWG	27/0.25	35.3	2340.31	13.7 Ω/km
ANM06.003.41.016AB	UL20549	300V	41X2X16AWG	27/0.25	38.4	2642.81	13.7 Ω/km
ANM06.003.42.016AB	UL20549	300V	42X2X16AWG	27/0.25	38.4	2662.01	13.7 Ω/km
ANM06.003.43.016AB	UL20549	300V	43X2X16AWG	27/0.25	38.4	2681.11	13.7 Ω/km
ANM06.003.44.016AB	UL20549	300V	44X2X16AWG	27/0.25	38.4	2700.21	13.7 Ω/km
ANM06.003.45.016AB	UL20549	300V	45X2X16AWG	27/0.25	39.1	2786.41	13.7 Ω/km
ANM06.003.46.016AB	UL20549	300V	46X2X16AWG	27/0.25	39.1	2805.51	13.7 Ω/km
ANM06.003.47.016AB	UL20549	300V	47X2X16AWG	27/0.25	39.1	2824.71	13.7 Ω/km
ANM06.003.48.016AB	UL20549	300V	48X2X16AWG	27/0.25	39.1	2843.81	13.7 Ω/km
ANM06.003.49.016AB	UL20549	300V	49X2X16AWG	27/0.25	40.1	2961.11	13.7 Ω/km
ANM06.003.50.016AB	UL20549	300V	50X2X16AWG	27/0.25	40.1	2980.21	13.7 Ω/km
ANM06.003.51.016AB	UL20549	300V	51X2X16AWG	27/0.25	40.1	2999.31	13.7 Ω/km
ANM06.003.52.016AB	UL20549	300V	52X2X16AWG	27/0.25	40.1	3018.41	13.7 Ω/km
ANM06.003.53.016AB	UL20549	300V	53X2X16AWG	27/0.25	41.5	3217.21	13.7 Ω/km
ANM06.003.54.016AB	UL20549	300V	54X2X16AWG	27/0.25	41.5	3236.31	13.7 Ω/km
ANM06.003.55.016AB	UL20549	300V	55X2X16AWG	27/0.25	41.5	3255.41	13.7 Ω/km
ANM06.003.56.016AB	UL20549	300V	56X2X16AWG	27/0.25	41.5	3274.51	13.7 Ω/km
ANM06.003.57.016AB	UL20549	300V	57X2X16AWG	27/0.25	44.1	3563.61	13.7 Ω/km
ANM06.003.58.016AB	UL20549	300V	58X2X16AWG	27/0.25	44.1	3582.71	13.7 Ω/km
ANM06.003.59.016AB	UL20549	300V	59X2X16AWG	27/0.25	44.1	3601.91	13.7 Ω/km
ANM06.003.60.016AB	UL20549	300V	60X2X16AWG	27/0.25	44.1	3621.01	13.7 Ω/km
ANM06.003.61.016AB	UL20549	300V	61X2X16AWG	27/0.25	44.1	3640.11	13.7 Ω/km
ANM06.003.62.016AB	UL20549	300V	62X2X16AWG	27/0.25	45.3	3792.91	13.7 Ω/km
ANM06.003.63.016AB	UL20549	300V	63X2X16AWG	27/0.25	45.3	3812.01	13.7 Ω/km
ANM06.003.64.016AB	UL20549	300V	64X2X16AWG	27/0.25	45.3	3831.11	13.7 Ω/km
ANM06.003.65.016AB	UL20549	300V	65X2X16AWG	27/0.25	45.3	3850.31	13.7 Ω/km
ANM06.003.02.015AB	UL20549	300V	2X2X15AWG	34/0.25	12	232.85	10.9 Ω/km
ANM06.003.03.015AB	UL20549	300V	3X2X15AWG	34/0.25	12.7	278.35	10.9 Ω/km
ANM06.003.04.015AB	UL20549	300V	4X2X15AWG	34/0.25	14	345.65	10.9 Ω/km
ANM06.003.05.015AB	UL20549	300V	5X2X15AWG	34/0.25	15.2	413.15	10.9 Ω/km
ANM06.003.06.015AB	UL20549	300V	6X2X15AWG	34/0.25	16.5	488.25	10.9 Ω/km
ANM06.003.07.015AB	UL20549	300V	7X2X15AWG	34/0.25	16.5	512.35	10.9 Ω/km



ANM06.003.08.015AB	UL20549	300V	8X2X15AWG	34/0.25	17.9	595.85	10.9Ω/km
ANM06.003.09.015AB	UL20549	300V	9X2X15AWG	34/0.25	20.6	746.35	10.9Ω/km
ANM06.003.10.015AB	UL20549	300V	10X2X15AWG	34/0.25	21.9	838.25	10.9Ω/km
ANM06.003.11.015AB	UL20549	300V	11X2X15AWG	34/0.25	22.6	900.65	10.9Ω/km
ANM06.003.12.015AB	UL20549	300V	12X2X15AWG	34/0.25	22.6	924.65	10.9Ω/km
ANM06.003.13.015AB	UL20549	300V	13X2X15AWG	34/0.25	23.8	1017.05	10.9Ω/km
ANM06.003.14.015AB	UL20549	300V	14X2X15AWG	34/0.25	23.8	1041.05	10.9Ω/km
ANM06.003.15.015AB	UL20549	300V	15X2X15AWG	34/0.25	25	1136.95	10.9Ω/km
ANM06.003.16.015AB	UL20549	300V	16X2X15AWG	34/0.25	25	1160.95	10.9Ω/km
ANM06.003.17.015AB	UL20549	300V	17X2X15AWG	34/0.25	26.3	1266.85	10.9Ω/km
ANM06.003.18.015AB	UL20549	300V	18X2X15AWG	34/0.25	26.3	1290.75	10.9Ω/km
ANM06.003.19.015AB	UL20549	300V	19X2X15AWG	34/0.25	26.3	1314.85	10.9Ω/km
ANM06.003.20.015AB	UL20549	300V	20X2X15AWG	34/0.25	27	1384.45	10.9Ω/km
ANM06.003.21.015AB	UL20549	300V	21X2X15AWG	34/0.25	27.7	1455.35	10.9Ω/km
ANM06.003.22.015AB	UL20549	300V	22X2X15AWG	34/0.25	30.8	1733.45	10.9Ω/km
ANM06.003.23.015AB	UL20549	300V	23X2X15AWG	34/0.25	32.1	1859.25	10.9Ω/km
ANM06.003.24.015AB	UL20549	300V	24X2X15AWG	34/0.25	32.1	1883.15	10.9Ω/km
ANM06.003.25.015AB	UL20549	300V	25X2X15AWG	34/0.25	32.8	1963.75	10.9Ω/km
ANM06.003.26.015AB	UL20549	300V	26X2X15AWG	34/0.25	32.8	1987.75	10.9Ω/km
ANM06.003.27.015AB	UL20549	300V	27X2X15AWG	34/0.25	32.8	2011.65	10.9Ω/km
ANM06.003.28.015AB	UL20549	300V	28X2X15AWG	34/0.25	34	2135.35	10.9Ω/km
ANM06.003.29.015AB	UL20549	300V	29X2X15AWG	34/0.25	34	2159.25	10.9Ω/km
ANM06.003.30.015AB	UL20549	300V	30X2X15AWG	34/0.25	34	2183.15	10.9Ω/km
ANM06.003.31.015AB	UL20549	300V	31X2X15AWG	34/0.25	35.2	2310.35	10.9Ω/km
ANM06.003.32.015AB	UL20549	300V	32X2X15AWG	34/0.25	35.2	2334.25	10.9Ω/km
ANM06.003.33.015AB	UL20549	300V	33X2X15AWG	34/0.25	35.2	2358.25	10.9Ω/km
ANM06.003.34.015AB	UL20549	300V	34X2X15AWG	34/0.25	36.8	2525.15	10.9Ω/km
ANM06.003.35.015AB	UL20549	300V	35X2X15AWG	34/0.25	36.8	2549.15	10.9Ω/km
ANM06.003.36.015AB	UL20549	300V	36X2X15AWG	34/0.25	36.8	2573.15	10.9Ω/km
ANM06.003.37.015AB	UL20549	300V	37X2X15AWG	34/0.25	36.8	2597.05	10.9Ω/km
ANM06.003.38.015AB	UL20549	300V	38X2X15AWG	34/0.25	38.2	2751.25	10.9Ω/km
ANM06.003.39.015AB	UL20549	300V	39X2X15AWG	34/0.25	38.2	2775.25	10.9Ω/km
ANM06.003.40.015AB	UL20549	300V	40X2X15AWG	34/0.25	38.2	2799.05	10.9Ω/km
ANM06.003.41.015AB	UL20549	300V	41X2X15AWG	34/0.25	41.4	3176.45	10.9Ω/km
ANM06.003.42.015AB	UL20549	300V	42X2X15AWG	34/0.25	41.4	3200.35	10.9Ω/km
ANM06.003.43.015AB	UL20549	300V	43X2X15AWG	34/0.25	41.4	3224.35	10.9Ω/km
ANM06.003.44.015AB	UL20549	300V	44X2X15AWG	34/0.25	41.4	3248.35	10.9Ω/km
ANM06.003.45.015AB	UL20549	300V	45X2X15AWG	34/0.25	42.1	3345.35	10.9Ω/km
ANM06.003.46.015AB	UL20549	300V	46X2X15AWG	34/0.25	42.1	3369.35	10.9Ω/km
ANM06.003.47.015AB	UL20549	300V	47X2X15AWG	34/0.25	42.1	3393.25	10.9Ω/km
ANM06.003.48.015AB	UL20549	300V	48X2X15AWG	34/0.25	42.1	3417.25	10.9Ω/km
ANM06.003.49.015AB	UL20549	300V	49X2X15AWG	34/0.25	44.7	3714.95	10.9Ω/km



ANM06.003.50.015AB	UL20549	300V	50X2X15AWG	34/0.25	44.7	3739.05	10.9Ω/km
ANM06.003.51.015AB	UL20549	300V	51X2X15AWG	34/0.25	44.7	3763.05	10.9Ω/km
ANM06.003.52.015AB	UL20549	300V	52X2X15AWG	34/0.25	44.7	3786.85	10.9Ω/km
ANM06.003.53.015AB	UL20549	300V	53X2X15AWG	34/0.25	45.9	3946.35	10.9Ω/km
ANM06.003.54.015AB	UL20549	300V	54X2X15AWG	34/0.25	45.9	3970.25	10.9Ω/km
ANM06.003.55.015AB	UL20549	300V	55X2X15AWG	34/0.25	45.9	3994.25	10.9Ω/km
ANM06.003.56.015AB	UL20549	300V	56X2X15AWG	34/0.25	45.9	4018.25	10.9Ω/km
ANM06.003.57.015AB	UL20549	300V	57X2X15AWG	34/0.25	47.2	4192.85	10.9Ω/km
ANM06.003.58.015AB	UL20549	300V	58X2X15AWG	34/0.25	47.2	4216.85	10.9Ω/km
ANM06.003.59.015AB	UL20549	300V	59X2X15AWG	34/0.25	47.2	4240.75	10.9Ω/km
ANM06.003.60.015AB	UL20549	300V	60X2X15AWG	34/0.25	47.2	4264.75	10.9Ω/km
ANM06.003.61.015AB	UL20549	300V	61X2X15AWG	34/0.25	47.2	4288.75	10.9Ω/km
ANM06.003.62.015AB	UL20549	300V	62X2X15AWG	34/0.25	48.6	4479.35	10.9Ω/km
ANM06.003.63.015AB	UL20549	300V	63X2X15AWG	34/0.25	48.6	4503.45	10.9Ω/km
ANM06.003.64.015AB	UL20549	300V	64X2X15AWG	34/0.25	48.6	4527.35	10.9Ω/km
ANM06.003.65.015AB	UL20549	300V	65X2X15AWG	34/0.25	48.6	4551.35	10.9Ω/km
ANM06.003.02.014AB	UL20549	300V	2X2X14AWG	43/0.25	12.8	270.68	8.62Ω/km
ANM06.003.03.014AB	UL20549	300V	3X2X14AWG	43/0.25	13.6	327.38	8.62Ω/km
ANM06.003.04.014AB	UL20549	300V	4X2X14AWG	43/0.25	14.8	400.18	8.62Ω/km
ANM06.003.05.014AB	UL20549	300V	5X2X14AWG	43/0.25	16.2	484.38	8.62Ω/km
ANM06.003.06.014AB	UL20549	300V	6X2X14AWG	43/0.25	17.6	573.38	8.62Ω/km
ANM06.003.07.014AB	UL20549	300V	7X2X14AWG	43/0.25	17.6	603.68	8.62Ω/km
ANM06.003.08.014AB	UL20549	300V	8X2X14AWG	43/0.25	19	697.28	8.62Ω/km
ANM06.003.09.014AB	UL20549	300V	9X2X14AWG	43/0.25	22	877.38	8.62Ω/km
ANM06.003.10.014AB	UL20549	300V	10X2X14AWG	43/0.25	23.4	985.88	8.62Ω/km
ANM06.003.11.014AB	UL20549	300V	11X2X14AWG	43/0.25	24.1	1057.08	8.62Ω/km
ANM06.003.12.014AB	UL20549	300V	12X2X14AWG	43/0.25	24.1	1087.58	8.62Ω/km
ANM06.003.13.014AB	UL20549	300V	13X2X14AWG	43/0.25	25.3	1190.48	8.62Ω/km
ANM06.003.14.014AB	UL20549	300V	14X2X14AWG	43/0.25	25.3	1220.88	8.62Ω/km
ANM06.003.15.014AB	UL20549	300V	15X2X14AWG	43/0.25	26.7	1340.58	8.62Ω/km
ANM06.003.16.014AB	UL20549	300V	16X2X14AWG	43/0.25	26.7	1370.88	8.62Ω/km
ANM06.003.17.014AB	UL20549	300V	17X2X14AWG	43/0.25	28.1	1495.38	8.62Ω/km
ANM06.003.18.014AB	UL20549	300V	18X2X14AWG	43/0.25	28.1	1525.78	8.62Ω/km
ANM06.003.19.014AB	UL20549	300V	19X2X14AWG	43/0.25	28.1	1556.08	8.62Ω/km
ANM06.003.20.014AB	UL20549	300V	20X2X14AWG	43/0.25	29.9	1712.08	8.62Ω/km
ANM06.003.21.014AB	UL20549	300V	21X2X14AWG	43/0.25	30.9	1851.08	8.62Ω/km
ANM06.003.22.014AB	UL20549	300V	22X2X14AWG	43/0.25	32.9	2040.08	8.62Ω/km
ANM06.003.23.014AB	UL20549	300V	23X2X14AWG	43/0.25	34.3	2187.48	8.62Ω/km
ANM06.003.24.014AB	UL20549	300V	24X2X14AWG	43/0.25	34.3	2217.78	8.62Ω/km
ANM06.003.25.014AB	UL20549	300V	25X2X14AWG	43/0.25	35	2308.38	8.62Ω/km
ANM06.003.26.014AB	UL20549	300V	26X2X14AWG	43/0.25	35	2338.68	8.62Ω/km
ANM06.003.27.014AB	UL20549	300V	27X2X14AWG	43/0.25	35	2368.98	8.62Ω/km



ANM06.003.28.014AB	UL20549	300V	28X2X14AWG	43/0.25	36.5	2532.28	8.62 Ω/km
ANM06.003.29.014AB	UL20549	300V	29X2X14AWG	43/0.25	36.5	2562.68	8.62 Ω/km
ANM06.003.30.014AB	UL20549	300V	30X2X14AWG	43/0.25	36.5	2593.08	8.62 Ω/km
ANM06.003.31.014AB	UL20549	300V	31X2X14AWG	43/0.25	37.9	2752.48	8.62 Ω/km
ANM06.003.32.014AB	UL20549	300V	32X2X14AWG	43/0.25	37.9	2782.78	8.62 Ω/km
ANM06.003.33.014AB	UL20549	300V	33X2X14AWG	43/0.25	37.9	2813.08	8.62 Ω/km
ANM06.003.34.014AB	UL20549	300V	34X2X14AWG	43/0.25	39.3	2977.38	8.62 Ω/km
ANM06.003.35.014AB	UL20549	300V	35X2X14AWG	43/0.25	39.3	3007.58	8.62 Ω/km
ANM06.003.36.014AB	UL20549	300V	36X2X14AWG	43/0.25	39.3	3038.08	8.62 Ω/km
ANM06.003.37.014AB	UL20549	300V	37X2X14AWG	43/0.25	39.3	3068.38	8.62 Ω/km
ANM06.003.38.014AB	UL20549	300V	38X2X14AWG	43/0.25	40.9	3295.08	8.62 Ω/km
ANM06.003.39.014AB	UL20549	300V	39X2X14AWG	43/0.25	40.9	3325.38	8.62 Ω/km
ANM06.003.40.014AB	UL20549	300V	40X2X14AWG	43/0.25	40.9	3355.68	8.62 Ω/km
ANM06.003.41.014AB	UL20549	300V	41X2X14AWG	43/0.25	45.7	3896.78	8.62 Ω/km
ANM06.003.42.014AB	UL20549	300V	42X2X14AWG	43/0.25	45.7	3927.28	8.62 Ω/km
ANM06.003.43.014AB	UL20549	300V	43X2X14AWG	43/0.25	45.7	3957.48	8.62 Ω/km
ANM06.003.44.014AB	UL20549	300V	44X2X14AWG	43/0.25	45.7	3987.78	8.62 Ω/km
ANM06.003.45.014AB	UL20549	300V	45X2X14AWG	43/0.25	46.4	4098.38	8.62 Ω/km
ANM06.003.46.014AB	UL20549	300V	46X2X14AWG	43/0.25	46.4	4128.68	8.62 Ω/km
ANM06.003.47.014AB	UL20549	300V	47X2X14AWG	43/0.25	46.4	4159.08	8.62 Ω/km
ANM06.003.48.014AB	UL20549	300V	48X2X14AWG	43/0.25	46.4	4189.38	8.62 Ω/km
ANM06.003.49.014AB	UL20549	300V	49X2X14AWG	43/0.25	47.6	4360.08	8.62 Ω/km
ANM06.003.50.014AB	UL20549	300V	50X2X14AWG	43/0.25	47.6	4390.28	8.62 Ω/km
ANM06.003.51.014AB	UL20549	300V	51X2X14AWG	43/0.25	47.6	4420.68	8.62 Ω/km
ANM06.003.52.014AB	UL20549	300V	52X2X14AWG	43/0.25	47.6	4450.98	8.62 Ω/km
ANM06.003.02.013AB	UL20549	300V	2X2X13AWG	54/0.25	13.9	322.63	6.82 Ω/km
ANM06.003.03.013AB	UL20549	300V	3X2X13AWG	54/0.25	14.7	388.83	6.82 Ω/km
ANM06.003.04.013AB	UL20549	300V	4X2X13AWG	54/0.25	16.1	480.13	6.82 Ω/km
ANM06.003.05.013AB	UL20549	300V	5X2X13AWG	54/0.25	17.6	580.43	6.82 Ω/km
ANM06.003.06.013AB	UL20549	300V	6X2X13AWG	54/0.25	19.2	691.03	6.82 Ω/km
ANM06.003.07.013AB	UL20549	300V	7X2X13AWG	54/0.25	19.2	728.73	6.82 Ω/km
ANM06.003.08.013AB	UL20549	300V	8X2X13AWG	54/0.25	21.8	895.83	6.82 Ω/km
ANM06.003.09.013AB	UL20549	300V	9X2X13AWG	54/0.25	23.9	1051.63	6.82 Ω/km
ANM06.003.10.013AB	UL20549	300V	10X2X13AWG	54/0.25	25.5	1186.43	6.82 Ω/km
ANM06.003.11.013AB	UL20549	300V	11X2X13AWG	54/0.25	26.3	1274.93	6.82 Ω/km
ANM06.003.12.013AB	UL20549	300V	12X2X13AWG	54/0.25	26.3	1312.73	6.82 Ω/km
ANM06.003.13.013AB	UL20549	300V	13X2X13AWG	54/0.25	27.7	1443.13	6.82 Ω/km
ANM06.003.14.013AB	UL20549	300V	14X2X13AWG	54/0.25	27.7	1480.83	6.82 Ω/km
ANM06.003.15.013AB	UL20549	300V	15X2X13AWG	54/0.25	30.6	1757.43	6.82 Ω/km
ANM06.003.16.013AB	UL20549	300V	16X2X13AWG	54/0.25	30.6	1795.03	6.82 Ω/km
ANM06.003.17.013AB	UL20549	300V	17X2X13AWG	54/0.25	32.1	1949.83	6.82 Ω/km
ANM06.003.18.013AB	UL20549	300V	18X2X13AWG	54/0.25	32.1	1987.53	6.82 Ω/km



ANM06.003.19.013AB	UL20549	300V	19X2X13AWG	54/0.25	32.1	2025.23	6.82 Ω/km
ANM06.003.20.013AB	UL20549	300V	20X2X13AWG	54/0.25	33	2135.83	6.82 Ω/km
ANM06.003.21.013AB	UL20549	300V	21X2X13AWG	54/0.25	33.7	2231.53	6.82 Ω/km
ANM06.003.22.013AB	UL20549	300V	22X2X13AWG	54/0.25	36.2	2486.23	6.82 Ω/km
ANM06.003.23.013AB	UL20549	300V	23X2X13AWG	54/0.25	37.7	2661.53	6.82 Ω/km
ANM06.003.24.013AB	UL20549	300V	24X2X13AWG	54/0.25	37.7	2699.13	6.82 Ω/km
ANM06.003.25.013AB	UL20549	300V	25X2X13AWG	54/0.25	38.6	2821.73	6.82 Ω/km
ANM06.003.26.013AB	UL20549	300V	26X2X13AWG	54/0.25	38.6	2859.53	6.82 Ω/km
ANM06.003.27.013AB	UL20549	300V	27X2X13AWG	54/0.25	38.6	2897.23	6.82 Ω/km
ANM06.003.28.013AB	UL20549	300V	28X2X13AWG	54/0.25	39.9	3061.43	6.82 Ω/km
ANM06.003.29.013AB	UL20549	300V	29X2X13AWG	54/0.25	39.9	3099.03	6.82 Ω/km
ANM06.003.30.013AB	UL20549	300V	30X2X13AWG	54/0.25	39.9	3136.73	6.82 Ω/km
ANM06.003.31.013AB	UL20549	300V	31X2X13AWG	54/0.25	41.6	3384.23	6.82 Ω/km
ANM06.003.32.013AB	UL20549	300V	32X2X13AWG	54/0.25	41.6	3421.93	6.82 Ω/km
ANM06.003.33.013AB	UL20549	300V	33X2X13AWG	54/0.25	41.6	3459.53	6.82 Ω/km
ANM06.003.34.013AB	UL20549	300V	34X2X13AWG	54/0.25	44.6	3812.33	6.82 Ω/km
ANM06.003.35.013AB	UL20549	300V	35X2X13AWG	54/0.25	44.6	3849.93	6.82 Ω/km
ANM06.003.36.013AB	UL20549	300V	36X2X13AWG	54/0.25	44.6	3887.73	6.82 Ω/km
ANM06.003.37.013AB	UL20549	300V	37X2X13AWG	54/0.25	44.6	3925.53	6.82 Ω/km
ANM06.003.38.013AB	UL20549	300V	38X2X13AWG	54/0.25	46.2	4143.93	6.82 Ω/km
ANM06.003.39.013AB	UL20549	300V	39X2X13AWG	54/0.25	46.2	4181.73	6.82 Ω/km
ANM06.003.40.013AB	UL20549	300V	40X2X13AWG	54/0.25	46.2	4219.43	6.82 Ω/km
ANM06.003.41.013AB	UL20549	300V	41X2X13AWG	54/0.25	49.9	4699.13	6.82 Ω/km
ANM06.003.42.013AB	UL20549	300V	42X2X13AWG	54/0.25	49.9	4736.83	6.82 Ω/km
ANM06.003.43.013AB	UL20549	300V	43X2X13AWG	54/0.25	49.9	4774.53	6.82 Ω/km
ANM06.003.44.013AB	UL20549	300V	44X2X13AWG	54/0.25	49.9	4812.23	6.82 Ω/km
ANM06.003.45.013AB	UL20549	300V	45X2X13AWG	54/0.25	50.7	4949.83	6.82 Ω/km
ANM06.003.46.013AB	UL20549	300V	46X2X13AWG	54/0.25	50.7	4987.53	6.82 Ω/km
ANM06.003.47.013AB	UL20549	300V	47X2X13AWG	54/0.25	50.7	5025.23	6.82 Ω/km
ANM06.003.48.013AB	UL20549	300V	48X2X13AWG	54/0.25	50.7	5062.83	6.82 Ω/km
ANM06.003.49.013AB	UL20549	300V	49X2X13AWG	54/0.25	52.1	5279.23	6.82 Ω/km
ANM06.003.50.013AB	UL20549	300V	50X2X13AWG	54/0.25	52.1	5317.03	6.82 Ω/km
ANM06.003.51.013AB	UL20549	300V	51X2X13AWG	54/0.25	52.1	5354.63	6.82 Ω/km
ANM06.003.52.013AB	UL20549	300V	52X2X13AWG	54/0.25	52.1	5392.33	6.82 Ω/km