



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
ANM14.013.02.018AB	S00	600V	2X18AWG	29/0.19	10	141.93	21.8Ω/km
ANM14.013.03.018AB	S00	600V	3X18AWG	29/0.19	10.5	160.73	21.8Ω/km
ANM14.013.04.018AB	S00	600V	4X18AWG	29/0.19	11.2	186.03	21.8Ω/km
ANM14.013.05.018AB	S00	600V	5X18AWG	29/0.19	13.2	251.33	21.8Ω/km
ANM14.013.06.018AB	S00	600V	6X18AWG	29/0.19	14	284.43	21.8Ω/km
ANM14.013.07.018AB	S00	600V	7X18AWG	29/0.19	14	290.33	21.8Ω/km
ANM14.013.08.018AB	S00	600V	8X18AWG	29/0.19	14.9	328.93	21.8Ω/km
ANM14.013.09.018AB	S00	600V	9X18AWG	29/0.19	16.1	381.33	21.8Ω/km
ANM14.013.10.018AB	S00	600V	10X18AWG	29/0.19	16.9	420.33	21.8Ω/km
ANM14.013.11.018AB	S00	600V	11X18AWG	29/0.19	17.4	447.53	21.8Ω/km
ANM14.013.12.018AB	S00	600V	12X18AWG	29/0.19	17.4	453.33	21.8Ω/km
ANM14.013.13.018AB	S00	600V	13X18AWG	29/0.19	19.1	534.43	21.8Ω/km
ANM14.013.14.018AB	S00	600V	14X18AWG	29/0.19	19.1	540.23	21.8Ω/km
ANM14.013.15.018AB	S00	600V	15X18AWG	29/0.19	19.9	584.73	21.8Ω/km
ANM14.013.16.018AB	S00	600V	16X18AWG	29/0.19	19.9	590.63	21.8Ω/km
ANM14.013.17.018AB	S00	600V	17X18AWG	29/0.19	20.7	636.83	21.8Ω/km
ANM14.013.18.018AB	S00	600V	18X18AWG	29/0.19	20.7	642.73	21.8Ω/km
ANM14.013.19.018AB	S00	600V	19X18AWG	29/0.19	20.7	648.63	21.8Ω/km
ANM14.013.20.018AB	S00	600V	20X18AWG	29/0.19	21.2	680.43	21.8Ω/km
ANM14.013.21.018AB	S00	600V	21X18AWG	29/0.19	21.6	707.53	21.8Ω/km
ANM14.013.22.018AB	S00	600V	22X18AWG	29/0.19	22.7	773.73	21.8Ω/km
ANM14.013.23.018AB	S00	600V	23X18AWG	29/0.19	23.5	825.33	21.8Ω/km
ANM14.013.24.018AB	S00	600V	24X18AWG	29/0.19	23.5	831.23	21.8Ω/km
ANM14.013.25.018AB	S00	600V	25X18AWG	29/0.19	24	866.43	21.8Ω/km
ANM14.013.26.018AB	S00	600V	26X18AWG	29/0.19	24	872.23	21.8Ω/km
ANM14.013.27.018AB	S00	600V	27X18AWG	29/0.19	24	878.13	21.8Ω/km
ANM14.013.28.018AB	S00	600V	28X18AWG	29/0.19	24.7	926.13	21.8Ω/km
ANM14.013.29.018AB	S00	600V	29X18AWG	29/0.19	24.7	932.03	21.8Ω/km
ANM14.013.30.018AB	S00	600V	30X18AWG	29/0.19	24.7	937.93	21.8Ω/km
ANM14.013.31.018AB	S00	600V	31X18AWG	29/0.19	26.3	1042.33	21.8Ω/km
ANM14.013.32.018AB	S00	600V	32X18AWG	29/0.19	26.3	1048.33	21.8Ω/km
ANM14.013.33.018AB	S00	600V	33X18AWG	29/0.19	26.3	1054.23	21.8Ω/km
ANM14.013.34.018AB	S00	600V	34X18AWG	29/0.19	27.1	1112.73	21.8Ω/km
ANM14.013.35.018AB	S00	600V	35X18AWG	29/0.19	27.1	1118.63	21.8Ω/km
ANM14.013.36.018AB	S00	600V	36X18AWG	29/0.19	27.1	1124.53	21.8Ω/km
ANM14.013.37.018AB	S00	600V	37X18AWG	29/0.19	27.1	1130.33	21.8Ω/km
ANM14.013.38.018AB	S00	600V	38X18AWG	29/0.19	28	1197.33	21.8Ω/km
ANM14.013.39.018AB	S00	600V	39X18AWG	29/0.19	28	1203.23	21.8Ω/km
ANM14.013.40.018AB	S00	600V	40X18AWG	29/0.19	28	1209.03	21.8Ω/km



ANM14.013.41.018AB	S00	600V	41X18AWG	29/0.19	29.9	1350.23	21.8Ω/km
ANM14.013.42.018AB	S00	600V	42X18AWG	29/0.19	29.9	1356.03	21.8Ω/km
ANM14.013.43.018AB	S00	600V	43X18AWG	29/0.19	29.9	1361.93	21.8Ω/km
ANM14.013.44.018AB	S00	600V	44X18AWG	29/0.19	29.9	1367.93	21.8Ω/km
ANM14.013.45.018AB	S00	600V	45X18AWG	29/0.19	30.4	1410.83	21.8Ω/km
ANM14.013.46.018AB	S00	600V	46X18AWG	29/0.19	30.4	1416.73	21.8Ω/km
ANM14.013.47.018AB	S00	600V	47X18AWG	29/0.19	30.4	1422.63	21.8Ω/km
ANM14.013.48.018AB	S00	600V	48X18AWG	29/0.19	30.4	1428.43	21.8Ω/km
ANM14.013.49.018AB	S00	600V	49X18AWG	29/0.19	31.1	1487.23	21.8Ω/km
ANM14.013.50.018AB	S00	600V	50X18AWG	29/0.19	31.1	1493.13	21.8Ω/km
ANM14.013.51.018AB	S00	600V	51X18AWG	29/0.19	31.1	1498.83	21.8Ω/km
ANM14.013.52.018AB	S00	600V	52X18AWG	29/0.19	31.1	1504.73	21.8Ω/km
ANM14.013.53.018AB	S00	600V	53X18AWG	29/0.19	31.9	1572.73	21.8Ω/km
ANM14.013.54.018AB	S00	600V	54X18AWG	29/0.19	31.9	1578.53	21.8Ω/km
ANM14.013.55.018AB	S00	600V	55X18AWG	29/0.19	31.9	1584.43	21.8Ω/km
ANM14.013.56.018AB	S00	600V	56X18AWG	29/0.19	31.9	1590.13	21.8Ω/km
ANM14.013.57.018AB	S00	600V	57X18AWG	29/0.19	34.1	1805.83	21.8Ω/km
ANM14.013.58.018AB	S00	600V	58X18AWG	29/0.19	34.1	1811.73	21.8Ω/km
ANM14.013.59.018AB	S00	600V	59X18AWG	29/0.19	34.1	1817.63	21.8Ω/km
ANM14.013.60.018AB	S00	600V	60X18AWG	29/0.19	34.1	1823.53	21.8Ω/km
ANM14.013.61.018AB	S00	600V	61X18AWG	29/0.19	34.1	1829.33	21.8Ω/km
ANM14.013.62.018AB	S00	600V	62X18AWG	29/0.19	36.9	2082.73	21.8Ω/km
ANM14.013.63.018AB	S00	600V	63X18AWG	29/0.19	36.9	2088.63	21.8Ω/km
ANM14.013.64.018AB	S00	600V	64X18AWG	29/0.19	36.9	2094.63	21.8Ω/km
ANM14.013.65.018AB	S00	600V	65X18AWG	29/0.19	36.9	2100.43	21.8Ω/km
ANM14.013.02.017AB	S00	600V	2X17AWG	37/0.19	10.2	150.44	17.3Ω/km
ANM14.013.03.017AB	S00	600V	3X17AWG	37/0.19	10.7	171.04	17.3Ω/km
ANM14.013.04.017AB	S00	600V	4X17AWG	37/0.19	11.5	200.84	17.3Ω/km
ANM14.013.05.017AB	S00	600V	5X17AWG	37/0.19	13.3	262.54	17.3Ω/km
ANM14.013.06.017AB	S00	600V	6X17AWG	37/0.19	14.6	314.74	17.3Ω/km
ANM14.013.07.017AB	S00	600V	7X17AWG	37/0.19	14.6	321.94	17.3Ω/km
ANM14.013.08.017AB	S00	600V	8X17AWG	37/0.19	15.5	363.14	17.3Ω/km
ANM14.013.09.017AB	S00	600V	9X17AWG	37/0.19	16.8	423.04	17.3Ω/km
ANM14.013.10.017AB	S00	600V	10X17AWG	37/0.19	18.7	512.14	17.3Ω/km
ANM14.013.11.017AB	S00	600V	11X17AWG	37/0.19	19.2	543.04	17.3Ω/km
ANM14.013.12.017AB	S00	600V	12X17AWG	37/0.19	19.2	550.24	17.3Ω/km
ANM14.013.13.017AB	S00	600V	13X17AWG	37/0.19	20	596.44	17.3Ω/km
ANM14.013.14.017AB	S00	600V	14X17AWG	37/0.19	20	603.84	17.3Ω/km
ANM14.013.15.017AB	S00	600V	15X17AWG	37/0.19	20.8	651.44	17.3Ω/km
ANM14.013.16.017AB	S00	600V	16X17AWG	37/0.19	20.8	658.74	17.3Ω/km
ANM14.013.17.017AB	S00	600V	17X17AWG	37/0.19	21.7	713.34	17.3Ω/km
ANM14.013.18.017AB	S00	600V	18X17AWG	37/0.19	21.7	720.64	17.3Ω/km



ANM14.013.19.017AB	S00	600V	19X17AWG	37/0.19	21.7	728.04	17.3Ω/km
ANM14.013.20.017AB	S00	600V	20X17AWG	37/0.19	22.2	762.44	17.3Ω/km
ANM14.013.21.017AB	S00	600V	21X17AWG	37/0.19	22.6	791.94	17.3Ω/km
ANM14.013.22.017AB	S00	600V	22X17AWG	37/0.19	23.8	868.14	17.3Ω/km
ANM14.013.23.017AB	S00	600V	23X17AWG	37/0.19	24.7	929.24	17.3Ω/km
ANM14.013.24.017AB	S00	600V	24X17AWG	37/0.19	24.7	936.54	17.3Ω/km
ANM14.013.25.017AB	S00	600V	25X17AWG	37/0.19	26	1023.14	17.3Ω/km
ANM14.013.26.017AB	S00	600V	26X17AWG	37/0.19	26	1030.34	17.3Ω/km
ANM14.013.27.017AB	S00	600V	27X17AWG	37/0.19	26	1037.74	17.3Ω/km
ANM14.013.28.017AB	S00	600V	28X17AWG	37/0.19	26.8	1097.14	17.3Ω/km
ANM14.013.29.017AB	S00	600V	29X17AWG	37/0.19	26.8	1104.44	17.3Ω/km
ANM14.013.30.017AB	S00	600V	30X17AWG	37/0.19	26.8	1111.64	17.3Ω/km
ANM14.013.31.017AB	S00	600V	31X17AWG	37/0.19	27.6	1172.44	17.3Ω/km
ANM14.013.32.017AB	S00	600V	32X17AWG	37/0.19	27.6	1179.84	17.3Ω/km
ANM14.013.33.017AB	S00	600V	33X17AWG	37/0.19	27.6	1187.04	17.3Ω/km
ANM14.013.34.017AB	S00	600V	34X17AWG	37/0.19	28.5	1256.44	17.3Ω/km
ANM14.013.35.017AB	S00	600V	35X17AWG	37/0.19	28.5	1263.74	17.3Ω/km
ANM14.013.36.017AB	S00	600V	36X17AWG	37/0.19	28.5	1271.04	17.3Ω/km
ANM14.013.37.017AB	S00	600V	37X17AWG	37/0.19	28.5	1278.34	17.3Ω/km
ANM14.013.38.017AB	S00	600V	38X17AWG	37/0.19	29.4	1349.74	17.3Ω/km
ANM14.013.39.017AB	S00	600V	39X17AWG	37/0.19	29.4	1356.94	17.3Ω/km
ANM14.013.40.017AB	S00	600V	40X17AWG	37/0.19	29.4	1364.24	17.3Ω/km
ANM14.013.41.017AB	S00	600V	41X17AWG	37/0.19	31.5	1528.74	17.3Ω/km
ANM14.013.42.017AB	S00	600V	42X17AWG	37/0.19	31.5	1536.04	17.3Ω/km
ANM14.013.43.017AB	S00	600V	43X17AWG	37/0.19	31.5	1543.34	17.3Ω/km
ANM14.013.44.017AB	S00	600V	44X17AWG	37/0.19	31.5	1550.54	17.3Ω/km
ANM14.013.45.017AB	S00	600V	45X17AWG	37/0.19	32	1596.94	17.3Ω/km
ANM14.013.46.017AB	S00	600V	46X17AWG	37/0.19	32	1604.14	17.3Ω/km
ANM14.013.47.017AB	S00	600V	47X17AWG	37/0.19	32	1611.34	17.3Ω/km
ANM14.013.48.017AB	S00	600V	48X17AWG	37/0.19	32	1618.64	17.3Ω/km
ANM14.013.49.017AB	S00	600V	49X17AWG	37/0.19	34.2	1836.44	17.3Ω/km
ANM14.013.50.017AB	S00	600V	50X17AWG	37/0.19	34.2	1843.74	17.3Ω/km
ANM14.013.51.017AB	S00	600V	51X17AWG	37/0.19	34.2	1851.04	17.3Ω/km
ANM14.013.52.017AB	S00	600V	52X17AWG	37/0.19	34.2	1858.24	17.3Ω/km
ANM14.013.53.017AB	S00	600V	53X17AWG	37/0.19	35	1934.64	17.3Ω/km
ANM14.013.54.017AB	S00	600V	54X17AWG	37/0.19	35	1941.84	17.3Ω/km
ANM14.013.55.017AB	S00	600V	55X17AWG	37/0.19	35	1949.04	17.3Ω/km
ANM14.013.56.017AB	S00	600V	56X17AWG	37/0.19	35	1956.34	17.3Ω/km
ANM14.013.57.017AB	S00	600V	57X17AWG	37/0.19	35.9	2043.04	17.3Ω/km
ANM14.013.58.017AB	S00	600V	58X17AWG	37/0.19	35.9	2050.34	17.3Ω/km
ANM14.013.59.017AB	S00	600V	59X17AWG	37/0.19	35.9	2057.54	17.3Ω/km
ANM14.013.60.017AB	S00	600V	60X17AWG	37/0.19	35.9	2064.84	17.3Ω/km



ANM14.013.61.017AB	S00	600V	61X17AWG	37/0.19	35.9	2072.14	17.3Ω/km
ANM14.013.62.017AB	S00	600V	62X17AWG	37/0.19	38.9	2358.44	17.3Ω/km
ANM14.013.63.017AB	S00	600V	63X17AWG	37/0.19	38.9	2365.64	17.3Ω/km
ANM14.013.64.017AB	S00	600V	64X17AWG	37/0.19	38.9	2372.94	17.3Ω/km
ANM14.013.65.017AB	S00	600V	65X17AWG	37/0.19	38.9	2380.14	17.3Ω/km
ANM14.013.02.016AB	S00	600V	2X16AWG	27/0.25	10.6	165.31	13.7Ω/km
ANM14.013.03.016AB	S00	600V	3X16AWG	27/0.25	11.1	188.61	13.7Ω/km
ANM14.013.04.016AB	S00	600V	4X16AWG	27/0.25	11.9	221.41	13.7Ω/km
ANM14.013.05.016AB	S00	600V	5X16AWG	27/0.25	14	297.01	13.7Ω/km
ANM14.013.06.016AB	S00	600V	6X16AWG	27/0.25	14.9	339.31	13.7Ω/km
ANM14.013.07.016AB	S00	600V	7X16AWG	27/0.25	14.9	348.71	13.7Ω/km
ANM14.013.08.016AB	S00	600V	8X16AWG	27/0.25	16	400.71	13.7Ω/km
ANM14.013.09.016AB	S00	600V	9X16AWG	27/0.25	17.2	460.11	13.7Ω/km
ANM14.013.10.016AB	S00	600V	10X16AWG	27/0.25	19.1	553.11	13.7Ω/km
ANM14.013.11.016AB	S00	600V	11X16AWG	27/0.25	19.6	586.61	13.7Ω/km
ANM14.013.12.016AB	S00	600V	12X16AWG	27/0.25	19.6	596.21	13.7Ω/km
ANM14.013.13.016AB	S00	600V	13X16AWG	27/0.25	20.4	645.21	13.7Ω/km
ANM14.013.14.016AB	S00	600V	14X16AWG	27/0.25	20.4	654.71	13.7Ω/km
ANM14.013.15.016AB	S00	600V	15X16AWG	27/0.25	21.3	710.61	13.7Ω/km
ANM14.013.16.016AB	S00	600V	16X16AWG	27/0.25	21.3	720.11	13.7Ω/km
ANM14.013.17.016AB	S00	600V	17X16AWG	27/0.25	22.2	778.01	13.7Ω/km
ANM14.013.18.016AB	S00	600V	18X16AWG	27/0.25	22.2	787.61	13.7Ω/km
ANM14.013.19.016AB	S00	600V	19X16AWG	27/0.25	22.2	797.01	13.7Ω/km
ANM14.013.20.016AB	S00	600V	20X16AWG	27/0.25	22.7	834.21	13.7Ω/km
ANM14.013.21.016AB	S00	600V	21X16AWG	27/0.25	23.2	872.11	13.7Ω/km
ANM14.013.22.016AB	S00	600V	22X16AWG	27/0.25	24.4	952.21	13.7Ω/km
ANM14.013.23.016AB	S00	600V	23X16AWG	27/0.25	26.1	1065.71	13.7Ω/km
ANM14.013.24.016AB	S00	600V	24X16AWG	27/0.25	26.1	1075.21	13.7Ω/km
ANM14.013.25.016AB	S00	600V	25X16AWG	27/0.25	26.6	1117.11	13.7Ω/km
ANM14.013.26.016AB	S00	600V	26X16AWG	27/0.25	26.6	1126.61	13.7Ω/km
ANM14.013.27.016AB	S00	600V	27X16AWG	27/0.25	26.6	1135.91	13.7Ω/km
ANM14.013.28.016AB	S00	600V	28X16AWG	27/0.25	27.4	1198.61	13.7Ω/km
ANM14.013.29.016AB	S00	600V	29X16AWG	27/0.25	27.4	1208.01	13.7Ω/km
ANM14.013.30.016AB	S00	600V	30X16AWG	27/0.25	27.4	1217.61	13.7Ω/km
ANM14.013.31.016AB	S00	600V	31X16AWG	27/0.25	28.3	1288.81	13.7Ω/km
ANM14.013.32.016AB	S00	600V	32X16AWG	27/0.25	28.3	1298.21	13.7Ω/km
ANM14.013.33.016AB	S00	600V	33X16AWG	27/0.25	28.3	1307.71	13.7Ω/km
ANM14.013.34.016AB	S00	600V	34X16AWG	27/0.25	29.2	1380.81	13.7Ω/km
ANM14.013.35.016AB	S00	600V	35X16AWG	27/0.25	29.2	1390.21	13.7Ω/km
ANM14.013.36.016AB	S00	600V	36X16AWG	27/0.25	29.2	1399.81	13.7Ω/km
ANM14.013.37.016AB	S00	600V	37X16AWG	27/0.25	29.2	1409.21	13.7Ω/km
ANM14.013.38.016AB	S00	600V	38X16AWG	27/0.25	30.2	1491.81	13.7Ω/km



ANM14.013.39.016AB	S00	600V	39X16AWG	27/0.25	30.2	1501.21	13.7Ω/km
ANM14.013.40.016AB	S00	600V	40X16AWG	27/0.25	30.2	1510.61	13.7Ω/km
ANM14.013.41.016AB	S00	600V	41X16AWG	27/0.25	33.7	1825.91	13.7Ω/km
ANM14.013.42.016AB	S00	600V	42X16AWG	27/0.25	33.7	1835.41	13.7Ω/km
ANM14.013.43.016AB	S00	600V	43X16AWG	27/0.25	33.7	1844.81	13.7Ω/km
ANM14.013.44.016AB	S00	600V	44X16AWG	27/0.25	33.7	1854.21	13.7Ω/km
ANM14.013.45.016AB	S00	600V	45X16AWG	27/0.25	34.2	1906.21	13.7Ω/km
ANM14.013.46.016AB	S00	600V	46X16AWG	27/0.25	34.2	1915.51	13.7Ω/km
ANM14.013.47.016AB	S00	600V	47X16AWG	27/0.25	34.2	1925.11	13.7Ω/km
ANM14.013.48.016AB	S00	600V	48X16AWG	27/0.25	34.2	1934.61	13.7Ω/km
ANM14.013.49.016AB	S00	600V	49X16AWG	27/0.25	35	2013.01	13.7Ω/km
ANM14.013.50.016AB	S00	600V	50X16AWG	27/0.25	35	2022.51	13.7Ω/km
ANM14.013.51.016AB	S00	600V	51X16AWG	27/0.25	35	2031.81	13.7Ω/km
ANM14.013.52.016AB	S00	600V	52X16AWG	27/0.25	35	2041.31	13.7Ω/km
ANM14.013.53.016AB	S00	600V	53X16AWG	27/0.25	35.9	2130.31	13.7Ω/km
ANM14.013.54.016AB	S00	600V	54X16AWG	27/0.25	35.9	2139.71	13.7Ω/km
ANM14.013.55.016AB	S00	600V	55X16AWG	27/0.25	35.9	2149.21	13.7Ω/km
ANM14.013.56.016AB	S00	600V	56X16AWG	27/0.25	35.9	2158.61	13.7Ω/km
ANM14.013.57.016AB	S00	600V	57X16AWG	27/0.25	36.8	2249.51	13.7Ω/km
ANM14.013.58.016AB	S00	600V	58X16AWG	27/0.25	36.8	2258.81	13.7Ω/km
ANM14.013.59.016AB	S00	600V	59X16AWG	27/0.25	36.8	2268.41	13.7Ω/km
ANM14.013.60.016AB	S00	600V	60X16AWG	27/0.25	36.8	2277.91	13.7Ω/km
ANM14.013.61.016AB	S00	600V	61X16AWG	27/0.25	36.8	2287.31	13.7Ω/km
ANM14.013.62.016AB	S00	600V	62X16AWG	27/0.25	40.2	2622.01	13.7Ω/km
ANM14.013.63.016AB	S00	600V	63X16AWG	27/0.25	40.2	2631.31	13.7Ω/km
ANM14.013.64.016AB	S00	600V	64X16AWG	27/0.25	40.2	2640.81	13.7Ω/km
ANM14.013.65.016AB	S00	600V	65X16AWG	27/0.25	40.2	2650.41	13.7Ω/km
ANM14.013.02.015AB	S00	600V	2X15AWG	34/0.25	13.2	244.45	10.9Ω/km
ANM14.013.03.015AB	S00	600V	3X15AWG	34/0.25	13.8	276.75	10.9Ω/km
ANM14.013.04.015AB	S00	600V	4X15AWG	34/0.25	15.2	338.35	10.9Ω/km
ANM14.013.05.015AB	S00	600V	5X15AWG	34/0.25	16.2	389.45	10.9Ω/km
ANM14.013.06.015AB	S00	600V	6X15AWG	34/0.25	15.5	376.85	10.9Ω/km
ANM14.013.07.015AB	S00	600V	7X15AWG	34/0.25	15.5	388.75	10.9Ω/km
ANM14.013.08.015AB	S00	600V	8X15AWG	34/0.25	16.6	444.85	10.9Ω/km
ANM14.013.09.015AB	S00	600V	9X15AWG	34/0.25	19	560.95	10.9Ω/km
ANM14.013.10.015AB	S00	600V	10X15AWG	34/0.25	19.9	616.35	10.9Ω/km
ANM14.013.11.015AB	S00	600V	11X15AWG	34/0.25	20.5	658.45	10.9Ω/km
ANM14.013.12.015AB	S00	600V	12X15AWG	34/0.25	20.5	670.35	10.9Ω/km
ANM14.013.13.015AB	S00	600V	13X15AWG	34/0.25	21.3	723.45	10.9Ω/km
ANM14.013.14.015AB	S00	600V	14X15AWG	34/0.25	21.3	735.45	10.9Ω/km
ANM14.013.15.015AB	S00	600V	15X15AWG	34/0.25	22.3	801.45	10.9Ω/km
ANM14.013.16.015AB	S00	600V	16X15AWG	34/0.25	22.3	813.35	10.9Ω/km



ANM14.013.17.015AB	S00	600V	17X15AWG	34/0.25	23.2	875.75	10.9Ω/km
ANM14.013.18.015AB	S00	600V	18X15AWG	34/0.25	23.2	887.55	10.9Ω/km
ANM14.013.19.015AB	S00	600V	19X15AWG	34/0.25	23.2	899.55	10.9Ω/km
ANM14.013.20.015AB	S00	600V	20X15AWG	34/0.25	23.8	946.35	10.9Ω/km
ANM14.013.21.015AB	S00	600V	21X15AWG	34/0.25	24.2	981.95	10.9Ω/km
ANM14.013.22.015AB	S00	600V	22X15AWG	34/0.25	26.4	1129.25	10.9Ω/km
ANM14.013.23.015AB	S00	600V	23X15AWG	34/0.25	27.3	1200.75	10.9Ω/km
ANM14.013.24.015AB	S00	600V	24X15AWG	34/0.25	27.3	1212.55	10.9Ω/km
ANM14.013.25.015AB	S00	600V	25X15AWG	34/0.25	27.9	1265.15	10.9Ω/km
ANM14.013.26.015AB	S00	600V	26X15AWG	34/0.25	27.9	1277.15	10.9Ω/km
ANM14.013.27.015AB	S00	600V	27X15AWG	34/0.25	27.9	1288.95	10.9Ω/km
ANM14.013.28.015AB	S00	600V	28X15AWG	34/0.25	28.7	1356.65	10.9Ω/km
ANM14.013.29.015AB	S00	600V	29X15AWG	34/0.25	28.7	1368.55	10.9Ω/km
ANM14.013.30.015AB	S00	600V	30X15AWG	34/0.25	28.7	1380.35	10.9Ω/km
ANM14.013.31.015AB	S00	600V	31X15AWG	34/0.25	29.7	1464.05	10.9Ω/km
ANM14.013.32.015AB	S00	600V	32X15AWG	34/0.25	29.7	1476.05	10.9Ω/km
ANM14.013.33.015AB	S00	600V	33X15AWG	34/0.25	29.7	1487.75	10.9Ω/km
ANM14.013.34.015AB	S00	600V	34X15AWG	34/0.25	30.6	1566.45	10.9Ω/km
ANM14.013.35.015AB	S00	600V	35X15AWG	34/0.25	30.6	1578.35	10.9Ω/km
ANM14.013.36.015AB	S00	600V	36X15AWG	34/0.25	30.6	1590.25	10.9Ω/km
ANM14.013.37.015AB	S00	600V	37X15AWG	34/0.25	30.6	1602.05	10.9Ω/km
ANM14.013.38.015AB	S00	600V	38X15AWG	34/0.25	31.6	1690.45	10.9Ω/km
ANM14.013.39.015AB	S00	600V	39X15AWG	34/0.25	31.6	1702.35	10.9Ω/km
ANM14.013.40.015AB	S00	600V	40X15AWG	34/0.25	31.6	1714.25	10.9Ω/km
ANM14.013.41.015AB	S00	600V	41X15AWG	34/0.25	35.3	2063.05	10.9Ω/km
ANM14.013.42.015AB	S00	600V	42X15AWG	34/0.25	35.3	2074.85	10.9Ω/km
ANM14.013.43.015AB	S00	600V	43X15AWG	34/0.25	35.3	2086.75	10.9Ω/km
ANM14.013.44.015AB	S00	600V	44X15AWG	34/0.25	35.3	2098.75	10.9Ω/km
ANM14.013.45.015AB	S00	600V	45X15AWG	34/0.25	35.9	2163.75	10.9Ω/km
ANM14.013.46.015AB	S00	600V	46X15AWG	34/0.25	35.9	2175.65	10.9Ω/km
ANM14.013.47.015AB	S00	600V	47X15AWG	34/0.25	35.9	2187.55	10.9Ω/km
ANM14.013.48.015AB	S00	600V	48X15AWG	34/0.25	35.9	2199.45	10.9Ω/km
ANM14.013.49.015AB	S00	600V	49X15AWG	34/0.25	36.7	2283.55	10.9Ω/km
ANM14.013.50.015AB	S00	600V	50X15AWG	34/0.25	36.7	2295.45	10.9Ω/km
ANM14.013.51.015AB	S00	600V	51X15AWG	34/0.25	36.7	2307.25	10.9Ω/km
ANM14.013.52.015AB	S00	600V	52X15AWG	34/0.25	36.7	2319.25	10.9Ω/km
ANM14.013.53.015AB	S00	600V	53X15AWG	34/0.25	37.7	2423.55	10.9Ω/km
ANM14.013.54.015AB	S00	600V	54X15AWG	34/0.25	37.7	2435.35	10.9Ω/km
ANM14.013.55.015AB	S00	600V	55X15AWG	34/0.25	37.7	2447.25	10.9Ω/km
ANM14.013.56.015AB	S00	600V	56X15AWG	34/0.25	37.7	2459.25	10.9Ω/km
ANM14.013.57.015AB	S00	600V	57X15AWG	34/0.25	38.6	2556.25	10.9Ω/km
ANM14.013.58.015AB	S00	600V	58X15AWG	34/0.25	38.6	2568.25	10.9Ω/km



ANM14.013.59.015AB	S00	600V	59X15AWG	34/0.25	38.6	2580.05	10.9Ω/km
ANM14.013.60.015AB	S00	600V	60X15AWG	34/0.25	38.6	2591.95	10.9Ω/km
ANM14.013.61.015AB	S00	600V	61X15AWG	34/0.25	38.6	2603.75	10.9Ω/km
ANM14.013.62.015AB	S00	600V	62X15AWG	34/0.25	42.2	2976.65	10.9Ω/km
ANM14.013.63.015AB	S00	600V	63X15AWG	34/0.25	42.2	2988.55	10.9Ω/km
ANM14.013.64.015AB	S00	600V	64X15AWG	34/0.25	42.2	3000.55	10.9Ω/km
ANM14.013.65.015AB	S00	600V	65X15AWG	34/0.25	42.2	3012.25	10.9Ω/km
ANM14.013.02.014AB	S00	600V	2X14AWG	43/0.25	14.2	287.48	8.62Ω/km
ANM14.013.03.014AB	S00	600V	3X14AWG	43/0.25	14.9	327.88	8.62Ω/km
ANM14.013.04.014AB	S00	600V	4X14AWG	43/0.25	16.1	389.28	8.62Ω/km
ANM14.013.05.014AB	S00	600V	5X14AWG	43/0.25	17.4	458.78	8.62Ω/km
ANM14.013.06.014AB	S00	600V	6X14AWG	43/0.25	19.6	572.78	8.62Ω/km
ANM14.013.07.014AB	S00	600V	7X14AWG	43/0.25	19.6	587.58	8.62Ω/km
ANM14.013.08.014AB	S00	600V	8X14AWG	43/0.25	20.9	667.78	8.62Ω/km
ANM14.013.09.014AB	S00	600V	9X14AWG	43/0.25	22.7	779.98	8.62Ω/km
ANM14.013.10.014AB	S00	600V	10X14AWG	43/0.25	23.9	864.08	8.62Ω/km
ANM14.013.11.014AB	S00	600V	11X14AWG	43/0.25	24.6	920.88	8.62Ω/km
ANM14.013.12.014AB	S00	600V	12X14AWG	43/0.25	24.6	935.68	8.62Ω/km
ANM14.013.13.014AB	S00	600V	13X14AWG	43/0.25	26.5	1068.48	8.62Ω/km
ANM14.013.14.014AB	S00	600V	14X14AWG	43/0.25	26.5	1083.38	8.62Ω/km
ANM14.013.15.014AB	S00	600V	15X14AWG	43/0.25	27.8	1185.28	8.62Ω/km
ANM14.013.16.014AB	S00	600V	16X14AWG	43/0.25	27.8	1200.08	8.62Ω/km
ANM14.013.17.014AB	S00	600V	17X14AWG	43/0.25	29	1298.98	8.62Ω/km
ANM14.013.18.014AB	S00	600V	18X14AWG	43/0.25	29	1313.88	8.62Ω/km
ANM14.013.19.014AB	S00	600V	19X14AWG	43/0.25	29	1328.68	8.62Ω/km
ANM14.013.20.014AB	S00	600V	20X14AWG	43/0.25	29.7	1394.18	8.62Ω/km
ANM14.013.21.014AB	S00	600V	21X14AWG	43/0.25	30.3	1453.28	8.62Ω/km
ANM14.013.22.014AB	S00	600V	22X14AWG	43/0.25	32.1	1606.38	8.62Ω/km
ANM14.013.23.014AB	S00	600V	23X14AWG	43/0.25	34.7	1866.78	8.62Ω/km
ANM14.013.24.014AB	S00	600V	24X14AWG	43/0.25	34.7	1881.58	8.62Ω/km
ANM14.013.25.014AB	S00	600V	25X14AWG	43/0.25	35.4	1957.68	8.62Ω/km
ANM14.013.26.014AB	S00	600V	26X14AWG	43/0.25	35.4	1972.58	8.62Ω/km
ANM14.013.27.014AB	S00	600V	27X14AWG	43/0.25	35.4	1987.48	8.62Ω/km
ANM14.013.28.014AB	S00	600V	28X14AWG	43/0.25	36.5	2100.88	8.62Ω/km
ANM14.013.29.014AB	S00	600V	29X14AWG	43/0.25	36.5	2115.68	8.62Ω/km
ANM14.013.30.014AB	S00	600V	30X14AWG	43/0.25	36.5	2130.58	8.62Ω/km
ANM14.013.31.014AB	S00	600V	31X14AWG	43/0.25	37.8	2265.58	8.62Ω/km
ANM14.013.32.014AB	S00	600V	32X14AWG	43/0.25	37.8	2280.48	8.62Ω/km
ANM14.013.33.014AB	S00	600V	33X14AWG	43/0.25	37.8	2295.28	8.62Ω/km
ANM14.013.34.014AB	S00	600V	34X14AWG	43/0.25	39.3	2453.98	8.62Ω/km
ANM14.013.35.014AB	S00	600V	35X14AWG	43/0.25	39.3	2468.88	8.62Ω/km
ANM14.013.36.014AB	S00	600V	36X14AWG	43/0.25	39.3	2483.78	8.62Ω/km



ANM14.013.37.014AB	S00	600V	37X14AWG	43/0.25	39.3	2498.58	8.62 Ω/km
ANM14.013.38.014AB	S00	600V	38X14AWG	43/0.25	40.6	2642.38	8.62 Ω/km
ANM14.013.39.014AB	S00	600V	39X14AWG	43/0.25	40.6	2657.28	8.62 Ω/km
ANM14.013.40.014AB	S00	600V	40X14AWG	43/0.25	40.6	2672.18	8.62 Ω/km
ANM14.013.41.014AB	S00	600V	41X14AWG	43/0.25	43.6	3000.28	8.62 Ω/km
ANM14.013.42.014AB	S00	600V	42X14AWG	43/0.25	43.6	3015.08	8.62 Ω/km
ANM14.013.43.014AB	S00	600V	43X14AWG	43/0.25	43.6	3030.08	8.62 Ω/km
ANM14.013.44.014AB	S00	600V	44X14AWG	43/0.25	43.6	3044.88	8.62 Ω/km
ANM14.013.45.014AB	S00	600V	45X14AWG	43/0.25	44.5	3196.08	8.62 Ω/km
ANM14.013.46.014AB	S00	600V	46X14AWG	43/0.25	44.5	3210.88	8.62 Ω/km
ANM14.013.47.014AB	S00	600V	47X14AWG	43/0.25	44.5	3225.88	8.62 Ω/km
ANM14.013.48.014AB	S00	600V	48X14AWG	43/0.25	44.5	3240.68	8.62 Ω/km
ANM14.013.49.014AB	S00	600V	49X14AWG	43/0.25	45.6	3379.38	8.62 Ω/km
ANM14.013.50.014AB	S00	600V	50X14AWG	43/0.25	45.6	3394.18	8.62 Ω/km
ANM14.013.51.014AB	S00	600V	51X14AWG	43/0.25	45.6	3409.18	8.62 Ω/km
ANM14.013.52.014AB	S00	600V	52X14AWG	43/0.25	45.6	3423.98	8.62 Ω/km
ANM14.013.02.013AB	S00	600V	2X13AWG	54/0.25	14.4	303.33	6.82 Ω/km
ANM14.013.03.013AB	S00	600V	3X13AWG	54/0.25	15.2	351.53	6.82 Ω/km
ANM14.013.04.013AB	S00	600V	4X13AWG	54/0.25	16.3	414.03	6.82 Ω/km
ANM14.013.05.013AB	S00	600V	5X13AWG	54/0.25	17.8	496.03	6.82 Ω/km
ANM14.013.06.013AB	S00	600V	6X13AWG	54/0.25	20.5	640.13	6.82 Ω/km
ANM14.013.07.013AB	S00	600V	7X13AWG	54/0.25	20.5	658.73	6.82 Ω/km
ANM14.013.08.013AB	S00	600V	8X13AWG	54/0.25	21.9	750.83	6.82 Ω/km
ANM14.013.09.013AB	S00	600V	9X13AWG	54/0.25	23.8	876.83	6.82 Ω/km
ANM14.013.10.013AB	S00	600V	10X13AWG	54/0.25	25.1	973.93	6.82 Ω/km
ANM14.013.11.013AB	S00	600V	11X13AWG	54/0.25	26.7	1092.73	6.82 Ω/km
ANM14.013.12.013AB	S00	600V	12X13AWG	54/0.25	26.7	1111.23	6.82 Ω/km
ANM14.013.13.013AB	S00	600V	13X13AWG	54/0.25	27.9	1210.53	6.82 Ω/km
ANM14.013.14.013AB	S00	600V	14X13AWG	54/0.25	27.9	1229.13	6.82 Ω/km
ANM14.013.15.013AB	S00	600V	15X13AWG	54/0.25	29.2	1339.03	6.82 Ω/km
ANM14.013.16.013AB	S00	600V	16X13AWG	54/0.25	29.2	1357.53	6.82 Ω/km
ANM14.013.17.013AB	S00	600V	17X13AWG	54/0.25	30.5	1471.63	6.82 Ω/km
ANM14.013.18.013AB	S00	600V	18X13AWG	54/0.25	30.5	1490.33	6.82 Ω/km
ANM14.013.19.013AB	S00	600V	19X13AWG	54/0.25	30.5	1508.83	6.82 Ω/km
ANM14.013.20.013AB	S00	600V	20X13AWG	54/0.25	31.3	1588.13	6.82 Ω/km
ANM14.013.21.013AB	S00	600V	21X13AWG	54/0.25	31.9	1653.33	6.82 Ω/km
ANM14.013.22.013AB	S00	600V	22X13AWG	54/0.25	35.2	1976.73	6.82 Ω/km
ANM14.013.23.013AB	S00	600V	23X13AWG	54/0.25	36.5	2111.23	6.82 Ω/km
ANM14.013.24.013AB	S00	600V	24X13AWG	54/0.25	36.5	2129.73	6.82 Ω/km
ANM14.013.25.013AB	S00	600V	25X13AWG	54/0.25	37.3	2221.83	6.82 Ω/km
ANM14.013.26.013AB	S00	600V	26X13AWG	54/0.25	37.3	2240.33	6.82 Ω/km
ANM14.013.27.013AB	S00	600V	27X13AWG	54/0.25	37.3	2258.93	6.82 Ω/km



ANM14.013.28.013AB	S00	600V	28X13AWG	54/0.25	38.5	2390.53	6.82 Ω/km
ANM14.013.29.013AB	S00	600V	29X13AWG	54/0.25	38.5	2409.03	6.82 Ω/km
ANM14.013.30.013AB	S00	600V	30X13AWG	54/0.25	38.5	2427.53	6.82 Ω/km
ANM14.013.31.013AB	S00	600V	31X13AWG	54/0.25	40.1	2602.43	6.82 Ω/km
ANM14.013.32.013AB	S00	600V	32X13AWG	54/0.25	40.1	2620.93	6.82 Ω/km
ANM14.013.33.013AB	S00	600V	33X13AWG	54/0.25	40.1	2639.43	6.82 Ω/km
ANM14.013.34.013AB	S00	600V	34X13AWG	54/0.25	41.4	2789.33	6.82 Ω/km
ANM14.013.35.013AB	S00	600V	35X13AWG	54/0.25	41.4	2807.93	6.82 Ω/km
ANM14.013.36.013AB	S00	600V	36X13AWG	54/0.25	41.4	2826.53	6.82 Ω/km
ANM14.013.37.013AB	S00	600V	37X13AWG	54/0.25	41.4	2845.03	6.82 Ω/km
ANM14.013.38.013AB	S00	600V	38X13AWG	54/0.25	42.8	3009.83	6.82 Ω/km
ANM14.013.39.013AB	S00	600V	39X13AWG	54/0.25	42.8	3028.33	6.82 Ω/km
ANM14.013.40.013AB	S00	600V	40X13AWG	54/0.25	42.8	3046.83	6.82 Ω/km
ANM14.013.41.013AB	S00	600V	41X13AWG	54/0.25	47.2	3590.43	6.82 Ω/km
ANM14.013.42.013AB	S00	600V	42X13AWG	54/0.25	47.2	3609.13	6.82 Ω/km
ANM14.013.43.013AB	S00	600V	43X13AWG	54/0.25	47.2	3627.63	6.82 Ω/km
ANM14.013.44.013AB	S00	600V	44X13AWG	54/0.25	47.2	3646.23	6.82 Ω/km
ANM14.013.45.013AB	S00	600V	45X13AWG	54/0.25	48	3759.73	6.82 Ω/km
ANM14.013.46.013AB	S00	600V	46X13AWG	54/0.25	48	3778.23	6.82 Ω/km
ANM14.013.47.013AB	S00	600V	47X13AWG	54/0.25	48	3796.73	6.82 Ω/km
ANM14.013.48.013AB	S00	600V	48X13AWG	54/0.25	48	3815.23	6.82 Ω/km
ANM14.013.49.013AB	S00	600V	49X13AWG	54/0.25	49.2	3979.23	6.82 Ω/km
ANM14.013.50.013AB	S00	600V	50X13AWG	54/0.25	49.2	3997.73	6.82 Ω/km
ANM14.013.51.013AB	S00	600V	51X13AWG	54/0.25	49.2	4016.23	6.82 Ω/km
ANM14.013.52.013AB	S00	600V	52X13AWG	54/0.25	49.2	4034.83	6.82 Ω/km
ANM14.013.02.012AB	S00	600V	2X12AWG	68/0.25	15.6	358.11	5.43 Ω/km
ANM14.013.03.012AB	S00	600V	3X12AWG	68/0.25	16.5	417.91	5.43 Ω/km
ANM14.013.04.012AB	S00	600V	4X12AWG	68/0.25	17.7	493.11	5.43 Ω/km
ANM14.013.05.012AB	S00	600V	5X12AWG	68/0.25	19.1	581.11	5.43 Ω/km
ANM14.013.06.012AB	S00	600V	6X12AWG	68/0.25	21.1	703.31	5.43 Ω/km
ANM14.013.07.012AB	S00	600V	7X12AWG	68/0.25	21.1	727.11	5.43 Ω/km
ANM14.013.08.012AB	S00	600V	8X12AWG	68/0.25	22.6	832.31	5.43 Ω/km
ANM14.013.09.012AB	S00	600V	9X12AWG	68/0.25	24.5	966.71	5.43 Ω/km
ANM14.013.10.012AB	S00	600V	10X12AWG	68/0.25	26.7	1127.61	5.43 Ω/km
ANM14.013.11.012AB	S00	600V	11X12AWG	68/0.25	27.5	1204.81	5.43 Ω/km
ANM14.013.12.012AB	S00	600V	12X12AWG	68/0.25	27.5	1228.71	5.43 Ω/km
ANM14.013.13.012AB	S00	600V	13X12AWG	68/0.25	28.7	1335.71	5.43 Ω/km
ANM14.013.14.012AB	S00	600V	14X12AWG	68/0.25	28.7	1359.51	5.43 Ω/km
ANM14.013.15.012AB	S00	600V	15X12AWG	68/0.25	30.1	1484.51	5.43 Ω/km
ANM14.013.16.012AB	S00	600V	16X12AWG	68/0.25	30.1	1508.51	5.43 Ω/km
ANM14.013.17.012AB	S00	600V	17X12AWG	68/0.25	31.5	1638.31	5.43 Ω/km
ANM14.013.18.012AB	S00	600V	18X12AWG	68/0.25	31.5	1662.01	5.43 Ω/km



ANM14.013.19.012AB	S00	600V	19X12AWG	68/0.25	31.5	1686.01	5.43 Ω/km
ANM14.013.20.012AB	S00	600V	20X12AWG	68/0.25	33.7	1916.91	5.43 Ω/km
ANM14.013.21.012AB	S00	600V	21X12AWG	68/0.25	34.4	2000.21	5.43 Ω/km
ANM14.013.22.012AB	S00	600V	22X12AWG	68/0.25	36.3	2191.31	5.43 Ω/km
ANM14.013.23.012AB	S00	600V	23X12AWG	68/0.25	37.7	2344.11	5.43 Ω/km
ANM14.013.24.012AB	S00	600V	24X12AWG	68/0.25	37.7	2367.91	5.43 Ω/km
ANM14.013.25.012AB	S00	600V	25X12AWG	68/0.25	38.5	2467.41	5.43 Ω/km
ANM14.013.26.012AB	S00	600V	26X12AWG	68/0.25	38.5	2491.21	5.43 Ω/km
ANM14.013.27.012AB	S00	600V	27X12AWG	68/0.25	38.5	2515.11	5.43 Ω/km
ANM14.013.28.012AB	S00	600V	28X12AWG	68/0.25	40	2685.21	5.43 Ω/km
ANM14.013.29.012AB	S00	600V	29X12AWG	68/0.25	40	2709.01	5.43 Ω/km
ANM14.013.30.012AB	S00	600V	30X12AWG	68/0.25	40	2732.81	5.43 Ω/km
ANM14.013.31.012AB	S00	600V	31X12AWG	68/0.25	41.4	2898.11	5.43 Ω/km
ANM14.013.32.012AB	S00	600V	32X12AWG	68/0.25	41.4	2921.91	5.43 Ω/km
ANM14.013.33.012AB	S00	600V	33X12AWG	68/0.25	41.4	2945.71	5.43 Ω/km
ANM14.013.34.012AB	S00	600V	34X12AWG	68/0.25	42.8	3115.81	5.43 Ω/km
ANM14.013.35.012AB	S00	600V	35X12AWG	68/0.25	42.8	3139.61	5.43 Ω/km
ANM14.013.36.012AB	S00	600V	36X12AWG	68/0.25	42.8	3163.31	5.43 Ω/km
ANM14.013.37.012AB	S00	600V	37X12AWG	68/0.25	42.8	3187.21	5.43 Ω/km
ANM14.013.02.011AB	S00	600V	2X11AWG	85/0.25	16.7	413.87	4.30 Ω/km
ANM14.013.03.011AB	S00	600V	3X11AWG	85/0.25	17.4	473.67	4.30 Ω/km
ANM14.013.04.011AB	S00	600V	4X11AWG	85/0.25	18.7	561.47	4.30 Ω/km
ANM14.013.05.011AB	S00	600V	5X11AWG	85/0.25	20.2	663.37	4.30 Ω/km
ANM14.013.06.011AB	S00	600V	6X11AWG	85/0.25	22.3	802.17	4.30 Ω/km
ANM14.013.07.011AB	S00	600V	7X11AWG	85/0.25	22.3	831.47	4.30 Ω/km
ANM14.013.08.011AB	S00	600V	8X11AWG	85/0.25	23.9	952.37	4.30 Ω/km
ANM14.013.09.011AB	S00	600V	9X11AWG	85/0.25	26.8	1161.17	4.30 Ω/km
ANM14.013.10.011AB	S00	600V	10X11AWG	85/0.25	28.3	1292.37	4.30 Ω/km
ANM14.013.11.011AB	S00	600V	11X11AWG	85/0.25	29.2	1385.47	4.30 Ω/km
ANM14.013.12.011AB	S00	600V	12X11AWG	85/0.25	29.2	1414.77	4.30 Ω/km
ANM14.013.13.011AB	S00	600V	13X11AWG	85/0.25	30.5	1539.87	4.30 Ω/km
ANM14.013.14.011AB	S00	600V	14X11AWG	85/0.25	30.5	1569.17	4.30 Ω/km
ANM14.013.15.011AB	S00	600V	15X11AWG	85/0.25	32	1713.77	4.30 Ω/km
ANM14.013.16.011AB	S00	600V	16X11AWG	85/0.25	32	1743.17	4.30 Ω/km
ANM14.013.17.011AB	S00	600V	17X11AWG	85/0.25	34.9	2043.27	4.30 Ω/km
ANM14.013.18.011AB	S00	600V	18X11AWG	85/0.25	34.9	2072.77	4.30 Ω/km
ANM14.013.19.011AB	S00	600V	19X11AWG	85/0.25	34.9	2102.07	4.30 Ω/km
ANM14.013.20.011AB	S00	600V	20X11AWG	85/0.25	35.8	2210.67	4.30 Ω/km
ANM14.013.21.011AB	S00	600V	21X11AWG	85/0.25	36.5	2303.07	4.30 Ω/km
ANM14.013.22.011AB	S00	600V	22X11AWG	85/0.25	38.6	2528.47	4.30 Ω/km
ANM14.013.23.011AB	S00	600V	23X11AWG	85/0.25	40.4	2734.47	4.30 Ω/km
ANM14.013.24.011AB	S00	600V	24X11AWG	85/0.25	40.4	2763.77	4.30 Ω/km



ANM14.013.25.011AB	S00	600V	25X11AWG	85/0.25	41.3	2884.47	4.30 Ω/km
ANM14.013.26.011AB	S00	600V	26X11AWG	85/0.25	41.3	2913.87	4.30 Ω/km
ANM14.013.27.011AB	S00	600V	27X11AWG	85/0.25	41.3	2943.17	4.30 Ω/km
ANM14.013.28.011AB	S00	600V	28X11AWG	85/0.25	42.6	3107.87	4.30 Ω/km
ANM14.013.29.011AB	S00	600V	29X11AWG	85/0.25	42.6	3137.17	4.30 Ω/km
ANM14.013.30.011AB	S00	600V	30X11AWG	85/0.25	42.6	3166.57	4.30 Ω/km
ANM14.013.31.011AB	S00	600V	31X11AWG	85/0.25	44.3	3416.87	4.30 Ω/km
ANM14.013.32.011AB	S00	600V	32X11AWG	85/0.25	44.3	3446.17	4.30 Ω/km
ANM14.013.33.011AB	S00	600V	33X11AWG	85/0.25	44.3	3475.67	4.30 Ω/km
ANM14.013.34.011AB	S00	600V	34X11AWG	85/0.25	45.8	3673.77	4.30 Ω/km
ANM14.013.35.011AB	S00	600V	35X11AWG	85/0.25	45.8	3703.17	4.30 Ω/km
ANM14.013.36.011AB	S00	600V	36X11AWG	85/0.25	45.8	3732.57	4.30 Ω/km
ANM14.013.37.011AB	S00	600V	37X11AWG	85/0.25	45.8	3761.87	4.30 Ω/km
ANM14.013.02.010AB	S00	600V	2X10AWG	108/0.25	17.7	469.97	3.409 Ω/km
ANM14.013.03.010AB	S00	600V	3X10AWG	108/0.25	18.6	545.67	3.409 Ω/km
ANM14.013.04.010AB	S00	600V	4X10AWG	108/0.25	20	648.57	3.409 Ω/km
ANM14.013.05.010AB	S00	600V	5X10AWG	108/0.25	21.6	766.17	3.409 Ω/km
ANM14.013.06.010AB	S00	600V	6X10AWG	108/0.25	24.1	940.87	3.409 Ω/km
ANM14.013.07.010AB	S00	600V	7X10AWG	108/0.25	24.1	975.97	3.409 Ω/km
ANM14.013.08.010AB	S00	600V	8X10AWG	108/0.25	26.7	1172.17	3.409 Ω/km
ANM14.013.09.010AB	S00	600V	9X10AWG	108/0.25	29	1364.97	3.409 Ω/km
ANM14.013.10.010AB	S00	600V	10X10AWG	108/0.25	30.7	1525.07	3.409 Ω/km
ANM14.013.11.010AB	S00	600V	11X10AWG	108/0.25	31.6	1629.07	3.409 Ω/km
ANM14.013.12.010AB	S00	600V	12X10AWG	108/0.25	31.6	1664.17	3.409 Ω/km
ANM14.013.13.010AB	S00	600V	13X10AWG	108/0.25	34.6	1975.27	3.409 Ω/km
ANM14.013.14.010AB	S00	600V	14X10AWG	108/0.25	34.6	2010.37	3.409 Ω/km
ANM14.013.15.010AB	S00	600V	15X10AWG	108/0.25	36.2	2186.47	3.409 Ω/km
ANM14.013.16.010AB	S00	600V	16X10AWG	108/0.25	36.2	2221.67	3.409 Ω/km
ANM14.013.17.010AB	S00	600V	17X10AWG	108/0.25	37.9	2413.37	3.409 Ω/km
ANM14.013.18.010AB	S00	600V	18X10AWG	108/0.25	37.9	2448.47	3.409 Ω/km
ANM14.013.19.010AB	S00	600V	19X10AWG	108/0.25	37.9	2483.57	3.409 Ω/km
ANM14.013.20.010AB	S00	600V	20X10AWG	108/0.25	38.8	2604.57	3.409 Ω/km
ANM14.013.21.010AB	S00	600V	21X10AWG	108/0.25	40	2756.97	3.409 Ω/km
ANM14.013.22.010AB	S00	600V	22X10AWG	108/0.25	42.3	3026.97	3.409 Ω/km
ANM14.013.23.010AB	S00	600V	23X10AWG	108/0.25	44.2	3303.37	3.409 Ω/km
ANM14.013.24.010AB	S00	600V	24X10AWG	108/0.25	44.2	3338.57	3.409 Ω/km
ANM14.013.25.010AB	S00	600V	25X10AWG	108/0.25	45.1	3474.07	3.409 Ω/km
ANM14.013.26.010AB	S00	600V	26X10AWG	108/0.25	45.1	3509.17	3.409 Ω/km
ANM14.013.27.010AB	S00	600V	27X10AWG	108/0.25	45.1	3544.17	3.409 Ω/km
ANM14.013.28.010AB	S00	600V	28X10AWG	108/0.25	47.7	3874.57	3.409 Ω/km
ANM14.013.29.010AB	S00	600V	29X10AWG	108/0.25	47.7	3909.67	3.409 Ω/km
ANM14.013.30.010AB	S00	600V	30X10AWG	108/0.25	47.7	3944.77	3.409 Ω/km



ANM14.013.31.010AB	S00	600V	31X10AWG	108/0.25	49.3	4173.37	3.409 Ω/km
ANM14.013.32.010AB	S00	600V	32X10AWG	108/0.25	49.3	4208.47	3.409 Ω/km
ANM14.013.33.010AB	S00	600V	33X10AWG	108/0.25	49.3	4243.47	3.409 Ω/km
ANM14.013.34.010AB	S00	600V	34X10AWG	108/0.25	51	4490.77	3.409 Ω/km
ANM14.013.35.010AB	S00	600V	35X10AWG	108/0.25	51	4525.87	3.409 Ω/km
ANM14.013.36.010AB	S00	600V	36X10AWG	108/0.25	51	4561.07	3.409 Ω/km
ANM14.013.37.010AB	S00	600V	37X10AWG	108/0.25	51	4596.07	3.409 Ω/km
ANM14.013.02.009AB	S00	600V	2X9AWG	136/0.25	18.5	526.24	2.705 Ω/km
ANM14.013.03.009AB	S00	600V	3X9AWG	136/0.25	19.5	617.84	2.705 Ω/km
ANM14.013.04.009AB	S00	600V	4X9AWG	136/0.25	20.9	733.24	2.705 Ω/km
ANM14.013.05.009AB	S00	600V	5X9AWG	136/0.25	22.7	875.04	2.705 Ω/km
ANM14.013.06.009AB	S00	600V	6X9AWG	136/0.25	26.1	1120.54	2.705 Ω/km
ANM14.013.07.009AB	S00	600V	7X9AWG	136/0.25	26.1	1164.94	2.705 Ω/km
ANM14.013.08.009AB	S00	600V	8X9AWG	136/0.25	28	1336.34	2.705 Ω/km
ANM14.013.09.009AB	S00	600V	9X9AWG	136/0.25	30.5	1560.84	2.705 Ω/km
ANM14.013.10.009AB	S00	600V	10X9AWG	136/0.25	33.7	1888.54	2.705 Ω/km
ANM14.013.11.009AB	S00	600V	11X9AWG	136/0.25	34.7	2018.44	2.705 Ω/km
ANM14.013.12.009AB	S00	600V	12X9AWG	136/0.25	34.7	2062.94	2.705 Ω/km
ANM14.013.13.009AB	S00	600V	13X9AWG	136/0.25	36.3	2248.94	2.705 Ω/km
ANM14.013.14.009AB	S00	600V	14X9AWG	136/0.25	36.3	2293.34	2.705 Ω/km
ANM14.013.15.009AB	S00	600V	15X9AWG	136/0.25	38.1	2504.34	2.705 Ω/km
ANM14.013.16.009AB	S00	600V	16X9AWG	136/0.25	38.1	2548.94	2.705 Ω/km
ANM14.013.17.009AB	S00	600V	17X9AWG	136/0.25	40.2	2797.54	2.705 Ω/km
ANM14.013.18.009AB	S00	600V	18X9AWG	136/0.25	40.2	2842.04	2.705 Ω/km
ANM14.013.19.009AB	S00	600V	19X9AWG	136/0.25	40.2	2886.44	2.705 Ω/km
ANM14.013.20.009AB	S00	600V	20X9AWG	136/0.25	41.2	3032.14	2.705 Ω/km
ANM14.013.21.009AB	S00	600V	21X9AWG	136/0.25	42.1	3169.54	2.705 Ω/km
ANM14.013.22.009AB	S00	600V	22X9AWG	136/0.25	44.8	3543.04	2.705 Ω/km
ANM14.013.23.009AB	S00	600V	23X9AWG	136/0.25	47.6	3904.74	2.705 Ω/km
ANM14.013.24.009AB	S00	600V	24X9AWG	136/0.25	47.6	3949.24	2.705 Ω/km
ANM14.013.25.009AB	S00	600V	25X9AWG	136/0.25	48.6	4113.64	2.705 Ω/km
ANM14.013.26.009AB	S00	600V	26X9AWG	136/0.25	48.6	4158.04	2.705 Ω/km
ANM14.013.27.009AB	S00	600V	27X9AWG	136/0.25	48.6	4202.54	2.705 Ω/km
ANM14.013.28.009AB	S00	600V	28X9AWG	136/0.25	50.2	4443.94	2.705 Ω/km
ANM14.013.29.009AB	S00	600V	29X9AWG	136/0.25	50.2	4488.54	2.705 Ω/km
ANM14.013.30.009AB	S00	600V	30X9AWG	136/0.25	50.2	4533.04	2.705 Ω/km
ANM14.013.31.009AB	S00	600V	31X9AWG	136/0.25	52	4806.24	2.705 Ω/km
ANM14.013.32.009AB	S00	600V	32X9AWG	136/0.25	52	4850.84	2.705 Ω/km
ANM14.013.33.009AB	S00	600V	33X9AWG	136/0.25	52	4895.24	2.705 Ω/km
ANM14.013.34.009AB	S00	600V	34X9AWG	136/0.25	53.8	5176.54	2.705 Ω/km
ANM14.013.35.009AB	S00	600V	35X9AWG	136/0.25	53.8	5220.94	2.705 Ω/km
ANM14.013.36.009AB	S00	600V	36X9AWG	136/0.25	53.8	5265.54	2.705 Ω/km



ANM14.013.37.009AB	S00	600V	37X9AWG	136/0.25	53.8	5310.04	2.705 Ω/km
ANM14.013.02.008AB	S00	600V	2X8AWG	171/0.25	22.1	732.57	2.144 Ω/km
ANM14.013.03.008AB	S00	600V	3X8AWG	171/0.25	23.3	857.67	2.144 Ω/km
ANM14.013.04.008AB	S00	600V	4X8AWG	171/0.25	26.2	1090.07	2.144 Ω/km
ANM14.013.05.008AB	S00	600V	5X8AWG	171/0.25	28.3	1288.67	2.144 Ω/km
ANM14.013.06.008AB	S00	600V	6X8AWG	171/0.25	30.8	1527.07	2.144 Ω/km
ANM14.013.07.008AB	S00	600V	7X8AWG	171/0.25	30.8	1584.77	2.144 Ω/km
ANM14.013.08.008AB	S00	600V	8X8AWG	171/0.25	33	1814.67	2.144 Ω/km
ANM14.013.09.008AB	S00	600V	9X8AWG	171/0.25	37.4	2286.17	2.144 Ω/km
ANM14.013.10.008AB	S00	600V	10X8AWG	171/0.25	39.5	2544.37	2.144 Ω/km
ANM14.013.11.008AB	S00	600V	11X8AWG	171/0.25	42	2850.07	2.144 Ω/km
ANM14.013.12.008AB	S00	600V	12X8AWG	171/0.25	42	2907.77	2.144 Ω/km
ANM14.013.13.008AB	S00	600V	13X8AWG	171/0.25	43.9	3167.47	2.144 Ω/km
ANM14.013.14.008AB	S00	600V	14X8AWG	171/0.25	43.9	3225.17	2.144 Ω/km
ANM14.013.15.008AB	S00	600V	15X8AWG	171/0.25	46	3516.37	2.144 Ω/km
ANM14.013.16.008AB	S00	600V	16X8AWG	171/0.25	46	3574.07	2.144 Ω/km
ANM14.013.17.008AB	S00	600V	17X8AWG	171/0.25	49.5	4078.17	2.144 Ω/km
ANM14.013.18.008AB	S00	600V	18X8AWG	171/0.25	49.5	4135.87	2.144 Ω/km
ANM14.013.19.008AB	S00	600V	19X8AWG	171/0.25	49.5	4193.57	2.144 Ω/km
ANM14.013.20.008AB	S00	600V	20X8AWG	171/0.25	50.7	4400.77	2.144 Ω/km
ANM14.013.21.008AB	S00	600V	21X8AWG	171/0.25	51.7	4585.77	2.144 Ω/km
ANM14.013.22.008AB	S00	600V	22X8AWG	171/0.25	54.7	5039.67	2.144 Ω/km
ANM14.013.23.008AB	S00	600V	23X8AWG	171/0.25	57.8	5523.57	2.144 Ω/km
ANM14.013.24.008AB	S00	600V	24X8AWG	171/0.25	57.8	5581.27	2.144 Ω/km
ANM14.013.25.008AB	S00	600V	25X8AWG	171/0.25	59	5812.47	2.144 Ω/km
ANM14.013.26.008AB	S00	600V	26X8AWG	171/0.25	59	5870.07	2.144 Ω/km
ANM14.013.27.008AB	S00	600V	27X8AWG	171/0.25	59	5927.87	2.144 Ω/km
ANM14.013.28.008AB	S00	600V	28X8AWG	171/0.25	60.9	6267.47	2.144 Ω/km
ANM14.013.29.008AB	S00	600V	29X8AWG	171/0.25	60.9	6325.07	2.144 Ω/km
ANM14.013.30.008AB	S00	600V	30X8AWG	171/0.25	60.9	6382.87	2.144 Ω/km
ANM14.013.31.008AB	S00	600V	31X8AWG	171/0.25	63	6762.27	2.144 Ω/km
ANM14.013.32.008AB	S00	600V	32X8AWG	171/0.25	63	6820.07	2.144 Ω/km
ANM14.013.33.008AB	S00	600V	33X8AWG	171/0.25	63	6877.77	2.144 Ω/km
ANM14.013.34.008AB	S00	600V	34X8AWG	171/0.25	65.9	7392.07	2.144 Ω/km
ANM14.013.35.008AB	S00	600V	35X8AWG	171/0.25	65.9	7449.67	2.144 Ω/km
ANM14.013.36.008AB	S00	600V	36X8AWG	171/0.25	65.9	7507.47	2.144 Ω/km
ANM14.013.37.008AB	S00	600V	37X8AWG	171/0.25	65.9	7565.07	2.144 Ω/km
ANM14.013.02.007AB	S00	600V	2X7AWG	84/0.4	23.7	852.65	1.700 Ω/km
ANM14.013.03.007AB	S00	600V	3X7AWG	84/0.4	25	1002.45	1.700 Ω/km
ANM14.013.04.007AB	S00	600V	4X7AWG	84/0.4	27	1202.65	1.700 Ω/km
ANM14.013.05.007AB	S00	600V	5X7AWG	84/0.4	29.3	1433.95	1.700 Ω/km
ANM14.013.06.007AB	S00	600V	6X7AWG	84/0.4	32.6	1753.95	1.700 Ω/km



ANM14.013.07.007AB	S00	600V	7X7AWG	84/0.4	32.6	1825.75	1.700 Ω/km
ANM14.013.08.007AB	S00	600V	8X7AWG	84/0.4	36.4	2251.85	1.700 Ω/km
ANM14.013.09.007AB	S00	600V	9X7AWG	84/0.4	39.6	2625.65	1.700 Ω/km
ANM14.013.10.007AB	S00	600V	10X7AWG	84/0.4	43.2	3062.35	1.700 Ω/km
ANM14.013.11.007AB	S00	600V	11X7AWG	84/0.4	44.5	3275.15	1.700 Ω/km
ANM14.013.12.007AB	S00	600V	12X7AWG	84/0.4	44.5	3346.95	1.700 Ω/km
ANM14.013.13.007AB	S00	600V	13X7AWG	84/0.4	46.7	3704.65	1.700 Ω/km
ANM14.013.14.007AB	S00	600V	14X7AWG	84/0.4	46.7	3776.45	1.700 Ω/km
ANM14.013.15.007AB	S00	600V	15X7AWG	84/0.4	50.2	4263.55	1.700 Ω/km
ANM14.013.16.007AB	S00	600V	16X7AWG	84/0.4	50.2	4335.25	1.700 Ω/km
ANM14.013.17.007AB	S00	600V	17X7AWG	84/0.4	52.5	4700.55	1.700 Ω/km
ANM14.013.18.007AB	S00	600V	18X7AWG	84/0.4	52.5	4772.35	1.700 Ω/km
ANM14.013.19.007AB	S00	600V	19X7AWG	84/0.4	52.5	4844.15	1.700 Ω/km
ANM14.013.02.006AB	S00	600V	2X6AWG	106/0.4	24.9	964.6	1.348 Ω/km
ANM14.013.03.006AB	S00	600V	3X6AWG	106/0.4	26.3	1143.4	1.348 Ω/km
ANM14.013.04.006AB	S00	600V	4X6AWG	106/0.4	29.5	1450.9	1.348 Ω/km
ANM14.013.05.006AB	S00	600V	5X6AWG	106/0.4	31.9	1722.4	1.348 Ω/km
ANM14.013.06.006AB	S00	600V	6X6AWG	106/0.4	35.8	2168.7	1.348 Ω/km
ANM14.013.07.006AB	S00	600V	7X6AWG	106/0.4	35.8	2259.1	1.348 Ω/km
ANM14.013.08.006AB	S00	600V	8X6AWG	106/0.4	38.4	2589.1	1.348 Ω/km
ANM14.013.09.006AB	S00	600V	9X6AWG	106/0.4	43.1	3150	1.348 Ω/km
ANM14.013.10.006AB	S00	600V	10X6AWG	106/0.4	45.6	3514.7	1.348 Ω/km
ANM14.013.11.006AB	S00	600V	11X6AWG	106/0.4	47.2	3826.7	1.348 Ω/km
ANM14.013.12.006AB	S00	600V	12X6AWG	106/0.4	47.2	3917.1	1.348 Ω/km
ANM14.013.13.006AB	S00	600V	13X6AWG	106/0.4	50.6	4414.4	1.348 Ω/km
ANM14.013.14.006AB	S00	600V	14X6AWG	106/0.4	50.6	4504.8	1.348 Ω/km
ANM14.013.15.006AB	S00	600V	15X6AWG	106/0.4	53	4904.1	1.348 Ω/km
ANM14.013.16.006AB	S00	600V	16X6AWG	106/0.4	53	4994.5	1.348 Ω/km
ANM14.013.17.006AB	S00	600V	17X6AWG	106/0.4	55.5	5421.6	1.348 Ω/km
ANM14.013.18.006AB	S00	600V	18X6AWG	106/0.4	55.5	5511.9	1.348 Ω/km
ANM14.013.19.006AB	S00	600V	19X6AWG	106/0.4	55.5	5602.3	1.348 Ω/km
ANM14.013.02.005AB	S00	600V	2X5AWG	134/0.4	27.3	1166.17	1.070 Ω/km
ANM14.013.03.005AB	S00	600V	3X5AWG	134/0.4	28.8	1383.07	1.070 Ω/km
ANM14.013.04.005AB	S00	600V	4X5AWG	134/0.4	31.2	1673.47	1.070 Ω/km
ANM14.013.05.005AB	S00	600V	5X5AWG	134/0.4	34.2	2061.77	1.070 Ω/km
ANM14.013.06.005AB	S00	600V	6X5AWG	134/0.4	37.9	2502.77	1.070 Ω/km
ANM14.013.07.005AB	S00	600V	7X5AWG	134/0.4	37.9	2616.17	1.070 Ω/km
ANM14.013.08.005AB	S00	600V	8X5AWG	134/0.4	42	3131.47	1.070 Ω/km
ANM14.013.09.005AB	S00	600V	9X5AWG	134/0.4	45.7	3646.47	1.070 Ω/km
ANM14.013.10.005AB	S00	600V	10X5AWG	134/0.4	49.8	4277.27	1.070 Ω/km
ANM14.013.11.005AB	S00	600V	11X5AWG	134/0.4	51.3	4579.27	1.070 Ω/km
ANM14.013.12.005AB	S00	600V	12X5AWG	134/0.4	51.3	4692.77	1.070 Ω/km



ANM14.013.13.005AB	S00	600V	13X5AWG	134/0.4	53.7	5119.37	1.070 Ω/km
ANM14.013.14.005AB	S00	600V	14X5AWG	134/0.4	53.7	5232.77	1.070 Ω/km
ANM14.013.15.005AB	S00	600V	15X5AWG	134/0.4	57.3	5835.57	1.070 Ω/km
ANM14.013.16.005AB	S00	600V	16X5AWG	134/0.4	57.3	5949.07	1.070 Ω/km
ANM14.013.17.005AB	S00	600V	17X5AWG	134/0.4	60	6454.57	1.070 Ω/km
ANM14.013.18.005AB	S00	600V	18X5AWG	134/0.4	60	6568.07	1.070 Ω/km
ANM14.013.19.005AB	S00	600V	19X5AWG	134/0.4	60	6681.47	1.070 Ω/km
ANM14.013.02.004AB	S00	600V	2X4AWG	169/0.4	28.9	1338.75	0.8481 Ω/km
ANM14.013.03.004AB	S00	600V	3X4AWG	169/0.4	30.5	1597.75	0.8481 Ω/km
ANM14.013.04.004AB	S00	600V	4X4AWG	169/0.4	34.1	2022.75	0.8481 Ω/km
ANM14.013.05.004AB	S00	600V	5X4AWG	169/0.4	37.3	2481.75	0.8481 Ω/km
ANM14.013.06.004AB	S00	600V	6X4AWG	169/0.4	40.3	2912.95	0.8481 Ω/km
ANM14.013.07.004AB	S00	600V	7X4AWG	169/0.4	40.3	3055.25	0.8481 Ω/km
ANM14.013.08.004AB	S00	600V	8X4AWG	169/0.4	44.6	3644.95	0.8481 Ω/km
ANM14.013.09.004AB	S00	600V	9X4AWG	169/0.4	50	4452.45	0.8481 Ω/km
ANM14.013.10.004AB	S00	600V	10X4AWG	169/0.4	53	4978.65	0.8481 Ω/km
ANM14.013.11.004AB	S00	600V	11X4AWG	169/0.4	54.6	5334.55	0.8481 Ω/km
ANM14.013.12.004AB	S00	600V	12X4AWG	169/0.4	54.6	5476.85	0.8481 Ω/km
ANM14.013.13.004AB	S00	600V	13X4AWG	169/0.4	58.2	6116.25	0.8481 Ω/km
ANM14.013.14.004AB	S00	600V	14X4AWG	169/0.4	58.2	6258.65	0.8481 Ω/km
ANM14.013.15.004AB	S00	600V	15X4AWG	169/0.4	61	6813.95	0.8481 Ω/km
ANM14.013.16.004AB	S00	600V	16X4AWG	169/0.4	61	6956.25	0.8481 Ω/km
ANM14.013.17.004AB	S00	600V	17X4AWG	169/0.4	64.8	7684.15	0.8481 Ω/km
ANM14.013.18.004AB	S00	600V	18X4AWG	169/0.4	64.8	7826.45	0.8481 Ω/km
ANM14.013.19.004AB	S00	600V	19X4AWG	169/0.4	64.8	7968.65	0.8481 Ω/km
ANM14.013.02.003AB	S00	600V	2X3AWG	213/0.4	30.9	1575.47	0.6727 Ω/km
ANM14.013.03.003AB	S00	600V	3X3AWG	213/0.4	32.6	1893.57	0.6727 Ω/km
ANM14.013.04.003AB	S00	600V	4X3AWG	213/0.4	35.7	2373.67	0.6727 Ω/km
ANM14.013.05.003AB	S00	600V	5X3AWG	213/0.4	38.7	2836.87	0.6727 Ω/km
ANM14.013.06.003AB	S00	600V	6X3AWG	213/0.4	43.1	3464.17	0.6727 Ω/km
ANM14.013.07.003AB	S00	600V	7X3AWG	213/0.4	43.1	3649.87	0.6727 Ω/km
ANM14.013.08.003AB	S00	600V	8X3AWG	213/0.4	46.5	4249.77	0.6727 Ω/km
ANM14.013.09.003AB	S00	600V	9X3AWG	213/0.4	51.9	5089.87	0.6727 Ω/km