



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 $\Omega$ /km
AN005.004.02.000.50B	H03V2V2-F	300/300V	2X0.5	18/0.19	5.2	57.6	26.0 $\Omega$ /km
AN005.004.03.000.50B	H03V2V2-F	300/300V	3X0.5	18/0.19	5.5	67.9	26.0 $\Omega$ /km
AN005.004.04.000.50B	H03V2V2-F	300/300V	4X0.5	18/0.19	6	83.6	26.0 $\Omega$ /km
AN005.004.02.000.75B	H03V2V2-F	300/300V	2X0.75	27/0.19	5.6	70.45	19.5 $\Omega$ /km
AN005.004.03.000.75B	H03V2V2-F	300/300V	3X0.75	27/0.19	6	85.75	19.5 $\Omega$ /km
AN005.004.04.000.75B	H03V2V2-F	300/300V	4X0.75	27/0.19	6.5	104.65	19.5 $\Omega$ /km

物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 $\Omega$ /km
AN005.005.02.000.75B	H05V2V2-F	300/500V	2X0.75	27/0.19	6.6	91.35	19.5 $\Omega$ /km
AN005.005.03.000.75B	H05V2V2-F	300/500V	3X0.75	27/0.19	7.2	111.55	19.5 $\Omega$ /km
AN005.005.04.000.75B	H05V2V2-F	300/500V	4X0.75	27/0.19	7.8	135.75	19.5 $\Omega$ /km
AN005.005.05.000.75B	H05V2V2-F	300/500V	5X0.75	27/0.19	8.7	169.25	19.5 $\Omega$ /km
AN005.005.06.000.75B	H05V2V2-F	300/500V	6X0.75	27/0.19	9.7	206.35	19.5 $\Omega$ /km
AN005.005.07.000.75B	H05V2V2-F	300/500V	7X0.75	27/0.19	9.7	211.95	19.5 $\Omega$ /km
AN005.005.08.000.75B	H05V2V2-F	300/500V	8X0.75	27/0.19	10.4	246.85	19.5 $\Omega$ /km
AN005.005.09.000.75B	H05V2V2-F	300/500V	9X0.75	27/0.19	11.7	306.25	19.5 $\Omega$ /km
AN005.005.10.000.75B	H05V2V2-F	300/500V	10X0.75	27/0.19	12.3	342.05	19.5 $\Omega$ /km
AN005.005.11.000.75B	H05V2V2-F	300/500V	11X0.75	27/0.19	12.7	368.75	19.5 $\Omega$ /km
AN005.005.12.000.75B	H05V2V2-F	300/500V	12X0.75	27/0.19	12.7	374.25	19.5 $\Omega$ /km
AN005.005.13.000.75B	H05V2V2-F	300/500V	13X0.75	27/0.19	13.4	418.55	19.5 $\Omega$ /km
AN005.005.14.000.75B	H05V2V2-F	300/500V	14X0.75	27/0.19	13.4	424.05	19.5 $\Omega$ /km
AN005.005.15.000.75B	H05V2V2-F	300/500V	15X0.75	27/0.19	14.1	470.75	19.5 $\Omega$ /km
AN005.005.16.000.75B	H05V2V2-F	300/500V	16X0.75	27/0.19	14.1	476.35	19.5 $\Omega$ /km
AN005.005.17.000.75B	H05V2V2-F	300/500V	17X0.75	27/0.19	14.7	518.95	19.5 $\Omega$ /km
AN005.005.18.000.75B	H05V2V2-F	300/500V	18X0.75	27/0.19	14.7	524.45	19.5 $\Omega$ /km
AN005.005.19.000.75B	H05V2V2-F	300/500V	19X0.75	27/0.19	14.7	530.05	19.5 $\Omega$ /km
AN005.005.20.000.75B	H05V2V2-F	300/500V	20X0.75	27/0.19	15.3	568.45	19.5 $\Omega$ /km
AN005.005.21.000.75B	H05V2V2-F	300/500V	21X0.75	27/0.19	15.6	593.85	19.5 $\Omega$ /km
AN005.005.22.000.75B	H05V2V2-F	300/500V	22X0.75	27/0.19	16.6	668.95	19.5 $\Omega$ /km
AN005.005.23.000.75B	H05V2V2-F	300/500V	23X0.75	27/0.19	17.2	718.55	19.5 $\Omega$ /km
AN005.005.24.000.75B	H05V2V2-F	300/500V	24X0.75	27/0.19	17.2	724.05	19.5 $\Omega$ /km
AN005.005.25.000.75B	H05V2V2-F	300/500V	25X0.75	27/0.19	17.6	759.85	19.5 $\Omega$ /km
AN005.005.26.000.75B	H05V2V2-F	300/500V	26X0.75	27/0.19	17.6	765.35	19.5 $\Omega$ /km
AN005.005.27.000.75B	H05V2V2-F	300/500V	27X0.75	27/0.19	17.6	770.85	19.5 $\Omega$ /km
AN005.005.28.000.75B	H05V2V2-F	300/500V	28X0.75	27/0.19	18.2	823.45	19.5 $\Omega$ /km
AN005.005.29.000.75B	H05V2V2-F	300/500V	29X0.75	27/0.19	18.2	828.85	19.5 $\Omega$ /km
AN005.005.30.000.75B	H05V2V2-F	300/500V	30X0.75	27/0.19	18.2	834.35	19.5 $\Omega$ /km
AN005.005.31.000.75B	H05V2V2-F	300/500V	31X0.75	27/0.19	18.9	896.75	19.5 $\Omega$ /km
AN005.005.32.000.75B	H05V2V2-F	300/500V	32X0.75	27/0.19	18.9	902.25	19.5 $\Omega$ /km
AN005.005.33.000.75B	H05V2V2-F	300/500V	33X0.75	27/0.19	18.9	907.65	19.5 $\Omega$ /km



AN005.005.34.000.75B	H05V2V2-F	300/500V	34X0.75	27/0.19	19.7	973.15	19.5 Ω /km
AN005.005.35.000.75B	H05V2V2-F	300/500V	35X0.75	27/0.19	19.7	978.75	19.5 Ω /km
AN005.005.36.000.75B	H05V2V2-F	300/500V	36X0.75	27/0.19	19.7	984.25	19.5 Ω /km
AN005.005.02.001.00B	H05V2V2-F	300/500V	2X1	35/0.19	7.2	109.8	13.3 Ω /km
AN005.005.03.001.00B	H05V2V2-F	300/500V	3X1	35/0.19	7.6	129.5	13.3 Ω /km
AN005.005.04.001.00B	H05V2V2-F	300/500V	4X1	35/0.19	8.5	163.9	13.3 Ω /km
AN005.005.05.001.00B	H05V2V2-F	300/500V	5X1	35/0.19	9.2	197.1	13.3 Ω /km
AN005.005.06.001.00B	H05V2V2-F	300/500V	6X1	35/0.19	10.3	242.3	13.3 Ω /km
AN005.005.07.001.00B	H05V2V2-F	300/500V	7X1	35/0.19	10.3	249.5	13.3 Ω /km
AN005.005.08.001.00B	H05V2V2-F	300/500V	8X1	35/0.19	11.4	300.8	13.3 Ω /km
AN005.005.09.001.00B	H05V2V2-F	300/500V	9X1	35/0.19	12.4	358.1	13.3 Ω /km
AN005.005.10.001.00B	H05V2V2-F	300/500V	10X1	35/0.19	13.1	403.1	13.3 Ω /km
AN005.005.11.001.00B	H05V2V2-F	300/500V	11X1	35/0.19	13.6	438.8	13.3 Ω /km
AN005.005.12.001.00B	H05V2V2-F	300/500V	12X1	35/0.19	13.6	446.1	13.3 Ω /km
AN005.005.13.001.00B	H05V2V2-F	300/500V	13X1	35/0.19	14.3	495.2	13.3 Ω /km
AN005.005.14.001.00B	H05V2V2-F	300/500V	14X1	35/0.19	14.3	502.4	13.3 Ω /km
AN005.005.15.001.00B	H05V2V2-F	300/500V	15X1	35/0.19	15.2	561.1	13.3 Ω /km
AN005.005.16.001.00B	H05V2V2-F	300/500V	16X1	35/0.19	15.2	568.4	13.3 Ω /km
AN005.005.17.001.00B	H05V2V2-F	300/500V	17X1	35/0.19	15.9	622.5	13.3 Ω /km
AN005.005.18.001.00B	H05V2V2-F	300/500V	18X1	35/0.19	15.9	629.8	13.3 Ω /km
AN005.005.19.001.00B	H05V2V2-F	300/500V	19X1	35/0.19	15.9	637.1	13.3 Ω /km
AN005.005.20.001.00B	H05V2V2-F	300/500V	20X1	35/0.19	16.3	672.1	13.3 Ω /km
AN005.005.21.001.00B	H05V2V2-F	300/500V	21X1	35/0.19	16.7	708.1	13.3 Ω /km
AN005.005.22.001.00B	H05V2V2-F	300/500V	22X1	35/0.19	17.7	790.2	13.3 Ω /km
AN005.005.23.001.00B	H05V2V2-F	300/500V	23X1	35/0.19	18.4	852.6	13.3 Ω /km
AN005.005.24.001.00B	H05V2V2-F	300/500V	24X1	35/0.19	18.4	860	13.3 Ω /km
AN005.005.25.001.00B	H05V2V2-F	300/500V	25X1	35/0.19	18.8	899.9	13.3 Ω /km
AN005.005.26.001.00B	H05V2V2-F	300/500V	26X1	35/0.19	18.8	907.1	13.3 Ω /km
AN005.005.27.001.00B	H05V2V2-F	300/500V	27X1	35/0.19	18.8	914.5	13.3 Ω /km
AN005.005.28.001.00B	H05V2V2-F	300/500V	28X1	35/0.19	19.7	989.9	13.3 Ω /km
AN005.005.29.001.00B	H05V2V2-F	300/500V	29X1	35/0.19	19.7	997.1	13.3 Ω /km
AN005.005.30.001.00B	H05V2V2-F	300/500V	30X1	35/0.19	19.7	1004.5	13.3 Ω /km
AN005.005.31.001.00B	H05V2V2-F	300/500V	31X1	35/0.19	20.4	1073.3	13.3 Ω /km
AN005.005.32.001.00B	H05V2V2-F	300/500V	32X1	35/0.19	20.4	1080.5	13.3 Ω /km
AN005.005.33.001.00B	H05V2V2-F	300/500V	33X1	35/0.19	20.4	1087.9	13.3 Ω /km
AN005.005.34.001.00B	H05V2V2-F	300/500V	34X1	35/0.19	21.4	1174.3	13.3 Ω /km
AN005.005.35.001.00B	H05V2V2-F	300/500V	35X1	35/0.19	21.4	1181.5	13.3 Ω /km
AN005.005.36.001.00B	H05V2V2-F	300/500V	36X1	35/0.19	21.4	1188.8	13.3 Ω /km
AN005.005.02.001.50B	H05V2V2-F	300/500V	2X1.5	31/0.25	8.2	149.7	10.64 Ω /km
AN005.005.03.001.50B	H05V2V2-F	300/500V	3X1.5	31/0.25	8.9	182.5	10.64 Ω /km
AN005.005.04.001.50B	H05V2V2-F	300/500V	4X1.5	31/0.25	9.9	229.4	10.64 Ω /km
AN005.005.05.001.50B	H05V2V2-F	300/500V	5X1.5	31/0.25	11	282.8	10.64 Ω /km



AN005.005.06.001.50B	H05V2V2-F	300/500V	6X1.5	31/0.25	12.1	342.9	10.64 Ω /km
AN005.005.07.001.50B	H05V2V2-F	300/500V	7X1.5	31/0.25	12.1	353.7	10.64 Ω /km
AN005.005.08.001.50B	H05V2V2-F	300/500V	8X1.5	31/0.25	13	412.4	10.64 Ω /km
AN005.005.09.001.50B	H05V2V2-F	300/500V	9X1.5	31/0.25	14.3	499.1	10.64 Ω /km
AN005.005.10.001.50B	H05V2V2-F	300/500V	10X1.5	31/0.25	15.4	574.5	10.64 Ω /km
AN005.005.11.001.50B	H05V2V2-F	300/500V	11X1.5	31/0.25	15.9	619.2	10.64 Ω /km
AN005.005.12.001.50B	H05V2V2-F	300/500V	12X1.5	31/0.25	15.9	630.1	10.64 Ω /km
AN005.005.13.001.50B	H05V2V2-F	300/500V	13X1.5	31/0.25	16.7	697.3	10.64 Ω /km
AN005.005.14.001.50B	H05V2V2-F	300/500V	14X1.5	31/0.25	16.7	708.3	10.64 Ω /km
AN005.005.15.001.50B	H05V2V2-F	300/500V	15X1.5	31/0.25	17.5	778.7	10.64 Ω /km
AN005.005.16.001.50B	H05V2V2-F	300/500V	16X1.5	31/0.25	17.5	789.6	10.64 Ω /km
AN005.005.17.001.50B	H05V2V2-F	300/500V	17X1.5	31/0.25	18.4	870.9	10.64 Ω /km
AN005.005.18.001.50B	H05V2V2-F	300/500V	18X1.5	31/0.25	18.4	881.8	10.64 Ω /km
AN005.005.19.001.50B	H05V2V2-F	300/500V	19X1.5	31/0.25	18.4	892.8	10.64 Ω /km
AN005.005.20.001.50B	H05V2V2-F	300/500V	20X1.5	31/0.25	18.9	944.6	10.64 Ω /km
AN005.005.21.001.50B	H05V2V2-F	300/500V	21X1.5	31/0.25	19.5	998.2	10.64 Ω /km
AN005.005.22.001.50B	H05V2V2-F	300/500V	22X1.5	31/0.25	21	1130	10.64 Ω /km
AN005.005.23.001.50B	H05V2V2-F	300/500V	23X1.5	31/0.25	21.9	1225.3	10.64 Ω /km
AN005.005.24.001.50B	H05V2V2-F	300/500V	24X1.5	31/0.25	21.9	1236.2	10.64 Ω /km
AN005.005.25.001.50B	H05V2V2-F	300/500V	25X1.5	31/0.25	22.4	1295.7	10.64 Ω /km
AN005.005.26.001.50B	H05V2V2-F	300/500V	26X1.5	31/0.25	22.4	1306.7	10.64 Ω /km
AN005.005.27.001.50B	H05V2V2-F	300/500V	27X1.5	31/0.25	22.4	1317.5	10.64 Ω /km
AN005.005.28.001.50B	H05V2V2-F	300/500V	28X1.5	31/0.25	23.2	1408.8	10.64 Ω /km
AN005.005.29.001.50B	H05V2V2-F	300/500V	29X1.5	31/0.25	23.2	1419.6	10.64 Ω /km
AN005.005.30.001.50B	H05V2V2-F	300/500V	30X1.5	31/0.25	23.2	1430.6	10.64 Ω /km
AN005.005.31.001.50B	H05V2V2-F	300/500V	31X1.5	31/0.25	24.2	1536.3	10.64 Ω /km
AN005.005.32.001.50B	H05V2V2-F	300/500V	32X1.5	31/0.25	24.2	1547.3	10.64 Ω /km
AN005.005.33.001.50B	H05V2V2-F	300/500V	33X1.5	31/0.25	24.2	1558.2	10.64 Ω /km
AN005.005.34.001.50B	H05V2V2-F	300/500V	34X1.5	31/0.25	25.1	1667	10.64 Ω /km
AN005.005.35.001.50B	H05V2V2-F	300/500V	35X1.5	31/0.25	25.1	1677.8	10.64 Ω /km
AN005.005.36.001.50B	H05V2V2-F	300/500V	36X1.5	31/0.25	25.1	1688.7	10.64 Ω /km
AN005.005.37.001.50B	H05V2V2-F	300/500V	37X1.5	31/0.25	25.1	1699.6	10.64 Ω /km
AN005.005.02.002.00B	H05V2V2-F	300/500V	2X2	41/0.25	9.6	200.2	7.98 Ω /km
AN005.005.03.002.00B	H05V2V2-F	300/500V	3X2	41/0.25	10.2	239.6	7.98 Ω /km
AN005.005.04.002.00B	H05V2V2-F	300/500V	4X2	41/0.25	11.4	302.5	7.98 Ω /km
AN005.005.05.002.00B	H05V2V2-F	300/500V	5X2	41/0.25	12.3	361.9	7.98 Ω /km
AN005.005.06.002.00B	H05V2V2-F	300/500V	6X2	41/0.25	13.4	436.7	7.98 Ω /km
AN005.005.07.002.00B	H05V2V2-F	300/500V	7X2	41/0.25	13.4	451.3	7.98 Ω /km
AN005.005.08.002.00B	H05V2V2-F	300/500V	8X2	41/0.25	14.5	531.9	7.98 Ω /km
AN005.005.09.002.00B	H05V2V2-F	300/500V	9X2	41/0.25	16	639.4	7.98 Ω /km
AN005.005.10.002.00B	H05V2V2-F	300/500V	10X2	41/0.25	17	725.5	7.98 Ω /km
AN005.005.11.002.00B	H05V2V2-F	300/500V	11X2	41/0.25	17.6	785.4	7.98 Ω /km



AN005.005.12.002.00B	H05V2V2-F	300/500V	12X2	41/0.25	17.6	800.3	7.98 Ω /km
AN005.005.13.002.00B	H05V2V2-F	300/500V	13X2	41/0.25	18.5	886	7.98 Ω /km
AN005.005.14.002.00B	H05V2V2-F	300/500V	14X2	41/0.25	18.5	900.8	7.98 Ω /km
AN005.005.15.002.00B	H05V2V2-F	300/500V	15X2	41/0.25	19.6	999.7	7.98 Ω /km
AN005.005.16.002.00B	H05V2V2-F	300/500V	16X2	41/0.25	19.6	1014.3	7.98 Ω /km
AN005.005.17.002.00B	H05V2V2-F	300/500V	17X2	41/0.25	20.9	1132.2	7.98 Ω /km
AN005.005.18.002.00B	H05V2V2-F	300/500V	18X2	41/0.25	20.9	1146.9	7.98 Ω /km
AN005.005.19.002.00B	H05V2V2-F	300/500V	19X2	41/0.25	20.9	1161.6	7.98 Ω /km
AN005.005.20.002.00B	H05V2V2-F	300/500V	20X2	41/0.25	21.5	1232	7.98 Ω /km
AN005.005.21.002.00B	H05V2V2-F	300/500V	21X2	41/0.25	22	1294.5	7.98 Ω /km
AN005.005.22.002.00B	H05V2V2-F	300/500V	22X2	41/0.25	23.3	1438.7	7.98 Ω /km
AN005.005.23.002.00B	H05V2V2-F	300/500V	23X2	41/0.25	24.5	1570.4	7.98 Ω /km
AN005.005.24.002.00B	H05V2V2-F	300/500V	24X2	41/0.25	24.5	1585.1	7.98 Ω /km
AN005.005.25.002.00B	H05V2V2-F	300/500V	25X2	41/0.25	25.1	1665.5	7.98 Ω /km
AN005.005.26.002.00B	H05V2V2-F	300/500V	26X2	41/0.25	25.1	1680.4	7.98 Ω /km
AN005.005.27.002.00B	H05V2V2-F	300/500V	27X2	41/0.25	25.1	1695.1	7.98 Ω /km
AN005.005.28.002.00B	H05V2V2-F	300/500V	28X2	41/0.25	26	1811.8	7.98 Ω /km
AN005.005.29.002.00B	H05V2V2-F	300/500V	29X2	41/0.25	26	1826.4	7.98 Ω /km
AN005.005.30.002.00B	H05V2V2-F	300/500V	30X2	41/0.25	26	1841.2	7.98 Ω /km
AN005.005.31.002.00B	H05V2V2-F	300/500V	31X2	41/0.25	26.9	1961.6	7.98 Ω /km
AN005.005.32.002.00B	H05V2V2-F	300/500V	32X2	41/0.25	26.9	1976.3	7.98 Ω /km
AN005.005.33.002.00B	H05V2V2-F	300/500V	33X2	41/0.25	26.9	1991.1	7.98 Ω /km
AN005.005.34.002.00B	H05V2V2-F	300/500V	34X2	41/0.25	28.1	2141.2	7.98 Ω /km
AN005.005.35.002.00B	H05V2V2-F	300/500V	35X2	41/0.25	28.1	2155.8	7.98 Ω /km
AN005.005.36.002.00B	H05V2V2-F	300/500V	36X2	41/0.25	28.1	2170.6	7.98 Ω /km
AN005.005.37.002.00B	H05V2V2-F	300/500V	37X2	41/0.25	28.1	2185.4	7.98 Ω /km
AN005.005.02.002.50B	H05V2V2-F	300/500V	2X2.5	51/0.25	10	227	4.95 Ω /km
AN005.005.03.002.50B	H05V2V2-F	300/500V	3X2.5	51/0.25	10.9	278.8	4.95 Ω /km
AN005.005.04.002.50B	H05V2V2-F	300/500V	4X2.5	51/0.25	11.9	344.9	4.95 Ω /km
AN005.005.05.002.50B	H05V2V2-F	300/500V	5X2.5	51/0.25	13.1	421.9	4.95 Ω /km
AN005.005.06.002.50B	H05V2V2-F	300/500V	6X2.5	51/0.25	14.3	510.2	4.95 Ω /km
AN005.005.07.002.50B	H05V2V2-F	300/500V	7X2.5	51/0.25	14.3	528.1	4.95 Ω /km
AN005.005.08.002.50B	H05V2V2-F	300/500V	8X2.5	51/0.25	15.7	630.8	4.95 Ω /km
AN005.005.09.002.50B	H05V2V2-F	300/500V	9X2.5	51/0.25	17.1	748.3	4.95 Ω /km
AN005.005.10.002.50B	H05V2V2-F	300/500V	10X2.5	51/0.25	18.2	851	4.95 Ω /km
AN005.005.11.002.50B	H05V2V2-F	300/500V	11X2.5	51/0.25	18.8	917.7	4.95 Ω /km
AN005.005.12.002.50B	H05V2V2-F	300/500V	12X2.5	51/0.25	18.8	935.7	4.95 Ω /km
AN005.005.13.002.50B	H05V2V2-F	300/500V	13X2.5	51/0.25	20	1048	4.95 Ω /km
AN005.005.14.002.50B	H05V2V2-F	300/500V	14X2.5	51/0.25	20	1066	4.95 Ω /km
AN005.005.15.002.50B	H05V2V2-F	300/500V	15X2.5	51/0.25	21.3	1189.2	4.95 Ω /km
AN005.005.16.002.50B	H05V2V2-F	300/500V	16X2.5	51/0.25	21.3	1207.2	4.95 Ω /km
AN005.005.17.002.50B	H05V2V2-F	300/500V	17X2.5	51/0.25	22.4	1330.8	4.95 Ω /km



AN005.005.18.002.50B	H05V2V2-F	300/500V	18X2.5	51/0.25	22.4	1348.8	4.95 Ω /km
AN005.005.19.002.50B	H05V2V2-F	300/500V	19X2.5	51/0.25	22.4	1366.8	4.95 Ω /km
AN005.005.20.002.50B	H05V2V2-F	300/500V	20X2.5	51/0.25	23	1444.8	4.95 Ω /km
AN005.005.21.002.50B	H05V2V2-F	300/500V	21X2.5	51/0.25	23.6	1524.5	4.95 Ω /km
AN005.005.22.002.50B	H05V2V2-F	300/500V	22X2.5	51/0.25	25.2	1705.2	4.95 Ω /km
AN005.005.23.002.50B	H05V2V2-F	300/500V	23X2.5	51/0.25	26.3	1848.6	4.95 Ω /km
AN005.005.24.002.50B	H05V2V2-F	300/500V	24X2.5	51/0.25	26.3	1866.7	4.95 Ω /km
AN005.005.25.002.50B	H05V2V2-F	300/500V	25X2.5	51/0.25	26.9	1955.6	4.95 Ω /km
AN005.005.26.002.50B	H05V2V2-F	300/500V	26X2.5	51/0.25	26.9	1973.6	4.95 Ω /km
AN005.005.27.002.50B	H05V2V2-F	300/500V	27X2.5	51/0.25	26.9	1991.6	4.95 Ω /km
AN005.005.28.002.50B	H05V2V2-F	300/500V	28X2.5	51/0.25	28.1	2144.9	4.95 Ω /km
AN005.005.29.002.50B	H05V2V2-F	300/500V	29X2.5	51/0.25	28.1	2163	4.95 Ω /km
AN005.005.30.002.50B	H05V2V2-F	300/500V	30X2.5	51/0.25	28.1	2181	4.95 Ω /km
AN005.005.31.002.50B	H05V2V2-F	300/500V	31X2.5	51/0.25	29.1	2326.3	4.95 Ω /km
AN005.005.32.002.50B	H05V2V2-F	300/500V	32X2.5	51/0.25	29.1	2344.3	4.95 Ω /km
AN005.005.33.002.50B	H05V2V2-F	300/500V	33X2.5	51/0.25	29.1	2362.3	4.95 Ω /km
AN005.005.34.002.50B	H05V2V2-F	300/500V	34X2.5	51/0.25	30.2	2525.7	4.95 Ω /km
AN005.005.35.002.50B	H05V2V2-F	300/500V	35X2.5	51/0.25	30.2	2543.8	4.95 Ω /km
AN005.005.36.002.50B	H05V2V2-F	300/500V	36X2.5	51/0.25	30.2	2561.8	4.95 Ω /km
AN005.005.37.002.50B	H05V2V2-F	300/500V	37X2.5	51/0.25	30.2	2579.9	4.95 Ω /km
AN005.005.02.004.00B	H05V2V2-F	300/500V	2X4	82/0.25	11.3	303.4	3.30 Ω /km
AN005.005.03.004.00B	H05V2V2-F	300/500V	3X4	82/0.25	12.2	373	3.30 Ω /km
AN005.005.04.004.00B	H05V2V2-F	300/500V	4X4	82/0.25	13.4	467.4	3.30 Ω /km
AN005.005.05.004.00B	H05V2V2-F	300/500V	5X4	82/0.25	15	582.6	3.30 Ω /km
AN005.005.06.004.00B	H05V2V2-F	300/500V	6X4	82/0.25	16	684.5	3.30 Ω /km
AN005.005.07.004.00B	H05V2V2-F	300/500V	7X4	82/0.25	16	713.8	3.30 Ω /km
AN005.005.08.004.00B	H05V2V2-F	300/500V	8X4	82/0.25	17.3	836.7	3.30 Ω /km
AN005.005.09.004.00B	H05V2V2-F	300/500V	9X4	82/0.25	19	1001.1	3.30 Ω /km
AN005.005.10.004.00B	H05V2V2-F	300/500V	10X4	82/0.25	20.4	1143.6	3.30 Ω /km
AN005.005.11.004.00B	H05V2V2-F	300/500V	11X4	82/0.25	21.4	1252	3.30 Ω /km
AN005.005.12.004.00B	H05V2V2-F	300/500V	12X4	82/0.25	21.4	1281.3	3.30 Ω /km
AN005.005.13.004.00B	H05V2V2-F	300/500V	13X4	82/0.25	22.5	1416.5	3.30 Ω /km
AN005.005.14.004.00B	H05V2V2-F	300/500V	14X4	82/0.25	22.5	1445.9	3.30 Ω /km
AN005.005.15.004.00B	H05V2V2-F	300/500V	15X4	82/0.25	23.9	1608.7	3.30 Ω /km
AN005.005.16.004.00B	H05V2V2-F	300/500V	16X4	82/0.25	23.9	1637.9	3.30 Ω /km
AN005.005.17.004.00B	H05V2V2-F	300/500V	17X4	82/0.25	25.1	1797	3.30 Ω /km
AN005.005.18.004.00B	H05V2V2-F	300/500V	18X4	82/0.25	25.1	1826.2	3.30 Ω /km
AN005.005.19.004.00B	H05V2V2-F	300/500V	19X4	82/0.25	25.1	1855.5	3.30 Ω /km
AN005.005.20.004.00B	H05V2V2-F	300/500V	20X4	82/0.25	25.8	1963.7	3.30 Ω /km
AN005.005.21.004.00B	H05V2V2-F	300/500V	21X4	82/0.25	26.4	2062.5	3.30 Ω /km
AN005.005.22.004.00B	H05V2V2-F	300/500V	22X4	82/0.25	28.3	2311.2	3.30 Ω /km
AN005.005.23.004.00B	H05V2V2-F	300/500V	23X4	82/0.25	29.5	2495	3.30 Ω /km



AN005.005.24.004.00B	H05V2V2-F	300/500V	24X4	82/0.25	29.5	2524.3	3.30 Ω /km
AN005.005.25.004.00B	H05V2V2-F	300/500V	25X4	82/0.25	30.2	2646.8	3.30 Ω /km
AN005.005.26.004.00B	H05V2V2-F	300/500V	26X4	82/0.25	30.2	2676.2	3.30 Ω /km
AN005.005.27.004.00B	H05V2V2-F	300/500V	27X4	82/0.25	30.2	2705.4	3.30 Ω /km
AN005.005.28.004.00B	H05V2V2-F	300/500V	28X4	82/0.25	31.5	2901	3.30 Ω /km
AN005.005.29.004.00B	H05V2V2-F	300/500V	29X4	82/0.25	31.5	2930.2	3.30 Ω /km
AN005.005.30.004.00B	H05V2V2-F	300/500V	30X4	82/0.25	31.5	2959.4	3.30 Ω /km
AN005.005.02.006.00B	H05V2V2-F	300/500V	2X6	123/0.25	12.7	401.3	1.91 Ω /km
AN005.005.03.006.00B	H05V2V2-F	300/500V	3X6	123/0.25	13.6	495.4	1.91 Ω /km
AN005.005.04.006.00B	H05V2V2-F	300/500V	4X6	123/0.25	14.8	612.6	1.91 Ω /km
AN005.005.05.006.00B	H05V2V2-F	300/500V	5X6	123/0.25	16.4	758.3	1.91 Ω /km
AN005.005.06.006.00B	H05V2V2-F	300/500V	6X6	123/0.25	17.8	906.2	1.91 Ω /km
AN005.005.07.006.00B	H05V2V2-F	300/500V	7X6	123/0.25	17.8	950.1	1.91 Ω /km
AN005.005.08.006.00B	H05V2V2-F	300/500V	8X6	123/0.25	19.5	1125.1	1.91 Ω /km
AN005.005.09.006.00B	H05V2V2-F	300/500V	9X6	123/0.25	21.7	1355.3	1.91 Ω /km
AN005.005.10.006.00B	H05V2V2-F	300/500V	10X6	123/0.25	23.1	1537.1	1.91 Ω /km
AN005.005.11.006.00B	H05V2V2-F	300/500V	11X6	123/0.25	24.1	1675.4	1.91 Ω /km
AN005.005.12.006.00B	H05V2V2-F	300/500V	12X6	123/0.25	24.1	1719.4	1.91 Ω /km
AN005.005.13.006.00B	H05V2V2-F	300/500V	13X6	123/0.25	25.3	1894.1	1.91 Ω /km
AN005.005.14.006.00B	H05V2V2-F	300/500V	14X6	123/0.25	25.3	1938	1.91 Ω /km
AN005.005.15.006.00B	H05V2V2-F	300/500V	15X6	123/0.25	26.7	2143.3	1.91 Ω /km
AN005.005.16.006.00B	H05V2V2-F	300/500V	16X6	123/0.25	26.7	2187.2	1.91 Ω /km
AN005.005.17.006.00B	H05V2V2-F	300/500V	17X6	123/0.25	28.3	2415.2	1.91 Ω /km
AN005.005.18.006.00B	H05V2V2-F	300/500V	18X6	123/0.25	28.3	2459	1.91 Ω /km
AN005.005.19.006.00B	H05V2V2-F	300/500V	19X6	123/0.25	28.3	2503	1.91 Ω /km
AN005.005.20.006.00B	H05V2V2-F	300/500V	20X6	123/0.25	29.1	2649.1	1.91 Ω /km
AN005.005.21.006.00B	H05V2V2-F	300/500V	21X6	123/0.25	29.8	2784.8	1.91 Ω /km
AN005.005.02.010.00B	H05V2V2-F	300/500V	2X10	77/0.4	16	657.6	1.21 Ω /km
AN005.005.03.010.00B	H05V2V2-F	300/500V	3X10	77/0.4	17	800.5	1.21 Ω /km
AN005.005.04.010.00B	H05V2V2-F	300/500V	4X10	77/0.4	18.7	1004.5	1.21 Ω /km
AN005.005.05.010.00B	H05V2V2-F	300/500V	5X10	77/0.4	21	1255.9	1.21 Ω /km
AN005.005.06.010.00B	H05V2V2-F	300/500V	6X10	77/0.4	22.8	1500.4	1.21 Ω /km
AN005.005.07.010.00B	H05V2V2-F	300/500V	7X10	77/0.4	22.8	1571.8	1.21 Ω /km
AN005.005.08.010.00B	H05V2V2-F	300/500V	8X10	77/0.4	24.9	1854.6	1.21 Ω /km
AN005.005.09.010.00B	H05V2V2-F	300/500V	9X10	77/0.4	27.5	2228.2	1.21 Ω /km
AN005.005.02.016.00B	H05V2V2-F	300/500V	2X16	126/0.4	18.4	927.6	0.780 Ω /km
AN005.005.03.016.00B	H05V2V2-F	300/500V	3X16	126/0.4	19.8	1150.9	0.780 Ω /km
AN005.005.04.016.00B	H05V2V2-F	300/500V	4X16	126/0.4	22.1	1463.4	0.780 Ω /km
AN005.005.05.016.00B	H05V2V2-F	300/500V	5X16	126/0.4	24.4	1803.1	0.780 Ω /km
AN005.005.06.016.00B	H05V2V2-F	300/500V	6X16	126/0.4	26.6	2165.2	0.780 Ω /km
AN005.005.07.016.00B	H05V2V2-F	300/500V	7X16	126/0.4	26.6	2279	0.780 Ω /km
AN005.005.08.016.00B	H05V2V2-F	300/500V	8X16	126/0.4	29.1	2690.8	0.780 Ω /km



AN005.005.02.025.00B	H05V2V2-F	300/500V	2X25	189/0.4	22.3	1395	0.554 Ω /km
AN005.005.03.025.00B	H05V2V2-F	300/500V	3X25	189/0.4	24	1737.9	0.554 Ω /km
AN005.005.04.025.00B	H05V2V2-F	300/500V	4X25	189/0.4	26.4	2184.2	0.554 Ω /km
AN005.005.05.025.00B	H05V2V2-F	300/500V	5X25	189/0.4	29.2	2698	0.554 Ω /km
AN005.005.06.025.00B	H05V2V2-F	300/500V	6X25	189/0.4	32.1	3260.8	0.554 Ω /km
AN005.005.02.035.00B	H05V2V2-F	300/500V	2X35	266/0.4	25.1	1829.5	0.386 Ω /km
AN005.005.03.035.00B	H05V2V2-F	300/500V	3X35	266/0.4	26.8	2274.8	0.386 Ω /km
AN005.005.04.035.00B	H05V2V2-F	300/500V	4X35	266/0.4	29.7	2877.6	0.386 Ω /km