



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 PE 材质							
ANM11.013.02.030AB	UL20937	30V	2X30AWG	7/0.1	4	20.06	354 Ω/km
ANM11.013.03.030AB	UL20937	30V	3X30AWG	7/0.1	4.2	22.36	354 Ω/km
ANM11.013.04.030AB	UL20937	30V	4X30AWG	7/0.1	4.3	23.66	354 Ω/km
ANM11.013.05.030AB	UL20937	30V	5X30AWG	7/0.1	4.5	26.06	354 Ω/km
ANM11.013.06.030AB	UL20937	30V	6X30AWG	7/0.1	4.7	28.66	354 Ω/km
ANM11.013.07.030AB	UL20937	30V	7X30AWG	7/0.1	4.7	29.06	354 Ω/km
ANM11.013.08.030AB	UL20937	30V	8X30AWG	7/0.1	5	32.96	354 Ω/km
ANM11.013.09.030AB	UL20937	30V	9X30AWG	7/0.1	5.2	35.76	354 Ω/km
ANM11.013.10.030AB	UL20937	30V	10X30AWG	7/0.1	5.4	38.56	354 Ω/km
ANM11.013.11.030AB	UL20937	30V	11X30AWG	7/0.1	5.6	41.66	354 Ω/km
ANM11.013.12.030AB	UL20937	30V	12X30AWG	7/0.1	5.6	41.96	354 Ω/km
ANM11.013.13.030AB	UL20937	30V	13X30AWG	7/0.1	5.7	43.66	354 Ω/km
ANM11.013.14.030AB	UL20937	30V	14X30AWG	7/0.1	5.7	43.96	354 Ω/km
ANM11.013.15.030AB	UL20937	30V	15X30AWG	7/0.1	5.9	47.26	354 Ω/km
ANM11.013.16.030AB	UL20937	30V	16X30AWG	7/0.1	5.9	47.56	354 Ω/km
ANM11.013.17.030AB	UL20937	30V	17X30AWG	7/0.1	6.1	50.76	354 Ω/km
ANM11.013.18.030AB	UL20937	30V	18X30AWG	7/0.1	6.1	51.16	354 Ω/km
ANM11.013.19.030AB	UL20937	30V	19X30AWG	7/0.1	6.1	51.46	354 Ω/km
ANM11.013.20.030AB	UL20937	30V	20X30AWG	7/0.1	6.3	54.76	354 Ω/km
ANM11.013.21.030AB	UL20937	30V	21X30AWG	7/0.1	6.4	56.76	354 Ω/km
ANM11.013.22.030AB	UL20937	30V	22X30AWG	7/0.1	6.6	60.16	354 Ω/km
ANM11.013.23.030AB	UL20937	30V	23X30AWG	7/0.1	6.8	63.76	354 Ω/km
ANM11.013.24.030AB	UL20937	30V	24X30AWG	7/0.1	6.8	64.06	354 Ω/km
ANM11.013.25.030AB	UL20937	30V	25X30AWG	7/0.1	7	67.76	354 Ω/km
ANM11.013.26.030AB	UL20937	30V	26X30AWG	7/0.1	7	68.16	354 Ω/km
ANM11.013.27.030AB	UL20937	30V	27X30AWG	7/0.1	7	68.46	354 Ω/km
ANM11.013.28.030AB	UL20937	30V	28X30AWG	7/0.1	7.1	70.56	354 Ω/km
ANM11.013.29.030AB	UL20937	30V	29X30AWG	7/0.1	7.1	70.96	354 Ω/km
ANM11.013.30.030AB	UL20937	30V	30X30AWG	7/0.1	7.1	71.36	354 Ω/km
ANM11.013.31.030AB	UL20937	30V	31X30AWG	7/0.1	7.3	75.06	354 Ω/km
ANM11.013.32.030AB	UL20937	30V	32X30AWG	7/0.1	7.3	75.46	354 Ω/km
ANM11.013.33.030AB	UL20937	30V	33X30AWG	7/0.1	7.3	75.76	354 Ω/km
ANM11.013.34.030AB	UL20937	30V	34X30AWG	7/0.1	7.5	79.86	354 Ω/km
ANM11.013.35.030AB	UL20937	30V	35X30AWG	7/0.1	7.5	80.16	354 Ω/km
ANM11.013.36.030AB	UL20937	30V	36X30AWG	7/0.1	7.5	80.56	354 Ω/km
ANM11.013.37.030AB	UL20937	30V	37X30AWG	7/0.1	7.5	80.86	354 Ω/km
ANM11.013.38.030AB	UL20937	30V	38X30AWG	7/0.1	7.8	86.76	354 Ω/km
ANM11.013.39.030AB	UL20937	30V	39X30AWG	7/0.1	7.8	87.06	354 Ω/km
ANM11.013.40.030AB	UL20937	30V	40X30AWG	7/0.1	7.8	87.46	354 Ω/km



ANM11.013.41.030AB	UL20937	30V	41X30AWG	7/0.1	8.2	95.46	354 Ω/km
ANM11.013.42.030AB	UL20937	30V	42X30AWG	7/0.1	8.2	95.66	354 Ω/km
ANM11.013.43.030AB	UL20937	30V	43X30AWG	7/0.1	8.2	96.16	354 Ω/km
ANM11.013.44.030AB	UL20937	30V	44X30AWG	7/0.1	8.2	96.56	354 Ω/km
ANM11.013.45.030AB	UL20937	30V	45X30AWG	7/0.1	8.4	100.96	354 Ω/km
ANM11.013.46.030AB	UL20937	30V	46X30AWG	7/0.1	8.4	101.26	354 Ω/km
ANM11.013.47.030AB	UL20937	30V	47X30AWG	7/0.1	8.4	101.56	354 Ω/km
ANM11.013.48.030AB	UL20937	30V	48X30AWG	7/0.1	8.4	101.96	354 Ω/km
ANM11.013.49.030AB	UL20937	30V	49X30AWG	7/0.1	8.5	104.46	354 Ω/km
ANM11.013.50.030AB	UL20937	30V	50X30AWG	7/0.1	8.5	104.76	354 Ω/km
ANM11.013.51.030AB	UL20937	30V	51X30AWG	7/0.1	8.5	105.06	354 Ω/km
ANM11.013.52.030AB	UL20937	30V	52X30AWG	7/0.1	8.5	105.46	354 Ω/km
ANM11.013.53.030AB	UL20937	30V	53X30AWG	7/0.1	8.7	109.96	354 Ω/km
ANM11.013.54.030AB	UL20937	30V	54X30AWG	7/0.1	8.7	110.36	354 Ω/km
ANM11.013.55.030AB	UL20937	30V	55X30AWG	7/0.1	8.7	110.76	354 Ω/km
ANM11.013.56.030AB	UL20937	30V	56X30AWG	7/0.1	8.7	111.06	354 Ω/km
ANM11.013.57.030AB	UL20937	30V	57X30AWG	7/0.1	8.9	115.66	354 Ω/km
ANM11.013.58.030AB	UL20937	30V	58X30AWG	7/0.1	8.9	115.96	354 Ω/km
ANM11.013.59.030AB	UL20937	30V	59X30AWG	7/0.1	8.9	116.36	354 Ω/km
ANM11.013.60.030AB	UL20937	30V	60X30AWG	7/0.1	8.9	116.66	354 Ω/km
ANM11.013.61.030AB	UL20937	30V	61X30AWG	7/0.1	8.9	116.96	354 Ω/km
ANM11.013.62.030AB	UL20937	30V	62X30AWG	7/0.1	9.2	123.86	354 Ω/km
ANM11.013.63.030AB	UL20937	30V	63X30AWG	7/0.1	9.2	124.26	354 Ω/km
ANM11.013.64.030AB	UL20937	30V	64X30AWG	7/0.1	9.2	124.66	354 Ω/km
ANM11.013.65.030AB	UL20937	30V	65X30AWG	7/0.1	9.2	124.96	354 Ω/km
ANM11.013.02.029AB	UL20937	30V	2X29AWG	9/0.1	4.2	22.17	277 Ω/km
ANM11.013.03.029AB	UL20937	30V	3X29AWG	9/0.1	4.4	24.77	277 Ω/km
ANM11.013.04.029AB	UL20937	30V	4X29AWG	9/0.1	4.6	27.37	277 Ω/km
ANM11.013.05.029AB	UL20937	30V	5X29AWG	9/0.1	4.8	29.97	277 Ω/km
ANM11.013.06.029AB	UL20937	30V	6X29AWG	9/0.1	5	32.97	277 Ω/km
ANM11.013.07.029AB	UL20937	30V	7X29AWG	9/0.1	5	33.37	277 Ω/km
ANM11.013.08.029AB	UL20937	30V	8X29AWG	9/0.1	5.3	37.47	277 Ω/km
ANM11.013.09.029AB	UL20937	30V	9X29AWG	9/0.1	5.6	41.97	277 Ω/km
ANM11.013.10.029AB	UL20937	30V	10X29AWG	9/0.1	5.8	45.17	277 Ω/km
ANM11.013.11.029AB	UL20937	30V	11X29AWG	9/0.1	6	48.47	277 Ω/km
ANM11.013.12.029AB	UL20937	30V	12X29AWG	9/0.1	6	48.87	277 Ω/km
ANM11.013.13.029AB	UL20937	30V	13X29AWG	9/0.1	6.2	52.37	277 Ω/km
ANM11.013.14.029AB	UL20937	30V	14X29AWG	9/0.1	6.2	52.87	277 Ω/km
ANM11.013.15.029AB	UL20937	30V	15X29AWG	9/0.1	6.4	56.27	277 Ω/km
ANM11.013.16.029AB	UL20937	30V	16X29AWG	9/0.1	6.4	56.67	277 Ω/km
ANM11.013.17.029AB	UL20937	30V	17X29AWG	9/0.1	6.6	60.27	277 Ω/km
ANM11.013.18.029AB	UL20937	30V	18X29AWG	9/0.1	6.6	60.77	277 Ω/km



ANM11.013.19.029AB	UL20937	30V	19X29AWG	9/0.1	6.6	61.17	277 Ω/km
ANM11.013.20.029AB	UL20937	30V	20X29AWG	9/0.1	6.8	65.07	277 Ω/km
ANM11.013.21.029AB	UL20937	30V	21X29AWG	9/0.1	6.9	67.17	277 Ω/km
ANM11.013.22.029AB	UL20937	30V	22X29AWG	9/0.1	7.2	72.77	277 Ω/km
ANM11.013.23.029AB	UL20937	30V	23X29AWG	9/0.1	7.4	76.67	277 Ω/km
ANM11.013.24.029AB	UL20937	30V	24X29AWG	9/0.1	7.4	77.07	277 Ω/km
ANM11.013.25.029AB	UL20937	30V	25X29AWG	9/0.1	7.6	81.17	277 Ω/km
ANM11.013.26.029AB	UL20937	30V	26X29AWG	9/0.1	7.6	81.57	277 Ω/km
ANM11.013.27.029AB	UL20937	30V	27X29AWG	9/0.1	7.6	82.07	277 Ω/km
ANM11.013.28.029AB	UL20937	30V	28X29AWG	9/0.1	7.8	86.27	277 Ω/km
ANM11.013.29.029AB	UL20937	30V	29X29AWG	9/0.1	7.8	86.87	277 Ω/km
ANM11.013.30.029AB	UL20937	30V	30X29AWG	9/0.1	7.8	87.37	277 Ω/km
ANM11.013.31.029AB	UL20937	30V	31X29AWG	9/0.1	8	91.57	277 Ω/km
ANM11.013.32.029AB	UL20937	30V	32X29AWG	9/0.1	8	91.97	277 Ω/km
ANM11.013.33.029AB	UL20937	30V	33X29AWG	9/0.1	8	92.47	277 Ω/km
ANM11.013.34.029AB	UL20937	30V	34X29AWG	9/0.1	8.2	96.77	277 Ω/km
ANM11.013.35.029AB	UL20937	30V	35X29AWG	9/0.1	8.2	97.17	277 Ω/km
ANM11.013.36.029AB	UL20937	30V	36X29AWG	9/0.1	8.2	97.77	277 Ω/km
ANM11.013.37.029AB	UL20937	30V	37X29AWG	9/0.1	8.2	98.17	277 Ω/km
ANM11.013.38.029AB	UL20937	30V	38X29AWG	9/0.1	8.5	104.67	277 Ω/km
ANM11.013.39.029AB	UL20937	30V	39X29AWG	9/0.1	8.5	105.37	277 Ω/km
ANM11.013.40.029AB	UL20937	30V	40X29AWG	9/0.1	8.5	105.77	277 Ω/km
ANM11.013.41.029AB	UL20937	30V	41X29AWG	9/0.1	9	116.77	277 Ω/km
ANM11.013.42.029AB	UL20937	30V	42X29AWG	9/0.1	9	117.17	277 Ω/km
ANM11.013.43.029AB	UL20937	30V	43X29AWG	9/0.1	9	117.67	277 Ω/km
ANM11.013.44.029AB	UL20937	30V	44X29AWG	9/0.1	9	118.17	277 Ω/km
ANM11.013.45.029AB	UL20937	30V	45X29AWG	9/0.1	9.2	122.87	277 Ω/km
ANM11.013.46.029AB	UL20937	30V	46X29AWG	9/0.1	9.2	123.37	277 Ω/km
ANM11.013.47.029AB	UL20937	30V	47X29AWG	9/0.1	9.2	123.87	277 Ω/km
ANM11.013.48.029AB	UL20937	30V	48X29AWG	9/0.1	9.2	124.27	277 Ω/km
ANM11.013.49.029AB	UL20937	30V	49X29AWG	9/0.1	9.4	129.37	277 Ω/km
ANM11.013.50.029AB	UL20937	30V	50X29AWG	9/0.1	9.4	129.87	277 Ω/km
ANM11.013.51.029AB	UL20937	30V	51X29AWG	9/0.1	9.4	130.27	277 Ω/km
ANM11.013.52.029AB	UL20937	30V	52X29AWG	9/0.1	9.4	130.87	277 Ω/km
ANM11.013.53.029AB	UL20937	30V	53X29AWG	9/0.1	9.6	135.77	277 Ω/km
ANM11.013.54.029AB	UL20937	30V	54X29AWG	9/0.1	9.6	136.27	277 Ω/km
ANM11.013.55.029AB	UL20937	30V	55X29AWG	9/0.1	9.6	136.77	277 Ω/km
ANM11.013.56.029AB	UL20937	30V	56X29AWG	9/0.1	9.6	137.17	277 Ω/km
ANM11.013.57.029AB	UL20937	30V	57X29AWG	9/0.1	9.8	142.27	277 Ω/km
ANM11.013.58.029AB	UL20937	30V	58X29AWG	9/0.1	9.8	142.87	277 Ω/km
ANM11.013.59.029AB	UL20937	30V	59X29AWG	9/0.1	9.8	143.27	277 Ω/km
ANM11.013.60.029AB	UL20937	30V	60X29AWG	9/0.1	9.8	143.77	277 Ω/km



ANM11.013.61.029AB	UL20937	30V	61X29AWG	9/0.1	9.8	144.27	277 Ω/km
ANM11.013.62.029AB	UL20937	30V	62X29AWG	9/0.1	10.1	151.87	277 Ω/km
ANM11.013.63.029AB	UL20937	30V	63X29AWG	9/0.1	10.1	152.37	277 Ω/km
ANM11.013.64.029AB	UL20937	30V	64X29AWG	9/0.1	10.1	152.77	277 Ω/km
ANM11.013.65.029AB	UL20937	30V	65X29AWG	9/0.1	10.1	153.17	277 Ω/km
ANM11.013.02.028AB	UL20937	30V	2X28AWG	11/0.1	4.2	22.49	223 Ω/km
ANM11.013.03.028AB	UL20937	30V	3X28AWG	11/0.1	4.4	25.09	223 Ω/km
ANM11.013.04.028AB	UL20937	30V	4X28AWG	11/0.1	4.6	27.89	223 Ω/km
ANM11.013.05.028AB	UL20937	30V	5X28AWG	11/0.1	4.8	30.59	223 Ω/km
ANM11.013.06.028AB	UL20937	30V	6X28AWG	11/0.1	5	33.69	223 Ω/km
ANM11.013.07.028AB	UL20937	30V	7X28AWG	11/0.1	5	34.29	223 Ω/km
ANM11.013.08.028AB	UL20937	30V	8X28AWG	11/0.1	5.3	38.49	223 Ω/km
ANM11.013.09.028AB	UL20937	30V	9X28AWG	11/0.1	5.6	43.09	223 Ω/km
ANM11.013.10.028AB	UL20937	30V	10X28AWG	11/0.1	5.8	46.29	223 Ω/km
ANM11.013.11.028AB	UL20937	30V	11X28AWG	11/0.1	6	49.69	223 Ω/km
ANM11.013.12.028AB	UL20937	30V	12X28AWG	11/0.1	6	50.29	223 Ω/km
ANM11.013.13.028AB	UL20937	30V	13X28AWG	11/0.1	6.2	53.89	223 Ω/km
ANM11.013.14.028AB	UL20937	30V	14X28AWG	11/0.1	6.2	54.49	223 Ω/km
ANM11.013.15.028AB	UL20937	30V	15X28AWG	11/0.1	6.4	57.99	223 Ω/km
ANM11.013.16.028AB	UL20937	30V	16X28AWG	11/0.1	6.4	58.59	223 Ω/km
ANM11.013.17.028AB	UL20937	30V	17X28AWG	11/0.1	6.6	62.19	223 Ω/km
ANM11.013.18.028AB	UL20937	30V	18X28AWG	11/0.1	6.6	62.89	223 Ω/km
ANM11.013.19.028AB	UL20937	30V	19X28AWG	11/0.1	6.6	63.49	223 Ω/km
ANM11.013.20.028AB	UL20937	30V	20X28AWG	11/0.1	6.8	67.29	223 Ω/km
ANM11.013.21.028AB	UL20937	30V	21X28AWG	11/0.1	6.9	69.59	223 Ω/km
ANM11.013.22.028AB	UL20937	30V	22X28AWG	11/0.1	7.2	75.19	223 Ω/km
ANM11.013.23.028AB	UL20937	30V	23X28AWG	11/0.1	7.4	79.39	223 Ω/km
ANM11.013.24.028AB	UL20937	30V	24X28AWG	11/0.1	7.4	79.99	223 Ω/km
ANM11.013.25.028AB	UL20937	30V	25X28AWG	11/0.1	7.6	84.09	223 Ω/km
ANM11.013.26.028AB	UL20937	30V	26X28AWG	11/0.1	7.6	84.69	223 Ω/km
ANM11.013.27.028AB	UL20937	30V	27X28AWG	11/0.1	7.6	85.29	223 Ω/km
ANM11.013.28.028AB	UL20937	30V	28X28AWG	11/0.1	7.8	89.59	223 Ω/km
ANM11.013.29.028AB	UL20937	30V	29X28AWG	11/0.1	7.8	90.19	223 Ω/km
ANM11.013.30.028AB	UL20937	30V	30X28AWG	11/0.1	7.8	90.79	223 Ω/km
ANM11.013.31.028AB	UL20937	30V	31X28AWG	11/0.1	8	95.19	223 Ω/km
ANM11.013.32.028AB	UL20937	30V	32X28AWG	11/0.1	8	95.69	223 Ω/km
ANM11.013.33.028AB	UL20937	30V	33X28AWG	11/0.1	8	96.29	223 Ω/km
ANM11.013.34.028AB	UL20937	30V	34X28AWG	11/0.1	8.2	100.69	223 Ω/km
ANM11.013.35.028AB	UL20937	30V	35X28AWG	11/0.1	8.2	101.29	223 Ω/km
ANM11.013.36.028AB	UL20937	30V	36X28AWG	11/0.1	8.2	101.99	223 Ω/km
ANM11.013.37.028AB	UL20937	30V	37X28AWG	11/0.1	8.2	102.49	223 Ω/km
ANM11.013.38.028AB	UL20937	30V	38X28AWG	11/0.1	8.5	109.19	223 Ω/km



ANM11.013.39.028AB	UL20937	30V	39X28AWG	11/0.1	8.5	109.79	223 Ω/km
ANM11.013.40.028AB	UL20937	30V	40X28AWG	11/0.1	8.5	110.39	223 Ω/km
ANM11.013.41.028AB	UL20937	30V	41X28AWG	11/0.1	9	121.39	223 Ω/km
ANM11.013.42.028AB	UL20937	30V	42X28AWG	11/0.1	9	121.99	223 Ω/km
ANM11.013.43.028AB	UL20937	30V	43X28AWG	11/0.1	9	122.69	223 Ω/km
ANM11.013.44.028AB	UL20937	30V	44X28AWG	11/0.1	9	123.19	223 Ω/km
ANM11.013.45.028AB	UL20937	30V	45X28AWG	11/0.1	9.2	128.19	223 Ω/km
ANM11.013.46.028AB	UL20937	30V	46X28AWG	11/0.1	9.2	128.79	223 Ω/km
ANM11.013.47.028AB	UL20937	30V	47X28AWG	11/0.1	9.2	129.39	223 Ω/km
ANM11.013.48.028AB	UL20937	30V	48X28AWG	11/0.1	9.2	129.99	223 Ω/km
ANM11.013.49.028AB	UL20937	30V	49X28AWG	11/0.1	9.4	135.09	223 Ω/km
ANM11.013.50.028AB	UL20937	30V	50X28AWG	11/0.1	9.4	135.69	223 Ω/km
ANM11.013.51.028AB	UL20937	30V	51X28AWG	11/0.1	9.4	136.19	223 Ω/km
ANM11.013.52.028AB	UL20937	30V	52X28AWG	11/0.1	9.4	136.89	223 Ω/km
ANM11.013.53.028AB	UL20937	30V	53X28AWG	11/0.1	9.6	141.99	223 Ω/km
ANM11.013.54.028AB	UL20937	30V	54X28AWG	11/0.1	9.6	142.59	223 Ω/km
ANM11.013.55.028AB	UL20937	30V	55X28AWG	11/0.1	9.6	143.19	223 Ω/km
ANM11.013.56.028AB	UL20937	30V	56X28AWG	11/0.1	9.6	143.69	223 Ω/km
ANM11.013.57.028AB	UL20937	30V	57X28AWG	11/0.1	9.8	148.99	223 Ω/km
ANM11.013.58.028AB	UL20937	30V	58X28AWG	11/0.1	9.8	149.49	223 Ω/km
ANM11.013.59.028AB	UL20937	30V	59X28AWG	11/0.1	9.8	150.09	223 Ω/km
ANM11.013.60.028AB	UL20937	30V	60X28AWG	11/0.1	9.8	150.69	223 Ω/km
ANM11.013.61.028AB	UL20937	30V	61X28AWG	11/0.1	9.8	151.29	223 Ω/km
ANM11.013.62.028AB	UL20937	30V	62X28AWG	11/0.1	10.1	159.09	223 Ω/km
ANM11.013.63.028AB	UL20937	30V	63X28AWG	11/0.1	10.1	159.59	223 Ω/km
ANM11.013.64.028AB	UL20937	30V	64X28AWG	11/0.1	10.1	160.19	223 Ω/km
ANM11.013.65.028AB	UL20937	30V	65X28AWG	11/0.1	10.1	160.79	223 Ω/km
ANM11.013.02.027AB	UL20937	30V	2X27AWG	7/0.14	4.4	24.61	175 Ω/km
ANM11.013.03.027AB	UL20937	30V	3X27AWG	7/0.14	4.6	27.41	175 Ω/km
ANM11.013.04.027AB	UL20937	30V	4X27AWG	7/0.14	4.8	30.31	175 Ω/km
ANM11.013.05.027AB	UL20937	30V	5X27AWG	7/0.14	5.1	34.61	175 Ω/km
ANM11.013.06.027AB	UL20937	30V	6X27AWG	7/0.14	5.3	37.61	175 Ω/km
ANM11.013.07.027AB	UL20937	30V	7X27AWG	7/0.14	5.3	38.41	175 Ω/km
ANM11.013.08.027AB	UL20937	30V	8X27AWG	7/0.14	5.6	42.91	175 Ω/km
ANM11.013.09.027AB	UL20937	30V	9X27AWG	7/0.14	6	49.01	175 Ω/km
ANM11.013.10.027AB	UL20937	30V	10X27AWG	7/0.14	6.2	52.71	175 Ω/km
ANM11.013.11.027AB	UL20937	30V	11X27AWG	7/0.14	6.4	56.21	175 Ω/km
ANM11.013.12.027AB	UL20937	30V	12X27AWG	7/0.14	6.4	56.91	175 Ω/km
ANM11.013.13.027AB	UL20937	30V	13X27AWG	7/0.14	6.6	60.71	175 Ω/km
ANM11.013.14.027AB	UL20937	30V	14X27AWG	7/0.14	6.6	61.31	175 Ω/km
ANM11.013.15.027AB	UL20937	30V	15X27AWG	7/0.14	6.9	66.91	175 Ω/km
ANM11.013.16.027AB	UL20937	30V	16X27AWG	7/0.14	6.9	67.61	175 Ω/km



ANM11.013.17.027AB	UL20937	30V	17X27AWG	7/0.14	7.1	71.51	175 Ω/km
ANM11.013.18.027AB	UL20937	30V	18X27AWG	7/0.14	7.1	72.21	175 Ω/km
ANM11.013.19.027AB	UL20937	30V	19X27AWG	7/0.14	7.1	72.91	175 Ω/km
ANM11.013.20.027AB	UL20937	30V	20X27AWG	7/0.14	7.3	76.91	175 Ω/km
ANM11.013.21.027AB	UL20937	30V	21X27AWG	7/0.14	7.4	79.41	175 Ω/km
ANM11.013.22.027AB	UL20937	30V	22X27AWG	7/0.14	7.8	87.31	175 Ω/km
ANM11.013.23.027AB	UL20937	30V	23X27AWG	7/0.14	8	91.71	175 Ω/km
ANM11.013.24.027AB	UL20937	30V	24X27AWG	7/0.14	8	92.41	175 Ω/km
ANM11.013.25.027AB	UL20937	30V	25X27AWG	7/0.14	8.2	96.81	175 Ω/km
ANM11.013.26.027AB	UL20937	30V	26X27AWG	7/0.14	8.2	97.61	175 Ω/km
ANM11.013.27.027AB	UL20937	30V	27X27AWG	7/0.14	8.2	98.21	175 Ω/km
ANM11.013.28.027AB	UL20937	30V	28X27AWG	7/0.14	8.4	102.91	175 Ω/km
ANM11.013.29.027AB	UL20937	30V	29X27AWG	7/0.14	8.4	103.61	175 Ω/km
ANM11.013.30.027AB	UL20937	30V	30X27AWG	7/0.14	8.4	104.11	175 Ω/km
ANM11.013.31.027AB	UL20937	30V	31X27AWG	7/0.14	8.7	111.01	175 Ω/km
ANM11.013.32.027AB	UL20937	30V	32X27AWG	7/0.14	8.7	111.61	175 Ω/km
ANM11.013.33.027AB	UL20937	30V	33X27AWG	7/0.14	8.7	112.21	175 Ω/km
ANM11.013.34.027AB	UL20937	30V	34X27AWG	7/0.14	8.9	117.11	175 Ω/km
ANM11.013.35.027AB	UL20937	30V	35X27AWG	7/0.14	8.9	117.81	175 Ω/km
ANM11.013.36.027AB	UL20937	30V	36X27AWG	7/0.14	8.9	118.41	175 Ω/km
ANM11.013.37.027AB	UL20937	30V	37X27AWG	7/0.14	8.9	119.11	175 Ω/km
ANM11.013.38.027AB	UL20937	30V	38X27AWG	7/0.14	9.2	126.21	175 Ω/km
ANM11.013.39.027AB	UL20937	30V	39X27AWG	7/0.14	9.2	126.91	175 Ω/km
ANM11.013.40.027AB	UL20937	30V	40X27AWG	7/0.14	9.2	127.51	175 Ω/km
ANM11.013.41.027AB	UL20937	30V	41X27AWG	7/0.14	9.8	141.81	175 Ω/km
ANM11.013.42.027AB	UL20937	30V	42X27AWG	7/0.14	9.8	142.51	175 Ω/km
ANM11.013.43.027AB	UL20937	30V	43X27AWG	7/0.14	9.8	143.21	175 Ω/km
ANM11.013.44.027AB	UL20937	30V	44X27AWG	7/0.14	9.8	143.81	175 Ω/km
ANM11.013.45.027AB	UL20937	30V	45X27AWG	7/0.14	10	149.31	175 Ω/km
ANM11.013.46.027AB	UL20937	30V	46X27AWG	7/0.14	10	149.91	175 Ω/km
ANM11.013.47.027AB	UL20937	30V	47X27AWG	7/0.14	10	150.61	175 Ω/km
ANM11.013.48.027AB	UL20937	30V	48X27AWG	7/0.14	10	151.21	175 Ω/km
ANM11.013.49.027AB	UL20937	30V	49X27AWG	7/0.14	10.2	156.61	175 Ω/km
ANM11.013.50.027AB	UL20937	30V	50X27AWG	7/0.14	10.2	157.41	175 Ω/km
ANM11.013.51.027AB	UL20937	30V	51X27AWG	7/0.14	10.2	158.01	175 Ω/km
ANM11.013.52.027AB	UL20937	30V	52X27AWG	7/0.14	10.2	158.61	175 Ω/km
ANM11.013.53.027AB	UL20937	30V	53X27AWG	7/0.14	10.5	166.81	175 Ω/km
ANM11.013.54.027AB	UL20937	30V	54X27AWG	7/0.14	10.5	167.41	175 Ω/km
ANM11.013.55.027AB	UL20937	30V	55X27AWG	7/0.14	10.5	168.01	175 Ω/km
ANM11.013.56.027AB	UL20937	30V	56X27AWG	7/0.14	10.5	168.61	175 Ω/km
ANM11.013.57.027AB	UL20937	30V	57X27AWG	7/0.14	10.7	174.51	175 Ω/km
ANM11.013.58.027AB	UL20937	30V	58X27AWG	7/0.14	10.7	175.21	175 Ω/km



ANM11.013.59.027AB	UL20937	30V	59X27AWG	7/0.14	10.7	175.81	175 Ω/km
ANM11.013.60.027AB	UL20937	30V	60X27AWG	7/0.14	10.7	176.41	175 Ω/km
ANM11.013.61.027AB	UL20937	30V	61X27AWG	7/0.14	10.7	177.01	175 Ω/km
ANM11.013.62.027AB	UL20937	30V	62X27AWG	7/0.14	11	185.61	175 Ω/km
ANM11.013.63.027AB	UL20937	30V	63X27AWG	7/0.14	11	186.21	175 Ω/km
ANM11.013.64.027AB	UL20937	30V	64X27AWG	7/0.14	11	186.81	175 Ω/km
ANM11.013.65.027AB	UL20937	30V	65X27AWG	7/0.14	11	187.51	175 Ω/km
ANM11.013.02.026AB	UL20937	30V	2X26AWG	9/0.14	4.4	25.13	140 Ω/km
ANM11.013.03.026AB	UL20937	30V	3X26AWG	9/0.14	4.6	28.23	140 Ω/km
ANM11.013.04.026AB	UL20937	30V	4X26AWG	9/0.14	4.8	31.33	140 Ω/km
ANM11.013.05.026AB	UL20937	30V	5X26AWG	9/0.14	5.1	35.83	140 Ω/km
ANM11.013.06.026AB	UL20937	30V	6X26AWG	9/0.14	5.3	39.13	140 Ω/km
ANM11.013.07.026AB	UL20937	30V	7X26AWG	9/0.14	5.3	40.13	140 Ω/km
ANM11.013.08.026AB	UL20937	30V	8X26AWG	9/0.14	5.6	44.93	140 Ω/km
ANM11.013.09.026AB	UL20937	30V	9X26AWG	9/0.14	6	51.23	140 Ω/km
ANM11.013.10.026AB	UL20937	30V	10X26AWG	9/0.14	6.2	55.13	140 Ω/km
ANM11.013.11.026AB	UL20937	30V	11X26AWG	9/0.14	6.4	58.93	140 Ω/km
ANM11.013.12.026AB	UL20937	30V	12X26AWG	9/0.14	6.4	59.83	140 Ω/km
ANM11.013.13.026AB	UL20937	30V	13X26AWG	9/0.14	6.6	63.83	140 Ω/km
ANM11.013.14.026AB	UL20937	30V	14X26AWG	9/0.14	6.6	64.83	140 Ω/km
ANM11.013.15.026AB	UL20937	30V	15X26AWG	9/0.14	6.9	70.63	140 Ω/km
ANM11.013.16.026AB	UL20937	30V	16X26AWG	9/0.14	6.9	71.63	140 Ω/km
ANM11.013.17.026AB	UL20937	30V	17X26AWG	9/0.14	7.1	75.73	140 Ω/km
ANM11.013.18.026AB	UL20937	30V	18X26AWG	9/0.14	7.1	76.63	140 Ω/km
ANM11.013.19.026AB	UL20937	30V	19X26AWG	9/0.14	7.1	77.63	140 Ω/km
ANM11.013.20.026AB	UL20937	30V	20X26AWG	9/0.14	7.3	81.83	140 Ω/km
ANM11.013.21.026AB	UL20937	30V	21X26AWG	9/0.14	7.4	84.53	140 Ω/km
ANM11.013.22.026AB	UL20937	30V	22X26AWG	9/0.14	7.8	92.73	140 Ω/km
ANM11.013.23.026AB	UL20937	30V	23X26AWG	9/0.14	8	97.33	140 Ω/km
ANM11.013.24.026AB	UL20937	30V	24X26AWG	9/0.14	8	98.33	140 Ω/km
ANM11.013.25.026AB	UL20937	30V	25X26AWG	9/0.14	8.2	102.93	140 Ω/km
ANM11.013.26.026AB	UL20937	30V	26X26AWG	9/0.14	8.2	103.93	140 Ω/km
ANM11.013.27.026AB	UL20937	30V	27X26AWG	9/0.14	8.2	104.93	140 Ω/km
ANM11.013.28.026AB	UL20937	30V	28X26AWG	9/0.14	8.4	109.83	140 Ω/km
ANM11.013.29.026AB	UL20937	30V	29X26AWG	9/0.14	8.4	110.73	140 Ω/km
ANM11.013.30.026AB	UL20937	30V	30X26AWG	9/0.14	8.4	111.53	140 Ω/km
ANM11.013.31.026AB	UL20937	30V	31X26AWG	9/0.14	8.7	118.63	140 Ω/km
ANM11.013.32.026AB	UL20937	30V	32X26AWG	9/0.14	8.7	119.53	140 Ω/km
ANM11.013.33.026AB	UL20937	30V	33X26AWG	9/0.14	8.7	120.33	140 Ω/km
ANM11.013.34.026AB	UL20937	30V	34X26AWG	9/0.14	8.9	125.43	140 Ω/km
ANM11.013.35.026AB	UL20937	30V	35X26AWG	9/0.14	8.9	126.43	140 Ω/km
ANM11.013.36.026AB	UL20937	30V	36X26AWG	9/0.14	8.9	127.23	140 Ω/km



ANM11.013.37.026AB	UL20937	30V	37X26AWG	9/0.14	8.9	128.13	140 Ω/km
ANM11.013.38.026AB	UL20937	30V	38X26AWG	9/0.14	9.2	135.53	140 Ω/km
ANM11.013.39.026AB	UL20937	30V	39X26AWG	9/0.14	9.2	136.43	140 Ω/km
ANM11.013.40.026AB	UL20937	30V	40X26AWG	9/0.14	9.2	137.43	140 Ω/km
ANM11.013.41.026AB	UL20937	30V	41X26AWG	9/0.14	9.8	151.93	140 Ω/km
ANM11.013.42.026AB	UL20937	30V	42X26AWG	9/0.14	9.8	152.83	140 Ω/km
ANM11.013.43.026AB	UL20937	30V	43X26AWG	9/0.14	9.8	153.83	140 Ω/km
ANM11.013.44.026AB	UL20937	30V	44X26AWG	9/0.14	9.8	154.63	140 Ω/km
ANM11.013.45.026AB	UL20937	30V	45X26AWG	9/0.14	10	160.33	140 Ω/km
ANM11.013.46.026AB	UL20937	30V	46X26AWG	9/0.14	10	161.23	140 Ω/km
ANM11.013.47.026AB	UL20937	30V	47X26AWG	9/0.14	10	162.13	140 Ω/km
ANM11.013.48.026AB	UL20937	30V	48X26AWG	9/0.14	10	163.03	140 Ω/km
ANM11.013.49.026AB	UL20937	30V	49X26AWG	9/0.14	10.2	168.63	140 Ω/km
ANM11.013.50.026AB	UL20937	30V	50X26AWG	9/0.14	10.2	169.63	140 Ω/km
ANM11.013.51.026AB	UL20937	30V	51X26AWG	9/0.14	10.2	170.53	140 Ω/km
ANM11.013.52.026AB	UL20937	30V	52X26AWG	9/0.14	10.2	171.33	140 Ω/km
ANM11.013.53.026AB	UL20937	30V	53X26AWG	9/0.14	10.5	179.83	140 Ω/km
ANM11.013.54.026AB	UL20937	30V	54X26AWG	9/0.14	10.5	180.73	140 Ω/km
ANM11.013.55.026AB	UL20937	30V	55X26AWG	9/0.14	10.5	181.53	140 Ω/km
ANM11.013.56.026AB	UL20937	30V	56X26AWG	9/0.14	10.5	182.43	140 Ω/km
ANM11.013.57.026AB	UL20937	30V	57X26AWG	9/0.14	10.7	188.53	140 Ω/km
ANM11.013.58.026AB	UL20937	30V	58X26AWG	9/0.14	10.7	189.43	140 Ω/km
ANM11.013.59.026AB	UL20937	30V	59X26AWG	9/0.14	10.7	190.33	140 Ω/km
ANM11.013.60.026AB	UL20937	30V	60X26AWG	9/0.14	10.7	191.13	140 Ω/km
ANM11.013.61.026AB	UL20937	30V	61X26AWG	9/0.14	10.7	192.03	140 Ω/km
ANM11.013.62.026AB	UL20937	30V	62X26AWG	9/0.14	11	200.83	140 Ω/km
ANM11.013.63.026AB	UL20937	30V	63X26AWG	9/0.14	11	201.63	140 Ω/km
ANM11.013.64.026AB	UL20937	30V	64X26AWG	9/0.14	11	202.53	140 Ω/km
ANM11.013.65.026AB	UL20937	30V	65X26AWG	9/0.14	11	203.43	140 Ω/km
ANM11.013.02.025AB	UL20937	30V	2X25AWG	11/0.14	4.6	27.77	111 Ω/km
ANM11.013.03.025AB	UL20937	30V	3X25AWG	11/0.14	4.8	30.97	111 Ω/km
ANM11.013.04.025AB	UL20937	30V	4X25AWG	11/0.14	5.1	35.67	111 Ω/km
ANM11.013.05.025AB	UL20937	30V	5X25AWG	11/0.14	5.3	39.27	111 Ω/km
ANM11.013.06.025AB	UL20937	30V	6X25AWG	11/0.14	5.6	44.27	111 Ω/km
ANM11.013.07.025AB	UL20937	30V	7X25AWG	11/0.14	5.6	45.37	111 Ω/km
ANM11.013.08.025AB	UL20937	30V	8X25AWG	11/0.14	5.9	50.57	111 Ω/km
ANM11.013.09.025AB	UL20937	30V	9X25AWG	11/0.14	6.3	57.47	111 Ω/km
ANM11.013.10.025AB	UL20937	30V	10X25AWG	11/0.14	6.6	63.07	111 Ω/km
ANM11.013.11.025AB	UL20937	30V	11X25AWG	11/0.14	6.8	67.57	111 Ω/km
ANM11.013.12.025AB	UL20937	30V	12X25AWG	11/0.14	6.8	68.57	111 Ω/km
ANM11.013.13.025AB	UL20937	30V	13X25AWG	11/0.14	7.1	74.57	111 Ω/km
ANM11.013.14.025AB	UL20937	30V	14X25AWG	11/0.14	7.1	75.67	111 Ω/km



ANM11.013.15.025AB	UL20937	30V	15X25AWG	11/0.14	7.3	80.17	111 Ω/km
ANM11.013.16.025AB	UL20937	30V	16X25AWG	11/0.14	7.3	81.27	111 Ω/km
ANM11.013.17.025AB	UL20937	30V	17X25AWG	11/0.14	7.6	87.67	111 Ω/km
ANM11.013.18.025AB	UL20937	30V	18X25AWG	11/0.14	7.6	88.87	111 Ω/km
ANM11.013.19.025AB	UL20937	30V	19X25AWG	11/0.14	7.6	89.97	111 Ω/km
ANM11.013.20.025AB	UL20937	30V	20X25AWG	11/0.14	7.8	94.67	111 Ω/km
ANM11.013.21.025AB	UL20937	30V	21X25AWG	11/0.14	7.9	97.57	111 Ω/km
ANM11.013.22.025AB	UL20937	30V	22X25AWG	11/0.14	8.3	106.47	111 Ω/km
ANM11.013.23.025AB	UL20937	30V	23X25AWG	11/0.14	8.6	113.67	111 Ω/km
ANM11.013.24.025AB	UL20937	30V	24X25AWG	11/0.14	8.6	114.67	111 Ω/km
ANM11.013.25.025AB	UL20937	30V	25X25AWG	11/0.14	8.8	120.17	111 Ω/km
ANM11.013.26.025AB	UL20937	30V	26X25AWG	11/0.14	8.8	121.17	111 Ω/km
ANM11.013.27.025AB	UL20937	30V	27X25AWG	11/0.14	8.8	122.17	111 Ω/km
ANM11.013.28.025AB	UL20937	30V	28X25AWG	11/0.14	9.1	129.77	111 Ω/km
ANM11.013.29.025AB	UL20937	30V	29X25AWG	11/0.14	9.1	130.87	111 Ω/km
ANM11.013.30.025AB	UL20937	30V	30X25AWG	11/0.14	9.1	131.97	111 Ω/km
ANM11.013.31.025AB	UL20937	30V	31X25AWG	11/0.14	9.3	137.27	111 Ω/km
ANM11.013.32.025AB	UL20937	30V	32X25AWG	11/0.14	9.3	138.47	111 Ω/km
ANM11.013.33.025AB	UL20937	30V	33X25AWG	11/0.14	9.3	139.57	111 Ω/km
ANM11.013.34.025AB	UL20937	30V	34X25AWG	11/0.14	9.6	147.37	111 Ω/km
ANM11.013.35.025AB	UL20937	30V	35X25AWG	11/0.14	9.6	148.47	111 Ω/km
ANM11.013.36.025AB	UL20937	30V	36X25AWG	11/0.14	9.6	149.57	111 Ω/km
ANM11.013.37.025AB	UL20937	30V	37X25AWG	11/0.14	9.6	150.67	111 Ω/km
ANM11.013.38.025AB	UL20937	30V	38X25AWG	11/0.14	9.9	158.77	111 Ω/km
ANM11.013.39.025AB	UL20937	30V	39X25AWG	11/0.14	9.9	159.87	111 Ω/km
ANM11.013.40.025AB	UL20937	30V	40X25AWG	11/0.14	9.9	160.97	111 Ω/km
ANM11.013.41.025AB	UL20937	30V	41X25AWG	11/0.14	10.6	179.27	111 Ω/km
ANM11.013.42.025AB	UL20937	30V	42X25AWG	11/0.14	10.6	180.37	111 Ω/km
ANM11.013.43.025AB	UL20937	30V	43X25AWG	11/0.14	10.6	181.47	111 Ω/km
ANM11.013.44.025AB	UL20937	30V	44X25AWG	11/0.14	10.6	182.57	111 Ω/km
ANM11.013.45.025AB	UL20937	30V	45X25AWG	11/0.14	10.8	188.77	111 Ω/km
ANM11.013.46.025AB	UL20937	30V	46X25AWG	11/0.14	10.8	189.87	111 Ω/km
ANM11.013.47.025AB	UL20937	30V	47X25AWG	11/0.14	10.8	190.87	111 Ω/km
ANM11.013.48.025AB	UL20937	30V	48X25AWG	11/0.14	10.8	191.87	111 Ω/km
ANM11.013.49.025AB	UL20937	30V	49X25AWG	11/0.14	11.1	200.87	111 Ω/km
ANM11.013.50.025AB	UL20937	30V	50X25AWG	11/0.14	11.1	202.07	111 Ω/km
ANM11.013.51.025AB	UL20937	30V	51X25AWG	11/0.14	11.1	203.07	111 Ω/km
ANM11.013.52.025AB	UL20937	30V	52X25AWG	11/0.14	11.1	204.17	111 Ω/km
ANM11.013.53.025AB	UL20937	30V	53X25AWG	11/0.14	11.3	210.77	111 Ω/km
ANM11.013.54.025AB	UL20937	30V	54X25AWG	11/0.14	11.3	211.77	111 Ω/km
ANM11.013.55.025AB	UL20937	30V	55X25AWG	11/0.14	11.3	212.77	111 Ω/km
ANM11.013.56.025AB	UL20937	30V	56X25AWG	11/0.14	11.3	213.87	111 Ω/km



ANM11.013.57.025AB	UL20937	30V	57X25AWG	11/0.14	11.6	223.37	111 Ω/km
ANM11.013.58.025AB	UL20937	30V	58X25AWG	11/0.14	11.6	224.37	111 Ω/km
ANM11.013.59.025AB	UL20937	30V	59X25AWG	11/0.14	11.6	225.47	111 Ω/km
ANM11.013.60.025AB	UL20937	30V	60X25AWG	11/0.14	11.6	226.47	111 Ω/km
ANM11.013.61.025AB	UL20937	30V	61X25AWG	11/0.14	11.6	227.57	111 Ω/km
ANM11.013.62.025AB	UL20937	30V	62X25AWG	11/0.14	11.9	237.07	111 Ω/km
ANM11.013.63.025AB	UL20937	30V	63X25AWG	11/0.14	11.9	238.17	111 Ω/km
ANM11.013.64.025AB	UL20937	30V	64X25AWG	11/0.14	11.9	239.37	111 Ω/km
ANM11.013.65.025AB	UL20937	30V	65X25AWG	11/0.14	11.9	240.37	111 Ω/km
ANM11.013.02.024AB	UL20937	30V	2X24AWG	14/0.14	4.6	28.61	87.6 Ω/km
ANM11.013.03.024AB	UL20937	30V	3X24AWG	14/0.14	4.8	32.31	87.6 Ω/km
ANM11.013.04.024AB	UL20937	30V	4X24AWG	14/0.14	5.1	37.31	87.6 Ω/km
ANM11.013.05.024AB	UL20937	30V	5X24AWG	14/0.14	5.3	41.31	87.6 Ω/km
ANM11.013.06.024AB	UL20937	30V	6X24AWG	14/0.14	5.6	46.81	87.6 Ω/km
ANM11.013.07.024AB	UL20937	30V	7X24AWG	14/0.14	5.6	48.31	87.6 Ω/km
ANM11.013.08.024AB	UL20937	30V	8X24AWG	14/0.14	5.9	53.81	87.6 Ω/km
ANM11.013.09.024AB	UL20937	30V	9X24AWG	14/0.14	6.3	61.21	87.6 Ω/km
ANM11.013.10.024AB	UL20937	30V	10X24AWG	14/0.14	6.6	67.21	87.6 Ω/km
ANM11.013.11.024AB	UL20937	30V	11X24AWG	14/0.14	6.8	72.01	87.6 Ω/km
ANM11.013.12.024AB	UL20937	30V	12X24AWG	14/0.14	6.8	73.51	87.6 Ω/km
ANM11.013.13.024AB	UL20937	30V	13X24AWG	14/0.14	7.1	79.91	87.6 Ω/km
ANM11.013.14.024AB	UL20937	30V	14X24AWG	14/0.14	7.1	81.41	87.6 Ω/km
ANM11.013.15.024AB	UL20937	30V	15X24AWG	14/0.14	7.3	86.31	87.6 Ω/km
ANM11.013.16.024AB	UL20937	30V	16X24AWG	14/0.14	7.3	87.81	87.6 Ω/km
ANM11.013.17.024AB	UL20937	30V	17X24AWG	14/0.14	7.6	94.61	87.6 Ω/km
ANM11.013.18.024AB	UL20937	30V	18X24AWG	14/0.14	7.6	96.21	87.6 Ω/km
ANM11.013.19.024AB	UL20937	30V	19X24AWG	14/0.14	7.6	97.71	87.6 Ω/km
ANM11.013.20.024AB	UL20937	30V	20X24AWG	14/0.14	7.8	102.81	87.6 Ω/km
ANM11.013.21.024AB	UL20937	30V	21X24AWG	14/0.14	7.9	106.21	87.6 Ω/km
ANM11.013.22.024AB	UL20937	30V	22X24AWG	14/0.14	8.3	115.41	87.6 Ω/km
ANM11.013.23.024AB	UL20937	30V	23X24AWG	14/0.14	8.6	123.01	87.6 Ω/km
ANM11.013.24.024AB	UL20937	30V	24X24AWG	14/0.14	8.6	124.51	87.6 Ω/km
ANM11.013.25.024AB	UL20937	30V	25X24AWG	14/0.14	8.8	130.31	87.6 Ω/km
ANM11.013.26.024AB	UL20937	30V	26X24AWG	14/0.14	8.8	131.71	87.6 Ω/km
ANM11.013.27.024AB	UL20937	30V	27X24AWG	14/0.14	8.8	133.21	87.6 Ω/km
ANM11.013.28.024AB	UL20937	30V	28X24AWG	14/0.14	9.1	141.21	87.6 Ω/km
ANM11.013.29.024AB	UL20937	30V	29X24AWG	14/0.14	9.1	142.61	87.6 Ω/km
ANM11.013.30.024AB	UL20937	30V	30X24AWG	14/0.14	9.1	144.21	87.6 Ω/km
ANM11.013.31.024AB	UL20937	30V	31X24AWG	14/0.14	9.3	149.91	87.6 Ω/km
ANM11.013.32.024AB	UL20937	30V	32X24AWG	14/0.14	9.3	151.41	87.6 Ω/km
ANM11.013.33.024AB	UL20937	30V	33X24AWG	14/0.14	9.3	153.01	87.6 Ω/km
ANM11.013.34.024AB	UL20937	30V	34X24AWG	14/0.14	9.6	161.21	87.6 Ω/km



ANM11.013.35.024AB	UL20937	30V	35X24AWG	14/0.14	9.6	162.71	87.6Ω/km
ANM11.013.36.024AB	UL20937	30V	36X24AWG	14/0.14	9.6	164.21	87.6Ω/km
ANM11.013.37.024AB	UL20937	30V	37X24AWG	14/0.14	9.6	165.71	87.6Ω/km
ANM11.013.38.024AB	UL20937	30V	38X24AWG	14/0.14	9.9	174.21	87.6Ω/km
ANM11.013.39.024AB	UL20937	30V	39X24AWG	14/0.14	9.9	175.71	87.6Ω/km
ANM11.013.40.024AB	UL20937	30V	40X24AWG	14/0.14	9.9	177.21	87.6Ω/km
ANM11.013.41.024AB	UL20937	30V	41X24AWG	14/0.14	10.6	195.91	87.6Ω/km
ANM11.013.42.024AB	UL20937	30V	42X24AWG	14/0.14	10.6	197.51	87.6Ω/km
ANM11.013.43.024AB	UL20937	30V	43X24AWG	14/0.14	10.6	198.91	87.6Ω/km
ANM11.013.44.024AB	UL20937	30V	44X24AWG	14/0.14	10.6	200.41	87.6Ω/km
ANM11.013.45.024AB	UL20937	30V	45X24AWG	14/0.14	10.8	207.11	87.6Ω/km
ANM11.013.46.024AB	UL20937	30V	46X24AWG	14/0.14	10.8	208.51	87.6Ω/km
ANM11.013.47.024AB	UL20937	30V	47X24AWG	14/0.14	10.8	209.91	87.6Ω/km
ANM11.013.48.024AB	UL20937	30V	48X24AWG	14/0.14	10.8	211.41	87.6Ω/km
ANM11.013.49.024AB	UL20937	30V	49X24AWG	14/0.14	11.1	220.81	87.6Ω/km
ANM11.013.50.024AB	UL20937	30V	50X24AWG	14/0.14	11.1	222.31	87.6Ω/km
ANM11.013.51.024AB	UL20937	30V	51X24AWG	14/0.14	11.1	223.81	87.6Ω/km
ANM11.013.52.024AB	UL20937	30V	52X24AWG	14/0.14	11.1	225.31	87.6Ω/km
ANM11.013.53.024AB	UL20937	30V	53X24AWG	14/0.14	11.3	232.31	87.6Ω/km
ANM11.013.54.024AB	UL20937	30V	54X24AWG	14/0.14	11.3	233.71	87.6Ω/km
ANM11.013.55.024AB	UL20937	30V	55X24AWG	14/0.14	11.3	235.11	87.6Ω/km
ANM11.013.56.024AB	UL20937	30V	56X24AWG	14/0.14	11.3	236.71	87.6Ω/km
ANM11.013.57.024AB	UL20937	30V	57X24AWG	14/0.14	11.6	246.51	87.6Ω/km
ANM11.013.58.024AB	UL20937	30V	58X24AWG	14/0.14	11.6	247.91	87.6Ω/km
ANM11.013.59.024AB	UL20937	30V	59X24AWG	14/0.14	11.6	249.51	87.6Ω/km
ANM11.013.60.024AB	UL20937	30V	60X24AWG	14/0.14	11.6	250.91	87.6Ω/km
ANM11.013.61.024AB	UL20937	30V	61X24AWG	14/0.14	11.6	252.31	87.6Ω/km
ANM11.013.62.024AB	UL20937	30V	62X24AWG	14/0.14	11.9	262.31	87.6Ω/km
ANM11.013.63.024AB	UL20937	30V	63X24AWG	14/0.14	11.9	263.81	87.6Ω/km
ANM11.013.64.024AB	UL20937	30V	64X24AWG	14/0.14	11.9	265.31	87.6Ω/km
ANM11.013.65.024AB	UL20937	30V	65X24AWG	14/0.14	11.9	266.81	87.6Ω/km
ANM11.013.02.023AB	UL20937	30V	2X23AWG	17/0.14	5.2	36.26	69.2Ω/km
ANM11.013.03.023AB	UL20937	30V	3X23AWG	17/0.14	5.5	41.96	69.2Ω/km
ANM11.013.04.023AB	UL20937	30V	4X23AWG	17/0.14	5.8	47.86	69.2Ω/km
ANM11.013.05.023AB	UL20937	30V	5X23AWG	17/0.14	6.2	55.56	69.2Ω/km
ANM11.013.06.023AB	UL20937	30V	6X23AWG	17/0.14	6.5	61.86	69.2Ω/km
ANM11.013.07.023AB	UL20937	30V	7X23AWG	17/0.14	6.5	63.76	69.2Ω/km
ANM11.013.08.023AB	UL20937	30V	8X23AWG	17/0.14	6.9	71.96	69.2Ω/km
ANM11.013.09.023AB	UL20937	30V	9X23AWG	17/0.14	7.5	84.06	69.2Ω/km
ANM11.013.10.023AB	UL20937	30V	10X23AWG	17/0.14	7.8	91.56	69.2Ω/km
ANM11.013.11.023AB	UL20937	30V	11X23AWG	17/0.14	8.1	99.06	69.2Ω/km
ANM11.013.12.023AB	UL20937	30V	12X23AWG	17/0.14	8.1	100.86	69.2Ω/km



ANM11.013.13.023AB	UL20937	30V	13X23AWG	17/0.14	8.4	108.56	69.2Ω/km
ANM11.013.14.023AB	UL20937	30V	14X23AWG	17/0.14	8.4	110.46	69.2Ω/km
ANM11.013.15.023AB	UL20937	30V	15X23AWG	17/0.14	8.8	120.56	69.2Ω/km
ANM11.013.16.023AB	UL20937	30V	16X23AWG	17/0.14	8.8	122.36	69.2Ω/km
ANM11.013.17.023AB	UL20937	30V	17X23AWG	17/0.14	9.1	130.66	69.2Ω/km
ANM11.013.18.023AB	UL20937	30V	18X23AWG	17/0.14	9.1	132.46	69.2Ω/km
ANM11.013.19.023AB	UL20937	30V	19X23AWG	17/0.14	9.1	134.36	69.2Ω/km
ANM11.013.20.023AB	UL20937	30V	20X23AWG	17/0.14	9.4	142.76	69.2Ω/km
ANM11.013.21.023AB	UL20937	30V	21X23AWG	17/0.14	9.5	146.86	69.2Ω/km
ANM11.013.22.023AB	UL20937	30V	22X23AWG	17/0.14	10.1	162.76	69.2Ω/km
ANM11.013.23.023AB	UL20937	30V	23X23AWG	17/0.14	10.4	171.96	69.2Ω/km
ANM11.013.24.023AB	UL20937	30V	24X23AWG	17/0.14	10.4	173.96	69.2Ω/km
ANM11.013.25.023AB	UL20937	30V	25X23AWG	17/0.14	10.7	183.36	69.2Ω/km
ANM11.013.26.023AB	UL20937	30V	26X23AWG	17/0.14	10.7	185.16	69.2Ω/km
ANM11.013.27.023AB	UL20937	30V	27X23AWG	17/0.14	10.7	186.96	69.2Ω/km
ANM11.013.28.023AB	UL20937	30V	28X23AWG	17/0.14	11	196.66	69.2Ω/km
ANM11.013.29.023AB	UL20937	30V	29X23AWG	17/0.14	11	198.46	69.2Ω/km
ANM11.013.30.023AB	UL20937	30V	30X23AWG	17/0.14	11	200.36	69.2Ω/km
ANM11.013.31.023AB	UL20937	30V	31X23AWG	17/0.14	11.4	212.86	69.2Ω/km
ANM11.013.32.023AB	UL20937	30V	32X23AWG	17/0.14	11.4	214.56	69.2Ω/km
ANM11.013.33.023AB	UL20937	30V	33X23AWG	17/0.14	11.4	216.56	69.2Ω/km
ANM11.013.34.023AB	UL20937	30V	34X23AWG	17/0.14	11.7	226.66	69.2Ω/km
ANM11.013.35.023AB	UL20937	30V	35X23AWG	17/0.14	11.7	228.46	69.2Ω/km
ANM11.013.36.023AB	UL20937	30V	36X23AWG	17/0.14	11.7	230.26	69.2Ω/km
ANM11.013.37.023AB	UL20937	30V	37X23AWG	17/0.14	11.7	232.06	69.2Ω/km
ANM11.013.38.023AB	UL20937	30V	38X23AWG	17/0.14	12.1	245.46	69.2Ω/km
ANM11.013.39.023AB	UL20937	30V	39X23AWG	17/0.14	12.1	247.16	69.2Ω/km
ANM11.013.40.023AB	UL20937	30V	40X23AWG	17/0.14	12.1	249.06	69.2Ω/km
ANM11.013.41.023AB	UL20937	30V	41X23AWG	17/0.14	13.1	281.16	69.2Ω/km
ANM11.013.42.023AB	UL20937	30V	42X23AWG	17/0.14	13.1	283.06	69.2Ω/km
ANM11.013.43.023AB	UL20937	30V	43X23AWG	17/0.14	13.1	284.86	69.2Ω/km
ANM11.013.44.023AB	UL20937	30V	44X23AWG	17/0.14	13.1	286.76	69.2Ω/km
ANM11.013.45.023AB	UL20937	30V	45X23AWG	17/0.14	13.4	298.06	69.2Ω/km
ANM11.013.46.023AB	UL20937	30V	46X23AWG	17/0.14	13.4	299.86	69.2Ω/km
ANM11.013.47.023AB	UL20937	30V	47X23AWG	17/0.14	13.4	301.66	69.2Ω/km
ANM11.013.48.023AB	UL20937	30V	48X23AWG	17/0.14	13.4	303.56	69.2Ω/km
ANM11.013.49.023AB	UL20937	30V	49X23AWG	17/0.14	13.7	315.16	69.2Ω/km
ANM11.013.50.023AB	UL20937	30V	50X23AWG	17/0.14	13.7	316.96	69.2Ω/km
ANM11.013.51.023AB	UL20937	30V	51X23AWG	17/0.14	13.7	318.76	69.2Ω/km
ANM11.013.52.023AB	UL20937	30V	52X23AWG	17/0.14	13.7	320.66	69.2Ω/km
ANM11.013.53.023AB	UL20937	30V	53X23AWG	17/0.14	14.1	335.96	69.2Ω/km
ANM11.013.54.023AB	UL20937	30V	54X23AWG	17/0.14	14.1	337.66	69.2Ω/km



ANM11.013.55.023AB	UL20937	30V	55X23AWG	17/0.14	14.1	339.46	69.2Ω/km
ANM11.013.56.023AB	UL20937	30V	56X23AWG	17/0.14	14.1	341.36	69.2Ω/km
ANM11.013.57.023AB	UL20937	30V	57X23AWG	17/0.14	14.4	353.46	69.2Ω/km
ANM11.013.58.023AB	UL20937	30V	58X23AWG	17/0.14	14.4	355.36	69.2Ω/km
ANM11.013.59.023AB	UL20937	30V	59X23AWG	17/0.14	14.4	357.06	69.2Ω/km
ANM11.013.60.023AB	UL20937	30V	60X23AWG	17/0.14	14.4	358.96	69.2Ω/km
ANM11.013.61.023AB	UL20937	30V	61X23AWG	17/0.14	14.4	360.66	69.2Ω/km
ANM11.013.62.023AB	UL20937	30V	62X23AWG	17/0.14	14.8	376.66	69.2Ω/km
ANM11.013.63.023AB	UL20937	30V	63X23AWG	17/0.14	14.8	378.46	69.2Ω/km
ANM11.013.64.023AB	UL20937	30V	64X23AWG	17/0.14	14.8	380.26	69.2Ω/km
ANM11.013.65.023AB	UL20937	30V	65X23AWG	17/0.14	14.8	382.16	69.2Ω/km
ANM11.013.02.022AB	UL20937	30V	2X22AWG	22/0.14	5.4	39.83	55.4Ω/km
ANM11.013.03.022AB	UL20937	30V	3X22AWG	22/0.14	5.7	45.93	55.4Ω/km
ANM11.013.04.022AB	UL20937	30V	4X22AWG	22/0.14	6	52.43	55.4Ω/km
ANM11.013.05.022AB	UL20937	30V	5X22AWG	22/0.14	6.4	60.63	55.4Ω/km
ANM11.013.06.022AB	UL20937	30V	6X22AWG	22/0.14	6.8	69.23	55.4Ω/km
ANM11.013.07.022AB	UL20937	30V	7X22AWG	22/0.14	6.8	71.53	55.4Ω/km
ANM11.013.08.022AB	UL20937	30V	8X22AWG	22/0.14	7.3	82.23	55.4Ω/km
ANM11.013.09.022AB	UL20937	30V	9X22AWG	22/0.14	7.8	93.63	55.4Ω/km
ANM11.013.10.022AB	UL20937	30V	10X22AWG	22/0.14	8.2	103.43	55.4Ω/km
ANM11.013.11.022AB	UL20937	30V	11X22AWG	22/0.14	8.5	111.83	55.4Ω/km
ANM11.013.12.022AB	UL20937	30V	12X22AWG	22/0.14	8.5	114.03	55.4Ω/km
ANM11.013.13.022AB	UL20937	30V	13X22AWG	22/0.14	8.8	122.63	55.4Ω/km
ANM11.013.14.022AB	UL20937	30V	14X22AWG	22/0.14	8.8	124.73	55.4Ω/km
ANM11.013.15.022AB	UL20937	30V	15X22AWG	22/0.14	9.2	135.63	55.4Ω/km
ANM11.013.16.022AB	UL20937	30V	16X22AWG	22/0.14	9.2	137.93	55.4Ω/km
ANM11.013.17.022AB	UL20937	30V	17X22AWG	22/0.14	9.6	149.23	55.4Ω/km
ANM11.013.18.022AB	UL20937	30V	18X22AWG	22/0.14	9.6	151.53	55.4Ω/km
ANM11.013.19.022AB	UL20937	30V	19X22AWG	22/0.14	9.6	153.73	55.4Ω/km
ANM11.013.20.022AB	UL20937	30V	20X22AWG	22/0.14	9.9	163.03	55.4Ω/km
ANM11.013.21.022AB	UL20937	30V	21X22AWG	22/0.14	10.1	170.03	55.4Ω/km
ANM11.013.22.022AB	UL20937	30V	22X22AWG	22/0.14	10.6	184.73	55.4Ω/km
ANM11.013.23.022AB	UL20937	30V	23X22AWG	22/0.14	11	197.53	55.4Ω/km
ANM11.013.24.022AB	UL20937	30V	24X22AWG	22/0.14	11	199.73	55.4Ω/km
ANM11.013.25.022AB	UL20937	30V	25X22AWG	22/0.14	11.3	210.03	55.4Ω/km
ANM11.013.26.022AB	UL20937	30V	26X22AWG	22/0.14	11.3	212.23	55.4Ω/km
ANM11.013.27.022AB	UL20937	30V	27X22AWG	22/0.14	11.3	214.53	55.4Ω/km
ANM11.013.28.022AB	UL20937	30V	28X22AWG	22/0.14	11.6	224.93	55.4Ω/km
ANM11.013.29.022AB	UL20937	30V	29X22AWG	22/0.14	11.6	227.33	55.4Ω/km
ANM11.013.30.022AB	UL20937	30V	30X22AWG	22/0.14	11.6	229.53	55.4Ω/km
ANM11.013.31.022AB	UL20937	30V	31X22AWG	22/0.14	12	243.03	55.4Ω/km
ANM11.013.32.022AB	UL20937	30V	32X22AWG	22/0.14	12	245.43	55.4Ω/km



ANM11.013.33.022AB	UL20937	30V	33X22AWG	22/0.14	12	247.53	55.4 Ω/km
ANM11.013.34.022AB	UL20937	30V	34X22AWG	22/0.14	12.4	261.63	55.4 Ω/km
ANM11.013.35.022AB	UL20937	30V	35X22AWG	22/0.14	12.4	263.83	55.4 Ω/km
ANM11.013.36.022AB	UL20937	30V	36X22AWG	22/0.14	12.4	266.13	55.4 Ω/km
ANM11.013.37.022AB	UL20937	30V	37X22AWG	22/0.14	12.4	268.33	55.4 Ω/km
ANM11.013.38.022AB	UL20937	30V	38X22AWG	22/0.14	13	289.03	55.4 Ω/km
ANM11.013.39.022AB	UL20937	30V	39X22AWG	22/0.14	13	291.23	55.4 Ω/km
ANM11.013.40.022AB	UL20937	30V	40X22AWG	22/0.14	13	293.43	55.4 Ω/km
ANM11.013.41.022AB	UL20937	30V	41X22AWG	22/0.14	13.9	324.83	55.4 Ω/km
ANM11.013.42.022AB	UL20937	30V	42X22AWG	22/0.14	13.9	327.03	55.4 Ω/km
ANM11.013.43.022AB	UL20937	30V	43X22AWG	22/0.14	13.9	329.43	55.4 Ω/km
ANM11.013.44.022AB	UL20937	30V	44X22AWG	22/0.14	13.9	331.53	55.4 Ω/km
ANM11.013.45.022AB	UL20937	30V	45X22AWG	22/0.14	14.2	344.13	55.4 Ω/km
ANM11.013.46.022AB	UL20937	30V	46X22AWG	22/0.14	14.2	346.43	55.4 Ω/km
ANM11.013.47.022AB	UL20937	30V	47X22AWG	22/0.14	14.2	348.53	55.4 Ω/km
ANM11.013.48.022AB	UL20937	30V	48X22AWG	22/0.14	14.2	350.93	55.4 Ω/km
ANM11.013.49.022AB	UL20937	30V	49X22AWG	22/0.14	14.5	363.53	55.4 Ω/km
ANM11.013.50.022AB	UL20937	30V	50X22AWG	22/0.14	14.5	365.73	55.4 Ω/km
ANM11.013.51.022AB	UL20937	30V	51X22AWG	22/0.14	14.5	367.93	55.4 Ω/km
ANM11.013.52.022AB	UL20937	30V	52X22AWG	22/0.14	14.5	370.23	55.4 Ω/km
ANM11.013.53.022AB	UL20937	30V	53X22AWG	22/0.14	14.9	386.63	55.4 Ω/km
ANM11.013.54.022AB	UL20937	30V	54X22AWG	22/0.14	14.9	388.83	55.4 Ω/km
ANM11.013.55.022AB	UL20937	30V	55X22AWG	22/0.14	14.9	391.13	55.4 Ω/km
ANM11.013.56.022AB	UL20937	30V	56X22AWG	22/0.14	14.9	393.33	55.4 Ω/km
ANM11.013.57.022AB	UL20937	30V	57X22AWG	22/0.14	15.3	410.23	55.4 Ω/km
ANM11.013.58.022AB	UL20937	30V	58X22AWG	22/0.14	15.3	412.33	55.4 Ω/km
ANM11.013.59.022AB	UL20937	30V	59X22AWG	22/0.14	15.3	414.73	55.4 Ω/km
ANM11.013.60.022AB	UL20937	30V	60X22AWG	22/0.14	15.3	416.93	55.4 Ω/km
ANM11.013.61.022AB	UL20937	30V	61X22AWG	22/0.14	15.3	419.13	55.4 Ω/km
ANM11.013.62.022AB	UL20937	30V	62X22AWG	22/0.14	15.8	440.33	55.4 Ω/km
ANM11.013.63.022AB	UL20937	30V	63X22AWG	22/0.14	15.8	442.43	55.4 Ω/km
ANM11.013.64.022AB	UL20937	30V	64X22AWG	22/0.14	15.8	444.73	55.4 Ω/km
ANM11.013.65.022AB	UL20937	30V	65X22AWG	22/0.14	15.8	446.93	55.4 Ω/km
ANM11.013.02.021AB	UL20937	30V	2X21AWG	27/0.14	5.6	43.82	43.6 Ω/km
ANM11.013.03.021AB	UL20937	30V	3X21AWG	27/0.14	5.9	50.82	43.6 Ω/km
ANM11.013.04.021AB	UL20937	30V	4X21AWG	27/0.14	6.3	59.52	43.6 Ω/km
ANM11.013.05.021AB	UL20937	30V	5X21AWG	27/0.14	6.7	68.62	43.6 Ω/km
ANM11.013.06.021AB	UL20937	30V	6X21AWG	27/0.14	7.1	78.12	43.6 Ω/km
ANM11.013.07.021AB	UL20937	30V	7X21AWG	27/0.14	7.1	81.02	43.6 Ω/km
ANM11.013.08.021AB	UL20937	30V	8X21AWG	27/0.14	7.6	92.62	43.6 Ω/km
ANM11.013.09.021AB	UL20937	30V	9X21AWG	27/0.14	8.2	106.82	43.6 Ω/km
ANM11.013.10.021AB	UL20937	30V	10X21AWG	27/0.14	8.6	117.82	43.6 Ω/km



ANM11.013.11.021AB	UL20937	30V	11X21AWG	27/0.14	8.9	127.02	43.6Ω/km
ANM11.013.12.021AB	UL20937	30V	12X21AWG	27/0.14	8.9	129.92	43.6Ω/km
ANM11.013.13.021AB	UL20937	30V	13X21AWG	27/0.14	9.3	141.62	43.6Ω/km
ANM11.013.14.021AB	UL20937	30V	14X21AWG	27/0.14	9.3	144.42	43.6Ω/km
ANM11.013.15.021AB	UL20937	30V	15X21AWG	27/0.14	9.7	156.52	43.6Ω/km
ANM11.013.16.021AB	UL20937	30V	16X21AWG	27/0.14	9.7	159.32	43.6Ω/km
ANM11.013.17.021AB	UL20937	30V	17X21AWG	27/0.14	10.1	171.62	43.6Ω/km
ANM11.013.18.021AB	UL20937	30V	18X21AWG	27/0.14	10.1	174.52	43.6Ω/km
ANM11.013.19.021AB	UL20937	30V	19X21AWG	27/0.14	10.1	177.52	43.6Ω/km
ANM11.013.20.021AB	UL20937	30V	20X21AWG	27/0.14	10.4	187.82	43.6Ω/km
ANM11.013.21.021AB	UL20937	30V	21X21AWG	27/0.14	10.6	195.72	43.6Ω/km
ANM11.013.22.021AB	UL20937	30V	22X21AWG	27/0.14	11.2	214.32	43.6Ω/km
ANM11.013.23.021AB	UL20937	30V	23X21AWG	27/0.14	11.6	228.12	43.6Ω/km
ANM11.013.24.021AB	UL20937	30V	24X21AWG	27/0.14	11.6	231.02	43.6Ω/km
ANM11.013.25.021AB	UL20937	30V	25X21AWG	27/0.14	11.9	242.42	43.6Ω/km
ANM11.013.26.021AB	UL20937	30V	26X21AWG	27/0.14	11.9	245.32	43.6Ω/km
ANM11.013.27.021AB	UL20937	30V	27X21AWG	27/0.14	11.9	248.12	43.6Ω/km
ANM11.013.28.021AB	UL20937	30V	28X21AWG	27/0.14	12.3	262.72	43.6Ω/km
ANM11.013.29.021AB	UL20937	30V	29X21AWG	27/0.14	12.3	265.62	43.6Ω/km
ANM11.013.30.021AB	UL20937	30V	30X21AWG	27/0.14	12.3	268.52	43.6Ω/km
ANM11.013.31.021AB	UL20937	30V	31X21AWG	27/0.14	12.8	286.32	43.6Ω/km
ANM11.013.32.021AB	UL20937	30V	32X21AWG	27/0.14	12.8	289.22	43.6Ω/km
ANM11.013.33.021AB	UL20937	30V	33X21AWG	27/0.14	12.8	292.12	43.6Ω/km
ANM11.013.34.021AB	UL20937	30V	34X21AWG	27/0.14	13.2	307.52	43.6Ω/km
ANM11.013.35.021AB	UL20937	30V	35X21AWG	27/0.14	13.2	310.42	43.6Ω/km
ANM11.013.36.021AB	UL20937	30V	36X21AWG	27/0.14	13.2	313.32	43.6Ω/km
ANM11.013.37.021AB	UL20937	30V	37X21AWG	27/0.14	13.2	316.22	43.6Ω/km
ANM11.013.38.021AB	UL20937	30V	38X21AWG	27/0.14	13.7	335.22	43.6Ω/km
ANM11.013.39.021AB	UL20937	30V	39X21AWG	27/0.14	13.7	338.12	43.6Ω/km
ANM11.013.40.021AB	UL20937	30V	40X21AWG	27/0.14	13.7	340.92	43.6Ω/km
ANM11.013.41.021AB	UL20937	30V	41X21AWG	27/0.14	14.7	378.12	43.6Ω/km
ANM11.013.42.021AB	UL20937	30V	42X21AWG	27/0.14	14.7	380.92	43.6Ω/km
ANM11.013.43.021AB	UL20937	30V	43X21AWG	27/0.14	14.7	383.82	43.6Ω/km
ANM11.013.44.021AB	UL20937	30V	44X21AWG	27/0.14	14.7	386.72	43.6Ω/km
ANM11.013.45.021AB	UL20937	30V	45X21AWG	27/0.14	15	400.32	43.6Ω/km
ANM11.013.46.021AB	UL20937	30V	46X21AWG	27/0.14	15	403.12	43.6Ω/km
ANM11.013.47.021AB	UL20937	30V	47X21AWG	27/0.14	15	406.02	43.6Ω/km
ANM11.013.48.021AB	UL20937	30V	48X21AWG	27/0.14	15	408.82	43.6Ω/km
ANM11.013.49.021AB	UL20937	30V	49X21AWG	27/0.14	15.4	426.42	43.6Ω/km
ANM11.013.50.021AB	UL20937	30V	50X21AWG	27/0.14	15.4	429.32	43.6Ω/km
ANM11.013.51.021AB	UL20937	30V	51X21AWG	27/0.14	15.4	432.22	43.6Ω/km
ANM11.013.52.021AB	UL20937	30V	52X21AWG	27/0.14	15.4	435.02	43.6Ω/km



ANM11.013.53.021AB	UL20937	30V	53X21AWG	27/0.14	15.8	453.02	43.6Ω/km
ANM11.013.54.021AB	UL20937	30V	54X21AWG	27/0.14	15.8	455.82	43.6Ω/km
ANM11.013.55.021AB	UL20937	30V	55X21AWG	27/0.14	15.8	458.82	43.6Ω/km
ANM11.013.56.021AB	UL20937	30V	56X21AWG	27/0.14	15.8	461.62	43.6Ω/km
ANM11.013.57.021AB	UL20937	30V	57X21AWG	27/0.14	16.2	479.92	43.6Ω/km
ANM11.013.58.021AB	UL20937	30V	58X21AWG	27/0.14	16.2	482.72	43.6Ω/km
ANM11.013.59.021AB	UL20937	30V	59X21AWG	27/0.14	16.2	485.62	43.6Ω/km
ANM11.013.60.021AB	UL20937	30V	60X21AWG	27/0.14	16.2	488.52	43.6Ω/km
ANM11.013.61.021AB	UL20937	30V	61X21AWG	27/0.14	16.2	491.32	43.6Ω/km
ANM11.013.62.021AB	UL20937	30V	62X21AWG	27/0.14	16.7	514.12	43.6Ω/km
ANM11.013.63.021AB	UL20937	30V	63X21AWG	27/0.14	16.7	516.92	43.6Ω/km
ANM11.013.64.021AB	UL20937	30V	64X21AWG	27/0.14	16.7	519.82	43.6Ω/km
ANM11.013.65.021AB	UL20937	30V	65X21AWG	27/0.14	16.7	522.72	43.6Ω/km
ANM11.013.02.020AB	UL20937	30V	2X20AWG	34/0.14	6.2	53.92	34.6Ω/km
ANM11.013.03.020AB	UL20937	30V	3X20AWG	34/0.14	6.5	62.02	34.6Ω/km
ANM11.013.04.020AB	UL20937	30V	4X20AWG	34/0.14	7	73.82	34.6Ω/km
ANM11.013.05.020AB	UL20937	30V	5X20AWG	34/0.14	7.5	86.12	34.6Ω/km
ANM11.013.06.020AB	UL20937	30V	6X20AWG	34/0.14	8	99.12	34.6Ω/km
ANM11.013.07.020AB	UL20937	30V	7X20AWG	34/0.14	8	102.62	34.6Ω/km
ANM11.013.08.020AB	UL20937	30V	8X20AWG	34/0.14	8.6	118.32	34.6Ω/km
ANM11.013.09.020AB	UL20937	30V	9X20AWG	34/0.14	9.3	137.02	34.6Ω/km
ANM11.013.10.020AB	UL20937	30V	10X20AWG	34/0.14	9.8	152.12	34.6Ω/km
ANM11.013.11.020AB	UL20937	30V	11X20AWG	34/0.14	10.1	162.92	34.6Ω/km
ANM11.013.12.020AB	UL20937	30V	12X20AWG	34/0.14	10.1	166.52	34.6Ω/km
ANM11.013.13.020AB	UL20937	30V	13X20AWG	34/0.14	10.6	182.62	34.6Ω/km
ANM11.013.14.020AB	UL20937	30V	14X20AWG	34/0.14	10.6	186.32	34.6Ω/km
ANM11.013.15.020AB	UL20937	30V	15X20AWG	34/0.14	11.1	202.92	34.6Ω/km
ANM11.013.16.020AB	UL20937	30V	16X20AWG	34/0.14	11.1	206.62	34.6Ω/km
ANM11.013.17.020AB	UL20937	30V	17X20AWG	34/0.14	11.6	224.02	34.6Ω/km
ANM11.013.18.020AB	UL20937	30V	18X20AWG	34/0.14	11.6	227.62	34.6Ω/km
ANM11.013.19.020AB	UL20937	30V	19X20AWG	34/0.14	11.6	231.32	34.6Ω/km
ANM11.013.20.020AB	UL20937	30V	20X20AWG	34/0.14	11.9	243.32	34.6Ω/km
ANM11.013.21.020AB	UL20937	30V	21X20AWG	34/0.14	12.2	255.72	34.6Ω/km
ANM11.013.22.020AB	UL20937	30V	22X20AWG	34/0.14	13	283.52	34.6Ω/km
ANM11.013.23.020AB	UL20937	30V	23X20AWG	34/0.14	13.5	303.22	34.6Ω/km
ANM11.013.24.020AB	UL20937	30V	24X20AWG	34/0.14	13.5	306.82	34.6Ω/km
ANM11.013.25.020AB	UL20937	30V	25X20AWG	34/0.14	13.8	320.42	34.6Ω/km
ANM11.013.26.020AB	UL20937	30V	26X20AWG	34/0.14	13.8	323.92	34.6Ω/km
ANM11.013.27.020AB	UL20937	30V	27X20AWG	34/0.14	13.8	327.52	34.6Ω/km
ANM11.013.28.020AB	UL20937	30V	28X20AWG	34/0.14	14.3	348.02	34.6Ω/km
ANM11.013.29.020AB	UL20937	30V	29X20AWG	34/0.14	14.3	351.72	34.6Ω/km
ANM11.013.30.020AB	UL20937	30V	30X20AWG	34/0.14	14.3	355.32	34.6Ω/km



ANM11.013.31.020AB	UL20937	30V	31X20AWG	34/0.14	14.8	376.52	34.6Ω/km
ANM11.013.32.020AB	UL20937	30V	32X20AWG	34/0.14	14.8	380.12	34.6Ω/km
ANM11.013.33.020AB	UL20937	30V	33X20AWG	34/0.14	14.8	383.82	34.6Ω/km
ANM11.013.34.020AB	UL20937	30V	34X20AWG	34/0.14	15.3	405.62	34.6Ω/km
ANM11.013.35.020AB	UL20937	30V	35X20AWG	34/0.14	15.3	409.22	34.6Ω/km
ANM11.013.36.020AB	UL20937	30V	36X20AWG	34/0.14	15.3	412.82	34.6Ω/km
ANM11.013.37.020AB	UL20937	30V	37X20AWG	34/0.14	15.3	416.42	34.6Ω/km
ANM11.013.38.020AB	UL20937	30V	38X20AWG	34/0.14	15.9	442.72	34.6Ω/km
ANM11.013.39.020AB	UL20937	30V	39X20AWG	34/0.14	15.9	446.22	34.6Ω/km
ANM11.013.40.020AB	UL20937	30V	40X20AWG	34/0.14	15.9	449.92	34.6Ω/km
ANM11.013.41.020AB	UL20937	30V	41X20AWG	34/0.14	17.1	501.22	34.6Ω/km
ANM11.013.42.020AB	UL20937	30V	42X20AWG	34/0.14	17.1	504.92	34.6Ω/km
ANM11.013.43.020AB	UL20937	30V	43X20AWG	34/0.14	17.1	508.52	34.6Ω/km
ANM11.013.44.020AB	UL20937	30V	44X20AWG	34/0.14	17.1	512.22	34.6Ω/km
ANM11.013.45.020AB	UL20937	30V	45X20AWG	34/0.14	17.4	528.22	34.6Ω/km
ANM11.013.46.020AB	UL20937	30V	46X20AWG	34/0.14	17.4	531.92	34.6Ω/km
ANM11.013.47.020AB	UL20937	30V	47X20AWG	34/0.14	17.4	535.52	34.6Ω/km
ANM11.013.48.020AB	UL20937	30V	48X20AWG	34/0.14	17.4	539.22	34.6Ω/km
ANM11.013.49.020AB	UL20937	30V	49X20AWG	34/0.14	17.9	564.12	34.6Ω/km
ANM11.013.50.020AB	UL20937	30V	50X20AWG	34/0.14	17.9	567.82	34.6Ω/km
ANM11.013.51.020AB	UL20937	30V	51X20AWG	34/0.14	17.9	571.52	34.6Ω/km
ANM11.013.52.020AB	UL20937	30V	52X20AWG	34/0.14	17.9	575.12	34.6Ω/km
ANM11.013.53.020AB	UL20937	30V	53X20AWG	34/0.14	18.4	600.62	34.6Ω/km
ANM11.013.54.020AB	UL20937	30V	54X20AWG	34/0.14	18.4	604.12	34.6Ω/km
ANM11.013.55.020AB	UL20937	30V	55X20AWG	34/0.14	18.4	607.82	34.6Ω/km
ANM11.013.56.020AB	UL20937	30V	56X20AWG	34/0.14	18.4	611.32	34.6Ω/km
ANM11.013.57.020AB	UL20937	30V	57X20AWG	34/0.14	18.9	637.62	34.6Ω/km
ANM11.013.58.020AB	UL20937	30V	58X20AWG	34/0.14	18.9	641.12	34.6Ω/km
ANM11.013.59.020AB	UL20937	30V	59X20AWG	34/0.14	18.9	644.82	34.6Ω/km
ANM11.013.60.020AB	UL20937	30V	60X20AWG	34/0.14	18.9	648.42	34.6Ω/km
ANM11.013.61.020AB	UL20937	30V	61X20AWG	34/0.14	18.9	652.12	34.6Ω/km
ANM11.013.62.020AB	UL20937	30V	62X20AWG	34/0.14	20.5	730.92	34.6Ω/km
ANM11.013.63.020AB	UL20937	30V	63X20AWG	34/0.14	20.5	734.52	34.6Ω/km
ANM11.013.64.020AB	UL20937	30V	64X20AWG	34/0.14	20.5	738.12	34.6Ω/km
ANM11.013.65.020AB	UL20937	30V	65X20AWG	34/0.14	20.5	741.82	34.6Ω/km
ANM11.013.02.019AB	UL20937	30V	2X19AWG	43/0.14	6.4	59.06	27.4Ω/km
ANM11.013.03.019AB	UL20937	30V	3X19AWG	43/0.14	6.7	68.36	27.4Ω/km
ANM11.013.04.019AB	UL20937	30V	4X19AWG	43/0.14	7.2	81.46	27.4Ω/km
ANM11.013.05.019AB	UL20937	30V	5X19AWG	43/0.14	7.8	96.86	27.4Ω/km
ANM11.013.06.019AB	UL20937	30V	6X19AWG	43/0.14	8.3	111.16	27.4Ω/km
ANM11.013.07.019AB	UL20937	30V	7X19AWG	43/0.14	8.3	115.66	27.4Ω/km
ANM11.013.08.019AB	UL20937	30V	8X19AWG	43/0.14	8.9	132.76	27.4Ω/km



ANM11.013.09.019AB	UL20937	30V	9X19AWG	43/0.14	9.7	155.26	27.4 Ω/km
ANM11.013.10.019AB	UL20937	30V	10X19AWG	43/0.14	10.2	171.96	27.4 Ω/km
ANM11.013.11.019AB	UL20937	30V	11X19AWG	43/0.14	10.5	183.96	27.4 Ω/km
ANM11.013.12.019AB	UL20937	30V	12X19AWG	43/0.14	10.5	188.66	27.4 Ω/km
ANM11.013.13.019AB	UL20937	30V	13X19AWG	43/0.14	11	206.16	27.4 Ω/km
ANM11.013.14.019AB	UL20937	30V	14X19AWG	43/0.14	11	210.86	27.4 Ω/km
ANM11.013.15.019AB	UL20937	30V	15X19AWG	43/0.14	11.6	231.76	27.4 Ω/km
ANM11.013.16.019AB	UL20937	30V	16X19AWG	43/0.14	11.6	236.46	27.4 Ω/km
ANM11.013.17.019AB	UL20937	30V	17X19AWG	43/0.14	12.1	255.26	27.4 Ω/km
ANM11.013.18.019AB	UL20937	30V	18X19AWG	43/0.14	12.1	259.96	27.4 Ω/km
ANM11.013.19.019AB	UL20937	30V	19X19AWG	43/0.14	12.1	264.56	27.4 Ω/km
ANM11.013.20.019AB	UL20937	30V	20X19AWG	43/0.14	12.4	278.06	27.4 Ω/km
ANM11.013.21.019AB	UL20937	30V	21X19AWG	43/0.14	12.8	294.76	27.4 Ω/km
ANM11.013.22.019AB	UL20937	30V	22X19AWG	43/0.14	13.6	324.86	27.4 Ω/km
ANM11.013.23.019AB	UL20937	30V	23X19AWG	43/0.14	14.1	346.16	27.4 Ω/km
ANM11.013.24.019AB	UL20937	30V	24X19AWG	43/0.14	14.1	350.86	27.4 Ω/km
ANM11.013.25.019AB	UL20937	30V	25X19AWG	43/0.14	14.4	365.76	27.4 Ω/km
ANM11.013.26.019AB	UL20937	30V	26X19AWG	43/0.14	14.4	370.46	27.4 Ω/km
ANM11.013.27.019AB	UL20937	30V	27X19AWG	43/0.14	14.4	374.96	27.4 Ω/km
ANM11.013.28.019AB	UL20937	30V	28X19AWG	43/0.14	14.9	397.26	27.4 Ω/km
ANM11.013.29.019AB	UL20937	30V	29X19AWG	43/0.14	14.9	401.86	27.4 Ω/km
ANM11.013.30.019AB	UL20937	30V	30X19AWG	43/0.14	14.9	406.46	27.4 Ω/km
ANM11.013.31.019AB	UL20937	30V	31X19AWG	43/0.14	15.5	433.16	27.4 Ω/km
ANM11.013.32.019AB	UL20937	30V	32X19AWG	43/0.14	15.5	437.76	27.4 Ω/km
ANM11.013.33.019AB	UL20937	30V	33X19AWG	43/0.14	15.5	442.36	27.4 Ω/km
ANM11.013.34.019AB	UL20937	30V	34X19AWG	43/0.14	16	466.06	27.4 Ω/km
ANM11.013.35.019AB	UL20937	30V	35X19AWG	43/0.14	16	470.56	27.4 Ω/km
ANM11.013.36.019AB	UL20937	30V	36X19AWG	43/0.14	16	475.36	27.4 Ω/km
ANM11.013.37.019AB	UL20937	30V	37X19AWG	43/0.14	16	479.86	27.4 Ω/km
ANM11.013.38.019AB	UL20937	30V	38X19AWG	43/0.14	16.6	508.16	27.4 Ω/km
ANM11.013.39.019AB	UL20937	30V	39X19AWG	43/0.14	16.6	512.66	27.4 Ω/km
ANM11.013.40.019AB	UL20937	30V	40X19AWG	43/0.14	16.6	517.46	27.4 Ω/km
ANM11.013.41.019AB	UL20937	30V	41X19AWG	43/0.14	17.9	576.06	27.4 Ω/km
ANM11.013.42.019AB	UL20937	30V	42X19AWG	43/0.14	17.9	580.66	27.4 Ω/km
ANM11.013.43.019AB	UL20937	30V	43X19AWG	43/0.14	17.9	585.36	27.4 Ω/km
ANM11.013.44.019AB	UL20937	30V	44X19AWG	43/0.14	17.9	589.96	27.4 Ω/km
ANM11.013.45.019AB	UL20937	30V	45X19AWG	43/0.14	18.2	607.66	27.4 Ω/km
ANM11.013.46.019AB	UL20937	30V	46X19AWG	43/0.14	18.2	612.26	27.4 Ω/km
ANM11.013.47.019AB	UL20937	30V	47X19AWG	43/0.14	18.2	616.86	27.4 Ω/km
ANM11.013.48.019AB	UL20937	30V	48X19AWG	43/0.14	18.2	621.56	27.4 Ω/km
ANM11.013.49.019AB	UL20937	30V	49X19AWG	43/0.14	18.7	648.36	27.4 Ω/km
ANM11.013.50.019AB	UL20937	30V	50X19AWG	43/0.14	18.7	653.06	27.4 Ω/km



ANM11.013.51.019AB	UL20937	30V	51X19AWG	43/0.14	18.7	657.56	27.4Ω/km
ANM11.013.52.019AB	UL20937	30V	52X19AWG	43/0.14	18.7	662.36	27.4Ω/km
ANM11.013.53.019AB	UL20937	30V	53X19AWG	43/0.14	19.3	694.46	27.4Ω/km
ANM11.013.54.019AB	UL20937	30V	54X19AWG	43/0.14	19.3	698.96	27.4Ω/km
ANM11.013.55.019AB	UL20937	30V	55X19AWG	43/0.14	19.3	703.76	27.4Ω/km
ANM11.013.56.019AB	UL20937	30V	56X19AWG	43/0.14	19.3	708.26	27.4Ω/km
ANM11.013.57.019AB	UL20937	30V	57X19AWG	43/0.14	20.8	784.76	27.4Ω/km
ANM11.013.58.019AB	UL20937	30V	58X19AWG	43/0.14	20.8	789.26	27.4Ω/km
ANM11.013.59.019AB	UL20937	30V	59X19AWG	43/0.14	20.8	793.96	27.4Ω/km
ANM11.013.60.019AB	UL20937	30V	60X19AWG	43/0.14	20.8	798.56	27.4Ω/km
ANM11.013.61.019AB	UL20937	30V	61X19AWG	43/0.14	20.8	803.16	27.4Ω/km
ANM11.013.62.019AB	UL20937	30V	62X19AWG	43/0.14	21.4	838.26	27.4Ω/km
ANM11.013.63.019AB	UL20937	30V	63X19AWG	43/0.14	21.4	842.96	27.4Ω/km
ANM11.013.64.019AB	UL20937	30V	64X19AWG	43/0.14	21.4	847.56	27.4Ω/km
ANM11.013.65.019AB	UL20937	30V	65X19AWG	43/0.14	21.4	852.16	27.4Ω/km
ANM11.013.02.018AB	UL20937	30V	2X18AWG	29/0.19	6.6	64.93	21.8Ω/km
ANM11.013.03.018AB	UL20937	30V	3X18AWG	29/0.19	7	77.33	21.8Ω/km
ANM11.013.04.018AB	UL20937	30V	4X18AWG	29/0.19	7.5	92.23	21.8Ω/km
ANM11.013.05.018AB	UL20937	30V	5X18AWG	29/0.19	8	107.43	21.8Ω/km
ANM11.013.06.018AB	UL20937	30V	6X18AWG	29/0.19	8.6	125.23	21.8Ω/km
ANM11.013.07.018AB	UL20937	30V	7X18AWG	29/0.19	8.6	131.33	21.8Ω/km
ANM11.013.08.018AB	UL20937	30V	8X18AWG	29/0.19	9.2	150.13	21.8Ω/km
ANM11.013.09.018AB	UL20937	30V	9X18AWG	29/0.19	10	174.53	21.8Ω/km
ANM11.013.10.018AB	UL20937	30V	10X18AWG	29/0.19	10.6	195.43	21.8Ω/km
ANM11.013.11.018AB	UL20937	30V	11X18AWG	29/0.19	11	211.83	21.8Ω/km
ANM11.013.12.018AB	UL20937	30V	12X18AWG	29/0.19	11	217.63	21.8Ω/km
ANM11.013.13.018AB	UL20937	30V	13X18AWG	29/0.19	11.5	237.23	21.8Ω/km
ANM11.013.14.018AB	UL20937	30V	14X18AWG	29/0.19	11.5	243.13	21.8Ω/km
ANM11.013.15.018AB	UL20937	30V	15X18AWG	29/0.19	12	263.13	21.8Ω/km
ANM11.013.16.018AB	UL20937	30V	16X18AWG	29/0.19	12	269.23	21.8Ω/km
ANM11.013.17.018AB	UL20937	30V	17X18AWG	29/0.19	12.6	292.93	21.8Ω/km
ANM11.013.18.018AB	UL20937	30V	18X18AWG	29/0.19	12.6	298.93	21.8Ω/km
ANM11.013.19.018AB	UL20937	30V	19X18AWG	29/0.19	12.6	305.03	21.8Ω/km
ANM11.013.20.018AB	UL20937	30V	20X18AWG	29/0.19	13.1	326.33	21.8Ω/km
ANM11.013.21.018AB	UL20937	30V	21X18AWG	29/0.19	13.3	338.63	21.8Ω/km
ANM11.013.22.018AB	UL20937	30V	22X18AWG	29/0.19	14.1	371.13	21.8Ω/km
ANM11.013.23.018AB	UL20937	30V	23X18AWG	29/0.19	14.7	397.83	21.8Ω/km
ANM11.013.24.018AB	UL20937	30V	24X18AWG	29/0.19	14.7	403.73	21.8Ω/km
ANM11.013.25.018AB	UL20937	30V	25X18AWG	29/0.19	15.1	424.23	21.8Ω/km
ANM11.013.26.018AB	UL20937	30V	26X18AWG	29/0.19	15.1	430.03	21.8Ω/km
ANM11.013.27.018AB	UL20937	30V	27X18AWG	29/0.19	15.1	436.03	21.8Ω/km
ANM11.013.28.018AB	UL20937	30V	28X18AWG	29/0.19	15.6	460.33	21.8Ω/km



ANM11.013.29.018AB	UL20937	30V	29X18AWG	29/0.19	15.6	466.43	21.8Ω/km
ANM11.013.30.018AB	UL20937	30V	30X18AWG	29/0.19	15.6	472.43	21.8Ω/km
ANM11.013.31.018AB	UL20937	30V	31X18AWG	29/0.19	16.1	497.43	21.8Ω/km
ANM11.013.32.018AB	UL20937	30V	32X18AWG	29/0.19	16.1	503.43	21.8Ω/km
ANM11.013.33.018AB	UL20937	30V	33X18AWG	29/0.19	16.1	509.43	21.8Ω/km
ANM11.013.34.018AB	UL20937	30V	34X18AWG	29/0.19	16.7	539.03	21.8Ω/km
ANM11.013.35.018AB	UL20937	30V	35X18AWG	29/0.19	16.7	545.13	21.8Ω/km
ANM11.013.36.018AB	UL20937	30V	36X18AWG	29/0.19	16.7	551.03	21.8Ω/km
ANM11.013.37.018AB	UL20937	30V	37X18AWG	29/0.19	16.7	556.93	21.8Ω/km
ANM11.013.38.018AB	UL20937	30V	38X18AWG	29/0.19	17.3	587.53	21.8Ω/km
ANM11.013.39.018AB	UL20937	30V	39X18AWG	29/0.19	17.3	593.53	21.8Ω/km
ANM11.013.40.018AB	UL20937	30V	40X18AWG	29/0.19	17.3	599.43	21.8Ω/km
ANM11.013.41.018AB	UL20937	30V	41X18AWG	29/0.19	18.7	666.13	21.8Ω/km
ANM11.013.42.018AB	UL20937	30V	42X18AWG	29/0.19	18.7	672.03	21.8Ω/km
ANM11.013.43.018AB	UL20937	30V	43X18AWG	29/0.19	18.7	678.03	21.8Ω/km
ANM11.013.44.018AB	UL20937	30V	44X18AWG	29/0.19	18.7	684.03	21.8Ω/km
ANM11.013.45.018AB	UL20937	30V	45X18AWG	29/0.19	19.1	708.23	21.8Ω/km
ANM11.013.46.018AB	UL20937	30V	46X18AWG	29/0.19	19.1	714.13	21.8Ω/km
ANM11.013.47.018AB	UL20937	30V	47X18AWG	29/0.19	19.1	720.23	21.8Ω/km
ANM11.013.48.018AB	UL20937	30V	48X18AWG	29/0.19	19.1	726.03	21.8Ω/km
ANM11.013.49.018AB	UL20937	30V	49X18AWG	29/0.19	20.6	803.03	21.8Ω/km
ANM11.013.50.018AB	UL20937	30V	50X18AWG	29/0.19	20.6	809.13	21.8Ω/km
ANM11.013.51.018AB	UL20937	30V	51X18AWG	29/0.19	20.6	814.93	21.8Ω/km
ANM11.013.52.018AB	UL20937	30V	52X18AWG	29/0.19	20.6	820.93	21.8Ω/km
ANM11.013.53.018AB	UL20937	30V	53X18AWG	29/0.19	21.1	852.03	21.8Ω/km
ANM11.013.54.018AB	UL20937	30V	54X18AWG	29/0.19	21.1	857.93	21.8Ω/km
ANM11.013.55.018AB	UL20937	30V	55X18AWG	29/0.19	21.1	863.93	21.8Ω/km
ANM11.013.56.018AB	UL20937	30V	56X18AWG	29/0.19	21.1	869.73	21.8Ω/km
ANM11.013.57.018AB	UL20937	30V	57X18AWG	29/0.19	21.7	906.73	21.8Ω/km
ANM11.013.58.018AB	UL20937	30V	58X18AWG	29/0.19	21.7	912.73	21.8Ω/km
ANM11.013.59.018AB	UL20937	30V	59X18AWG	29/0.19	21.7	918.63	21.8Ω/km
ANM11.013.60.018AB	UL20937	30V	60X18AWG	29/0.19	21.7	924.63	21.8Ω/km
ANM11.013.61.018AB	UL20937	30V	61X18AWG	29/0.19	21.7	930.63	21.8Ω/km
ANM11.013.62.018AB	UL20937	30V	62X18AWG	29/0.19	22.3	968.33	21.8Ω/km
ANM11.013.63.018AB	UL20937	30V	63X18AWG	29/0.19	22.3	974.43	21.8Ω/km
ANM11.013.64.018AB	UL20937	30V	64X18AWG	29/0.19	22.3	980.43	21.8Ω/km
ANM11.013.65.018AB	UL20937	30V	65X18AWG	29/0.19	22.3	986.23	21.8Ω/km
ANM11.013.02.017AB	UL20937	30V	2X17AWG	37/0.19	7	74.54	17.3Ω/km
ANM11.013.03.017AB	UL20937	30V	3X17AWG	37/0.19	7.4	88.84	17.3Ω/km
ANM11.013.04.017AB	UL20937	30V	4X17AWG	37/0.19	8	107.34	17.3Ω/km
ANM11.013.05.017AB	UL20937	30V	5X17AWG	37/0.19	8.6	126.64	17.3Ω/km
ANM11.013.06.017AB	UL20937	30V	6X17AWG	37/0.19	9.2	146.84	17.3Ω/km



ANM11.013.07.017AB	UL20937	30V	7X17AWG	37/0.19	9.2	154.14	17.3Ω/km
ANM11.013.08.017AB	UL20937	30V	8X17AWG	37/0.19	9.9	177.64	17.3Ω/km
ANM11.013.09.017AB	UL20937	30V	9X17AWG	37/0.19	10.8	207.44	17.3Ω/km
ANM11.013.10.017AB	UL20937	30V	10X17AWG	37/0.19	11.4	230.94	17.3Ω/km
ANM11.013.11.017AB	UL20937	30V	11X17AWG	37/0.19	11.8	249.44	17.3Ω/km
ANM11.013.12.017AB	UL20937	30V	12X17AWG	37/0.19	11.8	256.84	17.3Ω/km
ANM11.013.13.017AB	UL20937	30V	13X17AWG	37/0.19	12.4	281.64	17.3Ω/km
ANM11.013.14.017AB	UL20937	30V	14X17AWG	37/0.19	12.4	288.94	17.3Ω/km
ANM11.013.15.017AB	UL20937	30V	15X17AWG	37/0.19	13.1	317.84	17.3Ω/km
ANM11.013.16.017AB	UL20937	30V	16X17AWG	37/0.19	13.1	325.24	17.3Ω/km
ANM11.013.17.017AB	UL20937	30V	17X17AWG	37/0.19	13.7	351.94	17.3Ω/km
ANM11.013.18.017AB	UL20937	30V	18X17AWG	37/0.19	13.7	359.34	17.3Ω/km
ANM11.013.19.017AB	UL20937	30V	19X17AWG	37/0.19	13.7	366.84	17.3Ω/km
ANM11.013.20.017AB	UL20937	30V	20X17AWG	37/0.19	14.1	387.54	17.3Ω/km
ANM11.013.21.017AB	UL20937	30V	21X17AWG	37/0.19	14.4	405.24	17.3Ω/km
ANM11.013.22.017AB	UL20937	30V	22X17AWG	37/0.19	15.3	444.74	17.3Ω/km
ANM11.013.23.017AB	UL20937	30V	23X17AWG	37/0.19	15.9	474.64	17.3Ω/km
ANM11.013.24.017AB	UL20937	30V	24X17AWG	37/0.19	15.9	482.04	17.3Ω/km
ANM11.013.25.017AB	UL20937	30V	25X17AWG	37/0.19	16.3	504.94	17.3Ω/km
ANM11.013.26.017AB	UL20937	30V	26X17AWG	37/0.19	16.3	512.24	17.3Ω/km
ANM11.013.27.017AB	UL20937	30V	27X17AWG	37/0.19	16.3	519.74	17.3Ω/km
ANM11.013.28.017AB	UL20937	30V	28X17AWG	37/0.19	16.9	551.14	17.3Ω/km
ANM11.013.29.017AB	UL20937	30V	29X17AWG	37/0.19	16.9	558.54	17.3Ω/km
ANM11.013.30.017AB	UL20937	30V	30X17AWG	37/0.19	16.9	565.84	17.3Ω/km
ANM11.013.31.017AB	UL20937	30V	31X17AWG	37/0.19	17.5	598.14	17.3Ω/km
ANM11.013.32.017AB	UL20937	30V	32X17AWG	37/0.19	17.5	605.44	17.3Ω/km
ANM11.013.33.017AB	UL20937	30V	33X17AWG	37/0.19	17.5	612.74	17.3Ω/km
ANM11.013.34.017AB	UL20937	30V	34X17AWG	37/0.19	18.1	645.84	17.3Ω/km
ANM11.013.35.017AB	UL20937	30V	35X17AWG	37/0.19	18.1	653.24	17.3Ω/km
ANM11.013.36.017AB	UL20937	30V	36X17AWG	37/0.19	18.1	660.64	17.3Ω/km
ANM11.013.37.017AB	UL20937	30V	37X17AWG	37/0.19	18.1	668.14	17.3Ω/km
ANM11.013.38.017AB	UL20937	30V	38X17AWG	37/0.19	18.8	706.64	17.3Ω/km
ANM11.013.39.017AB	UL20937	30V	39X17AWG	37/0.19	18.8	714.04	17.3Ω/km
ANM11.013.40.017AB	UL20937	30V	40X17AWG	37/0.19	18.8	721.34	17.3Ω/km
ANM11.013.41.017AB	UL20937	30V	41X17AWG	37/0.19	21.3	848.74	17.3Ω/km
ANM11.013.42.017AB	UL20937	30V	42X17AWG	37/0.19	21.3	856.04	17.3Ω/km
ANM11.013.43.017AB	UL20937	30V	43X17AWG	37/0.19	21.3	863.44	17.3Ω/km
ANM11.013.44.017AB	UL20937	30V	44X17AWG	37/0.19	21.3	870.74	17.3Ω/km
ANM11.013.45.017AB	UL20937	30V	45X17AWG	37/0.19	21.7	898.94	17.3Ω/km
ANM11.013.46.017AB	UL20937	30V	46X17AWG	37/0.19	21.7	906.34	17.3Ω/km
ANM11.013.47.017AB	UL20937	30V	47X17AWG	37/0.19	21.7	913.74	17.3Ω/km
ANM11.013.48.017AB	UL20937	30V	48X17AWG	37/0.19	21.7	921.04	17.3Ω/km



ANM11.013.49.017AB	UL20937	30V	49X17AWG	37/0.19	22.3	960.34	17.3 Ω/km
ANM11.013.50.017AB	UL20937	30V	50X17AWG	37/0.19	22.3	967.64	17.3 Ω/km
ANM11.013.51.017AB	UL20937	30V	51X17AWG	37/0.19	22.3	974.94	17.3 Ω/km
ANM11.013.52.017AB	UL20937	30V	52X17AWG	37/0.19	22.3	982.34	17.3 Ω/km
ANM11.013.53.017AB	UL20937	30V	53X17AWG	37/0.19	22.9	1022.44	17.3 Ω/km
ANM11.013.54.017AB	UL20937	30V	54X17AWG	37/0.19	22.9	1029.74	17.3 Ω/km
ANM11.013.55.017AB	UL20937	30V	55X17AWG	37/0.19	22.9	1037.24	17.3 Ω/km
ANM11.013.56.017AB	UL20937	30V	56X17AWG	37/0.19	22.9	1044.54	17.3 Ω/km
ANM11.013.57.017AB	UL20937	30V	57X17AWG	37/0.19	23.5	1085.44	17.3 Ω/km
ANM11.013.58.017AB	UL20937	30V	58X17AWG	37/0.19	23.5	1092.84	17.3 Ω/km
ANM11.013.59.017AB	UL20937	30V	59X17AWG	37/0.19	23.5	1100.14	17.3 Ω/km
ANM11.013.60.017AB	UL20937	30V	60X17AWG	37/0.19	23.5	1107.54	17.3 Ω/km
ANM11.013.61.017AB	UL20937	30V	61X17AWG	37/0.19	23.5	1114.84	17.3 Ω/km
ANM11.013.62.017AB	UL20937	30V	62X17AWG	37/0.19	24.2	1162.64	17.3 Ω/km
ANM11.013.63.017AB	UL20937	30V	63X17AWG	37/0.19	24.2	1169.94	17.3 Ω/km
ANM11.013.64.017AB	UL20937	30V	64X17AWG	37/0.19	24.2	1177.44	17.3 Ω/km
ANM11.013.65.017AB	UL20937	30V	65X17AWG	37/0.19	24.2	1184.74	17.3 Ω/km
ANM11.013.02.016AB	UL20937	30V	2X16AWG	27/0.25	7.2	82.71	13.7 Ω/km
ANM11.013.03.016AB	UL20937	30V	3X16AWG	27/0.25	7.6	99.31	13.7 Ω/km
ANM11.013.04.016AB	UL20937	30V	4X16AWG	27/0.25	8.2	120.21	13.7 Ω/km
ANM11.013.05.016AB	UL20937	30V	5X16AWG	27/0.25	8.9	144.21	13.7 Ω/km
ANM11.013.06.016AB	UL20937	30V	6X16AWG	27/0.25	9.5	167.01	13.7 Ω/km
ANM11.013.07.016AB	UL20937	30V	7X16AWG	27/0.25	9.5	176.61	13.7 Ω/km
ANM11.013.08.016AB	UL20937	30V	8X16AWG	27/0.25	10.2	202.81	13.7 Ω/km
ANM11.013.09.016AB	UL20937	30V	9X16AWG	27/0.25	11.2	238.11	13.7 Ω/km
ANM11.013.10.016AB	UL20937	30V	10X16AWG	27/0.25	11.8	264.21	13.7 Ω/km
ANM11.013.11.016AB	UL20937	30V	11X16AWG	27/0.25	12.2	285.41	13.7 Ω/km
ANM11.013.12.016AB	UL20937	30V	12X16AWG	27/0.25	12.2	295.01	13.7 Ω/km
ANM11.013.13.016AB	UL20937	30V	13X16AWG	27/0.25	12.9	325.71	13.7 Ω/km
ANM11.013.14.016AB	UL20937	30V	14X16AWG	27/0.25	12.9	335.31	13.7 Ω/km
ANM11.013.15.016AB	UL20937	30V	15X16AWG	27/0.25	13.6	367.11	13.7 Ω/km
ANM11.013.16.016AB	UL20937	30V	16X16AWG	27/0.25	13.6	376.71	13.7 Ω/km
ANM11.013.17.016AB	UL20937	30V	17X16AWG	27/0.25	14.2	406.41	13.7 Ω/km
ANM11.013.18.016AB	UL20937	30V	18X16AWG	27/0.25	14.2	416.01	13.7 Ω/km
ANM11.013.19.016AB	UL20937	30V	19X16AWG	27/0.25	14.2	425.61	13.7 Ω/km
ANM11.013.20.016AB	UL20937	30V	20X16AWG	27/0.25	14.6	448.91	13.7 Ω/km
ANM11.013.21.016AB	UL20937	30V	21X16AWG	27/0.25	14.9	469.21	13.7 Ω/km
ANM11.013.22.016AB	UL20937	30V	22X16AWG	27/0.25	15.9	515.81	13.7 Ω/km
ANM11.013.23.016AB	UL20937	30V	23X16AWG	27/0.25	16.5	548.91	13.7 Ω/km
ANM11.013.24.016AB	UL20937	30V	24X16AWG	27/0.25	16.5	558.51	13.7 Ω/km
ANM11.013.25.016AB	UL20937	30V	25X16AWG	27/0.25	16.9	584.11	13.7 Ω/km
ANM11.013.26.016AB	UL20937	30V	26X16AWG	27/0.25	16.9	593.71	13.7 Ω/km



ANM11.013.27.016AB	UL20937	30V	27X16AWG	27/0.25	16.9	603.21	13.7 Ω/km
ANM11.013.28.016AB	UL20937	30V	28X16AWG	27/0.25	17.5	637.71	13.7 Ω/km
ANM11.013.29.016AB	UL20937	30V	29X16AWG	27/0.25	17.5	647.21	13.7 Ω/km
ANM11.013.30.016AB	UL20937	30V	30X16AWG	27/0.25	17.5	656.81	13.7 Ω/km
ANM11.013.31.016AB	UL20937	30V	31X16AWG	27/0.25	18.2	696.51	13.7 Ω/km
ANM11.013.32.016AB	UL20937	30V	32X16AWG	27/0.25	18.2	706.01	13.7 Ω/km
ANM11.013.33.016AB	UL20937	30V	33X16AWG	27/0.25	18.2	715.61	13.7 Ω/km
ANM11.013.34.016AB	UL20937	30V	34X16AWG	27/0.25	18.8	751.91	13.7 Ω/km
ANM11.013.35.016AB	UL20937	30V	35X16AWG	27/0.25	18.8	761.51	13.7 Ω/km
ANM11.013.36.016AB	UL20937	30V	36X16AWG	27/0.25	18.8	771.11	13.7 Ω/km
ANM11.013.37.016AB	UL20937	30V	37X16AWG	27/0.25	18.8	780.61	13.7 Ω/km
ANM11.013.38.016AB	UL20937	30V	38X16AWG	27/0.25	20.5	870.01	13.7 Ω/km
ANM11.013.39.016AB	UL20937	30V	39X16AWG	27/0.25	20.5	879.51	13.7 Ω/km
ANM11.013.40.016AB	UL20937	30V	40X16AWG	27/0.25	20.5	889.11	13.7 Ω/km
ANM11.013.41.016AB	UL20937	30V	41X16AWG	27/0.25	22.1	980.81	13.7 Ω/km
ANM11.013.42.016AB	UL20937	30V	42X16AWG	27/0.25	22.1	990.31	13.7 Ω/km
ANM11.013.43.016AB	UL20937	30V	43X16AWG	27/0.25	22.1	999.91	13.7 Ω/km
ANM11.013.44.016AB	UL20937	30V	44X16AWG	27/0.25	22.1	1009.41	13.7 Ω/km
ANM11.013.45.016AB	UL20937	30V	45X16AWG	27/0.25	22.5	1040.61	13.7 Ω/km
ANM11.013.46.016AB	UL20937	30V	46X16AWG	27/0.25	22.5	1050.11	13.7 Ω/km
ANM11.013.47.016AB	UL20937	30V	47X16AWG	27/0.25	22.5	1059.71	13.7 Ω/km
ANM11.013.48.016AB	UL20937	30V	48X16AWG	27/0.25	22.5	1069.31	13.7 Ω/km
ANM11.013.49.016AB	UL20937	30V	49X16AWG	27/0.25	23.1	1111.71	13.7 Ω/km
ANM11.013.50.016AB	UL20937	30V	50X16AWG	27/0.25	23.1	1121.31	13.7 Ω/km
ANM11.013.51.016AB	UL20937	30V	51X16AWG	27/0.25	23.1	1130.81	13.7 Ω/km
ANM11.013.52.016AB	UL20937	30V	52X16AWG	27/0.25	23.1	1140.41	13.7 Ω/km
ANM11.013.53.016AB	UL20937	30V	53X16AWG	27/0.25	23.8	1189.61	13.7 Ω/km
ANM11.013.54.016AB	UL20937	30V	54X16AWG	27/0.25	23.8	1199.11	13.7 Ω/km
ANM11.013.55.016AB	UL20937	30V	55X16AWG	27/0.25	23.8	1208.71	13.7 Ω/km
ANM11.013.56.016AB	UL20937	30V	56X16AWG	27/0.25	23.8	1218.21	13.7 Ω/km
ANM11.013.57.016AB	UL20937	30V	57X16AWG	27/0.25	24.4	1262.71	13.7 Ω/km
ANM11.013.58.016AB	UL20937	30V	58X16AWG	27/0.25	24.4	1272.21	13.7 Ω/km
ANM11.013.59.016AB	UL20937	30V	59X16AWG	27/0.25	24.4	1281.81	13.7 Ω/km
ANM11.013.60.016AB	UL20937	30V	60X16AWG	27/0.25	24.4	1291.41	13.7 Ω/km
ANM11.013.61.016AB	UL20937	30V	61X16AWG	27/0.25	24.4	1300.91	13.7 Ω/km
ANM11.013.62.016AB	UL20937	30V	62X16AWG	27/0.25	25.1	1352.31	13.7 Ω/km
ANM11.013.63.016AB	UL20937	30V	63X16AWG	27/0.25	25.1	1361.81	13.7 Ω/km
ANM11.013.64.016AB	UL20937	30V	64X16AWG	27/0.25	25.1	1371.41	13.7 Ω/km
ANM11.013.65.016AB	UL20937	30V	65X16AWG	27/0.25	25.1	1381.01	13.7 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 PVC 材质							



ANM11.016.02.030AB	UL20937	30V	2X30AWG	7/0.1	4.6	26.16	354 Ω/km
ANM11.016.03.030AB	UL20937	30V	3X30AWG	7/0.1	4.8	28.76	354 Ω/km
ANM11.016.04.030AB	UL20937	30V	4X30AWG	7/0.1	5.1	32.66	354 Ω/km
ANM11.016.05.030AB	UL20937	30V	5X30AWG	7/0.1	5.3	35.46	354 Ω/km
ANM11.016.06.030AB	UL20937	30V	6X30AWG	7/0.1	5.6	39.76	354 Ω/km
ANM11.016.07.030AB	UL20937	30V	7X30AWG	7/0.1	5.6	40.16	354 Ω/km
ANM11.016.08.030AB	UL20937	30V	8X30AWG	7/0.1	5.9	44.66	354 Ω/km
ANM11.016.09.030AB	UL20937	30V	9X30AWG	7/0.1	6.3	50.86	354 Ω/km
ANM11.016.10.030AB	UL20937	30V	10X30AWG	7/0.1	6.6	55.66	354 Ω/km
ANM11.016.11.030AB	UL20937	30V	11X30AWG	7/0.1	6.8	59.36	354 Ω/km
ANM11.016.12.030AB	UL20937	30V	12X30AWG	7/0.1	6.8	59.76	354 Ω/km
ANM11.016.13.030AB	UL20937	30V	13X30AWG	7/0.1	7.1	65.06	354 Ω/km
ANM11.016.14.030AB	UL20937	30V	14X30AWG	7/0.1	7.1	65.26	354 Ω/km
ANM11.016.15.030AB	UL20937	30V	15X30AWG	7/0.1	7.3	69.06	354 Ω/km
ANM11.016.16.030AB	UL20937	30V	16X30AWG	7/0.1	7.3	69.46	354 Ω/km
ANM11.016.17.030AB	UL20937	30V	17X30AWG	7/0.1	7.6	75.26	354 Ω/km
ANM11.016.18.030AB	UL20937	30V	18X30AWG	7/0.1	7.6	75.66	354 Ω/km
ANM11.016.19.030AB	UL20937	30V	19X30AWG	7/0.1	7.6	75.86	354 Ω/km
ANM11.016.20.030AB	UL20937	30V	20X30AWG	7/0.1	7.8	79.96	354 Ω/km
ANM11.016.21.030AB	UL20937	30V	21X30AWG	7/0.1	7.9	82.16	354 Ω/km
ANM11.016.22.030AB	UL20937	30V	22X30AWG	7/0.1	8.3	90.36	354 Ω/km
ANM11.016.23.030AB	UL20937	30V	23X30AWG	7/0.1	8.6	96.76	354 Ω/km
ANM11.016.24.030AB	UL20937	30V	24X30AWG	7/0.1	8.6	97.06	354 Ω/km
ANM11.016.25.030AB	UL20937	30V	25X30AWG	7/0.1	8.8	101.76	354 Ω/km
ANM11.016.26.030AB	UL20937	30V	26X30AWG	7/0.1	8.8	102.06	354 Ω/km
ANM11.016.27.030AB	UL20937	30V	27X30AWG	7/0.1	8.8	102.46	354 Ω/km
ANM11.016.28.030AB	UL20937	30V	28X30AWG	7/0.1	9.1	109.16	354 Ω/km
ANM11.016.29.030AB	UL20937	30V	29X30AWG	7/0.1	9.1	109.56	354 Ω/km
ANM11.016.30.030AB	UL20937	30V	30X30AWG	7/0.1	9.1	109.96	354 Ω/km
ANM11.016.31.030AB	UL20937	30V	31X30AWG	7/0.1	9.3	114.66	354 Ω/km
ANM11.016.32.030AB	UL20937	30V	32X30AWG	7/0.1	9.3	114.96	354 Ω/km
ANM11.016.33.030AB	UL20937	30V	33X30AWG	7/0.1	9.3	115.26	354 Ω/km
ANM11.016.34.030AB	UL20937	30V	34X30AWG	7/0.1	9.6	122.46	354 Ω/km
ANM11.016.35.030AB	UL20937	30V	35X30AWG	7/0.1	9.6	122.86	354 Ω/km
ANM11.016.36.030AB	UL20937	30V	36X30AWG	7/0.1	9.6	123.26	354 Ω/km
ANM11.016.37.030AB	UL20937	30V	37X30AWG	7/0.1	9.6	123.46	354 Ω/km
ANM11.016.38.030AB	UL20937	30V	38X30AWG	7/0.1	9.9	130.86	354 Ω/km
ANM11.016.39.030AB	UL20937	30V	39X30AWG	7/0.1	9.9	131.26	354 Ω/km
ANM11.016.40.030AB	UL20937	30V	40X30AWG	7/0.1	9.9	131.66	354 Ω/km
ANM11.016.41.030AB	UL20937	30V	41X30AWG	7/0.1	10.6	149.26	354 Ω/km
ANM11.016.42.030AB	UL20937	30V	42X30AWG	7/0.1	10.6	149.56	354 Ω/km
ANM11.016.43.030AB	UL20937	30V	43X30AWG	7/0.1	10.6	149.96	354 Ω/km



ANM11.016.44.030AB	UL20937	30V	44X30AWG	7/0.1	10.6	150.36	354 Ω/km
ANM11.016.45.030AB	UL20937	30V	45X30AWG	7/0.1	10.8	155.86	354 Ω/km
ANM11.016.46.030AB	UL20937	30V	46X30AWG	7/0.1	10.8	156.16	354 Ω/km
ANM11.016.47.030AB	UL20937	30V	47X30AWG	7/0.1	10.8	156.36	354 Ω/km
ANM11.016.48.030AB	UL20937	30V	48X30AWG	7/0.1	10.8	156.76	354 Ω/km
ANM11.016.49.030AB	UL20937	30V	49X30AWG	7/0.1	11.1	165.06	354 Ω/km
ANM11.016.50.030AB	UL20937	30V	50X30AWG	7/0.1	11.1	165.36	354 Ω/km
ANM11.016.51.030AB	UL20937	30V	51X30AWG	7/0.1	11.1	165.66	354 Ω/km
ANM11.016.52.030AB	UL20937	30V	52X30AWG	7/0.1	11.1	166.06	354 Ω/km
ANM11.016.53.030AB	UL20937	30V	53X30AWG	7/0.1	11.3	171.96	354 Ω/km
ANM11.016.54.030AB	UL20937	30V	54X30AWG	7/0.1	11.3	172.26	354 Ω/km
ANM11.016.55.030AB	UL20937	30V	55X30AWG	7/0.1	11.3	172.56	354 Ω/km
ANM11.016.56.030AB	UL20937	30V	56X30AWG	7/0.1	11.3	172.86	354 Ω/km
ANM11.016.57.030AB	UL20937	30V	57X30AWG	7/0.1	11.6	181.56	354 Ω/km
ANM11.016.58.030AB	UL20937	30V	58X30AWG	7/0.1	11.6	181.96	354 Ω/km
ANM11.016.59.030AB	UL20937	30V	59X30AWG	7/0.1	11.6	182.26	354 Ω/km
ANM11.016.60.030AB	UL20937	30V	60X30AWG	7/0.1	11.6	182.56	354 Ω/km
ANM11.016.61.030AB	UL20937	30V	61X30AWG	7/0.1	11.6	182.86	354 Ω/km
ANM11.016.62.030AB	UL20937	30V	62X30AWG	7/0.1	11.9	191.76	354 Ω/km
ANM11.016.63.030AB	UL20937	30V	63X30AWG	7/0.1	11.9	192.16	354 Ω/km
ANM11.016.64.030AB	UL20937	30V	64X30AWG	7/0.1	11.9	192.46	354 Ω/km
ANM11.016.65.030AB	UL20937	30V	65X30AWG	7/0.1	11.9	192.76	354 Ω/km
ANM11.016.02.029AB	UL20937	30V	2X29AWG	9/0.1	4.8	28.67	277 Ω/km
ANM11.016.03.029AB	UL20937	30V	3X29AWG	9/0.1	5	31.47	277 Ω/km
ANM11.016.04.029AB	UL20937	30V	4X29AWG	9/0.1	5.3	35.67	277 Ω/km
ANM11.016.05.029AB	UL20937	30V	5X29AWG	9/0.1	5.6	39.97	277 Ω/km
ANM11.016.06.029AB	UL20937	30V	6X29AWG	9/0.1	5.9	44.57	277 Ω/km
ANM11.016.07.029AB	UL20937	30V	7X29AWG	9/0.1	5.9	44.97	277 Ω/km
ANM11.016.08.029AB	UL20937	30V	8X29AWG	9/0.1	6.3	51.17	277 Ω/km
ANM11.016.09.029AB	UL20937	30V	9X29AWG	9/0.1	6.7	57.97	277 Ω/km
ANM11.016.10.029AB	UL20937	30V	10X29AWG	9/0.1	7	63.47	277 Ω/km
ANM11.016.11.029AB	UL20937	30V	11X29AWG	9/0.1	7.2	67.37	277 Ω/km
ANM11.016.12.029AB	UL20937	30V	12X29AWG	9/0.1	7.2	67.87	277 Ω/km
ANM11.016.13.029AB	UL20937	30V	13X29AWG	9/0.1	7.5	73.57	277 Ω/km
ANM11.016.14.029AB	UL20937	30V	14X29AWG	9/0.1	7.5	73.97	277 Ω/km
ANM11.016.15.029AB	UL20937	30V	15X29AWG	9/0.1	7.8	79.97	277 Ω/km
ANM11.016.16.029AB	UL20937	30V	16X29AWG	9/0.1	7.8	80.37	277 Ω/km
ANM11.016.17.029AB	UL20937	30V	17X29AWG	9/0.1	8.1	86.67	277 Ω/km
ANM11.016.18.029AB	UL20937	30V	18X29AWG	9/0.1	8.1	87.07	277 Ω/km
ANM11.016.19.029AB	UL20937	30V	19X29AWG	9/0.1	8.1	87.47	277 Ω/km
ANM11.016.20.029AB	UL20937	30V	20X29AWG	9/0.1	8.3	91.97	277 Ω/km
ANM11.016.21.029AB	UL20937	30V	21X29AWG	9/0.1	8.5	96.47	277 Ω/km



ANM11.016.22.029AB	UL20937	30V	22X29AWG	9/0.1	8.9	105.27	277 Ω/km
ANM11.016.23.029AB	UL20937	30V	23X29AWG	9/0.1	9.2	112.17	277 Ω/km
ANM11.016.24.029AB	UL20937	30V	24X29AWG	9/0.1	9.2	112.67	277 Ω/km
ANM11.016.25.029AB	UL20937	30V	25X29AWG	9/0.1	9.4	117.57	277 Ω/km
ANM11.016.26.029AB	UL20937	30V	26X29AWG	9/0.1	9.4	118.17	277 Ω/km
ANM11.016.27.029AB	UL20937	30V	27X29AWG	9/0.1	9.4	118.57	277 Ω/km
ANM11.016.28.029AB	UL20937	30V	28X29AWG	9/0.1	9.7	125.87	277 Ω/km
ANM11.016.29.029AB	UL20937	30V	29X29AWG	9/0.1	9.7	126.47	277 Ω/km
ANM11.016.30.029AB	UL20937	30V	30X29AWG	9/0.1	9.7	126.87	277 Ω/km
ANM11.016.31.029AB	UL20937	30V	31X29AWG	9/0.1	10	134.37	277 Ω/km
ANM11.016.32.029AB	UL20937	30V	32X29AWG	9/0.1	10	134.87	277 Ω/km
ANM11.016.33.029AB	UL20937	30V	33X29AWG	9/0.1	10	135.27	277 Ω/km
ANM11.016.34.029AB	UL20937	30V	34X29AWG	9/0.1	10.3	143.17	277 Ω/km
ANM11.016.35.029AB	UL20937	30V	35X29AWG	9/0.1	10.3	143.57	277 Ω/km
ANM11.016.36.029AB	UL20937	30V	36X29AWG	9/0.1	10.3	143.97	277 Ω/km
ANM11.016.37.029AB	UL20937	30V	37X29AWG	9/0.1	10.3	144.47	277 Ω/km
ANM11.016.38.029AB	UL20937	30V	38X29AWG	9/0.1	10.7	155.07	277 Ω/km
ANM11.016.39.029AB	UL20937	30V	39X29AWG	9/0.1	10.7	155.57	277 Ω/km
ANM11.016.40.029AB	UL20937	30V	40X29AWG	9/0.1	10.7	155.97	277 Ω/km
ANM11.016.41.029AB	UL20937	30V	41X29AWG	9/0.1	11.4	174.97	277 Ω/km
ANM11.016.42.029AB	UL20937	30V	42X29AWG	9/0.1	11.4	175.47	277 Ω/km
ANM11.016.43.029AB	UL20937	30V	43X29AWG	9/0.1	11.4	175.97	277 Ω/km
ANM11.016.44.029AB	UL20937	30V	44X29AWG	9/0.1	11.4	176.37	277 Ω/km
ANM11.016.45.029AB	UL20937	30V	45X29AWG	9/0.1	11.6	182.47	277 Ω/km
ANM11.016.46.029AB	UL20937	30V	46X29AWG	9/0.1	11.6	182.87	277 Ω/km
ANM11.016.47.029AB	UL20937	30V	47X29AWG	9/0.1	11.6	183.27	277 Ω/km
ANM11.016.48.029AB	UL20937	30V	48X29AWG	9/0.1	11.6	183.77	277 Ω/km
ANM11.016.49.029AB	UL20937	30V	49X29AWG	9/0.1	11.9	192.77	277 Ω/km
ANM11.016.50.029AB	UL20937	30V	50X29AWG	9/0.1	11.9	193.17	277 Ω/km
ANM11.016.51.029AB	UL20937	30V	51X29AWG	9/0.1	11.9	193.77	277 Ω/km
ANM11.016.52.029AB	UL20937	30V	52X29AWG	9/0.1	11.9	194.17	277 Ω/km
ANM11.016.53.029AB	UL20937	30V	53X29AWG	9/0.1	12.2	203.27	277 Ω/km
ANM11.016.54.029AB	UL20937	30V	54X29AWG	9/0.1	12.2	203.77	277 Ω/km
ANM11.016.55.029AB	UL20937	30V	55X29AWG	9/0.1	12.2	204.17	277 Ω/km
ANM11.016.56.029AB	UL20937	30V	56X29AWG	9/0.1	12.2	204.67	277 Ω/km
ANM11.016.57.029AB	UL20937	30V	57X29AWG	9/0.1	12.5	213.97	277 Ω/km
ANM11.016.58.029AB	UL20937	30V	58X29AWG	9/0.1	12.5	214.47	277 Ω/km
ANM11.016.59.029AB	UL20937	30V	59X29AWG	9/0.1	12.5	214.97	277 Ω/km
ANM11.016.60.029AB	UL20937	30V	60X29AWG	9/0.1	12.5	215.47	277 Ω/km
ANM11.016.61.029AB	UL20937	30V	61X29AWG	9/0.1	12.5	215.97	277 Ω/km
ANM11.016.62.029AB	UL20937	30V	62X29AWG	9/0.1	13	231.67	277 Ω/km
ANM11.016.63.029AB	UL20937	30V	63X29AWG	9/0.1	13	232.07	277 Ω/km



ANM11.016.64.029AB	UL20937	30V	64X29AWG	9/0.1	13	232.57	277 Ω/km
ANM11.016.65.029AB	UL20937	30V	65X29AWG	9/0.1	13	232.97	277 Ω/km
ANM11.016.02.028AB	UL20937	30V	2X28AWG	11/0.1	4.8	28.89	223 Ω/km
ANM11.016.03.028AB	UL20937	30V	3X28AWG	11/0.1	5	31.79	223 Ω/km
ANM11.016.04.028AB	UL20937	30V	4X28AWG	11/0.1	5.3	36.19	223 Ω/km
ANM11.016.05.028AB	UL20937	30V	5X28AWG	11/0.1	5.6	40.49	223 Ω/km
ANM11.016.06.028AB	UL20937	30V	6X28AWG	11/0.1	5.9	45.29	223 Ω/km
ANM11.016.07.028AB	UL20937	30V	7X28AWG	11/0.1	5.9	45.89	223 Ω/km
ANM11.016.08.028AB	UL20937	30V	8X28AWG	11/0.1	6.3	52.19	223 Ω/km
ANM11.016.09.028AB	UL20937	30V	9X28AWG	11/0.1	6.7	59.09	223 Ω/km
ANM11.016.10.028AB	UL20937	30V	10X28AWG	11/0.1	7	64.49	223 Ω/km
ANM11.016.11.028AB	UL20937	30V	11X28AWG	11/0.1	7.2	68.59	223 Ω/km
ANM11.016.12.028AB	UL20937	30V	12X28AWG	11/0.1	7.2	69.29	223 Ω/km
ANM11.016.13.028AB	UL20937	30V	13X28AWG	11/0.1	7.5	75.09	223 Ω/km
ANM11.016.14.028AB	UL20937	30V	14X28AWG	11/0.1	7.5	75.69	223 Ω/km
ANM11.016.15.028AB	UL20937	30V	15X28AWG	11/0.1	7.8	81.69	223 Ω/km
ANM11.016.16.028AB	UL20937	30V	16X28AWG	11/0.1	7.8	82.29	223 Ω/km
ANM11.016.17.028AB	UL20937	30V	17X28AWG	11/0.1	8.1	88.59	223 Ω/km
ANM11.016.18.028AB	UL20937	30V	18X28AWG	11/0.1	8.1	89.19	223 Ω/km
ANM11.016.19.028AB	UL20937	30V	19X28AWG	11/0.1	8.1	89.79	223 Ω/km
ANM11.016.20.028AB	UL20937	30V	20X28AWG	11/0.1	8.3	94.19	223 Ω/km
ANM11.016.21.028AB	UL20937	30V	21X28AWG	11/0.1	8.5	98.89	223 Ω/km
ANM11.016.22.028AB	UL20937	30V	22X28AWG	11/0.1	8.9	107.79	223 Ω/km
ANM11.016.23.028AB	UL20937	30V	23X28AWG	11/0.1	9.2	114.89	223 Ω/km
ANM11.016.24.028AB	UL20937	30V	24X28AWG	11/0.1	9.2	115.59	223 Ω/km
ANM11.016.25.028AB	UL20937	30V	25X28AWG	11/0.1	9.4	120.49	223 Ω/km
ANM11.016.26.028AB	UL20937	30V	26X28AWG	11/0.1	9.4	121.19	223 Ω/km
ANM11.016.27.028AB	UL20937	30V	27X28AWG	11/0.1	9.4	121.69	223 Ω/km
ANM11.016.28.028AB	UL20937	30V	28X28AWG	11/0.1	9.7	129.19	223 Ω/km
ANM11.016.29.028AB	UL20937	30V	29X28AWG	11/0.1	9.7	129.79	223 Ω/km
ANM11.016.30.028AB	UL20937	30V	30X28AWG	11/0.1	9.7	130.29	223 Ω/km
ANM11.016.31.028AB	UL20937	30V	31X28AWG	11/0.1	10	137.99	223 Ω/km
ANM11.016.32.028AB	UL20937	30V	32X28AWG	11/0.1	10	138.59	223 Ω/km
ANM11.016.33.028AB	UL20937	30V	33X28AWG	11/0.1	10	139.19	223 Ω/km
ANM11.016.34.028AB	UL20937	30V	34X28AWG	11/0.1	10.3	147.09	223 Ω/km
ANM11.016.35.028AB	UL20937	30V	35X28AWG	11/0.1	10.3	147.59	223 Ω/km
ANM11.016.36.028AB	UL20937	30V	36X28AWG	11/0.1	10.3	148.19	223 Ω/km
ANM11.016.37.028AB	UL20937	30V	37X28AWG	11/0.1	10.3	148.79	223 Ω/km
ANM11.016.38.028AB	UL20937	30V	38X28AWG	11/0.1	10.7	159.59	223 Ω/km
ANM11.016.39.028AB	UL20937	30V	39X28AWG	11/0.1	10.7	160.09	223 Ω/km
ANM11.016.40.028AB	UL20937	30V	40X28AWG	11/0.1	10.7	160.59	223 Ω/km
ANM11.016.41.028AB	UL20937	30V	41X28AWG	11/0.1	11.4	179.69	223 Ω/km



ANM11.016.42.028AB	UL20937	30V	42X28AWG	11/0.1	11.4	180.39	223 Ω/km
ANM11.016.43.028AB	UL20937	30V	43X28AWG	11/0.1	11.4	180.99	223 Ω/km
ANM11.016.44.028AB	UL20937	30V	44X28AWG	11/0.1	11.4	181.49	223 Ω/km
ANM11.016.45.028AB	UL20937	30V	45X28AWG	11/0.1	11.6	187.69	223 Ω/km
ANM11.016.46.028AB	UL20937	30V	46X28AWG	11/0.1	11.6	188.19	223 Ω/km
ANM11.016.47.028AB	UL20937	30V	47X28AWG	11/0.1	11.6	188.79	223 Ω/km
ANM11.016.48.028AB	UL20937	30V	48X28AWG	11/0.1	11.6	189.49	223 Ω/km
ANM11.016.49.028AB	UL20937	30V	49X28AWG	11/0.1	11.9	198.49	223 Ω/km
ANM11.016.50.028AB	UL20937	30V	50X28AWG	11/0.1	11.9	198.99	223 Ω/km
ANM11.016.51.028AB	UL20937	30V	51X28AWG	11/0.1	11.9	199.59	223 Ω/km
ANM11.016.52.028AB	UL20937	30V	52X28AWG	11/0.1	11.9	200.19	223 Ω/km
ANM11.016.53.028AB	UL20937	30V	53X28AWG	11/0.1	12.2	209.49	223 Ω/km
ANM11.016.54.028AB	UL20937	30V	54X28AWG	11/0.1	12.2	209.99	223 Ω/km
ANM11.016.55.028AB	UL20937	30V	55X28AWG	11/0.1	12.2	210.59	223 Ω/km
ANM11.016.56.028AB	UL20937	30V	56X28AWG	11/0.1	12.2	211.19	223 Ω/km
ANM11.016.57.028AB	UL20937	30V	57X28AWG	11/0.1	12.5	220.69	223 Ω/km
ANM11.016.58.028AB	UL20937	30V	58X28AWG	11/0.1	12.5	221.19	223 Ω/km
ANM11.016.59.028AB	UL20937	30V	59X28AWG	11/0.1	12.5	221.79	223 Ω/km
ANM11.016.60.028AB	UL20937	30V	60X28AWG	11/0.1	12.5	222.39	223 Ω/km
ANM11.016.61.028AB	UL20937	30V	61X28AWG	11/0.1	12.5	222.99	223 Ω/km
ANM11.016.62.028AB	UL20937	30V	62X28AWG	11/0.1	13	238.89	223 Ω/km
ANM11.016.63.028AB	UL20937	30V	63X28AWG	11/0.1	13	239.39	223 Ω/km
ANM11.016.64.028AB	UL20937	30V	64X28AWG	11/0.1	13	239.99	223 Ω/km
ANM11.016.65.028AB	UL20937	30V	65X28AWG	11/0.1	13	240.59	223 Ω/km
ANM11.016.02.027AB	UL20937	30V	2X27AWG	7/0.14	5	31.41	175 Ω/km
ANM11.016.03.027AB	UL20937	30V	3X27AWG	7/0.14	5.2	34.41	175 Ω/km
ANM11.016.04.027AB	UL20937	30V	4X27AWG	7/0.14	5.5	38.91	175 Ω/km
ANM11.016.05.027AB	UL20937	30V	5X27AWG	7/0.14	5.9	45.11	175 Ω/km
ANM11.016.06.027AB	UL20937	30V	6X27AWG	7/0.14	6.2	50.01	175 Ω/km
ANM11.016.07.027AB	UL20937	30V	7X27AWG	7/0.14	6.2	50.61	175 Ω/km
ANM11.016.08.027AB	UL20937	30V	8X27AWG	7/0.14	6.6	57.31	175 Ω/km
ANM11.016.09.027AB	UL20937	30V	9X27AWG	7/0.14	7.1	66.21	175 Ω/km
ANM11.016.10.027AB	UL20937	30V	10X27AWG	7/0.14	7.4	72.11	175 Ω/km
ANM11.016.11.027AB	UL20937	30V	11X27AWG	7/0.14	7.6	76.31	175 Ω/km
ANM11.016.12.027AB	UL20937	30V	12X27AWG	7/0.14	7.6	77.01	175 Ω/km
ANM11.016.13.027AB	UL20937	30V	13X27AWG	7/0.14	7.9	83.21	175 Ω/km
ANM11.016.14.027AB	UL20937	30V	14X27AWG	7/0.14	7.9	83.81	175 Ω/km
ANM11.016.15.027AB	UL20937	30V	15X27AWG	7/0.14	8.3	92.21	175 Ω/km
ANM11.016.16.027AB	UL20937	30V	16X27AWG	7/0.14	8.3	92.81	175 Ω/km
ANM11.016.17.027AB	UL20937	30V	17X27AWG	7/0.14	8.6	99.51	175 Ω/km
ANM11.016.18.027AB	UL20937	30V	18X27AWG	7/0.14	8.6	100.21	175 Ω/km
ANM11.016.19.027AB	UL20937	30V	19X27AWG	7/0.14	8.6	100.81	175 Ω/km



ANM11.016.20.027AB	UL20937	30V	20X27AWG	7/0.14	8.8	105.71	175 Ω/km
ANM11.016.21.027AB	UL20937	30V	21X27AWG	7/0.14	9	110.61	175 Ω/km
ANM11.016.22.027AB	UL20937	30V	22X27AWG	7/0.14	9.5	122.31	175 Ω/km
ANM11.016.23.027AB	UL20937	30V	23X27AWG	7/0.14	9.8	129.91	175 Ω/km
ANM11.016.24.027AB	UL20937	30V	24X27AWG	7/0.14	9.8	130.51	175 Ω/km
ANM11.016.25.027AB	UL20937	30V	25X27AWG	7/0.14	10	136.01	175 Ω/km
ANM11.016.26.027AB	UL20937	30V	26X27AWG	7/0.14	10	136.61	175 Ω/km
ANM11.016.27.027AB	UL20937	30V	27X27AWG	7/0.14	10	137.21	175 Ω/km
ANM11.016.28.027AB	UL20937	30V	28X27AWG	7/0.14	10.3	145.21	175 Ω/km
ANM11.016.29.027AB	UL20937	30V	29X27AWG	7/0.14	10.3	145.81	175 Ω/km
ANM11.016.30.027AB	UL20937	30V	30X27AWG	7/0.14	10.3	146.41	175 Ω/km
ANM11.016.31.027AB	UL20937	30V	31X27AWG	7/0.14	10.7	157.21	175 Ω/km
ANM11.016.32.027AB	UL20937	30V	32X27AWG	7/0.14	10.7	157.81	175 Ω/km
ANM11.016.33.027AB	UL20937	30V	33X27AWG	7/0.14	10.7	158.51	175 Ω/km
ANM11.016.34.027AB	UL20937	30V	34X27AWG	7/0.14	11	167.01	175 Ω/km
ANM11.016.35.027AB	UL20937	30V	35X27AWG	7/0.14	11	167.51	175 Ω/km
ANM11.016.36.027AB	UL20937	30V	36X27AWG	7/0.14	11	168.21	175 Ω/km
ANM11.016.37.027AB	UL20937	30V	37X27AWG	7/0.14	11	168.91	175 Ω/km
ANM11.016.38.027AB	UL20937	30V	38X27AWG	7/0.14	11.4	180.11	175 Ω/km
ANM11.016.39.027AB	UL20937	30V	39X27AWG	7/0.14	11.4	180.81	175 Ω/km
ANM11.016.40.027AB	UL20937	30V	40X27AWG	7/0.14	11.4	181.41	175 Ω/km
ANM11.016.41.027AB	UL20937	30V	41X27AWG	7/0.14	12.2	204.81	175 Ω/km
ANM11.016.42.027AB	UL20937	30V	42X27AWG	7/0.14	12.2	205.51	175 Ω/km
ANM11.016.43.027AB	UL20937	30V	43X27AWG	7/0.14	12.2	206.11	175 Ω/km
ANM11.016.44.027AB	UL20937	30V	44X27AWG	7/0.14	12.2	206.81	175 Ω/km
ANM11.016.45.027AB	UL20937	30V	45X27AWG	7/0.14	12.4	213.31	175 Ω/km
ANM11.016.46.027AB	UL20937	30V	46X27AWG	7/0.14	12.4	213.91	175 Ω/km
ANM11.016.47.027AB	UL20937	30V	47X27AWG	7/0.14	12.4	214.51	175 Ω/km
ANM11.016.48.027AB	UL20937	30V	48X27AWG	7/0.14	12.4	215.11	175 Ω/km
ANM11.016.49.027AB	UL20937	30V	49X27AWG	7/0.14	12.8	227.91	175 Ω/km
ANM11.016.50.027AB	UL20937	30V	50X27AWG	7/0.14	12.8	228.61	175 Ω/km
ANM11.016.51.027AB	UL20937	30V	51X27AWG	7/0.14	12.8	229.11	175 Ω/km
ANM11.016.52.027AB	UL20937	30V	52X27AWG	7/0.14	12.8	229.81	175 Ω/km
ANM11.016.53.027AB	UL20937	30V	53X27AWG	7/0.14	13.2	243.01	175 Ω/km
ANM11.016.54.027AB	UL20937	30V	54X27AWG	7/0.14	13.2	243.71	175 Ω/km
ANM11.016.55.027AB	UL20937	30V	55X27AWG	7/0.14	13.2	244.31	175 Ω/km
ANM11.016.56.027AB	UL20937	30V	56X27AWG	7/0.14	13.2	244.91	175 Ω/km
ANM11.016.57.027AB	UL20937	30V	57X27AWG	7/0.14	13.5	255.21	175 Ω/km
ANM11.016.58.027AB	UL20937	30V	58X27AWG	7/0.14	13.5	255.91	175 Ω/km
ANM11.016.59.027AB	UL20937	30V	59X27AWG	7/0.14	13.5	256.41	175 Ω/km
ANM11.016.60.027AB	UL20937	30V	60X27AWG	7/0.14	13.5	257.11	175 Ω/km
ANM11.016.61.027AB	UL20937	30V	61X27AWG	7/0.14	13.5	257.61	175 Ω/km



ANM11.016.62.027AB	UL20937	30V	62X27AWG	7/0.14	13.9	271.41	175 Ω/km
ANM11.016.63.027AB	UL20937	30V	63X27AWG	7/0.14	13.9	272.11	175 Ω/km
ANM11.016.64.027AB	UL20937	30V	64X27AWG	7/0.14	13.9	272.71	175 Ω/km
ANM11.016.65.027AB	UL20937	30V	65X27AWG	7/0.14	13.9	273.41	175 Ω/km
ANM11.016.02.026AB	UL20937	30V	2X26AWG	9/0.14	5	31.93	140 Ω/km
ANM11.016.03.026AB	UL20937	30V	3X26AWG	9/0.14	5.2	35.23	140 Ω/km
ANM11.016.04.026AB	UL20937	30V	4X26AWG	9/0.14	5.5	39.93	140 Ω/km
ANM11.016.05.026AB	UL20937	30V	5X26AWG	9/0.14	5.9	46.33	140 Ω/km
ANM11.016.06.026AB	UL20937	30V	6X26AWG	9/0.14	6.2	51.53	140 Ω/km
ANM11.016.07.026AB	UL20937	30V	7X26AWG	9/0.14	6.2	52.33	140 Ω/km
ANM11.016.08.026AB	UL20937	30V	8X26AWG	9/0.14	6.6	59.33	140 Ω/km
ANM11.016.09.026AB	UL20937	30V	9X26AWG	9/0.14	7.1	68.43	140 Ω/km
ANM11.016.10.026AB	UL20937	30V	10X26AWG	9/0.14	7.4	74.53	140 Ω/km
ANM11.016.11.026AB	UL20937	30V	11X26AWG	9/0.14	7.6	79.03	140 Ω/km
ANM11.016.12.026AB	UL20937	30V	12X26AWG	9/0.14	7.6	79.93	140 Ω/km
ANM11.016.13.026AB	UL20937	30V	13X26AWG	9/0.14	7.9	86.33	140 Ω/km
ANM11.016.14.026AB	UL20937	30V	14X26AWG	9/0.14	7.9	87.33	140 Ω/km
ANM11.016.15.026AB	UL20937	30V	15X26AWG	9/0.14	8.3	95.93	140 Ω/km
ANM11.016.16.026AB	UL20937	30V	16X26AWG	9/0.14	8.3	96.83	140 Ω/km
ANM11.016.17.026AB	UL20937	30V	17X26AWG	9/0.14	8.6	103.73	140 Ω/km
ANM11.016.18.026AB	UL20937	30V	18X26AWG	9/0.14	8.6	104.63	140 Ω/km
ANM11.016.19.026AB	UL20937	30V	19X26AWG	9/0.14	8.6	105.53	140 Ω/km
ANM11.016.20.026AB	UL20937	30V	20X26AWG	9/0.14	8.8	110.63	140 Ω/km
ANM11.016.21.026AB	UL20937	30V	21X26AWG	9/0.14	9	115.73	140 Ω/km
ANM11.016.22.026AB	UL20937	30V	22X26AWG	9/0.14	9.5	127.73	140 Ω/km
ANM11.016.23.026AB	UL20937	30V	23X26AWG	9/0.14	9.8	135.53	140 Ω/km
ANM11.016.24.026AB	UL20937	30V	24X26AWG	9/0.14	9.8	136.43	140 Ω/km
ANM11.016.25.026AB	UL20937	30V	25X26AWG	9/0.14	10	142.13	140 Ω/km
ANM11.016.26.026AB	UL20937	30V	26X26AWG	9/0.14	10	142.93	140 Ω/km
ANM11.016.27.026AB	UL20937	30V	27X26AWG	9/0.14	10	143.93	140 Ω/km
ANM11.016.28.026AB	UL20937	30V	28X26AWG	9/0.14	10.3	152.13	140 Ω/km
ANM11.016.29.026AB	UL20937	30V	29X26AWG	9/0.14	10.3	152.93	140 Ω/km
ANM11.016.30.026AB	UL20937	30V	30X26AWG	9/0.14	10.3	153.83	140 Ω/km
ANM11.016.31.026AB	UL20937	30V	31X26AWG	9/0.14	10.7	164.83	140 Ω/km
ANM11.016.32.026AB	UL20937	30V	32X26AWG	9/0.14	10.7	165.73	140 Ω/km
ANM11.016.33.026AB	UL20937	30V	33X26AWG	9/0.14	10.7	166.63	140 Ω/km
ANM11.016.34.026AB	UL20937	30V	34X26AWG	9/0.14	11	175.33	140 Ω/km
ANM11.016.35.026AB	UL20937	30V	35X26AWG	9/0.14	11	176.13	140 Ω/km
ANM11.016.36.026AB	UL20937	30V	36X26AWG	9/0.14	11	177.03	140 Ω/km
ANM11.016.37.026AB	UL20937	30V	37X26AWG	9/0.14	11	177.93	140 Ω/km
ANM11.016.38.026AB	UL20937	30V	38X26AWG	9/0.14	11.4	189.43	140 Ω/km
ANM11.016.39.026AB	UL20937	30V	39X26AWG	9/0.14	11.4	190.33	140 Ω/km



ANM11.016.40.026AB	UL20937	30V	40X26AWG	9/0.14	11.4	191.33	140 Ω/km
ANM11.016.41.026AB	UL20937	30V	41X26AWG	9/0.14	12.2	214.93	140 Ω/km
ANM11.016.42.026AB	UL20937	30V	42X26AWG	9/0.14	12.2	215.83	140 Ω/km
ANM11.016.43.026AB	UL20937	30V	43X26AWG	9/0.14	12.2	216.73	140 Ω/km
ANM11.016.44.026AB	UL20937	30V	44X26AWG	9/0.14	12.2	217.63	140 Ω/km
ANM11.016.45.026AB	UL20937	30V	45X26AWG	9/0.14	12.4	224.33	140 Ω/km
ANM11.016.46.026AB	UL20937	30V	46X26AWG	9/0.14	12.4	225.23	140 Ω/km
ANM11.016.47.026AB	UL20937	30V	47X26AWG	9/0.14	12.4	226.03	140 Ω/km
ANM11.016.48.026AB	UL20937	30V	48X26AWG	9/0.14	12.4	226.93	140 Ω/km
ANM11.016.49.026AB	UL20937	30V	49X26AWG	9/0.14	12.8	239.93	140 Ω/km
ANM11.016.50.026AB	UL20937	30V	50X26AWG	9/0.14	12.8	240.83	140 Ω/km
ANM11.016.51.026AB	UL20937	30V	51X26AWG	9/0.14	12.8	241.63	140 Ω/km
ANM11.016.52.026AB	UL20937	30V	52X26AWG	9/0.14	12.8	242.53	140 Ω/km
ANM11.016.53.026AB	UL20937	30V	53X26AWG	9/0.14	13.2	256.03	140 Ω/km
ANM11.016.54.026AB	UL20937	30V	54X26AWG	9/0.14	13.2	257.03	140 Ω/km
ANM11.016.55.026AB	UL20937	30V	55X26AWG	9/0.14	13.2	257.83	140 Ω/km
ANM11.016.56.026AB	UL20937	30V	56X26AWG	9/0.14	13.2	258.73	140 Ω/km
ANM11.016.57.026AB	UL20937	30V	57X26AWG	9/0.14	13.5	269.23	140 Ω/km
ANM11.016.58.026AB	UL20937	30V	58X26AWG	9/0.14	13.5	270.13	140 Ω/km
ANM11.016.59.026AB	UL20937	30V	59X26AWG	9/0.14	13.5	270.93	140 Ω/km
ANM11.016.60.026AB	UL20937	30V	60X26AWG	9/0.14	13.5	271.83	140 Ω/km
ANM11.016.61.026AB	UL20937	30V	61X26AWG	9/0.14	13.5	272.63	140 Ω/km
ANM11.016.62.026AB	UL20937	30V	62X26AWG	9/0.14	13.9	286.63	140 Ω/km
ANM11.016.63.026AB	UL20937	30V	63X26AWG	9/0.14	13.9	287.53	140 Ω/km
ANM11.016.64.026AB	UL20937	30V	64X26AWG	9/0.14	13.9	288.43	140 Ω/km
ANM11.016.65.026AB	UL20937	30V	65X26AWG	9/0.14	13.9	289.33	140 Ω/km
ANM11.016.02.025AB	UL20937	30V	2X25AWG	11/0.14	5.2	34.67	111 Ω/km
ANM11.016.03.025AB	UL20937	30V	3X25AWG	11/0.14	5.5	39.57	111 Ω/km
ANM11.016.04.025AB	UL20937	30V	4X25AWG	11/0.14	5.8	44.87	111 Ω/km
ANM11.016.05.025AB	UL20937	30V	5X25AWG	11/0.14	6.2	51.57	111 Ω/km
ANM11.016.06.025AB	UL20937	30V	6X25AWG	11/0.14	6.5	57.17	111 Ω/km
ANM11.016.07.025AB	UL20937	30V	7X25AWG	11/0.14	6.5	58.27	111 Ω/km
ANM11.016.08.025AB	UL20937	30V	8X25AWG	11/0.14	6.9	65.87	111 Ω/km
ANM11.016.09.025AB	UL20937	30V	9X25AWG	11/0.14	7.5	77.17	111 Ω/km
ANM11.016.10.025AB	UL20937	30V	10X25AWG	11/0.14	7.8	83.77	111 Ω/km
ANM11.016.11.025AB	UL20937	30V	11X25AWG	11/0.14	8.1	90.67	111 Ω/km
ANM11.016.12.025AB	UL20937	30V	12X25AWG	11/0.14	8.1	91.67	111 Ω/km
ANM11.016.13.025AB	UL20937	30V	13X25AWG	11/0.14	8.4	98.57	111 Ω/km
ANM11.016.14.025AB	UL20937	30V	14X25AWG	11/0.14	8.4	99.67	111 Ω/km
ANM11.016.15.025AB	UL20937	30V	15X25AWG	11/0.14	8.8	109.07	111 Ω/km
ANM11.016.16.025AB	UL20937	30V	16X25AWG	11/0.14	8.8	110.17	111 Ω/km
ANM11.016.17.025AB	UL20937	30V	17X25AWG	11/0.14	9.1	117.57	111 Ω/km



ANM11.016.18.025AB	UL20937	30V	18X25AWG	11/0.14	9.1	118.77	111 Ω/km
ANM11.016.19.025AB	UL20937	30V	19X25AWG	11/0.14	9.1	119.77	111 Ω/km
ANM11.016.20.025AB	UL20937	30V	20X25AWG	11/0.14	9.4	127.47	111 Ω/km
ANM11.016.21.025AB	UL20937	30V	21X25AWG	11/0.14	9.5	130.67	111 Ω/km
ANM11.016.22.025AB	UL20937	30V	22X25AWG	11/0.14	10.1	145.97	111 Ω/km
ANM11.016.23.025AB	UL20937	30V	23X25AWG	11/0.14	10.4	154.47	111 Ω/km
ANM11.016.24.025AB	UL20937	30V	24X25AWG	11/0.14	10.4	155.57	111 Ω/km
ANM11.016.25.025AB	UL20937	30V	25X25AWG	11/0.14	10.7	164.27	111 Ω/km
ANM11.016.26.025AB	UL20937	30V	26X25AWG	11/0.14	10.7	165.27	111 Ω/km
ANM11.016.27.025AB	UL20937	30V	27X25AWG	11/0.14	10.7	166.37	111 Ω/km
ANM11.016.28.025AB	UL20937	30V	28X25AWG	11/0.14	11	175.27	111 Ω/km
ANM11.016.29.025AB	UL20937	30V	29X25AWG	11/0.14	11	176.27	111 Ω/km
ANM11.016.30.025AB	UL20937	30V	30X25AWG	11/0.14	11	177.37	111 Ω/km
ANM11.016.31.025AB	UL20937	30V	31X25AWG	11/0.14	11.4	189.17	111 Ω/km
ANM11.016.32.025AB	UL20937	30V	32X25AWG	11/0.14	11.4	190.27	111 Ω/km
ANM11.016.33.025AB	UL20937	30V	33X25AWG	11/0.14	11.4	191.27	111 Ω/km
ANM11.016.34.025AB	UL20937	30V	34X25AWG	11/0.14	11.7	200.67	111 Ω/km
ANM11.016.35.025AB	UL20937	30V	35X25AWG	11/0.14	11.7	201.67	111 Ω/km
ANM11.016.36.025AB	UL20937	30V	36X25AWG	11/0.14	11.7	202.87	111 Ω/km
ANM11.016.37.025AB	UL20937	30V	37X25AWG	11/0.14	11.7	203.77	111 Ω/km
ANM11.016.38.025AB	UL20937	30V	38X25AWG	11/0.14	12.1	216.37	111 Ω/km
ANM11.016.39.025AB	UL20937	30V	39X25AWG	11/0.14	12.1	217.47	111 Ω/km
ANM11.016.40.025AB	UL20937	30V	40X25AWG	11/0.14	12.1	218.57	111 Ω/km
ANM11.016.41.025AB	UL20937	30V	41X25AWG	11/0.14	13.1	249.87	111 Ω/km
ANM11.016.42.025AB	UL20937	30V	42X25AWG	11/0.14	13.1	250.97	111 Ω/km
ANM11.016.43.025AB	UL20937	30V	43X25AWG	11/0.14	13.1	252.07	111 Ω/km
ANM11.016.44.025AB	UL20937	30V	44X25AWG	11/0.14	13.1	253.17	111 Ω/km
ANM11.016.45.025AB	UL20937	30V	45X25AWG	11/0.14	13.4	263.67	111 Ω/km
ANM11.016.46.025AB	UL20937	30V	46X25AWG	11/0.14	13.4	264.87	111 Ω/km
ANM11.016.47.025AB	UL20937	30V	47X25AWG	11/0.14	13.4	265.87	111 Ω/km
ANM11.016.48.025AB	UL20937	30V	48X25AWG	11/0.14	13.4	266.97	111 Ω/km
ANM11.016.49.025AB	UL20937	30V	49X25AWG	11/0.14	13.7	277.67	111 Ω/km
ANM11.016.50.025AB	UL20937	30V	50X25AWG	11/0.14	13.7	278.87	111 Ω/km
ANM11.016.51.025AB	UL20937	30V	51X25AWG	11/0.14	13.7	279.87	111 Ω/km
ANM11.016.52.025AB	UL20937	30V	52X25AWG	11/0.14	13.7	280.97	111 Ω/km
ANM11.016.53.025AB	UL20937	30V	53X25AWG	11/0.14	14.1	295.47	111 Ω/km
ANM11.016.54.025AB	UL20937	30V	54X25AWG	11/0.14	14.1	296.47	111 Ω/km
ANM11.016.55.025AB	UL20937	30V	55X25AWG	11/0.14	14.1	297.57	111 Ω/km
ANM11.016.56.025AB	UL20937	30V	56X25AWG	11/0.14	14.1	298.67	111 Ω/km
ANM11.016.57.025AB	UL20937	30V	57X25AWG	11/0.14	14.4	309.97	111 Ω/km
ANM11.016.58.025AB	UL20937	30V	58X25AWG	11/0.14	14.4	311.07	111 Ω/km
ANM11.016.59.025AB	UL20937	30V	59X25AWG	11/0.14	14.4	312.07	111 Ω/km



ANM11.016.60.025AB	UL20937	30V	60X25AWG	11/0.14	14.4	313.17	111 Ω/km
ANM11.016.61.025AB	UL20937	30V	61X25AWG	11/0.14	14.4	314.17	111 Ω/km
ANM11.016.62.025AB	UL20937	30V	62X25AWG	11/0.14	14.8	329.37	111 Ω/km
ANM11.016.63.025AB	UL20937	30V	63X25AWG	11/0.14	14.8	330.37	111 Ω/km
ANM11.016.64.025AB	UL20937	30V	64X25AWG	11/0.14	14.8	331.57	111 Ω/km
ANM11.016.65.025AB	UL20937	30V	65X25AWG	11/0.14	14.8	332.57	111 Ω/km
ANM11.016.02.024AB	UL20937	30V	2X24AWG	14/0.14	5.2	35.51	87.6 Ω/km
ANM11.016.03.024AB	UL20937	30V	3X24AWG	14/0.14	5.5	40.91	87.6 Ω/km
ANM11.016.04.024AB	UL20937	30V	4X24AWG	14/0.14	5.8	46.51	87.6 Ω/km
ANM11.016.05.024AB	UL20937	30V	5X24AWG	14/0.14	6.2	53.61	87.6 Ω/km
ANM11.016.06.024AB	UL20937	30V	6X24AWG	14/0.14	6.5	59.71	87.6 Ω/km
ANM11.016.07.024AB	UL20937	30V	7X24AWG	14/0.14	6.5	61.21	87.6 Ω/km
ANM11.016.08.024AB	UL20937	30V	8X24AWG	14/0.14	6.9	69.11	87.6 Ω/km
ANM11.016.09.024AB	UL20937	30V	9X24AWG	14/0.14	7.5	80.91	87.6 Ω/km
ANM11.016.10.024AB	UL20937	30V	10X24AWG	14/0.14	7.8	87.91	87.6 Ω/km
ANM11.016.11.024AB	UL20937	30V	11X24AWG	14/0.14	8.1	95.11	87.6 Ω/km
ANM11.016.12.024AB	UL20937	30V	12X24AWG	14/0.14	8.1	96.61	87.6 Ω/km
ANM11.016.13.024AB	UL20937	30V	13X24AWG	14/0.14	8.4	103.91	87.6 Ω/km
ANM11.016.14.024AB	UL20937	30V	14X24AWG	14/0.14	8.4	105.41	87.6 Ω/km
ANM11.016.15.024AB	UL20937	30V	15X24AWG	14/0.14	8.8	115.21	87.6 Ω/km
ANM11.016.16.024AB	UL20937	30V	16X24AWG	14/0.14	8.8	116.71	87.6 Ω/km
ANM11.016.17.024AB	UL20937	30V	17X24AWG	14/0.14	9.1	124.51	87.6 Ω/km
ANM11.016.18.024AB	UL20937	30V	18X24AWG	14/0.14	9.1	126.11	87.6 Ω/km
ANM11.016.19.024AB	UL20937	30V	19X24AWG	14/0.14	9.1	127.51	87.6 Ω/km
ANM11.016.20.024AB	UL20937	30V	20X24AWG	14/0.14	9.4	135.61	87.6 Ω/km
ANM11.016.21.024AB	UL20937	30V	21X24AWG	14/0.14	9.5	139.31	87.6 Ω/km
ANM11.016.22.024AB	UL20937	30V	22X24AWG	14/0.14	10.1	154.91	87.6 Ω/km
ANM11.016.23.024AB	UL20937	30V	23X24AWG	14/0.14	10.4	163.81	87.6 Ω/km
ANM11.016.24.024AB	UL20937	30V	24X24AWG	14/0.14	10.4	165.41	87.6 Ω/km
ANM11.016.25.024AB	UL20937	30V	25X24AWG	14/0.14	10.7	174.41	87.6 Ω/km
ANM11.016.26.024AB	UL20937	30V	26X24AWG	14/0.14	10.7	175.81	87.6 Ω/km
ANM11.016.27.024AB	UL20937	30V	27X24AWG	14/0.14	10.7	177.41	87.6 Ω/km
ANM11.016.28.024AB	UL20937	30V	28X24AWG	14/0.14	11	186.71	87.6 Ω/km
ANM11.016.29.024AB	UL20937	30V	29X24AWG	14/0.14	11	188.01	87.6 Ω/km
ANM11.016.30.024AB	UL20937	30V	30X24AWG	14/0.14	11	189.61	87.6 Ω/km
ANM11.016.31.024AB	UL20937	30V	31X24AWG	14/0.14	11.4	201.81	87.6 Ω/km
ANM11.016.32.024AB	UL20937	30V	32X24AWG	14/0.14	11.4	203.21	87.6 Ω/km
ANM11.016.33.024AB	UL20937	30V	33X24AWG	14/0.14	11.4	204.71	87.6 Ω/km
ANM11.016.34.024AB	UL20937	30V	34X24AWG	14/0.14	11.7	214.51	87.6 Ω/km
ANM11.016.35.024AB	UL20937	30V	35X24AWG	14/0.14	11.7	215.91	87.6 Ω/km
ANM11.016.36.024AB	UL20937	30V	36X24AWG	14/0.14	11.7	217.51	87.6 Ω/km
ANM11.016.37.024AB	UL20937	30V	37X24AWG	14/0.14	11.7	218.81	87.6 Ω/km



ANM11.016.38.024AB	UL20937	30V	38X24AWG	14/0.14	12.1	231.81	87.6Ω/km
ANM11.016.39.024AB	UL20937	30V	39X24AWG	14/0.14	12.1	233.31	87.6Ω/km
ANM11.016.40.024AB	UL20937	30V	40X24AWG	14/0.14	12.1	234.81	87.6Ω/km
ANM11.016.41.024AB	UL20937	30V	41X24AWG	14/0.14	13.1	266.51	87.6Ω/km
ANM11.016.42.024AB	UL20937	30V	42X24AWG	14/0.14	13.1	268.11	87.6Ω/km
ANM11.016.43.024AB	UL20937	30V	43X24AWG	14/0.14	13.1	269.51	87.6Ω/km
ANM11.016.44.024AB	UL20937	30V	44X24AWG	14/0.14	13.1	271.01	87.6Ω/km
ANM11.016.45.024AB	UL20937	30V	45X24AWG	14/0.14	13.4	282.01	87.6Ω/km
ANM11.016.46.024AB	UL20937	30V	46X24AWG	14/0.14	13.4	283.51	87.6Ω/km
ANM11.016.47.024AB	UL20937	30V	47X24AWG	14/0.14	13.4	284.91	87.6Ω/km
ANM11.016.48.024AB	UL20937	30V	48X24AWG	14/0.14	13.4	286.51	87.6Ω/km
ANM11.016.49.024AB	UL20937	30V	49X24AWG	14/0.14	13.7	297.61	87.6Ω/km
ANM11.016.50.024AB	UL20937	30V	50X24AWG	14/0.14	13.7	299.11	87.6Ω/km
ANM11.016.51.024AB	UL20937	30V	51X24AWG	14/0.14	13.7	300.61	87.6Ω/km
ANM11.016.52.024AB	UL20937	30V	52X24AWG	14/0.14	13.7	302.11	87.6Ω/km
ANM11.016.53.024AB	UL20937	30V	53X24AWG	14/0.14	14.1	317.01	87.6Ω/km
ANM11.016.54.024AB	UL20937	30V	54X24AWG	14/0.14	14.1	318.41	87.6Ω/km
ANM11.016.55.024AB	UL20937	30V	55X24AWG	14/0.14	14.1	319.91	87.6Ω/km
ANM11.016.56.024AB	UL20937	30V	56X24AWG	14/0.14	14.1	321.51	87.6Ω/km
ANM11.016.57.024AB	UL20937	30V	57X24AWG	14/0.14	14.4	333.11	87.6Ω/km
ANM11.016.58.024AB	UL20937	30V	58X24AWG	14/0.14	14.4	334.61	87.6Ω/km
ANM11.016.59.024AB	UL20937	30V	59X24AWG	14/0.14	14.4	336.11	87.6Ω/km
ANM11.016.60.024AB	UL20937	30V	60X24AWG	14/0.14	14.4	337.61	87.6Ω/km
ANM11.016.61.024AB	UL20937	30V	61X24AWG	14/0.14	14.4	338.91	87.6Ω/km
ANM11.016.62.024AB	UL20937	30V	62X24AWG	14/0.14	14.8	354.61	87.6Ω/km
ANM11.016.63.024AB	UL20937	30V	63X24AWG	14/0.14	14.8	356.01	87.6Ω/km
ANM11.016.64.024AB	UL20937	30V	64X24AWG	14/0.14	14.8	357.51	87.6Ω/km
ANM11.016.65.024AB	UL20937	30V	65X24AWG	14/0.14	14.8	359.01	87.6Ω/km
ANM11.016.02.023AB	UL20937	30V	2X23AWG	17/0.14	5.4	38.76	69.2Ω/km
ANM11.016.03.023AB	UL20937	30V	3X23AWG	17/0.14	5.7	44.66	69.2Ω/km
ANM11.016.04.023AB	UL20937	30V	4X23AWG	17/0.14	6	50.56	69.2Ω/km
ANM11.016.05.023AB	UL20937	30V	5X23AWG	17/0.14	6.4	58.46	69.2Ω/km
ANM11.016.06.023AB	UL20937	30V	6X23AWG	17/0.14	6.8	66.56	69.2Ω/km
ANM11.016.07.023AB	UL20937	30V	7X23AWG	17/0.14	6.8	68.46	69.2Ω/km
ANM11.016.08.023AB	UL20937	30V	8X23AWG	17/0.14	7.3	78.66	69.2Ω/km
ANM11.016.09.023AB	UL20937	30V	9X23AWG	17/0.14	7.8	89.56	69.2Ω/km
ANM11.016.10.023AB	UL20937	30V	10X23AWG	17/0.14	8.2	99.06	69.2Ω/km
ANM11.016.11.023AB	UL20937	30V	11X23AWG	17/0.14	8.5	106.96	69.2Ω/km
ANM11.016.12.023AB	UL20937	30V	12X23AWG	17/0.14	8.5	108.76	69.2Ω/km
ANM11.016.13.023AB	UL20937	30V	13X23AWG	17/0.14	8.8	116.86	69.2Ω/km
ANM11.016.14.023AB	UL20937	30V	14X23AWG	17/0.14	8.8	118.66	69.2Ω/km
ANM11.016.15.023AB	UL20937	30V	15X23AWG	17/0.14	9.2	129.06	69.2Ω/km



ANM11.016.16.023AB	UL20937	30V	16X23AWG	17/0.14	9.2	130.76	69.2Ω/km
ANM11.016.17.023AB	UL20937	30V	17X23AWG	17/0.14	9.6	141.76	69.2Ω/km
ANM11.016.18.023AB	UL20937	30V	18X23AWG	17/0.14	9.6	143.56	69.2Ω/km
ANM11.016.19.023AB	UL20937	30V	19X23AWG	17/0.14	9.6	145.36	69.2Ω/km
ANM11.016.20.023AB	UL20937	30V	20X23AWG	17/0.14	9.9	154.26	69.2Ω/km
ANM11.016.21.023AB	UL20937	30V	21X23AWG	17/0.14	10.1	160.86	69.2Ω/km
ANM11.016.22.023AB	UL20937	30V	22X23AWG	17/0.14	10.6	175.16	69.2Ω/km
ANM11.016.23.023AB	UL20937	30V	23X23AWG	17/0.14	11	187.36	69.2Ω/km
ANM11.016.24.023AB	UL20937	30V	24X23AWG	17/0.14	11	189.16	69.2Ω/km
ANM11.016.25.023AB	UL20937	30V	25X23AWG	17/0.14	11.3	199.06	69.2Ω/km
ANM11.016.26.023AB	UL20937	30V	26X23AWG	17/0.14	11.3	200.86	69.2Ω/km
ANM11.016.27.023AB	UL20937	30V	27X23AWG	17/0.14	11.3	202.66	69.2Ω/km
ANM11.016.28.023AB	UL20937	30V	28X23AWG	17/0.14	11.6	212.76	69.2Ω/km
ANM11.016.29.023AB	UL20937	30V	29X23AWG	17/0.14	11.6	214.56	69.2Ω/km
ANM11.016.30.023AB	UL20937	30V	30X23AWG	17/0.14	11.6	216.46	69.2Ω/km
ANM11.016.31.023AB	UL20937	30V	31X23AWG	17/0.14	12	229.46	69.2Ω/km
ANM11.016.32.023AB	UL20937	30V	32X23AWG	17/0.14	12	231.36	69.2Ω/km
ANM11.016.33.023AB	UL20937	30V	33X23AWG	17/0.14	12	233.16	69.2Ω/km
ANM11.016.34.023AB	UL20937	30V	34X23AWG	17/0.14	12.4	246.66	69.2Ω/km
ANM11.016.35.023AB	UL20937	30V	35X23AWG	17/0.14	12.4	248.56	69.2Ω/km
ANM11.016.36.023AB	UL20937	30V	36X23AWG	17/0.14	12.4	250.36	69.2Ω/km
ANM11.016.37.023AB	UL20937	30V	37X23AWG	17/0.14	12.4	252.26	69.2Ω/km
ANM11.016.38.023AB	UL20937	30V	38X23AWG	17/0.14	13	272.36	69.2Ω/km
ANM11.016.39.023AB	UL20937	30V	39X23AWG	17/0.14	13	274.16	69.2Ω/km
ANM11.016.40.023AB	UL20937	30V	40X23AWG	17/0.14	13	275.96	69.2Ω/km
ANM11.016.41.023AB	UL20937	30V	41X23AWG	17/0.14	13.9	306.86	69.2Ω/km
ANM11.016.42.023AB	UL20937	30V	42X23AWG	17/0.14	13.9	308.76	69.2Ω/km
ANM11.016.43.023AB	UL20937	30V	43X23AWG	17/0.14	13.9	310.56	69.2Ω/km
ANM11.016.44.023AB	UL20937	30V	44X23AWG	17/0.14	13.9	312.46	69.2Ω/km
ANM11.016.45.023AB	UL20937	30V	45X23AWG	17/0.14	14.2	324.46	69.2Ω/km
ANM11.016.46.023AB	UL20937	30V	46X23AWG	17/0.14	14.2	326.16	69.2Ω/km
ANM11.016.47.023AB	UL20937	30V	47X23AWG	17/0.14	14.2	328.06	69.2Ω/km
ANM11.016.48.023AB	UL20937	30V	48X23AWG	17/0.14	14.2	329.86	69.2Ω/km
ANM11.016.49.023AB	UL20937	30V	49X23AWG	17/0.14	14.5	342.16	69.2Ω/km
ANM11.016.50.023AB	UL20937	30V	50X23AWG	17/0.14	14.5	343.86	69.2Ω/km
ANM11.016.51.023AB	UL20937	30V	51X23AWG	17/0.14	14.5	345.66	69.2Ω/km
ANM11.016.52.023AB	UL20937	30V	52X23AWG	17/0.14	14.5	347.56	69.2Ω/km
ANM11.016.53.023AB	UL20937	30V	53X23AWG	17/0.14	14.9	363.46	69.2Ω/km
ANM11.016.54.023AB	UL20937	30V	54X23AWG	17/0.14	14.9	365.26	69.2Ω/km
ANM11.016.55.023AB	UL20937	30V	55X23AWG	17/0.14	14.9	367.06	69.2Ω/km
ANM11.016.56.023AB	UL20937	30V	56X23AWG	17/0.14	14.9	368.86	69.2Ω/km
ANM11.016.57.023AB	UL20937	30V	57X23AWG	17/0.14	15.3	385.26	69.2Ω/km



ANM11.016.58.023AB	UL20937	30V	58X23AWG	17/0.14	15.3	387.06	69.2 Ω/km
ANM11.016.59.023AB	UL20937	30V	59X23AWG	17/0.14	15.3	388.96	69.2 Ω/km
ANM11.016.60.023AB	UL20937	30V	60X23AWG	17/0.14	15.3	390.76	69.2 Ω/km
ANM11.016.61.023AB	UL20937	30V	61X23AWG	17/0.14	15.3	392.56	69.2 Ω/km
ANM11.016.62.023AB	UL20937	30V	62X23AWG	17/0.14	15.8	413.16	69.2 Ω/km
ANM11.016.63.023AB	UL20937	30V	63X23AWG	17/0.14	15.8	414.96	69.2 Ω/km
ANM11.016.64.023AB	UL20937	30V	64X23AWG	17/0.14	15.8	416.76	69.2 Ω/km
ANM11.016.65.023AB	UL20937	30V	65X23AWG	17/0.14	15.8	418.56	69.2 Ω/km
ANM11.016.02.022AB	UL20937	30V	2X22AWG	22/0.14	5.6	42.53	55.4 Ω/km
ANM11.016.03.022AB	UL20937	30V	3X22AWG	22/0.14	5.9	48.83	55.4 Ω/km
ANM11.016.04.022AB	UL20937	30V	4X22AWG	22/0.14	6.3	56.93	55.4 Ω/km
ANM11.016.05.022AB	UL20937	30V	5X22AWG	22/0.14	6.7	65.33	55.4 Ω/km
ANM11.016.06.022AB	UL20937	30V	6X22AWG	22/0.14	7.1	74.23	55.4 Ω/km
ANM11.016.07.022AB	UL20937	30V	7X22AWG	22/0.14	7.1	76.43	55.4 Ω/km
ANM11.016.08.022AB	UL20937	30V	8X22AWG	22/0.14	7.6	87.53	55.4 Ω/km
ANM11.016.09.022AB	UL20937	30V	9X22AWG	22/0.14	8.2	101.13	55.4 Ω/km
ANM11.016.10.022AB	UL20937	30V	10X22AWG	22/0.14	8.6	111.43	55.4 Ω/km
ANM11.016.11.022AB	UL20937	30V	11X22AWG	22/0.14	8.9	120.03	55.4 Ω/km
ANM11.016.12.022AB	UL20937	30V	12X22AWG	22/0.14	8.9	122.23	55.4 Ω/km
ANM11.016.13.022AB	UL20937	30V	13X22AWG	22/0.14	9.3	133.33	55.4 Ω/km
ANM11.016.14.022AB	UL20937	30V	14X22AWG	22/0.14	9.3	135.43	55.4 Ω/km
ANM11.016.15.022AB	UL20937	30V	15X22AWG	22/0.14	9.7	147.03	55.4 Ω/km
ANM11.016.16.022AB	UL20937	30V	16X22AWG	22/0.14	9.7	149.33	55.4 Ω/km
ANM11.016.17.022AB	UL20937	30V	17X22AWG	22/0.14	10.1	160.93	55.4 Ω/km
ANM11.016.18.022AB	UL20937	30V	18X22AWG	22/0.14	10.1	163.23	55.4 Ω/km
ANM11.016.19.022AB	UL20937	30V	19X22AWG	22/0.14	10.1	165.43	55.4 Ω/km
ANM11.016.20.022AB	UL20937	30V	20X22AWG	22/0.14	10.4	175.13	55.4 Ω/km
ANM11.016.21.022AB	UL20937	30V	21X22AWG	22/0.14	10.6	182.33	55.4 Ω/km
ANM11.016.22.022AB	UL20937	30V	22X22AWG	22/0.14	11.2	200.33	55.4 Ω/km
ANM11.016.23.022AB	UL20937	30V	23X22AWG	22/0.14	11.6	213.63	55.4 Ω/km
ANM11.016.24.022AB	UL20937	30V	24X22AWG	22/0.14	11.6	215.83	55.4 Ω/km
ANM11.016.25.022AB	UL20937	30V	25X22AWG	22/0.14	11.9	226.63	55.4 Ω/km
ANM11.016.26.022AB	UL20937	30V	26X22AWG	22/0.14	11.9	228.83	55.4 Ω/km
ANM11.016.27.022AB	UL20937	30V	27X22AWG	22/0.14	11.9	231.03	55.4 Ω/km
ANM11.016.28.022AB	UL20937	30V	28X22AWG	22/0.14	12.3	244.93	55.4 Ω/km
ANM11.016.29.022AB	UL20937	30V	29X22AWG	22/0.14	12.3	247.23	55.4 Ω/km
ANM11.016.30.022AB	UL20937	30V	30X22AWG	22/0.14	12.3	249.53	55.4 Ω/km
ANM11.016.31.022AB	UL20937	30V	31X22AWG	22/0.14	12.8	266.83	55.4 Ω/km
ANM11.016.32.022AB	UL20937	30V	32X22AWG	22/0.14	12.8	269.13	55.4 Ω/km
ANM11.016.33.022AB	UL20937	30V	33X22AWG	22/0.14	12.8	271.33	55.4 Ω/km
ANM11.016.34.022AB	UL20937	30V	34X22AWG	22/0.14	13.2	286.13	55.4 Ω/km
ANM11.016.35.022AB	UL20937	30V	35X22AWG	22/0.14	13.2	288.33	55.4 Ω/km



ANM11.016.36.022AB	UL20937	30V	36X22AWG	22/0.14	13.2	290.63	55.4 Ω/km
ANM11.016.37.022AB	UL20937	30V	37X22AWG	22/0.14	13.2	292.73	55.4 Ω/km
ANM11.016.38.022AB	UL20937	30V	38X22AWG	22/0.14	13.7	311.23	55.4 Ω/km
ANM11.016.39.022AB	UL20937	30V	39X22AWG	22/0.14	13.7	313.53	55.4 Ω/km
ANM11.016.40.022AB	UL20937	30V	40X22AWG	22/0.14	13.7	315.63	55.4 Ω/km
ANM11.016.41.022AB	UL20937	30V	41X22AWG	22/0.14	14.7	352.23	55.4 Ω/km
ANM11.016.42.022AB	UL20937	30V	42X22AWG	22/0.14	14.7	354.33	55.4 Ω/km
ANM11.016.43.022AB	UL20937	30V	43X22AWG	22/0.14	14.7	356.63	55.4 Ω/km
ANM11.016.44.022AB	UL20937	30V	44X22AWG	22/0.14	14.7	358.93	55.4 Ω/km
ANM11.016.45.022AB	UL20937	30V	45X22AWG	22/0.14	15	371.93	55.4 Ω/km
ANM11.016.46.022AB	UL20937	30V	46X22AWG	22/0.14	15	374.23	55.4 Ω/km
ANM11.016.47.022AB	UL20937	30V	47X22AWG	22/0.14	15	376.43	55.4 Ω/km
ANM11.016.48.022AB	UL20937	30V	48X22AWG	22/0.14	15	378.63	55.4 Ω/km
ANM11.016.49.022AB	UL20937	30V	49X22AWG	22/0.14	15.4	395.53	55.4 Ω/km
ANM11.016.50.022AB	UL20937	30V	50X22AWG	22/0.14	15.4	397.83	55.4 Ω/km
ANM11.016.51.022AB	UL20937	30V	51X22AWG	22/0.14	15.4	400.03	55.4 Ω/km
ANM11.016.52.022AB	UL20937	30V	52X22AWG	22/0.14	15.4	402.23	55.4 Ω/km
ANM11.016.53.022AB	UL20937	30V	53X22AWG	22/0.14	15.8	419.63	55.4 Ω/km
ANM11.016.54.022AB	UL20937	30V	54X22AWG	22/0.14	15.8	421.83	55.4 Ω/km
ANM11.016.55.022AB	UL20937	30V	55X22AWG	22/0.14	15.8	424.13	55.4 Ω/km
ANM11.016.56.022AB	UL20937	30V	56X22AWG	22/0.14	15.8	426.23	55.4 Ω/km
ANM11.016.57.022AB	UL20937	30V	57X22AWG	22/0.14	16.2	443.93	55.4 Ω/km
ANM11.016.58.022AB	UL20937	30V	58X22AWG	22/0.14	16.2	446.03	55.4 Ω/km
ANM11.016.59.022AB	UL20937	30V	59X22AWG	22/0.14	16.2	448.43	55.4 Ω/km
ANM11.016.60.022AB	UL20937	30V	60X22AWG	22/0.14	16.2	450.63	55.4 Ω/km
ANM11.016.61.022AB	UL20937	30V	61X22AWG	22/0.14	16.2	452.93	55.4 Ω/km
ANM11.016.62.022AB	UL20937	30V	62X22AWG	22/0.14	16.7	475.13	55.4 Ω/km
ANM11.016.63.022AB	UL20937	30V	63X22AWG	22/0.14	16.7	477.23	55.4 Ω/km
ANM11.016.64.022AB	UL20937	30V	64X22AWG	22/0.14	16.7	479.53	55.4 Ω/km
ANM11.016.65.022AB	UL20937	30V	65X22AWG	22/0.14	16.7	481.73	55.4 Ω/km
ANM11.016.02.021AB	UL20937	30V	2X21AWG	27/0.14	5.8	46.42	43.6 Ω/km
ANM11.016.03.021AB	UL20937	30V	3X21AWG	27/0.14	6.1	53.62	43.6 Ω/km
ANM11.016.04.021AB	UL20937	30V	4X21AWG	27/0.14	6.5	62.52	43.6 Ω/km
ANM11.016.05.021AB	UL20937	30V	5X21AWG	27/0.14	7	73.52	43.6 Ω/km
ANM11.016.06.021AB	UL20937	30V	6X21AWG	27/0.14	7.4	83.32	43.6 Ω/km
ANM11.016.07.021AB	UL20937	30V	7X21AWG	27/0.14	7.4	86.22	43.6 Ω/km
ANM11.016.08.021AB	UL20937	30V	8X21AWG	27/0.14	7.9	98.12	43.6 Ω/km
ANM11.016.09.021AB	UL20937	30V	9X21AWG	27/0.14	8.6	114.92	43.6 Ω/km
ANM11.016.10.021AB	UL20937	30V	10X21AWG	27/0.14	9	126.32	43.6 Ω/km
ANM11.016.11.021AB	UL20937	30V	11X21AWG	27/0.14	9.3	135.72	43.6 Ω/km
ANM11.016.12.021AB	UL20937	30V	12X21AWG	27/0.14	9.3	138.62	43.6 Ω/km
ANM11.016.13.021AB	UL20937	30V	13X21AWG	27/0.14	9.7	150.72	43.6 Ω/km



ANM11.016.14.021AB	UL20937	30V	14X21AWG	27/0.14	9.7	153.62	43.6 Ω/km
ANM11.016.15.021AB	UL20937	30V	15X21AWG	27/0.14	10.2	168.32	43.6 Ω/km
ANM11.016.16.021AB	UL20937	30V	16X21AWG	27/0.14	10.2	171.12	43.6 Ω/km
ANM11.016.17.021AB	UL20937	30V	17X21AWG	27/0.14	10.6	184.02	43.6 Ω/km
ANM11.016.18.021AB	UL20937	30V	18X21AWG	27/0.14	10.6	186.92	43.6 Ω/km
ANM11.016.19.021AB	UL20937	30V	19X21AWG	27/0.14	10.6	189.72	43.6 Ω/km
ANM11.016.20.021AB	UL20937	30V	20X21AWG	27/0.14	10.9	200.42	43.6 Ω/km
ANM11.016.21.021AB	UL20937	30V	21X21AWG	27/0.14	11.1	208.62	43.6 Ω/km
ANM11.016.22.021AB	UL20937	30V	22X21AWG	27/0.14	11.8	230.72	43.6 Ω/km
ANM11.016.23.021AB	UL20937	30V	23X21AWG	27/0.14	12.2	245.12	43.6 Ω/km
ANM11.016.24.021AB	UL20937	30V	24X21AWG	27/0.14	12.2	248.02	43.6 Ω/km
ANM11.016.25.021AB	UL20937	30V	25X21AWG	27/0.14	12.5	259.82	43.6 Ω/km
ANM11.016.26.021AB	UL20937	30V	26X21AWG	27/0.14	12.5	262.62	43.6 Ω/km
ANM11.016.27.021AB	UL20937	30V	27X21AWG	27/0.14	12.5	265.52	43.6 Ω/km
ANM11.016.28.021AB	UL20937	30V	28X21AWG	27/0.14	13	283.82	43.6 Ω/km
ANM11.016.29.021AB	UL20937	30V	29X21AWG	27/0.14	13	286.72	43.6 Ω/km
ANM11.016.30.021AB	UL20937	30V	30X21AWG	27/0.14	13	289.52	43.6 Ω/km
ANM11.016.31.021AB	UL20937	30V	31X21AWG	27/0.14	13.5	308.32	43.6 Ω/km
ANM11.016.32.021AB	UL20937	30V	32X21AWG	27/0.14	13.5	311.22	43.6 Ω/km
ANM11.016.33.021AB	UL20937	30V	33X21AWG	27/0.14	13.5	314.02	43.6 Ω/km
ANM11.016.34.021AB	UL20937	30V	34X21AWG	27/0.14	13.9	330.02	43.6 Ω/km
ANM11.016.35.021AB	UL20937	30V	35X21AWG	27/0.14	13.9	332.92	43.6 Ω/km
ANM11.016.36.021AB	UL20937	30V	36X21AWG	27/0.14	13.9	335.82	43.6 Ω/km
ANM11.016.37.021AB	UL20937	30V	37X21AWG	27/0.14	13.9	338.62	43.6 Ω/km
ANM11.016.38.021AB	UL20937	30V	38X21AWG	27/0.14	14.4	358.62	43.6 Ω/km
ANM11.016.39.021AB	UL20937	30V	39X21AWG	27/0.14	14.4	361.52	43.6 Ω/km
ANM11.016.40.021AB	UL20937	30V	40X21AWG	27/0.14	14.4	364.42	43.6 Ω/km
ANM11.016.41.021AB	UL20937	30V	41X21AWG	27/0.14	15.5	406.82	43.6 Ω/km
ANM11.016.42.021AB	UL20937	30V	42X21AWG	27/0.14	15.5	409.72	43.6 Ω/km
ANM11.016.43.021AB	UL20937	30V	43X21AWG	27/0.14	15.5	412.62	43.6 Ω/km
ANM11.016.44.021AB	UL20937	30V	44X21AWG	27/0.14	15.5	415.42	43.6 Ω/km
ANM11.016.45.021AB	UL20937	30V	45X21AWG	27/0.14	15.8	429.72	43.6 Ω/km
ANM11.016.46.021AB	UL20937	30V	46X21AWG	27/0.14	15.8	432.52	43.6 Ω/km
ANM11.016.47.021AB	UL20937	30V	47X21AWG	27/0.14	15.8	435.42	43.6 Ω/km
ANM11.016.48.021AB	UL20937	30V	48X21AWG	27/0.14	15.8	438.22	43.6 Ω/km
ANM11.016.49.021AB	UL20937	30V	49X21AWG	27/0.14	16.2	456.52	43.6 Ω/km
ANM11.016.50.021AB	UL20937	30V	50X21AWG	27/0.14	16.2	459.42	43.6 Ω/km
ANM11.016.51.021AB	UL20937	30V	51X21AWG	27/0.14	16.2	462.32	43.6 Ω/km
ANM11.016.52.021AB	UL20937	30V	52X21AWG	27/0.14	16.2	465.12	43.6 Ω/km
ANM11.016.53.021AB	UL20937	30V	53X21AWG	27/0.14	16.7	487.92	43.6 Ω/km
ANM11.016.54.021AB	UL20937	30V	54X21AWG	27/0.14	16.7	490.72	43.6 Ω/km
ANM11.016.55.021AB	UL20937	30V	55X21AWG	27/0.14	16.7	493.52	43.6 Ω/km



ANM11.016.56.021AB	UL20937	30V	56X21AWG	27/0.14	16.7	496.42	43.6Ω/km
ANM11.016.57.021AB	UL20937	30V	57X21AWG	27/0.14	17.1	515.52	43.6Ω/km
ANM11.016.58.021AB	UL20937	30V	58X21AWG	27/0.14	17.1	518.42	43.6Ω/km
ANM11.016.59.021AB	UL20937	30V	59X21AWG	27/0.14	17.1	521.22	43.6Ω/km
ANM11.016.60.021AB	UL20937	30V	60X21AWG	27/0.14	17.1	524.12	43.6Ω/km
ANM11.016.61.021AB	UL20937	30V	61X21AWG	27/0.14	17.1	526.92	43.6Ω/km
ANM11.016.62.021AB	UL20937	30V	62X21AWG	27/0.14	17.6	550.82	43.6Ω/km
ANM11.016.63.021AB	UL20937	30V	63X21AWG	27/0.14	17.6	553.62	43.6Ω/km
ANM11.016.64.021AB	UL20937	30V	64X21AWG	27/0.14	17.6	556.52	43.6Ω/km
ANM11.016.65.021AB	UL20937	30V	65X21AWG	27/0.14	17.6	559.42	43.6Ω/km
ANM11.016.02.020AB	UL20937	30V	2X20AWG	34/0.14	6	50.82	34.6Ω/km
ANM11.016.03.020AB	UL20937	30V	3X20AWG	34/0.14	6.3	59.02	34.6Ω/km
ANM11.016.04.020AB	UL20937	30V	4X20AWG	34/0.14	6.8	70.52	34.6Ω/km
ANM11.016.05.020AB	UL20937	30V	5X20AWG	34/0.14	7.2	80.82	34.6Ω/km
ANM11.016.06.020AB	UL20937	30V	6X20AWG	34/0.14	7.7	93.52	34.6Ω/km
ANM11.016.07.020AB	UL20937	30V	7X20AWG	34/0.14	7.7	97.12	34.6Ω/km
ANM11.016.08.020AB	UL20937	30V	8X20AWG	34/0.14	8.3	112.32	34.6Ω/km
ANM11.016.09.020AB	UL20937	30V	9X20AWG	34/0.14	8.9	128.32	34.6Ω/km
ANM11.016.10.020AB	UL20937	30V	10X20AWG	34/0.14	9.4	143.02	34.6Ω/km
ANM11.016.11.020AB	UL20937	30V	11X20AWG	34/0.14	9.7	153.62	34.6Ω/km
ANM11.016.12.020AB	UL20937	30V	12X20AWG	34/0.14	9.7	157.22	34.6Ω/km
ANM11.016.13.020AB	UL20937	30V	13X20AWG	34/0.14	10.2	172.82	34.6Ω/km
ANM11.016.14.020AB	UL20937	30V	14X20AWG	34/0.14	10.2	176.42	34.6Ω/km
ANM11.016.15.020AB	UL20937	30V	15X20AWG	34/0.14	10.6	190.02	34.6Ω/km
ANM11.016.16.020AB	UL20937	30V	16X20AWG	34/0.14	10.6	193.72	34.6Ω/km
ANM11.016.17.020AB	UL20937	30V	17X20AWG	34/0.14	11.1	210.42	34.6Ω/km
ANM11.016.18.020AB	UL20937	30V	18X20AWG	34/0.14	11.1	214.02	34.6Ω/km
ANM11.016.19.020AB	UL20937	30V	19X20AWG	34/0.14	11.1	217.72	34.6Ω/km
ANM11.016.20.020AB	UL20937	30V	20X20AWG	34/0.14	11.4	229.42	34.6Ω/km
ANM11.016.21.020AB	UL20937	30V	21X20AWG	34/0.14	11.7	241.52	34.6Ω/km
ANM11.016.22.020AB	UL20937	30V	22X20AWG	34/0.14	12.3	262.52	34.6Ω/km
ANM11.016.23.020AB	UL20937	30V	23X20AWG	34/0.14	12.9	284.32	34.6Ω/km
ANM11.016.24.020AB	UL20937	30V	24X20AWG	34/0.14	12.9	288.02	34.6Ω/km
ANM11.016.25.020AB	UL20937	30V	25X20AWG	34/0.14	13.2	301.02	34.6Ω/km
ANM11.016.26.020AB	UL20937	30V	26X20AWG	34/0.14	13.2	304.72	34.6Ω/km
ANM11.016.27.020AB	UL20937	30V	27X20AWG	34/0.14	13.2	308.22	34.6Ω/km
ANM11.016.28.020AB	UL20937	30V	28X20AWG	34/0.14	13.7	328.02	34.6Ω/km
ANM11.016.29.020AB	UL20937	30V	29X20AWG	34/0.14	13.7	331.72	34.6Ω/km
ANM11.016.30.020AB	UL20937	30V	30X20AWG	34/0.14	13.7	335.32	34.6Ω/km
ANM11.016.31.020AB	UL20937	30V	31X20AWG	34/0.14	14.1	352.42	34.6Ω/km
ANM11.016.32.020AB	UL20937	30V	32X20AWG	34/0.14	14.1	356.12	34.6Ω/km
ANM11.016.33.020AB	UL20937	30V	33X20AWG	34/0.14	14.1	359.72	34.6Ω/km



ANM11.016.34.020AB	UL20937	30V	34X20AWG	34/0.14	14.6	380.62	34.6 Ω/km
ANM11.016.35.020AB	UL20937	30V	35X20AWG	34/0.14	14.6	384.22	34.6 Ω/km
ANM11.016.36.020AB	UL20937	30V	36X20AWG	34/0.14	14.6	387.82	34.6 Ω/km
ANM11.016.37.020AB	UL20937	30V	37X20AWG	34/0.14	14.6	391.52	34.6 Ω/km
ANM11.016.38.020AB	UL20937	30V	38X20AWG	34/0.14	15.2	416.72	34.6 Ω/km
ANM11.016.39.020AB	UL20937	30V	39X20AWG	34/0.14	15.2	420.42	34.6 Ω/km
ANM11.016.40.020AB	UL20937	30V	40X20AWG	34/0.14	15.2	424.02	34.6 Ω/km
ANM11.016.41.020AB	UL20937	30V	41X20AWG	34/0.14	16.3	469.42	34.6 Ω/km
ANM11.016.42.020AB	UL20937	30V	42X20AWG	34/0.14	16.3	473.12	34.6 Ω/km
ANM11.016.43.020AB	UL20937	30V	43X20AWG	34/0.14	16.3	476.72	34.6 Ω/km
ANM11.016.44.020AB	UL20937	30V	44X20AWG	34/0.14	16.3	480.32	34.6 Ω/km
ANM11.016.45.020AB	UL20937	30V	45X20AWG	34/0.14	16.6	495.92	34.6 Ω/km
ANM11.016.46.020AB	UL20937	30V	46X20AWG	34/0.14	16.6	499.52	34.6 Ω/km
ANM11.016.47.020AB	UL20937	30V	47X20AWG	34/0.14	16.6	503.22	34.6 Ω/km
ANM11.016.48.020AB	UL20937	30V	48X20AWG	34/0.14	16.6	506.92	34.6 Ω/km
ANM11.016.49.020AB	UL20937	30V	49X20AWG	34/0.14	17.1	530.72	34.6 Ω/km
ANM11.016.50.020AB	UL20937	30V	50X20AWG	34/0.14	17.1	534.42	34.6 Ω/km
ANM11.016.51.020AB	UL20937	30V	51X20AWG	34/0.14	17.1	538.02	34.6 Ω/km
ANM11.016.52.020AB	UL20937	30V	52X20AWG	34/0.14	17.1	541.72	34.6 Ω/km
ANM11.016.53.020AB	UL20937	30V	53X20AWG	34/0.14	17.5	562.12	34.6 Ω/km
ANM11.016.54.020AB	UL20937	30V	54X20AWG	34/0.14	17.5	565.62	34.6 Ω/km
ANM11.016.55.020AB	UL20937	30V	55X20AWG	34/0.14	17.5	569.32	34.6 Ω/km
ANM11.016.56.020AB	UL20937	30V	56X20AWG	34/0.14	17.5	572.92	34.6 Ω/km
ANM11.016.57.020AB	UL20937	30V	57X20AWG	34/0.14	18	598.02	34.6 Ω/km
ANM11.016.58.020AB	UL20937	30V	58X20AWG	34/0.14	18	601.72	34.6 Ω/km
ANM11.016.59.020AB	UL20937	30V	59X20AWG	34/0.14	18	605.32	34.6 Ω/km
ANM11.016.60.020AB	UL20937	30V	60X20AWG	34/0.14	18	609.02	34.6 Ω/km
ANM11.016.61.020AB	UL20937	30V	61X20AWG	34/0.14	18	612.62	34.6 Ω/km
ANM11.016.62.020AB	UL20937	30V	62X20AWG	34/0.14	18.6	642.72	34.6 Ω/km
ANM11.016.63.020AB	UL20937	30V	63X20AWG	34/0.14	18.6	646.42	34.6 Ω/km
ANM11.016.64.020AB	UL20937	30V	64X20AWG	34/0.14	18.6	650.02	34.6 Ω/km
ANM11.016.65.020AB	UL20937	30V	65X20AWG	34/0.14	18.6	653.72	34.6 Ω/km
ANM11.016.02.019AB	UL20937	30V	2X19AWG	43/0.14	6.2	56.16	27.4 Ω/km
ANM11.016.03.019AB	UL20937	30V	3X19AWG	43/0.14	6.5	65.26	27.4 Ω/km
ANM11.016.04.019AB	UL20937	30V	4X19AWG	43/0.14	7	78.06	27.4 Ω/km
ANM11.016.05.019AB	UL20937	30V	5X19AWG	43/0.14	7.5	91.36	27.4 Ω/km
ANM11.016.06.019AB	UL20937	30V	6X19AWG	43/0.14	8	105.36	27.4 Ω/km
ANM11.016.07.019AB	UL20937	30V	7X19AWG	43/0.14	8	109.86	27.4 Ω/km
ANM11.016.08.019AB	UL20937	30V	8X19AWG	43/0.14	8.6	126.56	27.4 Ω/km
ANM11.016.09.019AB	UL20937	30V	9X19AWG	43/0.14	9.3	146.26	27.4 Ω/km
ANM11.016.10.019AB	UL20937	30V	10X19AWG	43/0.14	9.8	162.36	27.4 Ω/km
ANM11.016.11.019AB	UL20937	30V	11X19AWG	43/0.14	10.1	174.16	27.4 Ω/km



ANM11.016.12.019AB	UL20937	30V	12X19AWG	43/0.14	10.1	178.76	27.4 Ω/km
ANM11.016.13.019AB	UL20937	30V	13X19AWG	43/0.14	10.6	195.86	27.4 Ω/km
ANM11.016.14.019AB	UL20937	30V	14X19AWG	43/0.14	10.6	200.56	27.4 Ω/km
ANM11.016.15.019AB	UL20937	30V	15X19AWG	43/0.14	11.1	218.16	27.4 Ω/km
ANM11.016.16.019AB	UL20937	30V	16X19AWG	43/0.14	11.1	222.86	27.4 Ω/km
ANM11.016.17.019AB	UL20937	30V	17X19AWG	43/0.14	11.6	241.16	27.4 Ω/km
ANM11.016.18.019AB	UL20937	30V	18X19AWG	43/0.14	11.6	245.86	27.4 Ω/km
ANM11.016.19.019AB	UL20937	30V	19X19AWG	43/0.14	11.6	250.46	27.4 Ω/km
ANM11.016.20.019AB	UL20937	30V	20X19AWG	43/0.14	11.9	263.56	27.4 Ω/km
ANM11.016.21.019AB	UL20937	30V	21X19AWG	43/0.14	12.2	276.86	27.4 Ω/km
ANM11.016.22.019AB	UL20937	30V	22X19AWG	43/0.14	13	305.76	27.4 Ω/km
ANM11.016.23.019AB	UL20937	30V	23X19AWG	43/0.14	13.5	326.36	27.4 Ω/km
ANM11.016.24.019AB	UL20937	30V	24X19AWG	43/0.14	13.5	331.16	27.4 Ω/km
ANM11.016.25.019AB	UL20937	30V	25X19AWG	43/0.14	13.8	345.66	27.4 Ω/km
ANM11.016.26.019AB	UL20937	30V	26X19AWG	43/0.14	13.8	350.26	27.4 Ω/km
ANM11.016.27.019AB	UL20937	30V	27X19AWG	43/0.14	13.8	354.86	27.4 Ω/km
ANM11.016.28.019AB	UL20937	30V	28X19AWG	43/0.14	14.3	376.46	27.4 Ω/km
ANM11.016.29.019AB	UL20937	30V	29X19AWG	43/0.14	14.3	381.06	27.4 Ω/km
ANM11.016.30.019AB	UL20937	30V	30X19AWG	43/0.14	14.3	385.76	27.4 Ω/km
ANM11.016.31.019AB	UL20937	30V	31X19AWG	43/0.14	14.8	407.86	27.4 Ω/km
ANM11.016.32.019AB	UL20937	30V	32X19AWG	43/0.14	14.8	412.56	27.4 Ω/km
ANM11.016.33.019AB	UL20937	30V	33X19AWG	43/0.14	14.8	417.16	27.4 Ω/km
ANM11.016.34.019AB	UL20937	30V	34X19AWG	43/0.14	15.3	439.96	27.4 Ω/km
ANM11.016.35.019AB	UL20937	30V	35X19AWG	43/0.14	15.3	444.56	27.4 Ω/km
ANM11.016.36.019AB	UL20937	30V	36X19AWG	43/0.14	15.3	449.16	27.4 Ω/km
ANM11.016.37.019AB	UL20937	30V	37X19AWG	43/0.14	15.3	453.76	27.4 Ω/km
ANM11.016.38.019AB	UL20937	30V	38X19AWG	43/0.14	15.9	481.06	27.4 Ω/km
ANM11.016.39.019AB	UL20937	30V	39X19AWG	43/0.14	15.9	485.56	27.4 Ω/km
ANM11.016.40.019AB	UL20937	30V	40X19AWG	43/0.14	15.9	490.26	27.4 Ω/km
ANM11.016.41.019AB	UL20937	30V	41X19AWG	43/0.14	17.1	542.56	27.4 Ω/km
ANM11.016.42.019AB	UL20937	30V	42X19AWG	43/0.14	17.1	547.26	27.4 Ω/km
ANM11.016.43.019AB	UL20937	30V	43X19AWG	43/0.14	17.1	551.86	27.4 Ω/km
ANM11.016.44.019AB	UL20937	30V	44X19AWG	43/0.14	17.1	556.56	27.4 Ω/km
ANM11.016.45.019AB	UL20937	30V	45X19AWG	43/0.14	17.4	573.56	27.4 Ω/km
ANM11.016.46.019AB	UL20937	30V	46X19AWG	43/0.14	17.4	578.26	27.4 Ω/km
ANM11.016.47.019AB	UL20937	30V	47X19AWG	43/0.14	17.4	582.96	27.4 Ω/km
ANM11.016.48.019AB	UL20937	30V	48X19AWG	43/0.14	17.4	587.66	27.4 Ω/km
ANM11.016.49.019AB	UL20937	30V	49X19AWG	43/0.14	17.9	613.56	27.4 Ω/km
ANM11.016.50.019AB	UL20937	30V	50X19AWG	43/0.14	17.9	618.26	27.4 Ω/km
ANM11.016.51.019AB	UL20937	30V	51X19AWG	43/0.14	17.9	622.86	27.4 Ω/km
ANM11.016.52.019AB	UL20937	30V	52X19AWG	43/0.14	17.9	627.56	27.4 Ω/km
ANM11.016.53.019AB	UL20937	30V	53X19AWG	43/0.14	18.4	654.06	27.4 Ω/km



ANM11.016.54.019AB	UL20937	30V	54X19AWG	43/0.14	18.4	658.66	27.4 Ω/km
ANM11.016.55.019AB	UL20937	30V	55X19AWG	43/0.14	18.4	663.36	27.4 Ω/km
ANM11.016.56.019AB	UL20937	30V	56X19AWG	43/0.14	18.4	667.86	27.4 Ω/km
ANM11.016.57.019AB	UL20937	30V	57X19AWG	43/0.14	18.9	695.16	27.4 Ω/km
ANM11.016.58.019AB	UL20937	30V	58X19AWG	43/0.14	18.9	699.66	27.4 Ω/km
ANM11.016.59.019AB	UL20937	30V	59X19AWG	43/0.14	18.9	704.36	27.4 Ω/km
ANM11.016.60.019AB	UL20937	30V	60X19AWG	43/0.14	18.9	708.96	27.4 Ω/km
ANM11.016.61.019AB	UL20937	30V	61X19AWG	43/0.14	18.9	713.66	27.4 Ω/km
ANM11.016.62.019AB	UL20937	30V	62X19AWG	43/0.14	20.5	793.46	27.4 Ω/km
ANM11.016.63.019AB	UL20937	30V	63X19AWG	43/0.14	20.5	798.06	27.4 Ω/km
ANM11.016.64.019AB	UL20937	30V	64X19AWG	43/0.14	20.5	802.66	27.4 Ω/km
ANM11.016.65.019AB	UL20937	30V	65X19AWG	43/0.14	20.5	807.36	27.4 Ω/km
ANM11.016.02.018AB	UL20937	30V	2X18AWG	29/0.19	6.4	61.93	21.8 Ω/km
ANM11.016.03.018AB	UL20937	30V	3X18AWG	29/0.19	6.7	72.53	21.8 Ω/km
ANM11.016.04.018AB	UL20937	30V	4X18AWG	29/0.19	7.2	86.93	21.8 Ω/km
ANM11.016.05.018AB	UL20937	30V	5X18AWG	29/0.19	7.8	103.73	21.8 Ω/km
ANM11.016.06.018AB	UL20937	30V	6X18AWG	29/0.19	8.3	119.33	21.8 Ω/km
ANM11.016.07.018AB	UL20937	30V	7X18AWG	29/0.19	8.3	125.23	21.8 Ω/km
ANM11.016.08.018AB	UL20937	30V	8X18AWG	29/0.19	8.9	143.63	21.8 Ω/km
ANM11.016.09.018AB	UL20937	30V	9X18AWG	29/0.19	9.7	167.53	21.8 Ω/km
ANM11.016.10.018AB	UL20937	30V	10X18AWG	29/0.19	10.2	185.53	21.8 Ω/km
ANM11.016.11.018AB	UL20937	30V	11X18AWG	29/0.19	10.5	198.93	21.8 Ω/km
ANM11.016.12.018AB	UL20937	30V	12X18AWG	29/0.19	10.5	204.83	21.8 Ω/km
ANM11.016.13.018AB	UL20937	30V	13X18AWG	29/0.19	11	223.83	21.8 Ω/km
ANM11.016.14.018AB	UL20937	30V	14X18AWG	29/0.19	11	229.73	21.8 Ω/km
ANM11.016.15.018AB	UL20937	30V	15X18AWG	29/0.19	11.6	252.03	21.8 Ω/km
ANM11.016.16.018AB	UL20937	30V	16X18AWG	29/0.19	11.6	258.13	21.8 Ω/km
ANM11.016.17.018AB	UL20937	30V	17X18AWG	29/0.19	12.1	278.13	21.8 Ω/km
ANM11.016.18.018AB	UL20937	30V	18X18AWG	29/0.19	12.1	284.23	21.8 Ω/km
ANM11.016.19.018AB	UL20937	30V	19X18AWG	29/0.19	12.1	290.23	21.8 Ω/km
ANM11.016.20.018AB	UL20937	30V	20X18AWG	29/0.19	12.4	305.03	21.8 Ω/km
ANM11.016.21.018AB	UL20937	30V	21X18AWG	29/0.19	12.8	323.13	21.8 Ω/km
ANM11.016.22.018AB	UL20937	30V	22X18AWG	29/0.19	13.6	354.53	21.8 Ω/km
ANM11.016.23.018AB	UL20937	30V	23X18AWG	29/0.19	14.1	377.23	21.8 Ω/km
ANM11.016.24.018AB	UL20937	30V	24X18AWG	29/0.19	14.1	383.13	21.8 Ω/km
ANM11.016.25.018AB	UL20937	30V	25X18AWG	29/0.19	14.4	399.53	21.8 Ω/km
ANM11.016.26.018AB	UL20937	30V	26X18AWG	29/0.19	14.4	405.43	21.8 Ω/km
ANM11.016.27.018AB	UL20937	30V	27X18AWG	29/0.19	14.4	411.33	21.8 Ω/km
ANM11.016.28.018AB	UL20937	30V	28X18AWG	29/0.19	14.9	434.93	21.8 Ω/km
ANM11.016.29.018AB	UL20937	30V	29X18AWG	29/0.19	14.9	440.93	21.8 Ω/km
ANM11.016.30.018AB	UL20937	30V	30X18AWG	29/0.19	14.9	446.93	21.8 Ω/km
ANM11.016.31.018AB	UL20937	30V	31X18AWG	29/0.19	15.5	474.83	21.8 Ω/km



ANM11.016.32.018AB	UL20937	30V	32X18AWG	29/0.19	15.5	480.83	21.8Ω/km
ANM11.016.33.018AB	UL20937	30V	33X18AWG	29/0.19	15.5	486.83	21.8Ω/km
ANM11.016.34.018AB	UL20937	30V	34X18AWG	29/0.19	16	511.73	21.8Ω/km
ANM11.016.35.018AB	UL20937	30V	35X18AWG	29/0.19	16	517.73	21.8Ω/km
ANM11.016.36.018AB	UL20937	30V	36X18AWG	29/0.19	16	523.83	21.8Ω/km
ANM11.016.37.018AB	UL20937	30V	37X18AWG	29/0.19	16	529.63	21.8Ω/km
ANM11.016.38.018AB	UL20937	30V	38X18AWG	29/0.19	16.6	559.23	21.8Ω/km
ANM11.016.39.018AB	UL20937	30V	39X18AWG	29/0.19	16.6	565.23	21.8Ω/km
ANM11.016.40.018AB	UL20937	30V	40X18AWG	29/0.19	16.6	571.23	21.8Ω/km
ANM11.016.41.018AB	UL20937	30V	41X18AWG	29/0.19	17.9	631.23	21.8Ω/km
ANM11.016.42.018AB	UL20937	30V	42X18AWG	29/0.19	17.9	637.13	21.8Ω/km
ANM11.016.43.018AB	UL20937	30V	43X18AWG	29/0.19	17.9	643.23	21.8Ω/km
ANM11.016.44.018AB	UL20937	30V	44X18AWG	29/0.19	17.9	649.13	21.8Ω/km
ANM11.016.45.018AB	UL20937	30V	45X18AWG	29/0.19	18.2	668.13	21.8Ω/km
ANM11.016.46.018AB	UL20937	30V	46X18AWG	29/0.19	18.2	674.13	21.8Ω/km
ANM11.016.47.018AB	UL20937	30V	47X18AWG	29/0.19	18.2	680.13	21.8Ω/km
ANM11.016.48.018AB	UL20937	30V	48X18AWG	29/0.19	18.2	686.03	21.8Ω/km
ANM11.016.49.018AB	UL20937	30V	49X18AWG	29/0.19	18.7	714.33	21.8Ω/km
ANM11.016.50.018AB	UL20937	30V	50X18AWG	29/0.19	18.7	720.33	21.8Ω/km
ANM11.016.51.018AB	UL20937	30V	51X18AWG	29/0.19	18.7	726.13	21.8Ω/km
ANM11.016.52.018AB	UL20937	30V	52X18AWG	29/0.19	18.7	732.23	21.8Ω/km
ANM11.016.53.018AB	UL20937	30V	53X18AWG	29/0.19	19.3	765.73	21.8Ω/km
ANM11.016.54.018AB	UL20937	30V	54X18AWG	29/0.19	19.3	771.53	21.8Ω/km
ANM11.016.55.018AB	UL20937	30V	55X18AWG	29/0.19	19.3	777.63	21.8Ω/km
ANM11.016.56.018AB	UL20937	30V	56X18AWG	29/0.19	19.3	783.53	21.8Ω/km
ANM11.016.57.018AB	UL20937	30V	57X18AWG	29/0.19	20.8	861.23	21.8Ω/km
ANM11.016.58.018AB	UL20937	30V	58X18AWG	29/0.19	20.8	867.23	21.8Ω/km
ANM11.016.59.018AB	UL20937	30V	59X18AWG	29/0.19	20.8	873.13	21.8Ω/km
ANM11.016.60.018AB	UL20937	30V	60X18AWG	29/0.19	20.8	879.23	21.8Ω/km
ANM11.016.61.018AB	UL20937	30V	61X18AWG	29/0.19	20.8	885.13	21.8Ω/km
ANM11.016.62.018AB	UL20937	30V	62X18AWG	29/0.19	21.4	921.53	21.8Ω/km
ANM11.016.63.018AB	UL20937	30V	63X18AWG	29/0.19	21.4	927.63	21.8Ω/km
ANM11.016.64.018AB	UL20937	30V	64X18AWG	29/0.19	21.4	933.53	21.8Ω/km
ANM11.016.65.018AB	UL20937	30V	65X18AWG	29/0.19	21.4	939.43	21.8Ω/km
ANM11.016.02.017AB	UL20937	30V	2X17AWG	37/0.19	6.8	71.34	17.3Ω/km
ANM11.016.03.017AB	UL20937	30V	3X17AWG	37/0.19	7.2	85.44	17.3Ω/km
ANM11.016.04.017AB	UL20937	30V	4X17AWG	37/0.19	7.7	101.74	17.3Ω/km
ANM11.016.05.017AB	UL20937	30V	5X17AWG	37/0.19	8.3	120.64	17.3Ω/km
ANM11.016.06.017AB	UL20937	30V	6X17AWG	37/0.19	8.9	140.34	17.3Ω/km
ANM11.016.07.017AB	UL20937	30V	7X17AWG	37/0.19	8.9	147.74	17.3Ω/km
ANM11.016.08.017AB	UL20937	30V	8X17AWG	37/0.19	9.6	170.74	17.3Ω/km
ANM11.016.09.017AB	UL20937	30V	9X17AWG	37/0.19	10.4	197.54	17.3Ω/km



ANM11.016.10.017AB	UL20937	30V	10X17AWG	37/0.19	11	220.34	17.3Ω/km
ANM11.016.11.017AB	UL20937	30V	11X17AWG	37/0.19	11.4	238.34	17.3Ω/km
ANM11.016.12.017AB	UL20937	30V	12X17AWG	37/0.19	11.4	245.74	17.3Ω/km
ANM11.016.13.017AB	UL20937	30V	13X17AWG	37/0.19	11.9	267.24	17.3Ω/km
ANM11.016.14.017AB	UL20937	30V	14X17AWG	37/0.19	11.9	274.54	17.3Ω/km
ANM11.016.15.017AB	UL20937	30V	15X17AWG	37/0.19	12.5	299.54	17.3Ω/km
ANM11.016.16.017AB	UL20937	30V	16X17AWG	37/0.19	12.5	306.94	17.3Ω/km
ANM11.016.17.017AB	UL20937	30V	17X17AWG	37/0.19	13.2	336.04	17.3Ω/km
ANM11.016.18.017AB	UL20937	30V	18X17AWG	37/0.19	13.2	343.44	17.3Ω/km
ANM11.016.19.017AB	UL20937	30V	19X17AWG	37/0.19	13.2	350.84	17.3Ω/km
ANM11.016.20.017AB	UL20937	30V	20X17AWG	37/0.19	13.6	371.04	17.3Ω/km
ANM11.016.21.017AB	UL20937	30V	21X17AWG	37/0.19	13.9	388.34	17.3Ω/km
ANM11.016.22.017AB	UL20937	30V	22X17AWG	37/0.19	14.7	423.34	17.3Ω/km
ANM11.016.23.017AB	UL20937	30V	23X17AWG	37/0.19	15.3	452.34	17.3Ω/km
ANM11.016.24.017AB	UL20937	30V	24X17AWG	37/0.19	15.3	459.74	17.3Ω/km
ANM11.016.25.017AB	UL20937	30V	25X17AWG	37/0.19	15.7	482.14	17.3Ω/km
ANM11.016.26.017AB	UL20937	30V	26X17AWG	37/0.19	15.7	489.44	17.3Ω/km
ANM11.016.27.017AB	UL20937	30V	27X17AWG	37/0.19	15.7	496.94	17.3Ω/km
ANM11.016.28.017AB	UL20937	30V	28X17AWG	37/0.19	16.2	523.44	17.3Ω/km
ANM11.016.29.017AB	UL20937	30V	29X17AWG	37/0.19	16.2	530.84	17.3Ω/km
ANM11.016.30.017AB	UL20937	30V	30X17AWG	37/0.19	16.2	538.24	17.3Ω/km
ANM11.016.31.017AB	UL20937	30V	31X17AWG	37/0.19	16.8	569.44	17.3Ω/km
ANM11.016.32.017AB	UL20937	30V	32X17AWG	37/0.19	16.8	576.84	17.3Ω/km
ANM11.016.33.017AB	UL20937	30V	33X17AWG	37/0.19	16.8	584.14	17.3Ω/km
ANM11.016.34.017AB	UL20937	30V	34X17AWG	37/0.19	17.4	616.24	17.3Ω/km
ANM11.016.35.017AB	UL20937	30V	35X17AWG	37/0.19	17.4	623.64	17.3Ω/km
ANM11.016.36.017AB	UL20937	30V	36X17AWG	37/0.19	17.4	631.14	17.3Ω/km
ANM11.016.37.017AB	UL20937	30V	37X17AWG	37/0.19	17.4	638.44	17.3Ω/km
ANM11.016.38.017AB	UL20937	30V	38X17AWG	37/0.19	18.1	675.84	17.3Ω/km
ANM11.016.39.017AB	UL20937	30V	39X17AWG	37/0.19	18.1	683.24	17.3Ω/km
ANM11.016.40.017AB	UL20937	30V	40X17AWG	37/0.19	18.1	690.54	17.3Ω/km
ANM11.016.41.017AB	UL20937	30V	41X17AWG	37/0.19	20.5	808.84	17.3Ω/km
ANM11.016.42.017AB	UL20937	30V	42X17AWG	37/0.19	20.5	816.24	17.3Ω/km
ANM11.016.43.017AB	UL20937	30V	43X17AWG	37/0.19	20.5	823.64	17.3Ω/km
ANM11.016.44.017AB	UL20937	30V	44X17AWG	37/0.19	20.5	830.94	17.3Ω/km
ANM11.016.45.017AB	UL20937	30V	45X17AWG	37/0.19	20.9	858.34	17.3Ω/km
ANM11.016.46.017AB	UL20937	30V	46X17AWG	37/0.19	20.9	865.74	17.3Ω/km
ANM11.016.47.017AB	UL20937	30V	47X17AWG	37/0.19	20.9	873.14	17.3Ω/km
ANM11.016.48.017AB	UL20937	30V	48X17AWG	37/0.19	20.9	880.44	17.3Ω/km
ANM11.016.49.017AB	UL20937	30V	49X17AWG	37/0.19	21.4	913.34	17.3Ω/km
ANM11.016.50.017AB	UL20937	30V	50X17AWG	37/0.19	21.4	920.64	17.3Ω/km
ANM11.016.51.017AB	UL20937	30V	51X17AWG	37/0.19	21.4	928.04	17.3Ω/km



ANM11.016.52.017AB	UL20937	30V	52X17AWG	37/0.19	21.4	935.44	17.3 Ω/km
ANM11.016.53.017AB	UL20937	30V	53X17AWG	37/0.19	22	974.24	17.3 Ω/km
ANM11.016.54.017AB	UL20937	30V	54X17AWG	37/0.19	22	981.64	17.3 Ω/km
ANM11.016.55.017AB	UL20937	30V	55X17AWG	37/0.19	22	988.94	17.3 Ω/km
ANM11.016.56.017AB	UL20937	30V	56X17AWG	37/0.19	22	996.34	17.3 Ω/km
ANM11.016.57.017AB	UL20937	30V	57X17AWG	37/0.19	22.6	1036.04	17.3 Ω/km
ANM11.016.58.017AB	UL20937	30V	58X17AWG	37/0.19	22.6	1043.54	17.3 Ω/km
ANM11.016.59.017AB	UL20937	30V	59X17AWG	37/0.19	22.6	1050.84	17.3 Ω/km
ANM11.016.60.017AB	UL20937	30V	60X17AWG	37/0.19	22.6	1058.24	17.3 Ω/km
ANM11.016.61.017AB	UL20937	30V	61X17AWG	37/0.19	22.6	1065.64	17.3 Ω/km
ANM11.016.62.017AB	UL20937	30V	62X17AWG	37/0.19	23.3	1111.74	17.3 Ω/km
ANM11.016.63.017AB	UL20937	30V	63X17AWG	37/0.19	23.3	1119.14	17.3 Ω/km
ANM11.016.64.017AB	UL20937	30V	64X17AWG	37/0.19	23.3	1126.54	17.3 Ω/km
ANM11.016.65.017AB	UL20937	30V	65X17AWG	37/0.19	23.3	1133.84	17.3 Ω/km
ANM11.016.02.016AB	UL20937	30V	2X16AWG	27/0.25	7	79.21	13.7 Ω/km
ANM11.016.03.016AB	UL20937	30V	3X16AWG	27/0.25	7.4	95.71	13.7 Ω/km
ANM11.016.04.016AB	UL20937	30V	4X16AWG	27/0.25	8	116.41	13.7 Ω/km
ANM11.016.05.016AB	UL20937	30V	5X16AWG	27/0.25	8.6	137.91	13.7 Ω/km
ANM11.016.06.016AB	UL20937	30V	6X16AWG	27/0.25	9.2	160.41	13.7 Ω/km
ANM11.016.07.016AB	UL20937	30V	7X16AWG	27/0.25	9.2	169.91	13.7 Ω/km
ANM11.016.08.016AB	UL20937	30V	8X16AWG	27/0.25	9.9	195.61	13.7 Ω/km
ANM11.016.09.016AB	UL20937	30V	9X16AWG	27/0.25	10.8	227.61	13.7 Ω/km
ANM11.016.10.016AB	UL20937	30V	10X16AWG	27/0.25	11.4	253.11	13.7 Ω/km
ANM11.016.11.016AB	UL20937	30V	11X16AWG	27/0.25	11.8	273.91	13.7 Ω/km
ANM11.016.12.016AB	UL20937	30V	12X16AWG	27/0.25	11.8	283.61	13.7 Ω/km
ANM11.016.13.016AB	UL20937	30V	13X16AWG	27/0.25	12.4	310.51	13.7 Ω/km
ANM11.016.14.016AB	UL20937	30V	14X16AWG	27/0.25	12.4	320.11	13.7 Ω/km
ANM11.016.15.016AB	UL20937	30V	15X16AWG	27/0.25	13.1	351.21	13.7 Ω/km
ANM11.016.16.016AB	UL20937	30V	16X16AWG	27/0.25	13.1	360.81	13.7 Ω/km
ANM11.016.17.016AB	UL20937	30V	17X16AWG	27/0.25	13.7	389.71	13.7 Ω/km
ANM11.016.18.016AB	UL20937	30V	18X16AWG	27/0.25	13.7	399.31	13.7 Ω/km
ANM11.016.19.016AB	UL20937	30V	19X16AWG	27/0.25	13.7	408.91	13.7 Ω/km
ANM11.016.20.016AB	UL20937	30V	20X16AWG	27/0.25	14.1	431.81	13.7 Ω/km
ANM11.016.21.016AB	UL20937	30V	21X16AWG	27/0.25	14.4	451.81	13.7 Ω/km
ANM11.016.22.016AB	UL20937	30V	22X16AWG	27/0.25	15.3	493.41	13.7 Ω/km
ANM11.016.23.016AB	UL20937	30V	23X16AWG	27/0.25	15.9	525.61	13.7 Ω/km
ANM11.016.24.016AB	UL20937	30V	24X16AWG	27/0.25	15.9	535.31	13.7 Ω/km
ANM11.016.25.016AB	UL20937	30V	25X16AWG	27/0.25	16.3	560.31	13.7 Ω/km
ANM11.016.26.016AB	UL20937	30V	26X16AWG	27/0.25	16.3	569.91	13.7 Ω/km
ANM11.016.27.016AB	UL20937	30V	27X16AWG	27/0.25	16.3	579.51	13.7 Ω/km
ANM11.016.28.016AB	UL20937	30V	28X16AWG	27/0.25	16.9	613.01	13.7 Ω/km
ANM11.016.29.016AB	UL20937	30V	29X16AWG	27/0.25	16.9	622.61	13.7 Ω/km



ANM11.016.30.016AB	UL20937	30V	30X16AWG	27/0.25	16.9	632.21	13.7 Ω/km
ANM11.016.31.016AB	UL20937	30V	31X16AWG	27/0.25	17.5	666.71	13.7 Ω/km
ANM11.016.32.016AB	UL20937	30V	32X16AWG	27/0.25	17.5	676.21	13.7 Ω/km
ANM11.016.33.016AB	UL20937	30V	33X16AWG	27/0.25	17.5	685.81	13.7 Ω/km
ANM11.016.34.016AB	UL20937	30V	34X16AWG	27/0.25	18.1	721.01	13.7 Ω/km
ANM11.016.35.016AB	UL20937	30V	35X16AWG	27/0.25	18.1	730.71	13.7 Ω/km
ANM11.016.36.016AB	UL20937	30V	36X16AWG	27/0.25	18.1	740.31	13.7 Ω/km
ANM11.016.37.016AB	UL20937	30V	37X16AWG	27/0.25	18.1	749.81	13.7 Ω/km
ANM11.016.38.016AB	UL20937	30V	38X16AWG	27/0.25	18.8	790.61	13.7 Ω/km
ANM11.016.39.016AB	UL20937	30V	39X16AWG	27/0.25	18.8	800.21	13.7 Ω/km
ANM11.016.40.016AB	UL20937	30V	40X16AWG	27/0.25	18.8	809.81	13.7 Ω/km
ANM11.016.41.016AB	UL20937	30V	41X16AWG	27/0.25	21.3	939.41	13.7 Ω/km
ANM11.016.42.016AB	UL20937	30V	42X16AWG	27/0.25	21.3	948.91	13.7 Ω/km
ANM11.016.43.016AB	UL20937	30V	43X16AWG	27/0.25	21.3	958.61	13.7 Ω/km
ANM11.016.44.016AB	UL20937	30V	44X16AWG	27/0.25	21.3	968.01	13.7 Ω/km
ANM11.016.45.016AB	UL20937	30V	45X16AWG	27/0.25	21.7	998.41	13.7 Ω/km
ANM11.016.46.016AB	UL20937	30V	46X16AWG	27/0.25	21.7	1007.91	13.7 Ω/km
ANM11.016.47.016AB	UL20937	30V	47X16AWG	27/0.25	21.7	1017.51	13.7 Ω/km
ANM11.016.48.016AB	UL20937	30V	48X16AWG	27/0.25	21.7	1027.11	13.7 Ω/km
ANM11.016.49.016AB	UL20937	30V	49X16AWG	27/0.25	22.3	1068.61	13.7 Ω/km
ANM11.016.50.016AB	UL20937	30V	50X16AWG	27/0.25	22.3	1078.11	13.7 Ω/km
ANM11.016.51.016AB	UL20937	30V	51X16AWG	27/0.25	22.3	1087.61	13.7 Ω/km
ANM11.016.52.016AB	UL20937	30V	52X16AWG	27/0.25	22.3	1097.31	13.7 Ω/km
ANM11.016.53.016AB	UL20937	30V	53X16AWG	27/0.25	22.9	1139.51	13.7 Ω/km
ANM11.016.54.016AB	UL20937	30V	54X16AWG	27/0.25	22.9	1149.01	13.7 Ω/km
ANM11.016.55.016AB	UL20937	30V	55X16AWG	27/0.25	22.9	1158.71	13.7 Ω/km
ANM11.016.56.016AB	UL20937	30V	56X16AWG	27/0.25	22.9	1168.11	13.7 Ω/km
ANM11.016.57.016AB	UL20937	30V	57X16AWG	27/0.25	23.5	1211.31	13.7 Ω/km
ANM11.016.58.016AB	UL20937	30V	58X16AWG	27/0.25	23.5	1220.91	13.7 Ω/km
ANM11.016.59.016AB	UL20937	30V	59X16AWG	27/0.25	23.5	1230.41	13.7 Ω/km
ANM11.016.60.016AB	UL20937	30V	60X16AWG	27/0.25	23.5	1240.11	13.7 Ω/km
ANM11.016.61.016AB	UL20937	30V	61X16AWG	27/0.25	23.5	1249.61	13.7 Ω/km
ANM11.016.62.016AB	UL20937	30V	62X16AWG	27/0.25	24.2	1299.51	13.7 Ω/km
ANM11.016.63.016AB	UL20937	30V	63X16AWG	27/0.25	24.2	1309.01	13.7 Ω/km
ANM11.016.64.016AB	UL20937	30V	64X16AWG	27/0.25	24.2	1318.71	13.7 Ω/km
ANM11.016.65.016AB	UL20937	30V	65X16AWG	27/0.25	24.2	1328.21	13.7 Ω/km