



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 $\Omega$ /km
芯线 PE 材质							
ANM11.003.02.030AB	UL20276	30V	2X2X30AWG	7/0.1	4.9	35.06	354 $\Omega$ /km
ANM11.003.03.030AB	UL20276	30V	3X2X30AWG	7/0.1	5.1	38.56	354 $\Omega$ /km
ANM11.003.04.030AB	UL20276	30V	4X2X30AWG	7/0.1	5.4	43.46	354 $\Omega$ /km
ANM11.003.05.030AB	UL20276	30V	5X2X30AWG	7/0.1	5.8	50.16	354 $\Omega$ /km
ANM11.003.06.030AB	UL20276	30V	6X2X30AWG	7/0.1	6.1	55.66	354 $\Omega$ /km
ANM11.003.07.030AB	UL20276	30V	7X2X30AWG	7/0.1	6.1	56.36	354 $\Omega$ /km
ANM11.003.08.030AB	UL20276	30V	8X2X30AWG	7/0.1	6.5	63.76	354 $\Omega$ /km
ANM11.003.09.030AB	UL20276	30V	9X2X30AWG	7/0.1	7	73.56	354 $\Omega$ /km
ANM11.003.10.030AB	UL20276	30V	10X2X30AWG	7/0.1	7.4	81.76	354 $\Omega$ /km
ANM11.003.11.030AB	UL20276	30V	11X2X30AWG	7/0.1	7.6	86.46	354 $\Omega$ /km
ANM11.003.12.030AB	UL20276	30V	12X2X30AWG	7/0.1	7.6	87.06	354 $\Omega$ /km
ANM11.003.13.030AB	UL20276	30V	13X2X30AWG	7/0.1	7.9	93.96	354 $\Omega$ /km
ANM11.003.14.030AB	UL20276	30V	14X2X30AWG	7/0.1	7.9	94.66	354 $\Omega$ /km
ANM11.003.15.030AB	UL20276	30V	15X2X30AWG	7/0.1	8.2	101.76	354 $\Omega$ /km
ANM11.003.16.030AB	UL20276	30V	16X2X30AWG	7/0.1	8.2	102.46	354 $\Omega$ /km
ANM11.003.17.030AB	UL20276	30V	17X2X30AWG	7/0.1	8.6	111.86	354 $\Omega$ /km
ANM11.003.18.030AB	UL20276	30V	18X2X30AWG	7/0.1	8.6	112.66	354 $\Omega$ /km
ANM11.003.19.030AB	UL20276	30V	19X2X30AWG	7/0.1	8.6	113.36	354 $\Omega$ /km
ANM11.003.20.030AB	UL20276	30V	20X2X30AWG	7/0.1	8.8	118.46	354 $\Omega$ /km
ANM11.003.21.030AB	UL20276	30V	21X2X30AWG	7/0.1	9	123.76	354 $\Omega$ /km
ANM11.003.22.030AB	UL20276	30V	22X2X30AWG	7/0.1	9.5	136.46	354 $\Omega$ /km
ANM11.003.23.030AB	UL20276	30V	23X2X30AWG	7/0.1	9.8	144.66	354 $\Omega$ /km
ANM11.003.24.030AB	UL20276	30V	24X2X30AWG	7/0.1	9.8	145.46	354 $\Omega$ /km
ANM11.003.25.030AB	UL20276	30V	25X2X30AWG	7/0.1	10	151.26	354 $\Omega$ /km
ANM11.003.26.030AB	UL20276	30V	26X2X30AWG	7/0.1	10	151.96	354 $\Omega$ /km
ANM11.003.27.030AB	UL20276	30V	27X2X30AWG	7/0.1	10	152.66	354 $\Omega$ /km
ANM11.003.28.030AB	UL20276	30V	28X2X30AWG	7/0.1	11	179.06	354 $\Omega$ /km
ANM11.003.29.030AB	UL20276	30V	29X2X30AWG	7/0.1	11	179.76	354 $\Omega$ /km
ANM11.003.30.030AB	UL20276	30V	30X2X30AWG	7/0.1	11	180.46	354 $\Omega$ /km
ANM11.003.31.030AB	UL20276	30V	31X2X30AWG	7/0.1	11.3	189.76	354 $\Omega$ /km
ANM11.003.32.030AB	UL20276	30V	32X2X30AWG	7/0.1	11.3	190.56	354 $\Omega$ /km
ANM11.003.33.030AB	UL20276	30V	33X2X30AWG	7/0.1	11.3	191.16	354 $\Omega$ /km
ANM11.003.34.030AB	UL20276	30V	34X2X30AWG	7/0.1	11.7	203.66	354 $\Omega$ /km
ANM11.003.35.030AB	UL20276	30V	35X2X30AWG	7/0.1	11.7	204.26	354 $\Omega$ /km
ANM11.003.36.030AB	UL20276	30V	36X2X30AWG	7/0.1	11.7	205.06	354 $\Omega$ /km
ANM11.003.37.030AB	UL20276	30V	37X2X30AWG	7/0.1	11.7	205.66	354 $\Omega$ /km
ANM11.003.38.030AB	UL20276	30V	38X2X30AWG	7/0.1	12	215.56	354 $\Omega$ /km
ANM11.003.39.030AB	UL20276	30V	39X2X30AWG	7/0.1	12	216.26	354 $\Omega$ /km
ANM11.003.40.030AB	UL20276	30V	40X2X30AWG	7/0.1	12	216.96	354 $\Omega$ /km



ANM11.003.41.030AB	UL20276	30V	41X2X30AWG	7/0.1	12.9	246.16	354 Ω/km
ANM11.003.42.030AB	UL20276	30V	42X2X30AWG	7/0.1	12.9	246.76	354 Ω/km
ANM11.003.43.030AB	UL20276	30V	43X2X30AWG	7/0.1	12.9	247.66	354 Ω/km
ANM11.003.44.030AB	UL20276	30V	44X2X30AWG	7/0.1	12.9	248.26	354 Ω/km
ANM11.003.45.030AB	UL20276	30V	45X2X30AWG	7/0.1	13.2	258.96	354 Ω/km
ANM11.003.46.030AB	UL20276	30V	46X2X30AWG	7/0.1	13.2	259.66	354 Ω/km
ANM11.003.47.030AB	UL20276	30V	47X2X30AWG	7/0.1	13.2	260.46	354 Ω/km
ANM11.003.48.030AB	UL20276	30V	48X2X30AWG	7/0.1	13.2	261.16	354 Ω/km
ANM11.003.49.030AB	UL20276	30V	49X2X30AWG	7/0.1	13.5	271.86	354 Ω/km
ANM11.003.50.030AB	UL20276	30V	50X2X30AWG	7/0.1	13.5	272.66	354 Ω/km
ANM11.003.51.030AB	UL20276	30V	51X2X30AWG	7/0.1	13.5	273.36	354 Ω/km
ANM11.003.52.030AB	UL20276	30V	52X2X30AWG	7/0.1	13.5	274.06	354 Ω/km
ANM11.003.53.030AB	UL20276	30V	53X2X30AWG	7/0.1	13.9	288.76	354 Ω/km
ANM11.003.54.030AB	UL20276	30V	54X2X30AWG	7/0.1	13.9	289.36	354 Ω/km
ANM11.003.55.030AB	UL20276	30V	55X2X30AWG	7/0.1	13.9	290.16	354 Ω/km
ANM11.003.56.030AB	UL20276	30V	56X2X30AWG	7/0.1	13.9	290.76	354 Ω/km
ANM11.003.57.030AB	UL20276	30V	57X2X30AWG	7/0.1	14.2	302.26	354 Ω/km
ANM11.003.58.030AB	UL20276	30V	58X2X30AWG	7/0.1	14.2	302.86	354 Ω/km
ANM11.003.59.030AB	UL20276	30V	59X2X30AWG	7/0.1	14.2	303.66	354 Ω/km
ANM11.003.60.030AB	UL20276	30V	60X2X30AWG	7/0.1	14.2	304.26	354 Ω/km
ANM11.003.61.030AB	UL20276	30V	61X2X30AWG	7/0.1	14.2	304.96	354 Ω/km
ANM11.003.62.030AB	UL20276	30V	62X2X30AWG	7/0.1	14.6	320.36	354 Ω/km
ANM11.003.63.030AB	UL20276	30V	63X2X30AWG	7/0.1	14.6	320.96	354 Ω/km
ANM11.003.64.030AB	UL20276	30V	64X2X30AWG	7/0.1	14.6	321.76	354 Ω/km
ANM11.003.65.030AB	UL20276	30V	65X2X30AWG	7/0.1	14.6	322.36	354 Ω/km
ANM11.003.02.029AB	UL20276	30V	2X2X29AWG	9/0.1	5.3	41.07	277 Ω/km
ANM11.003.03.029AB	UL20276	30V	3X2X29AWG	9/0.1	5.5	44.97	277 Ω/km
ANM11.003.04.029AB	UL20276	30V	4X2X29AWG	9/0.1	5.8	50.27	277 Ω/km
ANM11.003.05.029AB	UL20276	30V	5X2X29AWG	9/0.1	6.3	59.47	277 Ω/km
ANM11.003.06.029AB	UL20276	30V	6X2X29AWG	9/0.1	6.7	67.37	277 Ω/km
ANM11.003.07.029AB	UL20276	30V	7X2X29AWG	9/0.1	6.7	68.27	277 Ω/km
ANM11.003.08.029AB	UL20276	30V	8X2X29AWG	9/0.1	7.1	76.37	277 Ω/km
ANM11.003.09.029AB	UL20276	30V	9X2X29AWG	9/0.1	7.7	88.97	277 Ω/km
ANM11.003.10.029AB	UL20276	30V	10X2X29AWG	9/0.1	8.1	98.27	277 Ω/km
ANM11.003.11.029AB	UL20276	30V	11X2X29AWG	9/0.1	8.3	103.47	277 Ω/km
ANM11.003.12.029AB	UL20276	30V	12X2X29AWG	9/0.1	8.3	104.37	277 Ω/km
ANM11.003.13.029AB	UL20276	30V	13X2X29AWG	9/0.1	8.7	114.17	277 Ω/km
ANM11.003.14.029AB	UL20276	30V	14X2X29AWG	9/0.1	8.7	115.17	277 Ω/km
ANM11.003.15.029AB	UL20276	30V	15X2X29AWG	9/0.1	9.1	125.37	277 Ω/km
ANM11.003.16.029AB	UL20276	30V	16X2X29AWG	9/0.1	9.1	126.27	277 Ω/km
ANM11.003.17.029AB	UL20276	30V	17X2X29AWG	9/0.1	9.5	136.77	277 Ω/km
ANM11.003.18.029AB	UL20276	30V	18X2X29AWG	9/0.1	9.5	137.67	277 Ω/km



ANM11.003.19.029AB	UL20276	30V	19X2X29AWG	9/0.1	9.5	138.57	277 Ω /km
ANM11.003.20.029AB	UL20276	30V	20X2X29AWG	9/0.1	9.7	144.57	277 Ω /km
ANM11.003.21.029AB	UL20276	30V	21X2X29AWG	9/0.1	9.9	150.57	277 Ω /km
ANM11.003.22.029AB	UL20276	30V	22X2X29AWG	9/0.1	11.1	182.57	277 Ω /km
ANM11.003.23.029AB	UL20276	30V	23X2X29AWG	9/0.1	11.5	194.97	277 Ω /km
ANM11.003.24.029AB	UL20276	30V	24X2X29AWG	9/0.1	11.5	195.87	277 Ω /km
ANM11.003.25.029AB	UL20276	30V	25X2X29AWG	9/0.1	11.7	202.87	277 Ω /km
ANM11.003.26.029AB	UL20276	30V	26X2X29AWG	9/0.1	11.7	203.77	277 Ω /km
ANM11.003.27.029AB	UL20276	30V	27X2X29AWG	9/0.1	11.7	204.67	277 Ω /km
ANM11.003.28.029AB	UL20276	30V	28X2X29AWG	9/0.1	12.1	217.67	277 Ω /km
ANM11.003.29.029AB	UL20276	30V	29X2X29AWG	9/0.1	12.1	218.77	277 Ω /km
ANM11.003.30.029AB	UL20276	30V	30X2X29AWG	9/0.1	12.1	219.67	277 Ω /km
ANM11.003.31.029AB	UL20276	30V	31X2X29AWG	9/0.1	12.5	233.17	277 Ω /km
ANM11.003.32.029AB	UL20276	30V	32X2X29AWG	9/0.1	12.5	234.07	277 Ω /km
ANM11.003.33.029AB	UL20276	30V	33X2X29AWG	9/0.1	12.5	235.07	277 Ω /km
ANM11.003.34.029AB	UL20276	30V	34X2X29AWG	9/0.1	12.9	248.87	277 Ω /km
ANM11.003.35.029AB	UL20276	30V	35X2X29AWG	9/0.1	12.9	249.77	277 Ω /km
ANM11.003.36.029AB	UL20276	30V	36X2X29AWG	9/0.1	12.9	250.77	277 Ω /km
ANM11.003.37.029AB	UL20276	30V	37X2X29AWG	9/0.1	12.9	251.77	277 Ω /km
ANM11.003.38.029AB	UL20276	30V	38X2X29AWG	9/0.1	13.4	269.17	277 Ω /km
ANM11.003.39.029AB	UL20276	30V	39X2X29AWG	9/0.1	13.4	270.27	277 Ω /km
ANM11.003.40.029AB	UL20276	30V	40X2X29AWG	9/0.1	13.4	271.17	277 Ω /km
ANM11.003.41.029AB	UL20276	30V	41X2X29AWG	9/0.1	14.4	307.17	277 Ω /km
ANM11.003.42.029AB	UL20276	30V	42X2X29AWG	9/0.1	14.4	308.07	277 Ω /km
ANM11.003.43.029AB	UL20276	30V	43X2X29AWG	9/0.1	14.4	308.97	277 Ω /km
ANM11.003.44.029AB	UL20276	30V	44X2X29AWG	9/0.1	14.4	310.07	277 Ω /km
ANM11.003.45.029AB	UL20276	30V	45X2X29AWG	9/0.1	14.6	318.37	277 Ω /km
ANM11.003.46.029AB	UL20276	30V	46X2X29AWG	9/0.1	14.6	319.17	277 Ω /km
ANM11.003.47.029AB	UL20276	30V	47X2X29AWG	9/0.1	14.6	320.17	277 Ω /km
ANM11.003.48.029AB	UL20276	30V	48X2X29AWG	9/0.1	14.6	321.17	277 Ω /km
ANM11.003.49.029AB	UL20276	30V	49X2X29AWG	9/0.1	15	336.97	277 Ω /km
ANM11.003.50.029AB	UL20276	30V	50X2X29AWG	9/0.1	15	337.97	277 Ω /km
ANM11.003.51.029AB	UL20276	30V	51X2X29AWG	9/0.1	15	338.87	277 Ω /km
ANM11.003.52.029AB	UL20276	30V	52X2X29AWG	9/0.1	15	339.87	277 Ω /km
ANM11.003.53.029AB	UL20276	30V	53X2X29AWG	9/0.1	15.4	356.07	277 Ω /km
ANM11.003.54.029AB	UL20276	30V	54X2X29AWG	9/0.1	15.4	357.07	277 Ω /km
ANM11.003.55.029AB	UL20276	30V	55X2X29AWG	9/0.1	15.4	357.97	277 Ω /km
ANM11.003.56.029AB	UL20276	30V	56X2X29AWG	9/0.1	15.4	358.97	277 Ω /km
ANM11.003.57.029AB	UL20276	30V	57X2X29AWG	9/0.1	15.8	375.47	277 Ω /km
ANM11.003.58.029AB	UL20276	30V	58X2X29AWG	9/0.1	15.8	376.57	277 Ω /km
ANM11.003.59.029AB	UL20276	30V	59X2X29AWG	9/0.1	15.8	377.47	277 Ω /km
ANM11.003.60.029AB	UL20276	30V	60X2X29AWG	9/0.1	15.8	378.47	277 Ω /km



ANM11.003.61.029AB	UL20276	30V	61X2X29AWG	9/0.1	15.8	379.27	277 Ω /km
ANM11.003.62.029AB	UL20276	30V	62X2X29AWG	9/0.1	16.2	396.27	277 Ω /km
ANM11.003.63.029AB	UL20276	30V	63X2X29AWG	9/0.1	16.2	397.37	277 Ω /km
ANM11.003.64.029AB	UL20276	30V	64X2X29AWG	9/0.1	16.2	398.27	277 Ω /km
ANM11.003.65.029AB	UL20276	30V	65X2X29AWG	9/0.1	16.2	399.17	277 Ω /km
ANM11.003.02.028AB	UL20276	30V	2X2X28AWG	11/0.1	5.3	41.59	223 Ω /km
ANM11.003.03.028AB	UL20276	30V	3X2X28AWG	11/0.1	5.5	45.69	223 Ω /km
ANM11.003.04.028AB	UL20276	30V	4X2X28AWG	11/0.1	5.8	51.29	223 Ω /km
ANM11.003.05.028AB	UL20276	30V	5X2X28AWG	11/0.1	6.3	60.59	223 Ω /km
ANM11.003.06.028AB	UL20276	30V	6X2X28AWG	11/0.1	6.7	68.79	223 Ω /km
ANM11.003.07.028AB	UL20276	30V	7X2X28AWG	11/0.1	6.7	69.89	223 Ω /km
ANM11.003.08.028AB	UL20276	30V	8X2X28AWG	11/0.1	7.1	78.29	223 Ω /km
ANM11.003.09.028AB	UL20276	30V	9X2X28AWG	11/0.1	7.7	91.09	223 Ω /km
ANM11.003.10.028AB	UL20276	30V	10X2X28AWG	11/0.1	8.1	100.49	223 Ω /km
ANM11.003.11.028AB	UL20276	30V	11X2X28AWG	11/0.1	8.3	105.89	223 Ω /km
ANM11.003.12.028AB	UL20276	30V	12X2X28AWG	11/0.1	8.3	107.29	223 Ω /km
ANM11.003.13.028AB	UL20276	30V	13X2X28AWG	11/0.1	8.7	117.29	223 Ω /km
ANM11.003.14.028AB	UL20276	30V	14X2X28AWG	11/0.1	8.7	118.49	223 Ω /km
ANM11.003.15.028AB	UL20276	30V	15X2X28AWG	11/0.1	9.1	128.79	223 Ω /km
ANM11.003.16.028AB	UL20276	30V	16X2X28AWG	11/0.1	9.1	129.99	223 Ω /km
ANM11.003.17.028AB	UL20276	30V	17X2X28AWG	11/0.1	9.5	140.69	223 Ω /km
ANM11.003.18.028AB	UL20276	30V	18X2X28AWG	11/0.1	9.5	141.89	223 Ω /km
ANM11.003.19.028AB	UL20276	30V	19X2X28AWG	11/0.1	9.5	143.09	223 Ω /km
ANM11.003.20.028AB	UL20276	30V	20X2X28AWG	11/0.1	9.7	149.19	223 Ω /km
ANM11.003.21.028AB	UL20276	30V	21X2X28AWG	11/0.1	9.9	155.39	223 Ω /km
ANM11.003.22.028AB	UL20276	30V	22X2X28AWG	11/0.1	11.1	187.59	223 Ω /km
ANM11.003.23.028AB	UL20276	30V	23X2X28AWG	11/0.1	11.5	200.39	223 Ω /km
ANM11.003.24.028AB	UL20276	30V	24X2X28AWG	11/0.1	11.5	201.59	223 Ω /km
ANM11.003.25.028AB	UL20276	30V	25X2X28AWG	11/0.1	11.7	208.69	223 Ω /km
ANM11.003.26.028AB	UL20276	30V	26X2X28AWG	11/0.1	11.7	209.79	223 Ω /km
ANM11.003.27.028AB	UL20276	30V	27X2X28AWG	11/0.1	11.7	210.99	223 Ω /km
ANM11.003.28.028AB	UL20276	30V	28X2X28AWG	11/0.1	12.1	224.19	223 Ω /km
ANM11.003.29.028AB	UL20276	30V	29X2X28AWG	11/0.1	12.1	225.39	223 Ω /km
ANM11.003.30.028AB	UL20276	30V	30X2X28AWG	11/0.1	12.1	226.59	223 Ω /km
ANM11.003.31.028AB	UL20276	30V	31X2X28AWG	11/0.1	12.5	240.39	223 Ω /km
ANM11.003.32.028AB	UL20276	30V	32X2X28AWG	11/0.1	12.5	241.49	223 Ω /km
ANM11.003.33.028AB	UL20276	30V	33X2X28AWG	11/0.1	12.5	242.69	223 Ω /km
ANM11.003.34.028AB	UL20276	30V	34X2X28AWG	11/0.1	12.9	256.79	223 Ω /km
ANM11.003.35.028AB	UL20276	30V	35X2X28AWG	11/0.1	12.9	257.89	223 Ω /km
ANM11.003.36.028AB	UL20276	30V	36X2X28AWG	11/0.1	12.9	259.19	223 Ω /km
ANM11.003.37.028AB	UL20276	30V	37X2X28AWG	11/0.1	12.9	260.39	223 Ω /km
ANM11.003.38.028AB	UL20276	30V	38X2X28AWG	11/0.1	13.4	278.09	223 Ω /km



ANM11.003.39.028AB	UL20276	30V	39X2X28AWG	11/0.1	13.4	279.29	223 Ω/km
ANM11.003.40.028AB	UL20276	30V	40X2X28AWG	11/0.1	13.4	280.39	223 Ω/km
ANM11.003.41.028AB	UL20276	30V	41X2X28AWG	11/0.1	14.4	316.59	223 Ω/km
ANM11.003.42.028AB	UL20276	30V	42X2X28AWG	11/0.1	14.4	317.89	223 Ω/km
ANM11.003.43.028AB	UL20276	30V	43X2X28AWG	11/0.1	14.4	318.99	223 Ω/km
ANM11.003.44.028AB	UL20276	30V	44X2X28AWG	11/0.1	14.4	320.19	223 Ω/km
ANM11.003.45.028AB	UL20276	30V	45X2X28AWG	11/0.1	14.6	328.79	223 Ω/km
ANM11.003.46.028AB	UL20276	30V	46X2X28AWG	11/0.1	14.6	329.89	223 Ω/km
ANM11.003.47.028AB	UL20276	30V	47X2X28AWG	11/0.1	14.6	331.09	223 Ω/km
ANM11.003.48.028AB	UL20276	30V	48X2X28AWG	11/0.1	14.6	332.39	223 Ω/km
ANM11.003.49.028AB	UL20276	30V	49X2X28AWG	11/0.1	15	348.39	223 Ω/km
ANM11.003.50.028AB	UL20276	30V	50X2X28AWG	11/0.1	15	349.59	223 Ω/km
ANM11.003.51.028AB	UL20276	30V	51X2X28AWG	11/0.1	15	350.69	223 Ω/km
ANM11.003.52.028AB	UL20276	30V	52X2X28AWG	11/0.1	15	351.89	223 Ω/km
ANM11.003.53.028AB	UL20276	30V	53X2X28AWG	11/0.1	15.4	368.39	223 Ω/km
ANM11.003.54.028AB	UL20276	30V	54X2X28AWG	11/0.1	15.4	369.59	223 Ω/km
ANM11.003.55.028AB	UL20276	30V	55X2X28AWG	11/0.1	15.4	370.69	223 Ω/km
ANM11.003.56.028AB	UL20276	30V	56X2X28AWG	11/0.1	15.4	371.99	223 Ω/km
ANM11.003.57.028AB	UL20276	30V	57X2X28AWG	11/0.1	15.8	388.79	223 Ω/km
ANM11.003.58.028AB	UL20276	30V	58X2X28AWG	11/0.1	15.8	389.99	223 Ω/km
ANM11.003.59.028AB	UL20276	30V	59X2X28AWG	11/0.1	15.8	391.19	223 Ω/km
ANM11.003.60.028AB	UL20276	30V	60X2X28AWG	11/0.1	15.8	392.39	223 Ω/km
ANM11.003.61.028AB	UL20276	30V	61X2X28AWG	11/0.1	15.8	393.49	223 Ω/km
ANM11.003.62.028AB	UL20276	30V	62X2X28AWG	11/0.1	16.2	410.69	223 Ω/km
ANM11.003.63.028AB	UL20276	30V	63X2X28AWG	11/0.1	16.2	411.89	223 Ω/km
ANM11.003.64.028AB	UL20276	30V	64X2X28AWG	11/0.1	16.2	412.99	223 Ω/km
ANM11.003.65.028AB	UL20276	30V	65X2X28AWG	11/0.1	16.2	414.29	223 Ω/km
ANM11.003.02.027AB	UL20276	30V	2X2X27AWG	7/0.14	5.6	46.21	175 Ω/km
ANM11.003.03.027AB	UL20276	30V	3X2X27AWG	7/0.14	5.9	52.11	175 Ω/km
ANM11.003.04.027AB	UL20276	30V	4X2X27AWG	7/0.14	6.3	59.91	175 Ω/km
ANM11.003.05.027AB	UL20276	30V	5X2X27AWG	7/0.14	6.7	68.11	175 Ω/km
ANM11.003.06.027AB	UL20276	30V	6X2X27AWG	7/0.14	7.2	78.51	175 Ω/km
ANM11.003.07.027AB	UL20276	30V	7X2X27AWG	7/0.14	7.2	79.81	175 Ω/km
ANM11.003.08.027AB	UL20276	30V	8X2X27AWG	7/0.14	7.7	90.91	175 Ω/km
ANM11.003.09.027AB	UL20276	30V	9X2X27AWG	7/0.14	8.3	104.71	175 Ω/km
ANM11.003.10.027AB	UL20276	30V	10X2X27AWG	7/0.14	8.8	117.01	175 Ω/km
ANM11.003.11.027AB	UL20276	30V	11X2X27AWG	7/0.14	9	122.91	175 Ω/km
ANM11.003.12.027AB	UL20276	30V	12X2X27AWG	7/0.14	9	124.31	175 Ω/km
ANM11.003.13.027AB	UL20276	30V	13X2X27AWG	7/0.14	9.4	135.11	175 Ω/km
ANM11.003.14.027AB	UL20276	30V	14X2X27AWG	7/0.14	9.4	136.31	175 Ω/km
ANM11.003.15.027AB	UL20276	30V	15X2X27AWG	7/0.14	9.9	150.01	175 Ω/km
ANM11.003.16.027AB	UL20276	30V	16X2X27AWG	7/0.14	9.9	151.31	175 Ω/km



ANM11.003.17.027AB	UL20276	30V	17X2X27AWG	7/0.14	11	181.01	175 Ω/km
ANM11.003.18.027AB	UL20276	30V	18X2X27AWG	7/0.14	11	182.21	175 Ω/km
ANM11.003.19.027AB	UL20276	30V	19X2X27AWG	7/0.14	11	183.51	175 Ω/km
ANM11.003.20.027AB	UL20276	30V	20X2X27AWG	7/0.14	11.2	190.41	175 Ω/km
ANM11.003.21.027AB	UL20276	30V	21X2X27AWG	7/0.14	11.4	197.51	175 Ω/km
ANM11.003.22.027AB	UL20276	30V	22X2X27AWG	7/0.14	12.1	219.71	175 Ω/km
ANM11.003.23.027AB	UL20276	30V	23X2X27AWG	7/0.14	12.6	236.71	175 Ω/km
ANM11.003.24.027AB	UL20276	30V	24X2X27AWG	7/0.14	12.6	238.01	175 Ω/km
ANM11.003.25.027AB	UL20276	30V	25X2X27AWG	7/0.14	12.8	245.71	175 Ω/km
ANM11.003.26.027AB	UL20276	30V	26X2X27AWG	7/0.14	12.8	247.01	175 Ω/km
ANM11.003.27.027AB	UL20276	30V	27X2X27AWG	7/0.14	12.8	248.31	175 Ω/km
ANM11.003.28.027AB	UL20276	30V	28X2X27AWG	7/0.14	13.3	266.01	175 Ω/km
ANM11.003.29.027AB	UL20276	30V	29X2X27AWG	7/0.14	13.3	267.41	175 Ω/km
ANM11.003.30.027AB	UL20276	30V	30X2X27AWG	7/0.14	13.3	268.61	175 Ω/km
ANM11.003.31.027AB	UL20276	30V	31X2X27AWG	7/0.14	13.8	287.21	175 Ω/km
ANM11.003.32.027AB	UL20276	30V	32X2X27AWG	7/0.14	13.8	288.41	175 Ω/km
ANM11.003.33.027AB	UL20276	30V	33X2X27AWG	7/0.14	13.8	289.71	175 Ω/km
ANM11.003.34.027AB	UL20276	30V	34X2X27AWG	7/0.14	14.2	305.21	175 Ω/km
ANM11.003.35.027AB	UL20276	30V	35X2X27AWG	7/0.14	14.2	306.51	175 Ω/km
ANM11.003.36.027AB	UL20276	30V	36X2X27AWG	7/0.14	14.2	307.71	175 Ω/km
ANM11.003.37.027AB	UL20276	30V	37X2X27AWG	7/0.14	14.2	309.01	175 Ω/km
ANM11.003.38.027AB	UL20276	30V	38X2X27AWG	7/0.14	14.7	328.61	175 Ω/km
ANM11.003.39.027AB	UL20276	30V	39X2X27AWG	7/0.14	14.7	329.81	175 Ω/km
ANM11.003.40.027AB	UL20276	30V	40X2X27AWG	7/0.14	14.7	331.11	175 Ω/km
ANM11.003.41.027AB	UL20276	30V	41X2X27AWG	7/0.14	15.8	374.61	175 Ω/km
ANM11.003.42.027AB	UL20276	30V	42X2X27AWG	7/0.14	15.8	376.01	175 Ω/km
ANM11.003.43.027AB	UL20276	30V	43X2X27AWG	7/0.14	15.8	377.21	175 Ω/km
ANM11.003.44.027AB	UL20276	30V	44X2X27AWG	7/0.14	15.8	378.41	175 Ω/km
ANM11.003.45.027AB	UL20276	30V	45X2X27AWG	7/0.14	16.1	391.81	175 Ω/km
ANM11.003.46.027AB	UL20276	30V	46X2X27AWG	7/0.14	16.1	393.21	175 Ω/km
ANM11.003.47.027AB	UL20276	30V	47X2X27AWG	7/0.14	16.1	394.41	175 Ω/km
ANM11.003.48.027AB	UL20276	30V	48X2X27AWG	7/0.14	16.1	395.61	175 Ω/km
ANM11.003.49.027AB	UL20276	30V	49X2X27AWG	7/0.14	16.5	413.31	175 Ω/km
ANM11.003.50.027AB	UL20276	30V	50X2X27AWG	7/0.14	16.5	414.61	175 Ω/km
ANM11.003.51.027AB	UL20276	30V	51X2X27AWG	7/0.14	16.5	415.81	175 Ω/km
ANM11.003.52.027AB	UL20276	30V	52X2X27AWG	7/0.14	16.5	417.11	175 Ω/km
ANM11.003.53.027AB	UL20276	30V	53X2X27AWG	7/0.14	16.9	435.41	175 Ω/km
ANM11.003.54.027AB	UL20276	30V	54X2X27AWG	7/0.14	16.9	436.61	175 Ω/km
ANM11.003.55.027AB	UL20276	30V	55X2X27AWG	7/0.14	16.9	437.81	175 Ω/km
ANM11.003.56.027AB	UL20276	30V	56X2X27AWG	7/0.14	16.9	439.11	175 Ω/km
ANM11.003.57.027AB	UL20276	30V	57X2X27AWG	7/0.14	17.4	461.81	175 Ω/km
ANM11.003.58.027AB	UL20276	30V	58X2X27AWG	7/0.14	17.4	463.11	175 Ω/km



ANM11.003.59.027AB	UL20276	30V	59X2X27AWG	7/0.14	17.4	464.41	175 Ω/km
ANM11.003.60.027AB	UL20276	30V	60X2X27AWG	7/0.14	17.4	465.61	175 Ω/km
ANM11.003.61.027AB	UL20276	30V	61X2X27AWG	7/0.14	17.4	466.91	175 Ω/km
ANM11.003.62.027AB	UL20276	30V	62X2X27AWG	7/0.14	17.9	490.41	175 Ω/km
ANM11.003.63.027AB	UL20276	30V	63X2X27AWG	7/0.14	17.9	491.71	175 Ω/km
ANM11.003.64.027AB	UL20276	30V	64X2X27AWG	7/0.14	17.9	492.91	175 Ω/km
ANM11.003.65.027AB	UL20276	30V	65X2X27AWG	7/0.14	17.9	494.31	175 Ω/km
ANM11.003.02.026AB	UL20276	30V	2X2X26AWG	9/0.14	5.6	47.23	140 Ω/km
ANM11.003.03.026AB	UL20276	30V	3X2X26AWG	9/0.14	5.9	53.63	140 Ω/km
ANM11.003.04.026AB	UL20276	30V	4X2X26AWG	9/0.14	6.3	61.93	140 Ω/km
ANM11.003.05.026AB	UL20276	30V	5X2X26AWG	9/0.14	6.7	70.53	140 Ω/km
ANM11.003.06.026AB	UL20276	30V	6X2X26AWG	9/0.14	7.2	81.43	140 Ω/km
ANM11.003.07.026AB	UL20276	30V	7X2X26AWG	9/0.14	7.2	83.33	140 Ω/km
ANM11.003.08.026AB	UL20276	30V	8X2X26AWG	9/0.14	7.7	94.93	140 Ω/km
ANM11.003.09.026AB	UL20276	30V	9X2X26AWG	9/0.14	8.3	109.13	140 Ω/km
ANM11.003.10.026AB	UL20276	30V	10X2X26AWG	9/0.14	8.8	121.93	140 Ω/km
ANM11.003.11.026AB	UL20276	30V	11X2X26AWG	9/0.14	9	128.33	140 Ω/km
ANM11.003.12.026AB	UL20276	30V	12X2X26AWG	9/0.14	9	130.23	140 Ω/km
ANM11.003.13.026AB	UL20276	30V	13X2X26AWG	9/0.14	9.4	141.43	140 Ω/km
ANM11.003.14.026AB	UL20276	30V	14X2X26AWG	9/0.14	9.4	143.23	140 Ω/km
ANM11.003.15.026AB	UL20276	30V	15X2X26AWG	9/0.14	9.9	157.43	140 Ω/km
ANM11.003.16.026AB	UL20276	30V	16X2X26AWG	9/0.14	9.9	159.23	140 Ω/km
ANM11.003.17.026AB	UL20276	30V	17X2X26AWG	9/0.14	11	189.33	140 Ω/km
ANM11.003.18.026AB	UL20276	30V	18X2X26AWG	9/0.14	11	191.03	140 Ω/km
ANM11.003.19.026AB	UL20276	30V	19X2X26AWG	9/0.14	11	192.83	140 Ω/km
ANM11.003.20.026AB	UL20276	30V	20X2X26AWG	9/0.14	11.2	200.33	140 Ω/km
ANM11.003.21.026AB	UL20276	30V	21X2X26AWG	9/0.14	11.4	207.83	140 Ω/km
ANM11.003.22.026AB	UL20276	30V	22X2X26AWG	9/0.14	12.1	230.53	140 Ω/km
ANM11.003.23.026AB	UL20276	30V	23X2X26AWG	9/0.14	12.6	248.03	140 Ω/km
ANM11.003.24.026AB	UL20276	30V	24X2X26AWG	9/0.14	12.6	249.83	140 Ω/km
ANM11.003.25.026AB	UL20276	30V	25X2X26AWG	9/0.14	12.8	257.93	140 Ω/km
ANM11.003.26.026AB	UL20276	30V	26X2X26AWG	9/0.14	12.8	259.73	140 Ω/km
ANM11.003.27.026AB	UL20276	30V	27X2X26AWG	9/0.14	12.8	261.63	140 Ω/km
ANM11.003.28.026AB	UL20276	30V	28X2X26AWG	9/0.14	13.3	279.83	140 Ω/km
ANM11.003.29.026AB	UL20276	30V	29X2X26AWG	9/0.14	13.3	281.63	140 Ω/km
ANM11.003.30.026AB	UL20276	30V	30X2X26AWG	9/0.14	13.3	283.33	140 Ω/km
ANM11.003.31.026AB	UL20276	30V	31X2X26AWG	9/0.14	13.8	302.43	140 Ω/km
ANM11.003.32.026AB	UL20276	30V	32X2X26AWG	9/0.14	13.8	304.13	140 Ω/km
ANM11.003.33.026AB	UL20276	30V	33X2X26AWG	9/0.14	13.8	305.83	140 Ω/km
ANM11.003.34.026AB	UL20276	30V	34X2X26AWG	9/0.14	14.2	321.93	140 Ω/km
ANM11.003.35.026AB	UL20276	30V	35X2X26AWG	9/0.14	14.2	323.73	140 Ω/km
ANM11.003.36.026AB	UL20276	30V	36X2X26AWG	9/0.14	14.2	325.43	140 Ω/km



ANM11.003.37.026AB	UL20276	30V	37X2X26AWG	9/0.14	14.2	327.13	140 Ω/km
ANM11.003.38.026AB	UL20276	30V	38X2X26AWG	9/0.14	14.7	347.23	140 Ω/km
ANM11.003.39.026AB	UL20276	30V	39X2X26AWG	9/0.14	14.7	348.93	140 Ω/km
ANM11.003.40.026AB	UL20276	30V	40X2X26AWG	9/0.14	14.7	350.83	140 Ω/km
ANM11.003.41.026AB	UL20276	30V	41X2X26AWG	9/0.14	15.8	394.73	140 Ω/km
ANM11.003.42.026AB	UL20276	30V	42X2X26AWG	9/0.14	15.8	396.63	140 Ω/km
ANM11.003.43.026AB	UL20276	30V	43X2X26AWG	9/0.14	15.8	398.33	140 Ω/km
ANM11.003.44.026AB	UL20276	30V	44X2X26AWG	9/0.14	15.8	400.03	140 Ω/km
ANM11.003.45.026AB	UL20276	30V	45X2X26AWG	9/0.14	16.1	413.83	140 Ω/km
ANM11.003.46.026AB	UL20276	30V	46X2X26AWG	9/0.14	16.1	415.73	140 Ω/km
ANM11.003.47.026AB	UL20276	30V	47X2X26AWG	9/0.14	16.1	417.53	140 Ω/km
ANM11.003.48.026AB	UL20276	30V	48X2X26AWG	9/0.14	16.1	419.23	140 Ω/km
ANM11.003.49.026AB	UL20276	30V	49X2X26AWG	9/0.14	16.5	437.33	140 Ω/km
ANM11.003.50.026AB	UL20276	30V	50X2X26AWG	9/0.14	16.5	439.13	140 Ω/km
ANM11.003.51.026AB	UL20276	30V	51X2X26AWG	9/0.14	16.5	440.83	140 Ω/km
ANM11.003.52.026AB	UL20276	30V	52X2X26AWG	9/0.14	16.5	442.63	140 Ω/km
ANM11.003.53.026AB	UL20276	30V	53X2X26AWG	9/0.14	16.9	461.43	140 Ω/km
ANM11.003.54.026AB	UL20276	30V	54X2X26AWG	9/0.14	16.9	463.13	140 Ω/km
ANM11.003.55.026AB	UL20276	30V	55X2X26AWG	9/0.14	16.9	464.83	140 Ω/km
ANM11.003.56.026AB	UL20276	30V	56X2X26AWG	9/0.14	16.9	466.63	140 Ω/km
ANM11.003.57.026AB	UL20276	30V	57X2X26AWG	9/0.14	17.4	489.83	140 Ω/km
ANM11.003.58.026AB	UL20276	30V	58X2X26AWG	9/0.14	17.4	491.53	140 Ω/km
ANM11.003.59.026AB	UL20276	30V	59X2X26AWG	9/0.14	17.4	493.33	140 Ω/km
ANM11.003.60.026AB	UL20276	30V	60X2X26AWG	9/0.14	17.4	495.13	140 Ω/km
ANM11.003.61.026AB	UL20276	30V	61X2X26AWG	9/0.14	17.4	496.93	140 Ω/km
ANM11.003.62.026AB	UL20276	30V	62X2X26AWG	9/0.14	17.9	520.83	140 Ω/km
ANM11.003.63.026AB	UL20276	30V	63X2X26AWG	9/0.14	17.9	522.63	140 Ω/km
ANM11.003.64.026AB	UL20276	30V	64X2X26AWG	9/0.14	17.9	524.33	140 Ω/km
ANM11.003.65.026AB	UL20276	30V	65X2X26AWG	9/0.14	17.9	526.23	140 Ω/km
ANM11.003.02.025AB	UL20276	30V	2X2X25AWG	11/0.14	6	54.27	111 Ω/km
ANM11.003.03.025AB	UL20276	30V	3X2X25AWG	11/0.14	6.2	59.47	111 Ω/km
ANM11.003.04.025AB	UL20276	30V	4X2X25AWG	11/0.14	6.7	70.37	111 Ω/km
ANM11.003.05.025AB	UL20276	30V	5X2X25AWG	11/0.14	7.2	81.57	111 Ω/km
ANM11.003.06.025AB	UL20276	30V	6X2X25AWG	11/0.14	7.7	93.47	111 Ω/km
ANM11.003.07.025AB	UL20276	30V	7X2X25AWG	11/0.14	7.7	95.67	111 Ω/km
ANM11.003.08.025AB	UL20276	30V	8X2X25AWG	11/0.14	8.3	110.37	111 Ω/km
ANM11.003.09.025AB	UL20276	30V	9X2X25AWG	11/0.14	9	128.27	111 Ω/km
ANM11.003.10.025AB	UL20276	30V	10X2X25AWG	11/0.14	9.5	142.27	111 Ω/km
ANM11.003.11.025AB	UL20276	30V	11X2X25AWG	11/0.14	9.8	151.97	111 Ω/km
ANM11.003.12.025AB	UL20276	30V	12X2X25AWG	11/0.14	9.8	154.07	111 Ω/km
ANM11.003.13.025AB	UL20276	30V	13X2X25AWG	11/0.14	10.2	166.57	111 Ω/km
ANM11.003.14.025AB	UL20276	30V	14X2X25AWG	11/0.14	10.2	168.67	111 Ω/km





ANM11.003.15.025AB	UL20276	30V	15X2X25AWG	11/0.14	11.3	199.97	111 Ω/km
ANM11.003.16.025AB	UL20276	30V	16X2X25AWG	11/0.14	11.3	202.07	111 Ω/km
ANM11.003.17.025AB	UL20276	30V	17X2X25AWG	11/0.14	11.8	218.87	111 Ω/km
ANM11.003.18.025AB	UL20276	30V	18X2X25AWG	11/0.14	11.8	221.07	111 Ω/km
ANM11.003.19.025AB	UL20276	30V	19X2X25AWG	11/0.14	11.8	223.27	111 Ω/km
ANM11.003.20.025AB	UL20276	30V	20X2X25AWG	11/0.14	12.1	234.47	111 Ω/km
ANM11.003.21.025AB	UL20276	30V	21X2X25AWG	11/0.14	12.4	245.87	111 Ω/km
ANM11.003.22.025AB	UL20276	30V	22X2X25AWG	11/0.14	13.2	274.17	111 Ω/km
ANM11.003.23.025AB	UL20276	30V	23X2X25AWG	11/0.14	13.7	293.17	111 Ω/km
ANM11.003.24.025AB	UL20276	30V	24X2X25AWG	11/0.14	13.7	295.27	111 Ω/km
ANM11.003.25.025AB	UL20276	30V	25X2X25AWG	11/0.14	14	308.07	111 Ω/km
ANM11.003.26.025AB	UL20276	30V	26X2X25AWG	11/0.14	14	310.17	111 Ω/km
ANM11.003.27.025AB	UL20276	30V	27X2X25AWG	11/0.14	14	312.37	111 Ω/km
ANM11.003.28.025AB	UL20276	30V	28X2X25AWG	11/0.14	14.4	328.77	111 Ω/km
ANM11.003.29.025AB	UL20276	30V	29X2X25AWG	11/0.14	14.4	330.97	111 Ω/km
ANM11.003.30.025AB	UL20276	30V	30X2X25AWG	11/0.14	14.4	332.97	111 Ω/km
ANM11.003.31.025AB	UL20276	30V	31X2X25AWG	11/0.14	14.9	353.57	111 Ω/km
ANM11.003.32.025AB	UL20276	30V	32X2X25AWG	11/0.14	14.9	355.87	111 Ω/km
ANM11.003.33.025AB	UL20276	30V	33X2X25AWG	11/0.14	14.9	357.97	111 Ω/km
ANM11.003.34.025AB	UL20276	30V	34X2X25AWG	11/0.14	15.5	383.17	111 Ω/km
ANM11.003.35.025AB	UL20276	30V	35X2X25AWG	11/0.14	15.5	385.27	111 Ω/km
ANM11.003.36.025AB	UL20276	30V	36X2X25AWG	11/0.14	15.5	387.37	111 Ω/km
ANM11.003.37.025AB	UL20276	30V	37X2X25AWG	11/0.14	15.5	389.47	111 Ω/km
ANM11.003.38.025AB	UL20276	30V	38X2X25AWG	11/0.14	16	411.67	111 Ω/km
ANM11.003.39.025AB	UL20276	30V	39X2X25AWG	11/0.14	16	413.87	111 Ω/km
ANM11.003.40.025AB	UL20276	30V	40X2X25AWG	11/0.14	16	415.87	111 Ω/km
ANM11.003.41.025AB	UL20276	30V	41X2X25AWG	11/0.14	17.2	467.97	111 Ω/km
ANM11.003.42.025AB	UL20276	30V	42X2X25AWG	11/0.14	17.2	470.07	111 Ω/km
ANM11.003.43.025AB	UL20276	30V	43X2X25AWG	11/0.14	17.2	472.17	111 Ω/km
ANM11.003.44.025AB	UL20276	30V	44X2X25AWG	11/0.14	17.2	474.37	111 Ω/km
ANM11.003.45.025AB	UL20276	30V	45X2X25AWG	11/0.14	17.5	489.67	111 Ω/km
ANM11.003.46.025AB	UL20276	30V	46X2X25AWG	11/0.14	17.5	491.77	111 Ω/km
ANM11.003.47.025AB	UL20276	30V	47X2X25AWG	11/0.14	17.5	493.87	111 Ω/km
ANM11.003.48.025AB	UL20276	30V	48X2X25AWG	11/0.14	17.5	496.07	111 Ω/km
ANM11.003.49.025AB	UL20276	30V	49X2X25AWG	11/0.14	18	520.47	111 Ω/km
ANM11.003.50.025AB	UL20276	30V	50X2X25AWG	11/0.14	18	522.67	111 Ω/km
ANM11.003.51.025AB	UL20276	30V	51X2X25AWG	11/0.14	18	524.77	111 Ω/km
ANM11.003.52.025AB	UL20276	30V	52X2X25AWG	11/0.14	18	526.97	111 Ω/km
ANM11.003.53.025AB	UL20276	30V	53X2X25AWG	11/0.14	18.5	551.97	111 Ω/km
ANM11.003.54.025AB	UL20276	30V	54X2X25AWG	11/0.14	18.5	554.07	111 Ω/km
ANM11.003.55.025AB	UL20276	30V	55X2X25AWG	11/0.14	18.5	556.17	111 Ω/km
ANM11.003.56.025AB	UL20276	30V	56X2X25AWG	11/0.14	18.5	558.27	111 Ω/km



ANM11.003.57.025AB	UL20276	30V	57X2X25AWG	11/0.14	19	583.97	111 Ω/km
ANM11.003.58.025AB	UL20276	30V	58X2X25AWG	11/0.14	19	586.07	111 Ω/km
ANM11.003.59.025AB	UL20276	30V	59X2X25AWG	11/0.14	19	588.27	111 Ω/km
ANM11.003.60.025AB	UL20276	30V	60X2X25AWG	11/0.14	19	590.27	111 Ω/km
ANM11.003.61.025AB	UL20276	30V	61X2X25AWG	11/0.14	19	592.47	111 Ω/km
ANM11.003.62.025AB	UL20276	30V	62X2X25AWG	11/0.14	20.3	656.37	111 Ω/km
ANM11.003.63.025AB	UL20276	30V	63X2X25AWG	11/0.14	20.3	658.57	111 Ω/km
ANM11.003.64.025AB	UL20276	30V	64X2X25AWG	11/0.14	20.3	660.77	111 Ω/km
ANM11.003.65.025AB	UL20276	30V	65X2X25AWG	11/0.14	20.3	662.77	111 Ω/km
ANM11.003.02.024AB	UL20276	30V	2X2X24AWG	14/0.14	6	55.91	87.6 Ω/km
ANM11.003.03.024AB	UL20276	30V	3X2X24AWG	14/0.14	6.2	62.01	87.6 Ω/km
ANM11.003.04.024AB	UL20276	30V	4X2X24AWG	14/0.14	6.7	73.61	87.6 Ω/km
ANM11.003.05.024AB	UL20276	30V	5X2X24AWG	14/0.14	7.2	85.71	87.6 Ω/km
ANM11.003.06.024AB	UL20276	30V	6X2X24AWG	14/0.14	7.7	98.41	87.6 Ω/km
ANM11.003.07.024AB	UL20276	30V	7X2X24AWG	14/0.14	7.7	101.41	87.6 Ω/km
ANM11.003.08.024AB	UL20276	30V	8X2X24AWG	14/0.14	8.3	116.91	87.6 Ω/km
ANM11.003.09.024AB	UL20276	30V	9X2X24AWG	14/0.14	9	135.61	87.6 Ω/km
ANM11.003.10.024AB	UL20276	30V	10X2X24AWG	14/0.14	9.5	150.41	87.6 Ω/km
ANM11.003.11.024AB	UL20276	30V	11X2X24AWG	14/0.14	9.8	160.91	87.6 Ω/km
ANM11.003.12.024AB	UL20276	30V	12X2X24AWG	14/0.14	9.8	163.91	87.6 Ω/km
ANM11.003.13.024AB	UL20276	30V	13X2X24AWG	14/0.14	10.2	177.11	87.6 Ω/km
ANM11.003.14.024AB	UL20276	30V	14X2X24AWG	14/0.14	10.2	180.11	87.6 Ω/km
ANM11.003.15.024AB	UL20276	30V	15X2X24AWG	14/0.14	11.3	212.21	87.6 Ω/km
ANM11.003.16.024AB	UL20276	30V	16X2X24AWG	14/0.14	11.3	215.01	87.6 Ω/km
ANM11.003.17.024AB	UL20276	30V	17X2X24AWG	14/0.14	11.8	232.71	87.6 Ω/km
ANM11.003.18.024AB	UL20276	30V	18X2X24AWG	14/0.14	11.8	235.71	87.6 Ω/km
ANM11.003.19.024AB	UL20276	30V	19X2X24AWG	14/0.14	11.8	238.71	87.6 Ω/km
ANM11.003.20.024AB	UL20276	30V	20X2X24AWG	14/0.14	12.1	250.71	87.6 Ω/km
ANM11.003.21.024AB	UL20276	30V	21X2X24AWG	14/0.14	12.4	263.01	87.6 Ω/km
ANM11.003.22.024AB	UL20276	30V	22X2X24AWG	14/0.14	13.2	292.01	87.6 Ω/km
ANM11.003.23.024AB	UL20276	30V	23X2X24AWG	14/0.14	13.7	311.81	87.6 Ω/km
ANM11.003.24.024AB	UL20276	30V	24X2X24AWG	14/0.14	13.7	314.81	87.6 Ω/km
ANM11.003.25.024AB	UL20276	30V	25X2X24AWG	14/0.14	14	328.31	87.6 Ω/km
ANM11.003.26.024AB	UL20276	30V	26X2X24AWG	14/0.14	14	331.31	87.6 Ω/km
ANM11.003.27.024AB	UL20276	30V	27X2X24AWG	14/0.14	14	334.31	87.6 Ω/km
ANM11.003.28.024AB	UL20276	30V	28X2X24AWG	14/0.14	14.4	351.61	87.6 Ω/km
ANM11.003.29.024AB	UL20276	30V	29X2X24AWG	14/0.14	14.4	354.51	87.6 Ω/km
ANM11.003.30.024AB	UL20276	30V	30X2X24AWG	14/0.14	14.4	357.41	87.6 Ω/km
ANM11.003.31.024AB	UL20276	30V	31X2X24AWG	14/0.14	14.9	378.81	87.6 Ω/km
ANM11.003.32.024AB	UL20276	30V	32X2X24AWG	14/0.14	14.9	381.81	87.6 Ω/km
ANM11.003.33.024AB	UL20276	30V	33X2X24AWG	14/0.14	14.9	384.81	87.6 Ω/km
ANM11.003.34.024AB	UL20276	30V	34X2X24AWG	14/0.14	15.5	410.81	87.6 Ω/km



ANM11.003.35.024AB	UL20276	30V	35X2X24AWG	14/0.14	15.5	413.71	87.6Ω/km
ANM11.003.36.024AB	UL20276	30V	36X2X24AWG	14/0.14	15.5	416.61	87.6Ω/km
ANM11.003.37.024AB	UL20276	30V	37X2X24AWG	14/0.14	15.5	419.61	87.6Ω/km
ANM11.003.38.024AB	UL20276	30V	38X2X24AWG	14/0.14	16	442.51	87.6Ω/km
ANM11.003.39.024AB	UL20276	30V	39X2X24AWG	14/0.14	16	445.51	87.6Ω/km
ANM11.003.40.024AB	UL20276	30V	40X2X24AWG	14/0.14	16	448.41	87.6Ω/km
ANM11.003.41.024AB	UL20276	30V	41X2X24AWG	14/0.14	17.2	501.21	87.6Ω/km
ANM11.003.42.024AB	UL20276	30V	42X2X24AWG	14/0.14	17.2	504.21	87.6Ω/km
ANM11.003.43.024AB	UL20276	30V	43X2X24AWG	14/0.14	17.2	507.11	87.6Ω/km
ANM11.003.44.024AB	UL20276	30V	44X2X24AWG	14/0.14	17.2	510.11	87.6Ω/km
ANM11.003.45.024AB	UL20276	30V	45X2X24AWG	14/0.14	17.5	526.21	87.6Ω/km
ANM11.003.46.024AB	UL20276	30V	46X2X24AWG	14/0.14	17.5	529.11	87.6Ω/km
ANM11.003.47.024AB	UL20276	30V	47X2X24AWG	14/0.14	17.5	532.01	87.6Ω/km
ANM11.003.48.024AB	UL20276	30V	48X2X24AWG	14/0.14	17.5	535.01	87.6Ω/km
ANM11.003.49.024AB	UL20276	30V	49X2X24AWG	14/0.14	18	560.31	87.6Ω/km
ANM11.003.50.024AB	UL20276	30V	50X2X24AWG	14/0.14	18	563.21	87.6Ω/km
ANM11.003.51.024AB	UL20276	30V	51X2X24AWG	14/0.14	18	566.21	87.6Ω/km
ANM11.003.52.024AB	UL20276	30V	52X2X24AWG	14/0.14	18	569.21	87.6Ω/km
ANM11.003.53.024AB	UL20276	30V	53X2X24AWG	14/0.14	18.5	595.01	87.6Ω/km
ANM11.003.54.024AB	UL20276	30V	54X2X24AWG	14/0.14	18.5	597.91	87.6Ω/km
ANM11.003.55.024AB	UL20276	30V	55X2X24AWG	14/0.14	18.5	600.81	87.6Ω/km
ANM11.003.56.024AB	UL20276	30V	56X2X24AWG	14/0.14	18.5	603.81	87.6Ω/km
ANM11.003.57.024AB	UL20276	30V	57X2X24AWG	14/0.14	19	630.21	87.6Ω/km
ANM11.003.58.024AB	UL20276	30V	58X2X24AWG	14/0.14	19	633.21	87.6Ω/km
ANM11.003.59.024AB	UL20276	30V	59X2X24AWG	14/0.14	19	636.21	87.6Ω/km
ANM11.003.60.024AB	UL20276	30V	60X2X24AWG	14/0.14	19	639.01	87.6Ω/km
ANM11.003.61.024AB	UL20276	30V	61X2X24AWG	14/0.14	19	642.01	87.6Ω/km
ANM11.003.62.024AB	UL20276	30V	62X2X24AWG	14/0.14	20.3	706.71	87.6Ω/km
ANM11.003.63.024AB	UL20276	30V	63X2X24AWG	14/0.14	20.3	709.71	87.6Ω/km
ANM11.003.64.024AB	UL20276	30V	64X2X24AWG	14/0.14	20.3	712.71	87.6Ω/km
ANM11.003.65.024AB	UL20276	30V	65X2X24AWG	14/0.14	20.3	715.61	87.6Ω/km
ANM11.003.02.023AB	UL20276	30V	2X2X23AWG	17/0.14	7	74.46	69.2Ω/km
ANM11.003.03.023AB	UL20276	30V	3X2X23AWG	17/0.14	7.4	85.76	69.2Ω/km
ANM11.003.04.023AB	UL20276	30V	4X2X23AWG	17/0.14	8	101.46	69.2Ω/km
ANM11.003.05.023AB	UL20276	30V	5X2X23AWG	17/0.14	8.6	118.16	69.2Ω/km
ANM11.003.06.023AB	UL20276	30V	6X2X23AWG	17/0.14	9.3	137.96	69.2Ω/km
ANM11.003.07.023AB	UL20276	30V	7X2X23AWG	17/0.14	9.3	141.56	69.2Ω/km
ANM11.003.08.023AB	UL20276	30V	8X2X23AWG	17/0.14	10	162.56	69.2Ω/km
ANM11.003.09.023AB	UL20276	30V	9X2X23AWG	17/0.14	11.5	206.16	69.2Ω/km
ANM11.003.10.023AB	UL20276	30V	10X2X23AWG	17/0.14	12.2	230.96	69.2Ω/km
ANM11.003.11.023AB	UL20276	30V	11X2X23AWG	17/0.14	12.6	247.16	69.2Ω/km
ANM11.003.12.023AB	UL20276	30V	12X2X23AWG	17/0.14	12.6	250.96	69.2Ω/km



ANM11.003.13.023AB	UL20276	30V	13X2X23AWG	17/0.14	13.3	277.46	69.2Ω/km
ANM11.003.14.023AB	UL20276	30V	14X2X23AWG	17/0.14	13.3	281.06	69.2Ω/km
ANM11.003.15.023AB	UL20276	30V	15X2X23AWG	17/0.14	13.9	305.46	69.2Ω/km
ANM11.003.16.023AB	UL20276	30V	16X2X23AWG	17/0.14	13.9	308.96	69.2Ω/km
ANM11.003.17.023AB	UL20276	30V	17X2X23AWG	17/0.14	14.6	337.86	69.2Ω/km
ANM11.003.18.023AB	UL20276	30V	18X2X23AWG	17/0.14	14.6	341.46	69.2Ω/km
ANM11.003.19.023AB	UL20276	30V	19X2X23AWG	17/0.14	14.6	345.16	69.2Ω/km
ANM11.003.20.023AB	UL20276	30V	20X2X23AWG	17/0.14	15	363.66	69.2Ω/km
ANM11.003.21.023AB	UL20276	30V	21X2X23AWG	17/0.14	15.3	378.76	69.2Ω/km
ANM11.003.22.023AB	UL20276	30V	22X2X23AWG	17/0.14	16.2	418.06	69.2Ω/km
ANM11.003.23.023AB	UL20276	30V	23X2X23AWG	17/0.14	16.9	450.66	69.2Ω/km
ANM11.003.24.023AB	UL20276	30V	24X2X23AWG	17/0.14	16.9	454.36	69.2Ω/km
ANM11.003.25.023AB	UL20276	30V	25X2X23AWG	17/0.14	17.2	470.76	69.2Ω/km
ANM11.003.26.023AB	UL20276	30V	26X2X23AWG	17/0.14	17.2	474.46	69.2Ω/km
ANM11.003.27.023AB	UL20276	30V	27X2X23AWG	17/0.14	17.2	478.06	69.2Ω/km
ANM11.003.28.023AB	UL20276	30V	28X2X23AWG	17/0.14	17.8	507.96	69.2Ω/km
ANM11.003.29.023AB	UL20276	30V	29X2X23AWG	17/0.14	17.8	511.66	69.2Ω/km
ANM11.003.30.023AB	UL20276	30V	30X2X23AWG	17/0.14	17.8	515.26	69.2Ω/km
ANM11.003.31.023AB	UL20276	30V	31X2X23AWG	17/0.14	18.5	550.76	69.2Ω/km
ANM11.003.32.023AB	UL20276	30V	32X2X23AWG	17/0.14	18.5	554.36	69.2Ω/km
ANM11.003.33.023AB	UL20276	30V	33X2X23AWG	17/0.14	18.5	558.06	69.2Ω/km
ANM11.003.34.023AB	UL20276	30V	34X2X23AWG	17/0.14	19.2	594.66	69.2Ω/km
ANM11.003.35.023AB	UL20276	30V	35X2X23AWG	17/0.14	19.2	598.26	69.2Ω/km
ANM11.003.36.023AB	UL20276	30V	36X2X23AWG	17/0.14	19.2	601.96	69.2Ω/km
ANM11.003.37.023AB	UL20276	30V	37X2X23AWG	17/0.14	19.2	605.56	69.2Ω/km
ANM11.003.38.023AB	UL20276	30V	38X2X23AWG	17/0.14	20.7	681.76	69.2Ω/km
ANM11.003.39.023AB	UL20276	30V	39X2X23AWG	17/0.14	20.7	685.36	69.2Ω/km
ANM11.003.40.023AB	UL20276	30V	40X2X23AWG	17/0.14	20.7	689.06	69.2Ω/km
ANM11.003.41.023AB	UL20276	30V	41X2X23AWG	17/0.14	22.3	778.26	69.2Ω/km
ANM11.003.42.023AB	UL20276	30V	42X2X23AWG	17/0.14	22.3	781.86	69.2Ω/km
ANM11.003.43.023AB	UL20276	30V	43X2X23AWG	17/0.14	22.3	785.56	69.2Ω/km
ANM11.003.44.023AB	UL20276	30V	44X2X23AWG	17/0.14	22.3	789.16	69.2Ω/km
ANM11.003.45.023AB	UL20276	30V	45X2X23AWG	17/0.14	22.6	809.46	69.2Ω/km
ANM11.003.46.023AB	UL20276	30V	46X2X23AWG	17/0.14	22.6	812.96	69.2Ω/km
ANM11.003.47.023AB	UL20276	30V	47X2X23AWG	17/0.14	22.6	816.56	69.2Ω/km
ANM11.003.48.023AB	UL20276	30V	48X2X23AWG	17/0.14	22.6	820.36	69.2Ω/km
ANM11.003.49.023AB	UL20276	30V	49X2X23AWG	17/0.14	23.2	858.16	69.2Ω/km
ANM11.003.50.023AB	UL20276	30V	50X2X23AWG	17/0.14	23.2	861.86	69.2Ω/km
ANM11.003.51.023AB	UL20276	30V	51X2X23AWG	17/0.14	23.2	865.46	69.2Ω/km
ANM11.003.52.023AB	UL20276	30V	52X2X23AWG	17/0.14	23.2	869.16	69.2Ω/km
ANM11.003.53.023AB	UL20276	30V	53X2X23AWG	17/0.14	23.9	913.66	69.2Ω/km
ANM11.003.54.023AB	UL20276	30V	54X2X23AWG	17/0.14	23.9	917.16	69.2Ω/km



ANM11.003.55.023AB	UL20276	30V	55X2X23AWG	17/0.14	23.9	920.86	69.2 Ω/km
ANM11.003.56.023AB	UL20276	30V	56X2X23AWG	17/0.14	23.9	924.46	69.2 Ω/km
ANM11.003.57.023AB	UL20276	30V	57X2X23AWG	17/0.14	24.5	964.16	69.2 Ω/km
ANM11.003.58.023AB	UL20276	30V	58X2X23AWG	17/0.14	24.5	967.76	69.2 Ω/km
ANM11.003.59.023AB	UL20276	30V	59X2X23AWG	17/0.14	24.5	971.46	69.2 Ω/km
ANM11.003.60.023AB	UL20276	30V	60X2X23AWG	17/0.14	24.5	975.06	69.2 Ω/km
ANM11.003.61.023AB	UL20276	30V	61X2X23AWG	17/0.14	24.5	978.56	69.2 Ω/km
ANM11.003.62.023AB	UL20276	30V	62X2X23AWG	17/0.14	25.2	1025.36	69.2 Ω/km
ANM11.003.63.023AB	UL20276	30V	63X2X23AWG	17/0.14	25.2	1028.96	69.2 Ω/km
ANM11.003.64.023AB	UL20276	30V	64X2X23AWG	17/0.14	25.2	1032.66	69.2 Ω/km
ANM11.003.65.023AB	UL20276	30V	65X2X23AWG	17/0.14	25.2	1036.26	69.2 Ω/km
ANM11.003.02.022AB	UL20276	30V	2X2X22AWG	22/0.14	7.4	83.93	55.4 Ω/km
ANM11.003.03.022AB	UL20276	30V	3X2X22AWG	22/0.14	7.8	96.33	55.4 Ω/km
ANM11.003.04.022AB	UL20276	30V	4X2X22AWG	22/0.14	8.4	113.53	55.4 Ω/km
ANM11.003.05.022AB	UL20276	30V	5X2X22AWG	22/0.14	9.1	133.83	55.4 Ω/km
ANM11.003.06.022AB	UL20276	30V	6X2X22AWG	22/0.14	9.8	155.43	55.4 Ω/km
ANM11.003.07.022AB	UL20276	30V	7X2X22AWG	22/0.14	9.8	159.83	55.4 Ω/km
ANM11.003.08.022AB	UL20276	30V	8X2X22AWG	22/0.14	11.2	200.93	55.4 Ω/km
ANM11.003.09.022AB	UL20276	30V	9X2X22AWG	22/0.14	12.2	235.23	55.4 Ω/km
ANM11.003.10.022AB	UL20276	30V	10X2X22AWG	22/0.14	12.9	261.93	55.4 Ω/km
ANM11.003.11.022AB	UL20276	30V	11X2X22AWG	22/0.14	13.4	283.03	55.4 Ω/km
ANM11.003.12.022AB	UL20276	30V	12X2X22AWG	22/0.14	13.4	287.63	55.4 Ω/km
ANM11.003.13.022AB	UL20276	30V	13X2X22AWG	22/0.14	14	312.73	55.4 Ω/km
ANM11.003.14.022AB	UL20276	30V	14X2X22AWG	22/0.14	14	317.23	55.4 Ω/km
ANM11.003.15.022AB	UL20276	30V	15X2X22AWG	22/0.14	14.7	347.13	55.4 Ω/km
ANM11.003.16.022AB	UL20276	30V	16X2X22AWG	22/0.14	14.7	351.73	55.4 Ω/km
ANM11.003.17.022AB	UL20276	30V	17X2X22AWG	22/0.14	15.5	386.53	55.4 Ω/km
ANM11.003.18.022AB	UL20276	30V	18X2X22AWG	22/0.14	15.5	391.03	55.4 Ω/km
ANM11.003.19.022AB	UL20276	30V	19X2X22AWG	22/0.14	15.5	395.53	55.4 Ω/km
ANM11.003.20.022AB	UL20276	30V	20X2X22AWG	22/0.14	15.9	415.83	55.4 Ω/km
ANM11.003.21.022AB	UL20276	30V	21X2X22AWG	22/0.14	16.2	432.43	55.4 Ω/km
ANM11.003.22.022AB	UL20276	30V	22X2X22AWG	22/0.14	17.2	478.63	55.4 Ω/km
ANM11.003.23.022AB	UL20276	30V	23X2X22AWG	22/0.14	17.9	514.13	55.4 Ω/km
ANM11.003.24.022AB	UL20276	30V	24X2X22AWG	22/0.14	17.9	518.53	55.4 Ω/km
ANM11.003.25.022AB	UL20276	30V	25X2X22AWG	22/0.14	18.3	541.23	55.4 Ω/km
ANM11.003.26.022AB	UL20276	30V	26X2X22AWG	22/0.14	18.3	545.73	55.4 Ω/km
ANM11.003.27.022AB	UL20276	30V	27X2X22AWG	22/0.14	18.3	550.23	55.4 Ω/km
ANM11.003.28.022AB	UL20276	30V	28X2X22AWG	22/0.14	19	587.23	55.4 Ω/km
ANM11.003.29.022AB	UL20276	30V	29X2X22AWG	22/0.14	19	591.73	55.4 Ω/km
ANM11.003.30.022AB	UL20276	30V	30X2X22AWG	22/0.14	19	596.23	55.4 Ω/km
ANM11.003.31.022AB	UL20276	30V	31X2X22AWG	22/0.14	20.5	672.73	55.4 Ω/km
ANM11.003.32.022AB	UL20276	30V	32X2X22AWG	22/0.14	20.5	677.23	55.4 Ω/km



ANM11.003.33.022AB	UL20276	30V	33X2X22AWG	22/0.14	20.5	681.63	55.4 Ω/km
ANM11.003.34.022AB	UL20276	30V	34X2X22AWG	22/0.14	21.2	722.43	55.4 Ω/km
ANM11.003.35.022AB	UL20276	30V	35X2X22AWG	22/0.14	21.2	726.93	55.4 Ω/km
ANM11.003.36.022AB	UL20276	30V	36X2X22AWG	22/0.14	21.2	731.33	55.4 Ω/km
ANM11.003.37.022AB	UL20276	30V	37X2X22AWG	22/0.14	21.2	735.83	55.4 Ω/km
ANM11.003.38.022AB	UL20276	30V	38X2X22AWG	22/0.14	21.9	777.93	55.4 Ω/km
ANM11.003.39.022AB	UL20276	30V	39X2X22AWG	22/0.14	21.9	782.43	55.4 Ω/km
ANM11.003.40.022AB	UL20276	30V	40X2X22AWG	22/0.14	21.9	786.93	55.4 Ω/km
ANM11.003.41.022AB	UL20276	30V	41X2X22AWG	22/0.14	23.7	893.33	55.4 Ω/km
ANM11.003.42.022AB	UL20276	30V	42X2X22AWG	22/0.14	23.7	897.93	55.4 Ω/km
ANM11.003.43.022AB	UL20276	30V	43X2X22AWG	22/0.14	23.7	902.33	55.4 Ω/km
ANM11.003.44.022AB	UL20276	30V	44X2X22AWG	22/0.14	23.7	906.83	55.4 Ω/km
ANM11.003.45.022AB	UL20276	30V	45X2X22AWG	22/0.14	24.1	935.03	55.4 Ω/km
ANM11.003.46.022AB	UL20276	30V	46X2X22AWG	22/0.14	24.1	939.53	55.4 Ω/km
ANM11.003.47.022AB	UL20276	30V	47X2X22AWG	22/0.14	24.1	944.03	55.4 Ω/km
ANM11.003.48.022AB	UL20276	30V	48X2X22AWG	22/0.14	24.1	948.53	55.4 Ω/km
ANM11.003.49.022AB	UL20276	30V	49X2X22AWG	22/0.14	24.7	989.23	55.4 Ω/km
ANM11.003.50.022AB	UL20276	30V	50X2X22AWG	22/0.14	24.7	993.73	55.4 Ω/km
ANM11.003.51.022AB	UL20276	30V	51X2X22AWG	22/0.14	24.7	998.13	55.4 Ω/km
ANM11.003.52.022AB	UL20276	30V	52X2X22AWG	22/0.14	24.7	1002.63	55.4 Ω/km
ANM11.003.53.022AB	UL20276	30V	53X2X22AWG	22/0.14	25.4	1050.83	55.4 Ω/km
ANM11.003.54.022AB	UL20276	30V	54X2X22AWG	22/0.14	25.4	1055.23	55.4 Ω/km
ANM11.003.55.022AB	UL20276	30V	55X2X22AWG	22/0.14	25.4	1059.73	55.4 Ω/km
ANM11.003.56.022AB	UL20276	30V	56X2X22AWG	22/0.14	25.4	1064.13	55.4 Ω/km
ANM11.003.57.022AB	UL20276	30V	57X2X22AWG	22/0.14	26.1	1113.33	55.4 Ω/km
ANM11.003.58.022AB	UL20276	30V	58X2X22AWG	22/0.14	26.1	1117.83	55.4 Ω/km
ANM11.003.59.022AB	UL20276	30V	59X2X22AWG	22/0.14	26.1	1122.23	55.4 Ω/km
ANM11.003.60.022AB	UL20276	30V	60X2X22AWG	22/0.14	26.1	1126.83	55.4 Ω/km
ANM11.003.61.022AB	UL20276	30V	61X2X22AWG	22/0.14	26.1	1131.33	55.4 Ω/km
ANM11.003.62.022AB	UL20276	30V	62X2X22AWG	22/0.14	26.9	1188.23	55.4 Ω/km
ANM11.003.63.022AB	UL20276	30V	63X2X22AWG	22/0.14	26.9	1192.73	55.4 Ω/km
ANM11.003.64.022AB	UL20276	30V	64X2X22AWG	22/0.14	26.9	1197.23	55.4 Ω/km
ANM11.003.65.022AB	UL20276	30V	65X2X22AWG	22/0.14	26.9	1201.73	55.4 Ω/km
ANM11.003.02.021AB	UL20276	30V	2X2X21AWG	27/0.14	7.7	92.42	43.6 Ω/km
ANM11.003.03.021AB	UL20276	30V	3X2X21AWG	27/0.14	8.1	106.32	43.6 Ω/km
ANM11.003.04.021AB	UL20276	30V	4X2X21AWG	27/0.14	8.8	127.42	43.6 Ω/km
ANM11.003.05.021AB	UL20276	30V	5X2X21AWG	27/0.14	9.6	152.22	43.6 Ω/km
ANM11.003.06.021AB	UL20276	30V	6X2X21AWG	27/0.14	11	193.72	43.6 Ω/km
ANM11.003.07.021AB	UL20276	30V	7X2X21AWG	27/0.14	11	199.52	43.6 Ω/km
ANM11.003.08.021AB	UL20276	30V	8X2X21AWG	27/0.14	11.8	228.42	43.6 Ω/km
ANM11.003.09.021AB	UL20276	30V	9X2X21AWG	27/0.14	12.8	265.32	43.6 Ω/km
ANM11.003.10.021AB	UL20276	30V	10X2X21AWG	27/0.14	13.7	301.32	43.6 Ω/km



ANM11.003.11.021AB	UL20276	30V	11X2X21AWG	27/0.14	14.1	321.22	43.6Ω/km
ANM11.003.12.021AB	UL20276	30V	12X2X21AWG	27/0.14	14.1	326.92	43.6Ω/km
ANM11.003.13.021AB	UL20276	30V	13X2X21AWG	27/0.14	14.8	358.22	43.6Ω/km
ANM11.003.14.021AB	UL20276	30V	14X2X21AWG	27/0.14	14.8	363.92	43.6Ω/km
ANM11.003.15.021AB	UL20276	30V	15X2X21AWG	27/0.14	15.6	400.22	43.6Ω/km
ANM11.003.16.021AB	UL20276	30V	16X2X21AWG	27/0.14	15.6	405.82	43.6Ω/km
ANM11.003.17.021AB	UL20276	30V	17X2X21AWG	27/0.14	16.3	439.72	43.6Ω/km
ANM11.003.18.021AB	UL20276	30V	18X2X21AWG	27/0.14	16.3	445.42	43.6Ω/km
ANM11.003.19.021AB	UL20276	30V	19X2X21AWG	27/0.14	16.3	451.22	43.6Ω/km
ANM11.003.20.021AB	UL20276	30V	20X2X21AWG	27/0.14	16.8	477.72	43.6Ω/km
ANM11.003.21.021AB	UL20276	30V	21X2X21AWG	27/0.14	17.1	496.22	43.6Ω/km
ANM11.003.22.021AB	UL20276	30V	22X2X21AWG	27/0.14	18.2	550.62	43.6Ω/km
ANM11.003.23.021AB	UL20276	30V	23X2X21AWG	27/0.14	19	593.42	43.6Ω/km
ANM11.003.24.021AB	UL20276	30V	24X2X21AWG	27/0.14	19	599.12	43.6Ω/km
ANM11.003.25.021AB	UL20276	30V	25X2X21AWG	27/0.14	19.4	624.12	43.6Ω/km
ANM11.003.26.021AB	UL20276	30V	26X2X21AWG	27/0.14	19.4	629.82	43.6Ω/km
ANM11.003.27.021AB	UL20276	30V	27X2X21AWG	27/0.14	19.4	635.52	43.6Ω/km
ANM11.003.28.021AB	UL20276	30V	28X2X21AWG	27/0.14	20.9	714.62	43.6Ω/km
ANM11.003.29.021AB	UL20276	30V	29X2X21AWG	27/0.14	20.9	720.42	43.6Ω/km
ANM11.003.30.021AB	UL20276	30V	30X2X21AWG	27/0.14	20.9	726.22	43.6Ω/km
ANM11.003.31.021AB	UL20276	30V	31X2X21AWG	27/0.14	21.6	768.92	43.6Ω/km
ANM11.003.32.021AB	UL20276	30V	32X2X21AWG	27/0.14	21.6	774.72	43.6Ω/km
ANM11.003.33.021AB	UL20276	30V	33X2X21AWG	27/0.14	21.6	780.42	43.6Ω/km
ANM11.003.34.021AB	UL20276	30V	34X2X21AWG	27/0.14	22.4	829.82	43.6Ω/km
ANM11.003.35.021AB	UL20276	30V	35X2X21AWG	27/0.14	22.4	835.42	43.6Ω/km
ANM11.003.36.021AB	UL20276	30V	36X2X21AWG	27/0.14	22.4	841.22	43.6Ω/km
ANM11.003.37.021AB	UL20276	30V	37X2X21AWG	27/0.14	22.4	847.12	43.6Ω/km
ANM11.003.38.021AB	UL20276	30V	38X2X21AWG	27/0.14	23.2	898.12	43.6Ω/km
ANM11.003.39.021AB	UL20276	30V	39X2X21AWG	27/0.14	23.2	903.82	43.6Ω/km
ANM11.003.40.021AB	UL20276	30V	40X2X21AWG	27/0.14	23.2	909.62	43.6Ω/km
ANM11.003.41.021AB	UL20276	30V	41X2X21AWG	27/0.14	25.1	1029.12	43.6Ω/km
ANM11.003.42.021AB	UL20276	30V	42X2X21AWG	27/0.14	25.1	1034.82	43.6Ω/km
ANM11.003.43.021AB	UL20276	30V	43X2X21AWG	27/0.14	25.1	1040.52	43.6Ω/km
ANM11.003.44.021AB	UL20276	30V	44X2X21AWG	27/0.14	25.1	1046.32	43.6Ω/km
ANM11.003.45.021AB	UL20276	30V	45X2X21AWG	27/0.14	25.5	1077.02	43.6Ω/km
ANM11.003.46.021AB	UL20276	30V	46X2X21AWG	27/0.14	25.5	1082.82	43.6Ω/km
ANM11.003.47.021AB	UL20276	30V	47X2X21AWG	27/0.14	25.5	1088.52	43.6Ω/km
ANM11.003.48.021AB	UL20276	30V	48X2X21AWG	27/0.14	25.5	1094.32	43.6Ω/km
ANM11.003.49.021AB	UL20276	30V	49X2X21AWG	27/0.14	26.2	1144.82	43.6Ω/km
ANM11.003.50.021AB	UL20276	30V	50X2X21AWG	27/0.14	26.2	1150.52	43.6Ω/km
ANM11.003.51.021AB	UL20276	30V	51X2X21AWG	27/0.14	26.2	1156.22	43.6Ω/km
ANM11.003.52.021AB	UL20276	30V	52X2X21AWG	27/0.14	26.2	1162.02	43.6Ω/km



ANM11.003.53.021AB	UL20276	30V	53X2X21AWG	27/0.14	26.9	1213.72	43.6Ω/km
ANM11.003.54.021AB	UL20276	30V	54X2X21AWG	27/0.14	26.9	1219.42	43.6Ω/km
ANM11.003.55.021AB	UL20276	30V	55X2X21AWG	27/0.14	26.9	1225.22	43.6Ω/km
ANM11.003.56.021AB	UL20276	30V	56X2X21AWG	27/0.14	26.9	1231.02	43.6Ω/km
ANM11.003.57.021AB	UL20276	30V	57X2X21AWG	27/0.14	27.7	1290.62	43.6Ω/km
ANM11.003.58.021AB	UL20276	30V	58X2X21AWG	27/0.14	27.7	1296.42	43.6Ω/km
ANM11.003.59.021AB	UL20276	30V	59X2X21AWG	27/0.14	27.7	1302.12	43.6Ω/km
ANM11.003.60.021AB	UL20276	30V	60X2X21AWG	27/0.14	27.7	1307.92	43.6Ω/km
ANM11.003.61.021AB	UL20276	30V	61X2X21AWG	27/0.14	27.7	1313.52	43.6Ω/km
ANM11.003.62.021AB	UL20276	30V	62X2X21AWG	27/0.14	29.3	1429.62	43.6Ω/km
ANM11.003.63.021AB	UL20276	30V	63X2X21AWG	27/0.14	29.3	1435.42	43.6Ω/km
ANM11.003.64.021AB	UL20276	30V	64X2X21AWG	27/0.14	29.3	1441.22	43.6Ω/km
ANM11.003.65.021AB	UL20276	30V	65X2X21AWG	27/0.14	29.3	1446.92	43.6Ω/km
ANM11.003.02.020AB	UL20276	30V	2X2X20AWG	34/0.14	8.8	119.12	34.6Ω/km
ANM11.003.03.020AB	UL20276	30V	3X2X20AWG	34/0.14	9.3	138.12	34.6Ω/km
ANM11.003.04.020AB	UL20276	30V	4X2X20AWG	34/0.14	10.1	165.32	34.6Ω/km
ANM11.003.05.020AB	UL20276	30V	5X2X20AWG	34/0.14	11.6	213.02	34.6Ω/km
ANM11.003.06.020AB	UL20276	30V	6X2X20AWG	34/0.14	12.6	251.02	34.6Ω/km
ANM11.003.07.020AB	UL20276	30V	7X2X20AWG	34/0.14	12.6	258.22	34.6Ω/km
ANM11.003.08.020AB	UL20276	30V	8X2X20AWG	34/0.14	13.6	298.62	34.6Ω/km
ANM11.003.09.020AB	UL20276	30V	9X2X20AWG	34/0.14	14.9	352.62	34.6Ω/km
ANM11.003.10.020AB	UL20276	30V	10X2X20AWG	34/0.14	15.8	394.72	34.6Ω/km
ANM11.003.11.020AB	UL20276	30V	11X2X20AWG	34/0.14	16.3	422.12	34.6Ω/km
ANM11.003.12.020AB	UL20276	30V	12X2X20AWG	34/0.14	16.3	429.32	34.6Ω/km
ANM11.003.13.020AB	UL20276	30V	13X2X20AWG	34/0.14	17.1	470.12	34.6Ω/km
ANM11.003.14.020AB	UL20276	30V	14X2X20AWG	34/0.14	17.1	477.32	34.6Ω/km
ANM11.003.15.020AB	UL20276	30V	15X2X20AWG	34/0.14	18.1	528.52	34.6Ω/km
ANM11.003.16.020AB	UL20276	30V	16X2X20AWG	34/0.14	18.1	535.82	34.6Ω/km
ANM11.003.17.020AB	UL20276	30V	17X2X20AWG	34/0.14	19	584.92	34.6Ω/km
ANM11.003.18.020AB	UL20276	30V	18X2X20AWG	34/0.14	19	592.22	34.6Ω/km
ANM11.003.19.020AB	UL20276	30V	19X2X20AWG	34/0.14	19	599.52	34.6Ω/km
ANM11.003.20.020AB	UL20276	30V	20X2X20AWG	34/0.14	20.3	668.42	34.6Ω/km
ANM11.003.21.020AB	UL20276	30V	21X2X20AWG	34/0.14	20.7	696.12	34.6Ω/km
ANM11.003.22.020AB	UL20276	30V	22X2X20AWG	34/0.14	22	772.42	34.6Ω/km
ANM11.003.23.020AB	UL20276	30V	23X2X20AWG	34/0.14	23	835.62	34.6Ω/km
ANM11.003.24.020AB	UL20276	30V	24X2X20AWG	34/0.14	23	842.92	34.6Ω/km
ANM11.003.25.020AB	UL20276	30V	25X2X20AWG	34/0.14	23.5	879.02	34.6Ω/km
ANM11.003.26.020AB	UL20276	30V	26X2X20AWG	34/0.14	23.5	886.32	34.6Ω/km
ANM11.003.27.020AB	UL20276	30V	27X2X20AWG	34/0.14	23.5	893.42	34.6Ω/km
ANM11.003.28.020AB	UL20276	30V	28X2X20AWG	34/0.14	24.3	948.02	34.6Ω/km
ANM11.003.29.020AB	UL20276	30V	29X2X20AWG	34/0.14	24.3	955.22	34.6Ω/km
ANM11.003.30.020AB	UL20276	30V	30X2X20AWG	34/0.14	24.3	962.52	34.6Ω/km





ANM11.003.31.020AB	UL20276	30V	31X2X20AWG	34/0.14	25.2	1024.92	34.6Ω/km
ANM11.003.32.020AB	UL20276	30V	32X2X20AWG	34/0.14	25.2	1032.22	34.6Ω/km
ANM11.003.33.020AB	UL20276	30V	33X2X20AWG	34/0.14	25.2	1039.42	34.6Ω/km
ANM11.003.34.020AB	UL20276	30V	34X2X20AWG	34/0.14	26.1	1104.02	34.6Ω/km
ANM11.003.35.020AB	UL20276	30V	35X2X20AWG	34/0.14	26.1	1111.22	34.6Ω/km
ANM11.003.36.020AB	UL20276	30V	36X2X20AWG	34/0.14	26.1	1118.52	34.6Ω/km
ANM11.003.37.020AB	UL20276	30V	37X2X20AWG	34/0.14	26.1	1125.82	34.6Ω/km
ANM11.003.38.020AB	UL20276	30V	38X2X20AWG	34/0.14	27.1	1198.82	34.6Ω/km
ANM11.003.39.020AB	UL20276	30V	39X2X20AWG	34/0.14	27.1	1206.02	34.6Ω/km
ANM11.003.40.020AB	UL20276	30V	40X2X20AWG	34/0.14	27.1	1213.22	34.6Ω/km
ANM11.003.41.020AB	UL20276	30V	41X2X20AWG	34/0.14	30.5	1494.62	34.6Ω/km
ANM11.003.42.020AB	UL20276	30V	42X2X20AWG	34/0.14	30.5	1501.82	34.6Ω/km
ANM11.003.43.020AB	UL20276	30V	43X2X20AWG	34/0.14	30.5	1509.12	34.6Ω/km
ANM11.003.44.020AB	UL20276	30V	44X2X20AWG	34/0.14	30.5	1516.42	34.6Ω/km
ANM11.003.45.020AB	UL20276	30V	45X2X20AWG	34/0.14	31	1562.12	34.6Ω/km
ANM11.003.46.020AB	UL20276	30V	46X2X20AWG	34/0.14	31	1569.42	34.6Ω/km
ANM11.003.47.020AB	UL20276	30V	47X2X20AWG	34/0.14	31	1576.62	34.6Ω/km
ANM11.003.48.020AB	UL20276	30V	48X2X20AWG	34/0.14	31	1583.92	34.6Ω/km
ANM11.003.49.020AB	UL20276	30V	49X2X20AWG	34/0.14	31.8	1654.12	34.6Ω/km
ANM11.003.50.020AB	UL20276	30V	50X2X20AWG	34/0.14	31.8	1661.52	34.6Ω/km
ANM11.003.51.020AB	UL20276	30V	51X2X20AWG	34/0.14	31.8	1668.82	34.6Ω/km
ANM11.003.52.020AB	UL20276	30V	52X2X20AWG	34/0.14	31.8	1676.02	34.6Ω/km
ANM11.003.53.020AB	UL20276	30V	53X2X20AWG	34/0.14	32.7	1756.02	34.6Ω/km
ANM11.003.54.020AB	UL20276	30V	54X2X20AWG	34/0.14	32.7	1763.12	34.6Ω/km
ANM11.003.55.020AB	UL20276	30V	55X2X20AWG	34/0.14	32.7	1770.42	34.6Ω/km
ANM11.003.56.020AB	UL20276	30V	56X2X20AWG	34/0.14	32.7	1777.62	34.6Ω/km
ANM11.003.57.020AB	UL20276	30V	57X2X20AWG	34/0.14	33.7	1868.02	34.6Ω/km
ANM11.003.58.020AB	UL20276	30V	58X2X20AWG	34/0.14	33.7	1875.32	34.6Ω/km
ANM11.003.59.020AB	UL20276	30V	59X2X20AWG	34/0.14	33.7	1882.52	34.6Ω/km
ANM11.003.60.020AB	UL20276	30V	60X2X20AWG	34/0.14	33.7	1889.82	34.6Ω/km
ANM11.003.61.020AB	UL20276	30V	61X2X20AWG	34/0.14	33.7	1897.12	34.6Ω/km
ANM11.003.62.020AB	UL20276	30V	62X2X20AWG	34/0.14	34.6	1981.12	34.6Ω/km
ANM11.003.63.020AB	UL20276	30V	63X2X20AWG	34/0.14	34.6	1988.42	34.6Ω/km
ANM11.003.64.020AB	UL20276	30V	64X2X20AWG	34/0.14	34.6	1995.62	34.6Ω/km
ANM11.003.65.020AB	UL20276	30V	65X2X20AWG	34/0.14	34.6	2002.92	34.6Ω/km
ANM11.003.02.019AB	UL20276	30V	2X2X19AWG	43/0.14	9.1	130.26	27.4Ω/km
ANM11.003.03.019AB	UL20276	30V	3X2X19AWG	43/0.14	9.7	154.06	27.4Ω/km
ANM11.003.04.019AB	UL20276	30V	4X2X19AWG	43/0.14	11.1	199.36	27.4Ω/km
ANM11.003.05.019AB	UL20276	30V	5X2X19AWG	43/0.14	12.1	238.16	27.4Ω/km
ANM11.003.06.019AB	UL20276	30V	6X2X19AWG	43/0.14	13.2	282.86	27.4Ω/km
ANM11.003.07.019AB	UL20276	30V	7X2X19AWG	43/0.14	13.2	291.96	27.4Ω/km
ANM11.003.08.019AB	UL20276	30V	8X2X19AWG	43/0.14	14.2	335.86	27.4Ω/km



ANM11.003.09.019AB	UL20276	30V	9X2X19AWG	43/0.14	15.5	393.66	27.4 Ω/km
ANM11.003.10.019AB	UL20276	30V	10X2X19AWG	43/0.14	16.5	443.06	27.4 Ω/km
ANM11.003.11.019AB	UL20276	30V	11X2X19AWG	43/0.14	17.1	477.66	27.4 Ω/km
ANM11.003.12.019AB	UL20276	30V	12X2X19AWG	43/0.14	17.1	486.96	27.4 Ω/km
ANM11.003.13.019AB	UL20276	30V	13X2X19AWG	43/0.14	17.9	531.26	27.4 Ω/km
ANM11.003.14.019AB	UL20276	30V	14X2X19AWG	43/0.14	17.9	540.46	27.4 Ω/km
ANM11.003.15.019AB	UL20276	30V	15X2X19AWG	43/0.14	18.9	595.76	27.4 Ω/km
ANM11.003.16.019AB	UL20276	30V	16X2X19AWG	43/0.14	18.9	604.96	27.4 Ω/km
ANM11.003.17.019AB	UL20276	30V	17X2X19AWG	43/0.14	20.7	701.16	27.4 Ω/km
ANM11.003.18.019AB	UL20276	30V	18X2X19AWG	43/0.14	20.7	710.36	27.4 Ω/km
ANM11.003.19.019AB	UL20276	30V	19X2X19AWG	43/0.14	20.7	719.66	27.4 Ω/km
ANM11.003.20.019AB	UL20276	30V	20X2X19AWG	43/0.14	21.2	754.96	27.4 Ω/km
ANM11.003.21.019AB	UL20276	30V	21X2X19AWG	43/0.14	21.7	790.76	27.4 Ω/km
ANM11.003.22.019AB	UL20276	30V	22X2X19AWG	43/0.14	23	872.26	27.4 Ω/km
ANM11.003.23.019AB	UL20276	30V	23X2X19AWG	43/0.14	24	939.66	27.4 Ω/km
ANM11.003.24.019AB	UL20276	30V	24X2X19AWG	43/0.14	24	948.96	27.4 Ω/km
ANM11.003.25.019AB	UL20276	30V	25X2X19AWG	43/0.14	24.5	988.36	27.4 Ω/km
ANM11.003.26.019AB	UL20276	30V	26X2X19AWG	43/0.14	24.5	997.56	27.4 Ω/km
ANM11.003.27.019AB	UL20276	30V	27X2X19AWG	43/0.14	24.5	1006.76	27.4 Ω/km
ANM11.003.28.019AB	UL20276	30V	28X2X19AWG	43/0.14	25.4	1071.66	27.4 Ω/km
ANM11.003.29.019AB	UL20276	30V	29X2X19AWG	43/0.14	25.4	1080.96	27.4 Ω/km
ANM11.003.30.019AB	UL20276	30V	30X2X19AWG	43/0.14	25.4	1090.26	27.4 Ω/km
ANM11.003.31.019AB	UL20276	30V	31X2X19AWG	43/0.14	26.4	1163.56	27.4 Ω/km
ANM11.003.32.019AB	UL20276	30V	32X2X19AWG	43/0.14	26.4	1172.86	27.4 Ω/km
ANM11.003.33.019AB	UL20276	30V	33X2X19AWG	43/0.14	26.4	1182.06	27.4 Ω/km
ANM11.003.34.019AB	UL20276	30V	34X2X19AWG	43/0.14	27.4	1257.86	27.4 Ω/km
ANM11.003.35.019AB	UL20276	30V	35X2X19AWG	43/0.14	27.4	1267.06	27.4 Ω/km
ANM11.003.36.019AB	UL20276	30V	36X2X19AWG	43/0.14	27.4	1276.36	27.4 Ω/km
ANM11.003.37.019AB	UL20276	30V	37X2X19AWG	43/0.14	27.4	1285.66	27.4 Ω/km
ANM11.003.38.019AB	UL20276	30V	38X2X19AWG	43/0.14	29.2	1418.36	27.4 Ω/km
ANM11.003.39.019AB	UL20276	30V	39X2X19AWG	43/0.14	29.2	1427.66	27.4 Ω/km
ANM11.003.40.019AB	UL20276	30V	40X2X19AWG	43/0.14	29.2	1436.86	27.4 Ω/km
ANM11.003.41.019AB	UL20276	30V	41X2X19AWG	43/0.14	31.9	1685.96	27.4 Ω/km
ANM11.003.42.019AB	UL20276	30V	42X2X19AWG	43/0.14	31.9	1695.26	27.4 Ω/km
ANM11.003.43.019AB	UL20276	30V	43X2X19AWG	43/0.14	31.9	1704.46	27.4 Ω/km
ANM11.003.44.019AB	UL20276	30V	44X2X19AWG	43/0.14	31.9	1713.76	27.4 Ω/km
ANM11.003.45.019AB	UL20276	30V	45X2X19AWG	43/0.14	32.4	1763.16	27.4 Ω/km
ANM11.003.46.019AB	UL20276	30V	46X2X19AWG	43/0.14	32.4	1772.46	27.4 Ω/km
ANM11.003.47.019AB	UL20276	30V	47X2X19AWG	43/0.14	32.4	1781.66	27.4 Ω/km
ANM11.003.48.019AB	UL20276	30V	48X2X19AWG	43/0.14	32.4	1790.86	27.4 Ω/km
ANM11.003.49.019AB	UL20276	30V	49X2X19AWG	43/0.14	33.3	1874.16	27.4 Ω/km
ANM11.003.50.019AB	UL20276	30V	50X2X19AWG	43/0.14	33.3	1883.36	27.4 Ω/km



ANM11.003.51.019AB	UL20276	30V	51X2X19AWG	43/0.14	33.3	1892.66	27.4 Ω/km
ANM11.003.52.019AB	UL20276	30V	52X2X19AWG	43/0.14	33.3	1902.06	27.4 Ω/km
ANM11.003.53.019AB	UL20276	30V	53X2X19AWG	43/0.14	34.3	1995.86	27.4 Ω/km
ANM11.003.54.019AB	UL20276	30V	54X2X19AWG	43/0.14	34.3	2005.06	27.4 Ω/km
ANM11.003.55.019AB	UL20276	30V	55X2X19AWG	43/0.14	34.3	2014.26	27.4 Ω/km
ANM11.003.56.019AB	UL20276	30V	56X2X19AWG	43/0.14	34.3	2023.56	27.4 Ω/km
ANM11.003.57.019AB	UL20276	30V	57X2X19AWG	43/0.14	35.5	2137.46	27.4 Ω/km
ANM11.003.58.019AB	UL20276	30V	58X2X19AWG	43/0.14	35.5	2146.76	27.4 Ω/km
ANM11.003.59.019AB	UL20276	30V	59X2X19AWG	43/0.14	35.5	2156.06	27.4 Ω/km
ANM11.003.60.019AB	UL20276	30V	60X2X19AWG	43/0.14	35.5	2165.26	27.4 Ω/km
ANM11.003.61.019AB	UL20276	30V	61X2X19AWG	43/0.14	35.5	2174.46	27.4 Ω/km
ANM11.003.62.019AB	UL20276	30V	62X2X19AWG	43/0.14	36.6	2282.56	27.4 Ω/km
ANM11.003.63.019AB	UL20276	30V	63X2X19AWG	43/0.14	36.6	2291.86	27.4 Ω/km
ANM11.003.64.019AB	UL20276	30V	64X2X19AWG	43/0.14	36.6	2301.16	27.4 Ω/km
ANM11.003.65.019AB	UL20276	30V	65X2X19AWG	43/0.14	36.6	2310.36	27.4 Ω/km
ANM11.003.02.018AB	UL20276	30V	2X2X18AWG	29/0.19	9.5	145.33	21.8 Ω/km
ANM11.003.03.018AB	UL20276	30V	3X2X18AWG	29/0.19	10	169.73	21.8 Ω/km
ANM11.003.04.018AB	UL20276	30V	4X2X18AWG	29/0.19	11.5	221.73	21.8 Ω/km
ANM11.003.05.018AB	UL20276	30V	5X2X18AWG	29/0.19	12.6	267.33	21.8 Ω/km
ANM11.003.06.018AB	UL20276	30V	6X2X18AWG	29/0.19	13.7	315.73	21.8 Ω/km
ANM11.003.07.018AB	UL20276	30V	7X2X18AWG	29/0.19	13.7	327.63	21.8 Ω/km
ANM11.003.08.018AB	UL20276	30V	8X2X18AWG	29/0.19	14.8	379.33	21.8 Ω/km
ANM11.003.09.018AB	UL20276	30V	9X2X18AWG	29/0.19	16.2	445.63	21.8 Ω/km
ANM11.003.10.018AB	UL20276	30V	10X2X18AWG	29/0.19	17.2	499.43	21.8 Ω/km
ANM11.003.11.018AB	UL20276	30V	11X2X18AWG	29/0.19	17.8	537.83	21.8 Ω/km
ANM11.003.12.018AB	UL20276	30V	12X2X18AWG	29/0.19	17.8	549.63	21.8 Ω/km
ANM11.003.13.018AB	UL20276	30V	13X2X18AWG	29/0.19	18.7	602.53	21.8 Ω/km
ANM11.003.14.018AB	UL20276	30V	14X2X18AWG	29/0.19	18.7	614.43	21.8 Ω/km
ANM11.003.15.018AB	UL20276	30V	15X2X18AWG	29/0.19	20.5	712.53	21.8 Ω/km
ANM11.003.16.018AB	UL20276	30V	16X2X18AWG	29/0.19	20.5	724.43	21.8 Ω/km
ANM11.003.17.018AB	UL20276	30V	17X2X18AWG	29/0.19	21.5	788.43	21.8 Ω/km
ANM11.003.18.018AB	UL20276	30V	18X2X18AWG	29/0.19	21.5	800.43	21.8 Ω/km
ANM11.003.19.018AB	UL20276	30V	19X2X18AWG	29/0.19	21.5	812.33	21.8 Ω/km
ANM11.003.20.018AB	UL20276	30V	20X2X18AWG	29/0.19	22.1	856.73	21.8 Ω/km
ANM11.003.21.018AB	UL20276	30V	21X2X18AWG	29/0.19	22.6	896.33	21.8 Ω/km
ANM11.003.22.018AB	UL20276	30V	22X2X18AWG	29/0.19	24	989.23	21.8 Ω/km
ANM11.003.23.018AB	UL20276	30V	23X2X18AWG	29/0.19	25.1	1068.13	21.8 Ω/km
ANM11.003.24.018AB	UL20276	30V	24X2X18AWG	29/0.19	25.1	1080.03	21.8 Ω/km
ANM11.003.25.018AB	UL20276	30V	25X2X18AWG	29/0.19	25.6	1123.43	21.8 Ω/km
ANM11.003.26.018AB	UL20276	30V	26X2X18AWG	29/0.19	25.6	1135.23	21.8 Ω/km
ANM11.003.27.018AB	UL20276	30V	27X2X18AWG	29/0.19	25.6	1147.13	21.8 Ω/km
ANM11.003.28.018AB	UL20276	30V	28X2X18AWG	29/0.19	26.5	1217.03	21.8 Ω/km



ANM11.003.29.018AB	UL20276	30V	29X2X18AWG	29/0.19	26.5	1229.03	21.8Ω/km
ANM11.003.30.018AB	UL20276	30V	30X2X18AWG	29/0.19	26.5	1240.93	21.8Ω/km
ANM11.003.31.018AB	UL20276	30V	31X2X18AWG	29/0.19	27.5	1319.53	21.8Ω/km
ANM11.003.32.018AB	UL20276	30V	32X2X18AWG	29/0.19	27.5	1331.53	21.8Ω/km
ANM11.003.33.018AB	UL20276	30V	33X2X18AWG	29/0.19	27.5	1343.43	21.8Ω/km
ANM11.003.34.018AB	UL20276	30V	34X2X18AWG	29/0.19	29.4	1486.43	21.8Ω/km
ANM11.003.35.018AB	UL20276	30V	35X2X18AWG	29/0.19	29.4	1498.33	21.8Ω/km
ANM11.003.36.018AB	UL20276	30V	36X2X18AWG	29/0.19	29.4	1510.43	21.8Ω/km
ANM11.003.37.018AB	UL20276	30V	37X2X18AWG	29/0.19	29.4	1522.23	21.8Ω/km
ANM11.003.38.018AB	UL20276	30V	38X2X18AWG	29/0.19	30.8	1673.03	21.8Ω/km
ANM11.003.39.018AB	UL20276	30V	39X2X18AWG	29/0.19	30.8	1684.93	21.8Ω/km
ANM11.003.40.018AB	UL20276	30V	40X2X18AWG	29/0.19	30.8	1696.83	21.8Ω/km
ANM11.003.41.018AB	UL20276	30V	41X2X18AWG	29/0.19	33.3	1909.53	21.8Ω/km
ANM11.003.42.018AB	UL20276	30V	42X2X18AWG	29/0.19	33.3	1921.33	21.8Ω/km
ANM11.003.43.018AB	UL20276	30V	43X2X18AWG	29/0.19	33.3	1933.33	21.8Ω/km
ANM11.003.44.018AB	UL20276	30V	44X2X18AWG	29/0.19	33.3	1945.23	21.8Ω/km
ANM11.003.45.018AB	UL20276	30V	45X2X18AWG	29/0.19	33.9	2007.53	21.8Ω/km
ANM11.003.46.018AB	UL20276	30V	46X2X18AWG	29/0.19	33.9	2019.53	21.8Ω/km
ANM11.003.47.018AB	UL20276	30V	47X2X18AWG	29/0.19	33.9	2031.43	21.8Ω/km
ANM11.003.48.018AB	UL20276	30V	48X2X18AWG	29/0.19	33.9	2043.23	21.8Ω/km
ANM11.003.49.018AB	UL20276	30V	49X2X18AWG	29/0.19	34.8	2132.43	21.8Ω/km
ANM11.003.50.018AB	UL20276	30V	50X2X18AWG	29/0.19	34.8	2144.43	21.8Ω/km
ANM11.003.51.018AB	UL20276	30V	51X2X18AWG	29/0.19	34.8	2156.23	21.8Ω/km
ANM11.003.52.018AB	UL20276	30V	52X2X18AWG	29/0.19	34.8	2168.23	21.8Ω/km
ANM11.003.53.018AB	UL20276	30V	53X2X18AWG	29/0.19	36.1	2295.23	21.8Ω/km
ANM11.003.54.018AB	UL20276	30V	54X2X18AWG	29/0.19	36.1	2307.13	21.8Ω/km
ANM11.003.55.018AB	UL20276	30V	55X2X18AWG	29/0.19	36.1	2319.03	21.8Ω/km
ANM11.003.56.018AB	UL20276	30V	56X2X18AWG	29/0.19	36.1	2330.83	21.8Ω/km
ANM11.003.57.018AB	UL20276	30V	57X2X18AWG	29/0.19	37.1	2434.23	21.8Ω/km
ANM11.003.58.018AB	UL20276	30V	58X2X18AWG	29/0.19	37.1	2446.13	21.8Ω/km
ANM11.003.59.018AB	UL20276	30V	59X2X18AWG	29/0.19	37.1	2457.93	21.8Ω/km
ANM11.003.60.018AB	UL20276	30V	60X2X18AWG	29/0.19	37.1	2470.03	21.8Ω/km
ANM11.003.61.018AB	UL20276	30V	61X2X18AWG	29/0.19	37.1	2481.93	21.8Ω/km
ANM11.003.62.018AB	UL20276	30V	62X2X18AWG	29/0.19	38.2	2596.83	21.8Ω/km
ANM11.003.63.018AB	UL20276	30V	63X2X18AWG	29/0.19	38.2	2608.73	21.8Ω/km
ANM11.003.64.018AB	UL20276	30V	64X2X18AWG	29/0.19	38.2	2620.73	21.8Ω/km
ANM11.003.65.018AB	UL20276	30V	65X2X18AWG	29/0.19	38.2	2632.63	21.8Ω/km
ANM11.003.02.017AB	UL20276	30V	2X2X17AWG	37/0.19	10.2	168.84	17.3Ω/km
ANM11.003.03.017AB	UL20276	30V	3X2X17AWG	37/0.19	11.4	215.44	17.3Ω/km
ANM11.003.04.017AB	UL20276	30V	4X2X17AWG	37/0.19	12.4	260.44	17.3Ω/km
ANM11.003.05.017AB	UL20276	30V	5X2X17AWG	37/0.19	13.6	314.84	17.3Ω/km
ANM11.003.06.017AB	UL20276	30V	6X2X17AWG	37/0.19	14.8	372.64	17.3Ω/km



ANM11.003.07.017AB	UL20276	30V	7X2X17AWG	37/0.19	14.8	387.34	17.3 Ω/km
ANM11.003.08.017AB	UL20276	30V	8X2X17AWG	37/0.19	15.9	444.44	17.3 Ω/km
ANM11.003.09.017AB	UL20276	30V	9X2X17AWG	37/0.19	17.5	526.14	17.3 Ω/km
ANM11.003.10.017AB	UL20276	30V	10X2X17AWG	37/0.19	18.6	590.64	17.3 Ω/km
ANM11.003.11.017AB	UL20276	30V	11X2X17AWG	37/0.19	19.3	638.44	17.3 Ω/km
ANM11.003.12.017AB	UL20276	30V	12X2X17AWG	37/0.19	19.3	653.04	17.3 Ω/km
ANM11.003.13.017AB	UL20276	30V	13X2X17AWG	37/0.19	21	751.14	17.3 Ω/km
ANM11.003.14.017AB	UL20276	30V	14X2X17AWG	37/0.19	21	766.04	17.3 Ω/km
ANM11.003.15.017AB	UL20276	30V	15X2X17AWG	37/0.19	22.2	845.24	17.3 Ω/km
ANM11.003.16.017AB	UL20276	30V	16X2X17AWG	37/0.19	22.2	859.94	17.3 Ω/km
ANM11.003.17.017AB	UL20276	30V	17X2X17AWG	37/0.19	23.3	936.64	17.3 Ω/km
ANM11.003.18.017AB	UL20276	30V	18X2X17AWG	37/0.19	23.3	951.44	17.3 Ω/km
ANM11.003.19.017AB	UL20276	30V	19X2X17AWG	37/0.19	23.3	966.24	17.3 Ω/km
ANM11.003.20.017AB	UL20276	30V	20X2X17AWG	37/0.19	23.9	1016.14	17.3 Ω/km
ANM11.003.21.017AB	UL20276	30V	21X2X17AWG	37/0.19	24.5	1066.74	17.3 Ω/km
ANM11.003.22.017AB	UL20276	30V	22X2X17AWG	37/0.19	26	1175.34	17.3 Ω/km
ANM11.003.23.017AB	UL20276	30V	23X2X17AWG	37/0.19	27.2	1269.14	17.3 Ω/km
ANM11.003.24.017AB	UL20276	30V	24X2X17AWG	37/0.19	27.2	1283.84	17.3 Ω/km
ANM11.003.25.017AB	UL20276	30V	25X2X17AWG	37/0.19	27.8	1339.24	17.3 Ω/km
ANM11.003.26.017AB	UL20276	30V	26X2X17AWG	37/0.19	27.8	1353.94	17.3 Ω/km
ANM11.003.27.017AB	UL20276	30V	27X2X17AWG	37/0.19	27.8	1368.74	17.3 Ω/km
ANM11.003.28.017AB	UL20276	30V	28X2X17AWG	37/0.19	30	1572.14	17.3 Ω/km
ANM11.003.29.017AB	UL20276	30V	29X2X17AWG	37/0.19	30	1586.84	17.3 Ω/km
ANM11.003.30.017AB	UL20276	30V	30X2X17AWG	37/0.19	30	1601.54	17.3 Ω/km
ANM11.003.31.017AB	UL20276	30V	31X2X17AWG	37/0.19	31.1	1700.64	17.3 Ω/km
ANM11.003.32.017AB	UL20276	30V	32X2X17AWG	37/0.19	31.1	1715.44	17.3 Ω/km
ANM11.003.33.017AB	UL20276	30V	33X2X17AWG	37/0.19	31.1	1730.14	17.3 Ω/km
ANM11.003.34.017AB	UL20276	30V	34X2X17AWG	37/0.19	32.3	1840.04	17.3 Ω/km
ANM11.003.35.017AB	UL20276	30V	35X2X17AWG	37/0.19	32.3	1854.74	17.3 Ω/km
ANM11.003.36.017AB	UL20276	30V	36X2X17AWG	37/0.19	32.3	1869.54	17.3 Ω/km
ANM11.003.37.017AB	UL20276	30V	37X2X17AWG	37/0.19	32.3	1884.24	17.3 Ω/km
ANM11.003.38.017AB	UL20276	30V	38X2X17AWG	37/0.19	33.4	1989.54	17.3 Ω/km
ANM11.003.39.017AB	UL20276	30V	39X2X17AWG	37/0.19	33.4	2004.24	17.3 Ω/km
ANM11.003.40.017AB	UL20276	30V	40X2X17AWG	37/0.19	33.4	2019.04	17.3 Ω/km
ANM11.003.41.017AB	UL20276	30V	41X2X17AWG	37/0.19	36.4	2295.24	17.3 Ω/km
ANM11.003.42.017AB	UL20276	30V	42X2X17AWG	37/0.19	36.4	2309.94	17.3 Ω/km
ANM11.003.43.017AB	UL20276	30V	43X2X17AWG	37/0.19	36.4	2324.64	17.3 Ω/km
ANM11.003.44.017AB	UL20276	30V	44X2X17AWG	37/0.19	36.4	2339.34	17.3 Ω/km
ANM11.003.45.017AB	UL20276	30V	45X2X17AWG	37/0.19	37	2409.14	17.3 Ω/km
ANM11.003.46.017AB	UL20276	30V	46X2X17AWG	37/0.19	37	2423.94	17.3 Ω/km
ANM11.003.47.017AB	UL20276	30V	47X2X17AWG	37/0.19	37	2438.54	17.3 Ω/km
ANM11.003.48.017AB	UL20276	30V	48X2X17AWG	37/0.19	37	2453.24	17.3 Ω/km



ANM11.003.49.017AB	UL20276	30V	49X2X17AWG	37/0.19	38	2561.44	17.3 Ω/km
ANM11.003.50.017AB	UL20276	30V	50X2X17AWG	37/0.19	38	2576.24	17.3 Ω/km
ANM11.003.51.017AB	UL20276	30V	51X2X17AWG	37/0.19	38	2590.94	17.3 Ω/km
ANM11.003.52.017AB	UL20276	30V	52X2X17AWG	37/0.19	38	2605.64	17.3 Ω/km
ANM11.003.53.017AB	UL20276	30V	53X2X17AWG	37/0.19	39.2	2735.74	17.3 Ω/km
ANM11.003.54.017AB	UL20276	30V	54X2X17AWG	37/0.19	39.2	2750.44	17.3 Ω/km
ANM11.003.55.017AB	UL20276	30V	55X2X17AWG	37/0.19	39.2	2765.24	17.3 Ω/km
ANM11.003.56.017AB	UL20276	30V	56X2X17AWG	37/0.19	39.2	2779.94	17.3 Ω/km
ANM11.003.57.017AB	UL20276	30V	57X2X17AWG	37/0.19	40.5	2961.34	17.3 Ω/km
ANM11.003.58.017AB	UL20276	30V	58X2X17AWG	37/0.19	40.5	2976.14	17.3 Ω/km
ANM11.003.59.017AB	UL20276	30V	59X2X17AWG	37/0.19	40.5	2990.94	17.3 Ω/km
ANM11.003.60.017AB	UL20276	30V	60X2X17AWG	37/0.19	40.5	3005.64	17.3 Ω/km
ANM11.003.61.017AB	UL20276	30V	61X2X17AWG	37/0.19	40.5	3020.24	17.3 Ω/km
ANM11.003.62.017AB	UL20276	30V	62X2X17AWG	37/0.19	41.7	3158.94	17.3 Ω/km
ANM11.003.63.017AB	UL20276	30V	63X2X17AWG	37/0.19	41.7	3173.64	17.3 Ω/km
ANM11.003.64.017AB	UL20276	30V	64X2X17AWG	37/0.19	41.7	3188.44	17.3 Ω/km
ANM11.003.65.017AB	UL20276	30V	65X2X17AWG	37/0.19	41.7	3203.14	17.3 Ω/km
ANM11.003.02.016AB	UL20276	30V	2X2X16AWG	27/0.25	11.1	201.31	13.7 Ω/km
ANM11.003.03.016AB	UL20276	30V	3X2X16AWG	27/0.25	11.8	240.81	13.7 Ω/km
ANM11.003.04.016AB	UL20276	30V	4X2X16AWG	27/0.25	12.8	291.11	13.7 Ω/km
ANM11.003.05.016AB	UL20276	30V	5X2X16AWG	27/0.25	14.1	354.51	13.7 Ω/km
ANM11.003.06.016AB	UL20276	30V	6X2X16AWG	27/0.25	15.3	418.21	13.7 Ω/km
ANM11.003.07.016AB	UL20276	30V	7X2X16AWG	27/0.25	15.3	437.31	13.7 Ω/km
ANM11.003.08.016AB	UL20276	30V	8X2X16AWG	27/0.25	16.5	504.21	13.7 Ω/km
ANM11.003.09.016AB	UL20276	30V	9X2X16AWG	27/0.25	18.1	592.61	13.7 Ω/km
ANM11.003.10.016AB	UL20276	30V	10X2X16AWG	27/0.25	19.3	667.81	13.7 Ω/km
ANM11.003.11.016AB	UL20276	30V	11X2X16AWG	27/0.25	20.8	759.91	13.7 Ω/km
ANM11.003.12.016AB	UL20276	30V	12X2X16AWG	27/0.25	20.8	779.11	13.7 Ω/km
ANM11.003.13.016AB	UL20276	30V	13X2X16AWG	27/0.25	21.8	851.21	13.7 Ω/km
ANM11.003.14.016AB	UL20276	30V	14X2X16AWG	27/0.25	21.8	870.31	13.7 Ω/km
ANM11.003.15.016AB	UL20276	30V	15X2X16AWG	27/0.25	23	956.21	13.7 Ω/km
ANM11.003.16.016AB	UL20276	30V	16X2X16AWG	27/0.25	23	975.31	13.7 Ω/km
ANM11.003.17.016AB	UL20276	30V	17X2X16AWG	27/0.25	24.2	1064.61	13.7 Ω/km
ANM11.003.18.016AB	UL20276	30V	18X2X16AWG	27/0.25	24.2	1083.81	13.7 Ω/km
ANM11.003.19.016AB	UL20276	30V	19X2X16AWG	27/0.25	24.2	1102.91	13.7 Ω/km
ANM11.003.20.016AB	UL20276	30V	20X2X16AWG	27/0.25	24.8	1158.41	13.7 Ω/km
ANM11.003.21.016AB	UL20276	30V	21X2X16AWG	27/0.25	25.4	1214.81	13.7 Ω/km
ANM11.003.22.016AB	UL20276	30V	22X2X16AWG	27/0.25	27	1337.61	13.7 Ω/km
ANM11.003.23.016AB	UL20276	30V	23X2X16AWG	27/0.25	28.2	1438.61	13.7 Ω/km
ANM11.003.24.016AB	UL20276	30V	24X2X16AWG	27/0.25	28.2	1457.81	13.7 Ω/km
ANM11.003.25.016AB	UL20276	30V	25X2X16AWG	27/0.25	30.1	1645.31	13.7 Ω/km
ANM11.003.26.016AB	UL20276	30V	26X2X16AWG	27/0.25	30.1	1664.41	13.7 Ω/km



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANM11.003.27.016AB	UL20276	30V	27X2X16AWG	27/0.25	30.1	1683.51	13.7 Ω/km
ANM11.003.28.016AB	UL20276	30V	28X2X16AWG	27/0.25	31.1	1779.51	13.7 Ω/km
ANM11.003.29.016AB	UL20276	30V	29X2X16AWG	27/0.25	31.1	1798.61	13.7 Ω/km
ANM11.003.30.016AB	UL20276	30V	30X2X16AWG	27/0.25	31.1	1817.81	13.7 Ω/km
ANM11.003.31.016AB	UL20276	30V	31X2X16AWG	27/0.25	32.3	1932.01	13.7 Ω/km
ANM11.003.32.016AB	UL20276	30V	32X2X16AWG	27/0.25	32.3	1951.21	13.7 Ω/km
ANM11.003.33.016AB	UL20276	30V	33X2X16AWG	27/0.25	32.3	1970.31	13.7 Ω/km
ANM11.003.34.016AB	UL20276	30V	34X2X16AWG	27/0.25	33.5	2088.21	13.7 Ω/km
ANM11.003.35.016AB	UL20276	30V	35X2X16AWG	27/0.25	33.5	2107.31	13.7 Ω/km
ANM11.003.36.016AB	UL20276	30V	36X2X16AWG	27/0.25	33.5	2126.51	13.7 Ω/km
ANM11.003.37.016AB	UL20276	30V	37X2X16AWG	27/0.25	33.5	2145.61	13.7 Ω/km
ANM11.003.38.016AB	UL20276	30V	38X2X16AWG	27/0.25	34.7	2267.01	13.7 Ω/km
ANM11.003.39.016AB	UL20276	30V	39X2X16AWG	27/0.25	34.7	2286.11	13.7 Ω/km
ANM11.003.40.016AB	UL20276	30V	40X2X16AWG	27/0.25	34.7	2305.21	13.7 Ω/km
ANM11.003.41.016AB	UL20276	30V	41X2X16AWG	27/0.25	37.8	2604.81	13.7 Ω/km
ANM11.003.42.016AB	UL20276	30V	42X2X16AWG	27/0.25	37.8	2624.01	13.7 Ω/km
ANM11.003.43.016AB	UL20276	30V	43X2X16AWG	27/0.25	37.8	2643.11	13.7 Ω/km
ANM11.003.44.016AB	UL20276	30V	44X2X16AWG	27/0.25	37.8	2662.21	13.7 Ω/km
ANM11.003.45.016AB	UL20276	30V	45X2X16AWG	27/0.25	38.5	2747.71	13.7 Ω/km
ANM11.003.46.016AB	UL20276	30V	46X2X16AWG	27/0.25	38.5	2766.81	13.7 Ω/km
ANM11.003.47.016AB	UL20276	30V	47X2X16AWG	27/0.25	38.5	2786.01	13.7 Ω/km
ANM11.003.48.016AB	UL20276	30V	48X2X16AWG	27/0.25	38.5	2805.11	13.7 Ω/km
ANM11.003.49.016AB	UL20276	30V	49X2X16AWG	27/0.25	39.5	2921.41	13.7 Ω/km
ANM11.003.50.016AB	UL20276	30V	50X2X16AWG	27/0.25	39.5	2940.51	13.7 Ω/km
ANM11.003.51.016AB	UL20276	30V	51X2X16AWG	27/0.25	39.5	2959.61	13.7 Ω/km
ANM11.003.52.016AB	UL20276	30V	52X2X16AWG	27/0.25	39.5	2978.71	13.7 Ω/km
ANM11.003.53.016AB	UL20276	30V	53X2X16AWG	27/0.25	40.9	3176.11	13.7 Ω/km
ANM11.003.54.016AB	UL20276	30V	54X2X16AWG	27/0.25	40.9	3195.21	13.7 Ω/km
ANM11.003.55.016AB	UL20276	30V	55X2X16AWG	27/0.25	40.9	3214.31	13.7 Ω/km
ANM11.003.56.016AB	UL20276	30V	56X2X16AWG	27/0.25	40.9	3233.41	13.7 Ω/km
芯线 PVC 材质							
ANM11.012.02.002.00B	UL20276	30V	2X2X30AWG	7/0.1	6	51.26	354 Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X30AWG	7/0.1	6.2	54.96	354 Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X30AWG	7/0.1	6.7	64.46	354 Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X30AWG	7/0.1	7.2	74.16	354 Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X30AWG	7/0.1	7.7	84.66	354 Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X30AWG	7/0.1	7.7	85.26	354 Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X30AWG	7/0.1	8.3	98.56	354 Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X30AWG	7/0.1	9	115.06	354 Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X30AWG	7/0.1	9.5	127.56	354 Ω/km



ANM11.012.11.002.00B	UL20276	30V	11X2X30AWG	7/0.1	9.8	135.86	354 Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X30AWG	7/0.1	9.8	136.46	354 Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X30AWG	7/0.1	10.2	147.46	354 Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X30AWG	7/0.1	10.2	148.06	354 Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X30AWG	7/0.1	11.3	177.96	354 Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X30AWG	7/0.1	11.3	178.56	354 Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X30AWG	7/0.1	11.8	193.96	354 Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X30AWG	7/0.1	11.8	194.76	354 Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X30AWG	7/0.1	11.8	195.36	354 Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X30AWG	7/0.1	12.1	205.16	354 Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X30AWG	7/0.1	12.4	215.06	354 Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X30AWG	7/0.1	13.2	241.96	354 Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X30AWG	7/0.1	13.7	259.46	354 Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X30AWG	7/0.1	13.7	260.16	354 Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X30AWG	7/0.1	14	271.36	354 Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X30AWG	7/0.1	14	272.06	354 Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X30AWG	7/0.1	14	272.86	354 Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X30AWG	7/0.1	14.4	287.76	354 Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X30AWG	7/0.1	14.4	288.56	354 Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X30AWG	7/0.1	14.4	289.06	354 Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X30AWG	7/0.1	14.9	308.26	354 Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X30AWG	7/0.1	14.9	308.96	354 Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X30AWG	7/0.1	14.9	309.66	354 Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X30AWG	7/0.1	15.5	333.36	354 Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X30AWG	7/0.1	15.5	334.06	354 Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X30AWG	7/0.1	15.5	334.76	354 Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X30AWG	7/0.1	15.5	335.36	354 Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X30AWG	7/0.1	16	356.06	354 Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X30AWG	7/0.1	16	356.76	354 Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X30AWG	7/0.1	16	357.36	354 Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X30AWG	7/0.1	17.2	407.96	354 Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X30AWG	7/0.1	17.2	408.66	354 Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X30AWG	7/0.1	17.2	409.26	354 Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X30AWG	7/0.1	17.2	409.96	354 Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X30AWG	7/0.1	17.5	423.86	354 Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X30AWG	7/0.1	17.5	424.46	354 Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X30AWG	7/0.1	17.5	425.16	354 Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X30AWG	7/0.1	17.5	425.86	354 Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X30AWG	7/0.1	18	448.86	354 Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X30AWG	7/0.1	18	449.46	354 Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X30AWG	7/0.1	18	450.16	354 Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X30AWG	7/0.1	18	450.86	354 Ω/km





ANM11.012.53.002.00B	UL20276	30V	53X2X30AWG	7/0.1	18.5	474.46	354 Ω /km
ANM11.012.54.002.00B	UL20276	30V	54X2X30AWG	7/0.1	18.5	475.16	354 Ω /km
ANM11.012.55.002.00B	UL20276	30V	55X2X30AWG	7/0.1	18.5	475.76	354 Ω /km
ANM11.012.56.002.00B	UL20276	30V	56X2X30AWG	7/0.1	18.5	476.46	354 Ω /km
ANM11.012.57.002.00B	UL20276	30V	57X2X30AWG	7/0.1	19	500.56	354 Ω /km
ANM11.012.58.002.00B	UL20276	30V	58X2X30AWG	7/0.1	19	501.26	354 Ω /km
ANM11.012.59.002.00B	UL20276	30V	59X2X30AWG	7/0.1	19	501.96	354 Ω /km
ANM11.012.60.002.00B	UL20276	30V	60X2X30AWG	7/0.1	19	502.56	354 Ω /km
ANM11.012.61.002.00B	UL20276	30V	61X2X30AWG	7/0.1	19	503.26	354 Ω /km
ANM11.012.62.002.00B	UL20276	30V	62X2X30AWG	7/0.1	20.3	565.76	354 Ω /km
ANM11.012.63.002.00B	UL20276	30V	63X2X30AWG	7/0.1	20.3	566.46	354 Ω /km
ANM11.012.64.002.00B	UL20276	30V	64X2X30AWG	7/0.1	20.3	567.16	354 Ω /km
ANM11.012.65.002.00B	UL20276	30V	65X2X30AWG	7/0.1	20.3	567.76	354 Ω /km
ANM11.012.02.002.00B	UL20276	30V	2X2X29AWG	9/0.1	6.3	56.57	277 Ω /km
ANM11.012.03.002.00B	UL20276	30V	3X2X29AWG	9/0.1	6.6	62.67	277 Ω /km
ANM11.012.04.002.00B	UL20276	30V	4X2X29AWG	9/0.1	7.1	72.47	277 Ω /km
ANM11.012.05.002.00B	UL20276	30V	5X2X29AWG	9/0.1	7.7	85.17	277 Ω /km
ANM11.012.06.002.00B	UL20276	30V	6X2X29AWG	9/0.1	8.3	98.57	277 Ω /km
ANM11.012.07.002.00B	UL20276	30V	7X2X29AWG	9/0.1	8.3	99.47	277 Ω /km
ANM11.012.08.002.00B	UL20276	30V	8X2X29AWG	9/0.1	8.8	111.37	277 Ω /km
ANM11.012.09.002.00B	UL20276	30V	9X2X29AWG	9/0.1	9.6	131.37	277 Ω /km
ANM11.012.10.002.00B	UL20276	30V	10X2X29AWG	9/0.1	10.2	147.67	277 Ω /km
ANM11.012.11.002.00B	UL20276	30V	11X2X29AWG	9/0.1	11.1	171.87	277 Ω /km
ANM11.012.12.002.00B	UL20276	30V	12X2X29AWG	9/0.1	11.1	172.67	277 Ω /km
ANM11.012.13.002.00B	UL20276	30V	13X2X29AWG	9/0.1	11.6	188.27	277 Ω /km
ANM11.012.14.002.00B	UL20276	30V	14X2X29AWG	9/0.1	11.6	189.07	277 Ω /km
ANM11.012.15.002.00B	UL20276	30V	15X2X29AWG	9/0.1	12.2	208.17	277 Ω /km
ANM11.012.16.002.00B	UL20276	30V	16X2X29AWG	9/0.1	12.2	209.07	277 Ω /km
ANM11.012.17.002.00B	UL20276	30V	17X2X29AWG	9/0.1	12.7	225.77	277 Ω /km
ANM11.012.18.002.00B	UL20276	30V	18X2X29AWG	9/0.1	12.7	226.67	277 Ω /km
ANM11.012.19.002.00B	UL20276	30V	19X2X29AWG	9/0.1	12.7	227.57	277 Ω /km
ANM11.012.20.002.00B	UL20276	30V	20X2X29AWG	9/0.1	13	238.17	277 Ω /km
ANM11.012.21.002.00B	UL20276	30V	21X2X29AWG	9/0.1	13.4	252.57	277 Ω /km
ANM11.012.22.002.00B	UL20276	30V	22X2X29AWG	9/0.1	14.2	281.37	277 Ω /km
ANM11.012.23.002.00B	UL20276	30V	23X2X29AWG	9/0.1	14.8	304.27	277 Ω /km
ANM11.012.24.002.00B	UL20276	30V	24X2X29AWG	9/0.1	14.8	305.17	277 Ω /km
ANM11.012.25.002.00B	UL20276	30V	25X2X29AWG	9/0.1	15.1	317.37	277 Ω /km
ANM11.012.26.002.00B	UL20276	30V	26X2X29AWG	9/0.1	15.1	318.27	277 Ω /km
ANM11.012.27.002.00B	UL20276	30V	27X2X29AWG	9/0.1	15.1	319.17	277 Ω /km
ANM11.012.28.002.00B	UL20276	30V	28X2X29AWG	9/0.1	15.6	339.37	277 Ω /km
ANM11.012.29.002.00B	UL20276	30V	29X2X29AWG	9/0.1	15.6	340.27	277 Ω /km
ANM11.012.30.002.00B	UL20276	30V	30X2X29AWG	9/0.1	15.6	341.27	277 Ω /km



ANM11.012.31.002.00B	UL20276	30V	31X2X29AWG	9/0.1	16.1	362.17	277 Ω /km
ANM11.012.32.002.00B	UL20276	30V	32X2X29AWG	9/0.1	16.1	362.97	277 Ω /km
ANM11.012.33.002.00B	UL20276	30V	33X2X29AWG	9/0.1	16.1	363.87	277 Ω /km
ANM11.012.34.002.00B	UL20276	30V	34X2X29AWG	9/0.1	16.7	389.57	277 Ω /km
ANM11.012.35.002.00B	UL20276	30V	35X2X29AWG	9/0.1	16.7	390.47	277 Ω /km
ANM11.012.36.002.00B	UL20276	30V	36X2X29AWG	9/0.1	16.7	391.37	277 Ω /km
ANM11.012.37.002.00B	UL20276	30V	37X2X29AWG	9/0.1	16.7	392.17	277 Ω /km
ANM11.012.38.002.00B	UL20276	30V	38X2X29AWG	9/0.1	17.3	418.67	277 Ω /km
ANM11.012.39.002.00B	UL20276	30V	39X2X29AWG	9/0.1	17.3	419.77	277 Ω /km
ANM11.012.40.002.00B	UL20276	30V	40X2X29AWG	9/0.1	17.3	420.67	277 Ω /km
ANM11.012.41.002.00B	UL20276	30V	41X2X29AWG	9/0.1	18.6	479.87	277 Ω /km
ANM11.012.42.002.00B	UL20276	30V	42X2X29AWG	9/0.1	18.6	480.77	277 Ω /km
ANM11.012.43.002.00B	UL20276	30V	43X2X29AWG	9/0.1	18.6	481.67	277 Ω /km
ANM11.012.44.002.00B	UL20276	30V	44X2X29AWG	9/0.1	18.6	482.67	277 Ω /km
ANM11.012.45.002.00B	UL20276	30V	45X2X29AWG	9/0.1	18.9	497.67	277 Ω /km
ANM11.012.46.002.00B	UL20276	30V	46X2X29AWG	9/0.1	18.9	498.47	277 Ω /km
ANM11.012.47.002.00B	UL20276	30V	47X2X29AWG	9/0.1	18.9	499.47	277 Ω /km
ANM11.012.48.002.00B	UL20276	30V	48X2X29AWG	9/0.1	18.9	500.37	277 Ω /km
ANM11.012.49.002.00B	UL20276	30V	49X2X29AWG	9/0.1	19.4	525.17	277 Ω /km
ANM11.012.50.002.00B	UL20276	30V	50X2X29AWG	9/0.1	19.4	526.07	277 Ω /km
ANM11.012.51.002.00B	UL20276	30V	51X2X29AWG	9/0.1	19.4	527.07	277 Ω /km
ANM11.012.52.002.00B	UL20276	30V	52X2X29AWG	9/0.1	19.4	527.87	277 Ω /km
ANM11.012.53.002.00B	UL20276	30V	53X2X29AWG	9/0.1	20.8	596.97	277 Ω /km
ANM11.012.54.002.00B	UL20276	30V	54X2X29AWG	9/0.1	20.8	597.87	277 Ω /km
ANM11.012.55.002.00B	UL20276	30V	55X2X29AWG	9/0.1	20.8	598.87	277 Ω /km
ANM11.012.56.002.00B	UL20276	30V	56X2X29AWG	9/0.1	20.8	599.77	277 Ω /km
ANM11.012.57.002.00B	UL20276	30V	57X2X29AWG	9/0.1	21.4	632.07	277 Ω /km
ANM11.012.58.002.00B	UL20276	30V	58X2X29AWG	9/0.1	21.4	633.07	277 Ω /km
ANM11.012.59.002.00B	UL20276	30V	59X2X29AWG	9/0.1	21.4	633.97	277 Ω /km
ANM11.012.60.002.00B	UL20276	30V	60X2X29AWG	9/0.1	21.4	634.97	277 Ω /km
ANM11.012.61.002.00B	UL20276	30V	61X2X29AWG	9/0.1	21.4	635.77	277 Ω /km
ANM11.012.62.002.00B	UL20276	30V	62X2X29AWG	9/0.1	22	669.07	277 Ω /km
ANM11.012.63.002.00B	UL20276	30V	63X2X29AWG	9/0.1	22	669.97	277 Ω /km
ANM11.012.64.002.00B	UL20276	30V	64X2X29AWG	9/0.1	22	670.97	277 Ω /km
ANM11.012.65.002.00B	UL20276	30V	65X2X29AWG	9/0.1	22	671.87	277 Ω /km
ANM11.012.02.002.00B	UL20276	30V	2X2X28AWG	11/0.1	6.3	57.09	223 Ω /km
ANM11.012.03.002.00B	UL20276	30V	3X2X28AWG	11/0.1	6.6	63.39	223 Ω /km
ANM11.012.04.002.00B	UL20276	30V	4X2X28AWG	11/0.1	7.1	73.49	223 Ω /km
ANM11.012.05.002.00B	UL20276	30V	5X2X28AWG	11/0.1	7.7	86.19	223 Ω /km
ANM11.012.06.002.00B	UL20276	30V	6X2X28AWG	11/0.1	8.3	99.99	223 Ω /km
ANM11.012.07.002.00B	UL20276	30V	7X2X28AWG	11/0.1	8.3	101.19	223 Ω /km
ANM11.012.08.002.00B	UL20276	30V	8X2X28AWG	11/0.1	8.8	113.29	223 Ω /km



ANM11.012.09.002.00B	UL20276	30V	9X2X28AWG	11/0.1	9.6	133.49	223 Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X28AWG	11/0.1	10.2	149.89	223 Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X28AWG	11/0.1	11.1	174.39	223 Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X28AWG	11/0.1	11.1	175.59	223 Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X28AWG	11/0.1	11.6	191.29	223 Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X28AWG	11/0.1	11.6	192.39	223 Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X28AWG	11/0.1	12.2	211.59	223 Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X28AWG	11/0.1	12.2	212.79	223 Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X28AWG	11/0.1	12.7	229.69	223 Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X28AWG	11/0.1	12.7	230.89	223 Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X28AWG	11/0.1	12.7	232.09	223 Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X28AWG	11/0.1	13	242.79	223 Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X28AWG	11/0.1	13.4	257.49	223 Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X28AWG	11/0.1	14.2	286.49	223 Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X28AWG	11/0.1	14.8	309.59	223 Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X28AWG	11/0.1	14.8	310.89	223 Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X28AWG	11/0.1	15.1	323.19	223 Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X28AWG	11/0.1	15.1	324.29	223 Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X28AWG	11/0.1	15.1	325.39	223 Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X28AWG	11/0.1	15.6	345.89	223 Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X28AWG	11/0.1	15.6	346.99	223 Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X28AWG	11/0.1	15.6	348.19	223 Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X28AWG	11/0.1	16.1	369.39	223 Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X28AWG	11/0.1	16.1	370.39	223 Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X28AWG	11/0.1	16.1	371.59	223 Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X28AWG	11/0.1	16.7	397.39	223 Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X28AWG	11/0.1	16.7	398.49	223 Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X28AWG	11/0.1	16.7	399.79	223 Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X28AWG	11/0.1	16.7	400.79	223 Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X28AWG	11/0.1	17.3	427.59	223 Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X28AWG	11/0.1	17.3	428.79	223 Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X28AWG	11/0.1	17.3	429.89	223 Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X28AWG	11/0.1	18.6	489.39	223 Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X28AWG	11/0.1	18.6	490.59	223 Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X28AWG	11/0.1	18.6	491.69	223 Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X28AWG	11/0.1	18.6	492.89	223 Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X28AWG	11/0.1	18.9	508.09	223 Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X28AWG	11/0.1	18.9	509.19	223 Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X28AWG	11/0.1	18.9	510.29	223 Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X28AWG	11/0.1	18.9	511.59	223 Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X28AWG	11/0.1	19.4	536.59	223 Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X28AWG	11/0.1	19.4	537.69	223 Ω/km



ANM11.012.51.002.00B	UL20276	30V	51X2X28AWG	11/0.1	19.4	538.89	223 Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X28AWG	11/0.1	19.4	539.89	223 Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X28AWG	11/0.1	20.8	609.29	223 Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X28AWG	11/0.1	20.8	610.39	223 Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X28AWG	11/0.1	20.8	611.59	223 Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X28AWG	11/0.1	20.8	612.79	223 Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X28AWG	11/0.1	21.4	645.29	223 Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X28AWG	11/0.1	21.4	646.49	223 Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X28AWG	11/0.1	21.4	647.69	223 Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X28AWG	11/0.1	21.4	648.89	223 Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X28AWG	11/0.1	21.4	649.99	223 Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X28AWG	11/0.1	22	683.49	223 Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X28AWG	11/0.1	22	684.59	223 Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X28AWG	11/0.1	22	685.69	223 Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X28AWG	11/0.1	22	686.99	223 Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X27AWG	7/0.14	6.7	64.21	175 Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X27AWG	7/0.14	7	70.91	175 Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X27AWG	7/0.14	7.5	81.61	175 Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X27AWG	7/0.14	8.2	97.31	175 Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X27AWG	7/0.14	8.8	111.71	175 Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X27AWG	7/0.14	8.8	113.01	175 Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X27AWG	7/0.14	9.4	128.31	175 Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X27AWG	7/0.14	10.3	152.51	175 Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X27AWG	7/0.14	11.5	185.91	175 Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X27AWG	7/0.14	11.8	196.11	175 Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X27AWG	7/0.14	11.8	197.31	175 Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X27AWG	7/0.14	12.4	217.01	175 Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X27AWG	7/0.14	12.4	218.31	175 Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X27AWG	7/0.14	13	238.71	175 Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X27AWG	7/0.14	13	240.11	175 Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X27AWG	7/0.14	13.7	265.01	175 Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X27AWG	7/0.14	13.7	266.31	175 Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X27AWG	7/0.14	13.7	267.51	175 Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X27AWG	7/0.14	14	279.21	175 Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X27AWG	7/0.14	14.3	291.31	175 Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X27AWG	7/0.14	15.2	326.01	175 Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X27AWG	7/0.14	15.8	350.61	175 Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X27AWG	7/0.14	15.8	351.91	175 Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X27AWG	7/0.14	16.2	369.21	175 Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X27AWG	7/0.14	16.2	370.51	175 Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X27AWG	7/0.14	16.2	371.81	175 Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X27AWG	7/0.14	16.7	393.61	175 Ω/km



ANM11.012.29.002.00B	UL20276	30V	29X2X27AWG	7/0.14	16.7	394.91	175 Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X27AWG	7/0.14	16.7	396.11	175 Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X27AWG	7/0.14	17.3	423.01	175 Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X27AWG	7/0.14	17.3	424.31	175 Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X27AWG	7/0.14	17.3	425.61	175 Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X27AWG	7/0.14	17.9	453.21	175 Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X27AWG	7/0.14	17.9	454.41	175 Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X27AWG	7/0.14	17.9	455.61	175 Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X27AWG	7/0.14	17.9	456.91	175 Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X27AWG	7/0.14	18.6	490.21	175 Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X27AWG	7/0.14	18.6	491.41	175 Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X27AWG	7/0.14	18.6	492.71	175 Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X27AWG	7/0.14	20.8	600.11	175 Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X27AWG	7/0.14	20.8	601.31	175 Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X27AWG	7/0.14	20.8	602.61	175 Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X27AWG	7/0.14	20.8	603.81	175 Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X27AWG	7/0.14	21.2	626.01	175 Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X27AWG	7/0.14	21.2	627.21	175 Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X27AWG	7/0.14	21.2	628.41	175 Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X27AWG	7/0.14	21.2	629.71	175 Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X27AWG	7/0.14	21.7	657.71	175 Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X27AWG	7/0.14	21.7	658.91	175 Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X27AWG	7/0.14	21.7	660.11	175 Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X27AWG	7/0.14	21.7	661.41	175 Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X27AWG	7/0.14	22.3	695.61	175 Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X27AWG	7/0.14	22.3	696.91	175 Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X27AWG	7/0.14	22.3	698.11	175 Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X27AWG	7/0.14	22.3	699.31	175 Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X27AWG	7/0.14	23	739.91	175 Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X27AWG	7/0.14	23	741.21	175 Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X27AWG	7/0.14	23	742.51	175 Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X27AWG	7/0.14	23	743.81	175 Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X27AWG	7/0.14	23	745.01	175 Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X27AWG	7/0.14	23.6	780.91	175 Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X27AWG	7/0.14	23.6	782.11	175 Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X27AWG	7/0.14	23.6	783.41	175 Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X27AWG	7/0.14	23.6	784.61	175 Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X26AWG	9/0.14	6.7	65.23	140 Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X26AWG	9/0.14	7	72.43	140 Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X26AWG	9/0.14	7.5	83.63	140 Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X26AWG	9/0.14	8.2	99.73	140 Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X26AWG	9/0.14	8.8	114.63	140 Ω/km



ANM11.012.07.002.00B	UL20276	30V	7X2X26AWG	9/0.14	8.8	116.53	140 Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X26AWG	9/0.14	9.4	132.33	140 Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X26AWG	9/0.14	10.3	156.93	140 Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X26AWG	9/0.14	11.5	190.83	140 Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X26AWG	9/0.14	11.8	201.53	140 Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X26AWG	9/0.14	11.8	203.23	140 Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X26AWG	9/0.14	12.4	223.33	140 Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X26AWG	9/0.14	12.4	225.23	140 Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X26AWG	9/0.14	13	246.13	140 Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X26AWG	9/0.14	13	248.03	140 Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X26AWG	9/0.14	13.7	273.33	140 Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X26AWG	9/0.14	13.7	275.13	140 Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X26AWG	9/0.14	13.7	276.83	140 Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X26AWG	9/0.14	14	289.13	140 Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X26AWG	9/0.14	14.3	301.63	140 Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X26AWG	9/0.14	15.2	336.83	140 Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X26AWG	9/0.14	15.8	361.93	140 Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X26AWG	9/0.14	15.8	363.73	140 Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X26AWG	9/0.14	16.2	381.43	140 Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X26AWG	9/0.14	16.2	383.23	140 Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X26AWG	9/0.14	16.2	385.13	140 Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X26AWG	9/0.14	16.7	407.43	140 Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X26AWG	9/0.14	16.7	409.13	140 Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X26AWG	9/0.14	16.7	410.83	140 Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X26AWG	9/0.14	17.3	438.23	140 Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X26AWG	9/0.14	17.3	440.03	140 Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X26AWG	9/0.14	17.3	441.73	140 Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X26AWG	9/0.14	17.9	469.93	140 Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X26AWG	9/0.14	17.9	471.63	140 Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X26AWG	9/0.14	17.9	473.33	140 Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X26AWG	9/0.14	17.9	475.03	140 Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X26AWG	9/0.14	18.6	508.83	140 Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X26AWG	9/0.14	18.6	510.53	140 Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X26AWG	9/0.14	18.6	512.43	140 Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X26AWG	9/0.14	20.8	620.23	140 Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X26AWG	9/0.14	20.8	621.93	140 Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X26AWG	9/0.14	20.8	623.73	140 Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X26AWG	9/0.14	20.8	625.43	140 Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X26AWG	9/0.14	21.2	648.03	140 Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X26AWG	9/0.14	21.2	649.73	140 Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X26AWG	9/0.14	21.2	651.53	140 Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X26AWG	9/0.14	21.2	653.33	140 Ω/km



ANM11.012.49.002.00B	UL20276	30V	49X2X26AWG	9/0.14	21.7	681.73	140 Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X26AWG	9/0.14	21.7	683.43	140 Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X26AWG	9/0.14	21.7	685.13	140 Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X26AWG	9/0.14	21.7	686.93	140 Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X26AWG	9/0.14	22.3	721.63	140 Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X26AWG	9/0.14	22.3	723.43	140 Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X26AWG	9/0.14	22.3	725.13	140 Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X26AWG	9/0.14	22.3	726.83	140 Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X26AWG	9/0.14	23	767.93	140 Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X26AWG	9/0.14	23	769.63	140 Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X26AWG	9/0.14	23	771.43	140 Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X26AWG	9/0.14	23	773.33	140 Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X26AWG	9/0.14	23	775.03	140 Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X26AWG	9/0.14	23.6	811.33	140 Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X26AWG	9/0.14	23.6	813.03	140 Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X26AWG	9/0.14	23.6	814.83	140 Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X26AWG	9/0.14	23.6	816.53	140 Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X25AWG	11/0.14	7	71.47	111 Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X25AWG	11/0.14	7.4	81.07	111 Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X25AWG	11/0.14	8	95.37	111 Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X25AWG	11/0.14	8.6	110.37	111 Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X25AWG	11/0.14	9.3	128.77	111 Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X25AWG	11/0.14	9.3	130.77	111 Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X25AWG	11/0.14	10	150.37	111 Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X25AWG	11/0.14	11.5	192.47	111 Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X25AWG	11/0.14	12.2	215.67	111 Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X25AWG	11/0.14	12.6	230.37	111 Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X25AWG	11/0.14	12.6	232.57	111 Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X25AWG	11/0.14	13.3	257.57	111 Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X25AWG	11/0.14	13.3	259.67	111 Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X25AWG	11/0.14	13.9	282.47	111 Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X25AWG	11/0.14	13.9	284.67	111 Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X25AWG	11/0.14	14.6	311.87	111 Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X25AWG	11/0.14	14.6	314.07	111 Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X25AWG	11/0.14	14.6	316.07	111 Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X25AWG	11/0.14	15	333.17	111 Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X25AWG	11/0.14	15.3	346.67	111 Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X25AWG	11/0.14	16.2	384.47	111 Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X25AWG	11/0.14	16.9	415.67	111 Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X25AWG	11/0.14	16.9	417.77	111 Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X25AWG	11/0.14	17.2	432.67	111 Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X25AWG	11/0.14	17.2	434.77	111 Ω/km



ANM11.012.27.002.00B	UL20276	30V	27X2X25AWG	11/0.14	17.2	436.87	111 Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X25AWG	11/0.14	17.8	465.27	111 Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X25AWG	11/0.14	17.8	467.37	111 Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X25AWG	11/0.14	17.8	469.47	111 Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X25AWG	11/0.14	18.5	503.47	111 Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X25AWG	11/0.14	18.5	505.67	111 Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X25AWG	11/0.14	18.5	507.67	111 Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X25AWG	11/0.14	19.2	542.87	111 Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X25AWG	11/0.14	19.2	544.87	111 Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X25AWG	11/0.14	19.2	547.07	111 Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X25AWG	11/0.14	19.2	549.07	111 Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X25AWG	11/0.14	20.7	623.87	111 Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X25AWG	11/0.14	20.7	625.97	111 Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X25AWG	11/0.14	20.7	628.07	111 Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X25AWG	11/0.14	22.3	715.77	111 Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X25AWG	11/0.14	22.3	717.87	111 Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X25AWG	11/0.14	22.3	719.97	111 Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X25AWG	11/0.14	22.3	722.07	111 Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X25AWG	11/0.14	22.6	740.77	111 Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X25AWG	11/0.14	22.6	742.97	111 Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X25AWG	11/0.14	22.6	744.97	111 Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X25AWG	11/0.14	22.6	747.27	111 Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X25AWG	11/0.14	23.2	783.47	111 Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X25AWG	11/0.14	23.2	785.67	111 Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X25AWG	11/0.14	23.2	787.67	111 Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X25AWG	11/0.14	23.2	789.87	111 Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X25AWG	11/0.14	23.9	832.87	111 Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X25AWG	11/0.14	23.9	834.97	111 Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X25AWG	11/0.14	23.9	837.07	111 Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X25AWG	11/0.14	23.9	839.17	111 Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X25AWG	11/0.14	24.5	877.27	111 Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X25AWG	11/0.14	24.5	879.37	111 Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X25AWG	11/0.14	24.5	881.47	111 Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X25AWG	11/0.14	24.5	883.57	111 Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X25AWG	11/0.14	24.5	885.67	111 Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X25AWG	11/0.14	25.2	930.97	111 Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X25AWG	11/0.14	25.2	932.97	111 Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X25AWG	11/0.14	25.2	935.17	111 Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X25AWG	11/0.14	25.2	937.17	111 Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X24AWG	14/0.14	7	73.11	87.6 Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X24AWG	14/0.14	7.4	83.61	87.6 Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X24AWG	14/0.14	8	98.61	87.6 Ω/km





ANM11.012.05.002.00B	UL20276	30V	5X2X24AWG	14/0.14	8.6	114.51	87.6Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X24AWG	14/0.14	9.3	133.71	87.6Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X24AWG	14/0.14	9.3	136.51	87.6Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X24AWG	14/0.14	10	156.91	87.6Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X24AWG	14/0.14	11.5	199.81	87.6Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X24AWG	14/0.14	12.2	223.81	87.6Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X24AWG	14/0.14	12.6	239.31	87.6Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X24AWG	14/0.14	12.6	242.41	87.6Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X24AWG	14/0.14	13.3	268.11	87.6Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X24AWG	14/0.14	13.3	271.11	87.6Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X24AWG	14/0.14	13.9	294.71	87.6Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X24AWG	14/0.14	13.9	297.61	87.6Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X24AWG	14/0.14	14.6	325.71	87.6Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X24AWG	14/0.14	14.6	328.71	87.6Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X24AWG	14/0.14	14.6	331.51	87.6Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X24AWG	14/0.14	15	349.41	87.6Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X24AWG	14/0.14	15.3	363.81	87.6Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X24AWG	14/0.14	16.2	402.31	87.6Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X24AWG	14/0.14	16.9	434.31	87.6Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X24AWG	14/0.14	16.9	437.31	87.6Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X24AWG	14/0.14	17.2	452.91	87.6Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X24AWG	14/0.14	17.2	455.91	87.6Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X24AWG	14/0.14	17.2	458.81	87.6Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X24AWG	14/0.14	17.8	488.11	87.6Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X24AWG	14/0.14	17.8	490.91	87.6Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X24AWG	14/0.14	17.8	493.91	87.6Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X24AWG	14/0.14	18.5	528.71	87.6Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X24AWG	14/0.14	18.5	531.61	87.6Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X24AWG	14/0.14	18.5	534.51	87.6Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X24AWG	14/0.14	19.2	570.51	87.6Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X24AWG	14/0.14	19.2	573.31	87.6Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X24AWG	14/0.14	19.2	576.31	87.6Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X24AWG	14/0.14	19.2	579.21	87.6Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X24AWG	14/0.14	20.7	654.71	87.6Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X24AWG	14/0.14	20.7	657.61	87.6Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X24AWG	14/0.14	20.7	660.61	87.6Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X24AWG	14/0.14	22.3	749.01	87.6Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X24AWG	14/0.14	22.3	752.01	87.6Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X24AWG	14/0.14	22.3	754.91	87.6Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X24AWG	14/0.14	22.3	757.81	87.6Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X24AWG	14/0.14	22.6	777.31	87.6Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X24AWG	14/0.14	22.6	780.31	87.6Ω/km



ANM11.012.47.002.00B	UL20276	30V	47X2X24AWG	14/0.14	22.6	783.11	87.6Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X24AWG	14/0.14	22.6	786.21	87.6Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X24AWG	14/0.14	23.2	823.31	87.6Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X24AWG	14/0.14	23.2	826.21	87.6Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X24AWG	14/0.14	23.2	829.11	87.6Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X24AWG	14/0.14	23.2	832.11	87.6Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X24AWG	14/0.14	23.9	875.91	87.6Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X24AWG	14/0.14	23.9	878.81	87.6Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X24AWG	14/0.14	23.9	881.71	87.6Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X24AWG	14/0.14	23.9	884.71	87.6Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X24AWG	14/0.14	24.5	923.51	87.6Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X24AWG	14/0.14	24.5	926.51	87.6Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X24AWG	14/0.14	24.5	929.41	87.6Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X24AWG	14/0.14	24.5	932.31	87.6Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X24AWG	14/0.14	24.5	935.21	87.6Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X24AWG	14/0.14	25.2	981.31	87.6Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X24AWG	14/0.14	25.2	984.11	87.6Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X24AWG	14/0.14	25.2	987.11	87.6Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X24AWG	14/0.14	25.2	990.01	87.6Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X23AWG	17/0.14	7.4	82.06	69.2Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X23AWG	17/0.14	7.8	93.66	69.2Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X23AWG	17/0.14	8.4	109.96	69.2Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X23AWG	17/0.14	9.1	129.46	69.2Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X23AWG	17/0.14	9.8	150.16	69.2Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X23AWG	17/0.14	9.8	153.76	69.2Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X23AWG	17/0.14	11.2	193.76	69.2Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X23AWG	17/0.14	12.2	227.26	69.2Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X23AWG	17/0.14	12.9	253.16	69.2Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X23AWG	17/0.14	13.4	273.46	69.2Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X23AWG	17/0.14	13.4	277.06	69.2Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X23AWG	17/0.14	14	301.36	69.2Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X23AWG	17/0.14	14	305.06	69.2Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X23AWG	17/0.14	14.7	334.06	69.2Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X23AWG	17/0.14	14.7	337.66	69.2Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X23AWG	17/0.14	15.5	371.56	69.2Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X23AWG	17/0.14	15.5	375.26	69.2Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X23AWG	17/0.14	15.5	378.86	69.2Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X23AWG	17/0.14	15.9	398.36	69.2Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X23AWG	17/0.14	16.2	414.16	69.2Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X23AWG	17/0.14	17.2	459.56	69.2Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X23AWG	17/0.14	17.9	493.86	69.2Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X23AWG	17/0.14	17.9	497.46	69.2Ω/km



ANM11.012.25.002.00B	UL20276	30V	25X2X23AWG	17/0.14	18.3	519.36	69.2Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X23AWG	17/0.14	18.3	523.06	69.2Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X23AWG	17/0.14	18.3	526.66	69.2Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X23AWG	17/0.14	19	562.76	69.2Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X23AWG	17/0.14	19	566.46	69.2Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X23AWG	17/0.14	19	570.06	69.2Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X23AWG	17/0.14	20.5	645.56	69.2Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X23AWG	17/0.14	20.5	649.26	69.2Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X23AWG	17/0.14	20.5	652.86	69.2Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X23AWG	17/0.14	21.2	692.66	69.2Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X23AWG	17/0.14	21.2	696.36	69.2Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X23AWG	17/0.14	21.2	699.96	69.2Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X23AWG	17/0.14	21.2	703.66	69.2Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X23AWG	17/0.14	21.9	744.66	69.2Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X23AWG	17/0.14	21.9	748.36	69.2Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X23AWG	17/0.14	21.9	751.96	69.2Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X23AWG	17/0.14	23.7	857.56	69.2Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X23AWG	17/0.14	23.7	861.26	69.2Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X23AWG	17/0.14	23.7	864.86	69.2Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X23AWG	17/0.14	23.7	868.56	69.2Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X23AWG	17/0.14	24.1	895.76	69.2Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X23AWG	17/0.14	24.1	899.26	69.2Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X23AWG	17/0.14	24.1	902.96	69.2Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X23AWG	17/0.14	24.1	906.66	69.2Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X23AWG	17/0.14	24.7	946.46	69.2Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X23AWG	17/0.14	24.7	950.16	69.2Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X23AWG	17/0.14	24.7	953.66	69.2Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X23AWG	17/0.14	24.7	957.36	69.2Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X23AWG	17/0.14	25.4	1004.56	69.2Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X23AWG	17/0.14	25.4	1008.06	69.2Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X23AWG	17/0.14	25.4	1011.76	69.2Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X23AWG	17/0.14	25.4	1015.26	69.2Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X23AWG	17/0.14	26.1	1063.56	69.2Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X23AWG	17/0.14	26.1	1067.26	69.2Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X23AWG	17/0.14	26.1	1070.86	69.2Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X23AWG	17/0.14	26.1	1074.56	69.2Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X23AWG	17/0.14	26.1	1078.06	69.2Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X23AWG	17/0.14	26.9	1134.06	69.2Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X23AWG	17/0.14	26.9	1137.76	69.2Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X23AWG	17/0.14	26.9	1141.36	69.2Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X23AWG	17/0.14	26.9	1145.06	69.2Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X22AWG	22/0.14	7.7	89.83	55.4Ω/km



ANM11.012.03.002.00B	UL20276	30V	3X2X22AWG	22/0.14	8.1	102.43	55.4 Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X22AWG	22/0.14	8.8	122.33	55.4 Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X22AWG	22/0.14	9.6	145.83	55.4 Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X22AWG	22/0.14	11	186.03	55.4 Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X22AWG	22/0.14	11	190.53	55.4 Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X22AWG	22/0.14	11.8	218.43	55.4 Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X22AWG	22/0.14	12.8	254.03	55.4 Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X22AWG	22/0.14	13.7	288.63	55.4 Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X22AWG	22/0.14	14.1	307.23	55.4 Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X22AWG	22/0.14	14.1	311.73	55.4 Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X22AWG	22/0.14	14.8	341.73	55.4 Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X22AWG	22/0.14	14.8	346.13	55.4 Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X22AWG	22/0.14	15.6	381.23	55.4 Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X22AWG	22/0.14	15.6	385.73	55.4 Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X22AWG	22/0.14	16.3	418.33	55.4 Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X22AWG	22/0.14	16.3	422.73	55.4 Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X22AWG	22/0.14	16.3	427.23	55.4 Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X22AWG	22/0.14	16.8	452.43	55.4 Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X22AWG	22/0.14	17.1	469.63	55.4 Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X22AWG	22/0.14	18.2	522.83	55.4 Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X22AWG	22/0.14	19	564.53	55.4 Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X22AWG	22/0.14	19	568.93	55.4 Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X22AWG	22/0.14	19.4	592.63	55.4 Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X22AWG	22/0.14	19.4	597.03	55.4 Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X22AWG	22/0.14	19.4	601.53	55.4 Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X22AWG	22/0.14	20.9	679.23	55.4 Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X22AWG	22/0.14	20.9	683.73	55.4 Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X22AWG	22/0.14	20.9	688.33	55.4 Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X22AWG	22/0.14	21.6	729.93	55.4 Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X22AWG	22/0.14	21.6	734.43	55.4 Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X22AWG	22/0.14	21.6	738.83	55.4 Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X22AWG	22/0.14	22.4	786.93	55.4 Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X22AWG	22/0.14	22.4	791.33	55.4 Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X22AWG	22/0.14	22.4	795.83	55.4 Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X22AWG	22/0.14	22.4	800.43	55.4 Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X22AWG	22/0.14	23.2	850.33	55.4 Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X22AWG	22/0.14	23.2	854.73	55.4 Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X22AWG	22/0.14	23.2	859.23	55.4 Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X22AWG	22/0.14	25.1	977.43	55.4 Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X22AWG	22/0.14	25.1	981.93	55.4 Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X22AWG	22/0.14	25.1	986.33	55.4 Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X22AWG	22/0.14	25.1	990.93	55.4 Ω/km



ANM11.012.45.002.00B	UL20276	30V	45X2X22AWG	22/0.14	25.5	1020.33	55.4 Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X22AWG	22/0.14	25.5	1024.93	55.4 Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X22AWG	22/0.14	25.5	1029.33	55.4 Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X22AWG	22/0.14	25.5	1033.83	55.4 Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X22AWG	22/0.14	26.2	1083.03	55.4 Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X22AWG	22/0.14	26.2	1087.53	55.4 Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X22AWG	22/0.14	26.2	1091.93	55.4 Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X22AWG	22/0.14	26.2	1096.53	55.4 Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X22AWG	22/0.14	26.9	1147.03	55.4 Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X22AWG	22/0.14	26.9	1151.53	55.4 Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X22AWG	22/0.14	26.9	1155.93	55.4 Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X22AWG	22/0.14	26.9	1160.43	55.4 Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X22AWG	22/0.14	27.7	1218.83	55.4 Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X22AWG	22/0.14	27.7	1223.33	55.4 Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X22AWG	22/0.14	27.7	1227.83	55.4 Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X22AWG	22/0.14	27.7	1232.33	55.4 Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X22AWG	22/0.14	27.7	1236.83	55.4 Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X22AWG	22/0.14	29.3	1351.63	55.4 Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X22AWG	22/0.14	29.3	1356.13	55.4 Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X22AWG	22/0.14	29.3	1360.53	55.4 Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X22AWG	22/0.14	29.3	1365.03	55.4 Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X21AWG	27/0.14	8.1	100.52	43.6 Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X21AWG	27/0.14	8.5	115.02	43.6 Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X21AWG	27/0.14	9.2	136.52	43.6 Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X21AWG	27/0.14	10.1	164.82	43.6 Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X21AWG	27/0.14	11.5	207.92	43.6 Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X21AWG	27/0.14	11.5	213.72	43.6 Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X21AWG	27/0.14	12.3	243.72	43.6 Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X21AWG	27/0.14	13.6	292.02	43.6 Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X21AWG	27/0.14	14.4	326.02	43.6 Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X21AWG	27/0.14	14.9	350.12	43.6 Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X21AWG	27/0.14	14.9	355.82	43.6 Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X21AWG	27/0.14	15.6	388.42	43.6 Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X21AWG	27/0.14	15.6	394.22	43.6 Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X21AWG	27/0.14	16.4	432.22	43.6 Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X21AWG	27/0.14	16.4	437.92	43.6 Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X21AWG	27/0.14	17.2	477.22	43.6 Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X21AWG	27/0.14	17.2	483.02	43.6 Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X21AWG	27/0.14	17.2	488.62	43.6 Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X21AWG	27/0.14	17.7	516.32	43.6 Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X21AWG	27/0.14	18.1	539.82	43.6 Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X21AWG	27/0.14	19.2	596.92	43.6 Ω/km



ANM11.012.23.002.00B	UL20276	30V	23X2X21AWG	27/0.14	20.8	680.32	43.6Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X21AWG	27/0.14	20.8	686.02	43.6Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X21AWG	27/0.14	21.3	718.12	43.6Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X21AWG	27/0.14	21.3	723.82	43.6Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X21AWG	27/0.14	21.3	729.52	43.6Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X21AWG	27/0.14	22	772.82	43.6Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X21AWG	27/0.14	22	778.72	43.6Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X21AWG	27/0.14	22	784.42	43.6Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X21AWG	27/0.14	22.8	834.62	43.6Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X21AWG	27/0.14	22.8	840.32	43.6Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X21AWG	27/0.14	22.8	846.02	43.6Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X21AWG	27/0.14	23.7	903.82	43.6Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X21AWG	27/0.14	23.7	909.42	43.6Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X21AWG	27/0.14	23.7	915.22	43.6Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X21AWG	27/0.14	23.7	920.92	43.6Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X21AWG	27/0.14	24.5	974.32	43.6Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X21AWG	27/0.14	24.5	980.02	43.6Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X21AWG	27/0.14	24.5	985.82	43.6Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X21AWG	27/0.14	26.5	1117.82	43.6Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X21AWG	27/0.14	26.5	1123.52	43.6Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X21AWG	27/0.14	26.5	1129.22	43.6Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X21AWG	27/0.14	26.5	1135.02	43.6Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X21AWG	27/0.14	26.9	1167.12	43.6Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X21AWG	27/0.14	26.9	1172.72	43.6Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X21AWG	27/0.14	26.9	1178.52	43.6Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X21AWG	27/0.14	26.9	1184.22	43.6Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X21AWG	27/0.14	27.6	1237.22	43.6Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X21AWG	27/0.14	27.6	1242.82	43.6Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X21AWG	27/0.14	27.6	1248.62	43.6Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X21AWG	27/0.14	27.6	1254.32	43.6Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X21AWG	27/0.14	29.3	1377.22	43.6Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X21AWG	27/0.14	29.3	1382.92	43.6Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X21AWG	27/0.14	29.3	1388.62	43.6Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X21AWG	27/0.14	29.3	1394.42	43.6Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X21AWG	27/0.14	30.5	1523.12	43.6Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X21AWG	27/0.14	30.5	1528.92	43.6Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X21AWG	27/0.14	30.5	1534.72	43.6Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X21AWG	27/0.14	30.5	1540.52	43.6Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X21AWG	27/0.14	30.5	1546.12	43.6Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X21AWG	27/0.14	31.3	1613.92	43.6Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X21AWG	27/0.14	31.3	1619.62	43.6Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X21AWG	27/0.14	31.3	1625.42	43.6Ω/km



ANM11.012.65.002.00B	UL20276	30V	65X2X21AWG	27/0.14	31.3	1631.02	43.6Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X20AWG	34/0.14	8.4	110.22	34.6Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X20AWG	34/0.14	8.9	128.82	34.6Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X20AWG	34/0.14	9.7	155.22	34.6Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X20AWG	34/0.14	11.1	198.52	34.6Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X20AWG	34/0.14	12	232.32	34.6Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X20AWG	34/0.14	12	239.62	34.6Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X20AWG	34/0.14	12.9	275.42	34.6Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X20AWG	34/0.14	14.2	327.12	34.6Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X20AWG	34/0.14	15.1	367.62	34.6Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X20AWG	34/0.14	15.6	394.22	34.6Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X20AWG	34/0.14	15.6	401.52	34.6Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X20AWG	34/0.14	16.4	441.12	34.6Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X20AWG	34/0.14	16.4	448.22	34.6Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X20AWG	34/0.14	17.2	489.12	34.6Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X20AWG	34/0.14	17.2	496.42	34.6Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X20AWG	34/0.14	18.1	543.42	34.6Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X20AWG	34/0.14	18.1	550.62	34.6Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X20AWG	34/0.14	18.1	558.02	34.6Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X20AWG	34/0.14	18.6	588.32	34.6Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X20AWG	34/0.14	19	614.42	34.6Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X20AWG	34/0.14	21	719.22	34.6Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X20AWG	34/0.14	21.9	774.52	34.6Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X20AWG	34/0.14	21.9	781.82	34.6Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X20AWG	34/0.14	22.4	816.72	34.6Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X20AWG	34/0.14	22.4	824.02	34.6Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X20AWG	34/0.14	22.4	831.12	34.6Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X20AWG	34/0.14	23.1	877.92	34.6Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X20AWG	34/0.14	23.1	885.22	34.6Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X20AWG	34/0.14	23.1	892.52	34.6Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X20AWG	34/0.14	24	952.32	34.6Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X20AWG	34/0.14	24	959.62	34.6Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X20AWG	34/0.14	24	966.92	34.6Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X20AWG	34/0.14	24.9	1028.82	34.6Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X20AWG	34/0.14	24.9	1036.02	34.6Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X20AWG	34/0.14	24.9	1043.32	34.6Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X20AWG	34/0.14	24.9	1050.62	34.6Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X20AWG	34/0.14	25.8	1114.52	34.6Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X20AWG	34/0.14	25.8	1121.82	34.6Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X20AWG	34/0.14	25.8	1128.92	34.6Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X20AWG	34/0.14	27.9	1275.52	34.6Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X20AWG	34/0.14	27.9	1282.82	34.6Ω/km



ANM11.012.43.002.00B	UL20276	30V	43X2X20AWG	34/0.14	27.9	1290.12	34.6Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X20AWG	34/0.14	27.9	1297.42	34.6Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X20AWG	34/0.14	29.2	1394.12	34.6Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X20AWG	34/0.14	29.2	1401.42	34.6Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X20AWG	34/0.14	29.2	1408.72	34.6Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X20AWG	34/0.14	29.2	1415.92	34.6Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X20AWG	34/0.14	30.3	1538.32	34.6Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X20AWG	34/0.14	30.3	1545.62	34.6Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X20AWG	34/0.14	30.3	1552.92	34.6Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X20AWG	34/0.14	30.3	1560.22	34.6Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X20AWG	34/0.14	31.2	1636.82	34.6Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X20AWG	34/0.14	31.2	1644.02	34.6Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X20AWG	34/0.14	31.2	1651.32	34.6Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X20AWG	34/0.14	31.2	1658.62	34.6Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X20AWG	34/0.14	32.1	1737.22	34.6Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X20AWG	34/0.14	32.1	1744.52	34.6Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X20AWG	34/0.14	32.1	1751.82	34.6Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X20AWG	34/0.14	32.1	1759.12	34.6Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X20AWG	34/0.14	32.1	1766.32	34.6Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X20AWG	34/0.14	33	1847.12	34.6Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X20AWG	34/0.14	33	1854.42	34.6Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X20AWG	34/0.14	33	1861.72	34.6Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X20AWG	34/0.14	33	1869.02	34.6Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X19AWG	43/0.14	8.8	123.36	27.4Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X19AWG	43/0.14	9.3	144.36	27.4Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X19AWG	43/0.14	10.1	173.56	27.4Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X19AWG	43/0.14	11.6	223.26	27.4Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X19AWG	43/0.14	12.6	263.26	27.4Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X19AWG	43/0.14	12.6	272.46	27.4Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X19AWG	43/0.14	13.6	314.86	27.4Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X19AWG	43/0.14	14.9	370.86	27.4Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X19AWG	43/0.14	15.8	414.96	27.4Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X19AWG	43/0.14	16.3	444.36	27.4Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X19AWG	43/0.14	16.3	453.66	27.4Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X19AWG	43/0.14	17.1	496.46	27.4Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X19AWG	43/0.14	17.1	505.76	27.4Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X19AWG	43/0.14	18.1	558.96	27.4Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X19AWG	43/0.14	18.1	568.26	27.4Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X19AWG	43/0.14	19	619.26	27.4Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X19AWG	43/0.14	19	628.56	27.4Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X19AWG	43/0.14	19	637.86	27.4Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X19AWG	43/0.14	20.3	708.76	27.4Ω/km





ANM11.012.21.002.00B	UL20276	30V	21X2X19AWG	43/0.14	20.7	738.46	27.4 Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X19AWG	43/0.14	22	816.76	27.4 Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X19AWG	43/0.14	23	881.96	27.4 Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X19AWG	43/0.14	23	891.36	27.4 Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X19AWG	43/0.14	23.5	929.46	27.4 Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X19AWG	43/0.14	23.5	938.76	27.4 Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X19AWG	43/0.14	23.5	947.96	27.4 Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X19AWG	43/0.14	24.3	1004.56	27.4 Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X19AWG	43/0.14	24.3	1013.76	27.4 Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X19AWG	43/0.14	24.3	1023.06	27.4 Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X19AWG	43/0.14	25.2	1087.46	27.4 Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X19AWG	43/0.14	25.2	1096.76	27.4 Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X19AWG	43/0.14	25.2	1105.96	27.4 Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X19AWG	43/0.14	26.1	1172.46	27.4 Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X19AWG	43/0.14	26.1	1181.76	27.4 Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X19AWG	43/0.14	26.1	1191.06	27.4 Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X19AWG	43/0.14	26.1	1200.36	27.4 Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X19AWG	43/0.14	27.1	1275.36	27.4 Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X19AWG	43/0.14	27.1	1284.56	27.4 Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X19AWG	43/0.14	27.1	1293.86	27.4 Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X19AWG	43/0.14	30.5	1577.26	27.4 Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X19AWG	43/0.14	30.5	1586.46	27.4 Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X19AWG	43/0.14	30.5	1595.76	27.4 Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X19AWG	43/0.14	30.5	1605.06	27.4 Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X19AWG	43/0.14	31	1652.76	27.4 Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X19AWG	43/0.14	31	1662.06	27.4 Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X19AWG	43/0.14	31	1671.36	27.4 Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X19AWG	43/0.14	31	1680.66	27.4 Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X19AWG	43/0.14	31.8	1752.86	27.4 Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X19AWG	43/0.14	31.8	1762.16	27.4 Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X19AWG	43/0.14	31.8	1771.46	27.4 Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X19AWG	43/0.14	31.8	1780.76	27.4 Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X19AWG	43/0.14	32.7	1862.76	27.4 Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X19AWG	43/0.14	32.7	1871.96	27.4 Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X19AWG	43/0.14	32.7	1881.26	27.4 Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X19AWG	43/0.14	32.7	1890.46	27.4 Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X19AWG	43/0.14	33.7	1982.86	27.4 Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X19AWG	43/0.14	33.7	1992.16	27.4 Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X19AWG	43/0.14	33.7	2001.46	27.4 Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X19AWG	43/0.14	33.7	2010.76	27.4 Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X19AWG	43/0.14	33.7	2020.06	27.4 Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X19AWG	43/0.14	34.6	2106.06	27.4 Ω/km



ANM11.012.63.002.00B	UL20276	30V	63X2X19AWG	43/0.14	34.6	2115.36	27.4Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X19AWG	43/0.14	34.6	2124.56	27.4Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X19AWG	43/0.14	34.6	2133.86	27.4Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X18AWG	29/0.19	9.1	135.73	21.8Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X18AWG	29/0.19	9.7	162.23	21.8Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X18AWG	29/0.19	11.1	210.23	21.8Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X18AWG	29/0.19	12.1	251.73	21.8Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X18AWG	29/0.19	13.2	299.03	21.8Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X18AWG	29/0.19	13.2	310.83	21.8Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X18AWG	29/0.19	14.2	357.53	21.8Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X18AWG	29/0.19	15.5	417.93	21.8Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X18AWG	29/0.19	16.5	470.03	21.8Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X18AWG	29/0.19	17.1	507.33	21.8Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X18AWG	29/0.19	17.1	519.23	21.8Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X18AWG	29/0.19	17.9	566.23	21.8Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X18AWG	29/0.19	17.9	578.13	21.8Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X18AWG	29/0.19	18.9	636.23	21.8Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X18AWG	29/0.19	18.9	648.03	21.8Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X18AWG	29/0.19	20.7	746.83	21.8Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X18AWG	29/0.19	20.7	758.83	21.8Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X18AWG	29/0.19	20.7	770.73	21.8Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X18AWG	29/0.19	21.2	808.73	21.8Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X18AWG	29/0.19	21.7	847.23	21.8Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X18AWG	29/0.19	23	931.43	21.8Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X18AWG	29/0.19	24	1001.53	21.8Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X18AWG	29/0.19	24	1013.43	21.8Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X18AWG	29/0.19	24.5	1055.63	21.8Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X18AWG	29/0.19	24.5	1067.43	21.8Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X18AWG	29/0.19	24.5	1079.33	21.8Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X18AWG	29/0.19	25.4	1146.93	21.8Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X18AWG	29/0.19	25.4	1158.93	21.8Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X18AWG	29/0.19	25.4	1170.93	21.8Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X18AWG	29/0.19	26.4	1246.83	21.8Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X18AWG	29/0.19	26.4	1258.83	21.8Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X18AWG	29/0.19	26.4	1270.73	21.8Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X18AWG	29/0.19	27.4	1349.23	21.8Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X18AWG	29/0.19	27.4	1361.13	21.8Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X18AWG	29/0.19	27.4	1373.13	21.8Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X18AWG	29/0.19	27.4	1385.03	21.8Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X18AWG	29/0.19	29.2	1520.43	21.8Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X18AWG	29/0.19	29.2	1532.43	21.8Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X18AWG	29/0.19	29.2	1544.33	21.8Ω/km



ANM11.012.41.002.00B	UL20276	30V	41X2X18AWG	29/0.19	31.9	1796.13	21.8Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X18AWG	29/0.19	31.9	1808.03	21.8Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X18AWG	29/0.19	31.9	1820.03	21.8Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X18AWG	29/0.19	31.9	1831.93	21.8Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X18AWG	29/0.19	32.4	1884.03	21.8Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X18AWG	29/0.19	32.4	1896.03	21.8Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X18AWG	29/0.19	32.4	1907.93	21.8Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X18AWG	29/0.19	32.4	1919.83	21.8Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X18AWG	29/0.19	33.3	2005.73	21.8Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X18AWG	29/0.19	33.3	2017.73	21.8Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X18AWG	29/0.19	33.3	2029.63	21.8Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X18AWG	29/0.19	33.3	2041.53	21.8Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X18AWG	29/0.19	34.3	2138.13	21.8Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X18AWG	29/0.19	34.3	2150.03	21.8Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X18AWG	29/0.19	34.3	2161.93	21.8Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X18AWG	29/0.19	34.3	2173.83	21.8Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X18AWG	29/0.19	35.5	2290.43	21.8Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X18AWG	29/0.19	35.5	2302.43	21.8Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X18AWG	29/0.19	35.5	2314.33	21.8Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X18AWG	29/0.19	35.5	2326.33	21.8Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X18AWG	29/0.19	35.5	2338.23	21.8Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X18AWG	29/0.19	36.6	2448.93	21.8Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X18AWG	29/0.19	36.6	2460.93	21.8Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X18AWG	29/0.19	36.6	2472.93	21.8Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X18AWG	29/0.19	36.6	2484.83	21.8Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X17AWG	37/0.19	9.8	158.74	17.3Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X17AWG	37/0.19	11	204.24	17.3Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X17AWG	37/0.19	12	248.24	17.3Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X17AWG	37/0.19	13	294.64	17.3Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X17AWG	37/0.19	14.2	350.74	17.3Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X17AWG	37/0.19	14.2	365.54	17.3Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X17AWG	37/0.19	15.4	424.94	17.3Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X17AWG	37/0.19	16.8	496.34	17.3Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X17AWG	37/0.19	17.9	558.94	17.3Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X17AWG	37/0.19	18.5	600.94	17.3Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X17AWG	37/0.19	18.5	615.74	17.3Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X17AWG	37/0.19	20.3	715.54	17.3Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X17AWG	37/0.19	20.3	730.34	17.3Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X17AWG	37/0.19	21.3	796.94	17.3Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X17AWG	37/0.19	21.3	811.64	17.3Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X17AWG	37/0.19	22.4	886.04	17.3Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X17AWG	37/0.19	22.4	900.84	17.3Ω/km



ANM11.012.19.002.00B	UL20276	30V	19X2X17AWG	37/0.19	22.4	915.64	17.3Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X17AWG	37/0.19	23	964.24	17.3Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X17AWG	37/0.19	23.5	1007.84	17.3Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X17AWG	37/0.19	25	1112.64	17.3Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X17AWG	37/0.19	26.1	1197.04	17.3Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X17AWG	37/0.19	26.1	1211.74	17.3Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X17AWG	37/0.19	26.7	1265.74	17.3Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X17AWG	37/0.19	26.7	1280.44	17.3Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X17AWG	37/0.19	26.7	1295.24	17.3Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X17AWG	37/0.19	27.7	1377.14	17.3Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X17AWG	37/0.19	27.7	1392.04	17.3Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X17AWG	37/0.19	27.7	1406.74	17.3Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X17AWG	37/0.19	29.9	1609.54	17.3Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X17AWG	37/0.19	29.9	1624.24	17.3Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X17AWG	37/0.19	29.9	1638.94	17.3Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X17AWG	37/0.19	31	1737.74	17.3Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X17AWG	37/0.19	31	1752.44	17.3Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X17AWG	37/0.19	31	1767.34	17.3Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X17AWG	37/0.19	31	1782.04	17.3Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X17AWG	37/0.19	32.1	1883.74	17.3Ω/km
ANM11.012.39.002.00B	UL20276	30V	39X2X17AWG	37/0.19	32.1	1898.44	17.3Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X17AWG	37/0.19	32.1	1913.34	17.3Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X17AWG	37/0.19	34.7	2145.24	17.3Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X17AWG	37/0.19	34.7	2159.94	17.3Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X17AWG	37/0.19	34.7	2174.64	17.3Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X17AWG	37/0.19	34.7	2189.44	17.3Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X17AWG	37/0.19	35.6	2283.24	17.3Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X17AWG	37/0.19	35.6	2297.94	17.3Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X17AWG	37/0.19	35.6	2312.74	17.3Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X17AWG	37/0.19	35.6	2327.44	17.3Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X17AWG	37/0.19	36.6	2432.34	17.3Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X17AWG	37/0.19	36.6	2447.14	17.3Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X17AWG	37/0.19	36.6	2461.84	17.3Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X17AWG	37/0.19	36.6	2476.54	17.3Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X17AWG	37/0.19	37.6	2583.94	17.3Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X17AWG	37/0.19	37.6	2598.64	17.3Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X17AWG	37/0.19	37.6	2613.44	17.3Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X17AWG	37/0.19	37.6	2628.14	17.3Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X17AWG	37/0.19	38.7	2747.44	17.3Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X17AWG	37/0.19	38.7	2762.34	17.3Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X17AWG	37/0.19	38.7	2777.04	17.3Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X17AWG	37/0.19	38.7	2791.84	17.3Ω/km



ANM11.012.61.002.00B	UL20276	30V	61X2X17AWG	37/0.19	38.7	2806.54	17.3 Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X17AWG	37/0.19	39.8	2928.74	17.3 Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X17AWG	37/0.19	39.8	2943.44	17.3 Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X17AWG	37/0.19	39.8	2958.24	17.3 Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X17AWG	37/0.19	39.8	2972.94	17.3 Ω/km
ANM11.012.02.002.00B	UL20276	30V	2X2X16AWG	27/0.25	10.2	177.91	13.7 Ω/km
ANM11.012.03.002.00B	UL20276	30V	3X2X16AWG	27/0.25	11.4	229.01	13.7 Ω/km
ANM11.012.04.002.00B	UL20276	30V	4X2X16AWG	27/0.25	12.4	278.41	13.7 Ω/km
ANM11.012.05.002.00B	UL20276	30V	5X2X16AWG	27/0.25	13.6	337.01	13.7 Ω/km
ANM11.012.06.002.00B	UL20276	30V	6X2X16AWG	27/0.25	14.8	399.41	13.7 Ω/km
ANM11.012.07.002.00B	UL20276	30V	7X2X16AWG	27/0.25	14.8	418.51	13.7 Ω/km
ANM11.012.08.002.00B	UL20276	30V	8X2X16AWG	27/0.25	15.9	480.01	13.7 Ω/km
ANM11.012.09.002.00B	UL20276	30V	9X2X16AWG	27/0.25	17.5	566.11	13.7 Ω/km
ANM11.012.10.002.00B	UL20276	30V	10X2X16AWG	27/0.25	18.6	634.91	13.7 Ω/km
ANM11.012.11.002.00B	UL20276	30V	11X2X16AWG	27/0.25	19.3	687.11	13.7 Ω/km
ANM11.012.12.002.00B	UL20276	30V	12X2X16AWG	27/0.25	19.3	706.31	13.7 Ω/km
ANM11.012.13.002.00B	UL20276	30V	13X2X16AWG	27/0.25	21	808.81	13.7 Ω/km
ANM11.012.14.002.00B	UL20276	30V	14X2X16AWG	27/0.25	21	827.91	13.7 Ω/km
ANM11.012.15.002.00B	UL20276	30V	15X2X16AWG	27/0.25	22.2	911.61	13.7 Ω/km
ANM11.012.16.002.00B	UL20276	30V	16X2X16AWG	27/0.25	22.2	930.71	13.7 Ω/km
ANM11.012.17.002.00B	UL20276	30V	17X2X16AWG	27/0.25	23.3	1011.81	13.7 Ω/km
ANM11.012.18.002.00B	UL20276	30V	18X2X16AWG	27/0.25	23.3	1031.11	13.7 Ω/km
ANM11.012.19.002.00B	UL20276	30V	19X2X16AWG	27/0.25	23.3	1050.21	13.7 Ω/km
ANM11.012.20.002.00B	UL20276	30V	20X2X16AWG	27/0.25	23.9	1104.61	13.7 Ω/km
ANM11.012.21.002.00B	UL20276	30V	21X2X16AWG	27/0.25	24.5	1159.61	13.7 Ω/km
ANM11.012.22.002.00B	UL20276	30V	22X2X16AWG	27/0.25	26	1272.61	13.7 Ω/km
ANM11.012.23.002.00B	UL20276	30V	23X2X16AWG	27/0.25	27.2	1370.71	13.7 Ω/km
ANM11.012.24.002.00B	UL20276	30V	24X2X16AWG	27/0.25	27.2	1389.91	13.7 Ω/km
ANM11.012.25.002.00B	UL20276	30V	25X2X16AWG	27/0.25	27.8	1449.71	13.7 Ω/km
ANM11.012.26.002.00B	UL20276	30V	26X2X16AWG	27/0.25	27.8	1468.91	13.7 Ω/km
ANM11.012.27.002.00B	UL20276	30V	27X2X16AWG	27/0.25	27.8	1488.01	13.7 Ω/km
ANM11.012.28.002.00B	UL20276	30V	28X2X16AWG	27/0.25	30	1695.71	13.7 Ω/km
ANM11.012.29.002.00B	UL20276	30V	29X2X16AWG	27/0.25	30	1714.91	13.7 Ω/km
ANM11.012.30.002.00B	UL20276	30V	30X2X16AWG	27/0.25	30	1734.11	13.7 Ω/km
ANM11.012.31.002.00B	UL20276	30V	31X2X16AWG	27/0.25	31.1	1837.51	13.7 Ω/km
ANM11.012.32.002.00B	UL20276	30V	32X2X16AWG	27/0.25	31.1	1856.71	13.7 Ω/km
ANM11.012.33.002.00B	UL20276	30V	33X2X16AWG	27/0.25	31.1	1875.81	13.7 Ω/km
ANM11.012.34.002.00B	UL20276	30V	34X2X16AWG	27/0.25	32.3	1990.11	13.7 Ω/km
ANM11.012.35.002.00B	UL20276	30V	35X2X16AWG	27/0.25	32.3	2009.31	13.7 Ω/km
ANM11.012.36.002.00B	UL20276	30V	36X2X16AWG	27/0.25	32.3	2028.51	13.7 Ω/km
ANM11.012.37.002.00B	UL20276	30V	37X2X16AWG	27/0.25	32.3	2047.51	13.7 Ω/km
ANM11.012.38.002.00B	UL20276	30V	38X2X16AWG	27/0.25	33.4	2157.31	13.7 Ω/km



ANM11.012.39.002.00B	UL20276	30V	39X2X16AWG	27/0.25	33.4	2176.41	13.7 Ω/km
ANM11.012.40.002.00B	UL20276	30V	40X2X16AWG	27/0.25	33.4	2195.61	13.7 Ω/km
ANM11.012.41.002.00B	UL20276	30V	41X2X16AWG	27/0.25	36.4	2476.21	13.7 Ω/km
ANM11.012.42.002.00B	UL20276	30V	42X2X16AWG	27/0.25	36.4	2495.31	13.7 Ω/km
ANM11.012.43.002.00B	UL20276	30V	43X2X16AWG	27/0.25	36.4	2514.51	13.7 Ω/km
ANM11.012.44.002.00B	UL20276	30V	44X2X16AWG	27/0.25	36.4	2533.61	13.7 Ω/km
ANM11.012.45.002.00B	UL20276	30V	45X2X16AWG	27/0.25	37	2607.71	13.7 Ω/km
ANM11.012.46.002.00B	UL20276	30V	46X2X16AWG	27/0.25	37	2626.91	13.7 Ω/km
ANM11.012.47.002.00B	UL20276	30V	47X2X16AWG	27/0.25	37	2646.01	13.7 Ω/km
ANM11.012.48.002.00B	UL20276	30V	48X2X16AWG	27/0.25	37	2665.11	13.7 Ω/km
ANM11.012.49.002.00B	UL20276	30V	49X2X16AWG	27/0.25	38	2777.71	13.7 Ω/km
ANM11.012.50.002.00B	UL20276	30V	50X2X16AWG	27/0.25	38	2796.81	13.7 Ω/km
ANM11.012.51.002.00B	UL20276	30V	51X2X16AWG	27/0.25	38	2815.91	13.7 Ω/km
ANM11.012.52.002.00B	UL20276	30V	52X2X16AWG	27/0.25	38	2835.11	13.7 Ω/km
ANM11.012.53.002.00B	UL20276	30V	53X2X16AWG	27/0.25	39.2	2969.61	13.7 Ω/km
ANM11.012.54.002.00B	UL20276	30V	54X2X16AWG	27/0.25	39.2	2988.71	13.7 Ω/km
ANM11.012.55.002.00B	UL20276	30V	55X2X16AWG	27/0.25	39.2	3007.91	13.7 Ω/km
ANM11.012.56.002.00B	UL20276	30V	56X2X16AWG	27/0.25	39.2	3027.01	13.7 Ω/km
ANM11.012.57.002.00B	UL20276	30V	57X2X16AWG	27/0.25	40.5	3212.91	13.7 Ω/km
ANM11.012.58.002.00B	UL20276	30V	58X2X16AWG	27/0.25	40.5	3232.01	13.7 Ω/km
ANM11.012.59.002.00B	UL20276	30V	59X2X16AWG	27/0.25	40.5	3251.21	13.7 Ω/km
ANM11.012.60.002.00B	UL20276	30V	60X2X16AWG	27/0.25	40.5	3270.41	13.7 Ω/km
ANM11.012.61.002.00B	UL20276	30V	61X2X16AWG	27/0.25	40.5	3289.41	13.7 Ω/km
ANM11.012.62.002.00B	UL20276	30V	62X2X16AWG	27/0.25	41.7	3432.41	13.7 Ω/km
ANM11.012.63.002.00B	UL20276	30V	63X2X16AWG	27/0.25	41.7	3451.61	13.7 Ω/km
ANM11.012.64.002.00B	UL20276	30V	64X2X16AWG	27/0.25	41.7	3470.71	13.7 Ω/km
ANM11.012.65.002.00B	UL20276	30V	65X2X16AWG	27/0.25	41.7	3489.91	13.7 Ω/km