



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANU02.001.02.000.50B	N2XH	0.6/1kV	2X0.5	18/0.19	4.8	97.7	26.0 Ω/km
ANU02.001.03.000.50B	N2XH	0.6/1kV	3X0.5	18/0.19	5.2	108.7	26.0 Ω/km
ANU02.001.04.000.50B	N2XH	0.6/1kV	4X0.5	18/0.19	5.8	124.7	26.0 Ω/km
ANU02.001.05.000.50B	N2XH	0.6/1kV	5X0.5	18/0.19	6.5	146.6	26.0 Ω/km
ANU02.001.06.000.50B	N2XH	0.6/1kV	6X0.5	18/0.19	7.1	164.6	26.0 Ω/km
ANU02.001.07.000.50B	N2XH	0.6/1kV	7X0.5	18/0.19	7.1	166.9	26.0 Ω/km
ANU02.001.08.000.50B	N2XH	0.6/1kV	8X0.5	18/0.19	7.8	188.8	26.0 Ω/km
ANU02.001.09.000.50B	N2XH	0.6/1kV	9X0.5	18/0.19	8.8	220.8	26.0 Ω/km
ANU02.001.10.000.50B	N2XH	0.6/1kV	10X0.5	18/0.19	9.4	242.2	26.0 Ω/km
ANU02.001.11.000.50B	N2XH	0.6/1kV	11X0.5	18/0.19	9.8	257.6	26.0 Ω/km
ANU02.001.12.000.50B	N2XH	0.6/1kV	12X0.5	18/0.19	9.8	260.1	26.0 Ω/km
ANU02.001.13.000.50B	N2XH	0.6/1kV	13X0.5	18/0.19	10.5	286.4	26.0 Ω/km
ANU02.001.14.000.50B	N2XH	0.6/1kV	14X0.5	18/0.19	10.5	288.7	26.0 Ω/km
ANU02.001.15.000.50B	N2XH	0.6/1kV	15X0.5	18/0.19	11.2	316.2	26.0 Ω/km
ANU02.001.16.000.50B	N2XH	0.6/1kV	16X0.5	18/0.19	11.2	318.6	26.0 Ω/km
ANU02.001.17.000.50B	N2XH	0.6/1kV	17X0.5	18/0.19	11.8	343.5	26.0 Ω/km
ANU02.001.18.000.50B	N2XH	0.6/1kV	18X0.5	18/0.19	11.8	345.9	26.0 Ω/km
ANU02.001.19.000.50B	N2XH	0.6/1kV	19X0.5	18/0.19	11.8	348.2	26.0 Ω/km
ANU02.001.20.000.50B	N2XH	0.6/1kV	20X0.5	18/0.19	12.2	366	26.0 Ω/km
ANU02.001.21.000.50B	N2XH	0.6/1kV	21X0.5	18/0.19	12.5	380.3	26.0 Ω/km
ANU02.001.22.000.50B	N2XH	0.6/1kV	22X0.5	18/0.19	13.5	423.7	26.0 Ω/km
ANU02.001.23.000.50B	N2XH	0.6/1kV	23X0.5	18/0.19	14.1	451.9	26.0 Ω/km
ANU02.001.24.000.50B	N2XH	0.6/1kV	24X0.5	18/0.19	14.1	454.4	26.0 Ω/km
ANU02.001.25.000.50B	N2XH	0.6/1kV	25X0.5	18/0.19	14.5	474.4	26.0 Ω/km
ANU02.001.26.000.50B	N2XH	0.6/1kV	26X0.5	18/0.19	14.5	476.7	26.0 Ω/km
ANU02.001.27.000.50B	N2XH	0.6/1kV	27X0.5	18/0.19	14.5	479	26.0 Ω/km
ANU02.001.28.000.50B	N2XH	0.6/1kV	28X0.5	18/0.19	15.1	508.7	26.0 Ω/km
ANU02.001.29.000.50B	N2XH	0.6/1kV	29X0.5	18/0.19	15.1	511	26.0 Ω/km
ANU02.001.30.000.50B	N2XH	0.6/1kV	30X0.5	18/0.19	15.1	513.4	26.0 Ω/km
ANU02.001.31.000.50B	N2XH	0.6/1kV	31X0.5	18/0.19	15.8	548.6	26.0 Ω/km
ANU02.001.32.000.50B	N2XH	0.6/1kV	32X0.5	18/0.19	15.8	551	26.0 Ω/km
ANU02.001.33.000.50B	N2XH	0.6/1kV	33X0.5	18/0.19	15.8	553.3	26.0 Ω/km
ANU02.001.34.000.50B	N2XH	0.6/1kV	34X0.5	18/0.19	16.4	584.8	26.0 Ω/km
ANU02.001.35.000.50B	N2XH	0.6/1kV	35X0.5	18/0.19	16.4	587.1	26.0 Ω/km
ANU02.001.36.000.50B	N2XH	0.6/1kV	36X0.5	18/0.19	16.4	589.6	26.0 Ω/km
ANU02.001.37.000.50B	N2XH	0.6/1kV	37X0.5	18/0.19	16.4	591.9	26.0 Ω/km
ANU02.001.02.000.75B	N2XH	0.6/1kV	2X0.75	27/0.19	5.2	109.95	19.5 Ω/km
ANU02.001.03.000.75B	N2XH	0.6/1kV	3X0.75	27/0.19	5.6	123.05	19.5 Ω/km



ANU02.001.04.000.75B	N2XH	0.6/1kV	4X0.75	27/0.19	6.3	143.85	19.5 Ω/km
ANU02.001.05.000.75B	N2XH	0.6/1kV	5X0.75	27/0.19	7	168.25	19.5 Ω/km
ANU02.001.06.000.75B	N2XH	0.6/1kV	6X0.75	27/0.19	7.7	191.55	19.5 Ω/km
ANU02.001.07.000.75B	N2XH	0.6/1kV	7X0.75	27/0.19	7.7	195.55	19.5 Ω/km
ANU02.001.08.000.75B	N2XH	0.6/1kV	8X0.75	27/0.19	8.5	223.25	19.5 Ω/km
ANU02.001.09.000.75B	N2XH	0.6/1kV	9X0.75	27/0.19	9.5	258.65	19.5 Ω/km
ANU02.001.10.000.75B	N2XH	0.6/1kV	10X0.75	27/0.19	10.2	286.15	19.5 Ω/km
ANU02.001.11.000.75B	N2XH	0.6/1kV	11X0.75	27/0.19	10.7	307.85	19.5 Ω/km
ANU02.001.12.000.75B	N2XH	0.6/1kV	12X0.75	27/0.19	10.7	311.85	19.5 Ω/km
ANU02.001.13.000.75B	N2XH	0.6/1kV	13X0.75	27/0.19	11.4	341.35	19.5 Ω/km
ANU02.001.14.000.75B	N2XH	0.6/1kV	14X0.75	27/0.19	11.4	345.35	19.5 Ω/km
ANU02.001.15.000.75B	N2XH	0.6/1kV	15X0.75	27/0.19	12.1	376.15	19.5 Ω/km
ANU02.001.16.000.75B	N2XH	0.6/1kV	16X0.75	27/0.19	12.1	380.25	19.5 Ω/km
ANU02.001.17.000.75B	N2XH	0.6/1kV	17X0.75	27/0.19	12.8	412.05	19.5 Ω/km
ANU02.001.18.000.75B	N2XH	0.6/1kV	18X0.75	27/0.19	12.8	416.15	19.5 Ω/km
ANU02.001.19.000.75B	N2XH	0.6/1kV	19X0.75	27/0.19	12.8	420.25	19.5 Ω/km
ANU02.001.20.000.75B	N2XH	0.6/1kV	20X0.75	27/0.19	13.2	440.75	19.5 Ω/km
ANU02.001.21.000.75B	N2XH	0.6/1kV	21X0.75	27/0.19	13.6	461.45	19.5 Ω/km
ANU02.001.22.000.75B	N2XH	0.6/1kV	22X0.75	27/0.19	14.6	509.55	19.5 Ω/km
ANU02.001.23.000.75B	N2XH	0.6/1kV	23X0.75	27/0.19	15.3	545.65	19.5 Ω/km
ANU02.001.24.000.75B	N2XH	0.6/1kV	24X0.75	27/0.19	15.3	549.75	19.5 Ω/km
ANU02.001.25.000.75B	N2XH	0.6/1kV	25X0.75	27/0.19	15.7	572.55	19.5 Ω/km
ANU02.001.26.000.75B	N2XH	0.6/1kV	26X0.75	27/0.19	15.7	576.55	19.5 Ω/km
ANU02.001.27.000.75B	N2XH	0.6/1kV	27X0.75	27/0.19	15.7	580.65	19.5 Ω/km
ANU02.001.28.000.75B	N2XH	0.6/1kV	28X0.75	27/0.19	16.4	618.65	19.5 Ω/km
ANU02.001.29.000.75B	N2XH	0.6/1kV	29X0.75	27/0.19	16.4	622.65	19.5 Ω/km
ANU02.001.30.000.75B	N2XH	0.6/1kV	30X0.75	27/0.19	16.4	626.75	19.5 Ω/km
ANU02.001.31.000.75B	N2XH	0.6/1kV	31X0.75	27/0.19	17.1	681.15	19.5 Ω/km
ANU02.001.32.000.75B	N2XH	0.6/1kV	32X0.75	27/0.19	17.1	685.25	19.5 Ω/km
ANU02.001.33.000.75B	N2XH	0.6/1kV	33X0.75	27/0.19	17.1	689.25	19.5 Ω/km
ANU02.001.34.000.75B	N2XH	0.6/1kV	34X0.75	27/0.19	17.8	730.15	19.5 Ω/km
ANU02.001.35.000.75B	N2XH	0.6/1kV	35X0.75	27/0.19	17.8	734.15	19.5 Ω/km
ANU02.001.36.000.75B	N2XH	0.6/1kV	36X0.75	27/0.19	17.8	738.25	19.5 Ω/km
ANU02.001.37.000.75B	N2XH	0.6/1kV	37X0.75	27/0.19	17.8	742.25	19.5 Ω/km
ANU02.001.02.001.00B	N2XH	0.6/1kV	2X1	35/0.19	5.6	122.4	13.3 Ω/km
ANU02.001.03.001.00B	N2XH	0.6/1kV	3X1	35/0.19	6.1	139.9	13.3 Ω/km
ANU02.001.04.001.00B	N2XH	0.6/1kV	4X1	35/0.19	6.8	165.7	13.3 Ω/km
ANU02.001.05.001.00B	N2XH	0.6/1kV	5X1	35/0.19	7.5	190.2	13.3 Ω/km
ANU02.001.06.001.00B	N2XH	0.6/1kV	6X1	35/0.19	8.3	219	13.3 Ω/km
ANU02.001.07.001.00B	N2XH	0.6/1kV	7X1	35/0.19	8.3	224.7	13.3 Ω/km
ANU02.001.08.001.00B	N2XH	0.6/1kV	8X1	35/0.19	9.2	258	13.3 Ω/km
ANU02.001.09.001.00B	N2XH	0.6/1kV	9X1	35/0.19	10.2	296.8	13.3 Ω/km



ANU02.001.10.001.00B	N2XH	0.6/1kV	10X1	35/0.19	11.1	334.5	13.3 Ω/km
ANU02.001.11.001.00B	N2XH	0.6/1kV	11X1	35/0.19	11.6	358.6	13.3 Ω/km
ANU02.001.12.001.00B	N2XH	0.6/1kV	12X1	35/0.19	11.6	364.3	13.3 Ω/km
ANU02.001.13.001.00B	N2XH	0.6/1kV	13X1	35/0.19	12.3	397	13.3 Ω/km
ANU02.001.14.001.00B	N2XH	0.6/1kV	14X1	35/0.19	12.3	402.6	13.3 Ω/km
ANU02.001.15.001.00B	N2XH	0.6/1kV	15X1	35/0.19	13	436.5	13.3 Ω/km
ANU02.001.16.001.00B	N2XH	0.6/1kV	16X1	35/0.19	13	442.2	13.3 Ω/km
ANU02.001.17.001.00B	N2XH	0.6/1kV	17X1	35/0.19	13.8	481.5	13.3 Ω/km
ANU02.001.18.001.00B	N2XH	0.6/1kV	18X1	35/0.19	13.8	487.2	13.3 Ω/km
ANU02.001.19.001.00B	N2XH	0.6/1kV	19X1	35/0.19	13.8	492.9	13.3 Ω/km
ANU02.001.20.001.00B	N2XH	0.6/1kV	20X1	35/0.19	14.3	520.2	13.3 Ω/km
ANU02.001.21.001.00B	N2XH	0.6/1kV	21X1	35/0.19	14.7	543.8	13.3 Ω/km
ANU02.001.22.001.00B	N2XH	0.6/1kV	22X1	35/0.19	15.7	595.9	13.3 Ω/km
ANU02.001.23.001.00B	N2XH	0.6/1kV	23X1	35/0.19	16.5	655.3	13.3 Ω/km
ANU02.001.24.001.00B	N2XH	0.6/1kV	24X1	35/0.19	16.5	661	13.3 Ω/km
ANU02.001.25.001.00B	N2XH	0.6/1kV	25X1	35/0.19	17	692.1	13.3 Ω/km
ANU02.001.26.001.00B	N2XH	0.6/1kV	26X1	35/0.19	17	697.7	13.3 Ω/km
ANU02.001.27.001.00B	N2XH	0.6/1kV	27X1	35/0.19	17	703.4	13.3 Ω/km
ANU02.001.28.001.00B	N2XH	0.6/1kV	28X1	35/0.19	17.7	745.7	13.3 Ω/km
ANU02.001.29.001.00B	N2XH	0.6/1kV	29X1	35/0.19	17.7	751.4	13.3 Ω/km
ANU02.001.30.001.00B	N2XH	0.6/1kV	30X1	35/0.19	17.7	757.1	13.3 Ω/km
ANU02.001.31.001.00B	N2XH	0.6/1kV	31X1	35/0.19	18.4	800.5	13.3 Ω/km
ANU02.001.32.001.00B	N2XH	0.6/1kV	32X1	35/0.19	18.4	806.2	13.3 Ω/km
ANU02.001.33.001.00B	N2XH	0.6/1kV	33X1	35/0.19	18.4	811.9	13.3 Ω/km
ANU02.001.34.001.00B	N2XH	0.6/1kV	34X1	35/0.19	19.2	862.1	13.3 Ω/km
ANU02.001.35.001.00B	N2XH	0.6/1kV	35X1	35/0.19	19.2	867.8	13.3 Ω/km
ANU02.001.36.001.00B	N2XH	0.6/1kV	36X1	35/0.19	19.2	873.5	13.3 Ω/km
ANU02.001.37.001.00B	N2XH	0.6/1kV	37X1	35/0.19	19.2	879.1	13.3 Ω/km
ANU02.001.02.001.50B	N2XH	0.6/1kV	2X1.5	31/0.25	6.2	144	10.64 Ω/km
ANU02.001.03.001.50B	N2XH	0.6/1kV	3X1.5	31/0.25	6.7	168.1	10.64 Ω/km
ANU02.001.04.001.50B	N2XH	0.6/1kV	4X1.5	31/0.25	7.5	198.7	10.64 Ω/km
ANU02.001.05.001.50B	N2XH	0.6/1kV	5X1.5	31/0.25	8.3	230.8	10.64 Ω/km
ANU02.001.06.001.50B	N2XH	0.6/1kV	6X1.5	31/0.25	9.2	267.7	10.64 Ω/km
ANU02.001.07.001.50B	N2XH	0.6/1kV	7X1.5	31/0.25	9.2	276.7	10.64 Ω/km
ANU02.001.08.001.50B	N2XH	0.6/1kV	8X1.5	31/0.25	10.1	315.5	10.64 Ω/km
ANU02.001.09.001.50B	N2XH	0.6/1kV	9X1.5	31/0.25	11.4	371	10.64 Ω/km
ANU02.001.10.001.50B	N2XH	0.6/1kV	10X1.5	31/0.25	12.3	414.6	10.64 Ω/km
ANU02.001.11.001.50B	N2XH	0.6/1kV	11X1.5	31/0.25	12.8	443.7	10.64 Ω/km
ANU02.001.12.001.50B	N2XH	0.6/1kV	12X1.5	31/0.25	12.8	452.8	10.64 Ω/km
ANU02.001.13.001.50B	N2XH	0.6/1kV	13X1.5	31/0.25	13.6	495	10.64 Ω/km
ANU02.001.14.001.50B	N2XH	0.6/1kV	14X1.5	31/0.25	13.6	504.2	10.64 Ω/km
ANU02.001.15.001.50B	N2XH	0.6/1kV	15X1.5	31/0.25	14.4	548	10.64 Ω/km



ANU02.001.16.001.50B	N2XH	0.6/1kV	16X1.5	31/0.25	14.4	557.1	10.64 Ω/km
ANU02.001.17.001.50B	N2XH	0.6/1kV	17X1.5	31/0.25	15.3	607.2	10.64 Ω/km
ANU02.001.18.001.50B	N2XH	0.6/1kV	18X1.5	31/0.25	15.3	616.3	10.64 Ω/km
ANU02.001.19.001.50B	N2XH	0.6/1kV	19X1.5	31/0.25	15.3	625.4	10.64 Ω/km
ANU02.001.20.001.50B	N2XH	0.6/1kV	20X1.5	31/0.25	15.8	658.1	10.64 Ω/km
ANU02.001.21.001.50B	N2XH	0.6/1kV	21X1.5	31/0.25	16.2	686.5	10.64 Ω/km
ANU02.001.22.001.50B	N2XH	0.6/1kV	22X1.5	31/0.25	17.4	771.3	10.64 Ω/km
ANU02.001.23.001.50B	N2XH	0.6/1kV	23X1.5	31/0.25	18.3	828.5	10.64 Ω/km
ANU02.001.24.001.50B	N2XH	0.6/1kV	24X1.5	31/0.25	18.3	837.6	10.64 Ω/km
ANU02.001.25.001.50B	N2XH	0.6/1kV	25X1.5	31/0.25	18.8	874.3	10.64 Ω/km
ANU02.001.26.001.50B	N2XH	0.6/1kV	26X1.5	31/0.25	18.8	883.4	10.64 Ω/km
ANU02.001.27.001.50B	N2XH	0.6/1kV	27X1.5	31/0.25	18.8	892.4	10.64 Ω/km
ANU02.001.28.001.50B	N2XH	0.6/1kV	28X1.5	31/0.25	19.6	947.1	10.64 Ω/km
ANU02.001.29.001.50B	N2XH	0.6/1kV	29X1.5	31/0.25	19.6	956.1	10.64 Ω/km
ANU02.001.30.001.50B	N2XH	0.6/1kV	30X1.5	31/0.25	19.6	965.1	10.64 Ω/km
ANU02.001.31.001.50B	N2XH	0.6/1kV	31X1.5	31/0.25	20.4	1021.1	10.64 Ω/km
ANU02.001.32.001.50B	N2XH	0.6/1kV	32X1.5	31/0.25	20.4	1030.3	10.64 Ω/km
ANU02.001.33.001.50B	N2XH	0.6/1kV	33X1.5	31/0.25	20.4	1039.3	10.64 Ω/km
ANU02.001.34.001.50B	N2XH	0.6/1kV	34X1.5	31/0.25	21.3	1103.2	10.64 Ω/km
ANU02.001.35.001.50B	N2XH	0.6/1kV	35X1.5	31/0.25	21.3	1112.2	10.64 Ω/km
ANU02.001.36.001.50B	N2XH	0.6/1kV	36X1.5	31/0.25	21.3	1121.3	10.64 Ω/km
ANU02.001.37.001.50B	N2XH	0.6/1kV	37X1.5	31/0.25	21.3	1130.2	10.64 Ω/km
ANU02.001.02.002.50B	N2XH	0.6/1kV	2X2.5	51/0.25	7.2	186.8	4.95 Ω/km
ANU02.001.03.002.50B	N2XH	0.6/1kV	3X2.5	51/0.25	7.8	219.4	4.95 Ω/km
ANU02.001.04.002.50B	N2XH	0.6/1kV	4X2.5	51/0.25	8.7	261.9	4.95 Ω/km
ANU02.001.05.002.50B	N2XH	0.6/1kV	5X2.5	51/0.25	9.7	309.8	4.95 Ω/km
ANU02.001.06.002.50B	N2XH	0.6/1kV	6X2.5	51/0.25	10.8	363.4	4.95 Ω/km
ANU02.001.07.002.50B	N2XH	0.6/1kV	7X2.5	51/0.25	10.8	379.2	4.95 Ω/km
ANU02.001.08.002.50B	N2XH	0.6/1kV	8X2.5	51/0.25	11.9	435.9	4.95 Ω/km
ANU02.001.09.002.50B	N2XH	0.6/1kV	9X2.5	51/0.25	13.3	508	4.95 Ω/km
ANU02.001.10.002.50B	N2XH	0.6/1kV	10X2.5	51/0.25	14.3	566.9	4.95 Ω/km
ANU02.001.11.002.50B	N2XH	0.6/1kV	11X2.5	51/0.25	14.9	609.8	4.95 Ω/km
ANU02.001.12.002.50B	N2XH	0.6/1kV	12X2.5	51/0.25	14.9	625.7	4.95 Ω/km
ANU02.001.13.002.50B	N2XH	0.6/1kV	13X2.5	51/0.25	15.8	683.6	4.95 Ω/km
ANU02.001.14.002.50B	N2XH	0.6/1kV	14X2.5	51/0.25	15.8	699.4	4.95 Ω/km
ANU02.001.15.002.50B	N2XH	0.6/1kV	15X2.5	51/0.25	16.8	779.3	4.95 Ω/km
ANU02.001.16.002.50B	N2XH	0.6/1kV	16X2.5	51/0.25	16.8	795.2	4.95 Ω/km
ANU02.001.17.002.50B	N2XH	0.6/1kV	17X2.5	51/0.25	17.8	863.2	4.95 Ω/km
ANU02.001.18.002.50B	N2XH	0.6/1kV	18X2.5	51/0.25	17.8	879	4.95 Ω/km
ANU02.001.19.002.50B	N2XH	0.6/1kV	19X2.5	51/0.25	17.8	894.9	4.95 Ω/km
ANU02.001.20.002.50B	N2XH	0.6/1kV	20X2.5	51/0.25	18.4	943.1	4.95 Ω/km
ANU02.001.21.002.50B	N2XH	0.6/1kV	21X2.5	51/0.25	18.9	986.8	4.95 Ω/km



ANU02.001.22.002.50B	N2XH	0.6/1kV	22X2.5	51/0.25	20.3	1083.5	4.95 Ω/km
ANU02.001.23.002.50B	N2XH	0.6/1kV	23X2.5	51/0.25	21.3	1160.1	4.95 Ω/km
ANU02.001.24.002.50B	N2XH	0.6/1kV	24X2.5	51/0.25	21.3	1175.9	4.95 Ω/km
ANU02.001.25.002.50B	N2XH	0.6/1kV	25X2.5	51/0.25	21.9	1229.3	4.95 Ω/km
ANU02.001.26.002.50B	N2XH	0.6/1kV	26X2.5	51/0.25	21.9	1245.1	4.95 Ω/km
ANU02.001.27.002.50B	N2XH	0.6/1kV	27X2.5	51/0.25	21.9	1260.8	4.95 Ω/km
ANU02.001.28.002.50B	N2XH	0.6/1kV	28X2.5	51/0.25	22.8	1334.7	4.95 Ω/km
ANU02.001.29.002.50B	N2XH	0.6/1kV	29X2.5	51/0.25	22.8	1350.5	4.95 Ω/km
ANU02.001.30.002.50B	N2XH	0.6/1kV	30X2.5	51/0.25	22.8	1366.4	4.95 Ω/km
ANU02.001.31.002.50B	N2XH	0.6/1kV	31X2.5	51/0.25	23.8	1449	4.95 Ω/km
ANU02.001.32.002.50B	N2XH	0.6/1kV	32X2.5	51/0.25	23.8	1464.8	4.95 Ω/km
ANU02.001.33.002.50B	N2XH	0.6/1kV	33X2.5	51/0.25	23.8	1480.6	4.95 Ω/km
ANU02.001.34.002.50B	N2XH	0.6/1kV	34X2.5	51/0.25	24.8	1579.5	4.95 Ω/km
ANU02.001.35.002.50B	N2XH	0.6/1kV	35X2.5	51/0.25	24.8	1595.3	4.95 Ω/km
ANU02.001.36.002.50B	N2XH	0.6/1kV	36X2.5	51/0.25	24.8	1611.1	4.95 Ω/km
ANU02.001.37.002.50B	N2XH	0.6/1kV	37X2.5	51/0.25	24.8	1626.9	4.95 Ω/km
ANU02.001.02.004.00B	N2XH	0.6/1kV	2X4	82/0.25	8.2	238.5	3.30 Ω/km
ANU02.001.03.004.00B	N2XH	0.6/1kV	3X4	82/0.25	8.9	286.5	3.30 Ω/km
ANU02.001.04.004.00B	N2XH	0.6/1kV	4X4	82/0.25	9.9	345.6	3.30 Ω/km
ANU02.001.05.004.00B	N2XH	0.6/1kV	5X4	82/0.25	11.1	414.4	3.30 Ω/km
ANU02.001.02.006.00B	N2XH	0.6/1kV	2X6	123/0.25	9.4	306	1.91 Ω/km
ANU02.001.03.006.00B	N2XH	0.6/1kV	3X6	123/0.25	10.2	373.5	1.91 Ω/km
ANU02.001.04.006.00B	N2XH	0.6/1kV	4X6	123/0.25	11.5	461	1.91 Ω/km
ANU02.001.05.006.00B	N2XH	0.6/1kV	5X6	123/0.25	12.8	552.8	1.91 Ω/km
ANU02.001.02.010.00B	N2XH	0.6/1kV	2X10	77/0.4	11.7	444.5	1.21 Ω/km
ANU02.001.03.010.00B	N2XH	0.6/1kV	3X10	77/0.4	12.6	547.4	1.21 Ω/km
ANU02.001.04.010.00B	N2XH	0.6/1kV	4X10	77/0.4	14.1	678	1.21 Ω/km
ANU02.001.05.010.00B	N2XH	0.6/1kV	5X10	77/0.4	15.7	818.7	1.21 Ω/km
ANU02.001.02.016.00B	N2XH	0.6/1kV	2X16	126/0.4	14.1	631.3	0.780 Ω/km
ANU02.001.03.016.00B	N2XH	0.6/1kV	3X16	126/0.4	15.2	790	0.780 Ω/km
ANU02.001.04.016.00B	N2XH	0.6/1kV	4X16	126/0.4	17	1001.7	0.780 Ω/km
ANU02.001.05.016.00B	N2XH	0.6/1kV	5X16	126/0.4	19	1218.6	0.780 Ω/km
ANU02.001.02.025.00B	N2XH	0.6/1kV	2X25	189/0.4	17.5	943.6	0.554 Ω/km
ANU02.001.03.025.00B	N2XH	0.6/1kV	3X25	189/0.4	18.9	1191.1	0.554 Ω/km
ANU02.001.04.025.00B	N2XH	0.6/1kV	4X25	189/0.4	21.1	1491.7	0.554 Ω/km
ANU02.001.05.025.00B	N2XH	0.6/1kV	5X25	189/0.4	23.6	1824.3	0.554 Ω/km
ANU02.001.02.035.00B	N2XH	0.6/1kV	2X35	266/0.4	20.1	1237.8	0.386 Ω/km
ANU02.001.03.035.00B	N2XH	0.6/1kV	3X35	266/0.4	21.7	1576.1	0.386 Ω/km
ANU02.001.04.035.00B	N2XH	0.6/1kV	4X35	266/0.4	24.2	1981.7	0.386 Ω/km
ANU02.001.05.035.00B	N2XH	0.6/1kV	5X35	266/0.4	27.1	2462.7	0.386 Ω/km
ANU02.001.02.050.00B	N2XH	0.6/1kV	2X50	380/0.4	23.5	1680	0.272 Ω/km
ANU02.001.03.050.00B	N2XH	0.6/1kV	3X50	380/0.4	25.3	2166.2	0.272 Ω/km



ANU02.001.04.050.00B	N2XH	0.6/1kV	4X50	380/0.4	28.4	2779.8	0.272 Ω/km
ANU02.001.05.050.00B	N2XH	0.6/1kV	5X50	380/0.4	32	3450	0.272 Ω/km
ANU02.001.02.070.00B	N2XH	0.6/1kV	2X70	532/0.4	27.5	2312.4	0.206 Ω/km
ANU02.001.03.070.00B	N2XH	0.6/1kV	3X70	532/0.4	29.6	2968.3	0.206 Ω/km
ANU02.001.04.070.00B	N2XH	0.6/1kV	4X70	532/0.4	33.5	3835	0.206 Ω/km
ANU02.001.05.070.00B	N2XH	0.6/1kV	5X70	532/0.4	37.4	4725.6	0.206 Ω/km
ANU02.001.02.095.00B	N2XH	0.6/1kV	2X95	722/0.4	31.6	3049.4	0.161 Ω/km
ANU02.001.03.095.00B	N2XH	0.6/1kV	3X95	722/0.4	34	3950.5	0.161 Ω/km
ANU02.001.04.095.00B	N2XH	0.6/1kV	4X95	722/0.4	38.1	5043.9	0.161 Ω/km
ANU02.001.05.095.00B	N2XH	0.6/1kV	5X95	722/0.4	42.5	6239.4	0.161 Ω/km
ANU02.001.02.120.00B	N2XH	0.6/1kV	2X120	925/0.4	35.6	3806.9	0.129 Ω/km
ANU02.001.03.120.00B	N2XH	0.6/1kV	3X120	925/0.4	38.3	4935.4	0.129 Ω/km
ANU02.001.04.120.00B	N2XH	0.6/1kV	4X120	925/0.4	42.9	6326.4	0.129 Ω/km
ANU02.001.05.120.00B	N2XH	0.6/1kV	5X120	925/0.4	47.9	7894.3	0.129 Ω/km
ANU02.001.02.150.00B	N2XH	0.6/1kV	2X150	1147/0.4	39.8	4736.8	0.106 Ω/km
ANU02.001.03.150.00B	N2XH	0.6/1kV	3X150	1147/0.4	42.9	6154.6	0.106 Ω/km
ANU02.001.04.150.00B	N2XH	0.6/1kV	4X150	1147/0.4	48	7945.9	0.106 Ω/km
ANU02.001.05.150.00B	N2XH	0.6/1kV	5X150	1147/0.4	53.6	9825.1	0.106 Ω/km
ANU02.001.02.185.00B	N2XH	0.6/1kV	2X185	1403/0.4	44.2	5792.3	0.0801 Ω/km
ANU02.001.03.185.00B	N2XH	0.6/1kV	3X185	1403/0.4	47.6	7619.9	0.0801 Ω/km
ANU02.001.04.185.00B	N2XH	0.6/1kV	4X185	1403/0.4	53.3	9752.6	0.0801 Ω/km
ANU02.001.05.185.00B	N2XH	0.6/1kV	5X185	1403/0.4	59.5	12055.8	0.0801 Ω/km
ANU02.001.02.240.00B	N2XH	0.6/1kV	2X240	1830/0.4	50	7498.2	0.0641 Ω/km
ANU02.001.03.240.00B	N2XH	0.6/1kV	3X240	1830/0.4	53.9	9749.5	0.0641 Ω/km
ANU02.001.04.240.00B	N2XH	0.6/1kV	4X240	1830/0.4	60.3	12475.3	0.0641 Ω/km
ANU02.001.05.240.00B	N2XH	0.6/1kV	5X240	1830/0.4	67.3	15457	0.0641 Ω/km
ANU02.001.02.300.00B	N2XH	0.6/1kV	2X300	2318/0.4	55.6	9227.3	0.0486 Ω/km
ANU02.001.03.300.00B	N2XH	0.6/1kV	3X300	2318/0.4	59.9	12047.9	0.0486 Ω/km
ANU02.001.04.300.00B	N2XH	0.6/1kV	4X300	2318/0.4	67	15420	0.0486 Ω/km
ANU02.001.05.300.00B	N2XH	0.6/1kV	5X300	2318/0.4	74.9	19127.6	0.0486 Ω/km