



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
ANU04.001.01.001.50B	NYY	0.6/1kV	1X1.5	31/0.25	6.4	59.2	10.64 Ω/km
ANU04.001.01.002.50B	NYY	0.6/1kV	1X2.5	51/0.25	7.1	78.1	4.95 Ω/km
ANU04.001.01.004.00B	NYY	0.6/1kV	1X4	82/0.25	8	105.7	3.30 Ω/km
ANU04.001.01.006.00B	NYY	0.6/1kV	1X6	123/0.25	8.6	133.5	1.91 Ω/km
ANU04.001.01.010.00B	NYY	0.6/1kV	1X10	77/0.4	9.7	188	1.21 Ω/km
ANU04.001.01.016.00B	NYY	0.6/1kV	1X16	126/0.4	11	267.2	0.780 Ω/km
ANU04.001.01.025.00B	NYY	0.6/1kV	1X25	189/0.4	12.7	386.4	0.554 Ω/km
ANU04.001.01.035.00B	NYY	0.6/1kV	1X35	266/0.4	14.1	510.6	0.386 Ω/km
ANU04.001.01.050.00B	NYY	0.6/1kV	1X50	380/0.4	16.2	706.2	0.272 Ω/km
ANU04.001.01.070.00B	NYY	0.6/1kV	1X70	532/0.4	18	940.2	0.206 Ω/km
ANU04.001.01.095.00B	NYY	0.6/1kV	1X95	722/0.4	20.5	1252.6	0.161 Ω/km
ANU04.001.01.120.00B	NYY	0.6/1kV	1X120	925/0.4	22.8	1567.6	0.129 Ω/km
ANU04.001.01.150.00B	NYY	0.6/1kV	1X150	1147/0.4	24.9	1927.4	0.106 Ω/km
ANU04.001.01.185.00B	NYY	0.6/1kV	1X185	1403/0.4	27.3	2356.7	0.0801 Ω/km
ANU04.001.01.240.00B	NYY	0.6/1kV	1X240	1830/0.4	30.6	3017.3	0.0641 Ω/km
ANU04.001.01.300.00B	NYY	0.6/1kV	1X300	2318/0.4	34	3751.2	0.0486 Ω/km
ANU04.001.02.000.50B	NYY	0.6/1kV	2X0.5	18/0.19	9.2	108.8	26.0 Ω/km
ANU04.001.03.000.50B	NYY	0.6/1kV	3X0.5	18/0.19	9.6	121.5	26.0 Ω/km
ANU04.001.04.000.50B	NYY	0.6/1kV	4X0.5	18/0.19	10.3	141.7	26.0 Ω/km
ANU04.001.05.000.50B	NYY	0.6/1kV	5X0.5	18/0.19	11.1	165.8	26.0 Ω/km
ANU04.001.06.000.50B	NYY	0.6/1kV	6X0.5	18/0.19	11.8	188.7	26.0 Ω/km
ANU04.001.07.000.50B	NYY	0.6/1kV	7X0.5	18/0.19	11.8	192.3	26.0 Ω/km
ANU04.001.08.000.50B	NYY	0.6/1kV	8X0.5	18/0.19	12.6	219.4	26.0 Ω/km
ANU04.001.09.000.50B	NYY	0.6/1kV	9X0.5	18/0.19	13.6	254.4	26.0 Ω/km
ANU04.001.10.000.50B	NYY	0.6/1kV	10X0.5	18/0.19	14.3	281.5	26.0 Ω/km
ANU04.001.11.000.50B	NYY	0.6/1kV	11X0.5	18/0.19	14.8	302.6	26.0 Ω/km
ANU04.001.12.000.50B	NYY	0.6/1kV	12X0.5	18/0.19	14.8	306.3	26.0 Ω/km
ANU04.001.13.000.50B	NYY	0.6/1kV	13X0.5	18/0.19	15.5	335.4	26.0 Ω/km
ANU04.001.14.000.50B	NYY	0.6/1kV	14X0.5	18/0.19	15.5	339	26.0 Ω/km
ANU04.001.15.000.50B	NYY	0.6/1kV	15X0.5	18/0.19	16.2	369.2	26.0 Ω/km
ANU04.001.16.000.50B	NYY	0.6/1kV	16X0.5	18/0.19	16.2	372.8	26.0 Ω/km
ANU04.001.17.000.50B	NYY	0.6/1kV	17X0.5	18/0.19	16.9	404.3	26.0 Ω/km
ANU04.001.18.000.50B	NYY	0.6/1kV	18X0.5	18/0.19	16.9	407.9	26.0 Ω/km
ANU04.001.19.000.50B	NYY	0.6/1kV	19X0.5	18/0.19	16.9	411.6	26.0 Ω/km
ANU04.001.20.000.50B	NYY	0.6/1kV	20X0.5	18/0.19	17.3	431.6	26.0 Ω/km
ANU04.001.21.000.50B	NYY	0.6/1kV	21X0.5	18/0.19	17.7	452	26.0 Ω/km
ANU04.001.22.000.50B	NYY	0.6/1kV	22X0.5	18/0.19	18.7	499.5	26.0 Ω/km
ANU04.001.23.000.50B	NYY	0.6/1kV	23X0.5	18/0.19	19.4	535.1	26.0 Ω/km
ANU04.001.24.000.50B	NYY	0.6/1kV	24X0.5	18/0.19	19.4	538.9	26.0 Ω/km
ANU04.001.25.000.50B	NYY	0.6/1kV	25X0.5	18/0.19	19.8	561.2	26.0 Ω/km



ANU04.001.26.000.50B	NYY	0.6/1kV	26X0.5	18/0.19	19.8	564.8	26.0Ω/km
ANU04.001.27.000.50B	NYY	0.6/1kV	27X0.5	18/0.19	19.8	568.4	26.0Ω/km
ANU04.001.28.000.50B	NYY	0.6/1kV	28X0.5	18/0.19	20.5	606	26.0Ω/km
ANU04.001.29.000.50B	NYY	0.6/1kV	29X0.5	18/0.19	20.5	609.5	26.0Ω/km
ANU04.001.30.000.50B	NYY	0.6/1kV	30X0.5	18/0.19	20.5	613.2	26.0Ω/km
ANU04.001.31.000.50B	NYY	0.6/1kV	31X0.5	18/0.19	21.5	667.2	26.0Ω/km
ANU04.001.32.000.50B	NYY	0.6/1kV	32X0.5	18/0.19	21.5	670.7	26.0Ω/km
ANU04.001.33.000.50B	NYY	0.6/1kV	33X0.5	18/0.19	21.5	674.4	26.0Ω/km
ANU04.001.34.000.50B	NYY	0.6/1kV	34X0.5	18/0.19	22.2	714.8	26.0Ω/km
ANU04.001.35.000.50B	NYY	0.6/1kV	35X0.5	18/0.19	22.2	718.4	26.0Ω/km
ANU04.001.36.000.50B	NYY	0.6/1kV	36X0.5	18/0.19	22.2	722	26.0Ω/km
ANU04.001.37.000.50B	NYY	0.6/1kV	37X0.5	18/0.19	22.2	725.6	26.0Ω/km
ANU04.001.02.000.75B	NYY	0.6/1kV	2X0.75	27/0.19	9.6	121.85	19.5Ω/km
ANU04.001.03.000.75B	NYY	0.6/1kV	3X0.75	27/0.19	10.1	139.15	19.5Ω/km
ANU04.001.04.000.75B	NYY	0.6/1kV	4X0.75	27/0.19	10.9	164.75	19.5Ω/km
ANU04.001.05.000.75B	NYY	0.6/1kV	5X0.75	27/0.19	11.6	189.05	19.5Ω/km
ANU04.001.06.000.75B	NYY	0.6/1kV	6X0.75	27/0.19	12.4	217.65	19.5Ω/km
ANU04.001.07.000.75B	NYY	0.6/1kV	7X0.75	27/0.19	12.4	223.15	19.5Ω/km
ANU04.001.08.000.75B	NYY	0.6/1kV	8X0.75	27/0.19	13.3	256.35	19.5Ω/km
ANU04.001.09.000.75B	NYY	0.6/1kV	9X0.75	27/0.19	14.3	294.85	19.5Ω/km
ANU04.001.10.000.75B	NYY	0.6/1kV	10X0.75	27/0.19	15.2	332.35	19.5Ω/km
ANU04.001.11.000.75B	NYY	0.6/1kV	11X0.75	27/0.19	15.7	356.35	19.5Ω/km
ANU04.001.12.000.75B	NYY	0.6/1kV	12X0.75	27/0.19	15.7	361.85	19.5Ω/km
ANU04.001.13.000.75B	NYY	0.6/1kV	13X0.75	27/0.19	16.4	394.25	19.5Ω/km
ANU04.001.14.000.75B	NYY	0.6/1kV	14X0.75	27/0.19	16.4	399.75	19.5Ω/km
ANU04.001.15.000.75B	NYY	0.6/1kV	15X0.75	27/0.19	17.1	433.45	19.5Ω/km
ANU04.001.16.000.75B	NYY	0.6/1kV	16X0.75	27/0.19	17.1	438.95	19.5Ω/km
ANU04.001.17.000.75B	NYY	0.6/1kV	17X0.75	27/0.19	17.9	478.05	19.5Ω/km
ANU04.001.18.000.75B	NYY	0.6/1kV	18X0.75	27/0.19	17.9	483.55	19.5Ω/km
ANU04.001.19.000.75B	NYY	0.6/1kV	19X0.75	27/0.19	17.9	489.05	19.5Ω/km
ANU04.001.20.000.75B	NYY	0.6/1kV	20X0.75	27/0.19	18.4	516.25	19.5Ω/km
ANU04.001.21.000.75B	NYY	0.6/1kV	21X0.75	27/0.19	18.8	539.55	19.5Ω/km
ANU04.001.22.000.75B	NYY	0.6/1kV	22X0.75	27/0.19	19.8	591.55	19.5Ω/km
ANU04.001.23.000.75B	NYY	0.6/1kV	23X0.75	27/0.19	20.9	650.75	19.5Ω/km
ANU04.001.24.000.75B	NYY	0.6/1kV	24X0.75	27/0.19	20.9	656.25	19.5Ω/km
ANU04.001.25.000.75B	NYY	0.6/1kV	25X0.75	27/0.19	21.4	687.15	19.5Ω/km
ANU04.001.26.000.75B	NYY	0.6/1kV	26X0.75	27/0.19	21.4	692.55	19.5Ω/km
ANU04.001.27.000.75B	NYY	0.6/1kV	27X0.75	27/0.19	21.4	698.05	19.5Ω/km
ANU04.001.28.000.75B	NYY	0.6/1kV	28X0.75	27/0.19	22.1	740.25	19.5Ω/km
ANU04.001.29.000.75B	NYY	0.6/1kV	29X0.75	27/0.19	22.1	745.65	19.5Ω/km
ANU04.001.30.000.75B	NYY	0.6/1kV	30X0.75	27/0.19	22.1	751.15	19.5Ω/km
ANU04.001.31.000.75B	NYY	0.6/1kV	31X0.75	27/0.19	22.8	794.45	19.5Ω/km



ANU04.001.32.000.75B	NYY	0.6/1kV	32X0.75	27/0.19	22.8	799.95	19.5 Ω/km
ANU04.001.33.000.75B	NYY	0.6/1kV	33X0.75	27/0.19	22.8	805.35	19.5 Ω/km
ANU04.001.34.000.75B	NYY	0.6/1kV	34X0.75	27/0.19	23.6	855.45	19.5 Ω/km
ANU04.001.35.000.75B	NYY	0.6/1kV	35X0.75	27/0.19	23.6	860.95	19.5 Ω/km
ANU04.001.36.000.75B	NYY	0.6/1kV	36X0.75	27/0.19	23.6	866.45	19.5 Ω/km
ANU04.001.37.000.75B	NYY	0.6/1kV	37X0.75	27/0.19	23.6	871.85	19.5 Ω/km
ANU04.001.02.001.00B	NYY	0.6/1kV	2X1	35/0.19	10	135	13.3 Ω/km
ANU04.001.03.001.00B	NYY	0.6/1kV	3X1	35/0.19	10.6	157	13.3 Ω/km
ANU04.001.04.001.00B	NYY	0.6/1kV	4X1	35/0.19	11.4	185.4	13.3 Ω/km
ANU04.001.05.001.00B	NYY	0.6/1kV	5X1	35/0.19	12.2	215.1	13.3 Ω/km
ANU04.001.06.001.00B	NYY	0.6/1kV	6X1	35/0.19	13	246.7	13.3 Ω/km
ANU04.001.07.001.00B	NYY	0.6/1kV	7X1	35/0.19	13	254	13.3 Ω/km
ANU04.001.08.001.00B	NYY	0.6/1kV	8X1	35/0.19	13.9	290.1	13.3 Ω/km
ANU04.001.09.001.00B	NYY	0.6/1kV	9X1	35/0.19	15.2	343	13.3 Ω/km
ANU04.001.10.001.00B	NYY	0.6/1kV	10X1	35/0.19	16	380.1	13.3 Ω/km
ANU04.001.11.001.00B	NYY	0.6/1kV	11X1	35/0.19	16.5	406.9	13.3 Ω/km
ANU04.001.12.001.00B	NYY	0.6/1kV	12X1	35/0.19	16.5	414.3	13.3 Ω/km
ANU04.001.13.001.00B	NYY	0.6/1kV	13X1	35/0.19	17.3	454	13.3 Ω/km
ANU04.001.14.001.00B	NYY	0.6/1kV	14X1	35/0.19	17.3	461.2	13.3 Ω/km
ANU04.001.15.001.00B	NYY	0.6/1kV	15X1	35/0.19	18.1	502.4	13.3 Ω/km
ANU04.001.16.001.00B	NYY	0.6/1kV	16X1	35/0.19	18.1	509.7	13.3 Ω/km
ANU04.001.17.001.00B	NYY	0.6/1kV	17X1	35/0.19	18.9	552.6	13.3 Ω/km
ANU04.001.18.001.00B	NYY	0.6/1kV	18X1	35/0.19	18.9	559.8	13.3 Ω/km
ANU04.001.19.001.00B	NYY	0.6/1kV	19X1	35/0.19	18.9	567	13.3 Ω/km
ANU04.001.20.001.00B	NYY	0.6/1kV	20X1	35/0.19	19.4	597.2	13.3 Ω/km
ANU04.001.21.001.00B	NYY	0.6/1kV	21X1	35/0.19	19.8	623.4	13.3 Ω/km
ANU04.001.22.001.00B	NYY	0.6/1kV	22X1	35/0.19	21.3	704.5	13.3 Ω/km
ANU04.001.23.001.00B	NYY	0.6/1kV	23X1	35/0.19	22.1	753.6	13.3 Ω/km
ANU04.001.24.001.00B	NYY	0.6/1kV	24X1	35/0.19	22.1	761	13.3 Ω/km
ANU04.001.25.001.00B	NYY	0.6/1kV	25X1	35/0.19	22.6	795	13.3 Ω/km
ANU04.001.26.001.00B	NYY	0.6/1kV	26X1	35/0.19	22.6	802.2	13.3 Ω/km
ANU04.001.27.001.00B	NYY	0.6/1kV	27X1	35/0.19	22.6	809.4	13.3 Ω/km
ANU04.001.28.001.00B	NYY	0.6/1kV	28X1	35/0.19	23.4	861	13.3 Ω/km
ANU04.001.29.001.00B	NYY	0.6/1kV	29X1	35/0.19	23.4	868.2	13.3 Ω/km
ANU04.001.30.001.00B	NYY	0.6/1kV	30X1	35/0.19	23.4	875.4	13.3 Ω/km
ANU04.001.31.001.00B	NYY	0.6/1kV	31X1	35/0.19	24.2	928.5	13.3 Ω/km
ANU04.001.32.001.00B	NYY	0.6/1kV	32X1	35/0.19	24.2	935.6	13.3 Ω/km
ANU04.001.33.001.00B	NYY	0.6/1kV	33X1	35/0.19	24.2	943	13.3 Ω/km
ANU04.001.34.001.00B	NYY	0.6/1kV	34X1	35/0.19	25	997.7	13.3 Ω/km
ANU04.001.35.001.00B	NYY	0.6/1kV	35X1	35/0.19	25	1004.8	13.3 Ω/km
ANU04.001.36.001.00B	NYY	0.6/1kV	36X1	35/0.19	25	1012.1	13.3 Ω/km
ANU04.001.37.001.00B	NYY	0.6/1kV	37X1	35/0.19	25	1019.3	13.3 Ω/km



ANU04.001.02.001.50B	NYY	0.6/1kV	2X1.5	31/0.25	10.7	160.2	10.64 Ω/km
ANU04.001.03.001.50B	NYY	0.6/1kV	3X1.5	31/0.25	11.2	184.1	10.64 Ω/km
ANU04.001.04.001.50B	NYY	0.6/1kV	4X1.5	31/0.25	12.1	220.2	10.64 Ω/km
ANU04.001.05.001.50B	NYY	0.6/1kV	5X1.5	31/0.25	13	258.1	10.64 Ω/km
ANU04.001.06.001.50B	NYY	0.6/1kV	6X1.5	31/0.25	13.9	298.1	10.64 Ω/km
ANU04.001.07.001.50B	NYY	0.6/1kV	7X1.5	31/0.25	13.9	308.9	10.64 Ω/km
ANU04.001.08.001.50B	NYY	0.6/1kV	8X1.5	31/0.25	15	358.1	10.64 Ω/km
ANU04.001.09.001.50B	NYY	0.6/1kV	9X1.5	31/0.25	16.3	417.8	10.64 Ω/km
ANU04.001.10.001.50B	NYY	0.6/1kV	10X1.5	31/0.25	17.2	465.1	10.64 Ω/km
ANU04.001.11.001.50B	NYY	0.6/1kV	11X1.5	31/0.25	17.7	496.8	10.64 Ω/km
ANU04.001.12.001.50B	NYY	0.6/1kV	12X1.5	31/0.25	17.7	507.7	10.64 Ω/km
ANU04.001.13.001.50B	NYY	0.6/1kV	13X1.5	31/0.25	18.6	557.9	10.64 Ω/km
ANU04.001.14.001.50B	NYY	0.6/1kV	14X1.5	31/0.25	18.6	568.9	10.64 Ω/km
ANU04.001.15.001.50B	NYY	0.6/1kV	15X1.5	31/0.25	19.5	620.9	10.64 Ω/km
ANU04.001.16.001.50B	NYY	0.6/1kV	16X1.5	31/0.25	19.5	631.8	10.64 Ω/km
ANU04.001.17.001.50B	NYY	0.6/1kV	17X1.5	31/0.25	20.4	686	10.64 Ω/km
ANU04.001.18.001.50B	NYY	0.6/1kV	18X1.5	31/0.25	20.4	696.9	10.64 Ω/km
ANU04.001.19.001.50B	NYY	0.6/1kV	19X1.5	31/0.25	20.4	707.7	10.64 Ω/km
ANU04.001.20.001.50B	NYY	0.6/1kV	20X1.5	31/0.25	21.2	758.4	10.64 Ω/km
ANU04.001.21.001.50B	NYY	0.6/1kV	21X1.5	31/0.25	21.7	795.1	10.64 Ω/km
ANU04.001.22.001.50B	NYY	0.6/1kV	22X1.5	31/0.25	23	875.9	10.64 Ω/km
ANU04.001.23.001.50B	NYY	0.6/1kV	23X1.5	31/0.25	23.9	937.6	10.64 Ω/km
ANU04.001.24.001.50B	NYY	0.6/1kV	24X1.5	31/0.25	23.9	948.5	10.64 Ω/km
ANU04.001.25.001.50B	NYY	0.6/1kV	25X1.5	31/0.25	24.4	988.4	10.64 Ω/km
ANU04.001.26.001.50B	NYY	0.6/1kV	26X1.5	31/0.25	24.4	999.2	10.64 Ω/km
ANU04.001.27.001.50B	NYY	0.6/1kV	27X1.5	31/0.25	24.4	1010	10.64 Ω/km
ANU04.001.28.001.50B	NYY	0.6/1kV	28X1.5	31/0.25	25.3	1074.9	10.64 Ω/km
ANU04.001.29.001.50B	NYY	0.6/1kV	29X1.5	31/0.25	25.3	1085.7	10.64 Ω/km
ANU04.001.30.001.50B	NYY	0.6/1kV	30X1.5	31/0.25	25.3	1096.6	10.64 Ω/km
ANU04.001.31.001.50B	NYY	0.6/1kV	31X1.5	31/0.25	26.2	1163.3	10.64 Ω/km
ANU04.001.32.001.50B	NYY	0.6/1kV	32X1.5	31/0.25	26.2	1174.2	10.64 Ω/km
ANU04.001.33.001.50B	NYY	0.6/1kV	33X1.5	31/0.25	26.2	1185	10.64 Ω/km
ANU04.001.34.001.50B	NYY	0.6/1kV	34X1.5	31/0.25	27.1	1253.8	10.64 Ω/km
ANU04.001.35.001.50B	NYY	0.6/1kV	35X1.5	31/0.25	27.1	1264.6	10.64 Ω/km
ANU04.001.36.001.50B	NYY	0.6/1kV	36X1.5	31/0.25	27.1	1275.5	10.64 Ω/km
ANU04.001.37.001.50B	NYY	0.6/1kV	37X1.5	31/0.25	27.1	1286.3	10.64 Ω/km
ANU04.001.02.002.50B	NYY	0.6/1kV	2X2.5	51/0.25	11.7	202.3	4.95 Ω/km
ANU04.001.03.002.50B	NYY	0.6/1kV	3X2.5	51/0.25	12.3	237.6	4.95 Ω/km
ANU04.001.04.002.50B	NYY	0.6/1kV	4X2.5	51/0.25	13.3	286.4	4.95 Ω/km
ANU04.001.05.002.50B	NYY	0.6/1kV	5X2.5	51/0.25	14.3	337.6	4.95 Ω/km
ANU04.001.06.002.50B	NYY	0.6/1kV	6X2.5	51/0.25	15.5	398.7	4.95 Ω/km
ANU04.001.07.002.50B	NYY	0.6/1kV	7X2.5	51/0.25	15.5	416.6	4.95 Ω/km



ANU04.001.08.002.50B	NYY	0.6/1kV	8X2.5	51/0.25	16.7	481.1	4.95 Ω/km
ANU04.001.09.002.50B	NYY	0.6/1kV	9X2.5	51/0.25	18.1	557.8	4.95 Ω/km
ANU04.001.10.002.50B	NYY	0.6/1kV	10X2.5	51/0.25	19.2	625.2	4.95 Ω/km
ANU04.001.11.002.50B	NYY	0.6/1kV	11X2.5	51/0.25	19.8	671.4	4.95 Ω/km
ANU04.001.12.002.50B	NYY	0.6/1kV	12X2.5	51/0.25	19.8	689.4	4.95 Ω/km
ANU04.001.13.002.50B	NYY	0.6/1kV	13X2.5	51/0.25	21.1	771.2	4.95 Ω/km
ANU04.001.14.002.50B	NYY	0.6/1kV	14X2.5	51/0.25	21.1	789.2	4.95 Ω/km
ANU04.001.15.002.50B	NYY	0.6/1kV	15X2.5	51/0.25	22.1	859.3	4.95 Ω/km
ANU04.001.16.002.50B	NYY	0.6/1kV	16X2.5	51/0.25	22.1	877.3	4.95 Ω/km
ANU04.001.17.002.50B	NYY	0.6/1kV	17X2.5	51/0.25	23.2	955.4	4.95 Ω/km
ANU04.001.18.002.50B	NYY	0.6/1kV	18X2.5	51/0.25	23.2	973.4	4.95 Ω/km
ANU04.001.19.002.50B	NYY	0.6/1kV	19X2.5	51/0.25	23.2	991.4	4.95 Ω/km
ANU04.001.20.002.50B	NYY	0.6/1kV	20X2.5	51/0.25	23.8	1043.4	4.95 Ω/km
ANU04.001.21.002.50B	NYY	0.6/1kV	21X2.5	51/0.25	24.4	1096.2	4.95 Ω/km
ANU04.001.22.002.50B	NYY	0.6/1kV	22X2.5	51/0.25	25.8	1199	4.95 Ω/km
ANU04.001.23.002.50B	NYY	0.6/1kV	23X2.5	51/0.25	26.9	1286.8	4.95 Ω/km
ANU04.001.24.002.50B	NYY	0.6/1kV	24X2.5	51/0.25	26.9	1304.9	4.95 Ω/km
ANU04.001.25.002.50B	NYY	0.6/1kV	25X2.5	51/0.25	27.5	1362.2	4.95 Ω/km
ANU04.001.26.002.50B	NYY	0.6/1kV	26X2.5	51/0.25	27.5	1380.2	4.95 Ω/km
ANU04.001.27.002.50B	NYY	0.6/1kV	27X2.5	51/0.25	27.5	1398.2	4.95 Ω/km
ANU04.001.28.002.50B	NYY	0.6/1kV	28X2.5	51/0.25	28.5	1483.8	4.95 Ω/km
ANU04.001.29.002.50B	NYY	0.6/1kV	29X2.5	51/0.25	28.5	1501.9	4.95 Ω/km
ANU04.001.30.002.50B	NYY	0.6/1kV	30X2.5	51/0.25	28.5	1519.9	4.95 Ω/km
ANU04.001.31.002.50B	NYY	0.6/1kV	31X2.5	51/0.25	29.7	1621.9	4.95 Ω/km
ANU04.001.32.002.50B	NYY	0.6/1kV	32X2.5	51/0.25	29.7	1639.9	4.95 Ω/km
ANU04.001.33.002.50B	NYY	0.6/1kV	33X2.5	51/0.25	29.7	1657.9	4.95 Ω/km
ANU04.001.34.002.50B	NYY	0.6/1kV	34X2.5	51/0.25	30.8	1756	4.95 Ω/km
ANU04.001.35.002.50B	NYY	0.6/1kV	35X2.5	51/0.25	30.8	1774.1	4.95 Ω/km
ANU04.001.36.002.50B	NYY	0.6/1kV	36X2.5	51/0.25	30.8	1792.1	4.95 Ω/km
ANU04.001.37.002.50B	NYY	0.6/1kV	37X2.5	51/0.25	30.8	1810.2	4.95 Ω/km
ANU04.001.02.004.00B	NYY	0.6/1kV	2X4	82/0.25	13.5	280.7	3.30 Ω/km
ANU04.001.03.004.00B	NYY	0.6/1kV	3X4	82/0.25	14.3	336.6	3.30 Ω/km
ANU04.001.04.004.00B	NYY	0.6/1kV	4X4	82/0.25	15.6	412.5	3.30 Ω/km
ANU04.001.05.004.00B	NYY	0.6/1kV	5X4	82/0.25	16.9	492.6	3.30 Ω/km
ANU04.001.02.006.00B	NYY	0.6/1kV	2X6	123/0.25	14.8	356.1	1.91 Ω/km
ANU04.001.03.006.00B	NYY	0.6/1kV	3X6	123/0.25	15.7	432.9	1.91 Ω/km
ANU04.001.04.006.00B	NYY	0.6/1kV	4X6	123/0.25	17	527.8	1.91 Ω/km
ANU04.001.05.006.00B	NYY	0.6/1kV	5X6	123/0.25	18.5	635.7	1.91 Ω/km
ANU04.001.02.010.00B	NYY	0.6/1kV	2X10	77/0.4	17	499.5	1.21 Ω/km
ANU04.001.03.010.00B	NYY	0.6/1kV	3X10	77/0.4	18	613.2	1.21 Ω/km
ANU04.001.04.010.00B	NYY	0.6/1kV	4X10	77/0.4	19.7	761.8	1.21 Ω/km
ANU04.001.05.010.00B	NYY	0.6/1kV	5X10	77/0.4	21.8	937.8	1.21 Ω/km



ANU04.001.02.016.00B	NYY	0.6/1kV	2X16	126/0.4	19.4	695.2	0.780 Ω/km
ANU04.001.03.016.00B	NYY	0.6/1kV	3X16	126/0.4	20.9	881.5	0.780 Ω/km
ANU04.001.04.016.00B	NYY	0.6/1kV	4X16	126/0.4	22.9	1100.7	0.780 Ω/km
ANU04.001.05.016.00B	NYY	0.6/1kV	5X16	126/0.4	25	1335.6	0.780 Ω/km
ANU04.001.02.025.00B	NYY	0.6/1kV	2X25	189/0.4	23.1	1023.9	0.554 Ω/km
ANU04.001.03.025.00B	NYY	0.6/1kV	3X25	189/0.4	24.6	1289.1	0.554 Ω/km
ANU04.001.04.025.00B	NYY	0.6/1kV	4X25	189/0.4	27	1617.2	0.554 Ω/km
ANU04.001.05.025.00B	NYY	0.6/1kV	5X25	189/0.4	29.8	1987.8	0.554 Ω/km
ANU04.001.02.035.00B	NYY	0.6/1kV	2X35	266/0.4	25.7	1328.3	0.386 Ω/km
ANU04.001.03.035.00B	NYY	0.6/1kV	3X35	266/0.4	27.4	1686.8	0.386 Ω/km
ANU04.001.04.035.00B	NYY	0.6/1kV	4X35	266/0.4	30.3	2137.9	0.386 Ω/km
ANU04.001.05.035.00B	NYY	0.6/1kV	5X35	266/0.4	33.7	2649.6	0.386 Ω/km
ANU04.001.02.050.00B	NYY	0.6/1kV	2X50	380/0.4	29.7	1828.1	0.272 Ω/km
ANU04.001.03.050.00B	NYY	0.6/1kV	3X50	380/0.4	31.9	2349.9	0.272 Ω/km
ANU04.001.04.050.00B	NYY	0.6/1kV	4X50	380/0.4	35.5	3000.6	0.272 Ω/km
ANU04.001.05.050.00B	NYY	0.6/1kV	5X50	380/0.4	39.5	3720.7	0.272 Ω/km
ANU04.001.02.070.00B	NYY	0.6/1kV	2X70	532/0.4	33.7	2438.7	0.206 Ω/km
ANU04.001.03.070.00B	NYY	0.6/1kV	3X70	532/0.4	36.4	3168.1	0.206 Ω/km
ANU04.001.04.070.00B	NYY	0.6/1kV	4X70	532/0.4	40.3	4029.9	0.206 Ω/km
ANU04.001.05.070.00B	NYY	0.6/1kV	5X70	532/0.4	44.8	4992.4	0.206 Ω/km
ANU04.001.02.095.00B	NYY	0.6/1kV	2X95	722/0.4	39	3284.8	0.161 Ω/km
ANU04.001.03.095.00B	NYY	0.6/1kV	3X95	722/0.4	41.8	4237.2	0.161 Ω/km
ANU04.001.04.095.00B	NYY	0.6/1kV	4X95	722/0.4	46.3	5394.9	0.161 Ω/km
ANU04.001.05.095.00B	NYY	0.6/1kV	5X95	722/0.4	51.9	6736.3	0.161 Ω/km
ANU04.001.02.120.00B	NYY	0.6/1kV	2X120	925/0.4	42.8	4031.8	0.129 Ω/km
ANU04.001.03.120.00B	NYY	0.6/1kV	3X120	925/0.4	45.9	5216.7	0.129 Ω/km
ANU04.001.04.120.00B	NYY	0.6/1kV	4X120	925/0.4	51	6665.7	0.129 Ω/km
ANU04.001.05.120.00B	NYY	0.6/1kV	5X120	925/0.4	57.2	8326.4	0.129 Ω/km
ANU04.001.02.150.00B	NYY	0.6/1kV	2X150	1147/0.4	47.2	4972.6	0.106 Ω/km
ANU04.001.03.150.00B	NYY	0.6/1kV	3X150	1147/0.4	50.8	6467.7	0.106 Ω/km
ANU04.001.04.150.00B	NYY	0.6/1kV	4X150	1147/0.4	56.8	8315.2	0.106 Ω/km
ANU04.001.05.150.00B	NYY	0.6/1kV	5X150	1147/0.4	63	10280.7	0.106 Ω/km
ANU04.001.02.185.00B	NYY	0.6/1kV	2X185	1403/0.4	52.5	6147.7	0.0801 Ω/km
ANU04.001.03.185.00B	NYY	0.6/1kV	3X185	1403/0.4	56.2	7955.1	0.0801 Ω/km
ANU04.001.04.185.00B	NYY	0.6/1kV	4X185	1403/0.4	62.5	10179.1	0.0801 Ω/km
ANU04.001.05.185.00B	NYY	0.6/1kV	5X185	1403/0.4	69.6	12631.8	0.0801 Ω/km
ANU04.001.02.240.00B	NYY	0.6/1kV	2X240	1830/0.4	59.1	7865.4	0.0641 Ω/km
ANU04.001.03.240.00B	NYY	0.6/1kV	3X240	1830/0.4	63.5	10225.4	0.0641 Ω/km
ANU04.001.04.240.00B	NYY	0.6/1kV	4X240	1830/0.4	70.6	13083.3	0.0641 Ω/km
ANU04.001.05.240.00B	NYY	0.6/1kV	5X240	1830/0.4	78.5	16212.8	0.0641 Ω/km
ANU04.001.02.300.00B	NYY	0.6/1kV	2X300	2318/0.4	65.5	9731.9	0.0486 Ω/km
ANU04.001.03.300.00B	NYY	0.6/1kV	3X300	2318/0.4	70.4	12667.1	0.0486 Ω/km



ANU04.001.04.300.00B	NYY	0.6/1kV	4X300	2318/0.4	78.2	16197.6	0.0486 Ω/km
ANU04.001.05.300.00B	NYY	0.6/1kV	5X300	2318/0.4	87	20082.9	0.0486 Ω/km
ANU04.001.03.01.002.50B	NYY	0.6/1kV	3X2.5+1X1.5	51/0.25	13	268.8	4.95 Ω/km
ANU04.001.03.01.004.00B	NYY	0.6/1kV	3X4+1X2.5	82/0.25	15	377.7	3.30 Ω/km
ANU04.001.03.01.006.00B	NYY	0.6/1kV	3X6+1X4	123/0.25	16.6	495.1	1.91 Ω/km
ANU04.001.03.01.010.00B	NYY	0.6/1kV	3X10+1X6	77/0.4	19	697.6	1.21 Ω/km
ANU04.001.03.01.016.00B	NYY	0.6/1kV	3X16+1X10	126/0.4	22.1	1009.1	0.780 Ω/km
ANU04.001.03.01.025.00B	NYY	0.6/1kV	3X25+1X16	189/0.4	25.9	1472.9	0.554 Ω/km
ANU04.001.03.01.035.00B	NYY	0.6/1kV	3X35+1X16	266/0.4	28.3	1842.1	0.386 Ω/km
ANU04.001.03.01.050.00B	NYY	0.6/1kV	3X50+1X25	380/0.4	33.4	2621.7	0.272 Ω/km
ANU04.001.03.01.070.00B	NYY	0.6/1kV	3X70+1X35	532/0.4	37.9	3517.3	0.206 Ω/km
ANU04.001.03.01.095.00B	NYY	0.6/1kV	3X95+1X50	722/0.4	43.6	4736.2	0.161 Ω/km
ANU04.001.03.01.120.00B	NYY	0.6/1kV	3X120+1X70	925/0.4	48.4	5952.1	0.129 Ω/km
ANU04.001.03.01.150.00B	NYY	0.6/1kV	3X150+1X95	1147/0.4	54.5	7561	0.106 Ω/km
ANU04.001.03.01.185.00B	NYY	0.6/1kV	3X185+1X95	1403/0.4	58.7	8891.2	0.0801 Ω/km
ANU04.001.03.01.240.00B	NYY	0.6/1kV	3X240+1X120	1830/0.4	65.8	11317.8	0.0641 Ω/km
ANU04.001.03.01.300.00B	NYY	0.6/1kV	3X300+1X150	2318/0.4	73.1	14054.5	0.0486 Ω/km
ANU04.001.03.02.002.50B	NYY	0.6/1kV	3X2.5+2X1.5	51/0.25	13.8	305.4	4.95 Ω/km
ANU04.001.03.02.004.00B	NYY	0.6/1kV	3X4+2X2.5	82/0.25	15.8	425.4	3.30 Ω/km
ANU04.001.03.02.006.00B	NYY	0.6/1kV	3X6+2X4	123/0.25	17.8	574	1.91 Ω/km
ANU04.001.03.02.010.00B	NYY	0.6/1kV	3X10+2X6	77/0.4	20.2	797.9	1.21 Ω/km
ANU04.001.03.02.016.00B	NYY	0.6/1kV	3X16+2X10	126/0.4	23.7	1168.8	0.780 Ω/km
ANU04.001.03.02.025.00B	NYY	0.6/1kV	3X25+2X16	189/0.4	27.7	1702.9	0.554 Ω/km
ANU04.001.03.02.035.00B	NYY	0.6/1kV	3X35+2X16	266/0.4	30	2075	0.386 Ω/km
ANU04.001.03.02.050.00B	NYY	0.6/1kV	3X50+2X25	380/0.4	35.5	2974.8	0.272 Ω/km
ANU04.001.03.02.070.00B	NYY	0.6/1kV	3X70+2X35	532/0.4	40.3	3993	0.206 Ω/km
ANU04.001.03.02.095.00B	NYY	0.6/1kV	3X95+2X50	722/0.4	46.5	5409.8	0.161 Ω/km
ANU04.001.03.02.120.00B	NYY	0.6/1kV	3X120+2X70	925/0.4	52.3	6925.6	0.129 Ω/km
ANU04.001.03.02.150.00B	NYY	0.6/1kV	3X150+2X95	1147/0.4	58.6	8799.9	0.106 Ω/km
ANU04.001.03.02.185.00B	NYY	0.6/1kV	3X185+2X95	1403/0.4	62.3	10096	0.0801 Ω/km
ANU04.001.03.02.240.00B	NYY	0.6/1kV	3X240+2X120	1830/0.4	69.9	12841.6	0.0641 Ω/km
ANU04.001.03.02.300.00B	NYY	0.6/1kV	3X300+2X150	2318/0.4	77.4	15905.2	0.0486 Ω/km
ANU04.001.04.01.002.50B	NYY	0.6/1kV	4X2.5+1X1.5	51/0.25	14	319.2	4.95 Ω/km
ANU04.001.04.01.004.00B	NYY	0.6/1kV	4X4+1X2.5	82/0.25	16.3	455.9	3.30 Ω/km
ANU04.001.04.01.006.00B	NYY	0.6/1kV	4X6+1X4	123/0.25	18.1	601.5	1.91 Ω/km
ANU04.001.04.01.010.00B	NYY	0.6/1kV	4X10+1X6	77/0.4	21.1	870	1.21 Ω/km
ANU04.001.04.01.016.00B	NYY	0.6/1kV	4X16+1X10	126/0.4	24.3	1245.8	0.780 Ω/km
ANU04.001.04.01.025.00B	NYY	0.6/1kV	4X25+1X16	189/0.4	28.6	1829.3	0.554 Ω/km
ANU04.001.04.01.035.00B	NYY	0.6/1kV	4X35+1X16	266/0.4	31.8	2344.8	0.386 Ω/km
ANU04.001.04.01.050.00B	NYY	0.6/1kV	4X50+1X25	380/0.4	37.6	3339.8	0.272 Ω/km
ANU04.001.04.01.070.00B	NYY	0.6/1kV	4X70+1X35	532/0.4	42.5	4464	0.206 Ω/km
ANU04.001.04.01.095.00B	NYY	0.6/1kV	4X95+1X50	722/0.4	48.9	6006.8	0.161 Ω/km



ANU04.001.04.01.120.00B	NYN	0.6/1kV	4X120+1X70	925/0.4	54.7	7587.2	0.129 Ω/km
ANU04.001.04.01.150.00B	NYN	0.6/1kV	4X150+1X95	1147/0.4	60.9	9521.3	0.106 Ω/km
ANU04.001.04.01.185.00B	NYN	0.6/1kV	4X185+1X95	1403/0.4	65.8	11279.2	0.0801 Ω/km
ANU04.001.04.01.240.00B	NYN	0.6/1kV	4X240+1X120	1830/0.4	74.1	14427.5	0.0641 Ω/km
ANU04.001.04.01.300.00B	NYN	0.6/1kV	4X300+1X150	2318/0.4	82.3	17910.7	0.0486 Ω/km

