



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
芯线 PVC 材质							
ANM05.002.02.028AB	UL2464	300V	2X28AWG	11/0.1	5.4	40.69	223 Ω/km
ANM05.002.03.028AB	UL2464	300V	3X28AWG	11/0.1	5.6	44.29	223 Ω/km
ANM05.002.04.028AB	UL2464	300V	4X28AWG	11/0.1	5.9	49.49	223 Ω/km
ANM05.002.05.028AB	UL2464	300V	5X28AWG	11/0.1	6.3	56.39	223 Ω/km
ANM05.002.06.028AB	UL2464	300V	6X28AWG	11/0.1	6.6	62.19	223 Ω/km
ANM05.002.07.028AB	UL2464	300V	7X28AWG	11/0.1	6.6	62.69	223 Ω/km
ANM05.002.08.028AB	UL2464	300V	8X28AWG	11/0.1	7	70.49	223 Ω/km
ANM05.002.09.028AB	UL2464	300V	9X28AWG	11/0.1	7.5	80.59	223 Ω/km
ANM05.002.10.028AB	UL2464	300V	10X28AWG	11/0.1	7.8	87.19	223 Ω/km
ANM05.002.11.028AB	UL2464	300V	11X28AWG	11/0.1	8	91.79	223 Ω/km
ANM05.002.12.028AB	UL2464	300V	12X28AWG	11/0.1	8	92.49	223 Ω/km
ANM05.002.13.028AB	UL2464	300V	13X28AWG	11/0.1	8.3	99.29	223 Ω/km
ANM05.002.14.028AB	UL2464	300V	14X28AWG	11/0.1	8.3	99.99	223 Ω/km
ANM05.002.15.028AB	UL2464	300V	15X28AWG	11/0.1	8.7	109.19	223 Ω/km
ANM05.002.16.028AB	UL2464	300V	16X28AWG	11/0.1	8.7	109.89	223 Ω/km
ANM05.002.17.028AB	UL2464	300V	17X28AWG	11/0.1	9	117.19	223 Ω/km
ANM05.002.18.028AB	UL2464	300V	18X28AWG	11/0.1	9	117.89	223 Ω/km
ANM05.002.19.028AB	UL2464	300V	19X28AWG	11/0.1	9	118.49	223 Ω/km
ANM05.002.20.028AB	UL2464	300V	20X28AWG	11/0.1	9.2	123.69	223 Ω/km
ANM05.002.21.028AB	UL2464	300V	21X28AWG	11/0.1	9.4	129.09	223 Ω/km
ANM05.002.22.028AB	UL2464	300V	22X28AWG	11/0.1	9.9	141.99	223 Ω/km
ANM05.002.23.028AB	UL2464	300V	23X28AWG	11/0.1	10.2	150.29	223 Ω/km
ANM05.002.24.028AB	UL2464	300V	24X28AWG	11/0.1	10.2	150.99	223 Ω/km
ANM05.002.25.028AB	UL2464	300V	25X28AWG	11/0.1	10.4	156.89	223 Ω/km
ANM05.002.26.028AB	UL2464	300V	26X28AWG	11/0.1	10.4	157.39	223 Ω/km
ANM05.002.27.028AB	UL2464	300V	27X28AWG	11/0.1	10.4	157.99	223 Ω/km
ANM05.002.28.028AB	UL2464	300V	28X28AWG	11/0.1	10.7	166.59	223 Ω/km
ANM05.002.29.028AB	UL2464	300V	29X28AWG	11/0.1	10.7	167.09	223 Ω/km
ANM05.002.30.028AB	UL2464	300V	30X28AWG	11/0.1	10.7	167.69	223 Ω/km
ANM05.002.31.028AB	UL2464	300V	31X28AWG	11/0.1	11.1	179.49	223 Ω/km
ANM05.002.32.028AB	UL2464	300V	32X28AWG	11/0.1	11.1	179.89	223 Ω/km
ANM05.002.33.028AB	UL2464	300V	33X28AWG	11/0.1	11.1	180.59	223 Ω/km
ANM05.002.34.028AB	UL2464	300V	34X28AWG	11/0.1	11.4	189.59	223 Ω/km
ANM05.002.35.028AB	UL2464	300V	35X28AWG	11/0.1	11.4	190.19	223 Ω/km
ANM05.002.36.028AB	UL2464	300V	36X28AWG	11/0.1	11.4	190.79	223 Ω/km
ANM05.002.37.028AB	UL2464	300V	37X28AWG	11/0.1	11.4	191.39	223 Ω/km
ANM05.002.38.028AB	UL2464	300V	38X28AWG	11/0.1	11.8	203.79	223 Ω/km
ANM05.002.39.028AB	UL2464	300V	39X28AWG	11/0.1	11.8	204.39	223 Ω/km
ANM05.002.40.028AB	UL2464	300V	40X28AWG	11/0.1	11.8	204.99	223 Ω/km
ANM05.002.41.028AB	UL2464	300V	41X28AWG	11/0.1	12.6	230.29	223 Ω/km



ANM05.002.42.028AB	UL2464	300V	42X28AWG	11/0.1	12.6	230.89	223 Ω/km
ANM05.002.43.028AB	UL2464	300V	43X28AWG	11/0.1	12.6	231.49	223 Ω/km
ANM05.002.44.028AB	UL2464	300V	44X28AWG	11/0.1	12.6	231.99	223 Ω/km
ANM05.002.45.028AB	UL2464	300V	45X28AWG	11/0.1	12.8	238.99	223 Ω/km
ANM05.002.46.028AB	UL2464	300V	46X28AWG	11/0.1	12.8	239.49	223 Ω/km
ANM05.002.47.028AB	UL2464	300V	47X28AWG	11/0.1	12.8	240.09	223 Ω/km
ANM05.002.48.028AB	UL2464	300V	48X28AWG	11/0.1	12.8	240.69	223 Ω/km
ANM05.002.49.028AB	UL2464	300V	49X28AWG	11/0.1	13.2	254.49	223 Ω/km
ANM05.002.50.028AB	UL2464	300V	50X28AWG	11/0.1	13.2	255.19	223 Ω/km
ANM05.002.51.028AB	UL2464	300V	51X28AWG	11/0.1	13.2	255.59	223 Ω/km
ANM05.002.52.028AB	UL2464	300V	52X28AWG	11/0.1	13.2	256.29	223 Ω/km
ANM05.002.53.028AB	UL2464	300V	53X28AWG	11/0.1	13.6	270.29	223 Ω/km
ANM05.002.54.028AB	UL2464	300V	54X28AWG	11/0.1	13.6	270.89	223 Ω/km
ANM05.002.55.028AB	UL2464	300V	55X28AWG	11/0.1	13.6	271.39	223 Ω/km
ANM05.002.56.028AB	UL2464	300V	56X28AWG	11/0.1	13.6	271.99	223 Ω/km
ANM05.002.57.028AB	UL2464	300V	57X28AWG	11/0.1	13.9	282.99	223 Ω/km
ANM05.002.58.028AB	UL2464	300V	58X28AWG	11/0.1	13.9	283.59	223 Ω/km
ANM05.002.59.028AB	UL2464	300V	59X28AWG	11/0.1	13.9	284.09	223 Ω/km
ANM05.002.60.028AB	UL2464	300V	60X28AWG	11/0.1	13.9	284.79	223 Ω/km
ANM05.002.61.028AB	UL2464	300V	61X28AWG	11/0.1	13.9	285.19	223 Ω/km
ANM05.002.62.028AB	UL2464	300V	62X28AWG	11/0.1	14.3	300.09	223 Ω/km
ANM05.002.63.028AB	UL2464	300V	63X28AWG	11/0.1	14.3	300.59	223 Ω/km
ANM05.002.64.028AB	UL2464	300V	64X28AWG	11/0.1	14.3	301.19	223 Ω/km
ANM05.002.65.028AB	UL2464	300V	65X28AWG	11/0.1	14.3	301.79	223 Ω/km
ANM05.002.02.027AB	UL2464	300V	2X27AWG	7/0.14	5.6	43.91	175 Ω/km
ANM05.002.03.027AB	UL2464	300V	3X27AWG	7/0.14	5.9	49.01	175 Ω/km
ANM05.002.04.027AB	UL2464	300V	4X27AWG	7/0.14	6.2	54.61	175 Ω/km
ANM05.002.05.027AB	UL2464	300V	5X27AWG	7/0.14	6.6	61.91	175 Ω/km
ANM05.002.06.027AB	UL2464	300V	6X27AWG	7/0.14	6.9	67.91	175 Ω/km
ANM05.002.07.027AB	UL2464	300V	7X27AWG	7/0.14	6.9	68.61	175 Ω/km
ANM05.002.08.027AB	UL2464	300V	8X27AWG	7/0.14	7.3	76.51	175 Ω/km
ANM05.002.09.027AB	UL2464	300V	9X27AWG	7/0.14	7.9	89.11	175 Ω/km
ANM05.002.10.027AB	UL2464	300V	10X27AWG	7/0.14	8.2	96.01	175 Ω/km
ANM05.002.11.027AB	UL2464	300V	11X27AWG	7/0.14	8.5	103.21	175 Ω/km
ANM05.002.12.027AB	UL2464	300V	12X27AWG	7/0.14	8.5	103.81	175 Ω/km
ANM05.002.13.027AB	UL2464	300V	13X27AWG	7/0.14	8.8	111.21	175 Ω/km
ANM05.002.14.027AB	UL2464	300V	14X27AWG	7/0.14	8.8	111.81	175 Ω/km
ANM05.002.15.027AB	UL2464	300V	15X27AWG	7/0.14	9.2	121.61	175 Ω/km
ANM05.002.16.027AB	UL2464	300V	16X27AWG	7/0.14	9.2	122.21	175 Ω/km
ANM05.002.17.027AB	UL2464	300V	17X27AWG	7/0.14	9.5	130.11	175 Ω/km
ANM05.002.18.027AB	UL2464	300V	18X27AWG	7/0.14	9.5	130.81	175 Ω/km
ANM05.002.19.027AB	UL2464	300V	19X27AWG	7/0.14	9.5	131.41	175 Ω/km



ANM05.002.20.027AB	UL2464	300V	20X27AWG	7/0.14	9.8	139.41	175 Ω/km
ANM05.002.21.027AB	UL2464	300V	21X27AWG	7/0.14	9.9	142.71	175 Ω/km
ANM05.002.22.027AB	UL2464	300V	22X27AWG	7/0.14	10.5	158.91	175 Ω/km
ANM05.002.23.027AB	UL2464	300V	23X27AWG	7/0.14	10.8	167.71	175 Ω/km
ANM05.002.24.027AB	UL2464	300V	24X27AWG	7/0.14	10.8	168.31	175 Ω/km
ANM05.002.25.027AB	UL2464	300V	25X27AWG	7/0.14	11.1	177.41	175 Ω/km
ANM05.002.26.027AB	UL2464	300V	26X27AWG	7/0.14	11.1	178.01	175 Ω/km
ANM05.002.27.027AB	UL2464	300V	27X27AWG	7/0.14	11.1	178.61	175 Ω/km
ANM05.002.28.027AB	UL2464	300V	28X27AWG	7/0.14	11.4	187.81	175 Ω/km
ANM05.002.29.027AB	UL2464	300V	29X27AWG	7/0.14	11.4	188.41	175 Ω/km
ANM05.002.30.027AB	UL2464	300V	30X27AWG	7/0.14	11.4	189.01	175 Ω/km
ANM05.002.31.027AB	UL2464	300V	31X27AWG	7/0.14	11.8	201.61	175 Ω/km
ANM05.002.32.027AB	UL2464	300V	32X27AWG	7/0.14	11.8	202.11	175 Ω/km
ANM05.002.33.027AB	UL2464	300V	33X27AWG	7/0.14	11.8	202.81	175 Ω/km
ANM05.002.34.027AB	UL2464	300V	34X27AWG	7/0.14	12.1	212.51	175 Ω/km
ANM05.002.35.027AB	UL2464	300V	35X27AWG	7/0.14	12.1	213.01	175 Ω/km
ANM05.002.36.027AB	UL2464	300V	36X27AWG	7/0.14	12.1	213.71	175 Ω/km
ANM05.002.37.027AB	UL2464	300V	37X27AWG	7/0.14	12.1	214.41	175 Ω/km
ANM05.002.38.027AB	UL2464	300V	38X27AWG	7/0.14	12.5	227.61	175 Ω/km
ANM05.002.39.027AB	UL2464	300V	39X27AWG	7/0.14	12.5	228.21	175 Ω/km
ANM05.002.40.027AB	UL2464	300V	40X27AWG	7/0.14	12.5	228.81	175 Ω/km
ANM05.002.41.027AB	UL2464	300V	41X27AWG	7/0.14	13.5	262.31	175 Ω/km
ANM05.002.42.027AB	UL2464	300V	42X27AWG	7/0.14	13.5	263.01	175 Ω/km
ANM05.002.43.027AB	UL2464	300V	43X27AWG	7/0.14	13.5	263.51	175 Ω/km
ANM05.002.44.027AB	UL2464	300V	44X27AWG	7/0.14	13.5	264.21	175 Ω/km
ANM05.002.45.027AB	UL2464	300V	45X27AWG	7/0.14	13.8	275.21	175 Ω/km
ANM05.002.46.027AB	UL2464	300V	46X27AWG	7/0.14	13.8	275.81	175 Ω/km
ANM05.002.47.027AB	UL2464	300V	47X27AWG	7/0.14	13.8	276.41	175 Ω/km
ANM05.002.48.027AB	UL2464	300V	48X27AWG	7/0.14	13.8	277.01	175 Ω/km
ANM05.002.49.027AB	UL2464	300V	49X27AWG	7/0.14	14.1	288.21	175 Ω/km
ANM05.002.50.027AB	UL2464	300V	50X27AWG	7/0.14	14.1	288.91	175 Ω/km
ANM05.002.51.027AB	UL2464	300V	51X27AWG	7/0.14	14.1	289.41	175 Ω/km
ANM05.002.52.027AB	UL2464	300V	52X27AWG	7/0.14	14.1	290.11	175 Ω/km
ANM05.002.53.027AB	UL2464	300V	53X27AWG	7/0.14	14.5	305.21	175 Ω/km
ANM05.002.54.027AB	UL2464	300V	54X27AWG	7/0.14	14.5	305.71	175 Ω/km
ANM05.002.55.027AB	UL2464	300V	55X27AWG	7/0.14	14.5	306.51	175 Ω/km
ANM05.002.56.027AB	UL2464	300V	56X27AWG	7/0.14	14.5	307.11	175 Ω/km
ANM05.002.57.027AB	UL2464	300V	57X27AWG	7/0.14	14.8	318.81	175 Ω/km
ANM05.002.58.027AB	UL2464	300V	58X27AWG	7/0.14	14.8	319.51	175 Ω/km
ANM05.002.59.027AB	UL2464	300V	59X27AWG	7/0.14	14.8	320.01	175 Ω/km
ANM05.002.60.027AB	UL2464	300V	60X27AWG	7/0.14	14.8	320.71	175 Ω/km
ANM05.002.61.027AB	UL2464	300V	61X27AWG	7/0.14	14.8	321.21	175 Ω/km



ANM05.002.62.027AB	UL2464	300V	62X27AWG	7/0.14	15.2	336.91	175 Ω/km
ANM05.002.63.027AB	UL2464	300V	63X27AWG	7/0.14	15.2	337.51	175 Ω/km
ANM05.002.64.027AB	UL2464	300V	64X27AWG	7/0.14	15.2	338.11	175 Ω/km
ANM05.002.65.027AB	UL2464	300V	65X27AWG	7/0.14	15.2	338.81	175 Ω/km
ANM05.002.02.026AB	UL2464	300V	2X26AWG	9/0.14	5.6	44.43	140 Ω/km
ANM05.002.03.026AB	UL2464	300V	3X26AWG	9/0.14	5.9	49.83	140 Ω/km
ANM05.002.04.026AB	UL2464	300V	4X26AWG	9/0.14	6.2	55.63	140 Ω/km
ANM05.002.05.026AB	UL2464	300V	5X26AWG	9/0.14	6.6	63.13	140 Ω/km
ANM05.002.06.026AB	UL2464	300V	6X26AWG	9/0.14	6.9	69.43	140 Ω/km
ANM05.002.07.026AB	UL2464	300V	7X26AWG	9/0.14	6.9	70.33	140 Ω/km
ANM05.002.08.026AB	UL2464	300V	8X26AWG	9/0.14	7.3	78.53	140 Ω/km
ANM05.002.09.026AB	UL2464	300V	9X26AWG	9/0.14	7.9	91.33	140 Ω/km
ANM05.002.10.026AB	UL2464	300V	10X26AWG	9/0.14	8.2	98.43	140 Ω/km
ANM05.002.11.026AB	UL2464	300V	11X26AWG	9/0.14	8.5	105.93	140 Ω/km
ANM05.002.12.026AB	UL2464	300V	12X26AWG	9/0.14	8.5	106.73	140 Ω/km
ANM05.002.13.026AB	UL2464	300V	13X26AWG	9/0.14	8.8	114.33	140 Ω/km
ANM05.002.14.026AB	UL2464	300V	14X26AWG	9/0.14	8.8	115.33	140 Ω/km
ANM05.002.15.026AB	UL2464	300V	15X26AWG	9/0.14	9.2	125.33	140 Ω/km
ANM05.002.16.026AB	UL2464	300V	16X26AWG	9/0.14	9.2	126.23	140 Ω/km
ANM05.002.17.026AB	UL2464	300V	17X26AWG	9/0.14	9.5	134.33	140 Ω/km
ANM05.002.18.026AB	UL2464	300V	18X26AWG	9/0.14	9.5	135.23	140 Ω/km
ANM05.002.19.026AB	UL2464	300V	19X26AWG	9/0.14	9.5	136.13	140 Ω/km
ANM05.002.20.026AB	UL2464	300V	20X26AWG	9/0.14	9.8	144.33	140 Ω/km
ANM05.002.21.026AB	UL2464	300V	21X26AWG	9/0.14	9.9	147.83	140 Ω/km
ANM05.002.22.026AB	UL2464	300V	22X26AWG	9/0.14	10.5	164.33	140 Ω/km
ANM05.002.23.026AB	UL2464	300V	23X26AWG	9/0.14	10.8	173.33	140 Ω/km
ANM05.002.24.026AB	UL2464	300V	24X26AWG	9/0.14	10.8	174.23	140 Ω/km
ANM05.002.25.026AB	UL2464	300V	25X26AWG	9/0.14	11.1	183.53	140 Ω/km
ANM05.002.26.026AB	UL2464	300V	26X26AWG	9/0.14	11.1	184.33	140 Ω/km
ANM05.002.27.026AB	UL2464	300V	27X26AWG	9/0.14	11.1	185.33	140 Ω/km
ANM05.002.28.026AB	UL2464	300V	28X26AWG	9/0.14	11.4	194.73	140 Ω/km
ANM05.002.29.026AB	UL2464	300V	29X26AWG	9/0.14	11.4	195.53	140 Ω/km
ANM05.002.30.026AB	UL2464	300V	30X26AWG	9/0.14	11.4	196.43	140 Ω/km
ANM05.002.31.026AB	UL2464	300V	31X26AWG	9/0.14	11.8	209.23	140 Ω/km
ANM05.002.32.026AB	UL2464	300V	32X26AWG	9/0.14	11.8	210.03	140 Ω/km
ANM05.002.33.026AB	UL2464	300V	33X26AWG	9/0.14	11.8	210.93	140 Ω/km
ANM05.002.34.026AB	UL2464	300V	34X26AWG	9/0.14	12.1	220.83	140 Ω/km
ANM05.002.35.026AB	UL2464	300V	35X26AWG	9/0.14	12.1	221.63	140 Ω/km
ANM05.002.36.026AB	UL2464	300V	36X26AWG	9/0.14	12.1	222.53	140 Ω/km
ANM05.002.37.026AB	UL2464	300V	37X26AWG	9/0.14	12.1	223.43	140 Ω/km
ANM05.002.38.026AB	UL2464	300V	38X26AWG	9/0.14	12.5	236.93	140 Ω/km
ANM05.002.39.026AB	UL2464	300V	39X26AWG	9/0.14	12.5	237.73	140 Ω/km



ANM05.002.40.026AB	UL2464	300V	40X26AWG	9/0.14	12.5	238.73	140 Ω/km
ANM05.002.41.026AB	UL2464	300V	41X26AWG	9/0.14	13.5	272.43	140 Ω/km
ANM05.002.42.026AB	UL2464	300V	42X26AWG	9/0.14	13.5	273.33	140 Ω/km
ANM05.002.43.026AB	UL2464	300V	43X26AWG	9/0.14	13.5	274.13	140 Ω/km
ANM05.002.44.026AB	UL2464	300V	44X26AWG	9/0.14	13.5	275.03	140 Ω/km
ANM05.002.45.026AB	UL2464	300V	45X26AWG	9/0.14	13.8	286.23	140 Ω/km
ANM05.002.46.026AB	UL2464	300V	46X26AWG	9/0.14	13.8	287.13	140 Ω/km
ANM05.002.47.026AB	UL2464	300V	47X26AWG	9/0.14	13.8	287.93	140 Ω/km
ANM05.002.48.026AB	UL2464	300V	48X26AWG	9/0.14	13.8	288.83	140 Ω/km
ANM05.002.49.026AB	UL2464	300V	49X26AWG	9/0.14	14.1	300.23	140 Ω/km
ANM05.002.50.026AB	UL2464	300V	50X26AWG	9/0.14	14.1	301.13	140 Ω/km
ANM05.002.51.026AB	UL2464	300V	51X26AWG	9/0.14	14.1	301.93	140 Ω/km
ANM05.002.52.026AB	UL2464	300V	52X26AWG	9/0.14	14.1	302.83	140 Ω/km
ANM05.002.53.026AB	UL2464	300V	53X26AWG	9/0.14	14.5	318.23	140 Ω/km
ANM05.002.54.026AB	UL2464	300V	54X26AWG	9/0.14	14.5	319.03	140 Ω/km
ANM05.002.55.026AB	UL2464	300V	55X26AWG	9/0.14	14.5	320.03	140 Ω/km
ANM05.002.56.026AB	UL2464	300V	56X26AWG	9/0.14	14.5	320.93	140 Ω/km
ANM05.002.57.026AB	UL2464	300V	57X26AWG	9/0.14	14.8	332.83	140 Ω/km
ANM05.002.58.026AB	UL2464	300V	58X26AWG	9/0.14	14.8	333.73	140 Ω/km
ANM05.002.59.026AB	UL2464	300V	59X26AWG	9/0.14	14.8	334.53	140 Ω/km
ANM05.002.60.026AB	UL2464	300V	60X26AWG	9/0.14	14.8	335.43	140 Ω/km
ANM05.002.61.026AB	UL2464	300V	61X26AWG	9/0.14	14.8	336.23	140 Ω/km
ANM05.002.62.026AB	UL2464	300V	62X26AWG	9/0.14	15.2	352.13	140 Ω/km
ANM05.002.63.026AB	UL2464	300V	63X26AWG	9/0.14	15.2	352.93	140 Ω/km
ANM05.002.64.026AB	UL2464	300V	64X26AWG	9/0.14	15.2	353.83	140 Ω/km
ANM05.002.65.026AB	UL2464	300V	65X26AWG	9/0.14	15.2	354.73	140 Ω/km
ANM05.002.02.025AB	UL2464	300V	2X25AWG	11/0.14	5.8	47.77	111 Ω/km
ANM05.002.03.025AB	UL2464	300V	3X25AWG	11/0.14	6.1	53.47	111 Ω/km
ANM05.002.04.025AB	UL2464	300V	4X25AWG	11/0.14	6.4	59.57	111 Ω/km
ANM05.002.05.025AB	UL2464	300V	5X25AWG	11/0.14	6.8	67.57	111 Ω/km
ANM05.002.06.025AB	UL2464	300V	6X25AWG	11/0.14	7.2	76.07	111 Ω/km
ANM05.002.07.025AB	UL2464	300V	7X25AWG	11/0.14	7.2	77.17	111 Ω/km
ANM05.002.08.025AB	UL2464	300V	8X25AWG	11/0.14	7.7	87.87	111 Ω/km
ANM05.002.09.025AB	UL2464	300V	9X25AWG	11/0.14	8.2	99.27	111 Ω/km
ANM05.002.10.025AB	UL2464	300V	10X25AWG	11/0.14	8.6	109.07	111 Ω/km
ANM05.002.11.025AB	UL2464	300V	11X25AWG	11/0.14	8.9	116.97	111 Ω/km
ANM05.002.12.025AB	UL2464	300V	12X25AWG	11/0.14	8.9	117.97	111 Ω/km
ANM05.002.13.025AB	UL2464	300V	13X25AWG	11/0.14	9.2	126.07	111 Ω/km
ANM05.002.14.025AB	UL2464	300V	14X25AWG	11/0.14	9.2	127.07	111 Ω/km
ANM05.002.15.025AB	UL2464	300V	15X25AWG	11/0.14	9.6	137.87	111 Ω/km
ANM05.002.16.025AB	UL2464	300V	16X25AWG	11/0.14	9.6	138.87	111 Ω/km
ANM05.002.17.025AB	UL2464	300V	17X25AWG	11/0.14	10	150.07	111 Ω/km



ANM05.002.18.025AB	UL2464	300V	18X25AWG	11/0.14	10	151.17	111 Ω/km
ANM05.002.19.025AB	UL2464	300V	19X25AWG	11/0.14	10	152.17	111 Ω/km
ANM05.002.20.025AB	UL2464	300V	20X25AWG	11/0.14	10.3	161.07	111 Ω/km
ANM05.002.21.025AB	UL2464	300V	21X25AWG	11/0.14	10.5	167.27	111 Ω/km
ANM05.002.22.025AB	UL2464	300V	22X25AWG	11/0.14	11	182.17	111 Ω/km
ANM05.002.23.025AB	UL2464	300V	23X25AWG	11/0.14	11.4	194.57	111 Ω/km
ANM05.002.24.025AB	UL2464	300V	24X25AWG	11/0.14	11.4	195.57	111 Ω/km
ANM05.002.25.025AB	UL2464	300V	25X25AWG	11/0.14	11.7	205.57	111 Ω/km
ANM05.002.26.025AB	UL2464	300V	26X25AWG	11/0.14	11.7	206.57	111 Ω/km
ANM05.002.27.025AB	UL2464	300V	27X25AWG	11/0.14	11.7	207.57	111 Ω/km
ANM05.002.28.025AB	UL2464	300V	28X25AWG	11/0.14	12	217.67	111 Ω/km
ANM05.002.29.025AB	UL2464	300V	29X25AWG	11/0.14	12	218.87	111 Ω/km
ANM05.002.30.025AB	UL2464	300V	30X25AWG	11/0.14	12	219.87	111 Ω/km
ANM05.002.31.025AB	UL2464	300V	31X25AWG	11/0.14	12.4	233.27	111 Ω/km
ANM05.002.32.025AB	UL2464	300V	32X25AWG	11/0.14	12.4	234.47	111 Ω/km
ANM05.002.33.025AB	UL2464	300V	33X25AWG	11/0.14	12.4	235.47	111 Ω/km
ANM05.002.34.025AB	UL2464	300V	34X25AWG	11/0.14	12.8	249.27	111 Ω/km
ANM05.002.35.025AB	UL2464	300V	35X25AWG	11/0.14	12.8	250.27	111 Ω/km
ANM05.002.36.025AB	UL2464	300V	36X25AWG	11/0.14	12.8	251.47	111 Ω/km
ANM05.002.37.025AB	UL2464	300V	37X25AWG	11/0.14	12.8	252.47	111 Ω/km
ANM05.002.38.025AB	UL2464	300V	38X25AWG	11/0.14	13.4	273.47	111 Ω/km
ANM05.002.39.025AB	UL2464	300V	39X25AWG	11/0.14	13.4	274.57	111 Ω/km
ANM05.002.40.025AB	UL2464	300V	40X25AWG	11/0.14	13.4	275.57	111 Ω/km
ANM05.002.41.025AB	UL2464	300V	41X25AWG	11/0.14	14.3	307.97	111 Ω/km
ANM05.002.42.025AB	UL2464	300V	42X25AWG	11/0.14	14.3	308.97	111 Ω/km
ANM05.002.43.025AB	UL2464	300V	43X25AWG	11/0.14	14.3	310.17	111 Ω/km
ANM05.002.44.025AB	UL2464	300V	44X25AWG	11/0.14	14.3	311.17	111 Ω/km
ANM05.002.45.025AB	UL2464	300V	45X25AWG	11/0.14	14.6	323.17	111 Ω/km
ANM05.002.46.025AB	UL2464	300V	46X25AWG	11/0.14	14.6	324.27	111 Ω/km
ANM05.002.47.025AB	UL2464	300V	47X25AWG	11/0.14	14.6	325.27	111 Ω/km
ANM05.002.48.025AB	UL2464	300V	48X25AWG	11/0.14	14.6	326.37	111 Ω/km
ANM05.002.49.025AB	UL2464	300V	49X25AWG	11/0.14	14.9	338.47	111 Ω/km
ANM05.002.50.025AB	UL2464	300V	50X25AWG	11/0.14	14.9	339.57	111 Ω/km
ANM05.002.51.025AB	UL2464	300V	51X25AWG	11/0.14	14.9	340.57	111 Ω/km
ANM05.002.52.025AB	UL2464	300V	52X25AWG	11/0.14	14.9	341.67	111 Ω/km
ANM05.002.53.025AB	UL2464	300V	53X25AWG	11/0.14	15.3	358.07	111 Ω/km
ANM05.002.54.025AB	UL2464	300V	54X25AWG	11/0.14	15.3	359.07	111 Ω/km
ANM05.002.55.025AB	UL2464	300V	55X25AWG	11/0.14	15.3	360.17	111 Ω/km
ANM05.002.56.025AB	UL2464	300V	56X25AWG	11/0.14	15.3	361.17	111 Ω/km
ANM05.002.57.025AB	UL2464	300V	57X25AWG	11/0.14	15.7	377.87	111 Ω/km
ANM05.002.58.025AB	UL2464	300V	58X25AWG	11/0.14	15.7	378.87	111 Ω/km
ANM05.002.59.025AB	UL2464	300V	59X25AWG	11/0.14	15.7	379.97	111 Ω/km



ANM05.002.60.025AB	UL2464	300V	60X25AWG	11/0.14	15.7	380.97	111 Ω/km
ANM05.002.61.025AB	UL2464	300V	61X25AWG	11/0.14	15.7	381.97	111 Ω/km
ANM05.002.62.025AB	UL2464	300V	62X25AWG	11/0.14	16.2	403.07	111 Ω/km
ANM05.002.63.025AB	UL2464	300V	63X25AWG	11/0.14	16.2	404.07	111 Ω/km
ANM05.002.64.025AB	UL2464	300V	64X25AWG	11/0.14	16.2	405.17	111 Ω/km
ANM05.002.65.025AB	UL2464	300V	65X25AWG	11/0.14	16.2	406.17	111 Ω/km
ANM05.002.02.024AB	UL2464	300V	2X24AWG	14/0.14	5.8	48.61	87.6 Ω/km
ANM05.002.03.024AB	UL2464	300V	3X24AWG	14/0.14	6.1	54.81	87.6 Ω/km
ANM05.002.04.024AB	UL2464	300V	4X24AWG	14/0.14	6.4	61.21	87.6 Ω/km
ANM05.002.05.024AB	UL2464	300V	5X24AWG	14/0.14	6.8	69.61	87.6 Ω/km
ANM05.002.06.024AB	UL2464	300V	6X24AWG	14/0.14	7.2	78.61	87.6 Ω/km
ANM05.002.07.024AB	UL2464	300V	7X24AWG	14/0.14	7.2	80.11	87.6 Ω/km
ANM05.002.08.024AB	UL2464	300V	8X24AWG	14/0.14	7.7	91.11	87.6 Ω/km
ANM05.002.09.024AB	UL2464	300V	9X24AWG	14/0.14	8.2	103.01	87.6 Ω/km
ANM05.002.10.024AB	UL2464	300V	10X24AWG	14/0.14	8.6	113.21	87.6 Ω/km
ANM05.002.11.024AB	UL2464	300V	11X24AWG	14/0.14	8.9	121.41	87.6 Ω/km
ANM05.002.12.024AB	UL2464	300V	12X24AWG	14/0.14	8.9	122.91	87.6 Ω/km
ANM05.002.13.024AB	UL2464	300V	13X24AWG	14/0.14	9.2	131.41	87.6 Ω/km
ANM05.002.14.024AB	UL2464	300V	14X24AWG	14/0.14	9.2	132.81	87.6 Ω/km
ANM05.002.15.024AB	UL2464	300V	15X24AWG	14/0.14	9.6	144.01	87.6 Ω/km
ANM05.002.16.024AB	UL2464	300V	16X24AWG	14/0.14	9.6	145.41	87.6 Ω/km
ANM05.002.17.024AB	UL2464	300V	17X24AWG	14/0.14	10	157.01	87.6 Ω/km
ANM05.002.18.024AB	UL2464	300V	18X24AWG	14/0.14	10	158.51	87.6 Ω/km
ANM05.002.19.024AB	UL2464	300V	19X24AWG	14/0.14	10	159.91	87.6 Ω/km
ANM05.002.20.024AB	UL2464	300V	20X24AWG	14/0.14	10.3	169.21	87.6 Ω/km
ANM05.002.21.024AB	UL2464	300V	21X24AWG	14/0.14	10.5	175.91	87.6 Ω/km
ANM05.002.22.024AB	UL2464	300V	22X24AWG	14/0.14	11	191.11	87.6 Ω/km
ANM05.002.23.024AB	UL2464	300V	23X24AWG	14/0.14	11.4	203.91	87.6 Ω/km
ANM05.002.24.024AB	UL2464	300V	24X24AWG	14/0.14	11.4	205.41	87.6 Ω/km
ANM05.002.25.024AB	UL2464	300V	25X24AWG	14/0.14	11.7	215.71	87.6 Ω/km
ANM05.002.26.024AB	UL2464	300V	26X24AWG	14/0.14	11.7	217.11	87.6 Ω/km
ANM05.002.27.024AB	UL2464	300V	27X24AWG	14/0.14	11.7	218.61	87.6 Ω/km
ANM05.002.28.024AB	UL2464	300V	28X24AWG	14/0.14	12	229.11	87.6 Ω/km
ANM05.002.29.024AB	UL2464	300V	29X24AWG	14/0.14	12	230.61	87.6 Ω/km
ANM05.002.30.024AB	UL2464	300V	30X24AWG	14/0.14	12	232.11	87.6 Ω/km
ANM05.002.31.024AB	UL2464	300V	31X24AWG	14/0.14	12.4	245.91	87.6 Ω/km
ANM05.002.32.024AB	UL2464	300V	32X24AWG	14/0.14	12.4	247.41	87.6 Ω/km
ANM05.002.33.024AB	UL2464	300V	33X24AWG	14/0.14	12.4	248.91	87.6 Ω/km
ANM05.002.34.024AB	UL2464	300V	34X24AWG	14/0.14	12.8	263.11	87.6 Ω/km
ANM05.002.35.024AB	UL2464	300V	35X24AWG	14/0.14	12.8	264.51	87.6 Ω/km
ANM05.002.36.024AB	UL2464	300V	36X24AWG	14/0.14	12.8	266.11	87.6 Ω/km
ANM05.002.37.024AB	UL2464	300V	37X24AWG	14/0.14	12.8	267.51	87.6 Ω/km



ANM05.002.38.024AB	UL2464	300V	38X24AWG	14/0.14	13.4	288.91	87.6 Ω /km
ANM05.002.39.024AB	UL2464	300V	39X24AWG	14/0.14	13.4	290.41	87.6 Ω /km
ANM05.002.40.024AB	UL2464	300V	40X24AWG	14/0.14	13.4	291.81	87.6 Ω /km
ANM05.002.41.024AB	UL2464	300V	41X24AWG	14/0.14	14.3	324.61	87.6 Ω /km
ANM05.002.42.024AB	UL2464	300V	42X24AWG	14/0.14	14.3	326.11	87.6 Ω /km
ANM05.002.43.024AB	UL2464	300V	43X24AWG	14/0.14	14.3	327.61	87.6 Ω /km
ANM05.002.44.024AB	UL2464	300V	44X24AWG	14/0.14	14.3	329.01	87.6 Ω /km
ANM05.002.45.024AB	UL2464	300V	45X24AWG	14/0.14	14.6	341.51	87.6 Ω /km
ANM05.002.46.024AB	UL2464	300V	46X24AWG	14/0.14	14.6	342.91	87.6 Ω /km
ANM05.002.47.024AB	UL2464	300V	47X24AWG	14/0.14	14.6	344.31	87.6 Ω /km
ANM05.002.48.024AB	UL2464	300V	48X24AWG	14/0.14	14.6	345.91	87.6 Ω /km
ANM05.002.49.024AB	UL2464	300V	49X24AWG	14/0.14	14.9	358.41	87.6 Ω /km
ANM05.002.50.024AB	UL2464	300V	50X24AWG	14/0.14	14.9	359.81	87.6 Ω /km
ANM05.002.51.024AB	UL2464	300V	51X24AWG	14/0.14	14.9	361.31	87.6 Ω /km
ANM05.002.52.024AB	UL2464	300V	52X24AWG	14/0.14	14.9	362.81	87.6 Ω /km
ANM05.002.53.024AB	UL2464	300V	53X24AWG	14/0.14	15.3	379.61	87.6 Ω /km
ANM05.002.54.024AB	UL2464	300V	54X24AWG	14/0.14	15.3	381.01	87.6 Ω /km
ANM05.002.55.024AB	UL2464	300V	55X24AWG	14/0.14	15.3	382.51	87.6 Ω /km
ANM05.002.56.024AB	UL2464	300V	56X24AWG	14/0.14	15.3	384.01	87.6 Ω /km
ANM05.002.57.024AB	UL2464	300V	57X24AWG	14/0.14	15.7	401.01	87.6 Ω /km
ANM05.002.58.024AB	UL2464	300V	58X24AWG	14/0.14	15.7	402.41	87.6 Ω /km
ANM05.002.59.024AB	UL2464	300V	59X24AWG	14/0.14	15.7	404.01	87.6 Ω /km
ANM05.002.60.024AB	UL2464	300V	60X24AWG	14/0.14	15.7	405.41	87.6 Ω /km
ANM05.002.61.024AB	UL2464	300V	61X24AWG	14/0.14	15.7	406.71	87.6 Ω /km
ANM05.002.62.024AB	UL2464	300V	62X24AWG	14/0.14	16.2	428.31	87.6 Ω /km
ANM05.002.63.024AB	UL2464	300V	63X24AWG	14/0.14	16.2	429.71	87.6 Ω /km
ANM05.002.64.024AB	UL2464	300V	64X24AWG	14/0.14	16.2	431.11	87.6 Ω /km
ANM05.002.65.024AB	UL2464	300V	65X24AWG	14/0.14	16.2	432.61	87.6 Ω /km
ANM05.002.02.023AB	UL2464	300V	2X23AWG	17/0.14	6	52.46	69.2 Ω /km
ANM05.002.03.023AB	UL2464	300V	3X23AWG	17/0.14	6.3	59.16	69.2 Ω /km
ANM05.002.04.023AB	UL2464	300V	4X23AWG	17/0.14	6.7	67.96	69.2 Ω /km
ANM05.002.05.023AB	UL2464	300V	5X23AWG	17/0.14	7.1	77.06	69.2 Ω /km
ANM05.002.06.023AB	UL2464	300V	6X23AWG	17/0.14	7.5	86.46	69.2 Ω /km
ANM05.002.07.023AB	UL2464	300V	7X23AWG	17/0.14	7.5	88.26	69.2 Ω /km
ANM05.002.08.023AB	UL2464	300V	8X23AWG	17/0.14	8	100.16	69.2 Ω /km
ANM05.002.09.023AB	UL2464	300V	9X23AWG	17/0.14	8.6	114.86	69.2 Ω /km
ANM05.002.10.023AB	UL2464	300V	10X23AWG	17/0.14	9	125.86	69.2 Ω /km
ANM05.002.11.023AB	UL2464	300V	11X23AWG	17/0.14	9.3	134.76	69.2 Ω /km
ANM05.002.12.023AB	UL2464	300V	12X23AWG	17/0.14	9.3	136.66	69.2 Ω /km
ANM05.002.13.023AB	UL2464	300V	13X23AWG	17/0.14	9.7	148.16	69.2 Ω /km
ANM05.002.14.023AB	UL2464	300V	14X23AWG	17/0.14	9.7	149.96	69.2 Ω /km
ANM05.002.15.023AB	UL2464	300V	15X23AWG	17/0.14	10.1	161.86	69.2 Ω /km



ANM05.002.16.023AB	UL2464	300V	16X23AWG	17/0.14	10.1	163.66	69.2 Ω /km
ANM05.002.17.023AB	UL2464	300V	17X23AWG	17/0.14	10.5	176.06	69.2 Ω /km
ANM05.002.18.023AB	UL2464	300V	18X23AWG	17/0.14	10.5	177.86	69.2 Ω /km
ANM05.002.19.023AB	UL2464	300V	19X23AWG	17/0.14	10.5	179.76	69.2 Ω /km
ANM05.002.20.023AB	UL2464	300V	20X23AWG	17/0.14	10.8	189.56	69.2 Ω /km
ANM05.002.21.023AB	UL2464	300V	21X23AWG	17/0.14	11	197.06	69.2 Ω /km
ANM05.002.22.023AB	UL2464	300V	22X23AWG	17/0.14	11.6	216.16	69.2 Ω /km
ANM05.002.23.023AB	UL2464	300V	23X23AWG	17/0.14	12	229.86	69.2 Ω /km
ANM05.002.24.023AB	UL2464	300V	24X23AWG	17/0.14	12	231.76	69.2 Ω /km
ANM05.002.25.023AB	UL2464	300V	25X23AWG	17/0.14	12.3	242.96	69.2 Ω /km
ANM05.002.26.023AB	UL2464	300V	26X23AWG	17/0.14	12.3	244.76	69.2 Ω /km
ANM05.002.27.023AB	UL2464	300V	27X23AWG	17/0.14	12.3	246.46	69.2 Ω /km
ANM05.002.28.023AB	UL2464	300V	28X23AWG	17/0.14	12.7	260.96	69.2 Ω /km
ANM05.002.29.023AB	UL2464	300V	29X23AWG	17/0.14	12.7	262.76	69.2 Ω /km
ANM05.002.30.023AB	UL2464	300V	30X23AWG	17/0.14	12.7	264.66	69.2 Ω /km
ANM05.002.31.023AB	UL2464	300V	31X23AWG	17/0.14	13.2	282.86	69.2 Ω /km
ANM05.002.32.023AB	UL2464	300V	32X23AWG	17/0.14	13.2	284.66	69.2 Ω /km
ANM05.002.33.023AB	UL2464	300V	33X23AWG	17/0.14	13.2	286.46	69.2 Ω /km
ANM05.002.34.023AB	UL2464	300V	34X23AWG	17/0.14	13.6	301.66	69.2 Ω /km
ANM05.002.35.023AB	UL2464	300V	35X23AWG	17/0.14	13.6	303.56	69.2 Ω /km
ANM05.002.36.023AB	UL2464	300V	36X23AWG	17/0.14	13.6	305.36	69.2 Ω /km
ANM05.002.37.023AB	UL2464	300V	37X23AWG	17/0.14	13.6	307.16	69.2 Ω /km
ANM05.002.38.023AB	UL2464	300V	38X23AWG	17/0.14	14.1	326.56	69.2 Ω /km
ANM05.002.39.023AB	UL2464	300V	39X23AWG	17/0.14	14.1	328.26	69.2 Ω /km
ANM05.002.40.023AB	UL2464	300V	40X23AWG	17/0.14	14.1	330.06	69.2 Ω /km
ANM05.002.41.023AB	UL2464	300V	41X23AWG	17/0.14	15.1	368.66	69.2 Ω /km
ANM05.002.42.023AB	UL2464	300V	42X23AWG	17/0.14	15.1	370.46	69.2 Ω /km
ANM05.002.43.023AB	UL2464	300V	43X23AWG	17/0.14	15.1	372.26	69.2 Ω /km
ANM05.002.44.023AB	UL2464	300V	44X23AWG	17/0.14	15.1	374.16	69.2 Ω /km
ANM05.002.45.023AB	UL2464	300V	45X23AWG	17/0.14	15.4	387.46	69.2 Ω /km
ANM05.002.46.023AB	UL2464	300V	46X23AWG	17/0.14	15.4	389.16	69.2 Ω /km
ANM05.002.47.023AB	UL2464	300V	47X23AWG	17/0.14	15.4	391.06	69.2 Ω /km
ANM05.002.48.023AB	UL2464	300V	48X23AWG	17/0.14	15.4	392.76	69.2 Ω /km
ANM05.002.49.023AB	UL2464	300V	49X23AWG	17/0.14	15.8	410.36	69.2 Ω /km
ANM05.002.50.023AB	UL2464	300V	50X23AWG	17/0.14	15.8	412.16	69.2 Ω /km
ANM05.002.51.023AB	UL2464	300V	51X23AWG	17/0.14	15.8	414.06	69.2 Ω /km
ANM05.002.52.023AB	UL2464	300V	52X23AWG	17/0.14	15.8	415.66	69.2 Ω /km
ANM05.002.53.023AB	UL2464	300V	53X23AWG	17/0.14	16.2	433.66	69.2 Ω /km
ANM05.002.54.023AB	UL2464	300V	54X23AWG	17/0.14	16.2	435.46	69.2 Ω /km
ANM05.002.55.023AB	UL2464	300V	55X23AWG	17/0.14	16.2	437.26	69.2 Ω /km
ANM05.002.56.023AB	UL2464	300V	56X23AWG	17/0.14	16.2	439.06	69.2 Ω /km
ANM05.002.57.023AB	UL2464	300V	57X23AWG	17/0.14	16.6	457.36	69.2 Ω /km



ANM05.002.58.023AB	UL2464	300V	58X23AWG	17/0.14	16.6	459.16	69.2 Ω /km
ANM05.002.59.023AB	UL2464	300V	59X23AWG	17/0.14	16.6	460.86	69.2 Ω /km
ANM05.002.60.023AB	UL2464	300V	60X23AWG	17/0.14	16.6	462.76	69.2 Ω /km
ANM05.002.61.023AB	UL2464	300V	61X23AWG	17/0.14	16.6	464.56	69.2 Ω /km
ANM05.002.62.023AB	UL2464	300V	62X23AWG	17/0.14	17.1	487.46	69.2 Ω /km
ANM05.002.63.023AB	UL2464	300V	63X23AWG	17/0.14	17.1	489.26	69.2 Ω /km
ANM05.002.64.023AB	UL2464	300V	64X23AWG	17/0.14	17.1	491.06	69.2 Ω /km
ANM05.002.65.023AB	UL2464	300V	65X23AWG	17/0.14	17.1	492.86	69.2 Ω /km
ANM05.002.02.022AB	UL2464	300V	2X22AWG	22/0.14	6.2	56.73	55.4 Ω /km
ANM05.002.03.022AB	UL2464	300V	3X22AWG	22/0.14	6.5	64.03	55.4 Ω /km
ANM05.002.04.022AB	UL2464	300V	4X22AWG	22/0.14	6.9	73.33	55.4 Ω /km
ANM05.002.05.022AB	UL2464	300V	5X22AWG	22/0.14	7.4	84.93	55.4 Ω /km
ANM05.002.06.022AB	UL2464	300V	6X22AWG	22/0.14	7.8	95.13	55.4 Ω /km
ANM05.002.07.022AB	UL2464	300V	7X22AWG	22/0.14	7.8	97.33	55.4 Ω /km
ANM05.002.08.022AB	UL2464	300V	8X22AWG	22/0.14	8.3	110.03	55.4 Ω /km
ANM05.002.09.022AB	UL2464	300V	9X22AWG	22/0.14	9	128.03	55.4 Ω /km
ANM05.002.10.022AB	UL2464	300V	10X22AWG	22/0.14	9.4	139.73	55.4 Ω /km
ANM05.002.11.022AB	UL2464	300V	11X22AWG	22/0.14	9.7	149.43	55.4 Ω /km
ANM05.002.12.022AB	UL2464	300V	12X22AWG	22/0.14	9.7	151.53	55.4 Ω /km
ANM05.002.13.022AB	UL2464	300V	13X22AWG	22/0.14	10.1	163.93	55.4 Ω /km
ANM05.002.14.022AB	UL2464	300V	14X22AWG	22/0.14	10.1	166.13	55.4 Ω /km
ANM05.002.15.022AB	UL2464	300V	15X22AWG	22/0.14	10.6	181.73	55.4 Ω /km
ANM05.002.16.022AB	UL2464	300V	16X22AWG	22/0.14	10.6	183.93	55.4 Ω /km
ANM05.002.17.022AB	UL2464	300V	17X22AWG	22/0.14	11	197.13	55.4 Ω /km
ANM05.002.18.022AB	UL2464	300V	18X22AWG	22/0.14	11	199.43	55.4 Ω /km
ANM05.002.19.022AB	UL2464	300V	19X22AWG	22/0.14	11	201.63	55.4 Ω /km
ANM05.002.20.022AB	UL2464	300V	20X22AWG	22/0.14	11.3	212.43	55.4 Ω /km
ANM05.002.21.022AB	UL2464	300V	21X22AWG	22/0.14	11.5	220.43	55.4 Ω /km
ANM05.002.22.022AB	UL2464	300V	22X22AWG	22/0.14	12.2	243.83	55.4 Ω /km
ANM05.002.23.022AB	UL2464	300V	23X22AWG	22/0.14	12.6	258.73	55.4 Ω /km
ANM05.002.24.022AB	UL2464	300V	24X22AWG	22/0.14	12.6	260.83	55.4 Ω /km
ANM05.002.25.022AB	UL2464	300V	25X22AWG	22/0.14	12.9	272.83	55.4 Ω /km
ANM05.002.26.022AB	UL2464	300V	26X22AWG	22/0.14	12.9	275.03	55.4 Ω /km
ANM05.002.27.022AB	UL2464	300V	27X22AWG	22/0.14	12.9	277.23	55.4 Ω /km
ANM05.002.28.022AB	UL2464	300V	28X22AWG	22/0.14	13.4	296.13	55.4 Ω /km
ANM05.002.29.022AB	UL2464	300V	29X22AWG	22/0.14	13.4	298.43	55.4 Ω /km
ANM05.002.30.022AB	UL2464	300V	30X22AWG	22/0.14	13.4	300.63	55.4 Ω /km
ANM05.002.31.022AB	UL2464	300V	31X22AWG	22/0.14	13.9	320.03	55.4 Ω /km
ANM05.002.32.022AB	UL2464	300V	32X22AWG	22/0.14	13.9	322.33	55.4 Ω /km
ANM05.002.33.022AB	UL2464	300V	33X22AWG	22/0.14	13.9	324.53	55.4 Ω /km
ANM05.002.34.022AB	UL2464	300V	34X22AWG	22/0.14	14.3	341.03	55.4 Ω /km
ANM05.002.35.022AB	UL2464	300V	35X22AWG	22/0.14	14.3	343.13	55.4 Ω /km



ANM05.002.36.022AB	UL2464	300V	36X22AWG	22/0.14	14.3	345.43	55.4 Ω /km
ANM05.002.37.022AB	UL2464	300V	37X22AWG	22/0.14	14.3	347.63	55.4 Ω /km
ANM05.002.38.022AB	UL2464	300V	38X22AWG	22/0.14	14.8	368.43	55.4 Ω /km
ANM05.002.39.022AB	UL2464	300V	39X22AWG	22/0.14	14.8	370.63	55.4 Ω /km
ANM05.002.40.022AB	UL2464	300V	40X22AWG	22/0.14	14.8	372.83	55.4 Ω /km
ANM05.002.41.022AB	UL2464	300V	41X22AWG	22/0.14	15.9	417.53	55.4 Ω /km
ANM05.002.42.022AB	UL2464	300V	42X22AWG	22/0.14	15.9	419.73	55.4 Ω /km
ANM05.002.43.022AB	UL2464	300V	43X22AWG	22/0.14	15.9	421.93	55.4 Ω /km
ANM05.002.44.022AB	UL2464	300V	44X22AWG	22/0.14	15.9	424.13	55.4 Ω /km
ANM05.002.45.022AB	UL2464	300V	45X22AWG	22/0.14	16.2	438.53	55.4 Ω /km
ANM05.002.46.022AB	UL2464	300V	46X22AWG	22/0.14	16.2	440.83	55.4 Ω /km
ANM05.002.47.022AB	UL2464	300V	47X22AWG	22/0.14	16.2	442.93	55.4 Ω /km
ANM05.002.48.022AB	UL2464	300V	48X22AWG	22/0.14	16.2	445.23	55.4 Ω /km
ANM05.002.49.022AB	UL2464	300V	49X22AWG	22/0.14	16.6	463.93	55.4 Ω /km
ANM05.002.50.022AB	UL2464	300V	50X22AWG	22/0.14	16.6	466.23	55.4 Ω /km
ANM05.002.51.022AB	UL2464	300V	51X22AWG	22/0.14	16.6	468.33	55.4 Ω /km
ANM05.002.52.022AB	UL2464	300V	52X22AWG	22/0.14	16.6	470.63	55.4 Ω /km
ANM05.002.53.022AB	UL2464	300V	53X22AWG	22/0.14	17.1	494.03	55.4 Ω /km
ANM05.002.54.022AB	UL2464	300V	54X22AWG	22/0.14	17.1	496.13	55.4 Ω /km
ANM05.002.55.022AB	UL2464	300V	55X22AWG	22/0.14	17.1	498.43	55.4 Ω /km
ANM05.002.56.022AB	UL2464	300V	56X22AWG	22/0.14	17.1	500.63	55.4 Ω /km
ANM05.002.57.022AB	UL2464	300V	57X22AWG	22/0.14	17.5	520.23	55.4 Ω /km
ANM05.002.58.022AB	UL2464	300V	58X22AWG	22/0.14	17.5	522.33	55.4 Ω /km
ANM05.002.59.022AB	UL2464	300V	59X22AWG	22/0.14	17.5	524.63	55.4 Ω /km
ANM05.002.60.022AB	UL2464	300V	60X22AWG	22/0.14	17.5	526.83	55.4 Ω /km
ANM05.002.61.022AB	UL2464	300V	61X22AWG	22/0.14	17.5	529.13	55.4 Ω /km
ANM05.002.62.022AB	UL2464	300V	62X22AWG	22/0.14	18	553.63	55.4 Ω /km
ANM05.002.63.022AB	UL2464	300V	63X22AWG	22/0.14	18	555.83	55.4 Ω /km
ANM05.002.64.022AB	UL2464	300V	64X22AWG	22/0.14	18	558.13	55.4 Ω /km
ANM05.002.65.022AB	UL2464	300V	65X22AWG	22/0.14	18	560.33	55.4 Ω /km
ANM05.002.02.021AB	UL2464	300V	2X21AWG	27/0.14	6.4	61.32	43.6 Ω /km
ANM05.002.03.021AB	UL2464	300V	3X21AWG	27/0.14	6.7	69.42	43.6 Ω /km
ANM05.002.04.021AB	UL2464	300V	4X21AWG	27/0.14	7.2	81.52	43.6 Ω /km
ANM05.002.05.021AB	UL2464	300V	5X21AWG	27/0.14	7.6	92.02	43.6 Ω /km
ANM05.002.06.021AB	UL2464	300V	6X21AWG	27/0.14	8.1	105.22	43.6 Ω /km
ANM05.002.07.021AB	UL2464	300V	7X21AWG	27/0.14	8.1	108.12	43.6 Ω /km
ANM05.002.08.021AB	UL2464	300V	8X21AWG	27/0.14	8.7	123.92	43.6 Ω /km
ANM05.002.09.021AB	UL2464	300V	9X21AWG	27/0.14	9.3	140.72	43.6 Ω /km
ANM05.002.10.021AB	UL2464	300V	10X21AWG	27/0.14	9.8	155.82	43.6 Ω /km
ANM05.002.11.021AB	UL2464	300V	11X21AWG	27/0.14	10.1	166.32	43.6 Ω /km
ANM05.002.12.021AB	UL2464	300V	12X21AWG	27/0.14	10.1	169.22	43.6 Ω /km
ANM05.002.13.021AB	UL2464	300V	13X21AWG	27/0.14	10.6	185.42	43.6 Ω /km



ANM05.002.14.021AB	UL2464	300V	14X21AWG	27/0.14	10.6	188.22	43.6 Ω /km
ANM05.002.15.021AB	UL2464	300V	15X21AWG	27/0.14	11	202.12	43.6 Ω /km
ANM05.002.16.021AB	UL2464	300V	16X21AWG	27/0.14	11	204.92	43.6 Ω /km
ANM05.002.17.021AB	UL2464	300V	17X21AWG	27/0.14	11.5	222.12	43.6 Ω /km
ANM05.002.18.021AB	UL2464	300V	18X21AWG	27/0.14	11.5	225.02	43.6 Ω /km
ANM05.002.19.021AB	UL2464	300V	19X21AWG	27/0.14	11.5	227.92	43.6 Ω /km
ANM05.002.20.021AB	UL2464	300V	20X21AWG	27/0.14	11.8	239.62	43.6 Ω /km
ANM05.002.21.021AB	UL2464	300V	21X21AWG	27/0.14	12.1	251.62	43.6 Ω /km
ANM05.002.22.021AB	UL2464	300V	22X21AWG	27/0.14	12.7	273.32	43.6 Ω /km
ANM05.002.23.021AB	UL2464	300V	23X21AWG	27/0.14	13.3	295.82	43.6 Ω /km
ANM05.002.24.021AB	UL2464	300V	24X21AWG	27/0.14	13.3	298.72	43.6 Ω /km
ANM05.002.25.021AB	UL2464	300V	25X21AWG	27/0.14	13.6	311.72	43.6 Ω /km
ANM05.002.26.021AB	UL2464	300V	26X21AWG	27/0.14	13.6	314.62	43.6 Ω /km
ANM05.002.27.021AB	UL2464	300V	27X21AWG	27/0.14	13.6	317.52	43.6 Ω /km
ANM05.002.28.021AB	UL2464	300V	28X21AWG	27/0.14	14.1	337.92	43.6 Ω /km
ANM05.002.29.021AB	UL2464	300V	29X21AWG	27/0.14	14.1	340.82	43.6 Ω /km
ANM05.002.30.021AB	UL2464	300V	30X21AWG	27/0.14	14.1	343.72	43.6 Ω /km
ANM05.002.31.021AB	UL2464	300V	31X21AWG	27/0.14	14.5	360.92	43.6 Ω /km
ANM05.002.32.021AB	UL2464	300V	32X21AWG	27/0.14	14.5	363.82	43.6 Ω /km
ANM05.002.33.021AB	UL2464	300V	33X21AWG	27/0.14	14.5	366.62	43.6 Ω /km
ANM05.002.34.021AB	UL2464	300V	34X21AWG	27/0.14	15	388.02	43.6 Ω /km
ANM05.002.35.021AB	UL2464	300V	35X21AWG	27/0.14	15	390.92	43.6 Ω /km
ANM05.002.36.021AB	UL2464	300V	36X21AWG	27/0.14	15	393.72	43.6 Ω /km
ANM05.002.37.021AB	UL2464	300V	37X21AWG	27/0.14	15	396.62	43.6 Ω /km
ANM05.002.38.021AB	UL2464	300V	38X21AWG	27/0.14	15.6	422.52	43.6 Ω /km
ANM05.002.39.021AB	UL2464	300V	39X21AWG	27/0.14	15.6	425.32	43.6 Ω /km
ANM05.002.40.021AB	UL2464	300V	40X21AWG	27/0.14	15.6	428.22	43.6 Ω /km
ANM05.002.41.021AB	UL2464	300V	41X21AWG	27/0.14	16.7	475.72	43.6 Ω /km
ANM05.002.42.021AB	UL2464	300V	42X21AWG	27/0.14	16.7	478.52	43.6 Ω /km
ANM05.002.43.021AB	UL2464	300V	43X21AWG	27/0.14	16.7	481.42	43.6 Ω /km
ANM05.002.44.021AB	UL2464	300V	44X21AWG	27/0.14	16.7	484.22	43.6 Ω /km
ANM05.002.45.021AB	UL2464	300V	45X21AWG	27/0.14	17	499.82	43.6 Ω /km
ANM05.002.46.021AB	UL2464	300V	46X21AWG	27/0.14	17	502.62	43.6 Ω /km
ANM05.002.47.021AB	UL2464	300V	47X21AWG	27/0.14	17	505.42	43.6 Ω /km
ANM05.002.48.021AB	UL2464	300V	48X21AWG	27/0.14	17	508.42	43.6 Ω /km
ANM05.002.49.021AB	UL2464	300V	49X21AWG	27/0.14	17.5	532.82	43.6 Ω /km
ANM05.002.50.021AB	UL2464	300V	50X21AWG	27/0.14	17.5	535.62	43.6 Ω /km
ANM05.002.51.021AB	UL2464	300V	51X21AWG	27/0.14	17.5	538.52	43.6 Ω /km
ANM05.002.52.021AB	UL2464	300V	52X21AWG	27/0.14	17.5	541.42	43.6 Ω /km
ANM05.002.53.021AB	UL2464	300V	53X21AWG	27/0.14	17.9	562.02	43.6 Ω /km
ANM05.002.54.021AB	UL2464	300V	54X21AWG	27/0.14	17.9	564.82	43.6 Ω /km
ANM05.002.55.021AB	UL2464	300V	55X21AWG	27/0.14	17.9	567.62	43.6 Ω /km



ANM05.002.56.021AB	UL2464	300V	56X21AWG	27/0.14	17.9	570.52	43.6 Ω /km
ANM05.002.57.021AB	UL2464	300V	57X21AWG	27/0.14	18.4	596.12	43.6 Ω /km
ANM05.002.58.021AB	UL2464	300V	58X21AWG	27/0.14	18.4	598.92	43.6 Ω /km
ANM05.002.59.021AB	UL2464	300V	59X21AWG	27/0.14	18.4	601.82	43.6 Ω /km
ANM05.002.60.021AB	UL2464	300V	60X21AWG	27/0.14	18.4	604.72	43.6 Ω /km
ANM05.002.61.021AB	UL2464	300V	61X21AWG	27/0.14	18.4	607.42	43.6 Ω /km
ANM05.002.62.021AB	UL2464	300V	62X21AWG	27/0.14	19	638.42	43.6 Ω /km
ANM05.002.63.021AB	UL2464	300V	63X21AWG	27/0.14	19	641.32	43.6 Ω /km
ANM05.002.64.021AB	UL2464	300V	64X21AWG	27/0.14	19	644.12	43.6 Ω /km
ANM05.002.65.021AB	UL2464	300V	65X21AWG	27/0.14	19	647.02	43.6 Ω /km
ANM05.002.02.020AB	UL2464	300V	2X20AWG	34/0.14	6.6	66.42	34.6 Ω /km
ANM05.002.03.020AB	UL2464	300V	3X20AWG	34/0.14	6.9	75.42	34.6 Ω /km
ANM05.002.04.020AB	UL2464	300V	4X20AWG	34/0.14	7.4	88.52	34.6 Ω /km
ANM05.002.05.020AB	UL2464	300V	5X20AWG	34/0.14	7.9	102.02	34.6 Ω /km
ANM05.002.06.020AB	UL2464	300V	6X20AWG	34/0.14	8.4	116.32	34.6 Ω /km
ANM05.002.07.020AB	UL2464	300V	7X20AWG	34/0.14	8.4	119.82	34.6 Ω /km
ANM05.002.08.020AB	UL2464	300V	8X20AWG	34/0.14	9	137.12	34.6 Ω /km
ANM05.002.09.020AB	UL2464	300V	9X20AWG	34/0.14	9.7	157.62	34.6 Ω /km
ANM05.002.10.020AB	UL2464	300V	10X20AWG	34/0.14	10.2	174.02	34.6 Ω /km
ANM05.002.11.020AB	UL2464	300V	11X20AWG	34/0.14	10.5	185.52	34.6 Ω /km
ANM05.002.12.020AB	UL2464	300V	12X20AWG	34/0.14	10.5	189.12	34.6 Ω /km
ANM05.002.13.020AB	UL2464	300V	13X20AWG	34/0.14	11	206.52	34.6 Ω /km
ANM05.002.14.020AB	UL2464	300V	14X20AWG	34/0.14	11	210.22	34.6 Ω /km
ANM05.002.15.020AB	UL2464	300V	15X20AWG	34/0.14	11.5	228.12	34.6 Ω /km
ANM05.002.16.020AB	UL2464	300V	16X20AWG	34/0.14	11.5	231.82	34.6 Ω /km
ANM05.002.17.020AB	UL2464	300V	17X20AWG	34/0.14	12	250.42	34.6 Ω /km
ANM05.002.18.020AB	UL2464	300V	18X20AWG	34/0.14	12	254.02	34.6 Ω /km
ANM05.002.19.020AB	UL2464	300V	19X20AWG	34/0.14	12	257.72	34.6 Ω /km
ANM05.002.20.020AB	UL2464	300V	20X20AWG	34/0.14	12.3	270.62	34.6 Ω /km
ANM05.002.21.020AB	UL2464	300V	21X20AWG	34/0.14	12.6	283.72	34.6 Ω /km
ANM05.002.22.020AB	UL2464	300V	22X20AWG	34/0.14	13.4	313.62	34.6 Ω /km
ANM05.002.23.020AB	UL2464	300V	23X20AWG	34/0.14	13.9	334.52	34.6 Ω /km
ANM05.002.24.020AB	UL2464	300V	24X20AWG	34/0.14	13.9	338.12	34.6 Ω /km
ANM05.002.25.020AB	UL2464	300V	25X20AWG	34/0.14	14.2	352.52	34.6 Ω /km
ANM05.002.26.020AB	UL2464	300V	26X20AWG	34/0.14	14.2	356.02	34.6 Ω /km
ANM05.002.27.020AB	UL2464	300V	27X20AWG	34/0.14	14.2	359.62	34.6 Ω /km
ANM05.002.28.020AB	UL2464	300V	28X20AWG	34/0.14	14.7	381.42	34.6 Ω /km
ANM05.002.29.020AB	UL2464	300V	29X20AWG	34/0.14	14.7	385.12	34.6 Ω /km
ANM05.002.30.020AB	UL2464	300V	30X20AWG	34/0.14	14.7	388.72	34.6 Ω /km
ANM05.002.31.020AB	UL2464	300V	31X20AWG	34/0.14	15.2	411.12	34.6 Ω /km
ANM05.002.32.020AB	UL2464	300V	32X20AWG	34/0.14	15.2	414.72	34.6 Ω /km
ANM05.002.33.020AB	UL2464	300V	33X20AWG	34/0.14	15.2	418.42	34.6 Ω /km



ANM05.002.34.020AB	UL2464	300V	34X20AWG	34/0.14	15.7	441.62	34.6 Ω /km
ANM05.002.35.020AB	UL2464	300V	35X20AWG	34/0.14	15.7	445.22	34.6 Ω /km
ANM05.002.36.020AB	UL2464	300V	36X20AWG	34/0.14	15.7	448.82	34.6 Ω /km
ANM05.002.37.020AB	UL2464	300V	37X20AWG	34/0.14	15.7	452.42	34.6 Ω /km
ANM05.002.38.020AB	UL2464	300V	38X20AWG	34/0.14	16.3	480.22	34.6 Ω /km
ANM05.002.39.020AB	UL2464	300V	39X20AWG	34/0.14	16.3	483.72	34.6 Ω /km
ANM05.002.40.020AB	UL2464	300V	40X20AWG	34/0.14	16.3	487.42	34.6 Ω /km
ANM05.002.41.020AB	UL2464	300V	41X20AWG	34/0.14	17.5	541.82	34.6 Ω /km
ANM05.002.42.020AB	UL2464	300V	42X20AWG	34/0.14	17.5	545.52	34.6 Ω /km
ANM05.002.43.020AB	UL2464	300V	43X20AWG	34/0.14	17.5	549.12	34.6 Ω /km
ANM05.002.44.020AB	UL2464	300V	44X20AWG	34/0.14	17.5	552.82	34.6 Ω /km
ANM05.002.45.020AB	UL2464	300V	45X20AWG	34/0.14	17.8	569.62	34.6 Ω /km
ANM05.002.46.020AB	UL2464	300V	46X20AWG	34/0.14	17.8	573.32	34.6 Ω /km
ANM05.002.47.020AB	UL2464	300V	47X20AWG	34/0.14	17.8	576.92	34.6 Ω /km
ANM05.002.48.020AB	UL2464	300V	48X20AWG	34/0.14	17.8	580.62	34.6 Ω /km
ANM05.002.49.020AB	UL2464	300V	49X20AWG	34/0.14	18.3	606.82	34.6 Ω /km
ANM05.002.50.020AB	UL2464	300V	50X20AWG	34/0.14	18.3	610.52	34.6 Ω /km
ANM05.002.51.020AB	UL2464	300V	51X20AWG	34/0.14	18.3	614.22	34.6 Ω /km
ANM05.002.52.020AB	UL2464	300V	52X20AWG	34/0.14	18.3	617.82	34.6 Ω /km
ANM05.002.53.020AB	UL2464	300V	53X20AWG	34/0.14	18.8	644.52	34.6 Ω /km
ANM05.002.54.020AB	UL2464	300V	54X20AWG	34/0.14	18.8	648.02	34.6 Ω /km
ANM05.002.55.020AB	UL2464	300V	55X20AWG	34/0.14	18.8	651.72	34.6 Ω /km
ANM05.002.56.020AB	UL2464	300V	56X20AWG	34/0.14	18.8	655.22	34.6 Ω /km
ANM05.002.57.020AB	UL2464	300V	57X20AWG	34/0.14	19.3	682.72	34.6 Ω /km
ANM05.002.58.020AB	UL2464	300V	58X20AWG	34/0.14	19.3	686.22	34.6 Ω /km
ANM05.002.59.020AB	UL2464	300V	59X20AWG	34/0.14	19.3	689.92	34.6 Ω /km
ANM05.002.60.020AB	UL2464	300V	60X20AWG	34/0.14	19.3	693.52	34.6 Ω /km
ANM05.002.61.020AB	UL2464	300V	61X20AWG	34/0.14	19.3	697.22	34.6 Ω /km
ANM05.002.62.020AB	UL2464	300V	62X20AWG	34/0.14	20.9	778.62	34.6 Ω /km
ANM05.002.63.020AB	UL2464	300V	63X20AWG	34/0.14	20.9	782.22	34.6 Ω /km
ANM05.002.64.020AB	UL2464	300V	64X20AWG	34/0.14	20.9	785.82	34.6 Ω /km
ANM05.002.65.020AB	UL2464	300V	65X20AWG	34/0.14	20.9	789.52	34.6 Ω /km
ANM05.002.02.019AB	UL2464	300V	2X19AWG	43/0.14	6.8	72.16	27.4 Ω /km
ANM05.002.03.019AB	UL2464	300V	3X19AWG	43/0.14	7.1	82.26	27.4 Ω /km
ANM05.002.04.019AB	UL2464	300V	4X19AWG	43/0.14	7.6	96.56	27.4 Ω /km
ANM05.002.05.019AB	UL2464	300V	5X19AWG	43/0.14	8.2	113.46	27.4 Ω /km
ANM05.002.06.019AB	UL2464	300V	6X19AWG	43/0.14	8.7	129.16	27.4 Ω /km
ANM05.002.07.019AB	UL2464	300V	7X19AWG	43/0.14	8.7	133.66	27.4 Ω /km
ANM05.002.08.019AB	UL2464	300V	8X19AWG	43/0.14	9.3	152.36	27.4 Ω /km
ANM05.002.09.019AB	UL2464	300V	9X19AWG	43/0.14	10.1	176.76	27.4 Ω /km
ANM05.002.10.019AB	UL2464	300V	10X19AWG	43/0.14	10.6	194.86	27.4 Ω /km
ANM05.002.11.019AB	UL2464	300V	11X19AWG	43/0.14	10.9	207.66	27.4 Ω /km



ANM05.002.12.019AB	UL2464	300V	12X19AWG	43/0.14	10.9	212.36	27.4 Ω/km
ANM05.002.13.019AB	UL2464	300V	13X19AWG	43/0.14	11.4	230.96	27.4 Ω/km
ANM05.002.14.019AB	UL2464	300V	14X19AWG	43/0.14	11.4	235.66	27.4 Ω/km
ANM05.002.15.019AB	UL2464	300V	15X19AWG	43/0.14	12	258.16	27.4 Ω/km
ANM05.002.16.019AB	UL2464	300V	16X19AWG	43/0.14	12	262.86	27.4 Ω/km
ANM05.002.17.019AB	UL2464	300V	17X19AWG	43/0.14	12.5	283.06	27.4 Ω/km
ANM05.002.18.019AB	UL2464	300V	18X19AWG	43/0.14	12.5	287.76	27.4 Ω/km
ANM05.002.19.019AB	UL2464	300V	19X19AWG	43/0.14	12.5	292.36	27.4 Ω/km
ANM05.002.20.019AB	UL2464	300V	20X19AWG	43/0.14	12.8	306.56	27.4 Ω/km
ANM05.002.21.019AB	UL2464	300V	21X19AWG	43/0.14	13.2	324.36	27.4 Ω/km
ANM05.002.22.019AB	UL2464	300V	22X19AWG	43/0.14	14	356.46	27.4 Ω/km
ANM05.002.23.019AB	UL2464	300V	23X19AWG	43/0.14	14.5	379.06	27.4 Ω/km
ANM05.002.24.019AB	UL2464	300V	24X19AWG	43/0.14	14.5	383.76	27.4 Ω/km
ANM05.002.25.019AB	UL2464	300V	25X19AWG	43/0.14	14.8	399.46	27.4 Ω/km
ANM05.002.26.019AB	UL2464	300V	26X19AWG	43/0.14	14.8	404.16	27.4 Ω/km
ANM05.002.27.019AB	UL2464	300V	27X19AWG	43/0.14	14.8	408.66	27.4 Ω/km
ANM05.002.28.019AB	UL2464	300V	28X19AWG	43/0.14	15.3	432.26	27.4 Ω/km
ANM05.002.29.019AB	UL2464	300V	29X19AWG	43/0.14	15.3	436.86	27.4 Ω/km
ANM05.002.30.019AB	UL2464	300V	30X19AWG	43/0.14	15.3	441.46	27.4 Ω/km
ANM05.002.31.019AB	UL2464	300V	31X19AWG	43/0.14	15.9	469.66	27.4 Ω/km
ANM05.002.32.019AB	UL2464	300V	32X19AWG	43/0.14	15.9	474.26	27.4 Ω/km
ANM05.002.33.019AB	UL2464	300V	33X19AWG	43/0.14	15.9	478.86	27.4 Ω/km
ANM05.002.34.019AB	UL2464	300V	34X19AWG	43/0.14	16.4	503.86	27.4 Ω/km
ANM05.002.35.019AB	UL2464	300V	35X19AWG	43/0.14	16.4	508.36	27.4 Ω/km
ANM05.002.36.019AB	UL2464	300V	36X19AWG	43/0.14	16.4	513.16	27.4 Ω/km
ANM05.002.37.019AB	UL2464	300V	37X19AWG	43/0.14	16.4	517.66	27.4 Ω/km
ANM05.002.38.019AB	UL2464	300V	38X19AWG	43/0.14	17	547.46	27.4 Ω/km
ANM05.002.39.019AB	UL2464	300V	39X19AWG	43/0.14	17	551.96	27.4 Ω/km
ANM05.002.40.019AB	UL2464	300V	40X19AWG	43/0.14	17	556.76	27.4 Ω/km
ANM05.002.41.019AB	UL2464	300V	41X19AWG	43/0.14	18.3	618.76	27.4 Ω/km
ANM05.002.42.019AB	UL2464	300V	42X19AWG	43/0.14	18.3	623.36	27.4 Ω/km
ANM05.002.43.019AB	UL2464	300V	43X19AWG	43/0.14	18.3	628.06	27.4 Ω/km
ANM05.002.44.019AB	UL2464	300V	44X19AWG	43/0.14	18.3	632.66	27.4 Ω/km
ANM05.002.45.019AB	UL2464	300V	45X19AWG	43/0.14	18.6	651.06	27.4 Ω/km
ANM05.002.46.019AB	UL2464	300V	46X19AWG	43/0.14	18.6	655.66	27.4 Ω/km
ANM05.002.47.019AB	UL2464	300V	47X19AWG	43/0.14	18.6	660.26	27.4 Ω/km
ANM05.002.48.019AB	UL2464	300V	48X19AWG	43/0.14	18.6	664.96	27.4 Ω/km
ANM05.002.49.019AB	UL2464	300V	49X19AWG	43/0.14	19.1	693.06	27.4 Ω/km
ANM05.002.50.019AB	UL2464	300V	50X19AWG	43/0.14	19.1	697.76	27.4 Ω/km
ANM05.002.51.019AB	UL2464	300V	51X19AWG	43/0.14	19.1	702.26	27.4 Ω/km
ANM05.002.52.019AB	UL2464	300V	52X19AWG	43/0.14	19.1	707.06	27.4 Ω/km
ANM05.002.53.019AB	UL2464	300V	53X19AWG	43/0.14	20.7	788.66	27.4 Ω/km



ANM05.002.54.019AB	UL2464	300V	54X19AWG	43/0.14	20.7	793.16	27.4 Ω/km
ANM05.002.55.019AB	UL2464	300V	55X19AWG	43/0.14	20.7	797.96	27.4 Ω/km
ANM05.002.56.019AB	UL2464	300V	56X19AWG	43/0.14	20.7	802.46	27.4 Ω/km
ANM05.002.57.019AB	UL2464	300V	57X19AWG	43/0.14	21.2	833.16	27.4 Ω/km
ANM05.002.58.019AB	UL2464	300V	58X19AWG	43/0.14	21.2	837.66	27.4 Ω/km
ANM05.002.59.019AB	UL2464	300V	59X19AWG	43/0.14	21.2	842.36	27.4 Ω/km
ANM05.002.60.019AB	UL2464	300V	60X19AWG	43/0.14	21.2	846.96	27.4 Ω/km
ANM05.002.61.019AB	UL2464	300V	61X19AWG	43/0.14	21.2	851.56	27.4 Ω/km
ANM05.002.62.019AB	UL2464	300V	62X19AWG	43/0.14	21.8	888.26	27.4 Ω/km
ANM05.002.63.019AB	UL2464	300V	63X19AWG	43/0.14	21.8	892.96	27.4 Ω/km
ANM05.002.64.019AB	UL2464	300V	64X19AWG	43/0.14	21.8	897.56	27.4 Ω/km
ANM05.002.65.019AB	UL2464	300V	65X19AWG	43/0.14	21.8	902.16	27.4 Ω/km
ANM05.002.02.018AB	UL2464	300V	2X18AWG	29/0.19	7	78.53	21.8 Ω/km
ANM05.002.03.018AB	UL2464	300V	3X18AWG	29/0.19	7.4	92.03	21.8 Ω/km
ANM05.002.04.018AB	UL2464	300V	4X18AWG	29/0.19	7.9	108.13	21.8 Ω/km
ANM05.002.05.018AB	UL2464	300V	5X18AWG	29/0.19	8.4	124.63	21.8 Ω/km
ANM05.002.06.018AB	UL2464	300V	6X18AWG	29/0.19	9	144.03	21.8 Ω/km
ANM05.002.07.018AB	UL2464	300V	7X18AWG	29/0.19	9	150.13	21.8 Ω/km
ANM05.002.08.018AB	UL2464	300V	8X18AWG	29/0.19	9.6	170.43	21.8 Ω/km
ANM05.002.09.018AB	UL2464	300V	9X18AWG	29/0.19	10.4	196.93	21.8 Ω/km
ANM05.002.10.018AB	UL2464	300V	10X18AWG	29/0.19	11	219.33	21.8 Ω/km
ANM05.002.11.018AB	UL2464	300V	11X18AWG	29/0.19	11.4	236.63	21.8 Ω/km
ANM05.002.12.018AB	UL2464	300V	12X18AWG	29/0.19	11.4	242.43	21.8 Ω/km
ANM05.002.13.018AB	UL2464	300V	13X18AWG	29/0.19	11.9	263.43	21.8 Ω/km
ANM05.002.14.018AB	UL2464	300V	14X18AWG	29/0.19	11.9	269.33	21.8 Ω/km
ANM05.002.15.018AB	UL2464	300V	15X18AWG	29/0.19	12.4	290.63	21.8 Ω/km
ANM05.002.16.018AB	UL2464	300V	16X18AWG	29/0.19	12.4	296.73	21.8 Ω/km
ANM05.002.17.018AB	UL2464	300V	17X18AWG	29/0.19	13	321.83	21.8 Ω/km
ANM05.002.18.018AB	UL2464	300V	18X18AWG	29/0.19	13	327.83	21.8 Ω/km
ANM05.002.19.018AB	UL2464	300V	19X18AWG	29/0.19	13	333.93	21.8 Ω/km
ANM05.002.20.018AB	UL2464	300V	20X18AWG	29/0.19	13.5	356.63	21.8 Ω/km
ANM05.002.21.018AB	UL2464	300V	21X18AWG	29/0.19	13.7	369.43	21.8 Ω/km
ANM05.002.22.018AB	UL2464	300V	22X18AWG	29/0.19	14.5	404.03	21.8 Ω/km
ANM05.002.23.018AB	UL2464	300V	23X18AWG	29/0.19	15.1	432.23	21.8 Ω/km
ANM05.002.24.018AB	UL2464	300V	24X18AWG	29/0.19	15.1	438.13	21.8 Ω/km
ANM05.002.25.018AB	UL2464	300V	25X18AWG	29/0.19	15.5	459.63	21.8 Ω/km
ANM05.002.26.018AB	UL2464	300V	26X18AWG	29/0.19	15.5	465.43	21.8 Ω/km
ANM05.002.27.018AB	UL2464	300V	27X18AWG	29/0.19	15.5	471.43	21.8 Ω/km
ANM05.002.28.018AB	UL2464	300V	28X18AWG	29/0.19	16	497.13	21.8 Ω/km
ANM05.002.29.018AB	UL2464	300V	29X18AWG	29/0.19	16	503.23	21.8 Ω/km
ANM05.002.30.018AB	UL2464	300V	30X18AWG	29/0.19	16	509.23	21.8 Ω/km
ANM05.002.31.018AB	UL2464	300V	31X18AWG	29/0.19	16.5	535.33	21.8 Ω/km



ANM05.002.32.018AB	UL2464	300V	32X18AWG	29/0.19	16.5	541.33	21.8 Ω /km
ANM05.002.33.018AB	UL2464	300V	33X18AWG	29/0.19	16.5	547.33	21.8 Ω /km
ANM05.002.34.018AB	UL2464	300V	34X18AWG	29/0.19	17.1	578.53	21.8 Ω /km
ANM05.002.35.018AB	UL2464	300V	35X18AWG	29/0.19	17.1	584.63	21.8 Ω /km
ANM05.002.36.018AB	UL2464	300V	36X18AWG	29/0.19	17.1	590.53	21.8 Ω /km
ANM05.002.37.018AB	UL2464	300V	37X18AWG	29/0.19	17.1	596.43	21.8 Ω /km
ANM05.002.38.018AB	UL2464	300V	38X18AWG	29/0.19	17.7	628.63	21.8 Ω /km
ANM05.002.39.018AB	UL2464	300V	39X18AWG	29/0.19	17.7	634.63	21.8 Ω /km
ANM05.002.40.018AB	UL2464	300V	40X18AWG	29/0.19	17.7	640.53	21.8 Ω /km
ANM05.002.41.018AB	UL2464	300V	41X18AWG	29/0.19	19.1	710.83	21.8 Ω /km
ANM05.002.42.018AB	UL2464	300V	42X18AWG	29/0.19	19.1	716.73	21.8 Ω /km
ANM05.002.43.018AB	UL2464	300V	43X18AWG	29/0.19	19.1	722.73	21.8 Ω /km
ANM05.002.44.018AB	UL2464	300V	44X18AWG	29/0.19	19.1	728.73	21.8 Ω /km
ANM05.002.45.018AB	UL2464	300V	45X18AWG	29/0.19	20.5	801.33	21.8 Ω /km
ANM05.002.46.018AB	UL2464	300V	46X18AWG	29/0.19	20.5	807.23	21.8 Ω /km
ANM05.002.47.018AB	UL2464	300V	47X18AWG	29/0.19	20.5	813.33	21.8 Ω /km
ANM05.002.48.018AB	UL2464	300V	48X18AWG	29/0.19	20.5	819.13	21.8 Ω /km
ANM05.002.49.018AB	UL2464	300V	49X18AWG	29/0.19	21	850.93	21.8 Ω /km
ANM05.002.50.018AB	UL2464	300V	50X18AWG	29/0.19	21	857.03	21.8 Ω /km
ANM05.002.51.018AB	UL2464	300V	51X18AWG	29/0.19	21	862.83	21.8 Ω /km
ANM05.002.52.018AB	UL2464	300V	52X18AWG	29/0.19	21	868.83	21.8 Ω /km
ANM05.002.53.018AB	UL2464	300V	53X18AWG	29/0.19	21.5	901.23	21.8 Ω /km
ANM05.002.54.018AB	UL2464	300V	54X18AWG	29/0.19	21.5	907.13	21.8 Ω /km
ANM05.002.55.018AB	UL2464	300V	55X18AWG	29/0.19	21.5	913.13	21.8 Ω /km
ANM05.002.56.018AB	UL2464	300V	56X18AWG	29/0.19	21.5	918.93	21.8 Ω /km
ANM05.002.57.018AB	UL2464	300V	57X18AWG	29/0.19	22.1	957.43	21.8 Ω /km
ANM05.002.58.018AB	UL2464	300V	58X18AWG	29/0.19	22.1	963.43	21.8 Ω /km
ANM05.002.59.018AB	UL2464	300V	59X18AWG	29/0.19	22.1	969.33	21.8 Ω /km
ANM05.002.60.018AB	UL2464	300V	60X18AWG	29/0.19	22.1	975.33	21.8 Ω /km
ANM05.002.61.018AB	UL2464	300V	61X18AWG	29/0.19	22.1	981.33	21.8 Ω /km
ANM05.002.62.018AB	UL2464	300V	62X18AWG	29/0.19	22.7	1020.63	21.8 Ω /km
ANM05.002.63.018AB	UL2464	300V	63X18AWG	29/0.19	22.7	1026.73	21.8 Ω /km
ANM05.002.64.018AB	UL2464	300V	64X18AWG	29/0.19	22.7	1032.73	21.8 Ω /km
ANM05.002.65.018AB	UL2464	300V	65X18AWG	29/0.19	22.7	1038.53	21.8 Ω /km
ANM05.002.02.017AB	UL2464	300V	2X17AWG	37/0.19	7.4	89.24	17.3 Ω /km
ANM05.002.03.017AB	UL2464	300V	3X17AWG	37/0.19	7.8	104.54	17.3 Ω /km
ANM05.002.04.017AB	UL2464	300V	4X17AWG	37/0.19	8.4	124.54	17.3 Ω /km
ANM05.002.05.017AB	UL2464	300V	5X17AWG	37/0.19	9	145.44	17.3 Ω /km
ANM05.002.06.017AB	UL2464	300V	6X17AWG	37/0.19	9.6	167.14	17.3 Ω /km
ANM05.002.07.017AB	UL2464	300V	7X17AWG	37/0.19	9.6	174.44	17.3 Ω /km
ANM05.002.08.017AB	UL2464	300V	8X17AWG	37/0.19	10.3	199.74	17.3 Ω /km
ANM05.002.09.017AB	UL2464	300V	9X17AWG	37/0.19	11.2	231.84	17.3 Ω /km



ANM05.002.10.017AB	UL2464	300V	10X17AWG	37/0.19	11.8	256.94	17.3 Ω/km
ANM05.002.11.017AB	UL2464	300V	11X17AWG	37/0.19	12.2	276.44	17.3 Ω/km
ANM05.002.12.017AB	UL2464	300V	12X17AWG	37/0.19	12.2	283.84	17.3 Ω/km
ANM05.002.13.017AB	UL2464	300V	13X17AWG	37/0.19	12.8	310.14	17.3 Ω/km
ANM05.002.14.017AB	UL2464	300V	14X17AWG	37/0.19	12.8	317.44	17.3 Ω/km
ANM05.002.15.017AB	UL2464	300V	15X17AWG	37/0.19	13.5	348.14	17.3 Ω/km
ANM05.002.16.017AB	UL2464	300V	16X17AWG	37/0.19	13.5	355.54	17.3 Ω/km
ANM05.002.17.017AB	UL2464	300V	17X17AWG	37/0.19	14.1	383.84	17.3 Ω/km
ANM05.002.18.017AB	UL2464	300V	18X17AWG	37/0.19	14.1	391.24	17.3 Ω/km
ANM05.002.19.017AB	UL2464	300V	19X17AWG	37/0.19	14.1	398.74	17.3 Ω/km
ANM05.002.20.017AB	UL2464	300V	20X17AWG	37/0.19	14.5	420.44	17.3 Ω/km
ANM05.002.21.017AB	UL2464	300V	21X17AWG	37/0.19	14.8	438.94	17.3 Ω/km
ANM05.002.22.017AB	UL2464	300V	22X17AWG	37/0.19	15.7	480.74	17.3 Ω/km
ANM05.002.23.017AB	UL2464	300V	23X17AWG	37/0.19	16.3	512.14	17.3 Ω/km
ANM05.002.24.017AB	UL2464	300V	24X17AWG	37/0.19	16.3	519.54	17.3 Ω/km
ANM05.002.25.017AB	UL2464	300V	25X17AWG	37/0.19	16.7	543.44	17.3 Ω/km
ANM05.002.26.017AB	UL2464	300V	26X17AWG	37/0.19	16.7	550.74	17.3 Ω/km
ANM05.002.27.017AB	UL2464	300V	27X17AWG	37/0.19	16.7	558.24	17.3 Ω/km
ANM05.002.28.017AB	UL2464	300V	28X17AWG	37/0.19	17.3	591.24	17.3 Ω/km
ANM05.002.29.017AB	UL2464	300V	29X17AWG	37/0.19	17.3	598.64	17.3 Ω/km
ANM05.002.30.017AB	UL2464	300V	30X17AWG	37/0.19	17.3	605.94	17.3 Ω/km
ANM05.002.31.017AB	UL2464	300V	31X17AWG	37/0.19	17.9	639.74	17.3 Ω/km
ANM05.002.32.017AB	UL2464	300V	32X17AWG	37/0.19	17.9	647.04	17.3 Ω/km
ANM05.002.33.017AB	UL2464	300V	33X17AWG	37/0.19	17.9	654.34	17.3 Ω/km
ANM05.002.34.017AB	UL2464	300V	34X17AWG	37/0.19	18.5	689.04	17.3 Ω/km
ANM05.002.35.017AB	UL2464	300V	35X17AWG	37/0.19	18.5	696.44	17.3 Ω/km
ANM05.002.36.017AB	UL2464	300V	36X17AWG	37/0.19	18.5	703.84	17.3 Ω/km
ANM05.002.37.017AB	UL2464	300V	37X17AWG	37/0.19	18.5	711.34	17.3 Ω/km
ANM05.002.38.017AB	UL2464	300V	38X17AWG	37/0.19	19.2	751.64	17.3 Ω/km
ANM05.002.39.017AB	UL2464	300V	39X17AWG	37/0.19	19.2	759.04	17.3 Ω/km
ANM05.002.40.017AB	UL2464	300V	40X17AWG	37/0.19	19.2	766.34	17.3 Ω/km
ANM05.002.41.017AB	UL2464	300V	41X17AWG	37/0.19	21.7	898.44	17.3 Ω/km
ANM05.002.42.017AB	UL2464	300V	42X17AWG	37/0.19	21.7	905.74	17.3 Ω/km
ANM05.002.43.017AB	UL2464	300V	43X17AWG	37/0.19	21.7	913.14	17.3 Ω/km
ANM05.002.44.017AB	UL2464	300V	44X17AWG	37/0.19	21.7	920.44	17.3 Ω/km
ANM05.002.45.017AB	UL2464	300V	45X17AWG	37/0.19	22.1	949.64	17.3 Ω/km
ANM05.002.46.017AB	UL2464	300V	46X17AWG	37/0.19	22.1	957.04	17.3 Ω/km
ANM05.002.47.017AB	UL2464	300V	47X17AWG	37/0.19	22.1	964.44	17.3 Ω/km
ANM05.002.48.017AB	UL2464	300V	48X17AWG	37/0.19	22.1	971.74	17.3 Ω/km
ANM05.002.49.017AB	UL2464	300V	49X17AWG	37/0.19	22.7	1012.64	17.3 Ω/km
ANM05.002.50.017AB	UL2464	300V	50X17AWG	37/0.19	22.7	1019.94	17.3 Ω/km
ANM05.002.51.017AB	UL2464	300V	51X17AWG	37/0.19	22.7	1027.24	17.3 Ω/km



ANM05.002.52.017AB	UL2464	300V	52X17AWG	37/0.19	22.7	1034.64	17.3 Ω/km
ANM05.002.53.017AB	UL2464	300V	53X17AWG	37/0.19	23.3	1076.24	17.3 Ω/km
ANM05.002.54.017AB	UL2464	300V	54X17AWG	37/0.19	23.3	1083.54	17.3 Ω/km
ANM05.002.55.017AB	UL2464	300V	55X17AWG	37/0.19	23.3	1091.04	17.3 Ω/km
ANM05.002.56.017AB	UL2464	300V	56X17AWG	37/0.19	23.3	1098.34	17.3 Ω/km
ANM05.002.57.017AB	UL2464	300V	57X17AWG	37/0.19	23.9	1140.84	17.3 Ω/km
ANM05.002.58.017AB	UL2464	300V	58X17AWG	37/0.19	23.9	1148.24	17.3 Ω/km
ANM05.002.59.017AB	UL2464	300V	59X17AWG	37/0.19	23.9	1155.54	17.3 Ω/km
ANM05.002.60.017AB	UL2464	300V	60X17AWG	37/0.19	23.9	1162.94	17.3 Ω/km
ANM05.002.61.017AB	UL2464	300V	61X17AWG	37/0.19	23.9	1170.24	17.3 Ω/km
ANM05.002.62.017AB	UL2464	300V	62X17AWG	37/0.19	24.6	1219.84	17.3 Ω/km
ANM05.002.63.017AB	UL2464	300V	63X17AWG	37/0.19	24.6	1227.14	17.3 Ω/km
ANM05.002.64.017AB	UL2464	300V	64X17AWG	37/0.19	24.6	1234.64	17.3 Ω/km
ANM05.002.65.017AB	UL2464	300V	65X17AWG	37/0.19	24.6	1241.94	17.3 Ω/km
ANM05.002.02.016AB	UL2464	300V	2X16AWG	27/0.25	7.6	97.81	13.7 Ω/km
ANM05.002.03.016AB	UL2464	300V	3X16AWG	27/0.25	8	115.51	13.7 Ω/km
ANM05.002.04.016AB	UL2464	300V	4X16AWG	27/0.25	8.6	138.01	13.7 Ω/km
ANM05.002.05.016AB	UL2464	300V	5X16AWG	27/0.25	9.3	163.81	13.7 Ω/km
ANM05.002.06.016AB	UL2464	300V	6X16AWG	27/0.25	9.9	188.11	13.7 Ω/km
ANM05.002.07.016AB	UL2464	300V	7X16AWG	27/0.25	9.9	197.71	13.7 Ω/km
ANM05.002.08.016AB	UL2464	300V	8X16AWG	27/0.25	10.6	225.71	13.7 Ω/km
ANM05.002.09.016AB	UL2464	300V	9X16AWG	27/0.25	11.6	263.61	13.7 Ω/km
ANM05.002.10.016AB	UL2464	300V	10X16AWG	27/0.25	12.2	291.21	13.7 Ω/km
ANM05.002.11.016AB	UL2464	300V	11X16AWG	27/0.25	12.6	313.41	13.7 Ω/km
ANM05.002.12.016AB	UL2464	300V	12X16AWG	27/0.25	12.6	323.01	13.7 Ω/km
ANM05.002.13.016AB	UL2464	300V	13X16AWG	27/0.25	13.3	355.41	13.7 Ω/km
ANM05.002.14.016AB	UL2464	300V	14X16AWG	27/0.25	13.3	365.01	13.7 Ω/km
ANM05.002.15.016AB	UL2464	300V	15X16AWG	27/0.25	14	398.71	13.7 Ω/km
ANM05.002.16.016AB	UL2464	300V	16X16AWG	27/0.25	14	408.31	13.7 Ω/km
ANM05.002.17.016AB	UL2464	300V	17X16AWG	27/0.25	14.6	439.51	13.7 Ω/km
ANM05.002.18.016AB	UL2464	300V	18X16AWG	27/0.25	14.6	449.11	13.7 Ω/km
ANM05.002.19.016AB	UL2464	300V	19X16AWG	27/0.25	14.6	458.71	13.7 Ω/km
ANM05.002.20.016AB	UL2464	300V	20X16AWG	27/0.25	15	483.11	13.7 Ω/km
ANM05.002.21.016AB	UL2464	300V	21X16AWG	27/0.25	15.3	504.21	13.7 Ω/km
ANM05.002.22.016AB	UL2464	300V	22X16AWG	27/0.25	16.3	553.31	13.7 Ω/km
ANM05.002.23.016AB	UL2464	300V	23X16AWG	27/0.25	16.9	588.01	13.7 Ω/km
ANM05.002.24.016AB	UL2464	300V	24X16AWG	27/0.25	16.9	597.61	13.7 Ω/km
ANM05.002.25.016AB	UL2464	300V	25X16AWG	27/0.25	17.3	624.21	13.7 Ω/km
ANM05.002.26.016AB	UL2464	300V	26X16AWG	27/0.25	17.3	633.81	13.7 Ω/km
ANM05.002.27.016AB	UL2464	300V	27X16AWG	27/0.25	17.3	643.31	13.7 Ω/km
ANM05.002.28.016AB	UL2464	300V	28X16AWG	27/0.25	17.9	679.31	13.7 Ω/km
ANM05.002.29.016AB	UL2464	300V	29X16AWG	27/0.25	17.9	688.81	13.7 Ω/km



ANM05.002.30.016AB	UL2464	300V	30X16AWG	27/0.25	17.9	698.41	13.7 Ω /km
ANM05.002.31.016AB	UL2464	300V	31X16AWG	27/0.25	18.6	739.91	13.7 Ω /km
ANM05.002.32.016AB	UL2464	300V	32X16AWG	27/0.25	18.6	749.41	13.7 Ω /km
ANM05.002.33.016AB	UL2464	300V	33X16AWG	27/0.25	18.6	759.01	13.7 Ω /km
ANM05.002.34.016AB	UL2464	300V	34X16AWG	27/0.25	19.2	796.91	13.7 Ω /km
ANM05.002.35.016AB	UL2464	300V	35X16AWG	27/0.25	19.2	806.51	13.7 Ω /km
ANM05.002.36.016AB	UL2464	300V	36X16AWG	27/0.25	19.2	816.11	13.7 Ω /km
ANM05.002.37.016AB	UL2464	300V	37X16AWG	27/0.25	19.2	825.61	13.7 Ω /km
ANM05.002.38.016AB	UL2464	300V	38X16AWG	27/0.25	20.9	917.71	13.7 Ω /km
ANM05.002.39.016AB	UL2464	300V	39X16AWG	27/0.25	20.9	927.21	13.7 Ω /km
ANM05.002.40.016AB	UL2464	300V	40X16AWG	27/0.25	20.9	936.81	13.7 Ω /km
ANM05.002.41.016AB	UL2464	300V	41X16AWG	27/0.25	22.5	1032.71	13.7 Ω /km
ANM05.002.42.016AB	UL2464	300V	42X16AWG	27/0.25	22.5	1042.21	13.7 Ω /km
ANM05.002.43.016AB	UL2464	300V	43X16AWG	27/0.25	22.5	1051.81	13.7 Ω /km
ANM05.002.44.016AB	UL2464	300V	44X16AWG	27/0.25	22.5	1061.31	13.7 Ω /km
ANM05.002.45.016AB	UL2464	300V	45X16AWG	27/0.25	22.9	1093.41	13.7 Ω /km
ANM05.002.46.016AB	UL2464	300V	46X16AWG	27/0.25	22.9	1102.91	13.7 Ω /km
ANM05.002.47.016AB	UL2464	300V	47X16AWG	27/0.25	22.9	1112.51	13.7 Ω /km
ANM05.002.48.016AB	UL2464	300V	48X16AWG	27/0.25	22.9	1122.11	13.7 Ω /km
ANM05.002.49.016AB	UL2464	300V	49X16AWG	27/0.25	23.5	1166.01	13.7 Ω /km
ANM05.002.50.016AB	UL2464	300V	50X16AWG	27/0.25	23.5	1175.61	13.7 Ω /km
ANM05.002.51.016AB	UL2464	300V	51X16AWG	27/0.25	23.5	1185.11	13.7 Ω /km
ANM05.002.52.016AB	UL2464	300V	52X16AWG	27/0.25	23.5	1194.71	13.7 Ω /km
ANM05.002.53.016AB	UL2464	300V	53X16AWG	27/0.25	24.2	1245.81	13.7 Ω /km
ANM05.002.54.016AB	UL2464	300V	54X16AWG	27/0.25	24.2	1255.31	13.7 Ω /km
ANM05.002.55.016AB	UL2464	300V	55X16AWG	27/0.25	24.2	1264.91	13.7 Ω /km
ANM05.002.56.016AB	UL2464	300V	56X16AWG	27/0.25	24.2	1274.41	13.7 Ω /km
ANM05.002.57.016AB	UL2464	300V	57X16AWG	27/0.25	24.8	1320.41	13.7 Ω /km
ANM05.002.58.016AB	UL2464	300V	58X16AWG	27/0.25	24.8	1329.91	13.7 Ω /km
ANM05.002.59.016AB	UL2464	300V	59X16AWG	27/0.25	24.8	1339.51	13.7 Ω /km
ANM05.002.60.016AB	UL2464	300V	60X16AWG	27/0.25	24.8	1349.11	13.7 Ω /km
ANM05.002.61.016AB	UL2464	300V	61X16AWG	27/0.25	24.8	1358.61	13.7 Ω /km
ANM05.002.62.016AB	UL2464	300V	62X16AWG	27/0.25	25.5	1411.81	13.7 Ω /km
ANM05.002.63.016AB	UL2464	300V	63X16AWG	27/0.25	25.5	1421.31	13.7 Ω /km
ANM05.002.64.016AB	UL2464	300V	64X16AWG	27/0.25	25.5	1430.91	13.7 Ω /km
ANM05.002.65.016AB	UL2464	300V	65X16AWG	27/0.25	25.5	1440.51	13.7 Ω /km
ANM05.002.02.015AB	UL2464	300V	2X15AWG	34/0.25	8.4	119.55	10.9 Ω /km
ANM05.002.03.015AB	UL2464	300V	3X15AWG	34/0.25	8.9	142.65	10.9 Ω /km
ANM05.002.04.015AB	UL2464	300V	4X15AWG	34/0.25	9.6	171.35	10.9 Ω /km
ANM05.002.05.015AB	UL2464	300V	5X15AWG	34/0.25	10.3	201.25	10.9 Ω /km
ANM05.002.06.015AB	UL2464	300V	6X15AWG	34/0.25	11.1	235.05	10.9 Ω /km
ANM05.002.07.015AB	UL2464	300V	7X15AWG	34/0.25	11.1	247.05	10.9 Ω /km



ANM05.002.08.015AB	UL2464	300V	8X15AWG	34/0.25	12	285.45	10.9 Ω /km
ANM05.002.09.015AB	UL2464	300V	9X15AWG	34/0.25	13	329.05	10.9 Ω /km
ANM05.002.10.015AB	UL2464	300V	10X15AWG	34/0.25	13.9	371.75	10.9 Ω /km
ANM05.002.11.015AB	UL2464	300V	11X15AWG	34/0.25	14.4	401.55	10.9 Ω /km
ANM05.002.12.015AB	UL2464	300V	12X15AWG	34/0.25	14.4	413.45	10.9 Ω /km
ANM05.002.13.015AB	UL2464	300V	13X15AWG	34/0.25	15.1	451.45	10.9 Ω /km
ANM05.002.14.015AB	UL2464	300V	14X15AWG	34/0.25	15.1	463.45	10.9 Ω /km
ANM05.002.15.015AB	UL2464	300V	15X15AWG	34/0.25	15.8	502.55	10.9 Ω /km
ANM05.002.16.015AB	UL2464	300V	16X15AWG	34/0.25	15.8	514.55	10.9 Ω /km
ANM05.002.17.015AB	UL2464	300V	17X15AWG	34/0.25	16.6	559.05	10.9 Ω /km
ANM05.002.18.015AB	UL2464	300V	18X15AWG	34/0.25	16.6	571.05	10.9 Ω /km
ANM05.002.19.015AB	UL2464	300V	19X15AWG	34/0.25	16.6	583.05	10.9 Ω /km
ANM05.002.20.015AB	UL2464	300V	20X15AWG	34/0.25	17.1	616.05	10.9 Ω /km
ANM05.002.21.015AB	UL2464	300V	21X15AWG	34/0.25	17.5	645.25	10.9 Ω /km
ANM05.002.22.015AB	UL2464	300V	22X15AWG	34/0.25	18.5	702.35	10.9 Ω /km
ANM05.002.23.015AB	UL2464	300V	23X15AWG	34/0.25	19.3	751.95	10.9 Ω /km
ANM05.002.24.015AB	UL2464	300V	24X15AWG	34/0.25	19.3	763.85	10.9 Ω /km
ANM05.002.25.015AB	UL2464	300V	25X15AWG	34/0.25	20.8	848.45	10.9 Ω /km
ANM05.002.26.015AB	UL2464	300V	26X15AWG	34/0.25	20.8	860.35	10.9 Ω /km
ANM05.002.27.015AB	UL2464	300V	27X15AWG	34/0.25	20.8	872.35	10.9 Ω /km
ANM05.002.28.015AB	UL2464	300V	28X15AWG	34/0.25	21.5	921.15	10.9 Ω /km
ANM05.002.29.015AB	UL2464	300V	29X15AWG	34/0.25	21.5	933.15	10.9 Ω /km
ANM05.002.30.015AB	UL2464	300V	30X15AWG	34/0.25	21.5	945.05	10.9 Ω /km
ANM05.002.31.015AB	UL2464	300V	31X15AWG	34/0.25	22.2	995.05	10.9 Ω /km
ANM05.002.32.015AB	UL2464	300V	32X15AWG	34/0.25	22.2	1007.05	10.9 Ω /km
ANM05.002.33.015AB	UL2464	300V	33X15AWG	34/0.25	22.2	1018.95	10.9 Ω /km
ANM05.002.34.015AB	UL2464	300V	34X15AWG	34/0.25	23	1075.75	10.9 Ω /km
ANM05.002.35.015AB	UL2464	300V	35X15AWG	34/0.25	23	1087.75	10.9 Ω /km
ANM05.002.36.015AB	UL2464	300V	36X15AWG	34/0.25	23	1099.75	10.9 Ω /km
ANM05.002.37.015AB	UL2464	300V	37X15AWG	34/0.25	23	1111.75	10.9 Ω /km
ANM05.002.38.015AB	UL2464	300V	38X15AWG	34/0.25	23.9	1175.95	10.9 Ω /km
ANM05.002.39.015AB	UL2464	300V	39X15AWG	34/0.25	23.9	1187.85	10.9 Ω /km
ANM05.002.40.015AB	UL2464	300V	40X15AWG	34/0.25	23.9	1199.85	10.9 Ω /km
ANM05.002.41.015AB	UL2464	300V	41X15AWG	34/0.25	25.7	1322.35	10.9 Ω /km
ANM05.002.42.015AB	UL2464	300V	42X15AWG	34/0.25	25.7	1334.25	10.9 Ω /km
ANM05.002.43.015AB	UL2464	300V	43X15AWG	34/0.25	25.7	1346.25	10.9 Ω /km
ANM05.002.44.015AB	UL2464	300V	44X15AWG	34/0.25	25.7	1358.25	10.9 Ω /km
ANM05.002.45.015AB	UL2464	300V	45X15AWG	34/0.25	26.2	1402.45	10.9 Ω /km
ANM05.002.46.015AB	UL2464	300V	46X15AWG	34/0.25	26.2	1414.35	10.9 Ω /km
ANM05.002.47.015AB	UL2464	300V	47X15AWG	34/0.25	26.2	1426.35	10.9 Ω /km
ANM05.002.48.015AB	UL2464	300V	48X15AWG	34/0.25	26.2	1438.25	10.9 Ω /km
ANM05.002.49.015AB	UL2464	300V	49X15AWG	34/0.25	26.9	1496.15	10.9 Ω /km



ANM05.002.50.015AB	UL2464	300V	50X15AWG	34/0.25	26.9	1508.15	10.9 Ω /km
ANM05.002.51.015AB	UL2464	300V	51X15AWG	34/0.25	26.9	1520.05	10.9 Ω /km
ANM05.002.52.015AB	UL2464	300V	52X15AWG	34/0.25	26.9	1532.05	10.9 Ω /km
ANM05.002.53.015AB	UL2464	300V	53X15AWG	34/0.25	27.6	1591.05	10.9 Ω /km
ANM05.002.54.015AB	UL2464	300V	54X15AWG	34/0.25	27.6	1603.05	10.9 Ω /km
ANM05.002.55.015AB	UL2464	300V	55X15AWG	34/0.25	27.6	1615.05	10.9 Ω /km
ANM05.002.56.015AB	UL2464	300V	56X15AWG	34/0.25	27.6	1627.05	10.9 Ω /km
ANM05.002.57.015AB	UL2464	300V	57X15AWG	34/0.25	28.4	1694.25	10.9 Ω /km
ANM05.002.58.015AB	UL2464	300V	58X15AWG	34/0.25	28.4	1706.25	10.9 Ω /km
ANM05.002.59.015AB	UL2464	300V	59X15AWG	34/0.25	28.4	1718.15	10.9 Ω /km
ANM05.002.60.015AB	UL2464	300V	60X15AWG	34/0.25	28.4	1730.15	10.9 Ω /km
ANM05.002.61.015AB	UL2464	300V	61X15AWG	34/0.25	28.4	1742.05	10.9 Ω /km
ANM05.002.62.015AB	UL2464	300V	62X15AWG	34/0.25	30.7	1953.15	10.9 Ω /km
ANM05.002.63.015AB	UL2464	300V	63X15AWG	34/0.25	30.7	1965.15	10.9 Ω /km
ANM05.002.64.015AB	UL2464	300V	64X15AWG	34/0.25	30.7	1977.15	10.9 Ω /km
ANM05.002.65.015AB	UL2464	300V	65X15AWG	34/0.25	30.7	1989.05	10.9 Ω /km
ANM05.002.02.014AB	UL2464	300V	2X14AWG	43/0.25	8.8	135.28	8.62 Ω /km
ANM05.002.03.014AB	UL2464	300V	3X14AWG	43/0.25	9.3	162.08	8.62 Ω /km
ANM05.002.04.014AB	UL2464	300V	4X14AWG	43/0.25	10.1	197.08	8.62 Ω /km
ANM05.002.05.014AB	UL2464	300V	5X14AWG	43/0.25	10.9	233.88	8.62 Ω /km
ANM05.002.06.014AB	UL2464	300V	6X14AWG	43/0.25	11.7	271.98	8.62 Ω /km
ANM05.002.07.014AB	UL2464	300V	7X14AWG	43/0.25	11.7	287.08	8.62 Ω /km
ANM05.002.08.014AB	UL2464	300V	8X14AWG	43/0.25	12.6	329.98	8.62 Ω /km
ANM05.002.09.014AB	UL2464	300V	9X14AWG	43/0.25	13.9	388.78	8.62 Ω /km
ANM05.002.10.014AB	UL2464	300V	10X14AWG	43/0.25	14.7	432.78	8.62 Ω /km
ANM05.002.11.014AB	UL2464	300V	11X14AWG	43/0.25	15.2	466.68	8.62 Ω /km
ANM05.002.12.014AB	UL2464	300V	12X14AWG	43/0.25	15.2	481.88	8.62 Ω /km
ANM05.002.13.014AB	UL2464	300V	13X14AWG	43/0.25	16	528.48	8.62 Ω /km
ANM05.002.14.014AB	UL2464	300V	14X14AWG	43/0.25	16	543.58	8.62 Ω /km
ANM05.002.15.014AB	UL2464	300V	15X14AWG	43/0.25	16.8	591.48	8.62 Ω /km
ANM05.002.16.014AB	UL2464	300V	16X14AWG	43/0.25	16.8	606.68	8.62 Ω /km
ANM05.002.17.014AB	UL2464	300V	17X14AWG	43/0.25	17.6	656.38	8.62 Ω /km
ANM05.002.18.014AB	UL2464	300V	18X14AWG	43/0.25	17.6	671.58	8.62 Ω /km
ANM05.002.19.014AB	UL2464	300V	19X14AWG	43/0.25	17.6	686.68	8.62 Ω /km
ANM05.002.20.014AB	UL2464	300V	20X14AWG	43/0.25	18.1	723.98	8.62 Ω /km
ANM05.002.21.014AB	UL2464	300V	21X14AWG	43/0.25	18.5	757.48	8.62 Ω /km
ANM05.002.22.014AB	UL2464	300V	22X14AWG	43/0.25	20.7	877.68	8.62 Ω /km
ANM05.002.23.014AB	UL2464	300V	23X14AWG	43/0.25	21.5	934.78	8.62 Ω /km
ANM05.002.24.014AB	UL2464	300V	24X14AWG	43/0.25	21.5	949.98	8.62 Ω /km
ANM05.002.25.014AB	UL2464	300V	25X14AWG	43/0.25	22	992.08	8.62 Ω /km
ANM05.002.26.014AB	UL2464	300V	26X14AWG	43/0.25	22	1007.18	8.62 Ω /km
ANM05.002.27.014AB	UL2464	300V	27X14AWG	43/0.25	22	1022.28	8.62 Ω /km



ANM05.002.28.014AB	UL2464	300V	28X14AWG	43/0.25	22.8	1081.98	8.62 Ω /km
ANM05.002.29.014AB	UL2464	300V	29X14AWG	43/0.25	22.8	1097.08	8.62 Ω /km
ANM05.002.30.014AB	UL2464	300V	30X14AWG	43/0.25	22.8	1112.18	8.62 Ω /km
ANM05.002.31.014AB	UL2464	300V	31X14AWG	43/0.25	23.6	1173.48	8.62 Ω /km
ANM05.002.32.014AB	UL2464	300V	32X14AWG	43/0.25	23.6	1188.58	8.62 Ω /km
ANM05.002.33.014AB	UL2464	300V	33X14AWG	43/0.25	23.6	1203.78	8.62 Ω /km
ANM05.002.34.014AB	UL2464	300V	34X14AWG	43/0.25	24.4	1266.38	8.62 Ω /km
ANM05.002.35.014AB	UL2464	300V	35X14AWG	43/0.25	24.4	1281.48	8.62 Ω /km
ANM05.002.36.014AB	UL2464	300V	36X14AWG	43/0.25	24.4	1296.68	8.62 Ω /km
ANM05.002.37.014AB	UL2464	300V	37X14AWG	43/0.25	24.4	1311.88	8.62 Ω /km
ANM05.002.38.014AB	UL2464	300V	38X14AWG	43/0.25	25.3	1382.38	8.62 Ω /km
ANM05.002.39.014AB	UL2464	300V	39X14AWG	43/0.25	25.3	1397.48	8.62 Ω /km
ANM05.002.40.014AB	UL2464	300V	40X14AWG	43/0.25	25.3	1412.78	8.62 Ω /km
ANM05.002.41.014AB	UL2464	300V	41X14AWG	43/0.25	27.3	1557.88	8.62 Ω /km
ANM05.002.42.014AB	UL2464	300V	42X14AWG	43/0.25	27.3	1572.98	8.62 Ω /km
ANM05.002.43.014AB	UL2464	300V	43X14AWG	43/0.25	27.3	1588.08	8.62 Ω /km
ANM05.002.44.014AB	UL2464	300V	44X14AWG	43/0.25	27.3	1603.18	8.62 Ω /km
ANM05.002.45.014AB	UL2464	300V	45X14AWG	43/0.25	27.8	1652.58	8.62 Ω /km
ANM05.002.46.014AB	UL2464	300V	46X14AWG	43/0.25	27.8	1667.68	8.62 Ω /km
ANM05.002.47.014AB	UL2464	300V	47X14AWG	43/0.25	27.8	1682.68	8.62 Ω /km
ANM05.002.48.014AB	UL2464	300V	48X14AWG	43/0.25	27.8	1697.88	8.62 Ω /km
ANM05.002.49.014AB	UL2464	300V	49X14AWG	43/0.25	29.6	1837.58	8.62 Ω /km
ANM05.002.50.014AB	UL2464	300V	50X14AWG	43/0.25	29.6	1852.68	8.62 Ω /km
ANM05.002.51.014AB	UL2464	300V	51X14AWG	43/0.25	29.6	1867.88	8.62 Ω /km
ANM05.002.52.014AB	UL2464	300V	52X14AWG	43/0.25	29.6	1882.98	8.62 Ω /km
ANM05.002.02.013AB	UL2464	300V	2X13AWG	54/0.25	9.4	157.33	6.82 Ω /km
ANM05.002.03.013AB	UL2464	300V	3X13AWG	54/0.25	9.9	188.53	6.82 Ω /km
ANM05.002.04.013AB	UL2464	300V	4X13AWG	54/0.25	10.8	231.13	6.82 Ω /km
ANM05.002.05.013AB	UL2464	300V	5X13AWG	54/0.25	11.7	275.73	6.82 Ω /km
ANM05.002.06.013AB	UL2464	300V	6X13AWG	54/0.25	12.6	322.43	6.82 Ω /km
ANM05.002.07.013AB	UL2464	300V	7X13AWG	54/0.25	12.6	341.23	6.82 Ω /km
ANM05.002.08.013AB	UL2464	300V	8X13AWG	54/0.25	13.7	396.63	6.82 Ω /km
ANM05.002.09.013AB	UL2464	300V	9X13AWG	54/0.25	15	462.63	6.82 Ω /km
ANM05.002.10.013AB	UL2464	300V	10X13AWG	54/0.25	15.9	516.43	6.82 Ω /km
ANM05.002.11.013AB	UL2464	300V	11X13AWG	54/0.25	16.4	555.53	6.82 Ω /km
ANM05.002.12.013AB	UL2464	300V	12X13AWG	54/0.25	16.4	574.33	6.82 Ω /km
ANM05.002.13.013AB	UL2464	300V	13X13AWG	54/0.25	17.3	631.13	6.82 Ω /km
ANM05.002.14.013AB	UL2464	300V	14X13AWG	54/0.25	17.3	650.03	6.82 Ω /km
ANM05.002.15.013AB	UL2464	300V	15X13AWG	54/0.25	18.2	708.73	6.82 Ω /km
ANM05.002.16.013AB	UL2464	300V	16X13AWG	54/0.25	18.2	727.53	6.82 Ω /km
ANM05.002.17.013AB	UL2464	300V	17X13AWG	54/0.25	19.1	788.33	6.82 Ω /km
ANM05.002.18.013AB	UL2464	300V	18X13AWG	54/0.25	19.1	807.23	6.82 Ω /km



ANM05.002.19.013AB	UL2464	300V	19X13AWG	54/0.25	19.1	826.03	6.82 Ω /km
ANM05.002.20.013AB	UL2464	300V	20X13AWG	54/0.25	20.6	916.63	6.82 Ω /km
ANM05.002.21.013AB	UL2464	300V	21X13AWG	54/0.25	21.1	961.43	6.82 Ω /km
ANM05.002.22.013AB	UL2464	300V	22X13AWG	54/0.25	22.4	1050.43	6.82 Ω /km
ANM05.002.23.013AB	UL2464	300V	23X13AWG	54/0.25	23.3	1120.23	6.82 Ω /km
ANM05.002.24.013AB	UL2464	300V	24X13AWG	54/0.25	23.3	1138.93	6.82 Ω /km
ANM05.002.25.013AB	UL2464	300V	25X13AWG	54/0.25	23.8	1186.93	6.82 Ω /km
ANM05.002.26.013AB	UL2464	300V	26X13AWG	54/0.25	23.8	1205.73	6.82 Ω /km
ANM05.002.27.013AB	UL2464	300V	27X13AWG	54/0.25	23.8	1224.63	6.82 Ω /km
ANM05.002.28.013AB	UL2464	300V	28X13AWG	54/0.25	24.7	1297.63	6.82 Ω /km
ANM05.002.29.013AB	UL2464	300V	29X13AWG	54/0.25	24.7	1316.43	6.82 Ω /km
ANM05.002.30.013AB	UL2464	300V	30X13AWG	54/0.25	24.7	1335.23	6.82 Ω /km
ANM05.002.31.013AB	UL2464	300V	31X13AWG	54/0.25	25.6	1410.03	6.82 Ω /km
ANM05.002.32.013AB	UL2464	300V	32X13AWG	54/0.25	25.6	1428.83	6.82 Ω /km
ANM05.002.33.013AB	UL2464	300V	33X13AWG	54/0.25	25.6	1447.63	6.82 Ω /km
ANM05.002.34.013AB	UL2464	300V	34X13AWG	54/0.25	26.5	1524.53	6.82 Ω /km
ANM05.002.35.013AB	UL2464	300V	35X13AWG	54/0.25	26.5	1543.33	6.82 Ω /km
ANM05.002.36.013AB	UL2464	300V	36X13AWG	54/0.25	26.5	1562.23	6.82 Ω /km
ANM05.002.37.013AB	UL2464	300V	37X13AWG	54/0.25	26.5	1581.03	6.82 Ω /km
ANM05.002.38.013AB	UL2464	300V	38X13AWG	54/0.25	27.5	1666.63	6.82 Ω /km
ANM05.002.39.013AB	UL2464	300V	39X13AWG	54/0.25	27.5	1685.43	6.82 Ω /km
ANM05.002.40.013AB	UL2464	300V	40X13AWG	54/0.25	27.5	1704.23	6.82 Ω /km
ANM05.002.41.013AB	UL2464	300V	41X13AWG	54/0.25	31.1	2015.33	6.82 Ω /km
ANM05.002.42.013AB	UL2464	300V	42X13AWG	54/0.25	31.1	2034.13	6.82 Ω /km
ANM05.002.43.013AB	UL2464	300V	43X13AWG	54/0.25	31.1	2052.93	6.82 Ω /km
ANM05.002.44.013AB	UL2464	300V	44X13AWG	54/0.25	31.1	2071.83	6.82 Ω /km
ANM05.002.45.013AB	UL2464	300V	45X13AWG	54/0.25	31.6	2130.03	6.82 Ω /km
ANM05.002.46.013AB	UL2464	300V	46X13AWG	54/0.25	31.6	2148.83	6.82 Ω /km
ANM05.002.47.013AB	UL2464	300V	47X13AWG	54/0.25	31.6	2167.53	6.82 Ω /km
ANM05.002.48.013AB	UL2464	300V	48X13AWG	54/0.25	31.6	2186.33	6.82 Ω /km
ANM05.002.49.013AB	UL2464	300V	49X13AWG	54/0.25	32.5	2277.43	6.82 Ω /km
ANM05.002.50.013AB	UL2464	300V	50X13AWG	54/0.25	32.5	2296.23	6.82 Ω /km
ANM05.002.51.013AB	UL2464	300V	51X13AWG	54/0.25	32.5	2315.03	6.82 Ω /km
ANM05.002.52.013AB	UL2464	300V	52X13AWG	54/0.25	32.5	2333.83	6.82 Ω /km
ANM05.002.02.012AB	UL2464	300V	2X12AWG	68/0.25	10.2	188.61	5.43 Ω /km
ANM05.002.03.012AB	UL2464	300V	3X12AWG	68/0.25	10.8	228.71	5.43 Ω /km
ANM05.002.04.012AB	UL2464	300V	4X12AWG	68/0.25	11.7	278.81	5.43 Ω /km
ANM05.002.05.012AB	UL2464	300V	5X12AWG	68/0.25	12.8	337.01	5.43 Ω /km
ANM05.002.06.012AB	UL2464	300V	6X12AWG	68/0.25	13.9	398.21	5.43 Ω /km
ANM05.002.07.012AB	UL2464	300V	7X12AWG	68/0.25	13.9	422.21	5.43 Ω /km
ANM05.002.08.012AB	UL2464	300V	8X12AWG	68/0.25	15	486.61	5.43 Ω /km
ANM05.002.09.012AB	UL2464	300V	9X12AWG	68/0.25	16.5	569.91	5.43 Ω /km



ANM05.002.10.012AB	UL2464	300V	10X12AWG	68/0.25	17.5	636.61	5.43 Ω /km
ANM05.002.11.012AB	UL2464	300V	11X12AWG	68/0.25	18.1	687.41	5.43 Ω /km
ANM05.002.12.012AB	UL2464	300V	12X12AWG	68/0.25	18.1	711.51	5.43 Ω /km
ANM05.002.13.012AB	UL2464	300V	13X12AWG	68/0.25	19	777.31	5.43 Ω /km
ANM05.002.14.012AB	UL2464	300V	14X12AWG	68/0.25	19	801.31	5.43 Ω /km
ANM05.002.15.012AB	UL2464	300V	15X12AWG	68/0.25	21.1	927.91	5.43 Ω /km
ANM05.002.16.012AB	UL2464	300V	16X12AWG	68/0.25	21.1	952.01	5.43 Ω /km
ANM05.002.17.012AB	UL2464	300V	17X12AWG	68/0.25	22.1	1029.61	5.43 Ω /km
ANM05.002.18.012AB	UL2464	300V	18X12AWG	68/0.25	22.1	1053.61	5.43 Ω /km
ANM05.002.19.012AB	UL2464	300V	19X12AWG	68/0.25	22.1	1077.91	5.43 Ω /km
ANM05.002.20.012AB	UL2464	300V	20X12AWG	68/0.25	22.7	1135.41	5.43 Ω /km
ANM05.002.21.012AB	UL2464	300V	21X12AWG	68/0.25	23.2	1187.91	5.43 Ω /km
ANM05.002.22.012AB	UL2464	300V	22X12AWG	68/0.25	24.7	1301.01	5.43 Ω /km
ANM05.002.23.012AB	UL2464	300V	23X12AWG	68/0.25	25.7	1387.51	5.43 Ω /km
ANM05.002.24.012AB	UL2464	300V	24X12AWG	68/0.25	25.7	1411.51	5.43 Ω /km
ANM05.002.25.012AB	UL2464	300V	25X12AWG	68/0.25	26.3	1474.21	5.43 Ω /km
ANM05.002.26.012AB	UL2464	300V	26X12AWG	68/0.25	26.3	1498.31	5.43 Ω /km
ANM05.002.27.012AB	UL2464	300V	27X12AWG	68/0.25	26.3	1522.41	5.43 Ω /km
ANM05.002.28.012AB	UL2464	300V	28X12AWG	68/0.25	27.2	1605.91	5.43 Ω /km
ANM05.002.29.012AB	UL2464	300V	29X12AWG	68/0.25	27.2	1629.91	5.43 Ω /km
ANM05.002.30.012AB	UL2464	300V	30X12AWG	68/0.25	27.2	1654.11	5.43 Ω /km
ANM05.002.31.012AB	UL2464	300V	31X12AWG	68/0.25	28.3	1753.71	5.43 Ω /km
ANM05.002.32.012AB	UL2464	300V	32X12AWG	68/0.25	28.3	1777.81	5.43 Ω /km
ANM05.002.33.012AB	UL2464	300V	33X12AWG	68/0.25	28.3	1801.91	5.43 Ω /km
ANM05.002.34.012AB	UL2464	300V	34X12AWG	68/0.25	30.7	2032.11	5.43 Ω /km
ANM05.002.35.012AB	UL2464	300V	35X12AWG	68/0.25	30.7	2056.11	5.43 Ω /km
ANM05.002.36.012AB	UL2464	300V	36X12AWG	68/0.25	30.7	2080.11	5.43 Ω /km
ANM05.002.37.012AB	UL2464	300V	37X12AWG	68/0.25	30.7	2104.31	5.43 Ω /km
ANM05.002.02.011AB	UL2464	300V	2X11AWG	85/0.25	11	222.37	4.30 Ω /km
ANM05.002.03.011AB	UL2464	300V	3X11AWG	85/0.25	11.7	272.17	4.30 Ω /km
ANM05.002.04.011AB	UL2464	300V	4X11AWG	85/0.25	12.7	332.87	4.30 Ω /km
ANM05.002.05.011AB	UL2464	300V	5X11AWG	85/0.25	13.9	402.87	4.30 Ω /km
ANM05.002.06.011AB	UL2464	300V	6X11AWG	85/0.25	15.1	476.37	4.30 Ω /km
ANM05.002.07.011AB	UL2464	300V	7X11AWG	85/0.25	15.1	506.07	4.30 Ω /km
ANM05.002.08.011AB	UL2464	300V	8X11AWG	85/0.25	16.3	583.17	4.30 Ω /km
ANM05.002.09.011AB	UL2464	300V	9X11AWG	85/0.25	17.9	681.27	4.30 Ω /km
ANM05.002.10.011AB	UL2464	300V	10X11AWG	85/0.25	19.1	766.37	4.30 Ω /km
ANM05.002.11.011AB	UL2464	300V	11X11AWG	85/0.25	20.8	878.17	4.30 Ω /km
ANM05.002.12.011AB	UL2464	300V	12X11AWG	85/0.25	20.8	907.77	4.30 Ω /km
ANM05.002.13.011AB	UL2464	300V	13X11AWG	85/0.25	21.8	990.47	4.30 Ω /km
ANM05.002.14.011AB	UL2464	300V	14X11AWG	85/0.25	21.8	1020.07	4.30 Ω /km
ANM05.002.15.011AB	UL2464	300V	15X11AWG	85/0.25	22.9	1110.67	4.30 Ω /km



ANM05.002.16.011AB	UL2464	300V	16X11AWG	85/0.25	22.9	1140.47	4.30 Ω /km
ANM05.002.17.011AB	UL2464	300V	17X11AWG	85/0.25	24.1	1239.97	4.30 Ω /km
ANM05.002.18.011AB	UL2464	300V	18X11AWG	85/0.25	24.1	1269.67	4.30 Ω /km
ANM05.002.19.011AB	UL2464	300V	19X11AWG	85/0.25	24.1	1299.37	4.30 Ω /km
ANM05.002.20.011AB	UL2464	300V	20X11AWG	85/0.25	24.8	1371.27	4.30 Ω /km
ANM05.002.21.011AB	UL2464	300V	21X11AWG	85/0.25	25.3	1432.07	4.30 Ω /km
ANM05.002.22.011AB	UL2464	300V	22X11AWG	85/0.25	26.9	1564.97	4.30 Ω /km
ANM05.002.23.011AB	UL2464	300V	23X11AWG	85/0.25	28.1	1676.17	4.30 Ω /km
ANM05.002.24.011AB	UL2464	300V	24X11AWG	85/0.25	28.1	1705.77	4.30 Ω /km
ANM05.002.25.011AB	UL2464	300V	25X11AWG	85/0.25	29.8	1853.97	4.30 Ω /km
ANM05.002.26.011AB	UL2464	300V	26X11AWG	85/0.25	29.8	1883.57	4.30 Ω /km
ANM05.002.27.011AB	UL2464	300V	27X11AWG	85/0.25	29.8	1913.27	4.30 Ω /km
ANM05.002.28.011AB	UL2464	300V	28X11AWG	85/0.25	31.2	2083.27	4.30 Ω /km
ANM05.002.29.011AB	UL2464	300V	29X11AWG	85/0.25	31.2	2112.87	4.30 Ω /km
ANM05.002.30.011AB	UL2464	300V	30X11AWG	85/0.25	31.2	2142.47	4.30 Ω /km
ANM05.002.31.011AB	UL2464	300V	31X11AWG	85/0.25	32.3	2259.77	4.30 Ω /km
ANM05.002.32.011AB	UL2464	300V	32X11AWG	85/0.25	32.3	2289.37	4.30 Ω /km
ANM05.002.33.011AB	UL2464	300V	33X11AWG	85/0.25	32.3	2319.07	4.30 Ω /km
ANM05.002.34.011AB	UL2464	300V	34X11AWG	85/0.25	33.5	2447.37	4.30 Ω /km
ANM05.002.35.011AB	UL2464	300V	35X11AWG	85/0.25	33.5	2476.97	4.30 Ω /km
ANM05.002.36.011AB	UL2464	300V	36X11AWG	85/0.25	33.5	2506.77	4.30 Ω /km
ANM05.002.37.011AB	UL2464	300V	37X11AWG	85/0.25	33.5	2536.27	4.30 Ω /km
ANM05.002.02.010AB	UL2464	300V	2X10AWG	108/0.25	12.2	270.37	3.409 Ω /km
ANM05.002.03.010AB	UL2464	300V	3X10AWG	108/0.25	13	331.27	3.409 Ω /km
ANM05.002.04.010AB	UL2464	300V	4X10AWG	108/0.25	14.3	411.57	3.409 Ω /km
ANM05.002.05.010AB	UL2464	300V	5X10AWG	108/0.25	15.6	495.97	3.409 Ω /km
ANM05.002.06.010AB	UL2464	300V	6X10AWG	108/0.25	16.9	584.47	3.409 Ω /km
ANM05.002.07.010AB	UL2464	300V	7X10AWG	108/0.25	16.9	619.87	3.409 Ω /km
ANM05.002.08.010AB	UL2464	300V	8X10AWG	108/0.25	18.3	716.97	3.409 Ω /km
ANM05.002.09.010AB	UL2464	300V	9X10AWG	108/0.25	21.2	892.57	3.409 Ω /km
ANM05.002.10.010AB	UL2464	300V	10X10AWG	108/0.25	22.5	998.77	3.409 Ω /km
ANM05.002.11.010AB	UL2464	300V	11X10AWG	108/0.25	23.3	1079.37	3.409 Ω /km
ANM05.002.12.010AB	UL2464	300V	12X10AWG	108/0.25	23.3	1114.77	3.409 Ω /km
ANM05.002.13.010AB	UL2464	300V	13X10AWG	108/0.25	24.5	1221.47	3.409 Ω /km
ANM05.002.14.010AB	UL2464	300V	14X10AWG	108/0.25	24.5	1256.77	3.409 Ω /km
ANM05.002.15.010AB	UL2464	300V	15X10AWG	108/0.25	25.8	1373.07	3.409 Ω /km
ANM05.002.16.010AB	UL2464	300V	16X10AWG	108/0.25	25.8	1408.57	3.409 Ω /km
ANM05.002.17.010AB	UL2464	300V	17X10AWG	108/0.25	27.1	1528.97	3.409 Ω /km
ANM05.002.18.010AB	UL2464	300V	18X10AWG	108/0.25	27.1	1564.37	3.409 Ω /km
ANM05.002.19.010AB	UL2464	300V	19X10AWG	108/0.25	27.1	1599.87	3.409 Ω /km
ANM05.002.20.010AB	UL2464	300V	20X10AWG	108/0.25	27.9	1689.67	3.409 Ω /km
ANM05.002.21.010AB	UL2464	300V	21X10AWG	108/0.25	29.5	1835.47	3.409 Ω /km



ANM05.002.22.010AB	UL2464	300V	22X10AWG	108/0.25	31.8	2080.57	3.409 Ω /km
ANM05.002.23.010AB	UL2464	300V	23X10AWG	108/0.25	33.1	2221.47	3.409 Ω /km
ANM05.002.24.010AB	UL2464	300V	24X10AWG	108/0.25	33.1	2256.77	3.409 Ω /km
ANM05.002.25.010AB	UL2464	300V	25X10AWG	108/0.25	33.9	2359.27	3.409 Ω /km
ANM05.002.26.010AB	UL2464	300V	26X10AWG	108/0.25	33.9	2394.67	3.409 Ω /km
ANM05.002.27.010AB	UL2464	300V	27X10AWG	108/0.25	33.9	2429.97	3.409 Ω /km
ANM05.002.28.010AB	UL2464	300V	28X10AWG	108/0.25	35.1	2568.97	3.409 Ω /km
ANM05.002.29.010AB	UL2464	300V	29X10AWG	108/0.25	35.1	2604.37	3.409 Ω /km
ANM05.002.30.010AB	UL2464	300V	30X10AWG	108/0.25	35.1	2639.77	3.409 Ω /km
ANM05.002.31.010AB	UL2464	300V	31X10AWG	108/0.25	36.7	2818.47	3.409 Ω /km
ANM05.002.32.010AB	UL2464	300V	32X10AWG	108/0.25	36.7	2853.87	3.409 Ω /km
ANM05.002.33.010AB	UL2464	300V	33X10AWG	108/0.25	36.7	2889.27	3.409 Ω /km
ANM05.002.34.010AB	UL2464	300V	34X10AWG	108/0.25	38	3045.57	3.409 Ω /km
ANM05.002.35.010AB	UL2464	300V	35X10AWG	108/0.25	38	3081.07	3.409 Ω /km
ANM05.002.36.010AB	UL2464	300V	36X10AWG	108/0.25	38	3116.47	3.409 Ω /km
ANM05.002.37.010AB	UL2464	300V	37X10AWG	108/0.25	38	3151.77	3.409 Ω /km
ANM05.002.02.009AB	UL2464	300V	2X9AWG	136/0.25	13.7	341.44	2.705 Ω /km
ANM05.002.03.009AB	UL2464	300V	3X9AWG	136/0.25	14.6	419.14	2.705 Ω /km
ANM05.002.04.009AB	UL2464	300V	4X9AWG	136/0.25	15.9	514.74	2.705 Ω /km
ANM05.002.05.009AB	UL2464	300V	5X9AWG	136/0.25	17.5	627.24	2.705 Ω /km
ANM05.002.06.009AB	UL2464	300V	6X9AWG	136/0.25	19	741.44	2.705 Ω /km
ANM05.002.07.009AB	UL2464	300V	7X9AWG	136/0.25	19	786.94	2.705 Ω /km
ANM05.002.08.009AB	UL2464	300V	8X9AWG	136/0.25	21.6	961.74	2.705 Ω /km
ANM05.002.09.009AB	UL2464	300V	9X9AWG	136/0.25	23.8	1131.24	2.705 Ω /km
ANM05.002.10.009AB	UL2464	300V	10X9AWG	136/0.25	25.3	1268.14	2.705 Ω /km
ANM05.002.11.009AB	UL2464	300V	11X9AWG	136/0.25	26.2	1371.24	2.705 Ω /km
ANM05.002.12.009AB	UL2464	300V	12X9AWG	136/0.25	26.2	1416.74	2.705 Ω /km
ANM05.002.13.009AB	UL2464	300V	13X9AWG	136/0.25	27.5	1548.64	2.705 Ω /km
ANM05.002.14.009AB	UL2464	300V	14X9AWG	136/0.25	27.5	1594.24	2.705 Ω /km
ANM05.002.15.009AB	UL2464	300V	15X9AWG	136/0.25	30.5	1885.84	2.705 Ω /km
ANM05.002.16.009AB	UL2464	300V	16X9AWG	136/0.25	30.5	1931.44	2.705 Ω /km
ANM05.002.17.009AB	UL2464	300V	17X9AWG	136/0.25	32	2094.54	2.705 Ω /km
ANM05.002.18.009AB	UL2464	300V	18X9AWG	136/0.25	32	2140.14	2.705 Ω /km
ANM05.002.19.009AB	UL2464	300V	19X9AWG	136/0.25	32	2185.74	2.705 Ω /km
ANM05.002.20.009AB	UL2464	300V	20X9AWG	136/0.25	32.9	2304.64	2.705 Ω /km
ANM05.002.21.009AB	UL2464	300V	21X9AWG	136/0.25	33.6	2408.34	2.705 Ω /km
ANM05.002.22.009AB	UL2464	300V	22X9AWG	136/0.25	36.1	2671.74	2.705 Ω /km
ANM05.002.23.009AB	UL2464	300V	23X9AWG	136/0.25	37.6	2855.04	2.705 Ω /km
ANM05.002.24.009AB	UL2464	300V	24X9AWG	136/0.25	37.6	2900.64	2.705 Ω /km
ANM05.002.25.009AB	UL2464	300V	25X9AWG	136/0.25	38.5	3031.64	2.705 Ω /km
ANM05.002.26.009AB	UL2464	300V	26X9AWG	136/0.25	38.5	3077.24	2.705 Ω /km
ANM05.002.27.009AB	UL2464	300V	27X9AWG	136/0.25	38.5	3122.84	2.705 Ω /km



ANM05.002.28.009AB	UL2464	300V	28X9AWG	136/0.25	39.8	3295.14	2.705 Ω/km
ANM05.002.29.009AB	UL2464	300V	29X9AWG	136/0.25	39.8	3340.84	2.705 Ω/km
ANM05.002.30.009AB	UL2464	300V	30X9AWG	136/0.25	39.8	3386.54	2.705 Ω/km
ANM05.002.31.009AB	UL2464	300V	31X9AWG	136/0.25	41.6	3652.84	2.705 Ω/km
ANM05.002.32.009AB	UL2464	300V	32X9AWG	136/0.25	41.6	3698.44	2.705 Ω/km
ANM05.002.33.009AB	UL2464	300V	33X9AWG	136/0.25	41.6	3744.14	2.705 Ω/km
ANM05.002.34.009AB	UL2464	300V	34X9AWG	136/0.25	44.5	4094.34	2.705 Ω/km
ANM05.002.35.009AB	UL2464	300V	35X9AWG	136/0.25	44.5	4139.94	2.705 Ω/km
ANM05.002.36.009AB	UL2464	300V	36X9AWG	136/0.25	44.5	4185.54	2.705 Ω/km
ANM05.002.37.009AB	UL2464	300V	37X9AWG	136/0.25	44.5	4231.24	2.705 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
芯线 PE 材质							
ANM05.005.02.028AB	UL2464	300V	2X28AWG	11/0.1	4.6	29.99	223 Ω/km
ANM05.005.03.028AB	UL2464	300V	3X28AWG	11/0.1	4.8	33.09	223 Ω/km
ANM05.005.04.028AB	UL2464	300V	4X28AWG	11/0.1	5	36.39	223 Ω/km
ANM05.005.05.028AB	UL2464	300V	5X28AWG	11/0.1	5.2	39.59	223 Ω/km
ANM05.005.06.028AB	UL2464	300V	6X28AWG	11/0.1	5.4	43.09	223 Ω/km
ANM05.005.07.028AB	UL2464	300V	7X28AWG	11/0.1	5.4	43.69	223 Ω/km
ANM05.005.08.028AB	UL2464	300V	8X28AWG	11/0.1	5.7	48.69	223 Ω/km
ANM05.005.09.028AB	UL2464	300V	9X28AWG	11/0.1	6	54.09	223 Ω/km
ANM05.005.10.028AB	UL2464	300V	10X28AWG	11/0.1	6.2	57.89	223 Ω/km
ANM05.005.11.028AB	UL2464	300V	11X28AWG	11/0.1	6.4	61.79	223 Ω/km
ANM05.005.12.028AB	UL2464	300V	12X28AWG	11/0.1	6.4	62.39	223 Ω/km
ANM05.005.13.028AB	UL2464	300V	13X28AWG	11/0.1	6.6	66.39	223 Ω/km
ANM05.005.14.028AB	UL2464	300V	14X28AWG	11/0.1	6.6	66.99	223 Ω/km
ANM05.005.15.028AB	UL2464	300V	15X28AWG	11/0.1	6.8	71.09	223 Ω/km
ANM05.005.16.028AB	UL2464	300V	16X28AWG	11/0.1	6.8	71.69	223 Ω/km
ANM05.005.17.028AB	UL2464	300V	17X28AWG	11/0.1	7	75.79	223 Ω/km
ANM05.005.18.028AB	UL2464	300V	18X28AWG	11/0.1	7	76.49	223 Ω/km
ANM05.005.19.028AB	UL2464	300V	19X28AWG	11/0.1	7	77.09	223 Ω/km
ANM05.005.20.028AB	UL2464	300V	20X28AWG	11/0.1	7.2	81.49	223 Ω/km
ANM05.005.21.028AB	UL2464	300V	21X28AWG	11/0.1	7.3	83.89	223 Ω/km
ANM05.005.22.028AB	UL2464	300V	22X28AWG	11/0.1	7.6	90.29	223 Ω/km
ANM05.005.23.028AB	UL2464	300V	23X28AWG	11/0.1	7.8	95.09	223 Ω/km
ANM05.005.24.028AB	UL2464	300V	24X28AWG	11/0.1	7.8	95.69	223 Ω/km
ANM05.005.25.028AB	UL2464	300V	25X28AWG	11/0.1	8	100.29	223 Ω/km
ANM05.005.26.028AB	UL2464	300V	26X28AWG	11/0.1	8	100.89	223 Ω/km
ANM05.005.27.028AB	UL2464	300V	27X28AWG	11/0.1	8	101.49	223 Ω/km
ANM05.005.28.028AB	UL2464	300V	28X28AWG	11/0.1	8.2	106.19	223 Ω/km
ANM05.005.29.028AB	UL2464	300V	29X28AWG	11/0.1	8.2	106.79	223 Ω/km
ANM05.005.30.028AB	UL2464	300V	30X28AWG	11/0.1	8.2	107.39	223 Ω/km
ANM05.005.31.028AB	UL2464	300V	31X28AWG	11/0.1	8.4	112.39	223 Ω/km



ANM05.005.32.028AB	UL2464	300V	32X28AWG	11/0.1	8.4	112.89	223 Ω/km
ANM05.005.33.028AB	UL2464	300V	33X28AWG	11/0.1	8.4	113.49	223 Ω/km
ANM05.005.34.028AB	UL2464	300V	34X28AWG	11/0.1	8.6	118.49	223 Ω/km
ANM05.005.35.028AB	UL2464	300V	35X28AWG	11/0.1	8.6	119.09	223 Ω/km
ANM05.005.36.028AB	UL2464	300V	36X28AWG	11/0.1	8.6	119.79	223 Ω/km
ANM05.005.37.028AB	UL2464	300V	37X28AWG	11/0.1	8.6	120.29	223 Ω/km
ANM05.005.38.028AB	UL2464	300V	38X28AWG	11/0.1	8.9	127.59	223 Ω/km
ANM05.005.39.028AB	UL2464	300V	39X28AWG	11/0.1	8.9	128.19	223 Ω/km
ANM05.005.40.028AB	UL2464	300V	40X28AWG	11/0.1	8.9	128.79	223 Ω/km
ANM05.005.41.028AB	UL2464	300V	41X28AWG	11/0.1	9.4	141.19	223 Ω/km
ANM05.005.42.028AB	UL2464	300V	42X28AWG	11/0.1	9.4	141.79	223 Ω/km
ANM05.005.43.028AB	UL2464	300V	43X28AWG	11/0.1	9.4	142.49	223 Ω/km
ANM05.005.44.028AB	UL2464	300V	44X28AWG	11/0.1	9.4	142.99	223 Ω/km
ANM05.005.45.028AB	UL2464	300V	45X28AWG	11/0.1	9.6	148.49	223 Ω/km
ANM05.005.46.028AB	UL2464	300V	46X28AWG	11/0.1	9.6	149.09	223 Ω/km
ANM05.005.47.028AB	UL2464	300V	47X28AWG	11/0.1	9.6	149.69	223 Ω/km
ANM05.005.48.028AB	UL2464	300V	48X28AWG	11/0.1	9.6	150.29	223 Ω/km
ANM05.005.49.028AB	UL2464	300V	49X28AWG	11/0.1	9.8	155.79	223 Ω/km
ANM05.005.50.028AB	UL2464	300V	50X28AWG	11/0.1	9.8	156.39	223 Ω/km
ANM05.005.51.028AB	UL2464	300V	51X28AWG	11/0.1	9.8	156.89	223 Ω/km
ANM05.005.52.028AB	UL2464	300V	52X28AWG	11/0.1	9.8	157.59	223 Ω/km
ANM05.005.53.028AB	UL2464	300V	53X28AWG	11/0.1	10	163.29	223 Ω/km
ANM05.005.54.028AB	UL2464	300V	54X28AWG	11/0.1	10	163.89	223 Ω/km
ANM05.005.55.028AB	UL2464	300V	55X28AWG	11/0.1	10	164.49	223 Ω/km
ANM05.005.56.028AB	UL2464	300V	56X28AWG	11/0.1	10	164.99	223 Ω/km
ANM05.005.57.028AB	UL2464	300V	57X28AWG	11/0.1	10.2	170.89	223 Ω/km
ANM05.005.58.028AB	UL2464	300V	58X28AWG	11/0.1	10.2	171.39	223 Ω/km
ANM05.005.59.028AB	UL2464	300V	59X28AWG	11/0.1	10.2	171.99	223 Ω/km
ANM05.005.60.028AB	UL2464	300V	60X28AWG	11/0.1	10.2	172.59	223 Ω/km
ANM05.005.61.028AB	UL2464	300V	61X28AWG	11/0.1	10.2	173.19	223 Ω/km
ANM05.005.62.028AB	UL2464	300V	62X28AWG	11/0.1	10.5	181.69	223 Ω/km
ANM05.005.63.028AB	UL2464	300V	63X28AWG	11/0.1	10.5	182.19	223 Ω/km
ANM05.005.64.028AB	UL2464	300V	64X28AWG	11/0.1	10.5	182.79	223 Ω/km
ANM05.005.65.028AB	UL2464	300V	65X28AWG	11/0.1	10.5	183.39	223 Ω/km
ANM05.005.02.027AB	UL2464	300V	2X27AWG	7/0.14	4.8	32.61	175 Ω/km
ANM05.005.03.027AB	UL2464	300V	3X27AWG	7/0.14	5	35.91	175 Ω/km
ANM05.005.04.027AB	UL2464	300V	4X27AWG	7/0.14	5.2	39.31	175 Ω/km
ANM05.005.05.027AB	UL2464	300V	5X27AWG	7/0.14	5.5	44.41	175 Ω/km
ANM05.005.06.027AB	UL2464	300V	6X27AWG	7/0.14	5.7	47.81	175 Ω/km
ANM05.005.07.027AB	UL2464	300V	7X27AWG	7/0.14	5.7	48.61	175 Ω/km
ANM05.005.08.027AB	UL2464	300V	8X27AWG	7/0.14	6	53.91	175 Ω/km
ANM05.005.09.027AB	UL2464	300V	9X27AWG	7/0.14	6.4	61.11	175 Ω/km



ANM05.005.10.027AB	UL2464	300V	10X27AWG	7/0.14	6.6	65.21	175 Ω/km
ANM05.005.11.027AB	UL2464	300V	11X27AWG	7/0.14	6.8	69.31	175 Ω/km
ANM05.005.12.027AB	UL2464	300V	12X27AWG	7/0.14	6.8	70.01	175 Ω/km
ANM05.005.13.027AB	UL2464	300V	13X27AWG	7/0.14	7	74.31	175 Ω/km
ANM05.005.14.027AB	UL2464	300V	14X27AWG	7/0.14	7	74.91	175 Ω/km
ANM05.005.15.027AB	UL2464	300V	15X27AWG	7/0.14	7.3	81.21	175 Ω/km
ANM05.005.16.027AB	UL2464	300V	16X27AWG	7/0.14	7.3	81.91	175 Ω/km
ANM05.005.17.027AB	UL2464	300V	17X27AWG	7/0.14	7.5	86.41	175 Ω/km
ANM05.005.18.027AB	UL2464	300V	18X27AWG	7/0.14	7.5	87.11	175 Ω/km
ANM05.005.19.027AB	UL2464	300V	19X27AWG	7/0.14	7.5	87.81	175 Ω/km
ANM05.005.20.027AB	UL2464	300V	20X27AWG	7/0.14	7.7	92.31	175 Ω/km
ANM05.005.21.027AB	UL2464	300V	21X27AWG	7/0.14	7.8	95.11	175 Ω/km
ANM05.005.22.027AB	UL2464	300V	22X27AWG	7/0.14	8.2	103.91	175 Ω/km
ANM05.005.23.027AB	UL2464	300V	23X27AWG	7/0.14	8.4	108.91	175 Ω/km
ANM05.005.24.027AB	UL2464	300V	24X27AWG	7/0.14	8.4	109.61	175 Ω/km
ANM05.005.25.027AB	UL2464	300V	25X27AWG	7/0.14	8.6	114.61	175 Ω/km
ANM05.005.26.027AB	UL2464	300V	26X27AWG	7/0.14	8.6	115.41	175 Ω/km
ANM05.005.27.027AB	UL2464	300V	27X27AWG	7/0.14	8.6	116.01	175 Ω/km
ANM05.005.28.027AB	UL2464	300V	28X27AWG	7/0.14	8.8	121.21	175 Ω/km
ANM05.005.29.027AB	UL2464	300V	29X27AWG	7/0.14	8.8	121.91	175 Ω/km
ANM05.005.30.027AB	UL2464	300V	30X27AWG	7/0.14	8.8	122.41	175 Ω/km
ANM05.005.31.027AB	UL2464	300V	31X27AWG	7/0.14	9.1	130.01	175 Ω/km
ANM05.005.32.027AB	UL2464	300V	32X27AWG	7/0.14	9.1	130.61	175 Ω/km
ANM05.005.33.027AB	UL2464	300V	33X27AWG	7/0.14	9.1	131.21	175 Ω/km
ANM05.005.34.027AB	UL2464	300V	34X27AWG	7/0.14	9.3	136.71	175 Ω/km
ANM05.005.35.027AB	UL2464	300V	35X27AWG	7/0.14	9.3	137.41	175 Ω/km
ANM05.005.36.027AB	UL2464	300V	36X27AWG	7/0.14	9.3	138.01	175 Ω/km
ANM05.005.37.027AB	UL2464	300V	37X27AWG	7/0.14	9.3	138.71	175 Ω/km
ANM05.005.38.027AB	UL2464	300V	38X27AWG	7/0.14	9.6	146.51	175 Ω/km
ANM05.005.39.027AB	UL2464	300V	39X27AWG	7/0.14	9.6	147.21	175 Ω/km
ANM05.005.40.027AB	UL2464	300V	40X27AWG	7/0.14	9.6	147.81	175 Ω/km
ANM05.005.41.027AB	UL2464	300V	41X27AWG	7/0.14	10.2	163.71	175 Ω/km
ANM05.005.42.027AB	UL2464	300V	42X27AWG	7/0.14	10.2	164.41	175 Ω/km
ANM05.005.43.027AB	UL2464	300V	43X27AWG	7/0.14	10.2	165.11	175 Ω/km
ANM05.005.44.027AB	UL2464	300V	44X27AWG	7/0.14	10.2	165.71	175 Ω/km
ANM05.005.45.027AB	UL2464	300V	45X27AWG	7/0.14	10.4	171.71	175 Ω/km
ANM05.005.46.027AB	UL2464	300V	46X27AWG	7/0.14	10.4	172.31	175 Ω/km
ANM05.005.47.027AB	UL2464	300V	47X27AWG	7/0.14	10.4	173.01	175 Ω/km
ANM05.005.48.027AB	UL2464	300V	48X27AWG	7/0.14	10.4	173.61	175 Ω/km
ANM05.005.49.027AB	UL2464	300V	49X27AWG	7/0.14	10.6	179.51	175 Ω/km
ANM05.005.50.027AB	UL2464	300V	50X27AWG	7/0.14	10.6	180.31	175 Ω/km
ANM05.005.51.027AB	UL2464	300V	51X27AWG	7/0.14	10.6	180.91	175 Ω/km



ANM05.005.52.027AB	UL2464	300V	52X27AWG	7/0.14	10.6	181.51	175 Ω/km
ANM05.005.53.027AB	UL2464	300V	53X27AWG	7/0.14	10.9	190.51	175 Ω/km
ANM05.005.54.027AB	UL2464	300V	54X27AWG	7/0.14	10.9	191.11	175 Ω/km
ANM05.005.55.027AB	UL2464	300V	55X27AWG	7/0.14	10.9	191.71	175 Ω/km
ANM05.005.56.027AB	UL2464	300V	56X27AWG	7/0.14	10.9	192.31	175 Ω/km
ANM05.005.57.027AB	UL2464	300V	57X27AWG	7/0.14	11.1	198.61	175 Ω/km
ANM05.005.58.027AB	UL2464	300V	58X27AWG	7/0.14	11.1	199.31	175 Ω/km
ANM05.005.59.027AB	UL2464	300V	59X27AWG	7/0.14	11.1	199.91	175 Ω/km
ANM05.005.60.027AB	UL2464	300V	60X27AWG	7/0.14	11.1	200.51	175 Ω/km
ANM05.005.61.027AB	UL2464	300V	61X27AWG	7/0.14	11.1	201.11	175 Ω/km
ANM05.005.62.027AB	UL2464	300V	62X27AWG	7/0.14	11.4	210.41	175 Ω/km
ANM05.005.63.027AB	UL2464	300V	63X27AWG	7/0.14	11.4	211.01	175 Ω/km
ANM05.005.64.027AB	UL2464	300V	64X27AWG	7/0.14	11.4	211.61	175 Ω/km
ANM05.005.65.027AB	UL2464	300V	65X27AWG	7/0.14	11.4	212.31	175 Ω/km
ANM05.005.02.026AB	UL2464	300V	2X26AWG	9/0.14	4.8	33.13	140 Ω/km
ANM05.005.03.026AB	UL2464	300V	3X26AWG	9/0.14	5	36.73	140 Ω/km
ANM05.005.04.026AB	UL2464	300V	4X26AWG	9/0.14	5.2	40.33	140 Ω/km
ANM05.005.05.026AB	UL2464	300V	5X26AWG	9/0.14	5.5	45.63	140 Ω/km
ANM05.005.06.026AB	UL2464	300V	6X26AWG	9/0.14	5.7	49.33	140 Ω/km
ANM05.005.07.026AB	UL2464	300V	7X26AWG	9/0.14	5.7	50.33	140 Ω/km
ANM05.005.08.026AB	UL2464	300V	8X26AWG	9/0.14	6	55.93	140 Ω/km
ANM05.005.09.026AB	UL2464	300V	9X26AWG	9/0.14	6.4	63.33	140 Ω/km
ANM05.005.10.026AB	UL2464	300V	10X26AWG	9/0.14	6.6	67.63	140 Ω/km
ANM05.005.11.026AB	UL2464	300V	11X26AWG	9/0.14	6.8	72.03	140 Ω/km
ANM05.005.12.026AB	UL2464	300V	12X26AWG	9/0.14	6.8	72.93	140 Ω/km
ANM05.005.13.026AB	UL2464	300V	13X26AWG	9/0.14	7	77.43	140 Ω/km
ANM05.005.14.026AB	UL2464	300V	14X26AWG	9/0.14	7	78.43	140 Ω/km
ANM05.005.15.026AB	UL2464	300V	15X26AWG	9/0.14	7.3	84.93	140 Ω/km
ANM05.005.16.026AB	UL2464	300V	16X26AWG	9/0.14	7.3	85.93	140 Ω/km
ANM05.005.17.026AB	UL2464	300V	17X26AWG	9/0.14	7.5	90.63	140 Ω/km
ANM05.005.18.026AB	UL2464	300V	18X26AWG	9/0.14	7.5	91.53	140 Ω/km
ANM05.005.19.026AB	UL2464	300V	19X26AWG	9/0.14	7.5	92.53	140 Ω/km
ANM05.005.20.026AB	UL2464	300V	20X26AWG	9/0.14	7.7	97.23	140 Ω/km
ANM05.005.21.026AB	UL2464	300V	21X26AWG	9/0.14	7.8	100.23	140 Ω/km
ANM05.005.22.026AB	UL2464	300V	22X26AWG	9/0.14	8.2	109.33	140 Ω/km
ANM05.005.23.026AB	UL2464	300V	23X26AWG	9/0.14	8.4	114.53	140 Ω/km
ANM05.005.24.026AB	UL2464	300V	24X26AWG	9/0.14	8.4	115.53	140 Ω/km
ANM05.005.25.026AB	UL2464	300V	25X26AWG	9/0.14	8.6	120.73	140 Ω/km
ANM05.005.26.026AB	UL2464	300V	26X26AWG	9/0.14	8.6	121.73	140 Ω/km
ANM05.005.27.026AB	UL2464	300V	27X26AWG	9/0.14	8.6	122.73	140 Ω/km
ANM05.005.28.026AB	UL2464	300V	28X26AWG	9/0.14	8.8	128.13	140 Ω/km
ANM05.005.29.026AB	UL2464	300V	29X26AWG	9/0.14	8.8	129.03	140 Ω/km



ANM05.005.30.026AB	UL2464	300V	30X26AWG	9/0.14	8.8	129.83	140 Ω/km
ANM05.005.31.026AB	UL2464	300V	31X26AWG	9/0.14	9.1	137.63	140 Ω/km
ANM05.005.32.026AB	UL2464	300V	32X26AWG	9/0.14	9.1	138.53	140 Ω/km
ANM05.005.33.026AB	UL2464	300V	33X26AWG	9/0.14	9.1	139.33	140 Ω/km
ANM05.005.34.026AB	UL2464	300V	34X26AWG	9/0.14	9.3	145.03	140 Ω/km
ANM05.005.35.026AB	UL2464	300V	35X26AWG	9/0.14	9.3	146.03	140 Ω/km
ANM05.005.36.026AB	UL2464	300V	36X26AWG	9/0.14	9.3	146.83	140 Ω/km
ANM05.005.37.026AB	UL2464	300V	37X26AWG	9/0.14	9.3	147.73	140 Ω/km
ANM05.005.38.026AB	UL2464	300V	38X26AWG	9/0.14	9.6	155.83	140 Ω/km
ANM05.005.39.026AB	UL2464	300V	39X26AWG	9/0.14	9.6	156.73	140 Ω/km
ANM05.005.40.026AB	UL2464	300V	40X26AWG	9/0.14	9.6	157.73	140 Ω/km
ANM05.005.41.026AB	UL2464	300V	41X26AWG	9/0.14	10.2	173.83	140 Ω/km
ANM05.005.42.026AB	UL2464	300V	42X26AWG	9/0.14	10.2	174.73	140 Ω/km
ANM05.005.43.026AB	UL2464	300V	43X26AWG	9/0.14	10.2	175.73	140 Ω/km
ANM05.005.44.026AB	UL2464	300V	44X26AWG	9/0.14	10.2	176.53	140 Ω/km
ANM05.005.45.026AB	UL2464	300V	45X26AWG	9/0.14	10.4	182.73	140 Ω/km
ANM05.005.46.026AB	UL2464	300V	46X26AWG	9/0.14	10.4	183.63	140 Ω/km
ANM05.005.47.026AB	UL2464	300V	47X26AWG	9/0.14	10.4	184.53	140 Ω/km
ANM05.005.48.026AB	UL2464	300V	48X26AWG	9/0.14	10.4	185.43	140 Ω/km
ANM05.005.49.026AB	UL2464	300V	49X26AWG	9/0.14	10.6	191.53	140 Ω/km
ANM05.005.50.026AB	UL2464	300V	50X26AWG	9/0.14	10.6	192.53	140 Ω/km
ANM05.005.51.026AB	UL2464	300V	51X26AWG	9/0.14	10.6	193.43	140 Ω/km
ANM05.005.52.026AB	UL2464	300V	52X26AWG	9/0.14	10.6	194.23	140 Ω/km
ANM05.005.53.026AB	UL2464	300V	53X26AWG	9/0.14	10.9	203.53	140 Ω/km
ANM05.005.54.026AB	UL2464	300V	54X26AWG	9/0.14	10.9	204.43	140 Ω/km
ANM05.005.55.026AB	UL2464	300V	55X26AWG	9/0.14	10.9	205.23	140 Ω/km
ANM05.005.56.026AB	UL2464	300V	56X26AWG	9/0.14	10.9	206.13	140 Ω/km
ANM05.005.57.026AB	UL2464	300V	57X26AWG	9/0.14	11.1	212.63	140 Ω/km
ANM05.005.58.026AB	UL2464	300V	58X26AWG	9/0.14	11.1	213.53	140 Ω/km
ANM05.005.59.026AB	UL2464	300V	59X26AWG	9/0.14	11.1	214.43	140 Ω/km
ANM05.005.60.026AB	UL2464	300V	60X26AWG	9/0.14	11.1	215.23	140 Ω/km
ANM05.005.61.026AB	UL2464	300V	61X26AWG	9/0.14	11.1	216.13	140 Ω/km
ANM05.005.62.026AB	UL2464	300V	62X26AWG	9/0.14	11.4	225.63	140 Ω/km
ANM05.005.63.026AB	UL2464	300V	63X26AWG	9/0.14	11.4	226.43	140 Ω/km
ANM05.005.64.026AB	UL2464	300V	64X26AWG	9/0.14	11.4	227.33	140 Ω/km
ANM05.005.65.026AB	UL2464	300V	65X26AWG	9/0.14	11.4	228.23	140 Ω/km
ANM05.005.02.025AB	UL2464	300V	2X25AWG	11/0.14	5	36.27	111 Ω/km
ANM05.005.03.025AB	UL2464	300V	3X25AWG	11/0.14	5.2	39.97	111 Ω/km
ANM05.005.04.025AB	UL2464	300V	4X25AWG	11/0.14	5.5	45.47	111 Ω/km
ANM05.005.05.025AB	UL2464	300V	5X25AWG	11/0.14	5.7	49.47	111 Ω/km
ANM05.005.06.025AB	UL2464	300V	6X25AWG	11/0.14	6	55.27	111 Ω/km
ANM05.005.07.025AB	UL2464	300V	7X25AWG	11/0.14	6	56.37	111 Ω/km



ANM05.005.08.025AB	UL2464	300V	8X25AWG	11/0.14	6.3	62.27	111 Ω/km
ANM05.005.09.025AB	UL2464	300V	9X25AWG	11/0.14	6.7	70.37	111 Ω/km
ANM05.005.10.025AB	UL2464	300V	10X25AWG	11/0.14	7	76.67	111 Ω/km
ANM05.005.11.025AB	UL2464	300V	11X25AWG	11/0.14	7.2	81.77	111 Ω/km
ANM05.005.12.025AB	UL2464	300V	12X25AWG	11/0.14	7.2	82.77	111 Ω/km
ANM05.005.13.025AB	UL2464	300V	13X25AWG	11/0.14	7.5	89.47	111 Ω/km
ANM05.005.14.025AB	UL2464	300V	14X25AWG	11/0.14	7.5	90.57	111 Ω/km
ANM05.005.15.025AB	UL2464	300V	15X25AWG	11/0.14	7.7	95.57	111 Ω/km
ANM05.005.16.025AB	UL2464	300V	16X25AWG	11/0.14	7.7	96.67	111 Ω/km
ANM05.005.17.025AB	UL2464	300V	17X25AWG	11/0.14	8	103.87	111 Ω/km
ANM05.005.18.025AB	UL2464	300V	18X25AWG	11/0.14	8	105.07	111 Ω/km
ANM05.005.19.025AB	UL2464	300V	19X25AWG	11/0.14	8	106.17	111 Ω/km
ANM05.005.20.025AB	UL2464	300V	20X25AWG	11/0.14	8.2	111.27	111 Ω/km
ANM05.005.21.025AB	UL2464	300V	21X25AWG	11/0.14	8.3	114.57	111 Ω/km
ANM05.005.22.025AB	UL2464	300V	22X25AWG	11/0.14	8.7	124.47	111 Ω/km
ANM05.005.23.025AB	UL2464	300V	23X25AWG	11/0.14	9	132.47	111 Ω/km
ANM05.005.24.025AB	UL2464	300V	24X25AWG	11/0.14	9	133.47	111 Ω/km
ANM05.005.25.025AB	UL2464	300V	25X25AWG	11/0.14	9.2	139.37	111 Ω/km
ANM05.005.26.025AB	UL2464	300V	26X25AWG	11/0.14	9.2	140.37	111 Ω/km
ANM05.005.27.025AB	UL2464	300V	27X25AWG	11/0.14	9.2	141.37	111 Ω/km
ANM05.005.28.025AB	UL2464	300V	28X25AWG	11/0.14	9.5	149.77	111 Ω/km
ANM05.005.29.025AB	UL2464	300V	29X25AWG	11/0.14	9.5	150.87	111 Ω/km
ANM05.005.30.025AB	UL2464	300V	30X25AWG	11/0.14	9.5	151.97	111 Ω/km
ANM05.005.31.025AB	UL2464	300V	31X25AWG	11/0.14	9.7	157.87	111 Ω/km
ANM05.005.32.025AB	UL2464	300V	32X25AWG	11/0.14	9.7	159.07	111 Ω/km
ANM05.005.33.025AB	UL2464	300V	33X25AWG	11/0.14	9.7	160.17	111 Ω/km
ANM05.005.34.025AB	UL2464	300V	34X25AWG	11/0.14	10	168.67	111 Ω/km
ANM05.005.35.025AB	UL2464	300V	35X25AWG	11/0.14	10	169.77	111 Ω/km
ANM05.005.36.025AB	UL2464	300V	36X25AWG	11/0.14	10	170.87	111 Ω/km
ANM05.005.37.025AB	UL2464	300V	37X25AWG	11/0.14	10	171.97	111 Ω/km
ANM05.005.38.025AB	UL2464	300V	38X25AWG	11/0.14	10.3	180.87	111 Ω/km
ANM05.005.39.025AB	UL2464	300V	39X25AWG	11/0.14	10.3	181.97	111 Ω/km
ANM05.005.40.025AB	UL2464	300V	40X25AWG	11/0.14	10.3	183.07	111 Ω/km
ANM05.005.41.025AB	UL2464	300V	41X25AWG	11/0.14	11	203.17	111 Ω/km
ANM05.005.42.025AB	UL2464	300V	42X25AWG	11/0.14	11	204.27	111 Ω/km
ANM05.005.43.025AB	UL2464	300V	43X25AWG	11/0.14	11	205.37	111 Ω/km
ANM05.005.44.025AB	UL2464	300V	44X25AWG	11/0.14	11	206.47	111 Ω/km
ANM05.005.45.025AB	UL2464	300V	45X25AWG	11/0.14	11.2	213.17	111 Ω/km
ANM05.005.46.025AB	UL2464	300V	46X25AWG	11/0.14	11.2	214.27	111 Ω/km
ANM05.005.47.025AB	UL2464	300V	47X25AWG	11/0.14	11.2	215.27	111 Ω/km
ANM05.005.48.025AB	UL2464	300V	48X25AWG	11/0.14	11.2	216.27	111 Ω/km
ANM05.005.49.025AB	UL2464	300V	49X25AWG	11/0.14	11.5	226.07	111 Ω/km



ANM05.005.50.025AB	UL2464	300V	50X25AWG	11/0.14	11.5	227.27	111 Ω/km
ANM05.005.51.025AB	UL2464	300V	51X25AWG	11/0.14	11.5	228.27	111 Ω/km
ANM05.005.52.025AB	UL2464	300V	52X25AWG	11/0.14	11.5	229.37	111 Ω/km
ANM05.005.53.025AB	UL2464	300V	53X25AWG	11/0.14	11.7	236.37	111 Ω/km
ANM05.005.54.025AB	UL2464	300V	54X25AWG	11/0.14	11.7	237.37	111 Ω/km
ANM05.005.55.025AB	UL2464	300V	55X25AWG	11/0.14	11.7	238.37	111 Ω/km
ANM05.005.56.025AB	UL2464	300V	56X25AWG	11/0.14	11.7	239.47	111 Ω/km
ANM05.005.57.025AB	UL2464	300V	57X25AWG	11/0.14	12	249.77	111 Ω/km
ANM05.005.58.025AB	UL2464	300V	58X25AWG	11/0.14	12	250.77	111 Ω/km
ANM05.005.59.025AB	UL2464	300V	59X25AWG	11/0.14	12	251.87	111 Ω/km
ANM05.005.60.025AB	UL2464	300V	60X25AWG	11/0.14	12	252.87	111 Ω/km
ANM05.005.61.025AB	UL2464	300V	61X25AWG	11/0.14	12	253.97	111 Ω/km
ANM05.005.62.025AB	UL2464	300V	62X25AWG	11/0.14	12.3	264.37	111 Ω/km
ANM05.005.63.025AB	UL2464	300V	63X25AWG	11/0.14	12.3	265.47	111 Ω/km
ANM05.005.64.025AB	UL2464	300V	64X25AWG	11/0.14	12.3	266.67	111 Ω/km
ANM05.005.65.025AB	UL2464	300V	65X25AWG	11/0.14	12.3	267.67	111 Ω/km
ANM05.005.02.024AB	UL2464	300V	2X24AWG	14/0.14	5	37.11	87.6 Ω/km
ANM05.005.03.024AB	UL2464	300V	3X24AWG	14/0.14	5.2	41.31	87.6 Ω/km
ANM05.005.04.024AB	UL2464	300V	4X24AWG	14/0.14	5.5	47.11	87.6 Ω/km
ANM05.005.05.024AB	UL2464	300V	5X24AWG	14/0.14	5.7	51.51	87.6 Ω/km
ANM05.005.06.024AB	UL2464	300V	6X24AWG	14/0.14	6	57.81	87.6 Ω/km
ANM05.005.07.024AB	UL2464	300V	7X24AWG	14/0.14	6	59.31	87.6 Ω/km
ANM05.005.08.024AB	UL2464	300V	8X24AWG	14/0.14	6.3	65.51	87.6 Ω/km
ANM05.005.09.024AB	UL2464	300V	9X24AWG	14/0.14	6.7	74.11	87.6 Ω/km
ANM05.005.10.024AB	UL2464	300V	10X24AWG	14/0.14	7	80.81	87.6 Ω/km
ANM05.005.11.024AB	UL2464	300V	11X24AWG	14/0.14	7.2	86.21	87.6 Ω/km
ANM05.005.12.024AB	UL2464	300V	12X24AWG	14/0.14	7.2	87.71	87.6 Ω/km
ANM05.005.13.024AB	UL2464	300V	13X24AWG	14/0.14	7.5	94.81	87.6 Ω/km
ANM05.005.14.024AB	UL2464	300V	14X24AWG	14/0.14	7.5	96.31	87.6 Ω/km
ANM05.005.15.024AB	UL2464	300V	15X24AWG	14/0.14	7.7	101.71	87.6 Ω/km
ANM05.005.16.024AB	UL2464	300V	16X24AWG	14/0.14	7.7	103.21	87.6 Ω/km
ANM05.005.17.024AB	UL2464	300V	17X24AWG	14/0.14	8	110.81	87.6 Ω/km
ANM05.005.18.024AB	UL2464	300V	18X24AWG	14/0.14	8	112.41	87.6 Ω/km
ANM05.005.19.024AB	UL2464	300V	19X24AWG	14/0.14	8	113.91	87.6 Ω/km
ANM05.005.20.024AB	UL2464	300V	20X24AWG	14/0.14	8.2	119.41	87.6 Ω/km
ANM05.005.21.024AB	UL2464	300V	21X24AWG	14/0.14	8.3	123.21	87.6 Ω/km
ANM05.005.22.024AB	UL2464	300V	22X24AWG	14/0.14	8.7	133.41	87.6 Ω/km
ANM05.005.23.024AB	UL2464	300V	23X24AWG	14/0.14	9	141.81	87.6 Ω/km
ANM05.005.24.024AB	UL2464	300V	24X24AWG	14/0.14	9	143.31	87.6 Ω/km
ANM05.005.25.024AB	UL2464	300V	25X24AWG	14/0.14	9.2	149.51	87.6 Ω/km
ANM05.005.26.024AB	UL2464	300V	26X24AWG	14/0.14	9.2	150.91	87.6 Ω/km
ANM05.005.27.024AB	UL2464	300V	27X24AWG	14/0.14	9.2	152.41	87.6 Ω/km



ANM05.005.28.024AB	UL2464	300V	28X24AWG	14/0.14	9.5	161.21	87.6 Ω /km
ANM05.005.29.024AB	UL2464	300V	29X24AWG	14/0.14	9.5	162.61	87.6 Ω /km
ANM05.005.30.024AB	UL2464	300V	30X24AWG	14/0.14	9.5	164.21	87.6 Ω /km
ANM05.005.31.024AB	UL2464	300V	31X24AWG	14/0.14	9.7	170.51	87.6 Ω /km
ANM05.005.32.024AB	UL2464	300V	32X24AWG	14/0.14	9.7	172.01	87.6 Ω /km
ANM05.005.33.024AB	UL2464	300V	33X24AWG	14/0.14	9.7	173.61	87.6 Ω /km
ANM05.005.34.024AB	UL2464	300V	34X24AWG	14/0.14	10	182.51	87.6 Ω /km
ANM05.005.35.024AB	UL2464	300V	35X24AWG	14/0.14	10	184.01	87.6 Ω /km
ANM05.005.36.024AB	UL2464	300V	36X24AWG	14/0.14	10	185.51	87.6 Ω /km
ANM05.005.37.024AB	UL2464	300V	37X24AWG	14/0.14	10	187.01	87.6 Ω /km
ANM05.005.38.024AB	UL2464	300V	38X24AWG	14/0.14	10.3	196.31	87.6 Ω /km
ANM05.005.39.024AB	UL2464	300V	39X24AWG	14/0.14	10.3	197.81	87.6 Ω /km
ANM05.005.40.024AB	UL2464	300V	40X24AWG	14/0.14	10.3	199.31	87.6 Ω /km
ANM05.005.41.024AB	UL2464	300V	41X24AWG	14/0.14	11	219.81	87.6 Ω /km
ANM05.005.42.024AB	UL2464	300V	42X24AWG	14/0.14	11	221.41	87.6 Ω /km
ANM05.005.43.024AB	UL2464	300V	43X24AWG	14/0.14	11	222.81	87.6 Ω /km
ANM05.005.44.024AB	UL2464	300V	44X24AWG	14/0.14	11	224.31	87.6 Ω /km
ANM05.005.45.024AB	UL2464	300V	45X24AWG	14/0.14	11.2	231.51	87.6 Ω /km
ANM05.005.46.024AB	UL2464	300V	46X24AWG	14/0.14	11.2	232.91	87.6 Ω /km
ANM05.005.47.024AB	UL2464	300V	47X24AWG	14/0.14	11.2	234.31	87.6 Ω /km
ANM05.005.48.024AB	UL2464	300V	48X24AWG	14/0.14	11.2	235.81	87.6 Ω /km
ANM05.005.49.024AB	UL2464	300V	49X24AWG	14/0.14	11.5	246.01	87.6 Ω /km
ANM05.005.50.024AB	UL2464	300V	50X24AWG	14/0.14	11.5	247.51	87.6 Ω /km
ANM05.005.51.024AB	UL2464	300V	51X24AWG	14/0.14	11.5	249.01	87.6 Ω /km
ANM05.005.52.024AB	UL2464	300V	52X24AWG	14/0.14	11.5	250.51	87.6 Ω /km
ANM05.005.53.024AB	UL2464	300V	53X24AWG	14/0.14	11.7	257.91	87.6 Ω /km
ANM05.005.54.024AB	UL2464	300V	54X24AWG	14/0.14	11.7	259.31	87.6 Ω /km
ANM05.005.55.024AB	UL2464	300V	55X24AWG	14/0.14	11.7	260.71	87.6 Ω /km
ANM05.005.56.024AB	UL2464	300V	56X24AWG	14/0.14	11.7	262.31	87.6 Ω /km
ANM05.005.57.024AB	UL2464	300V	57X24AWG	14/0.14	12	272.91	87.6 Ω /km
ANM05.005.58.024AB	UL2464	300V	58X24AWG	14/0.14	12	274.31	87.6 Ω /km
ANM05.005.59.024AB	UL2464	300V	59X24AWG	14/0.14	12	275.91	87.6 Ω /km
ANM05.005.60.024AB	UL2464	300V	60X24AWG	14/0.14	12	277.31	87.6 Ω /km
ANM05.005.61.024AB	UL2464	300V	61X24AWG	14/0.14	12	278.71	87.6 Ω /km
ANM05.005.62.024AB	UL2464	300V	62X24AWG	14/0.14	12.3	289.61	87.6 Ω /km
ANM05.005.63.024AB	UL2464	300V	63X24AWG	14/0.14	12.3	291.11	87.6 Ω /km
ANM05.005.64.024AB	UL2464	300V	64X24AWG	14/0.14	12.3	292.61	87.6 Ω /km
ANM05.005.65.024AB	UL2464	300V	65X24AWG	14/0.14	12.3	294.11	87.6 Ω /km
ANM05.005.02.023AB	UL2464	300V	2X23AWG	17/0.14	5.6	46.36	69.2 Ω /km
ANM05.005.03.023AB	UL2464	300V	3X23AWG	17/0.14	5.9	52.76	69.2 Ω /km
ANM05.005.04.023AB	UL2464	300V	4X23AWG	17/0.14	6.2	59.46	69.2 Ω /km
ANM05.005.05.023AB	UL2464	300V	5X23AWG	17/0.14	6.6	68.06	69.2 Ω /km



ANM05.005.06.023AB	UL2464	300V	6X23AWG	17/0.14	6.9	75.26	69.2 Ω /km
ANM05.005.07.023AB	UL2464	300V	7X23AWG	17/0.14	6.9	77.16	69.2 Ω /km
ANM05.005.08.023AB	UL2464	300V	8X23AWG	17/0.14	7.3	86.26	69.2 Ω /km
ANM05.005.09.023AB	UL2464	300V	9X23AWG	17/0.14	7.9	99.96	69.2 Ω /km
ANM05.005.10.023AB	UL2464	300V	10X23AWG	17/0.14	8.2	108.16	69.2 Ω /km
ANM05.005.11.023AB	UL2464	300V	11X23AWG	17/0.14	8.5	116.56	69.2 Ω /km
ANM05.005.12.023AB	UL2464	300V	12X23AWG	17/0.14	8.5	118.36	69.2 Ω /km
ANM05.005.13.023AB	UL2464	300V	13X23AWG	17/0.14	8.8	126.86	69.2 Ω /km
ANM05.005.14.023AB	UL2464	300V	14X23AWG	17/0.14	8.8	128.76	69.2 Ω /km
ANM05.005.15.023AB	UL2464	300V	15X23AWG	17/0.14	9.2	139.76	69.2 Ω /km
ANM05.005.16.023AB	UL2464	300V	16X23AWG	17/0.14	9.2	141.56	69.2 Ω /km
ANM05.005.17.023AB	UL2464	300V	17X23AWG	17/0.14	9.5	150.66	69.2 Ω /km
ANM05.005.18.023AB	UL2464	300V	18X23AWG	17/0.14	9.5	152.46	69.2 Ω /km
ANM05.005.19.023AB	UL2464	300V	19X23AWG	17/0.14	9.5	154.36	69.2 Ω /km
ANM05.005.20.023AB	UL2464	300V	20X23AWG	17/0.14	9.8	163.46	69.2 Ω /km
ANM05.005.21.023AB	UL2464	300V	21X23AWG	17/0.14	9.9	167.96	69.2 Ω /km
ANM05.005.22.023AB	UL2464	300V	22X23AWG	17/0.14	10.5	185.36	69.2 Ω /km
ANM05.005.23.023AB	UL2464	300V	23X23AWG	17/0.14	10.8	195.26	69.2 Ω /km
ANM05.005.24.023AB	UL2464	300V	24X23AWG	17/0.14	10.8	197.26	69.2 Ω /km
ANM05.005.25.023AB	UL2464	300V	25X23AWG	17/0.14	11.1	207.46	69.2 Ω /km
ANM05.005.26.023AB	UL2464	300V	26X23AWG	17/0.14	11.1	209.26	69.2 Ω /km
ANM05.005.27.023AB	UL2464	300V	27X23AWG	17/0.14	11.1	211.06	69.2 Ω /km
ANM05.005.28.023AB	UL2464	300V	28X23AWG	17/0.14	11.4	221.46	69.2 Ω /km
ANM05.005.29.023AB	UL2464	300V	29X23AWG	17/0.14	11.4	223.26	69.2 Ω /km
ANM05.005.30.023AB	UL2464	300V	30X23AWG	17/0.14	11.4	225.16	69.2 Ω /km
ANM05.005.31.023AB	UL2464	300V	31X23AWG	17/0.14	11.8	238.86	69.2 Ω /km
ANM05.005.32.023AB	UL2464	300V	32X23AWG	17/0.14	11.8	240.56	69.2 Ω /km
ANM05.005.33.023AB	UL2464	300V	33X23AWG	17/0.14	11.8	242.56	69.2 Ω /km
ANM05.005.34.023AB	UL2464	300V	34X23AWG	17/0.14	12.1	253.36	69.2 Ω /km
ANM05.005.35.023AB	UL2464	300V	35X23AWG	17/0.14	12.1	255.16	69.2 Ω /km
ANM05.005.36.023AB	UL2464	300V	36X23AWG	17/0.14	12.1	256.96	69.2 Ω /km
ANM05.005.37.023AB	UL2464	300V	37X23AWG	17/0.14	12.1	258.76	69.2 Ω /km
ANM05.005.38.023AB	UL2464	300V	38X23AWG	17/0.14	12.5	273.26	69.2 Ω /km
ANM05.005.39.023AB	UL2464	300V	39X23AWG	17/0.14	12.5	274.96	69.2 Ω /km
ANM05.005.40.023AB	UL2464	300V	40X23AWG	17/0.14	12.5	276.86	69.2 Ω /km
ANM05.005.41.023AB	UL2464	300V	41X23AWG	17/0.14	13.5	311.46	69.2 Ω /km
ANM05.005.42.023AB	UL2464	300V	42X23AWG	17/0.14	13.5	313.36	69.2 Ω /km
ANM05.005.43.023AB	UL2464	300V	43X23AWG	17/0.14	13.5	315.16	69.2 Ω /km
ANM05.005.44.023AB	UL2464	300V	44X23AWG	17/0.14	13.5	317.06	69.2 Ω /km
ANM05.005.45.023AB	UL2464	300V	45X23AWG	17/0.14	13.8	329.16	69.2 Ω /km
ANM05.005.46.023AB	UL2464	300V	46X23AWG	17/0.14	13.8	330.96	69.2 Ω /km
ANM05.005.47.023AB	UL2464	300V	47X23AWG	17/0.14	13.8	332.76	69.2 Ω /km



ANM05.005.48.023AB	UL2464	300V	48X23AWG	17/0.14	13.8	334.66	69.2 Ω /km
ANM05.005.49.023AB	UL2464	300V	49X23AWG	17/0.14	14.1	347.06	69.2 Ω /km
ANM05.005.50.023AB	UL2464	300V	50X23AWG	17/0.14	14.1	348.86	69.2 Ω /km
ANM05.005.51.023AB	UL2464	300V	51X23AWG	17/0.14	14.1	350.66	69.2 Ω /km
ANM05.005.52.023AB	UL2464	300V	52X23AWG	17/0.14	14.1	352.56	69.2 Ω /km
ANM05.005.53.023AB	UL2464	300V	53X23AWG	17/0.14	14.5	368.86	69.2 Ω /km
ANM05.005.54.023AB	UL2464	300V	54X23AWG	17/0.14	14.5	370.56	69.2 Ω /km
ANM05.005.55.023AB	UL2464	300V	55X23AWG	17/0.14	14.5	372.36	69.2 Ω /km
ANM05.005.56.023AB	UL2464	300V	56X23AWG	17/0.14	14.5	374.26	69.2 Ω /km
ANM05.005.57.023AB	UL2464	300V	57X23AWG	17/0.14	14.8	387.16	69.2 Ω /km
ANM05.005.58.023AB	UL2464	300V	58X23AWG	17/0.14	14.8	389.06	69.2 Ω /km
ANM05.005.59.023AB	UL2464	300V	59X23AWG	17/0.14	14.8	390.76	69.2 Ω /km
ANM05.005.60.023AB	UL2464	300V	60X23AWG	17/0.14	14.8	392.66	69.2 Ω /km
ANM05.005.61.023AB	UL2464	300V	61X23AWG	17/0.14	14.8	394.36	69.2 Ω /km
ANM05.005.62.023AB	UL2464	300V	62X23AWG	17/0.14	15.2	411.26	69.2 Ω /km
ANM05.005.63.023AB	UL2464	300V	63X23AWG	17/0.14	15.2	413.06	69.2 Ω /km
ANM05.005.64.023AB	UL2464	300V	64X23AWG	17/0.14	15.2	414.86	69.2 Ω /km
ANM05.005.65.023AB	UL2464	300V	65X23AWG	17/0.14	15.2	416.76	69.2 Ω /km
ANM05.005.02.022AB	UL2464	300V	2X22AWG	22/0.14	5.8	50.43	55.4 Ω /km
ANM05.005.03.022AB	UL2464	300V	3X22AWG	22/0.14	6.1	57.23	55.4 Ω /km
ANM05.005.04.022AB	UL2464	300V	4X22AWG	22/0.14	6.4	64.53	55.4 Ω /km
ANM05.005.05.022AB	UL2464	300V	5X22AWG	22/0.14	6.8	73.73	55.4 Ω /km
ANM05.005.06.022AB	UL2464	300V	6X22AWG	22/0.14	7.2	83.43	55.4 Ω /km
ANM05.005.07.022AB	UL2464	300V	7X22AWG	22/0.14	7.2	85.73	55.4 Ω /km
ANM05.005.08.022AB	UL2464	300V	8X22AWG	22/0.14	7.7	97.63	55.4 Ω /km
ANM05.005.09.022AB	UL2464	300V	9X22AWG	22/0.14	8.2	110.23	55.4 Ω /km
ANM05.005.10.022AB	UL2464	300V	10X22AWG	22/0.14	8.6	121.23	55.4 Ω /km
ANM05.005.11.022AB	UL2464	300V	11X22AWG	22/0.14	8.9	130.23	55.4 Ω /km
ANM05.005.12.022AB	UL2464	300V	12X22AWG	22/0.14	8.9	132.43	55.4 Ω /km
ANM05.005.13.022AB	UL2464	300V	13X22AWG	22/0.14	9.2	141.83	55.4 Ω /km
ANM05.005.14.022AB	UL2464	300V	14X22AWG	22/0.14	9.2	143.93	55.4 Ω /km
ANM05.005.15.022AB	UL2464	300V	15X22AWG	22/0.14	9.6	155.93	55.4 Ω /km
ANM05.005.16.022AB	UL2464	300V	16X22AWG	22/0.14	9.6	158.23	55.4 Ω /km
ANM05.005.17.022AB	UL2464	300V	17X22AWG	22/0.14	10	170.53	55.4 Ω /km
ANM05.005.18.022AB	UL2464	300V	18X22AWG	22/0.14	10	172.83	55.4 Ω /km
ANM05.005.19.022AB	UL2464	300V	19X22AWG	22/0.14	10	175.03	55.4 Ω /km
ANM05.005.20.022AB	UL2464	300V	20X22AWG	22/0.14	10.3	185.13	55.4 Ω /km
ANM05.005.21.022AB	UL2464	300V	21X22AWG	22/0.14	10.5	192.63	55.4 Ω /km
ANM05.005.22.022AB	UL2464	300V	22X22AWG	22/0.14	11	208.63	55.4 Ω /km
ANM05.005.23.022AB	UL2464	300V	23X22AWG	22/0.14	11.4	222.33	55.4 Ω /km
ANM05.005.24.022AB	UL2464	300V	24X22AWG	22/0.14	11.4	224.53	55.4 Ω /km
ANM05.005.25.022AB	UL2464	300V	25X22AWG	22/0.14	11.7	235.63	55.4 Ω /km



ANM05.005.26.022AB	UL2464	300V	26X22AWG	22/0.14	11.7	237.83	55.4 Ω /km
ANM05.005.27.022AB	UL2464	300V	27X22AWG	22/0.14	11.7	240.13	55.4 Ω /km
ANM05.005.28.022AB	UL2464	300V	28X22AWG	22/0.14	12	251.33	55.4 Ω /km
ANM05.005.29.022AB	UL2464	300V	29X22AWG	22/0.14	12	253.73	55.4 Ω /km
ANM05.005.30.022AB	UL2464	300V	30X22AWG	22/0.14	12	255.93	55.4 Ω /km
ANM05.005.31.022AB	UL2464	300V	31X22AWG	22/0.14	12.4	270.53	55.4 Ω /km
ANM05.005.32.022AB	UL2464	300V	32X22AWG	22/0.14	12.4	272.93	55.4 Ω /km
ANM05.005.33.022AB	UL2464	300V	33X22AWG	22/0.14	12.4	275.03	55.4 Ω /km
ANM05.005.34.022AB	UL2464	300V	34X22AWG	22/0.14	12.8	290.13	55.4 Ω /km
ANM05.005.35.022AB	UL2464	300V	35X22AWG	22/0.14	12.8	292.33	55.4 Ω /km
ANM05.005.36.022AB	UL2464	300V	36X22AWG	22/0.14	12.8	294.63	55.4 Ω /km
ANM05.005.37.022AB	UL2464	300V	37X22AWG	22/0.14	12.8	296.83	55.4 Ω /km
ANM05.005.38.022AB	UL2464	300V	38X22AWG	22/0.14	13.4	319.13	55.4 Ω /km
ANM05.005.39.022AB	UL2464	300V	39X22AWG	22/0.14	13.4	321.33	55.4 Ω /km
ANM05.005.40.022AB	UL2464	300V	40X22AWG	22/0.14	13.4	323.53	55.4 Ω /km
ANM05.005.41.022AB	UL2464	300V	41X22AWG	22/0.14	14.3	357.23	55.4 Ω /km
ANM05.005.42.022AB	UL2464	300V	42X22AWG	22/0.14	14.3	359.43	55.4 Ω /km
ANM05.005.43.022AB	UL2464	300V	43X22AWG	22/0.14	14.3	361.83	55.4 Ω /km
ANM05.005.44.022AB	UL2464	300V	44X22AWG	22/0.14	14.3	363.93	55.4 Ω /km
ANM05.005.45.022AB	UL2464	300V	45X22AWG	22/0.14	14.6	377.23	55.4 Ω /km
ANM05.005.46.022AB	UL2464	300V	46X22AWG	22/0.14	14.6	379.53	55.4 Ω /km
ANM05.005.47.022AB	UL2464	300V	47X22AWG	22/0.14	14.6	381.63	55.4 Ω /km
ANM05.005.48.022AB	UL2464	300V	48X22AWG	22/0.14	14.6	384.03	55.4 Ω /km
ANM05.005.49.022AB	UL2464	300V	49X22AWG	22/0.14	14.9	397.33	55.4 Ω /km
ANM05.005.50.022AB	UL2464	300V	50X22AWG	22/0.14	14.9	399.53	55.4 Ω /km
ANM05.005.51.022AB	UL2464	300V	51X22AWG	22/0.14	14.9	401.73	55.4 Ω /km
ANM05.005.52.022AB	UL2464	300V	52X22AWG	22/0.14	14.9	404.03	55.4 Ω /km
ANM05.005.53.022AB	UL2464	300V	53X22AWG	22/0.14	15.3	421.63	55.4 Ω /km
ANM05.005.54.022AB	UL2464	300V	54X22AWG	22/0.14	15.3	423.83	55.4 Ω /km
ANM05.005.55.022AB	UL2464	300V	55X22AWG	22/0.14	15.3	426.13	55.4 Ω /km
ANM05.005.56.022AB	UL2464	300V	56X22AWG	22/0.14	15.3	428.33	55.4 Ω /km
ANM05.005.57.022AB	UL2464	300V	57X22AWG	22/0.14	15.7	446.23	55.4 Ω /km
ANM05.005.58.022AB	UL2464	300V	58X22AWG	22/0.14	15.7	448.33	55.4 Ω /km
ANM05.005.59.022AB	UL2464	300V	59X22AWG	22/0.14	15.7	450.73	55.4 Ω /km
ANM05.005.60.022AB	UL2464	300V	60X22AWG	22/0.14	15.7	452.93	55.4 Ω /km
ANM05.005.61.022AB	UL2464	300V	61X22AWG	22/0.14	15.7	455.13	55.4 Ω /km
ANM05.005.62.022AB	UL2464	300V	62X22AWG	22/0.14	16.2	477.53	55.4 Ω /km
ANM05.005.63.022AB	UL2464	300V	63X22AWG	22/0.14	16.2	479.63	55.4 Ω /km
ANM05.005.64.022AB	UL2464	300V	64X22AWG	22/0.14	16.2	481.93	55.4 Ω /km
ANM05.005.65.022AB	UL2464	300V	65X22AWG	22/0.14	16.2	484.13	55.4 Ω /km
ANM05.005.02.021AB	UL2464	300V	2X21AWG	27/0.14	6	54.82	43.6 Ω /km
ANM05.005.03.021AB	UL2464	300V	3X21AWG	27/0.14	6.3	62.52	43.6 Ω /km



ANM05.005.04.021AB	UL2464	300V	4X21AWG	27/0.14	6.7	72.42	43.6 Ω /km
ANM05.005.05.021AB	UL2464	300V	5X21AWG	27/0.14	7.1	82.52	43.6 Ω /km
ANM05.005.06.021AB	UL2464	300V	6X21AWG	27/0.14	7.5	93.02	43.6 Ω /km
ANM05.005.07.021AB	UL2464	300V	7X21AWG	27/0.14	7.5	95.92	43.6 Ω /km
ANM05.005.08.021AB	UL2464	300V	8X21AWG	27/0.14	8	108.82	43.6 Ω /km
ANM05.005.09.021AB	UL2464	300V	9X21AWG	27/0.14	8.6	124.62	43.6 Ω /km
ANM05.005.10.021AB	UL2464	300V	10X21AWG	27/0.14	9	136.62	43.6 Ω /km
ANM05.005.11.021AB	UL2464	300V	11X21AWG	27/0.14	9.3	146.62	43.6 Ω /km
ANM05.005.12.021AB	UL2464	300V	12X21AWG	27/0.14	9.3	149.52	43.6 Ω /km
ANM05.005.13.021AB	UL2464	300V	13X21AWG	27/0.14	9.7	162.22	43.6 Ω /km
ANM05.005.14.021AB	UL2464	300V	14X21AWG	27/0.14	9.7	165.02	43.6 Ω /km
ANM05.005.15.021AB	UL2464	300V	15X21AWG	27/0.14	10.1	178.02	43.6 Ω /km
ANM05.005.16.021AB	UL2464	300V	16X21AWG	27/0.14	10.1	180.82	43.6 Ω /km
ANM05.005.17.021AB	UL2464	300V	17X21AWG	27/0.14	10.5	194.22	43.6 Ω /km
ANM05.005.18.021AB	UL2464	300V	18X21AWG	27/0.14	10.5	197.12	43.6 Ω /km
ANM05.005.19.021AB	UL2464	300V	19X21AWG	27/0.14	10.5	200.12	43.6 Ω /km
ANM05.005.20.021AB	UL2464	300V	20X21AWG	27/0.14	10.8	211.12	43.6 Ω /km
ANM05.005.21.021AB	UL2464	300V	21X21AWG	27/0.14	11	219.62	43.6 Ω /km
ANM05.005.22.021AB	UL2464	300V	22X21AWG	27/0.14	11.6	239.82	43.6 Ω /km
ANM05.005.23.021AB	UL2464	300V	23X21AWG	27/0.14	12	254.52	43.6 Ω /km
ANM05.005.24.021AB	UL2464	300V	24X21AWG	27/0.14	12	257.42	43.6 Ω /km
ANM05.005.25.021AB	UL2464	300V	25X21AWG	27/0.14	12.3	269.72	43.6 Ω /km
ANM05.005.26.021AB	UL2464	300V	26X21AWG	27/0.14	12.3	272.62	43.6 Ω /km
ANM05.005.27.021AB	UL2464	300V	27X21AWG	27/0.14	12.3	275.42	43.6 Ω /km
ANM05.005.28.021AB	UL2464	300V	28X21AWG	27/0.14	12.7	290.92	43.6 Ω /km
ANM05.005.29.021AB	UL2464	300V	29X21AWG	27/0.14	12.7	293.82	43.6 Ω /km
ANM05.005.30.021AB	UL2464	300V	30X21AWG	27/0.14	12.7	296.72	43.6 Ω /km
ANM05.005.31.021AB	UL2464	300V	31X21AWG	27/0.14	13.2	315.92	43.6 Ω /km
ANM05.005.32.021AB	UL2464	300V	32X21AWG	27/0.14	13.2	318.82	43.6 Ω /km
ANM05.005.33.021AB	UL2464	300V	33X21AWG	27/0.14	13.2	321.72	43.6 Ω /km
ANM05.005.34.021AB	UL2464	300V	34X21AWG	27/0.14	13.6	338.02	43.6 Ω /km
ANM05.005.35.021AB	UL2464	300V	35X21AWG	27/0.14	13.6	340.92	43.6 Ω /km
ANM05.005.36.021AB	UL2464	300V	36X21AWG	27/0.14	13.6	343.82	43.6 Ω /km
ANM05.005.37.021AB	UL2464	300V	37X21AWG	27/0.14	13.6	346.72	43.6 Ω /km
ANM05.005.38.021AB	UL2464	300V	38X21AWG	27/0.14	14.1	367.12	43.6 Ω /km
ANM05.005.39.021AB	UL2464	300V	39X21AWG	27/0.14	14.1	370.02	43.6 Ω /km
ANM05.005.40.021AB	UL2464	300V	40X21AWG	27/0.14	14.1	372.82	43.6 Ω /km
ANM05.005.41.021AB	UL2464	300V	41X21AWG	27/0.14	15.1	412.52	43.6 Ω /km
ANM05.005.42.021AB	UL2464	300V	42X21AWG	27/0.14	15.1	415.32	43.6 Ω /km
ANM05.005.43.021AB	UL2464	300V	43X21AWG	27/0.14	15.1	418.22	43.6 Ω /km
ANM05.005.44.021AB	UL2464	300V	44X21AWG	27/0.14	15.1	421.12	43.6 Ω /km
ANM05.005.45.021AB	UL2464	300V	45X21AWG	27/0.14	15.4	435.52	43.6 Ω /km



ANM05.005.46.021AB	UL2464	300V	46X21AWG	27/0.14	15.4	438.32	43.6 Ω /km
ANM05.005.47.021AB	UL2464	300V	47X21AWG	27/0.14	15.4	441.22	43.6 Ω /km
ANM05.005.48.021AB	UL2464	300V	48X21AWG	27/0.14	15.4	444.02	43.6 Ω /km
ANM05.005.49.021AB	UL2464	300V	49X21AWG	27/0.14	15.8	462.62	43.6 Ω /km
ANM05.005.50.021AB	UL2464	300V	50X21AWG	27/0.14	15.8	465.52	43.6 Ω /km
ANM05.005.51.021AB	UL2464	300V	51X21AWG	27/0.14	15.8	468.42	43.6 Ω /km
ANM05.005.52.021AB	UL2464	300V	52X21AWG	27/0.14	15.8	471.22	43.6 Ω /km
ANM05.005.53.021AB	UL2464	300V	53X21AWG	27/0.14	16.2	490.22	43.6 Ω /km
ANM05.005.54.021AB	UL2464	300V	54X21AWG	27/0.14	16.2	493.02	43.6 Ω /km
ANM05.005.55.021AB	UL2464	300V	55X21AWG	27/0.14	16.2	496.02	43.6 Ω /km
ANM05.005.56.021AB	UL2464	300V	56X21AWG	27/0.14	16.2	498.82	43.6 Ω /km
ANM05.005.57.021AB	UL2464	300V	57X21AWG	27/0.14	16.6	518.22	43.6 Ω /km
ANM05.005.58.021AB	UL2464	300V	58X21AWG	27/0.14	16.6	521.02	43.6 Ω /km
ANM05.005.59.021AB	UL2464	300V	59X21AWG	27/0.14	16.6	523.92	43.6 Ω /km
ANM05.005.60.021AB	UL2464	300V	60X21AWG	27/0.14	16.6	526.82	43.6 Ω /km
ANM05.005.61.021AB	UL2464	300V	61X21AWG	27/0.14	16.6	529.62	43.6 Ω /km
ANM05.005.62.021AB	UL2464	300V	62X21AWG	27/0.14	17.1	553.62	43.6 Ω /km
ANM05.005.63.021AB	UL2464	300V	63X21AWG	27/0.14	17.1	556.42	43.6 Ω /km
ANM05.005.64.021AB	UL2464	300V	64X21AWG	27/0.14	17.1	559.32	43.6 Ω /km
ANM05.005.65.021AB	UL2464	300V	65X21AWG	27/0.14	17.1	562.22	43.6 Ω /km
ANM05.005.02.020AB	UL2464	300V	2X20AWG	34/0.14	6.6	66.42	34.6 Ω /km
ANM05.005.03.020AB	UL2464	300V	3X20AWG	34/0.14	6.9	75.42	34.6 Ω /km
ANM05.005.04.020AB	UL2464	300V	4X20AWG	34/0.14	7.4	88.52	34.6 Ω /km
ANM05.005.05.020AB	UL2464	300V	5X20AWG	34/0.14	7.9	102.02	34.6 Ω /km
ANM05.005.06.020AB	UL2464	300V	6X20AWG	34/0.14	8.4	116.32	34.6 Ω /km
ANM05.005.07.020AB	UL2464	300V	7X20AWG	34/0.14	8.4	119.82	34.6 Ω /km
ANM05.005.08.020AB	UL2464	300V	8X20AWG	34/0.14	9	137.12	34.6 Ω /km
ANM05.005.09.020AB	UL2464	300V	9X20AWG	34/0.14	9.7	157.62	34.6 Ω /km
ANM05.005.10.020AB	UL2464	300V	10X20AWG	34/0.14	10.2	174.02	34.6 Ω /km
ANM05.005.11.020AB	UL2464	300V	11X20AWG	34/0.14	10.5	185.52	34.6 Ω /km
ANM05.005.12.020AB	UL2464	300V	12X20AWG	34/0.14	10.5	189.12	34.6 Ω /km
ANM05.005.13.020AB	UL2464	300V	13X20AWG	34/0.14	11	206.52	34.6 Ω /km
ANM05.005.14.020AB	UL2464	300V	14X20AWG	34/0.14	11	210.22	34.6 Ω /km
ANM05.005.15.020AB	UL2464	300V	15X20AWG	34/0.14	11.5	228.12	34.6 Ω /km
ANM05.005.16.020AB	UL2464	300V	16X20AWG	34/0.14	11.5	231.82	34.6 Ω /km
ANM05.005.17.020AB	UL2464	300V	17X20AWG	34/0.14	12	250.42	34.6 Ω /km
ANM05.005.18.020AB	UL2464	300V	18X20AWG	34/0.14	12	254.02	34.6 Ω /km
ANM05.005.19.020AB	UL2464	300V	19X20AWG	34/0.14	12	257.72	34.6 Ω /km
ANM05.005.20.020AB	UL2464	300V	20X20AWG	34/0.14	12.3	270.62	34.6 Ω /km
ANM05.005.21.020AB	UL2464	300V	21X20AWG	34/0.14	12.6	283.72	34.6 Ω /km
ANM05.005.22.020AB	UL2464	300V	22X20AWG	34/0.14	13.4	313.62	34.6 Ω /km
ANM05.005.23.020AB	UL2464	300V	23X20AWG	34/0.14	13.9	334.52	34.6 Ω /km



ANM05.005.24.020AB	UL2464	300V	24X20AWG	34/0.14	13.9	338.12	34.6 Ω /km
ANM05.005.25.020AB	UL2464	300V	25X20AWG	34/0.14	14.2	352.52	34.6 Ω /km
ANM05.005.26.020AB	UL2464	300V	26X20AWG	34/0.14	14.2	356.02	34.6 Ω /km
ANM05.005.27.020AB	UL2464	300V	27X20AWG	34/0.14	14.2	359.62	34.6 Ω /km
ANM05.005.28.020AB	UL2464	300V	28X20AWG	34/0.14	14.7	381.42	34.6 Ω /km
ANM05.005.29.020AB	UL2464	300V	29X20AWG	34/0.14	14.7	385.12	34.6 Ω /km
ANM05.005.30.020AB	UL2464	300V	30X20AWG	34/0.14	14.7	388.72	34.6 Ω /km
ANM05.005.31.020AB	UL2464	300V	31X20AWG	34/0.14	15.2	411.12	34.6 Ω /km
ANM05.005.32.020AB	UL2464	300V	32X20AWG	34/0.14	15.2	414.72	34.6 Ω /km
ANM05.005.33.020AB	UL2464	300V	33X20AWG	34/0.14	15.2	418.42	34.6 Ω /km
ANM05.005.34.020AB	UL2464	300V	34X20AWG	34/0.14	15.7	441.62	34.6 Ω /km
ANM05.005.35.020AB	UL2464	300V	35X20AWG	34/0.14	15.7	445.22	34.6 Ω /km
ANM05.005.36.020AB	UL2464	300V	36X20AWG	34/0.14	15.7	448.82	34.6 Ω /km
ANM05.005.37.020AB	UL2464	300V	37X20AWG	34/0.14	15.7	452.42	34.6 Ω /km
ANM05.005.38.020AB	UL2464	300V	38X20AWG	34/0.14	16.3	480.22	34.6 Ω /km
ANM05.005.39.020AB	UL2464	300V	39X20AWG	34/0.14	16.3	483.72	34.6 Ω /km
ANM05.005.40.020AB	UL2464	300V	40X20AWG	34/0.14	16.3	487.42	34.6 Ω /km
ANM05.005.41.020AB	UL2464	300V	41X20AWG	34/0.14	17.5	541.82	34.6 Ω /km
ANM05.005.42.020AB	UL2464	300V	42X20AWG	34/0.14	17.5	545.52	34.6 Ω /km
ANM05.005.43.020AB	UL2464	300V	43X20AWG	34/0.14	17.5	549.12	34.6 Ω /km
ANM05.005.44.020AB	UL2464	300V	44X20AWG	34/0.14	17.5	552.82	34.6 Ω /km
ANM05.005.45.020AB	UL2464	300V	45X20AWG	34/0.14	17.8	569.62	34.6 Ω /km
ANM05.005.46.020AB	UL2464	300V	46X20AWG	34/0.14	17.8	573.32	34.6 Ω /km
ANM05.005.47.020AB	UL2464	300V	47X20AWG	34/0.14	17.8	576.92	34.6 Ω /km
ANM05.005.48.020AB	UL2464	300V	48X20AWG	34/0.14	17.8	580.62	34.6 Ω /km
ANM05.005.49.020AB	UL2464	300V	49X20AWG	34/0.14	18.3	606.82	34.6 Ω /km
ANM05.005.50.020AB	UL2464	300V	50X20AWG	34/0.14	18.3	610.52	34.6 Ω /km
ANM05.005.51.020AB	UL2464	300V	51X20AWG	34/0.14	18.3	614.22	34.6 Ω /km
ANM05.005.52.020AB	UL2464	300V	52X20AWG	34/0.14	18.3	617.82	34.6 Ω /km
ANM05.005.53.020AB	UL2464	300V	53X20AWG	34/0.14	18.8	644.52	34.6 Ω /km
ANM05.005.54.020AB	UL2464	300V	54X20AWG	34/0.14	18.8	648.02	34.6 Ω /km
ANM05.005.55.020AB	UL2464	300V	55X20AWG	34/0.14	18.8	651.72	34.6 Ω /km
ANM05.005.56.020AB	UL2464	300V	56X20AWG	34/0.14	18.8	655.22	34.6 Ω /km
ANM05.005.57.020AB	UL2464	300V	57X20AWG	34/0.14	19.3	682.72	34.6 Ω /km
ANM05.005.58.020AB	UL2464	300V	58X20AWG	34/0.14	19.3	686.22	34.6 Ω /km
ANM05.005.59.020AB	UL2464	300V	59X20AWG	34/0.14	19.3	689.92	34.6 Ω /km
ANM05.005.60.020AB	UL2464	300V	60X20AWG	34/0.14	19.3	693.52	34.6 Ω /km
ANM05.005.61.020AB	UL2464	300V	61X20AWG	34/0.14	19.3	697.22	34.6 Ω /km
ANM05.005.62.020AB	UL2464	300V	62X20AWG	34/0.14	20.9	778.62	34.6 Ω /km
ANM05.005.63.020AB	UL2464	300V	63X20AWG	34/0.14	20.9	782.22	34.6 Ω /km
ANM05.005.64.020AB	UL2464	300V	64X20AWG	34/0.14	20.9	785.82	34.6 Ω /km
ANM05.005.65.020AB	UL2464	300V	65X20AWG	34/0.14	20.9	789.52	34.6 Ω /km



ANM05.005.02.019AB	UL2464	300V	2X19AWG	43/0.14	6.8	72.16	27.4 Ω/km
ANM05.005.03.019AB	UL2464	300V	3X19AWG	43/0.14	7.1	82.26	27.4 Ω/km
ANM05.005.04.019AB	UL2464	300V	4X19AWG	43/0.14	7.6	96.56	27.4 Ω/km
ANM05.005.05.019AB	UL2464	300V	5X19AWG	43/0.14	8.2	113.46	27.4 Ω/km
ANM05.005.06.019AB	UL2464	300V	6X19AWG	43/0.14	8.7	129.16	27.4 Ω/km
ANM05.005.07.019AB	UL2464	300V	7X19AWG	43/0.14	8.7	133.66	27.4 Ω/km
ANM05.005.08.019AB	UL2464	300V	8X19AWG	43/0.14	9.3	152.36	27.4 Ω/km
ANM05.005.09.019AB	UL2464	300V	9X19AWG	43/0.14	10.1	176.76	27.4 Ω/km
ANM05.005.10.019AB	UL2464	300V	10X19AWG	43/0.14	10.6	194.86	27.4 Ω/km
ANM05.005.11.019AB	UL2464	300V	11X19AWG	43/0.14	10.9	207.66	27.4 Ω/km
ANM05.005.12.019AB	UL2464	300V	12X19AWG	43/0.14	10.9	212.36	27.4 Ω/km
ANM05.005.13.019AB	UL2464	300V	13X19AWG	43/0.14	11.4	230.96	27.4 Ω/km
ANM05.005.14.019AB	UL2464	300V	14X19AWG	43/0.14	11.4	235.66	27.4 Ω/km
ANM05.005.15.019AB	UL2464	300V	15X19AWG	43/0.14	12	258.16	27.4 Ω/km
ANM05.005.16.019AB	UL2464	300V	16X19AWG	43/0.14	12	262.86	27.4 Ω/km
ANM05.005.17.019AB	UL2464	300V	17X19AWG	43/0.14	12.5	283.06	27.4 Ω/km
ANM05.005.18.019AB	UL2464	300V	18X19AWG	43/0.14	12.5	287.76	27.4 Ω/km
ANM05.005.19.019AB	UL2464	300V	19X19AWG	43/0.14	12.5	292.36	27.4 Ω/km
ANM05.005.20.019AB	UL2464	300V	20X19AWG	43/0.14	12.8	306.56	27.4 Ω/km
ANM05.005.21.019AB	UL2464	300V	21X19AWG	43/0.14	13.2	324.36	27.4 Ω/km
ANM05.005.22.019AB	UL2464	300V	22X19AWG	43/0.14	14	356.46	27.4 Ω/km
ANM05.005.23.019AB	UL2464	300V	23X19AWG	43/0.14	14.5	379.06	27.4 Ω/km
ANM05.005.24.019AB	UL2464	300V	24X19AWG	43/0.14	14.5	383.76	27.4 Ω/km
ANM05.005.25.019AB	UL2464	300V	25X19AWG	43/0.14	14.8	399.46	27.4 Ω/km
ANM05.005.26.019AB	UL2464	300V	26X19AWG	43/0.14	14.8	404.16	27.4 Ω/km
ANM05.005.27.019AB	UL2464	300V	27X19AWG	43/0.14	14.8	408.66	27.4 Ω/km
ANM05.005.28.019AB	UL2464	300V	28X19AWG	43/0.14	15.3	432.26	27.4 Ω/km
ANM05.005.29.019AB	UL2464	300V	29X19AWG	43/0.14	15.3	436.86	27.4 Ω/km
ANM05.005.30.019AB	UL2464	300V	30X19AWG	43/0.14	15.3	441.46	27.4 Ω/km
ANM05.005.31.019AB	UL2464	300V	31X19AWG	43/0.14	15.9	469.66	27.4 Ω/km
ANM05.005.32.019AB	UL2464	300V	32X19AWG	43/0.14	15.9	474.26	27.4 Ω/km
ANM05.005.33.019AB	UL2464	300V	33X19AWG	43/0.14	15.9	478.86	27.4 Ω/km
ANM05.005.34.019AB	UL2464	300V	34X19AWG	43/0.14	16.4	503.86	27.4 Ω/km
ANM05.005.35.019AB	UL2464	300V	35X19AWG	43/0.14	16.4	508.36	27.4 Ω/km
ANM05.005.36.019AB	UL2464	300V	36X19AWG	43/0.14	16.4	513.16	27.4 Ω/km
ANM05.005.37.019AB	UL2464	300V	37X19AWG	43/0.14	16.4	517.66	27.4 Ω/km
ANM05.005.38.019AB	UL2464	300V	38X19AWG	43/0.14	17	547.46	27.4 Ω/km
ANM05.005.39.019AB	UL2464	300V	39X19AWG	43/0.14	17	551.96	27.4 Ω/km
ANM05.005.40.019AB	UL2464	300V	40X19AWG	43/0.14	17	556.76	27.4 Ω/km
ANM05.005.41.019AB	UL2464	300V	41X19AWG	43/0.14	18.3	618.76	27.4 Ω/km
ANM05.005.42.019AB	UL2464	300V	42X19AWG	43/0.14	18.3	623.36	27.4 Ω/km
ANM05.005.43.019AB	UL2464	300V	43X19AWG	43/0.14	18.3	628.06	27.4 Ω/km



ANM05.005.44.019AB	UL2464	300V	44X19AWG	43/0.14	18.3	632.66	27.4 Ω /km
ANM05.005.45.019AB	UL2464	300V	45X19AWG	43/0.14	18.6	651.06	27.4 Ω /km
ANM05.005.46.019AB	UL2464	300V	46X19AWG	43/0.14	18.6	655.66	27.4 Ω /km
ANM05.005.47.019AB	UL2464	300V	47X19AWG	43/0.14	18.6	660.26	27.4 Ω /km
ANM05.005.48.019AB	UL2464	300V	48X19AWG	43/0.14	18.6	664.96	27.4 Ω /km
ANM05.005.49.019AB	UL2464	300V	49X19AWG	43/0.14	19.1	693.06	27.4 Ω /km
ANM05.005.50.019AB	UL2464	300V	50X19AWG	43/0.14	19.1	697.76	27.4 Ω /km
ANM05.005.51.019AB	UL2464	300V	51X19AWG	43/0.14	19.1	702.26	27.4 Ω /km
ANM05.005.52.019AB	UL2464	300V	52X19AWG	43/0.14	19.1	707.06	27.4 Ω /km
ANM05.005.53.019AB	UL2464	300V	53X19AWG	43/0.14	20.7	788.66	27.4 Ω /km
ANM05.005.54.019AB	UL2464	300V	54X19AWG	43/0.14	20.7	793.16	27.4 Ω /km
ANM05.005.55.019AB	UL2464	300V	55X19AWG	43/0.14	20.7	797.96	27.4 Ω /km
ANM05.005.56.019AB	UL2464	300V	56X19AWG	43/0.14	20.7	802.46	27.4 Ω /km
ANM05.005.57.019AB	UL2464	300V	57X19AWG	43/0.14	21.2	833.16	27.4 Ω /km
ANM05.005.58.019AB	UL2464	300V	58X19AWG	43/0.14	21.2	837.66	27.4 Ω /km
ANM05.005.59.019AB	UL2464	300V	59X19AWG	43/0.14	21.2	842.36	27.4 Ω /km
ANM05.005.60.019AB	UL2464	300V	60X19AWG	43/0.14	21.2	846.96	27.4 Ω /km
ANM05.005.61.019AB	UL2464	300V	61X19AWG	43/0.14	21.2	851.56	27.4 Ω /km
ANM05.005.62.019AB	UL2464	300V	62X19AWG	43/0.14	21.8	888.26	27.4 Ω /km
ANM05.005.63.019AB	UL2464	300V	63X19AWG	43/0.14	21.8	892.96	27.4 Ω /km
ANM05.005.64.019AB	UL2464	300V	64X19AWG	43/0.14	21.8	897.56	27.4 Ω /km
ANM05.005.65.019AB	UL2464	300V	65X19AWG	43/0.14	21.8	902.16	27.4 Ω /km
ANM05.005.02.018AB	UL2464	300V	2X18AWG	29/0.19	7	78.53	21.8 Ω /km
ANM05.005.03.018AB	UL2464	300V	3X18AWG	29/0.19	7.4	92.03	21.8 Ω /km
ANM05.005.04.018AB	UL2464	300V	4X18AWG	29/0.19	7.9	108.13	21.8 Ω /km
ANM05.005.05.018AB	UL2464	300V	5X18AWG	29/0.19	8.4	124.63	21.8 Ω /km
ANM05.005.06.018AB	UL2464	300V	6X18AWG	29/0.19	9	144.03	21.8 Ω /km
ANM05.005.07.018AB	UL2464	300V	7X18AWG	29/0.19	9	150.13	21.8 Ω /km
ANM05.005.08.018AB	UL2464	300V	8X18AWG	29/0.19	9.6	170.43	21.8 Ω /km
ANM05.005.09.018AB	UL2464	300V	9X18AWG	29/0.19	10.4	196.93	21.8 Ω /km
ANM05.005.10.018AB	UL2464	300V	10X18AWG	29/0.19	11	219.33	21.8 Ω /km
ANM05.005.11.018AB	UL2464	300V	11X18AWG	29/0.19	11.4	236.63	21.8 Ω /km
ANM05.005.12.018AB	UL2464	300V	12X18AWG	29/0.19	11.4	242.43	21.8 Ω /km
ANM05.005.13.018AB	UL2464	300V	13X18AWG	29/0.19	11.9	263.43	21.8 Ω /km
ANM05.005.14.018AB	UL2464	300V	14X18AWG	29/0.19	11.9	269.33	21.8 Ω /km
ANM05.005.15.018AB	UL2464	300V	15X18AWG	29/0.19	12.4	290.63	21.8 Ω /km
ANM05.005.16.018AB	UL2464	300V	16X18AWG	29/0.19	12.4	296.73	21.8 Ω /km
ANM05.005.17.018AB	UL2464	300V	17X18AWG	29/0.19	13	321.83	21.8 Ω /km
ANM05.005.18.018AB	UL2464	300V	18X18AWG	29/0.19	13	327.83	21.8 Ω /km
ANM05.005.19.018AB	UL2464	300V	19X18AWG	29/0.19	13	333.93	21.8 Ω /km
ANM05.005.20.018AB	UL2464	300V	20X18AWG	29/0.19	13.5	356.63	21.8 Ω /km
ANM05.005.21.018AB	UL2464	300V	21X18AWG	29/0.19	13.7	369.43	21.8 Ω /km



ANM05.005.22.018AB	UL2464	300V	22X18AWG	29/0.19	14.5	404.03	21.8 Ω /km
ANM05.005.23.018AB	UL2464	300V	23X18AWG	29/0.19	15.1	432.23	21.8 Ω /km
ANM05.005.24.018AB	UL2464	300V	24X18AWG	29/0.19	15.1	438.13	21.8 Ω /km
ANM05.005.25.018AB	UL2464	300V	25X18AWG	29/0.19	15.5	459.63	21.8 Ω /km
ANM05.005.26.018AB	UL2464	300V	26X18AWG	29/0.19	15.5	465.43	21.8 Ω /km
ANM05.005.27.018AB	UL2464	300V	27X18AWG	29/0.19	15.5	471.43	21.8 Ω /km
ANM05.005.28.018AB	UL2464	300V	28X18AWG	29/0.19	16	497.13	21.8 Ω /km
ANM05.005.29.018AB	UL2464	300V	29X18AWG	29/0.19	16	503.23	21.8 Ω /km
ANM05.005.30.018AB	UL2464	300V	30X18AWG	29/0.19	16	509.23	21.8 Ω /km
ANM05.005.31.018AB	UL2464	300V	31X18AWG	29/0.19	16.5	535.33	21.8 Ω /km
ANM05.005.32.018AB	UL2464	300V	32X18AWG	29/0.19	16.5	541.33	21.8 Ω /km
ANM05.005.33.018AB	UL2464	300V	33X18AWG	29/0.19	16.5	547.33	21.8 Ω /km
ANM05.005.34.018AB	UL2464	300V	34X18AWG	29/0.19	17.1	578.53	21.8 Ω /km
ANM05.005.35.018AB	UL2464	300V	35X18AWG	29/0.19	17.1	584.63	21.8 Ω /km
ANM05.005.36.018AB	UL2464	300V	36X18AWG	29/0.19	17.1	590.53	21.8 Ω /km
ANM05.005.37.018AB	UL2464	300V	37X18AWG	29/0.19	17.1	596.43	21.8 Ω /km
ANM05.005.38.018AB	UL2464	300V	38X18AWG	29/0.19	17.7	628.63	21.8 Ω /km
ANM05.005.39.018AB	UL2464	300V	39X18AWG	29/0.19	17.7	634.63	21.8 Ω /km
ANM05.005.40.018AB	UL2464	300V	40X18AWG	29/0.19	17.7	640.53	21.8 Ω /km
ANM05.005.41.018AB	UL2464	300V	41X18AWG	29/0.19	19.1	710.83	21.8 Ω /km
ANM05.005.42.018AB	UL2464	300V	42X18AWG	29/0.19	19.1	716.73	21.8 Ω /km
ANM05.005.43.018AB	UL2464	300V	43X18AWG	29/0.19	19.1	722.73	21.8 Ω /km
ANM05.005.44.018AB	UL2464	300V	44X18AWG	29/0.19	19.1	728.73	21.8 Ω /km
ANM05.005.45.018AB	UL2464	300V	45X18AWG	29/0.19	20.5	801.33	21.8 Ω /km
ANM05.005.46.018AB	UL2464	300V	46X18AWG	29/0.19	20.5	807.23	21.8 Ω /km
ANM05.005.47.018AB	UL2464	300V	47X18AWG	29/0.19	20.5	813.33	21.8 Ω /km
ANM05.005.48.018AB	UL2464	300V	48X18AWG	29/0.19	20.5	819.13	21.8 Ω /km
ANM05.005.49.018AB	UL2464	300V	49X18AWG	29/0.19	21	850.93	21.8 Ω /km
ANM05.005.50.018AB	UL2464	300V	50X18AWG	29/0.19	21	857.03	21.8 Ω /km
ANM05.005.51.018AB	UL2464	300V	51X18AWG	29/0.19	21	862.83	21.8 Ω /km
ANM05.005.52.018AB	UL2464	300V	52X18AWG	29/0.19	21	868.83	21.8 Ω /km
ANM05.005.53.018AB	UL2464	300V	53X18AWG	29/0.19	21.5	901.23	21.8 Ω /km
ANM05.005.54.018AB	UL2464	300V	54X18AWG	29/0.19	21.5	907.13	21.8 Ω /km
ANM05.005.55.018AB	UL2464	300V	55X18AWG	29/0.19	21.5	913.13	21.8 Ω /km
ANM05.005.56.018AB	UL2464	300V	56X18AWG	29/0.19	21.5	918.93	21.8 Ω /km
ANM05.005.57.018AB	UL2464	300V	57X18AWG	29/0.19	22.1	957.43	21.8 Ω /km
ANM05.005.58.018AB	UL2464	300V	58X18AWG	29/0.19	22.1	963.43	21.8 Ω /km
ANM05.005.59.018AB	UL2464	300V	59X18AWG	29/0.19	22.1	969.33	21.8 Ω /km
ANM05.005.60.018AB	UL2464	300V	60X18AWG	29/0.19	22.1	975.33	21.8 Ω /km
ANM05.005.61.018AB	UL2464	300V	61X18AWG	29/0.19	22.1	981.33	21.8 Ω /km
ANM05.005.62.018AB	UL2464	300V	62X18AWG	29/0.19	22.7	1020.63	21.8 Ω /km
ANM05.005.63.018AB	UL2464	300V	63X18AWG	29/0.19	22.7	1026.73	21.8 Ω /km



ANM05.005.64.018AB	UL2464	300V	64X18AWG	29/0.19	22.7	1032.73	21.8 Ω/km
ANM05.005.65.018AB	UL2464	300V	65X18AWG	29/0.19	22.7	1038.53	21.8 Ω/km
ANM05.005.02.017AB	UL2464	300V	2X17AWG	37/0.19	7.4	89.24	17.3 Ω/km
ANM05.005.03.017AB	UL2464	300V	3X17AWG	37/0.19	7.8	104.54	17.3 Ω/km
ANM05.005.04.017AB	UL2464	300V	4X17AWG	37/0.19	8.4	124.54	17.3 Ω/km
ANM05.005.05.017AB	UL2464	300V	5X17AWG	37/0.19	9	145.44	17.3 Ω/km
ANM05.005.06.017AB	UL2464	300V	6X17AWG	37/0.19	9.6	167.14	17.3 Ω/km
ANM05.005.07.017AB	UL2464	300V	7X17AWG	37/0.19	9.6	174.44	17.3 Ω/km
ANM05.005.08.017AB	UL2464	300V	8X17AWG	37/0.19	10.3	199.74	17.3 Ω/km
ANM05.005.09.017AB	UL2464	300V	9X17AWG	37/0.19	11.2	231.84	17.3 Ω/km
ANM05.005.10.017AB	UL2464	300V	10X17AWG	37/0.19	11.8	256.94	17.3 Ω/km
ANM05.005.11.017AB	UL2464	300V	11X17AWG	37/0.19	12.2	276.44	17.3 Ω/km
ANM05.005.12.017AB	UL2464	300V	12X17AWG	37/0.19	12.2	283.84	17.3 Ω/km
ANM05.005.13.017AB	UL2464	300V	13X17AWG	37/0.19	12.8	310.14	17.3 Ω/km
ANM05.005.14.017AB	UL2464	300V	14X17AWG	37/0.19	12.8	317.44	17.3 Ω/km
ANM05.005.15.017AB	UL2464	300V	15X17AWG	37/0.19	13.5	348.14	17.3 Ω/km
ANM05.005.16.017AB	UL2464	300V	16X17AWG	37/0.19	13.5	355.54	17.3 Ω/km
ANM05.005.17.017AB	UL2464	300V	17X17AWG	37/0.19	14.1	383.84	17.3 Ω/km
ANM05.005.18.017AB	UL2464	300V	18X17AWG	37/0.19	14.1	391.24	17.3 Ω/km
ANM05.005.19.017AB	UL2464	300V	19X17AWG	37/0.19	14.1	398.74	17.3 Ω/km
ANM05.005.20.017AB	UL2464	300V	20X17AWG	37/0.19	14.5	420.44	17.3 Ω/km
ANM05.005.21.017AB	UL2464	300V	21X17AWG	37/0.19	14.8	438.94	17.3 Ω/km
ANM05.005.22.017AB	UL2464	300V	22X17AWG	37/0.19	15.7	480.74	17.3 Ω/km
ANM05.005.23.017AB	UL2464	300V	23X17AWG	37/0.19	16.3	512.14	17.3 Ω/km
ANM05.005.24.017AB	UL2464	300V	24X17AWG	37/0.19	16.3	519.54	17.3 Ω/km
ANM05.005.25.017AB	UL2464	300V	25X17AWG	37/0.19	16.7	543.44	17.3 Ω/km
ANM05.005.26.017AB	UL2464	300V	26X17AWG	37/0.19	16.7	550.74	17.3 Ω/km
ANM05.005.27.017AB	UL2464	300V	27X17AWG	37/0.19	16.7	558.24	17.3 Ω/km
ANM05.005.28.017AB	UL2464	300V	28X17AWG	37/0.19	17.3	591.24	17.3 Ω/km
ANM05.005.29.017AB	UL2464	300V	29X17AWG	37/0.19	17.3	598.64	17.3 Ω/km
ANM05.005.30.017AB	UL2464	300V	30X17AWG	37/0.19	17.3	605.94	17.3 Ω/km
ANM05.005.31.017AB	UL2464	300V	31X17AWG	37/0.19	17.9	639.74	17.3 Ω/km
ANM05.005.32.017AB	UL2464	300V	32X17AWG	37/0.19	17.9	647.04	17.3 Ω/km
ANM05.005.33.017AB	UL2464	300V	33X17AWG	37/0.19	17.9	654.34	17.3 Ω/km
ANM05.005.34.017AB	UL2464	300V	34X17AWG	37/0.19	18.5	689.04	17.3 Ω/km
ANM05.005.35.017AB	UL2464	300V	35X17AWG	37/0.19	18.5	696.44	17.3 Ω/km
ANM05.005.36.017AB	UL2464	300V	36X17AWG	37/0.19	18.5	703.84	17.3 Ω/km
ANM05.005.37.017AB	UL2464	300V	37X17AWG	37/0.19	18.5	711.34	17.3 Ω/km
ANM05.005.38.017AB	UL2464	300V	38X17AWG	37/0.19	19.2	751.64	17.3 Ω/km
ANM05.005.39.017AB	UL2464	300V	39X17AWG	37/0.19	19.2	759.04	17.3 Ω/km
ANM05.005.40.017AB	UL2464	300V	40X17AWG	37/0.19	19.2	766.34	17.3 Ω/km
ANM05.005.41.017AB	UL2464	300V	41X17AWG	37/0.19	21.7	898.44	17.3 Ω/km



ANM05.005.42.017AB	UL2464	300V	42X17AWG	37/0.19	21.7	905.74	17.3 Ω/km
ANM05.005.43.017AB	UL2464	300V	43X17AWG	37/0.19	21.7	913.14	17.3 Ω/km
ANM05.005.44.017AB	UL2464	300V	44X17AWG	37/0.19	21.7	920.44	17.3 Ω/km
ANM05.005.45.017AB	UL2464	300V	45X17AWG	37/0.19	22.1	949.64	17.3 Ω/km
ANM05.005.46.017AB	UL2464	300V	46X17AWG	37/0.19	22.1	957.04	17.3 Ω/km
ANM05.005.47.017AB	UL2464	300V	47X17AWG	37/0.19	22.1	964.44	17.3 Ω/km
ANM05.005.48.017AB	UL2464	300V	48X17AWG	37/0.19	22.1	971.74	17.3 Ω/km
ANM05.005.49.017AB	UL2464	300V	49X17AWG	37/0.19	22.7	1012.64	17.3 Ω/km
ANM05.005.50.017AB	UL2464	300V	50X17AWG	37/0.19	22.7	1019.94	17.3 Ω/km
ANM05.005.51.017AB	UL2464	300V	51X17AWG	37/0.19	22.7	1027.24	17.3 Ω/km
ANM05.005.52.017AB	UL2464	300V	52X17AWG	37/0.19	22.7	1034.64	17.3 Ω/km
ANM05.005.53.017AB	UL2464	300V	53X17AWG	37/0.19	23.3	1076.24	17.3 Ω/km
ANM05.005.54.017AB	UL2464	300V	54X17AWG	37/0.19	23.3	1083.54	17.3 Ω/km
ANM05.005.55.017AB	UL2464	300V	55X17AWG	37/0.19	23.3	1091.04	17.3 Ω/km
ANM05.005.56.017AB	UL2464	300V	56X17AWG	37/0.19	23.3	1098.34	17.3 Ω/km
ANM05.005.57.017AB	UL2464	300V	57X17AWG	37/0.19	23.9	1140.84	17.3 Ω/km
ANM05.005.58.017AB	UL2464	300V	58X17AWG	37/0.19	23.9	1148.24	17.3 Ω/km
ANM05.005.59.017AB	UL2464	300V	59X17AWG	37/0.19	23.9	1155.54	17.3 Ω/km
ANM05.005.60.017AB	UL2464	300V	60X17AWG	37/0.19	23.9	1162.94	17.3 Ω/km
ANM05.005.61.017AB	UL2464	300V	61X17AWG	37/0.19	23.9	1170.24	17.3 Ω/km
ANM05.005.62.017AB	UL2464	300V	62X17AWG	37/0.19	24.6	1219.84	17.3 Ω/km
ANM05.005.63.017AB	UL2464	300V	63X17AWG	37/0.19	24.6	1227.14	17.3 Ω/km
ANM05.005.64.017AB	UL2464	300V	64X17AWG	37/0.19	24.6	1234.64	17.3 Ω/km
ANM05.005.65.017AB	UL2464	300V	65X17AWG	37/0.19	24.6	1241.94	17.3 Ω/km
ANM05.005.02.016AB	UL2464	300V	2X16AWG	27/0.25	7.6	97.81	13.7 Ω/km
ANM05.005.03.016AB	UL2464	300V	3X16AWG	27/0.25	8	115.51	13.7 Ω/km
ANM05.005.04.016AB	UL2464	300V	4X16AWG	27/0.25	8.6	138.01	13.7 Ω/km
ANM05.005.05.016AB	UL2464	300V	5X16AWG	27/0.25	9.3	163.81	13.7 Ω/km
ANM05.005.06.016AB	UL2464	300V	6X16AWG	27/0.25	9.9	188.11	13.7 Ω/km
ANM05.005.07.016AB	UL2464	300V	7X16AWG	27/0.25	9.9	197.71	13.7 Ω/km
ANM05.005.08.016AB	UL2464	300V	8X16AWG	27/0.25	10.6	225.71	13.7 Ω/km
ANM05.005.09.016AB	UL2464	300V	9X16AWG	27/0.25	11.6	263.61	13.7 Ω/km
ANM05.005.10.016AB	UL2464	300V	10X16AWG	27/0.25	12.2	291.21	13.7 Ω/km
ANM05.005.11.016AB	UL2464	300V	11X16AWG	27/0.25	12.6	313.41	13.7 Ω/km
ANM05.005.12.016AB	UL2464	300V	12X16AWG	27/0.25	12.6	323.01	13.7 Ω/km
ANM05.005.13.016AB	UL2464	300V	13X16AWG	27/0.25	13.3	355.41	13.7 Ω/km
ANM05.005.14.016AB	UL2464	300V	14X16AWG	27/0.25	13.3	365.01	13.7 Ω/km
ANM05.005.15.016AB	UL2464	300V	15X16AWG	27/0.25	14	398.71	13.7 Ω/km
ANM05.005.16.016AB	UL2464	300V	16X16AWG	27/0.25	14	408.31	13.7 Ω/km
ANM05.005.17.016AB	UL2464	300V	17X16AWG	27/0.25	14.6	439.51	13.7 Ω/km
ANM05.005.18.016AB	UL2464	300V	18X16AWG	27/0.25	14.6	449.11	13.7 Ω/km
ANM05.005.19.016AB	UL2464	300V	19X16AWG	27/0.25	14.6	458.71	13.7 Ω/km



ANM05.005.20.016AB	UL2464	300V	20X16AWG	27/0.25	15	483.11	13.7 Ω /km
ANM05.005.21.016AB	UL2464	300V	21X16AWG	27/0.25	15.3	504.21	13.7 Ω /km
ANM05.005.22.016AB	UL2464	300V	22X16AWG	27/0.25	16.3	553.31	13.7 Ω /km
ANM05.005.23.016AB	UL2464	300V	23X16AWG	27/0.25	16.9	588.01	13.7 Ω /km
ANM05.005.24.016AB	UL2464	300V	24X16AWG	27/0.25	16.9	597.61	13.7 Ω /km
ANM05.005.25.016AB	UL2464	300V	25X16AWG	27/0.25	17.3	624.21	13.7 Ω /km
ANM05.005.26.016AB	UL2464	300V	26X16AWG	27/0.25	17.3	633.81	13.7 Ω /km
ANM05.005.27.016AB	UL2464	300V	27X16AWG	27/0.25	17.3	643.31	13.7 Ω /km
ANM05.005.28.016AB	UL2464	300V	28X16AWG	27/0.25	17.9	679.31	13.7 Ω /km
ANM05.005.29.016AB	UL2464	300V	29X16AWG	27/0.25	17.9	688.81	13.7 Ω /km
ANM05.005.30.016AB	UL2464	300V	30X16AWG	27/0.25	17.9	698.41	13.7 Ω /km
ANM05.005.31.016AB	UL2464	300V	31X16AWG	27/0.25	18.6	739.91	13.7 Ω /km
ANM05.005.32.016AB	UL2464	300V	32X16AWG	27/0.25	18.6	749.41	13.7 Ω /km
ANM05.005.33.016AB	UL2464	300V	33X16AWG	27/0.25	18.6	759.01	13.7 Ω /km
ANM05.005.34.016AB	UL2464	300V	34X16AWG	27/0.25	19.2	796.91	13.7 Ω /km
ANM05.005.35.016AB	UL2464	300V	35X16AWG	27/0.25	19.2	806.51	13.7 Ω /km
ANM05.005.36.016AB	UL2464	300V	36X16AWG	27/0.25	19.2	816.11	13.7 Ω /km
ANM05.005.37.016AB	UL2464	300V	37X16AWG	27/0.25	19.2	825.61	13.7 Ω /km
ANM05.005.38.016AB	UL2464	300V	38X16AWG	27/0.25	20.9	917.71	13.7 Ω /km
ANM05.005.39.016AB	UL2464	300V	39X16AWG	27/0.25	20.9	927.21	13.7 Ω /km
ANM05.005.40.016AB	UL2464	300V	40X16AWG	27/0.25	20.9	936.81	13.7 Ω /km
ANM05.005.41.016AB	UL2464	300V	41X16AWG	27/0.25	22.5	1032.71	13.7 Ω /km
ANM05.005.42.016AB	UL2464	300V	42X16AWG	27/0.25	22.5	1042.21	13.7 Ω /km
ANM05.005.43.016AB	UL2464	300V	43X16AWG	27/0.25	22.5	1051.81	13.7 Ω /km
ANM05.005.44.016AB	UL2464	300V	44X16AWG	27/0.25	22.5	1061.31	13.7 Ω /km
ANM05.005.45.016AB	UL2464	300V	45X16AWG	27/0.25	22.9	1093.41	13.7 Ω /km
ANM05.005.46.016AB	UL2464	300V	46X16AWG	27/0.25	22.9	1102.91	13.7 Ω /km
ANM05.005.47.016AB	UL2464	300V	47X16AWG	27/0.25	22.9	1112.51	13.7 Ω /km
ANM05.005.48.016AB	UL2464	300V	48X16AWG	27/0.25	22.9	1122.11	13.7 Ω /km
ANM05.005.49.016AB	UL2464	300V	49X16AWG	27/0.25	23.5	1166.01	13.7 Ω /km
ANM05.005.50.016AB	UL2464	300V	50X16AWG	27/0.25	23.5	1175.61	13.7 Ω /km
ANM05.005.51.016AB	UL2464	300V	51X16AWG	27/0.25	23.5	1185.11	13.7 Ω /km
ANM05.005.52.016AB	UL2464	300V	52X16AWG	27/0.25	23.5	1194.71	13.7 Ω /km
ANM05.005.53.016AB	UL2464	300V	53X16AWG	27/0.25	24.2	1245.81	13.7 Ω /km
ANM05.005.54.016AB	UL2464	300V	54X16AWG	27/0.25	24.2	1255.31	13.7 Ω /km
ANM05.005.55.016AB	UL2464	300V	55X16AWG	27/0.25	24.2	1264.91	13.7 Ω /km
ANM05.005.56.016AB	UL2464	300V	56X16AWG	27/0.25	24.2	1274.41	13.7 Ω /km
ANM05.005.57.016AB	UL2464	300V	57X16AWG	27/0.25	24.8	1320.41	13.7 Ω /km
ANM05.005.58.016AB	UL2464	300V	58X16AWG	27/0.25	24.8	1329.91	13.7 Ω /km
ANM05.005.59.016AB	UL2464	300V	59X16AWG	27/0.25	24.8	1339.51	13.7 Ω /km
ANM05.005.60.016AB	UL2464	300V	60X16AWG	27/0.25	24.8	1349.11	13.7 Ω /km
ANM05.005.61.016AB	UL2464	300V	61X16AWG	27/0.25	24.8	1358.61	13.7 Ω /km



ANM05.005.62.016AB	UL2464	300V	62X16AWG	27/0.25	25.5	1411.81	13.7 Ω /km
ANM05.005.63.016AB	UL2464	300V	63X16AWG	27/0.25	25.5	1421.31	13.7 Ω /km
ANM05.005.64.016AB	UL2464	300V	64X16AWG	27/0.25	25.5	1430.91	13.7 Ω /km
ANM05.005.65.016AB	UL2464	300V	65X16AWG	27/0.25	25.5	1440.51	13.7 Ω /km

