



物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω /km
芯线 PVC 材质							
ANM09.022.02.022AB	UL20886	1000V	2X22AWG	22/0.14	5.8	45.13	55.4 Ω /km
ANM09.022.03.022AB	UL20886	1000V	3X22AWG	22/0.14	6.1	51.63	55.4 Ω /km
ANM09.022.04.022AB	UL20886	1000V	4X22AWG	22/0.14	6.5	59.93	55.4 Ω /km
ANM09.022.05.022AB	UL20886	1000V	5X22AWG	22/0.14	7	70.23	55.4 Ω /km
ANM09.022.06.022AB	UL20886	1000V	6X22AWG	22/0.14	7.4	79.43	55.4 Ω /km
ANM09.022.07.022AB	UL20886	1000V	7X22AWG	22/0.14	7.4	81.63	55.4 Ω /km
ANM09.022.08.022AB	UL20886	1000V	8X22AWG	22/0.14	7.9	93.03	55.4 Ω /km
ANM09.022.09.022AB	UL20886	1000V	9X22AWG	22/0.14	8.6	109.23	55.4 Ω /km
ANM09.022.10.022AB	UL20886	1000V	10X22AWG	22/0.14	9	119.93	55.4 Ω /km
ANM09.022.11.022AB	UL20886	1000V	11X22AWG	22/0.14	9.3	128.83	55.4 Ω /km
ANM09.022.12.022AB	UL20886	1000V	12X22AWG	22/0.14	9.3	130.93	55.4 Ω /km
ANM09.022.13.022AB	UL20886	1000V	13X22AWG	22/0.14	9.7	142.43	55.4 Ω /km
ANM09.022.14.022AB	UL20886	1000V	14X22AWG	22/0.14	9.7	144.63	55.4 Ω /km
ANM09.022.15.022AB	UL20886	1000V	15X22AWG	22/0.14	10.2	158.83	55.4 Ω /km
ANM09.022.16.022AB	UL20886	1000V	16X22AWG	22/0.14	10.2	161.03	55.4 Ω /km
ANM09.022.17.022AB	UL20886	1000V	17X22AWG	22/0.14	10.6	173.23	55.4 Ω /km
ANM09.022.18.022AB	UL20886	1000V	18X22AWG	22/0.14	10.6	175.53	55.4 Ω /km
ANM09.022.19.022AB	UL20886	1000V	19X22AWG	22/0.14	10.6	177.73	55.4 Ω /km
ANM09.022.20.022AB	UL20886	1000V	20X22AWG	22/0.14	10.9	187.73	55.4 Ω /km
ANM09.022.21.022AB	UL20886	1000V	21X22AWG	22/0.14	11.1	195.23	55.4 Ω /km
ANM09.022.22.022AB	UL20886	1000V	22X22AWG	22/0.14	11.8	216.83	55.4 Ω /km
ANM09.022.23.022AB	UL20886	1000V	23X22AWG	22/0.14	12.2	230.73	55.4 Ω /km
ANM09.022.24.022AB	UL20886	1000V	24X22AWG	22/0.14	12.2	232.83	55.4 Ω /km
ANM09.022.25.022AB	UL20886	1000V	25X22AWG	22/0.14	12.5	244.03	55.4 Ω /km
ANM09.022.26.022AB	UL20886	1000V	26X22AWG	22/0.14	12.5	246.23	55.4 Ω /km
ANM09.022.27.022AB	UL20886	1000V	27X22AWG	22/0.14	12.5	248.43	55.4 Ω /km
ANM09.022.28.022AB	UL20886	1000V	28X22AWG	22/0.14	13	266.03	55.4 Ω /km
ANM09.022.29.022AB	UL20886	1000V	29X22AWG	22/0.14	13	268.33	55.4 Ω /km
ANM09.022.30.022AB	UL20886	1000V	30X22AWG	22/0.14	13	270.53	55.4 Ω /km
ANM09.022.31.022AB	UL20886	1000V	31X22AWG	22/0.14	13.5	288.73	55.4 Ω /km
ANM09.022.32.022AB	UL20886	1000V	32X22AWG	22/0.14	13.5	291.03	55.4 Ω /km
ANM09.022.33.022AB	UL20886	1000V	33X22AWG	22/0.14	13.5	293.23	55.4 Ω /km
ANM09.022.34.022AB	UL20886	1000V	34X22AWG	22/0.14	13.9	308.63	55.4 Ω /km
ANM09.022.35.022AB	UL20886	1000V	35X22AWG	22/0.14	13.9	310.73	55.4 Ω /km
ANM09.022.36.022AB	UL20886	1000V	36X22AWG	22/0.14	13.9	313.03	55.4 Ω /km
ANM09.022.37.022AB	UL20886	1000V	37X22AWG	22/0.14	13.9	315.23	55.4 Ω /km
ANM09.022.38.022AB	UL20886	1000V	38X22AWG	22/0.14	14.4	334.73	55.4 Ω /km
ANM09.022.39.022AB	UL20886	1000V	39X22AWG	22/0.14	14.4	336.93	55.4 Ω /km
ANM09.022.40.022AB	UL20886	1000V	40X22AWG	22/0.14	14.4	339.13	55.4 Ω /km



ANM09.022.41.022AB	UL20886	1000V	41X22AWG	22/0.14	15.5	381.03	55.4 Ω /km
ANM09.022.42.022AB	UL20886	1000V	42X22AWG	22/0.14	15.5	383.23	55.4 Ω /km
ANM09.022.43.022AB	UL20886	1000V	43X22AWG	22/0.14	15.5	385.43	55.4 Ω /km
ANM09.022.44.022AB	UL20886	1000V	44X22AWG	22/0.14	15.5	387.63	55.4 Ω /km
ANM09.022.45.022AB	UL20886	1000V	45X22AWG	22/0.14	15.8	401.33	55.4 Ω /km
ANM09.022.46.022AB	UL20886	1000V	46X22AWG	22/0.14	15.8	403.63	55.4 Ω /km
ANM09.022.47.022AB	UL20886	1000V	47X22AWG	22/0.14	15.8	405.73	55.4 Ω /km
ANM09.022.48.022AB	UL20886	1000V	48X22AWG	22/0.14	15.8	408.03	55.4 Ω /km
ANM09.022.49.022AB	UL20886	1000V	49X22AWG	22/0.14	16.2	425.63	55.4 Ω /km
ANM09.022.50.022AB	UL20886	1000V	50X22AWG	22/0.14	16.2	427.93	55.4 Ω /km
ANM09.022.51.022AB	UL20886	1000V	51X22AWG	22/0.14	16.2	430.03	55.4 Ω /km
ANM09.022.52.022AB	UL20886	1000V	52X22AWG	22/0.14	16.2	432.33	55.4 Ω /km
ANM09.022.53.022AB	UL20886	1000V	53X22AWG	22/0.14	16.7	454.53	55.4 Ω /km
ANM09.022.54.022AB	UL20886	1000V	54X22AWG	22/0.14	16.7	456.63	55.4 Ω /km
ANM09.022.55.022AB	UL20886	1000V	55X22AWG	22/0.14	16.7	458.93	55.4 Ω /km
ANM09.022.56.022AB	UL20886	1000V	56X22AWG	22/0.14	16.7	461.13	55.4 Ω /km
ANM09.022.57.022AB	UL20886	1000V	57X22AWG	22/0.14	17.1	479.63	55.4 Ω /km
ANM09.022.58.022AB	UL20886	1000V	58X22AWG	22/0.14	17.1	481.73	55.4 Ω /km
ANM09.022.59.022AB	UL20886	1000V	59X22AWG	22/0.14	17.1	484.03	55.4 Ω /km
ANM09.022.60.022AB	UL20886	1000V	60X22AWG	22/0.14	17.1	486.23	55.4 Ω /km
ANM09.022.61.022AB	UL20886	1000V	61X22AWG	22/0.14	17.1	488.53	55.4 Ω /km
ANM09.022.62.022AB	UL20886	1000V	62X22AWG	22/0.14	17.6	511.73	55.4 Ω /km
ANM09.022.63.022AB	UL20886	1000V	63X22AWG	22/0.14	17.6	513.93	55.4 Ω /km
ANM09.022.64.022AB	UL20886	1000V	64X22AWG	22/0.14	17.6	516.23	55.4 Ω /km
ANM09.022.65.022AB	UL20886	1000V	65X22AWG	22/0.14	17.6	518.43	55.4 Ω /km
ANM09.022.02.021AB	UL20886	1000V	2X21AWG	27/0.14	6	49.22	43.6 Ω /km
ANM09.022.03.021AB	UL20886	1000V	3X21AWG	27/0.14	6.3	56.52	43.6 Ω /km
ANM09.022.04.021AB	UL20886	1000V	4X21AWG	27/0.14	6.8	67.32	43.6 Ω /km
ANM09.022.05.021AB	UL20886	1000V	5X21AWG	27/0.14	7.2	76.92	43.6 Ω /km
ANM09.022.06.021AB	UL20886	1000V	6X21AWG	27/0.14	7.7	88.72	43.6 Ω /km
ANM09.022.07.021AB	UL20886	1000V	7X21AWG	27/0.14	7.7	91.62	43.6 Ω /km
ANM09.022.08.021AB	UL20886	1000V	8X21AWG	27/0.14	8.3	105.92	43.6 Ω /km
ANM09.022.09.021AB	UL20886	1000V	9X21AWG	27/0.14	8.9	121.12	43.6 Ω /km
ANM09.022.10.021AB	UL20886	1000V	10X21AWG	27/0.14	9.4	135.12	43.6 Ω /km
ANM09.022.11.021AB	UL20886	1000V	11X21AWG	27/0.14	9.7	144.82	43.6 Ω /km
ANM09.022.12.021AB	UL20886	1000V	12X21AWG	27/0.14	9.7	147.72	43.6 Ω /km
ANM09.022.13.021AB	UL20886	1000V	13X21AWG	27/0.14	10.2	162.52	43.6 Ω /km
ANM09.022.14.021AB	UL20886	1000V	14X21AWG	27/0.14	10.2	165.32	43.6 Ω /km
ANM09.022.15.021AB	UL20886	1000V	15X21AWG	27/0.14	10.6	178.22	43.6 Ω /km
ANM09.022.16.021AB	UL20886	1000V	16X21AWG	27/0.14	10.6	181.02	43.6 Ω /km
ANM09.022.17.021AB	UL20886	1000V	17X21AWG	27/0.14	11.1	196.92	43.6 Ω /km
ANM09.022.18.021AB	UL20886	1000V	18X21AWG	27/0.14	11.1	199.82	43.6 Ω /km



ANM09.022.19.021AB	UL20886	1000V	19X21AWG	27/0.14	11.1	202.72	43.6 Ω /km
ANM09.022.20.021AB	UL20886	1000V	20X21AWG	27/0.14	11.4	213.62	43.6 Ω /km
ANM09.022.21.021AB	UL20886	1000V	21X21AWG	27/0.14	11.7	224.92	43.6 Ω /km
ANM09.022.22.021AB	UL20886	1000V	22X21AWG	27/0.14	12.3	245.12	43.6 Ω /km
ANM09.022.23.021AB	UL20886	1000V	23X21AWG	27/0.14	12.9	266.12	43.6 Ω /km
ANM09.022.24.021AB	UL20886	1000V	24X21AWG	27/0.14	12.9	269.02	43.6 Ω /km
ANM09.022.25.021AB	UL20886	1000V	25X21AWG	27/0.14	13.2	281.22	43.6 Ω /km
ANM09.022.26.021AB	UL20886	1000V	26X21AWG	27/0.14	13.2	284.12	43.6 Ω /km
ANM09.022.27.021AB	UL20886	1000V	27X21AWG	27/0.14	13.2	287.02	43.6 Ω /km
ANM09.022.28.021AB	UL20886	1000V	28X21AWG	27/0.14	13.7	306.02	43.6 Ω /km
ANM09.022.29.021AB	UL20886	1000V	29X21AWG	27/0.14	13.7	308.92	43.6 Ω /km
ANM09.022.30.021AB	UL20886	1000V	30X21AWG	27/0.14	13.7	311.82	43.6 Ω /km
ANM09.022.31.021AB	UL20886	1000V	31X21AWG	27/0.14	14.1	328.02	43.6 Ω /km
ANM09.022.32.021AB	UL20886	1000V	32X21AWG	27/0.14	14.1	330.92	43.6 Ω /km
ANM09.022.33.021AB	UL20886	1000V	33X21AWG	27/0.14	14.1	333.72	43.6 Ω /km
ANM09.022.34.021AB	UL20886	1000V	34X21AWG	27/0.14	14.6	353.82	43.6 Ω /km
ANM09.022.35.021AB	UL20886	1000V	35X21AWG	27/0.14	14.6	356.72	43.6 Ω /km
ANM09.022.36.021AB	UL20886	1000V	36X21AWG	27/0.14	14.6	359.52	43.6 Ω /km
ANM09.022.37.021AB	UL20886	1000V	37X21AWG	27/0.14	14.6	362.42	43.6 Ω /km
ANM09.022.38.021AB	UL20886	1000V	38X21AWG	27/0.14	15.2	386.82	43.6 Ω /km
ANM09.022.39.021AB	UL20886	1000V	39X21AWG	27/0.14	15.2	389.62	43.6 Ω /km
ANM09.022.40.021AB	UL20886	1000V	40X21AWG	27/0.14	15.2	392.52	43.6 Ω /km
ANM09.022.41.021AB	UL20886	1000V	41X21AWG	27/0.14	16.3	437.22	43.6 Ω /km
ANM09.022.42.021AB	UL20886	1000V	42X21AWG	27/0.14	16.3	440.02	43.6 Ω /km
ANM09.022.43.021AB	UL20886	1000V	43X21AWG	27/0.14	16.3	442.92	43.6 Ω /km
ANM09.022.44.021AB	UL20886	1000V	44X21AWG	27/0.14	16.3	445.72	43.6 Ω /km
ANM09.022.45.021AB	UL20886	1000V	45X21AWG	27/0.14	16.6	460.52	43.6 Ω /km
ANM09.022.46.021AB	UL20886	1000V	46X21AWG	27/0.14	16.6	463.32	43.6 Ω /km
ANM09.022.47.021AB	UL20886	1000V	47X21AWG	27/0.14	16.6	466.12	43.6 Ω /km
ANM09.022.48.021AB	UL20886	1000V	48X21AWG	27/0.14	16.6	469.12	43.6 Ω /km
ANM09.022.49.021AB	UL20886	1000V	49X21AWG	27/0.14	17.1	492.22	43.6 Ω /km
ANM09.022.50.021AB	UL20886	1000V	50X21AWG	27/0.14	17.1	495.02	43.6 Ω /km
ANM09.022.51.021AB	UL20886	1000V	51X21AWG	27/0.14	17.1	497.92	43.6 Ω /km
ANM09.022.52.021AB	UL20886	1000V	52X21AWG	27/0.14	17.1	500.82	43.6 Ω /km
ANM09.022.53.021AB	UL20886	1000V	53X21AWG	27/0.14	17.5	520.42	43.6 Ω /km
ANM09.022.54.021AB	UL20886	1000V	54X21AWG	27/0.14	17.5	523.22	43.6 Ω /km
ANM09.022.55.021AB	UL20886	1000V	55X21AWG	27/0.14	17.5	526.02	43.6 Ω /km
ANM09.022.56.021AB	UL20886	1000V	56X21AWG	27/0.14	17.5	528.92	43.6 Ω /km
ANM09.022.57.021AB	UL20886	1000V	57X21AWG	27/0.14	18	553.32	43.6 Ω /km
ANM09.022.58.021AB	UL20886	1000V	58X21AWG	27/0.14	18	556.12	43.6 Ω /km
ANM09.022.59.021AB	UL20886	1000V	59X21AWG	27/0.14	18	559.02	43.6 Ω /km
ANM09.022.60.021AB	UL20886	1000V	60X21AWG	27/0.14	18	561.92	43.6 Ω /km



ANM09.022.61.021AB	UL20886	1000V	61X21AWG	27/0.14	18	564.62	43.6 Ω /km
ANM09.022.62.021AB	UL20886	1000V	62X21AWG	27/0.14	18.6	594.02	43.6 Ω /km
ANM09.022.63.021AB	UL20886	1000V	63X21AWG	27/0.14	18.6	596.92	43.6 Ω /km
ANM09.022.64.021AB	UL20886	1000V	64X21AWG	27/0.14	18.6	599.72	43.6 Ω /km
ANM09.022.65.021AB	UL20886	1000V	65X21AWG	27/0.14	18.6	602.62	43.6 Ω /km
ANM09.022.02.020AB	UL20886	1000V	2X20AWG	34/0.14	6.2	53.92	34.6 Ω /km
ANM09.022.03.020AB	UL20886	1000V	3X20AWG	34/0.14	6.5	62.02	34.6 Ω /km
ANM09.022.04.020AB	UL20886	1000V	4X20AWG	34/0.14	7	73.82	34.6 Ω /km
ANM09.022.05.020AB	UL20886	1000V	5X20AWG	34/0.14	7.5	86.12	34.6 Ω /km
ANM09.022.06.020AB	UL20886	1000V	6X20AWG	34/0.14	8	99.12	34.6 Ω /km
ANM09.022.07.020AB	UL20886	1000V	7X20AWG	34/0.14	8	102.62	34.6 Ω /km
ANM09.022.08.020AB	UL20886	1000V	8X20AWG	34/0.14	8.6	118.32	34.6 Ω /km
ANM09.022.09.020AB	UL20886	1000V	9X20AWG	34/0.14	9.3	137.02	34.6 Ω /km
ANM09.022.10.020AB	UL20886	1000V	10X20AWG	34/0.14	9.8	152.12	34.6 Ω /km
ANM09.022.11.020AB	UL20886	1000V	11X20AWG	34/0.14	10.1	162.92	34.6 Ω /km
ANM09.022.12.020AB	UL20886	1000V	12X20AWG	34/0.14	10.1	166.52	34.6 Ω /km
ANM09.022.13.020AB	UL20886	1000V	13X20AWG	34/0.14	10.6	182.62	34.6 Ω /km
ANM09.022.14.020AB	UL20886	1000V	14X20AWG	34/0.14	10.6	186.32	34.6 Ω /km
ANM09.022.15.020AB	UL20886	1000V	15X20AWG	34/0.14	11.1	202.92	34.6 Ω /km
ANM09.022.16.020AB	UL20886	1000V	16X20AWG	34/0.14	11.1	206.62	34.6 Ω /km
ANM09.022.17.020AB	UL20886	1000V	17X20AWG	34/0.14	11.6	224.02	34.6 Ω /km
ANM09.022.18.020AB	UL20886	1000V	18X20AWG	34/0.14	11.6	227.62	34.6 Ω /km
ANM09.022.19.020AB	UL20886	1000V	19X20AWG	34/0.14	11.6	231.32	34.6 Ω /km
ANM09.022.20.020AB	UL20886	1000V	20X20AWG	34/0.14	11.9	243.32	34.6 Ω /km
ANM09.022.21.020AB	UL20886	1000V	21X20AWG	34/0.14	12.2	255.72	34.6 Ω /km
ANM09.022.22.020AB	UL20886	1000V	22X20AWG	34/0.14	13	283.52	34.6 Ω /km
ANM09.022.23.020AB	UL20886	1000V	23X20AWG	34/0.14	13.5	303.22	34.6 Ω /km
ANM09.022.24.020AB	UL20886	1000V	24X20AWG	34/0.14	13.5	306.82	34.6 Ω /km
ANM09.022.25.020AB	UL20886	1000V	25X20AWG	34/0.14	13.8	320.42	34.6 Ω /km
ANM09.022.26.020AB	UL20886	1000V	26X20AWG	34/0.14	13.8	323.92	34.6 Ω /km
ANM09.022.27.020AB	UL20886	1000V	27X20AWG	34/0.14	13.8	327.52	34.6 Ω /km
ANM09.022.28.020AB	UL20886	1000V	28X20AWG	34/0.14	14.3	348.02	34.6 Ω /km
ANM09.022.29.020AB	UL20886	1000V	29X20AWG	34/0.14	14.3	351.72	34.6 Ω /km
ANM09.022.30.020AB	UL20886	1000V	30X20AWG	34/0.14	14.3	355.32	34.6 Ω /km
ANM09.022.31.020AB	UL20886	1000V	31X20AWG	34/0.14	14.8	376.52	34.6 Ω /km
ANM09.022.32.020AB	UL20886	1000V	32X20AWG	34/0.14	14.8	380.12	34.6 Ω /km
ANM09.022.33.020AB	UL20886	1000V	33X20AWG	34/0.14	14.8	383.82	34.6 Ω /km
ANM09.022.34.020AB	UL20886	1000V	34X20AWG	34/0.14	15.3	405.62	34.6 Ω /km
ANM09.022.35.020AB	UL20886	1000V	35X20AWG	34/0.14	15.3	409.22	34.6 Ω /km
ANM09.022.36.020AB	UL20886	1000V	36X20AWG	34/0.14	15.3	412.82	34.6 Ω /km
ANM09.022.37.020AB	UL20886	1000V	37X20AWG	34/0.14	15.3	416.42	34.6 Ω /km
ANM09.022.38.020AB	UL20886	1000V	38X20AWG	34/0.14	15.9	442.72	34.6 Ω /km



ANM09.022.39.020AB	UL20886	1000V	39X20AWG	34/0.14	15.9	446.22	34.6 Ω /km
ANM09.022.40.020AB	UL20886	1000V	40X20AWG	34/0.14	15.9	449.92	34.6 Ω /km
ANM09.022.41.020AB	UL20886	1000V	41X20AWG	34/0.14	17.1	501.22	34.6 Ω /km
ANM09.022.42.020AB	UL20886	1000V	42X20AWG	34/0.14	17.1	504.92	34.6 Ω /km
ANM09.022.43.020AB	UL20886	1000V	43X20AWG	34/0.14	17.1	508.52	34.6 Ω /km
ANM09.022.44.020AB	UL20886	1000V	44X20AWG	34/0.14	17.1	512.22	34.6 Ω /km
ANM09.022.45.020AB	UL20886	1000V	45X20AWG	34/0.14	17.4	528.22	34.6 Ω /km
ANM09.022.46.020AB	UL20886	1000V	46X20AWG	34/0.14	17.4	531.92	34.6 Ω /km
ANM09.022.47.020AB	UL20886	1000V	47X20AWG	34/0.14	17.4	535.52	34.6 Ω /km
ANM09.022.48.020AB	UL20886	1000V	48X20AWG	34/0.14	17.4	539.22	34.6 Ω /km
ANM09.022.49.020AB	UL20886	1000V	49X20AWG	34/0.14	17.9	564.12	34.6 Ω /km
ANM09.022.50.020AB	UL20886	1000V	50X20AWG	34/0.14	17.9	567.82	34.6 Ω /km
ANM09.022.51.020AB	UL20886	1000V	51X20AWG	34/0.14	17.9	571.52	34.6 Ω /km
ANM09.022.52.020AB	UL20886	1000V	52X20AWG	34/0.14	17.9	575.12	34.6 Ω /km
ANM09.022.53.020AB	UL20886	1000V	53X20AWG	34/0.14	18.4	600.62	34.6 Ω /km
ANM09.022.54.020AB	UL20886	1000V	54X20AWG	34/0.14	18.4	604.12	34.6 Ω /km
ANM09.022.55.020AB	UL20886	1000V	55X20AWG	34/0.14	18.4	607.82	34.6 Ω /km
ANM09.022.56.020AB	UL20886	1000V	56X20AWG	34/0.14	18.4	611.32	34.6 Ω /km
ANM09.022.57.020AB	UL20886	1000V	57X20AWG	34/0.14	18.9	637.62	34.6 Ω /km
ANM09.022.58.020AB	UL20886	1000V	58X20AWG	34/0.14	18.9	641.12	34.6 Ω /km
ANM09.022.59.020AB	UL20886	1000V	59X20AWG	34/0.14	18.9	644.82	34.6 Ω /km
ANM09.022.60.020AB	UL20886	1000V	60X20AWG	34/0.14	18.9	648.42	34.6 Ω /km
ANM09.022.61.020AB	UL20886	1000V	61X20AWG	34/0.14	18.9	652.12	34.6 Ω /km
ANM09.022.62.020AB	UL20886	1000V	62X20AWG	34/0.14	21.5	780.62	34.6 Ω /km
ANM09.022.63.020AB	UL20886	1000V	63X20AWG	34/0.14	21.5	784.22	34.6 Ω /km
ANM09.022.64.020AB	UL20886	1000V	64X20AWG	34/0.14	21.5	787.82	34.6 Ω /km
ANM09.022.65.020AB	UL20886	1000V	65X20AWG	34/0.14	21.5	791.52	34.6 Ω /km
ANM09.022.02.019AB	UL20886	1000V	2X19AWG	43/0.14	6.4	59.06	27.4 Ω /km
ANM09.022.03.019AB	UL20886	1000V	3X19AWG	43/0.14	6.7	68.36	27.4 Ω /km
ANM09.022.04.019AB	UL20886	1000V	4X19AWG	43/0.14	7.2	81.46	27.4 Ω /km
ANM09.022.05.019AB	UL20886	1000V	5X19AWG	43/0.14	7.8	96.86	27.4 Ω /km
ANM09.022.06.019AB	UL20886	1000V	6X19AWG	43/0.14	8.3	111.16	27.4 Ω /km
ANM09.022.07.019AB	UL20886	1000V	7X19AWG	43/0.14	8.3	115.66	27.4 Ω /km
ANM09.022.08.019AB	UL20886	1000V	8X19AWG	43/0.14	8.9	132.76	27.4 Ω /km
ANM09.022.09.019AB	UL20886	1000V	9X19AWG	43/0.14	9.7	155.26	27.4 Ω /km
ANM09.022.10.019AB	UL20886	1000V	10X19AWG	43/0.14	10.2	171.96	27.4 Ω /km
ANM09.022.11.019AB	UL20886	1000V	11X19AWG	43/0.14	10.5	183.96	27.4 Ω /km
ANM09.022.12.019AB	UL20886	1000V	12X19AWG	43/0.14	10.5	188.66	27.4 Ω /km
ANM09.022.13.019AB	UL20886	1000V	13X19AWG	43/0.14	11	206.16	27.4 Ω /km
ANM09.022.14.019AB	UL20886	1000V	14X19AWG	43/0.14	11	210.86	27.4 Ω /km
ANM09.022.15.019AB	UL20886	1000V	15X19AWG	43/0.14	11.6	231.76	27.4 Ω /km
ANM09.022.16.019AB	UL20886	1000V	16X19AWG	43/0.14	11.6	236.46	27.4 Ω /km



ANM09.022.17.019AB	UL20886	1000V	17X19AWG	43/0.14	12.1	255.26	27.4Ω/km
ANM09.022.18.019AB	UL20886	1000V	18X19AWG	43/0.14	12.1	259.96	27.4Ω/km
ANM09.022.19.019AB	UL20886	1000V	19X19AWG	43/0.14	12.1	264.56	27.4Ω/km
ANM09.022.20.019AB	UL20886	1000V	20X19AWG	43/0.14	12.4	278.06	27.4Ω/km
ANM09.022.21.019AB	UL20886	1000V	21X19AWG	43/0.14	12.8	294.76	27.4Ω/km
ANM09.022.22.019AB	UL20886	1000V	22X19AWG	43/0.14	13.6	324.86	27.4Ω/km
ANM09.022.23.019AB	UL20886	1000V	23X19AWG	43/0.14	14.1	346.16	27.4Ω/km
ANM09.022.24.019AB	UL20886	1000V	24X19AWG	43/0.14	14.1	350.86	27.4Ω/km
ANM09.022.25.019AB	UL20886	1000V	25X19AWG	43/0.14	14.4	365.76	27.4Ω/km
ANM09.022.26.019AB	UL20886	1000V	26X19AWG	43/0.14	14.4	370.46	27.4Ω/km
ANM09.022.27.019AB	UL20886	1000V	27X19AWG	43/0.14	14.4	374.96	27.4Ω/km
ANM09.022.28.019AB	UL20886	1000V	28X19AWG	43/0.14	14.9	397.26	27.4Ω/km
ANM09.022.29.019AB	UL20886	1000V	29X19AWG	43/0.14	14.9	401.86	27.4Ω/km
ANM09.022.30.019AB	UL20886	1000V	30X19AWG	43/0.14	14.9	406.46	27.4Ω/km
ANM09.022.31.019AB	UL20886	1000V	31X19AWG	43/0.14	15.5	433.16	27.4Ω/km
ANM09.022.32.019AB	UL20886	1000V	32X19AWG	43/0.14	15.5	437.76	27.4Ω/km
ANM09.022.33.019AB	UL20886	1000V	33X19AWG	43/0.14	15.5	442.36	27.4Ω/km
ANM09.022.34.019AB	UL20886	1000V	34X19AWG	43/0.14	16	466.06	27.4Ω/km
ANM09.022.35.019AB	UL20886	1000V	35X19AWG	43/0.14	16	470.56	27.4Ω/km
ANM09.022.36.019AB	UL20886	1000V	36X19AWG	43/0.14	16	475.36	27.4Ω/km
ANM09.022.37.019AB	UL20886	1000V	37X19AWG	43/0.14	16	479.86	27.4Ω/km
ANM09.022.38.019AB	UL20886	1000V	38X19AWG	43/0.14	16.6	508.16	27.4Ω/km
ANM09.022.39.019AB	UL20886	1000V	39X19AWG	43/0.14	16.6	512.66	27.4Ω/km
ANM09.022.40.019AB	UL20886	1000V	40X19AWG	43/0.14	16.6	517.46	27.4Ω/km
ANM09.022.41.019AB	UL20886	1000V	41X19AWG	43/0.14	17.9	576.06	27.4Ω/km
ANM09.022.42.019AB	UL20886	1000V	42X19AWG	43/0.14	17.9	580.66	27.4Ω/km
ANM09.022.43.019AB	UL20886	1000V	43X19AWG	43/0.14	17.9	585.36	27.4Ω/km
ANM09.022.44.019AB	UL20886	1000V	44X19AWG	43/0.14	17.9	589.96	27.4Ω/km
ANM09.022.45.019AB	UL20886	1000V	45X19AWG	43/0.14	18.2	607.66	27.4Ω/km
ANM09.022.46.019AB	UL20886	1000V	46X19AWG	43/0.14	18.2	612.26	27.4Ω/km
ANM09.022.47.019AB	UL20886	1000V	47X19AWG	43/0.14	18.2	616.86	27.4Ω/km
ANM09.022.48.019AB	UL20886	1000V	48X19AWG	43/0.14	18.2	621.56	27.4Ω/km
ANM09.022.49.019AB	UL20886	1000V	49X19AWG	43/0.14	18.7	648.36	27.4Ω/km
ANM09.022.50.019AB	UL20886	1000V	50X19AWG	43/0.14	18.7	653.06	27.4Ω/km
ANM09.022.51.019AB	UL20886	1000V	51X19AWG	43/0.14	18.7	657.56	27.4Ω/km
ANM09.022.52.019AB	UL20886	1000V	52X19AWG	43/0.14	18.7	662.36	27.4Ω/km
ANM09.022.53.019AB	UL20886	1000V	53X19AWG	43/0.14	19.3	694.46	27.4Ω/km
ANM09.022.54.019AB	UL20886	1000V	54X19AWG	43/0.14	19.3	698.96	27.4Ω/km
ANM09.022.55.019AB	UL20886	1000V	55X19AWG	43/0.14	19.3	703.76	27.4Ω/km
ANM09.022.56.019AB	UL20886	1000V	56X19AWG	43/0.14	19.3	708.26	27.4Ω/km
ANM09.022.57.019AB	UL20886	1000V	57X19AWG	43/0.14	21.8	835.16	27.4Ω/km
ANM09.022.58.019AB	UL20886	1000V	58X19AWG	43/0.14	21.8	839.66	27.4Ω/km



ANM09.022.59.019AB	UL20886	1000V	59X19AWG	43/0.14	21.8	844.36	27.4 Ω /km
ANM09.022.60.019AB	UL20886	1000V	60X19AWG	43/0.14	21.8	848.96	27.4 Ω /km
ANM09.022.61.019AB	UL20886	1000V	61X19AWG	43/0.14	21.8	853.56	27.4 Ω /km
ANM09.022.62.019AB	UL20886	1000V	62X19AWG	43/0.14	22.4	890.16	27.4 Ω /km
ANM09.022.63.019AB	UL20886	1000V	63X19AWG	43/0.14	22.4	894.86	27.4 Ω /km
ANM09.022.64.019AB	UL20886	1000V	64X19AWG	43/0.14	22.4	899.46	27.4 Ω /km
ANM09.022.65.019AB	UL20886	1000V	65X19AWG	43/0.14	22.4	904.06	27.4 Ω /km
ANM09.022.02.018AB	UL20886	1000V	2X18AWG	29/0.19	6.6	64.93	21.8 Ω /km
ANM09.022.03.018AB	UL20886	1000V	3X18AWG	29/0.19	7	77.33	21.8 Ω /km
ANM09.022.04.018AB	UL20886	1000V	4X18AWG	29/0.19	7.5	92.23	21.8 Ω /km
ANM09.022.05.018AB	UL20886	1000V	5X18AWG	29/0.19	8	107.43	21.8 Ω /km
ANM09.022.06.018AB	UL20886	1000V	6X18AWG	29/0.19	8.6	125.23	21.8 Ω /km
ANM09.022.07.018AB	UL20886	1000V	7X18AWG	29/0.19	8.6	131.33	21.8 Ω /km
ANM09.022.08.018AB	UL20886	1000V	8X18AWG	29/0.19	9.2	150.13	21.8 Ω /km
ANM09.022.09.018AB	UL20886	1000V	9X18AWG	29/0.19	10	174.53	21.8 Ω /km
ANM09.022.10.018AB	UL20886	1000V	10X18AWG	29/0.19	10.6	195.43	21.8 Ω /km
ANM09.022.11.018AB	UL20886	1000V	11X18AWG	29/0.19	11	211.83	21.8 Ω /km
ANM09.022.12.018AB	UL20886	1000V	12X18AWG	29/0.19	11	217.63	21.8 Ω /km
ANM09.022.13.018AB	UL20886	1000V	13X18AWG	29/0.19	11.5	237.23	21.8 Ω /km
ANM09.022.14.018AB	UL20886	1000V	14X18AWG	29/0.19	11.5	243.13	21.8 Ω /km
ANM09.022.15.018AB	UL20886	1000V	15X18AWG	29/0.19	12	263.13	21.8 Ω /km
ANM09.022.16.018AB	UL20886	1000V	16X18AWG	29/0.19	12	269.23	21.8 Ω /km
ANM09.022.17.018AB	UL20886	1000V	17X18AWG	29/0.19	12.6	292.93	21.8 Ω /km
ANM09.022.18.018AB	UL20886	1000V	18X18AWG	29/0.19	12.6	298.93	21.8 Ω /km
ANM09.022.19.018AB	UL20886	1000V	19X18AWG	29/0.19	12.6	305.03	21.8 Ω /km
ANM09.022.20.018AB	UL20886	1000V	20X18AWG	29/0.19	13.1	326.33	21.8 Ω /km
ANM09.022.21.018AB	UL20886	1000V	21X18AWG	29/0.19	13.3	338.63	21.8 Ω /km
ANM09.022.22.018AB	UL20886	1000V	22X18AWG	29/0.19	14.1	371.13	21.8 Ω /km
ANM09.022.23.018AB	UL20886	1000V	23X18AWG	29/0.19	14.7	397.83	21.8 Ω /km
ANM09.022.24.018AB	UL20886	1000V	24X18AWG	29/0.19	14.7	403.73	21.8 Ω /km
ANM09.022.25.018AB	UL20886	1000V	25X18AWG	29/0.19	15.1	424.23	21.8 Ω /km
ANM09.022.26.018AB	UL20886	1000V	26X18AWG	29/0.19	15.1	430.03	21.8 Ω /km
ANM09.022.27.018AB	UL20886	1000V	27X18AWG	29/0.19	15.1	436.03	21.8 Ω /km
ANM09.022.28.018AB	UL20886	1000V	28X18AWG	29/0.19	15.6	460.33	21.8 Ω /km
ANM09.022.29.018AB	UL20886	1000V	29X18AWG	29/0.19	15.6	466.43	21.8 Ω /km
ANM09.022.30.018AB	UL20886	1000V	30X18AWG	29/0.19	15.6	472.43	21.8 Ω /km
ANM09.022.31.018AB	UL20886	1000V	31X18AWG	29/0.19	16.1	497.43	21.8 Ω /km
ANM09.022.32.018AB	UL20886	1000V	32X18AWG	29/0.19	16.1	503.43	21.8 Ω /km
ANM09.022.33.018AB	UL20886	1000V	33X18AWG	29/0.19	16.1	509.43	21.8 Ω /km
ANM09.022.34.018AB	UL20886	1000V	34X18AWG	29/0.19	16.7	539.03	21.8 Ω /km
ANM09.022.35.018AB	UL20886	1000V	35X18AWG	29/0.19	16.7	545.13	21.8 Ω /km
ANM09.022.36.018AB	UL20886	1000V	36X18AWG	29/0.19	16.7	551.03	21.8 Ω /km



ANM09.022.37.018AB	UL20886	1000V	37X18AWG	29/0.19	16.7	556.93	21.8 Ω /km
ANM09.022.38.018AB	UL20886	1000V	38X18AWG	29/0.19	17.3	587.53	21.8 Ω /km
ANM09.022.39.018AB	UL20886	1000V	39X18AWG	29/0.19	17.3	593.53	21.8 Ω /km
ANM09.022.40.018AB	UL20886	1000V	40X18AWG	29/0.19	17.3	599.43	21.8 Ω /km
ANM09.022.41.018AB	UL20886	1000V	41X18AWG	29/0.19	18.7	666.13	21.8 Ω /km
ANM09.022.42.018AB	UL20886	1000V	42X18AWG	29/0.19	18.7	672.03	21.8 Ω /km
ANM09.022.43.018AB	UL20886	1000V	43X18AWG	29/0.19	18.7	678.03	21.8 Ω /km
ANM09.022.44.018AB	UL20886	1000V	44X18AWG	29/0.19	18.7	684.03	21.8 Ω /km
ANM09.022.45.018AB	UL20886	1000V	45X18AWG	29/0.19	19.1	708.23	21.8 Ω /km
ANM09.022.46.018AB	UL20886	1000V	46X18AWG	29/0.19	19.1	714.13	21.8 Ω /km
ANM09.022.47.018AB	UL20886	1000V	47X18AWG	29/0.19	19.1	720.23	21.8 Ω /km
ANM09.022.48.018AB	UL20886	1000V	48X18AWG	29/0.19	19.1	726.03	21.8 Ω /km
ANM09.022.49.018AB	UL20886	1000V	49X18AWG	29/0.19	21.6	852.93	21.8 Ω /km
ANM09.022.50.018AB	UL20886	1000V	50X18AWG	29/0.19	21.6	859.03	21.8 Ω /km
ANM09.022.51.018AB	UL20886	1000V	51X18AWG	29/0.19	21.6	864.83	21.8 Ω /km
ANM09.022.52.018AB	UL20886	1000V	52X18AWG	29/0.19	21.6	870.83	21.8 Ω /km
ANM09.022.53.018AB	UL20886	1000V	53X18AWG	29/0.19	22.1	903.23	21.8 Ω /km
ANM09.022.54.018AB	UL20886	1000V	54X18AWG	29/0.19	22.1	909.13	21.8 Ω /km
ANM09.022.55.018AB	UL20886	1000V	55X18AWG	29/0.19	22.1	915.13	21.8 Ω /km
ANM09.022.56.018AB	UL20886	1000V	56X18AWG	29/0.19	22.1	920.93	21.8 Ω /km
ANM09.022.57.018AB	UL20886	1000V	57X18AWG	29/0.19	22.7	959.33	21.8 Ω /km
ANM09.022.58.018AB	UL20886	1000V	58X18AWG	29/0.19	22.7	965.33	21.8 Ω /km
ANM09.022.59.018AB	UL20886	1000V	59X18AWG	29/0.19	22.7	971.23	21.8 Ω /km
ANM09.022.60.018AB	UL20886	1000V	60X18AWG	29/0.19	22.7	977.23	21.8 Ω /km
ANM09.022.61.018AB	UL20886	1000V	61X18AWG	29/0.19	22.7	983.23	21.8 Ω /km
ANM09.022.62.018AB	UL20886	1000V	62X18AWG	29/0.19	23.3	1022.33	21.8 Ω /km
ANM09.022.63.018AB	UL20886	1000V	63X18AWG	29/0.19	23.3	1028.43	21.8 Ω /km
ANM09.022.64.018AB	UL20886	1000V	64X18AWG	29/0.19	23.3	1034.43	21.8 Ω /km
ANM09.022.65.018AB	UL20886	1000V	65X18AWG	29/0.19	23.3	1040.23	21.8 Ω /km
ANM09.022.02.017AB	UL20886	1000V	2X17AWG	37/0.19	7	74.54	17.3 Ω /km
ANM09.022.03.017AB	UL20886	1000V	3X17AWG	37/0.19	7.4	88.84	17.3 Ω /km
ANM09.022.04.017AB	UL20886	1000V	4X17AWG	37/0.19	8	107.34	17.3 Ω /km
ANM09.022.05.017AB	UL20886	1000V	5X17AWG	37/0.19	8.6	126.64	17.3 Ω /km
ANM09.022.06.017AB	UL20886	1000V	6X17AWG	37/0.19	9.2	146.84	17.3 Ω /km
ANM09.022.07.017AB	UL20886	1000V	7X17AWG	37/0.19	9.2	154.14	17.3 Ω /km
ANM09.022.08.017AB	UL20886	1000V	8X17AWG	37/0.19	9.9	177.64	17.3 Ω /km
ANM09.022.09.017AB	UL20886	1000V	9X17AWG	37/0.19	10.8	207.44	17.3 Ω /km
ANM09.022.10.017AB	UL20886	1000V	10X17AWG	37/0.19	11.4	230.94	17.3 Ω /km
ANM09.022.11.017AB	UL20886	1000V	11X17AWG	37/0.19	11.8	249.44	17.3 Ω /km
ANM09.022.12.017AB	UL20886	1000V	12X17AWG	37/0.19	11.8	256.84	17.3 Ω /km
ANM09.022.13.017AB	UL20886	1000V	13X17AWG	37/0.19	12.4	281.64	17.3 Ω /km
ANM09.022.14.017AB	UL20886	1000V	14X17AWG	37/0.19	12.4	288.94	17.3 Ω /km



ANM09.022.15.017AB	UL20886	1000V	15X17AWG	37/0.19	13.1	317.84	17.3 Ω/km
ANM09.022.16.017AB	UL20886	1000V	16X17AWG	37/0.19	13.1	325.24	17.3 Ω/km
ANM09.022.17.017AB	UL20886	1000V	17X17AWG	37/0.19	13.7	351.94	17.3 Ω/km
ANM09.022.18.017AB	UL20886	1000V	18X17AWG	37/0.19	13.7	359.34	17.3 Ω/km
ANM09.022.19.017AB	UL20886	1000V	19X17AWG	37/0.19	13.7	366.84	17.3 Ω/km
ANM09.022.20.017AB	UL20886	1000V	20X17AWG	37/0.19	14.1	387.54	17.3 Ω/km
ANM09.022.21.017AB	UL20886	1000V	21X17AWG	37/0.19	14.4	405.24	17.3 Ω/km
ANM09.022.22.017AB	UL20886	1000V	22X17AWG	37/0.19	15.3	444.74	17.3 Ω/km
ANM09.022.23.017AB	UL20886	1000V	23X17AWG	37/0.19	15.9	474.64	17.3 Ω/km
ANM09.022.24.017AB	UL20886	1000V	24X17AWG	37/0.19	15.9	482.04	17.3 Ω/km
ANM09.022.25.017AB	UL20886	1000V	25X17AWG	37/0.19	16.3	504.94	17.3 Ω/km
ANM09.022.26.017AB	UL20886	1000V	26X17AWG	37/0.19	16.3	512.24	17.3 Ω/km
ANM09.022.27.017AB	UL20886	1000V	27X17AWG	37/0.19	16.3	519.74	17.3 Ω/km
ANM09.022.28.017AB	UL20886	1000V	28X17AWG	37/0.19	16.9	551.14	17.3 Ω/km
ANM09.022.29.017AB	UL20886	1000V	29X17AWG	37/0.19	16.9	558.54	17.3 Ω/km
ANM09.022.30.017AB	UL20886	1000V	30X17AWG	37/0.19	16.9	565.84	17.3 Ω/km
ANM09.022.31.017AB	UL20886	1000V	31X17AWG	37/0.19	17.5	598.14	17.3 Ω/km
ANM09.022.32.017AB	UL20886	1000V	32X17AWG	37/0.19	17.5	605.44	17.3 Ω/km
ANM09.022.33.017AB	UL20886	1000V	33X17AWG	37/0.19	17.5	612.74	17.3 Ω/km
ANM09.022.34.017AB	UL20886	1000V	34X17AWG	37/0.19	18.1	645.84	17.3 Ω/km
ANM09.022.35.017AB	UL20886	1000V	35X17AWG	37/0.19	18.1	653.24	17.3 Ω/km
ANM09.022.36.017AB	UL20886	1000V	36X17AWG	37/0.19	18.1	660.64	17.3 Ω/km
ANM09.022.37.017AB	UL20886	1000V	37X17AWG	37/0.19	18.1	668.14	17.3 Ω/km
ANM09.022.38.017AB	UL20886	1000V	38X17AWG	37/0.19	18.8	706.64	17.3 Ω/km
ANM09.022.39.017AB	UL20886	1000V	39X17AWG	37/0.19	18.8	714.04	17.3 Ω/km
ANM09.022.40.017AB	UL20886	1000V	40X17AWG	37/0.19	18.8	721.34	17.3 Ω/km
ANM09.022.41.017AB	UL20886	1000V	41X17AWG	37/0.19	22.3	900.34	17.3 Ω/km
ANM09.022.42.017AB	UL20886	1000V	42X17AWG	37/0.19	22.3	907.64	17.3 Ω/km
ANM09.022.43.017AB	UL20886	1000V	43X17AWG	37/0.19	22.3	915.04	17.3 Ω/km
ANM09.022.44.017AB	UL20886	1000V	44X17AWG	37/0.19	22.3	922.34	17.3 Ω/km
ANM09.022.45.017AB	UL20886	1000V	45X17AWG	37/0.19	22.7	951.54	17.3 Ω/km
ANM09.022.46.017AB	UL20886	1000V	46X17AWG	37/0.19	22.7	958.94	17.3 Ω/km
ANM09.022.47.017AB	UL20886	1000V	47X17AWG	37/0.19	22.7	966.34	17.3 Ω/km
ANM09.022.48.017AB	UL20886	1000V	48X17AWG	37/0.19	22.7	973.64	17.3 Ω/km
ANM09.022.49.017AB	UL20886	1000V	49X17AWG	37/0.19	23.3	1014.34	17.3 Ω/km
ANM09.022.50.017AB	UL20886	1000V	50X17AWG	37/0.19	23.3	1021.64	17.3 Ω/km
ANM09.022.51.017AB	UL20886	1000V	51X17AWG	37/0.19	23.3	1028.94	17.3 Ω/km
ANM09.022.52.017AB	UL20886	1000V	52X17AWG	37/0.19	23.3	1036.34	17.3 Ω/km
ANM09.022.53.017AB	UL20886	1000V	53X17AWG	37/0.19	23.9	1077.84	17.3 Ω/km
ANM09.022.54.017AB	UL20886	1000V	54X17AWG	37/0.19	23.9	1085.14	17.3 Ω/km
ANM09.022.55.017AB	UL20886	1000V	55X17AWG	37/0.19	23.9	1092.64	17.3 Ω/km
ANM09.022.56.017AB	UL20886	1000V	56X17AWG	37/0.19	23.9	1099.94	17.3 Ω/km



ANM09.022.57.017AB	UL20886	1000V	57X17AWG	37/0.19	24.5	1142.34	17.3 Ω /km
ANM09.022.58.017AB	UL20886	1000V	58X17AWG	37/0.19	24.5	1149.74	17.3 Ω /km
ANM09.022.59.017AB	UL20886	1000V	59X17AWG	37/0.19	24.5	1157.04	17.3 Ω /km
ANM09.022.60.017AB	UL20886	1000V	60X17AWG	37/0.19	24.5	1164.44	17.3 Ω /km
ANM09.022.61.017AB	UL20886	1000V	61X17AWG	37/0.19	24.5	1171.74	17.3 Ω /km
ANM09.022.62.017AB	UL20886	1000V	62X17AWG	37/0.19	25.2	1221.14	17.3 Ω /km
ANM09.022.63.017AB	UL20886	1000V	63X17AWG	37/0.19	25.2	1228.44	17.3 Ω /km
ANM09.022.64.017AB	UL20886	1000V	64X17AWG	37/0.19	25.2	1235.94	17.3 Ω /km
ANM09.022.65.017AB	UL20886	1000V	65X17AWG	37/0.19	25.2	1243.24	17.3 Ω /km
ANM09.022.02.016AB	UL20886	1000V	2X16AWG	27/0.25	7.6	89.61	13.7 Ω /km
ANM09.022.03.016AB	UL20886	1000V	3X16AWG	27/0.25	8	106.71	13.7 Ω /km
ANM09.022.04.016AB	UL20886	1000V	4X16AWG	27/0.25	8.7	130.31	13.7 Ω /km
ANM09.022.05.016AB	UL20886	1000V	5X16AWG	27/0.25	9.4	155.01	13.7 Ω /km
ANM09.022.06.016AB	UL20886	1000V	6X16AWG	27/0.25	10.1	181.01	13.7 Ω /km
ANM09.022.07.016AB	UL20886	1000V	7X16AWG	27/0.25	10.1	190.51	13.7 Ω /km
ANM09.022.08.016AB	UL20886	1000V	8X16AWG	27/0.25	10.9	220.41	13.7 Ω /km
ANM09.022.09.016AB	UL20886	1000V	9X16AWG	27/0.25	11.9	257.41	13.7 Ω /km
ANM09.022.10.016AB	UL20886	1000V	10X16AWG	27/0.25	12.6	287.51	13.7 Ω /km
ANM09.022.11.016AB	UL20886	1000V	11X16AWG	27/0.25	13.1	312.61	13.7 Ω /km
ANM09.022.12.016AB	UL20886	1000V	12X16AWG	27/0.25	13.1	322.11	13.7 Ω /km
ANM09.022.13.016AB	UL20886	1000V	13X16AWG	27/0.25	13.8	354.31	13.7 Ω /km
ANM09.022.14.016AB	UL20886	1000V	14X16AWG	27/0.25	13.8	363.91	13.7 Ω /km
ANM09.022.15.016AB	UL20886	1000V	15X16AWG	27/0.25	14.5	397.21	13.7 Ω /km
ANM09.022.16.016AB	UL20886	1000V	16X16AWG	27/0.25	14.5	406.91	13.7 Ω /km
ANM09.022.17.016AB	UL20886	1000V	17X16AWG	27/0.25	15.2	441.31	13.7 Ω /km
ANM09.022.18.016AB	UL20886	1000V	18X16AWG	27/0.25	15.2	450.81	13.7 Ω /km
ANM09.022.19.016AB	UL20886	1000V	19X16AWG	27/0.25	15.2	460.51	13.7 Ω /km
ANM09.022.20.016AB	UL20886	1000V	20X16AWG	27/0.25	15.6	484.81	13.7 Ω /km
ANM09.022.21.016AB	UL20886	1000V	21X16AWG	27/0.25	16	509.61	13.7 Ω /km
ANM09.022.22.016AB	UL20886	1000V	22X16AWG	27/0.25	17	559.01	13.7 Ω /km
ANM09.022.23.016AB	UL20886	1000V	23X16AWG	27/0.25	17.7	597.81	13.7 Ω /km
ANM09.022.24.016AB	UL20886	1000V	24X16AWG	27/0.25	17.7	607.51	13.7 Ω /km
ANM09.022.25.016AB	UL20886	1000V	25X16AWG	27/0.25	18.1	634.11	13.7 Ω /km
ANM09.022.26.016AB	UL20886	1000V	26X16AWG	27/0.25	18.1	643.61	13.7 Ω /km
ANM09.022.27.016AB	UL20886	1000V	27X16AWG	27/0.25	18.1	653.21	13.7 Ω /km
ANM09.022.28.016AB	UL20886	1000V	28X16AWG	27/0.25	18.8	693.91	13.7 Ω /km
ANM09.022.29.016AB	UL20886	1000V	29X16AWG	27/0.25	18.8	703.31	13.7 Ω /km
ANM09.022.30.016AB	UL20886	1000V	30X16AWG	27/0.25	18.8	713.01	13.7 Ω /km
ANM09.022.31.016AB	UL20886	1000V	31X16AWG	27/0.25	21.5	852.01	13.7 Ω /km
ANM09.022.32.016AB	UL20886	1000V	32X16AWG	27/0.25	21.5	861.51	13.7 Ω /km
ANM09.022.33.016AB	UL20886	1000V	33X16AWG	27/0.25	21.5	871.11	13.7 Ω /km
ANM09.022.34.016AB	UL20886	1000V	34X16AWG	27/0.25	22.2	917.41	13.7 Ω /km



ANM09.022.35.016AB	UL20886	1000V	35X16AWG	27/0.25	22.2	927.01	13.7 Ω /km
ANM09.022.36.016AB	UL20886	1000V	36X16AWG	27/0.25	22.2	936.51	13.7 Ω /km
ANM09.022.37.016AB	UL20886	1000V	37X16AWG	27/0.25	22.2	946.01	13.7 Ω /km
ANM09.022.38.016AB	UL20886	1000V	38X16AWG	27/0.25	23	999.11	13.7 Ω /km
ANM09.022.39.016AB	UL20886	1000V	39X16AWG	27/0.25	23	1008.61	13.7 Ω /km
ANM09.022.40.016AB	UL20886	1000V	40X16AWG	27/0.25	23	1018.21	13.7 Ω /km
ANM09.022.41.016AB	UL20886	1000V	41X16AWG	27/0.25	24.7	1125.51	13.7 Ω /km
ANM09.022.42.016AB	UL20886	1000V	42X16AWG	27/0.25	24.7	1135.01	13.7 Ω /km
ANM09.022.43.016AB	UL20886	1000V	43X16AWG	27/0.25	24.7	1144.61	13.7 Ω /km
ANM09.022.44.016AB	UL20886	1000V	44X16AWG	27/0.25	24.7	1154.11	13.7 Ω /km
ANM09.022.45.016AB	UL20886	1000V	45X16AWG	27/0.25	25.1	1187.51	13.7 Ω /km
ANM09.022.46.016AB	UL20886	1000V	46X16AWG	27/0.25	25.1	1197.11	13.7 Ω /km
ANM09.022.47.016AB	UL20886	1000V	47X16AWG	27/0.25	25.1	1206.61	13.7 Ω /km
ANM09.022.48.016AB	UL20886	1000V	48X16AWG	27/0.25	25.1	1216.31	13.7 Ω /km
ANM09.022.49.016AB	UL20886	1000V	49X16AWG	27/0.25	25.8	1268.61	13.7 Ω /km
ANM09.022.50.016AB	UL20886	1000V	50X16AWG	27/0.25	25.8	1278.21	13.7 Ω /km
ANM09.022.51.016AB	UL20886	1000V	51X16AWG	27/0.25	25.8	1287.71	13.7 Ω /km
ANM09.022.52.016AB	UL20886	1000V	52X16AWG	27/0.25	25.8	1297.31	13.7 Ω /km
ANM09.022.53.016AB	UL20886	1000V	53X16AWG	27/0.25	26.5	1350.91	13.7 Ω /km
ANM09.022.54.016AB	UL20886	1000V	54X16AWG	27/0.25	26.5	1360.51	13.7 Ω /km
ANM09.022.55.016AB	UL20886	1000V	55X16AWG	27/0.25	26.5	1370.01	13.7 Ω /km
ANM09.022.56.016AB	UL20886	1000V	56X16AWG	27/0.25	26.5	1379.61	13.7 Ω /km
ANM09.022.57.016AB	UL20886	1000V	57X16AWG	27/0.25	27.2	1434.41	13.7 Ω /km
ANM09.022.58.016AB	UL20886	1000V	58X16AWG	27/0.25	27.2	1443.91	13.7 Ω /km
ANM09.022.59.016AB	UL20886	1000V	59X16AWG	27/0.25	27.2	1453.51	13.7 Ω /km
ANM09.022.60.016AB	UL20886	1000V	60X16AWG	27/0.25	27.2	1463.01	13.7 Ω /km
ANM09.022.61.016AB	UL20886	1000V	61X16AWG	27/0.25	27.2	1472.51	13.7 Ω /km
ANM09.022.62.016AB	UL20886	1000V	62X16AWG	27/0.25	28	1535.41	13.7 Ω /km
ANM09.022.63.016AB	UL20886	1000V	63X16AWG	27/0.25	28	1544.91	13.7 Ω /km
ANM09.022.64.016AB	UL20886	1000V	64X16AWG	27/0.25	28	1554.51	13.7 Ω /km
ANM09.022.65.016AB	UL20886	1000V	65X16AWG	27/0.25	28	1564.01	13.7 Ω /km
ANM09.022.02.015AB	UL20886	1000V	2X15AWG	34/0.25	8	102.35	10.9 Ω /km
ANM09.022.03.015AB	UL20886	1000V	3X15AWG	34/0.25	8.5	124.25	10.9 Ω /km
ANM09.022.04.015AB	UL20886	1000V	4X15AWG	34/0.25	9.2	151.05	10.9 Ω /km
ANM09.022.05.015AB	UL20886	1000V	5X15AWG	34/0.25	9.9	179.15	10.9 Ω /km
ANM09.022.06.015AB	UL20886	1000V	6X15AWG	34/0.25	10.7	210.95	10.9 Ω /km
ANM09.022.07.015AB	UL20886	1000V	7X15AWG	34/0.25	10.7	222.95	10.9 Ω /km
ANM09.022.08.015AB	UL20886	1000V	8X15AWG	34/0.25	11.6	259.05	10.9 Ω /km
ANM09.022.09.015AB	UL20886	1000V	9X15AWG	34/0.25	12.6	300.15	10.9 Ω /km
ANM09.022.10.015AB	UL20886	1000V	10X15AWG	34/0.25	13.5	340.45	10.9 Ω /km
ANM09.022.11.015AB	UL20886	1000V	11X15AWG	34/0.25	14	368.95	10.9 Ω /km
ANM09.022.12.015AB	UL20886	1000V	12X15AWG	34/0.25	14	380.85	10.9 Ω /km



ANM09.022.13.015AB	UL20886	1000V	13X15AWG	34/0.25	14.7	417.05	10.9Ω/km
ANM09.022.14.015AB	UL20886	1000V	14X15AWG	34/0.25	14.7	429.05	10.9Ω/km
ANM09.022.15.015AB	UL20886	1000V	15X15AWG	34/0.25	15.4	466.35	10.9Ω/km
ANM09.022.16.015AB	UL20886	1000V	16X15AWG	34/0.25	15.4	478.35	10.9Ω/km
ANM09.022.17.015AB	UL20886	1000V	17X15AWG	34/0.25	16.2	520.75	10.9Ω/km
ANM09.022.18.015AB	UL20886	1000V	18X15AWG	34/0.25	16.2	532.75	10.9Ω/km
ANM09.022.19.015AB	UL20886	1000V	19X15AWG	34/0.25	16.2	544.75	10.9Ω/km
ANM09.022.20.015AB	UL20886	1000V	20X15AWG	34/0.25	16.7	576.55	10.9Ω/km
ANM09.022.21.015AB	UL20886	1000V	21X15AWG	34/0.25	17.1	604.65	10.9Ω/km
ANM09.022.22.015AB	UL20886	1000V	22X15AWG	34/0.25	18.1	659.15	10.9Ω/km
ANM09.022.23.015AB	UL20886	1000V	23X15AWG	34/0.25	18.9	706.85	10.9Ω/km
ANM09.022.24.015AB	UL20886	1000V	24X15AWG	34/0.25	18.9	718.75	10.9Ω/km
ANM09.022.25.015AB	UL20886	1000V	25X15AWG	34/0.25	19.4	753.85	10.9Ω/km
ANM09.022.26.015AB	UL20886	1000V	26X15AWG	34/0.25	19.4	765.75	10.9Ω/km
ANM09.022.27.015AB	UL20886	1000V	27X15AWG	34/0.25	19.4	777.75	10.9Ω/km
ANM09.022.28.015AB	UL20886	1000V	28X15AWG	34/0.25	22.1	923.15	10.9Ω/km
ANM09.022.29.015AB	UL20886	1000V	29X15AWG	34/0.25	22.1	935.15	10.9Ω/km
ANM09.022.30.015AB	UL20886	1000V	30X15AWG	34/0.25	22.1	947.05	10.9Ω/km
ANM09.022.31.015AB	UL20886	1000V	31X15AWG	34/0.25	22.8	996.85	10.9Ω/km
ANM09.022.32.015AB	UL20886	1000V	32X15AWG	34/0.25	22.8	1008.85	10.9Ω/km
ANM09.022.33.015AB	UL20886	1000V	33X15AWG	34/0.25	22.8	1020.75	10.9Ω/km
ANM09.022.34.015AB	UL20886	1000V	34X15AWG	34/0.25	23.6	1077.35	10.9Ω/km
ANM09.022.35.015AB	UL20886	1000V	35X15AWG	34/0.25	23.6	1089.35	10.9Ω/km
ANM09.022.36.015AB	UL20886	1000V	36X15AWG	34/0.25	23.6	1101.35	10.9Ω/km
ANM09.022.37.015AB	UL20886	1000V	37X15AWG	34/0.25	23.6	1113.35	10.9Ω/km
ANM09.022.38.015AB	UL20886	1000V	38X15AWG	34/0.25	24.5	1177.45	10.9Ω/km
ANM09.022.39.015AB	UL20886	1000V	39X15AWG	34/0.25	24.5	1189.35	10.9Ω/km
ANM09.022.40.015AB	UL20886	1000V	40X15AWG	34/0.25	24.5	1201.35	10.9Ω/km
ANM09.022.41.015AB	UL20886	1000V	41X15AWG	34/0.25	26.3	1323.45	10.9Ω/km
ANM09.022.42.015AB	UL20886	1000V	42X15AWG	34/0.25	26.3	1335.35	10.9Ω/km
ANM09.022.43.015AB	UL20886	1000V	43X15AWG	34/0.25	26.3	1347.35	10.9Ω/km
ANM09.022.44.015AB	UL20886	1000V	44X15AWG	34/0.25	26.3	1359.35	10.9Ω/km
ANM09.022.45.015AB	UL20886	1000V	45X15AWG	34/0.25	26.8	1403.35	10.9Ω/km
ANM09.022.46.015AB	UL20886	1000V	46X15AWG	34/0.25	26.8	1415.25	10.9Ω/km
ANM09.022.47.015AB	UL20886	1000V	47X15AWG	34/0.25	26.8	1427.25	10.9Ω/km
ANM09.022.48.015AB	UL20886	1000V	48X15AWG	34/0.25	26.8	1439.15	10.9Ω/km
ANM09.022.49.015AB	UL20886	1000V	49X15AWG	34/0.25	27.5	1496.95	10.9Ω/km
ANM09.022.50.015AB	UL20886	1000V	50X15AWG	34/0.25	27.5	1508.95	10.9Ω/km
ANM09.022.51.015AB	UL20886	1000V	51X15AWG	34/0.25	27.5	1520.85	10.9Ω/km
ANM09.022.52.015AB	UL20886	1000V	52X15AWG	34/0.25	27.5	1532.85	10.9Ω/km
ANM09.022.53.015AB	UL20886	1000V	53X15AWG	34/0.25	28.2	1591.75	10.9Ω/km
ANM09.022.54.015AB	UL20886	1000V	54X15AWG	34/0.25	28.2	1603.75	10.9Ω/km



ANM09.022.55.015AB	UL20886	1000V	55X15AWG	34/0.25	28.2	1615.75	10.9 Ω /km
ANM09.022.56.015AB	UL20886	1000V	56X15AWG	34/0.25	28.2	1627.75	10.9 Ω /km
ANM09.022.57.015AB	UL20886	1000V	57X15AWG	34/0.25	29	1694.85	10.9 Ω /km
ANM09.022.58.015AB	UL20886	1000V	58X15AWG	34/0.25	29	1706.85	10.9 Ω /km
ANM09.022.59.015AB	UL20886	1000V	59X15AWG	34/0.25	29	1718.75	10.9 Ω /km
ANM09.022.60.015AB	UL20886	1000V	60X15AWG	34/0.25	29	1730.75	10.9 Ω /km
ANM09.022.61.015AB	UL20886	1000V	61X15AWG	34/0.25	29	1742.65	10.9 Ω /km
ANM09.022.62.015AB	UL20886	1000V	62X15AWG	34/0.25	31.3	1919.95	10.9 Ω /km
ANM09.022.63.015AB	UL20886	1000V	63X15AWG	34/0.25	31.3	1931.95	10.9 Ω /km
ANM09.022.64.015AB	UL20886	1000V	64X15AWG	34/0.25	31.3	1943.95	10.9 Ω /km
ANM09.022.65.015AB	UL20886	1000V	65X15AWG	34/0.25	31.3	1955.85	10.9 Ω /km
ANM09.022.02.014AB	UL20886	1000V	2X14AWG	43/0.25	8.4	116.98	8.62 Ω /km
ANM09.022.03.014AB	UL20886	1000V	3X14AWG	43/0.25	8.9	142.48	8.62 Ω /km
ANM09.022.04.014AB	UL20886	1000V	4X14AWG	43/0.25	9.7	175.58	8.62 Ω /km
ANM09.022.05.014AB	UL20886	1000V	5X14AWG	43/0.25	10.5	210.18	8.62 Ω /km
ANM09.022.06.014AB	UL20886	1000V	6X14AWG	43/0.25	11.3	246.38	8.62 Ω /km
ANM09.022.07.014AB	UL20886	1000V	7X14AWG	43/0.25	11.3	261.48	8.62 Ω /km
ANM09.022.08.014AB	UL20886	1000V	8X14AWG	43/0.25	12.2	301.98	8.62 Ω /km
ANM09.022.09.014AB	UL20886	1000V	9X14AWG	43/0.25	13.5	357.48	8.62 Ω /km
ANM09.022.10.014AB	UL20886	1000V	10X14AWG	43/0.25	14.3	399.38	8.62 Ω /km
ANM09.022.11.014AB	UL20886	1000V	11X14AWG	43/0.25	14.8	432.08	8.62 Ω /km
ANM09.022.12.014AB	UL20886	1000V	12X14AWG	43/0.25	14.8	447.28	8.62 Ω /km
ANM09.022.13.014AB	UL20886	1000V	13X14AWG	43/0.25	15.6	491.68	8.62 Ω /km
ANM09.022.14.014AB	UL20886	1000V	14X14AWG	43/0.25	15.6	506.78	8.62 Ω /km
ANM09.022.15.014AB	UL20886	1000V	15X14AWG	43/0.25	16.4	552.78	8.62 Ω /km
ANM09.022.16.014AB	UL20886	1000V	16X14AWG	43/0.25	16.4	567.98	8.62 Ω /km
ANM09.022.17.014AB	UL20886	1000V	17X14AWG	43/0.25	17.2	615.48	8.62 Ω /km
ANM09.022.18.014AB	UL20886	1000V	18X14AWG	43/0.25	17.2	630.68	8.62 Ω /km
ANM09.022.19.014AB	UL20886	1000V	19X14AWG	43/0.25	17.2	645.78	8.62 Ω /km
ANM09.022.20.014AB	UL20886	1000V	20X14AWG	43/0.25	17.7	681.98	8.62 Ω /km
ANM09.022.21.014AB	UL20886	1000V	21X14AWG	43/0.25	18.1	714.28	8.62 Ω /km
ANM09.022.22.014AB	UL20886	1000V	22X14AWG	43/0.25	19.3	783.48	8.62 Ω /km
ANM09.022.23.014AB	UL20886	1000V	23X14AWG	43/0.25	22.1	936.78	8.62 Ω /km
ANM09.022.24.014AB	UL20886	1000V	24X14AWG	43/0.25	22.1	951.98	8.62 Ω /km
ANM09.022.25.014AB	UL20886	1000V	25X14AWG	43/0.25	22.6	993.98	8.62 Ω /km
ANM09.022.26.014AB	UL20886	1000V	26X14AWG	43/0.25	22.6	1009.08	8.62 Ω /km
ANM09.022.27.014AB	UL20886	1000V	27X14AWG	43/0.25	22.6	1024.18	8.62 Ω /km
ANM09.022.28.014AB	UL20886	1000V	28X14AWG	43/0.25	23.4	1083.68	8.62 Ω /km
ANM09.022.29.014AB	UL20886	1000V	29X14AWG	43/0.25	23.4	1098.78	8.62 Ω /km
ANM09.022.30.014AB	UL20886	1000V	30X14AWG	43/0.25	23.4	1113.88	8.62 Ω /km
ANM09.022.31.014AB	UL20886	1000V	31X14AWG	43/0.25	24.2	1174.98	8.62 Ω /km
ANM09.022.32.014AB	UL20886	1000V	32X14AWG	43/0.25	24.2	1190.08	8.62 Ω /km



ANM09.022.33.014AB	UL20886	1000V	33X14AWG	43/0.25	24.2	1205.28	8.62 Ω /km
ANM09.022.34.014AB	UL20886	1000V	34X14AWG	43/0.25	25	1267.78	8.62 Ω /km
ANM09.022.35.014AB	UL20886	1000V	35X14AWG	43/0.25	25	1282.88	8.62 Ω /km
ANM09.022.36.014AB	UL20886	1000V	36X14AWG	43/0.25	25	1298.08	8.62 Ω /km
ANM09.022.37.014AB	UL20886	1000V	37X14AWG	43/0.25	25	1313.28	8.62 Ω /km
ANM09.022.38.014AB	UL20886	1000V	38X14AWG	43/0.25	25.9	1383.58	8.62 Ω /km
ANM09.022.39.014AB	UL20886	1000V	39X14AWG	43/0.25	25.9	1398.68	8.62 Ω /km
ANM09.022.40.014AB	UL20886	1000V	40X14AWG	43/0.25	25.9	1413.98	8.62 Ω /km
ANM09.022.41.014AB	UL20886	1000V	41X14AWG	43/0.25	27.9	1558.68	8.62 Ω /km
ANM09.022.42.014AB	UL20886	1000V	42X14AWG	43/0.25	27.9	1573.78	8.62 Ω /km
ANM09.022.43.014AB	UL20886	1000V	43X14AWG	43/0.25	27.9	1588.88	8.62 Ω /km
ANM09.022.44.014AB	UL20886	1000V	44X14AWG	43/0.25	27.9	1603.98	8.62 Ω /km
ANM09.022.45.014AB	UL20886	1000V	45X14AWG	43/0.25	28.4	1653.18	8.62 Ω /km
ANM09.022.46.014AB	UL20886	1000V	46X14AWG	43/0.25	28.4	1668.28	8.62 Ω /km
ANM09.022.47.014AB	UL20886	1000V	47X14AWG	43/0.25	28.4	1683.28	8.62 Ω /km
ANM09.022.48.014AB	UL20886	1000V	48X14AWG	43/0.25	28.4	1698.48	8.62 Ω /km
ANM09.022.49.014AB	UL20886	1000V	49X14AWG	43/0.25	29.2	1769.28	8.62 Ω /km
ANM09.022.50.014AB	UL20886	1000V	50X14AWG	43/0.25	29.2	1784.38	8.62 Ω /km
ANM09.022.51.014AB	UL20886	1000V	51X14AWG	43/0.25	29.2	1799.58	8.62 Ω /km
ANM09.022.52.014AB	UL20886	1000V	52X14AWG	43/0.25	29.2	1814.68	8.62 Ω /km
ANM09.022.02.013AB	UL20886	1000V	2X13AWG	54/0.25	9	137.53	6.82 Ω /km
ANM09.022.03.013AB	UL20886	1000V	3X13AWG	54/0.25	9.5	167.43	6.82 Ω /km
ANM09.022.04.013AB	UL20886	1000V	4X13AWG	54/0.25	10.4	207.83	6.82 Ω /km
ANM09.022.05.013AB	UL20886	1000V	5X13AWG	54/0.25	11.3	250.13	6.82 Ω /km
ANM09.022.06.013AB	UL20886	1000V	6X13AWG	54/0.25	12.2	294.43	6.82 Ω /km
ANM09.022.07.013AB	UL20886	1000V	7X13AWG	54/0.25	12.2	313.23	6.82 Ω /km
ANM09.022.08.013AB	UL20886	1000V	8X13AWG	54/0.25	13.3	365.83	6.82 Ω /km
ANM09.022.09.013AB	UL20886	1000V	9X13AWG	54/0.25	14.6	428.43	6.82 Ω /km
ANM09.022.10.013AB	UL20886	1000V	10X13AWG	54/0.25	15.5	479.93	6.82 Ω /km
ANM09.022.11.013AB	UL20886	1000V	11X13AWG	54/0.25	16	517.73	6.82 Ω /km
ANM09.022.12.013AB	UL20886	1000V	12X13AWG	54/0.25	16	536.53	6.82 Ω /km
ANM09.022.13.013AB	UL20886	1000V	13X13AWG	54/0.25	16.9	591.03	6.82 Ω /km
ANM09.022.14.013AB	UL20886	1000V	14X13AWG	54/0.25	16.9	609.93	6.82 Ω /km
ANM09.022.15.013AB	UL20886	1000V	15X13AWG	54/0.25	17.8	666.33	6.82 Ω /km
ANM09.022.16.013AB	UL20886	1000V	16X13AWG	54/0.25	17.8	685.13	6.82 Ω /km
ANM09.022.17.013AB	UL20886	1000V	17X13AWG	54/0.25	18.7	743.63	6.82 Ω /km
ANM09.022.18.013AB	UL20886	1000V	18X13AWG	54/0.25	18.7	762.53	6.82 Ω /km
ANM09.022.19.013AB	UL20886	1000V	19X13AWG	54/0.25	18.7	781.33	6.82 Ω /km
ANM09.022.20.013AB	UL20886	1000V	20X13AWG	54/0.25	19.2	823.03	6.82 Ω /km
ANM09.022.21.013AB	UL20886	1000V	21X13AWG	54/0.25	21.7	963.43	6.82 Ω /km
ANM09.022.22.013AB	UL20886	1000V	22X13AWG	54/0.25	23	1052.13	6.82 Ω /km
ANM09.022.23.013AB	UL20886	1000V	23X13AWG	54/0.25	23.9	1121.83	6.82 Ω /km



ANM09.022.24.013AB	UL20886	1000V	24X13AWG	54/0.25	23.9	1140.53	6.82 Ω /km
ANM09.022.25.013AB	UL20886	1000V	25X13AWG	54/0.25	24.4	1188.43	6.82 Ω /km
ANM09.022.26.013AB	UL20886	1000V	26X13AWG	54/0.25	24.4	1207.23	6.82 Ω /km
ANM09.022.27.013AB	UL20886	1000V	27X13AWG	54/0.25	24.4	1226.13	6.82 Ω /km
ANM09.022.28.013AB	UL20886	1000V	28X13AWG	54/0.25	25.3	1298.93	6.82 Ω /km
ANM09.022.29.013AB	UL20886	1000V	29X13AWG	54/0.25	25.3	1317.73	6.82 Ω /km
ANM09.022.30.013AB	UL20886	1000V	30X13AWG	54/0.25	25.3	1336.53	6.82 Ω /km
ANM09.022.31.013AB	UL20886	1000V	31X13AWG	54/0.25	26.2	1411.23	6.82 Ω /km
ANM09.022.32.013AB	UL20886	1000V	32X13AWG	54/0.25	26.2	1430.03	6.82 Ω /km
ANM09.022.33.013AB	UL20886	1000V	33X13AWG	54/0.25	26.2	1448.83	6.82 Ω /km
ANM09.022.34.013AB	UL20886	1000V	34X13AWG	54/0.25	27.1	1525.53	6.82 Ω /km
ANM09.022.35.013AB	UL20886	1000V	35X13AWG	54/0.25	27.1	1544.33	6.82 Ω /km
ANM09.022.36.013AB	UL20886	1000V	36X13AWG	54/0.25	27.1	1563.23	6.82 Ω /km
ANM09.022.37.013AB	UL20886	1000V	37X13AWG	54/0.25	27.1	1582.03	6.82 Ω /km
ANM09.022.38.013AB	UL20886	1000V	38X13AWG	54/0.25	28.1	1667.43	6.82 Ω /km
ANM09.022.39.013AB	UL20886	1000V	39X13AWG	54/0.25	28.1	1686.23	6.82 Ω /km
ANM09.022.40.013AB	UL20886	1000V	40X13AWG	54/0.25	28.1	1705.03	6.82 Ω /km
ANM09.022.41.013AB	UL20886	1000V	41X13AWG	54/0.25	31.7	1981.53	6.82 Ω /km
ANM09.022.42.013AB	UL20886	1000V	42X13AWG	54/0.25	31.7	2000.33	6.82 Ω /km
ANM09.022.43.013AB	UL20886	1000V	43X13AWG	54/0.25	31.7	2019.13	6.82 Ω /km
ANM09.022.44.013AB	UL20886	1000V	44X13AWG	54/0.25	31.7	2038.03	6.82 Ω /km
ANM09.022.45.013AB	UL20886	1000V	45X13AWG	54/0.25	32.2	2095.43	6.82 Ω /km
ANM09.022.46.013AB	UL20886	1000V	46X13AWG	54/0.25	32.2	2114.23	6.82 Ω /km
ANM09.022.47.013AB	UL20886	1000V	47X13AWG	54/0.25	32.2	2132.93	6.82 Ω /km
ANM09.022.48.013AB	UL20886	1000V	48X13AWG	54/0.25	32.2	2151.73	6.82 Ω /km
ANM09.022.49.013AB	UL20886	1000V	49X13AWG	54/0.25	33.1	2241.43	6.82 Ω /km
ANM09.022.50.013AB	UL20886	1000V	50X13AWG	54/0.25	33.1	2260.23	6.82 Ω /km
ANM09.022.51.013AB	UL20886	1000V	51X13AWG	54/0.25	33.1	2279.03	6.82 Ω /km
ANM09.022.52.013AB	UL20886	1000V	52X13AWG	54/0.25	33.1	2297.83	6.82 Ω /km
ANM09.022.02.012AB	UL20886	1000V	2X12AWG	68/0.25	9.8	166.71	5.43 Ω /km
ANM09.022.03.012AB	UL20886	1000V	3X12AWG	68/0.25	10.4	205.41	5.43 Ω /km
ANM09.022.04.012AB	UL20886	1000V	4X12AWG	68/0.25	11.3	253.21	5.43 Ω /km
ANM09.022.05.012AB	UL20886	1000V	5X12AWG	68/0.25	12.4	308.51	5.43 Ω /km
ANM09.022.06.012AB	UL20886	1000V	6X12AWG	68/0.25	13.5	366.91	5.43 Ω /km
ANM09.022.07.012AB	UL20886	1000V	7X12AWG	68/0.25	13.5	390.91	5.43 Ω /km
ANM09.022.08.012AB	UL20886	1000V	8X12AWG	68/0.25	14.6	452.41	5.43 Ω /km
ANM09.022.09.012AB	UL20886	1000V	9X12AWG	68/0.25	16.1	532.01	5.43 Ω /km
ANM09.022.10.012AB	UL20886	1000V	10X12AWG	68/0.25	17.1	596.01	5.43 Ω /km
ANM09.022.11.012AB	UL20886	1000V	11X12AWG	68/0.25	17.7	645.41	5.43 Ω /km
ANM09.022.12.012AB	UL20886	1000V	12X12AWG	68/0.25	17.7	669.51	5.43 Ω /km
ANM09.022.13.012AB	UL20886	1000V	13X12AWG	68/0.25	18.6	732.91	5.43 Ω /km
ANM09.022.14.012AB	UL20886	1000V	14X12AWG	68/0.25	18.6	756.91	5.43 Ω /km



ANM09.022.15.012AB	UL20886	1000V	15X12AWG	68/0.25	21.7	929.91	5.43 Ω /km
ANM09.022.16.012AB	UL20886	1000V	16X12AWG	68/0.25	21.7	954.01	5.43 Ω /km
ANM09.022.17.012AB	UL20886	1000V	17X12AWG	68/0.25	22.7	1031.51	5.43 Ω /km
ANM09.022.18.012AB	UL20886	1000V	18X12AWG	68/0.25	22.7	1055.51	5.43 Ω /km
ANM09.022.19.012AB	UL20886	1000V	19X12AWG	68/0.25	22.7	1079.81	5.43 Ω /km
ANM09.022.20.012AB	UL20886	1000V	20X12AWG	68/0.25	23.3	1137.11	5.43 Ω /km
ANM09.022.21.012AB	UL20886	1000V	21X12AWG	68/0.25	23.8	1189.51	5.43 Ω /km
ANM09.022.22.012AB	UL20886	1000V	22X12AWG	68/0.25	25.3	1302.31	5.43 Ω /km
ANM09.022.23.012AB	UL20886	1000V	23X12AWG	68/0.25	26.3	1388.61	5.43 Ω /km
ANM09.022.24.012AB	UL20886	1000V	24X12AWG	68/0.25	26.3	1412.61	5.43 Ω /km
ANM09.022.25.012AB	UL20886	1000V	25X12AWG	68/0.25	26.9	1475.21	5.43 Ω /km
ANM09.022.26.012AB	UL20886	1000V	26X12AWG	68/0.25	26.9	1499.31	5.43 Ω /km
ANM09.022.27.012AB	UL20886	1000V	27X12AWG	68/0.25	26.9	1523.41	5.43 Ω /km
ANM09.022.28.012AB	UL20886	1000V	28X12AWG	68/0.25	27.8	1606.81	5.43 Ω /km
ANM09.022.29.012AB	UL20886	1000V	29X12AWG	68/0.25	27.8	1630.81	5.43 Ω /km
ANM09.022.30.012AB	UL20886	1000V	30X12AWG	68/0.25	27.8	1655.01	5.43 Ω /km
ANM09.022.31.012AB	UL20886	1000V	31X12AWG	68/0.25	28.9	1754.21	5.43 Ω /km
ANM09.022.32.012AB	UL20886	1000V	32X12AWG	68/0.25	28.9	1778.31	5.43 Ω /km
ANM09.022.33.012AB	UL20886	1000V	33X12AWG	68/0.25	28.9	1802.41	5.43 Ω /km
ANM09.022.34.012AB	UL20886	1000V	34X12AWG	68/0.25	31.3	1998.91	5.43 Ω /km
ANM09.022.35.012AB	UL20886	1000V	35X12AWG	68/0.25	31.3	2022.91	5.43 Ω /km
ANM09.022.36.012AB	UL20886	1000V	36X12AWG	68/0.25	31.3	2046.91	5.43 Ω /km
ANM09.022.37.012AB	UL20886	1000V	37X12AWG	68/0.25	31.3	2071.11	5.43 Ω /km
ANM09.022.02.011AB	UL20886	1000V	2X11AWG	85/0.25	10.6	198.47	4.30 Ω /km
ANM09.022.03.011AB	UL20886	1000V	3X11AWG	85/0.25	11.3	246.57	4.30 Ω /km
ANM09.022.04.011AB	UL20886	1000V	4X11AWG	85/0.25	12.3	304.67	4.30 Ω /km
ANM09.022.05.011AB	UL20886	1000V	5X11AWG	85/0.25	13.5	371.57	4.30 Ω /km
ANM09.022.06.011AB	UL20886	1000V	6X11AWG	85/0.25	14.7	441.97	4.30 Ω /km
ANM09.022.07.011AB	UL20886	1000V	7X11AWG	85/0.25	14.7	471.67	4.30 Ω /km
ANM09.022.08.011AB	UL20886	1000V	8X11AWG	85/0.25	15.9	545.67	4.30 Ω /km
ANM09.022.09.011AB	UL20886	1000V	9X11AWG	85/0.25	17.5	639.67	4.30 Ω /km
ANM09.022.10.011AB	UL20886	1000V	10X11AWG	85/0.25	18.7	721.67	4.30 Ω /km
ANM09.022.11.011AB	UL20886	1000V	11X11AWG	85/0.25	19.4	783.57	4.30 Ω /km
ANM09.022.12.011AB	UL20886	1000V	12X11AWG	85/0.25	19.4	813.17	4.30 Ω /km
ANM09.022.13.011AB	UL20886	1000V	13X11AWG	85/0.25	22.4	992.37	4.30 Ω /km
ANM09.022.14.011AB	UL20886	1000V	14X11AWG	85/0.25	22.4	1021.97	4.30 Ω /km
ANM09.022.15.011AB	UL20886	1000V	15X11AWG	85/0.25	23.5	1112.37	4.30 Ω /km
ANM09.022.16.011AB	UL20886	1000V	16X11AWG	85/0.25	23.5	1142.17	4.30 Ω /km
ANM09.022.17.011AB	UL20886	1000V	17X11AWG	85/0.25	24.7	1241.37	4.30 Ω /km
ANM09.022.18.011AB	UL20886	1000V	18X11AWG	85/0.25	24.7	1271.07	4.30 Ω /km
ANM09.022.19.011AB	UL20886	1000V	19X11AWG	85/0.25	24.7	1300.77	4.30 Ω /km
ANM09.022.20.011AB	UL20886	1000V	20X11AWG	85/0.25	25.4	1372.57	4.30 Ω /km



ANM09.022.21.011AB	UL20886	1000V	21X11AWG	85/0.25	25.9	1433.27	4.30 Ω /km
ANM09.022.22.011AB	UL20886	1000V	22X11AWG	85/0.25	27.5	1565.77	4.30 Ω /km
ANM09.022.23.011AB	UL20886	1000V	23X11AWG	85/0.25	28.7	1676.77	4.30 Ω /km
ANM09.022.24.011AB	UL20886	1000V	24X11AWG	85/0.25	28.7	1706.37	4.30 Ω /km
ANM09.022.25.011AB	UL20886	1000V	25X11AWG	85/0.25	29.4	1785.07	4.30 Ω /km
ANM09.022.26.011AB	UL20886	1000V	26X11AWG	85/0.25	29.4	1814.67	4.30 Ω /km
ANM09.022.27.011AB	UL20886	1000V	27X11AWG	85/0.25	29.4	1844.37	4.30 Ω /km
ANM09.022.28.011AB	UL20886	1000V	28X11AWG	85/0.25	31.8	2049.37	4.30 Ω /km
ANM09.022.29.011AB	UL20886	1000V	29X11AWG	85/0.25	31.8	2078.97	4.30 Ω /km
ANM09.022.30.011AB	UL20886	1000V	30X11AWG	85/0.25	31.8	2108.57	4.30 Ω /km
ANM09.022.31.011AB	UL20886	1000V	31X11AWG	85/0.25	32.9	2224.07	4.30 Ω /km
ANM09.022.32.011AB	UL20886	1000V	32X11AWG	85/0.25	32.9	2253.67	4.30 Ω /km
ANM09.022.33.011AB	UL20886	1000V	33X11AWG	85/0.25	32.9	2283.37	4.30 Ω /km
ANM09.022.34.011AB	UL20886	1000V	34X11AWG	85/0.25	34.1	2409.87	4.30 Ω /km
ANM09.022.35.011AB	UL20886	1000V	35X11AWG	85/0.25	34.1	2439.47	4.30 Ω /km
ANM09.022.36.011AB	UL20886	1000V	36X11AWG	85/0.25	34.1	2469.27	4.30 Ω /km
ANM09.022.37.011AB	UL20886	1000V	37X11AWG	85/0.25	34.1	2498.77	4.30 Ω /km
ANM09.022.02.010AB	UL20886	1000V	2X10AWG	108/0.25	11.8	243.37	3.409 Ω /km
ANM09.022.03.010AB	UL20886	1000V	3X10AWG	108/0.25	12.6	302.37	3.409 Ω /km
ANM09.022.04.010AB	UL20886	1000V	4X10AWG	108/0.25	13.9	379.17	3.409 Ω /km
ANM09.022.05.010AB	UL20886	1000V	5X10AWG	108/0.25	15.2	460.27	3.409 Ω /km
ANM09.022.06.010AB	UL20886	1000V	6X10AWG	108/0.25	16.5	545.37	3.409 Ω /km
ANM09.022.07.010AB	UL20886	1000V	7X10AWG	108/0.25	16.5	580.77	3.409 Ω /km
ANM09.022.08.010AB	UL20886	1000V	8X10AWG	108/0.25	17.9	674.27	3.409 Ω /km
ANM09.022.09.010AB	UL20886	1000V	9X10AWG	108/0.25	21.8	894.57	3.409 Ω /km
ANM09.022.10.010AB	UL20886	1000V	10X10AWG	108/0.25	23.1	1000.47	3.409 Ω /km
ANM09.022.11.010AB	UL20886	1000V	11X10AWG	108/0.25	23.9	1080.97	3.409 Ω /km
ANM09.022.12.010AB	UL20886	1000V	12X10AWG	108/0.25	23.9	1116.37	3.409 Ω /km
ANM09.022.13.010AB	UL20886	1000V	13X10AWG	108/0.25	25.1	1222.77	3.409 Ω /km
ANM09.022.14.010AB	UL20886	1000V	14X10AWG	108/0.25	25.1	1258.07	3.409 Ω /km
ANM09.022.15.010AB	UL20886	1000V	15X10AWG	108/0.25	26.4	1374.27	3.409 Ω /km
ANM09.022.16.010AB	UL20886	1000V	16X10AWG	108/0.25	26.4	1409.77	3.409 Ω /km
ANM09.022.17.010AB	UL20886	1000V	17X10AWG	108/0.25	27.7	1529.77	3.409 Ω /km
ANM09.022.18.010AB	UL20886	1000V	18X10AWG	108/0.25	27.7	1565.17	3.409 Ω /km
ANM09.022.19.010AB	UL20886	1000V	19X10AWG	108/0.25	27.7	1600.67	3.409 Ω /km
ANM09.022.20.010AB	UL20886	1000V	20X10AWG	108/0.25	28.5	1690.37	3.409 Ω /km
ANM09.022.21.010AB	UL20886	1000V	21X10AWG	108/0.25	29.1	1767.27	3.409 Ω /km
ANM09.022.22.010AB	UL20886	1000V	22X10AWG	108/0.25	32.4	2045.57	3.409 Ω /km
ANM09.022.23.010AB	UL20886	1000V	23X10AWG	108/0.25	33.7	2184.57	3.409 Ω /km
ANM09.022.24.010AB	UL20886	1000V	24X10AWG	108/0.25	33.7	2219.87	3.409 Ω /km
ANM09.022.25.010AB	UL20886	1000V	25X10AWG	108/0.25	34.5	2321.17	3.409 Ω /km
ANM09.022.26.010AB	UL20886	1000V	26X10AWG	108/0.25	34.5	2356.57	3.409 Ω /km



ANM09.022.27.010AB	UL20886	1000V	27X10AWG	108/0.25	34.5	2391.87	3.409 Ω/km
ANM09.022.28.010AB	UL20886	1000V	28X10AWG	108/0.25	35.7	2528.97	3.409 Ω/km
ANM09.022.29.010AB	UL20886	1000V	29X10AWG	108/0.25	35.7	2564.37	3.409 Ω/km
ANM09.022.30.010AB	UL20886	1000V	30X10AWG	108/0.25	35.7	2599.77	3.409 Ω/km
ANM09.022.31.010AB	UL20886	1000V	31X10AWG	108/0.25	37.3	2775.97	3.409 Ω/km
ANM09.022.32.010AB	UL20886	1000V	32X10AWG	108/0.25	37.3	2811.37	3.409 Ω/km
ANM09.022.33.010AB	UL20886	1000V	33X10AWG	108/0.25	37.3	2846.77	3.409 Ω/km
ANM09.022.34.010AB	UL20886	1000V	34X10AWG	108/0.25	38.6	3000.97	3.409 Ω/km
ANM09.022.35.010AB	UL20886	1000V	35X10AWG	108/0.25	38.6	3036.47	3.409 Ω/km
ANM09.022.36.010AB	UL20886	1000V	36X10AWG	108/0.25	38.6	3071.87	3.409 Ω/km
ANM09.022.37.010AB	UL20886	1000V	37X10AWG	108/0.25	38.6	3107.17	3.409 Ω/km
ANM09.022.02.009AB	UL20886	1000V	2X9AWG	136/0.25	13.3	310.64	2.705 Ω/km
ANM09.022.03.009AB	UL20886	1000V	3X9AWG	136/0.25	14.2	386.04	2.705 Ω/km
ANM09.022.04.009AB	UL20886	1000V	4X9AWG	136/0.25	15.5	478.24	2.705 Ω/km
ANM09.022.05.009AB	UL20886	1000V	5X9AWG	136/0.25	17.1	586.64	2.705 Ω/km
ANM09.022.06.009AB	UL20886	1000V	6X9AWG	136/0.25	18.6	697.04	2.705 Ω/km
ANM09.022.07.009AB	UL20886	1000V	7X9AWG	136/0.25	18.6	742.54	2.705 Ω/km
ANM09.022.02.008AB	UL20886	1000V	2X8AWG	171/0.25	14.1	363.87	2.144 Ω/km
ANM09.022.03.008AB	UL20886	1000V	3X8AWG	171/0.25	15	453.77	2.144 Ω/km
ANM09.022.04.008AB	UL20886	1000V	4X8AWG	171/0.25	16.5	568.77	2.144 Ω/km
ANM09.022.05.008AB	UL20886	1000V	5X8AWG	171/0.25	18.1	693.77	2.144 Ω/km
ANM09.022.06.008AB	UL20886	1000V	6X8AWG	171/0.25	21.8	928.37	2.144 Ω/km
ANM09.022.07.008AB	UL20886	1000V	7X8AWG	171/0.25	21.8	986.47	2.144 Ω/km
ANM09.022.02.007AB	UL20886	1000V	2X7AWG	84/0.4	14.9	426.75	1.700 Ω/km
ANM09.022.03.007AB	UL20886	1000V	3X7AWG	84/0.4	15.9	538.55	1.700 Ω/km
ANM09.022.04.007AB	UL20886	1000V	4X7AWG	84/0.4	17.5	677.65	1.700 Ω/km
ANM09.022.05.007AB	UL20886	1000V	5X7AWG	84/0.4	19.2	827.55	1.700 Ω/km
ANM09.022.06.007AB	UL20886	1000V	6X7AWG	84/0.4	23	1093.65	1.700 Ω/km
ANM09.022.07.007AB	UL20886	1000V	7X7AWG	84/0.4	23	1168.35	1.700 Ω/km
ANM09.022.02.006AB	UL20886	1000V	2X6AWG	106/0.4	16.3	517.6	1.348 Ω/km
ANM09.022.03.006AB	UL20886	1000V	3X6AWG	106/0.4	17.4	654.6	1.348 Ω/km
ANM09.022.04.006AB	UL20886	1000V	4X6AWG	106/0.4	19.2	826.3	1.348 Ω/km
ANM09.022.05.006AB	UL20886	1000V	5X6AWG	106/0.4	23.1	1115.8	1.348 Ω/km
ANM09.022.06.006AB	UL20886	1000V	6X6AWG	106/0.4	25.1	1324.1	1.348 Ω/km
ANM09.022.07.006AB	UL20886	1000V	7X6AWG	106/0.4	25.1	1416.4	1.348 Ω/km
ANM09.022.02.005AB	UL20886	1000V	2X5AWG	134/0.4	17.5	619.47	1.070 Ω/km
ANM09.022.03.005AB	UL20886	1000V	3X5AWG	134/0.4	18.7	788.77	1.070 Ω/km
ANM09.022.04.005AB	UL20886	1000V	4X5AWG	134/0.4	22.6	1098.27	1.070 Ω/km
ANM09.022.05.005AB	UL20886	1000V	5X5AWG	134/0.4	24.7	1334.87	1.070 Ω/km
ANM09.022.06.005AB	UL20886	1000V	6X5AWG	134/0.4	26.9	1588.67	1.070 Ω/km
ANM09.022.07.005AB	UL20886	1000V	7X5AWG	134/0.4	26.9	1705.57	1.070 Ω/km
ANM09.022.02.004AB	UL20886	1000V	2X4AWG	169/0.4	22.1	902.95	0.8481 Ω/km



ANM09.022.03.004AB	UL20886	1000V	3X4AWG	169/0.4	23.5	1127.35	0.8481 Ω/km
ANM09.022.04.004AB	UL20886	1000V	4X4AWG	169/0.4	25.8	1411.65	0.8481 Ω/km
ANM09.022.05.004AB	UL20886	1000V	5X4AWG	169/0.4	28.2	1715.35	0.8481 Ω/km
ANM09.022.06.004AB	UL20886	1000V	6X4AWG	169/0.4	32.2	2152.35	0.8481 Ω/km
ANM09.022.07.004AB	UL20886	1000V	7X4AWG	169/0.4	32.2	2300.05	0.8481 Ω/km
ANM09.022.02.003AB	UL20886	1000V	2X3AWG	213/0.4	23.7	1073.97	0.6727 Ω/km
ANM09.022.03.003AB	UL20886	1000V	3X3AWG	213/0.4	25.2	1348.67	0.6727 Ω/km
ANM09.022.04.003AB	UL20886	1000V	4X3AWG	213/0.4	27.7	1694.07	0.6727 Ω/km
ANM09.022.05.003AB	UL20886	1000V	5X3AWG	213/0.4	31.8	2172.67	0.6727 Ω/km
ANM09.022.06.003AB	UL20886	1000V	6X3AWG	213/0.4	34.6	2582.97	0.6727 Ω/km
ANM09.022.07.003AB	UL20886	1000V	7X3AWG	213/0.4	34.6	2769.27	0.6727 Ω/km
ANM09.022.02.002AB	UL20886	1000V	2X2AWG	268/0.4	25.5	1284.82	0.5335 Ω/km
ANM09.022.03.002AB	UL20886	1000V	3X2AWG	268/0.4	27.2	1627.52	0.5335 Ω/km
ANM09.022.04.002AB	UL20886	1000V	4X2AWG	268/0.4	31.3	2149.72	0.5335 Ω/km
ANM09.022.05.002AB	UL20886	1000V	5X2AWG	268/0.4	34.2	2613.52	0.5335 Ω/km
ANM09.022.06.002AB	UL20886	1000V	6X2AWG	268/0.4	37.6	3142.52	0.5335 Ω/km
ANM09.022.07.002AB	UL20886	1000V	7X2AWG	268/0.4	37.6	3377.32	0.5335 Ω/km
ANM09.022.02.001AB	UL20886	1000V	2X1AWG	338/0.4	28.1	1589.11	0.4230 Ω/km
ANM09.022.03.001AB	UL20886	1000V	3X1AWG	338/0.4	31.4	2122.51	0.4230 Ω/km
ANM09.022.04.001AB	UL20886	1000V	4X1AWG	338/0.4	34.4	2659.01	0.4230 Ω/km
ANM09.022.05.001AB	UL20886	1000V	5X1AWG	338/0.4	38	3271.81	0.4230 Ω/km
ANM09.022.06.001AB	UL20886	1000V	6X1AWG	338/0.4	41.5	3905.91	0.4230 Ω/km
ANM09.022.07.001AB	UL20886	1000V	7X1AWG	338/0.4	41.5	4204.51	0.4230 Ω/km
ANM09.022.02.1/0AB	UL20886	1000V	2X1/0AWG	426/0.4	32.1	2035.99	0.3354 Ω/km
ANM09.022.03.1/0AB	UL20886	1000V	3X1/0AWG	426/0.4	34.2	2576.09	0.3354 Ω/km
ANM09.022.04.1/0AB	UL20886	1000V	4X1/0AWG	426/0.4	37.8	3260.79	0.3354 Ω/km
ANM09.022.05.1/0AB	UL20886	1000V	5X1/0AWG	426/0.4	41.5	3986.89	0.3354 Ω/km
ANM09.022.06.1/0AB	UL20886	1000V	6X1/0AWG	426/0.4	46.8	4920.79	0.3354 Ω/km
ANM09.022.07.1/0AB	UL20886	1000V	7X1/0AWG	426/0.4	46.8	5293.09	0.3354 Ω/km
ANM09.022.02.2/0AB	UL20886	1000V	2X2/0AWG	537/0.4	34.7	2452.43	0.2660 Ω/km
ANM09.022.03.2/0AB	UL20886	1000V	3X2/0AWG	537/0.4	37.3	3147.03	0.2660 Ω/km
ANM09.022.04.2/0AB	UL20886	1000V	4X2/0AWG	537/0.4	41	3965.23	0.2660 Ω/km
ANM09.022.05.2/0AB	UL20886	1000V	5X2/0AWG	537/0.4	46.5	5011.73	0.2660 Ω/km
ANM09.022.06.2/0AB	UL20886	1000V	6X2/0AWG	537/0.4	50.7	5972.83	0.2660 Ω/km
ANM09.022.07.2/0AB	UL20886	1000V	7X2/0AWG	537/0.4	50.7	6441.63	0.2660 Ω/km
ANM09.022.02.3/0AB	UL20886	1000V	2X3/0AWG	677/0.4	37.6	2976.51	0.2110 Ω/km
ANM09.022.03.3/0AB	UL20886	1000V	3X3/0AWG	677/0.4	40.1	3806.41	0.2110 Ω/km
ANM09.022.04.3/0AB	UL20886	1000V	4X3/0AWG	677/0.4	45.5	4956.91	0.2110 Ω/km
ANM09.022.05.3/0AB	UL20886	1000V	5X3/0AWG	677/0.4	50	6070.81	0.2110 Ω/km
ANM09.022.06.3/0AB	UL20886	1000V	6X3/0AWG	677/0.4	54.6	7246.91	0.2110 Ω/km
ANM09.022.07.3/0AB	UL20886	1000V	7X3/0AWG	677/0.4	54.6	7842.41	0.2110 Ω/km
ANM09.022.02.4/0AB	UL20886	1000V	2X4/0AWG	854/0.4	40.8	3612.7	0.1673 Ω/km



ANM09.022.03.4/0AB	UL20886	1000V	3X4/0AWG	854/0.4	43.5	4638.5	0.1673 Ω/km
ANM09.022.04.4/0AB	UL20886	1000V	4X4/0AWG	854/0.4	49.4	6048.1	0.1673 Ω/km
ANM09.022.05.4/0AB	UL20886	1000V	5X4/0AWG	854/0.4	54.3	7412.4	0.1673 Ω/km
ANM09.022.06.4/0AB	UL20886	1000V	6X4/0AWG	854/0.4	59.4	8863.3	0.1673 Ω/km
ANM09.022.07.4/0AB	UL20886	1000V	7X4/0AWG	854/0.4	59.4	9614.7	0.1673 Ω/km
ANM09.022.02.250kV	UL20886	1000V	2X250kcmil	1007/0.4	46.4	4479.3	0.1416 Ω/km
ANM09.022.03.250kV	UL20886	1000V	3X250kcmil	1007/0.4	49.4	5707.6	0.1416 Ω/km
ANM09.022.04.250kV	UL20886	1000V	4X250kcmil	1007/0.4	54.4	7215.1	0.1416 Ω/km
ANM09.022.05.250kV	UL20886	1000V	5X250kcmil	1007/0.4	60	8869.8	0.1416 Ω/km
ANM09.022.02.300kV	UL20886	1000V	2X300kcmil	1184/0.4	48.6	5139	0.1180 Ω/km
ANM09.022.03.300kV	UL20886	1000V	3X300kcmil	1184/0.4	51.8	6599.6	0.1180 Ω/km
ANM09.022.04.300kV	UL20886	1000V	4X300kcmil	1184/0.4	57.1	8368.8	0.1180 Ω/km
ANM09.022.05.300kV	UL20886	1000V	5X300kcmil	1184/0.4	62.9	10281.7	0.1180 Ω/km
ANM09.022.02.350kV	UL20886	1000V	2X350kcmil	1406/0.4	51.6	5867.4	0.1011 Ω/km
ANM09.022.03.350kV	UL20886	1000V	3X350kcmil	1406/0.4	55	7548.2	0.1011 Ω/km
ANM09.022.04.350kV	UL20886	1000V	4X350kcmil	1406/0.4	60.7	9587.4	0.1011 Ω/km
ANM09.022.05.350kV	UL20886	1000V	5X350kcmil	1406/0.4	67	11801.6	0.1011 Ω/km
ANM09.022.02.400kV	UL20886	1000V	2X400kcmil	1628/0.4	54.6	6626.7	0.08851 Ω/km
ANM09.022.03.400kV	UL20886	1000V	3X400kcmil	1628/0.4	58.3	8548.7	0.08851 Ω/km
ANM09.022.04.400kV	UL20886	1000V	4X400kcmil	1628/0.4	64.3	10854.2	0.08851 Ω/km
ANM09.022.05.400kV	UL20886	1000V	5X400kcmil	1628/0.4	73.4	13776.8	0.08851 Ω/km
ANM09.022.02.450kV	UL20886	1000V	2X450kcmil	1830/0.4	57	7325.3	0.07867 Ω/km
ANM09.022.03.450kV	UL20886	1000V	3X450kcmil	1830/0.4	60.8	9458.7	0.07867 Ω/km
ANM09.022.04.450kV	UL20886	1000V	4X450kcmil	1830/0.4	67.2	12040.6	0.07867 Ω/km
ANM09.022.05.450kV	UL20886	1000V	5X450kcmil	1830/0.4	76.7	15275.7	0.07867 Ω/km
ANM09.022.02.500kV	UL20886	1000V	2X500kcmil	2013/0.4	59	7995.6	0.07080 Ω/km
ANM09.022.03.500kV	UL20886	1000V	3X500kcmil	2013/0.4	63	10360.4	0.07080 Ω/km
ANM09.022.04.500kV	UL20886	1000V	4X500kcmil	2013/0.4	69.6	13192.6	0.07080 Ω/km
ANM09.022.05.500kV	UL20886	1000V	5X500kcmil	2013/0.4	79.4	16722.8	0.07080 Ω/km
ANM09.022.03.01.013AB	UL20886	1000V	3X13AWG+1X15AWG	54/0.25	10	190.15	6.82 Ω/km
ANM09.022.03.01.012AB	UL20886	1000V	3X12AWG+1X14AWG	68/0.25	10.9	232.18	5.43 Ω/km
ANM09.022.03.01.011AB	UL20886	1000V	3X11AWG+1X14AWG	85/0.25	11.6	267.88	4.30 Ω/km
ANM09.022.03.01.010AB	UL20886	1000V	3X10AWG+1X13AWG	108/0.25	13	330.93	3.409 Ω/km
ANM09.022.03.01.009AB	UL20886	1000V	3X9AWG+1X12AWG	136/0.25	14.5	417.11	2.705 Ω/km
ANM09.022.03.01.008AB	UL20886	1000V	3X8AWG+1X11AWG	171/0.25	15.5	497.47	2.144 Ω/km
ANM09.022.03.01.007AB	UL20886	1000V	3X7AWG+1X10AWG	84/0.4	16.6	596.17	1.700 Ω/km
ANM09.022.03.01.006AB	UL20886	1000V	3X6AWG+1X9AWG	106/0.4	18.2	727.84	1.348 Ω/km
ANM09.022.03.01.005AB	UL20886	1000V	3X5AWG+1X8AWG	134/0.4	21.6	977.77	1.070 Ω/km
ANM09.022.03.01.004AB	UL20886	1000V	3X4AWG+1X7AWG	169/0.4	24.2	1231.65	0.8481 Ω/km
ANM09.022.03.01.003AB	UL20886	1000V	3X3AWG+1X6AWG	213/0.4	26.1	1483	0.6727 Ω/km
ANM09.022.03.01.002AB	UL20886	1000V	3X2AWG+1X5AWG	268/0.4	28.1	1787.77	0.5335 Ω/km
ANM09.022.03.01.001AB	UL20886	1000V	3X1AWG+1X4AWG	338/0.4	32.6	2341.45	0.4230 Ω/km



ANM09.022.03.01.1/0AB	UL20886	1000V	3X1/0AWG+1X3AWG	426/0.4	35.4	2836.17	0.3354 Ω/km
ANM09.022.03.01.2/0AB	UL20886	1000V	3X2/0AWG+1X2AWG	537/0.4	38.6	3466.92	0.2660 Ω/km
ANM09.022.03.01.3/0AB	UL20886	1000V	3X3/0AWG+1X1AWG	677/0.4	41.8	4230.31	0.2110 Ω/km
ANM09.022.03.01.4/0AB	UL20886	1000V	3X4/0AWG+1X1/0AWG	854/0.4	46.9	5324.99	0.1673 Ω/km
ANM09.022.03.01.250kB	UL20886	1000V	3X250kcmil+1X2/0AWG	1007/0.4	51.5	6372.33	0.1416 Ω/km
ANM09.022.03.01.300kB	UL20886	1000V	3X300kcmil+1X3/0AWG	1184/0.4	54.3	7448.01	0.1180 Ω/km
ANM09.022.03.01.350kB	UL20886	1000V	3X350kcmil+1X4/0AWG	1406/0.4	58	8638.7	0.1011 Ω/km
ANM09.022.03.01.400kB	UL20886	1000V	3X400kcmil+1X250kcmil	1628/0.4	61.9	9876.6	0.08851 Ω/km
ANM09.022.03.01.450kB	UL20886	1000V	3X450kcmil+1X300kcmil	1830/0.4	64.8	11062	0.07867 Ω/km
ANM09.022.03.01.500kB	UL20886	1000V	3X500kcmil+1X350kcmil	2013/0.4	67.5	12236.8	0.07080 Ω/km
ANM09.022.03.02.013AB	UL20886	1000V	3X13AWG+2X15AWG	54/0.25	10.7	219.65	6.82 Ω/km
ANM09.022.03.02.012AB	UL20886	1000V	3X12AWG+2X14AWG	68/0.25	11.6	266.38	5.43 Ω/km
ANM09.022.03.02.011AB	UL20886	1000V	3X11AWG+2X14AWG	85/0.25	12.2	300.18	4.30 Ω/km
ANM09.022.03.02.010AB	UL20886	1000V	3X10AWG+2X13AWG	108/0.25	13.6	368.93	3.409 Ω/km
ANM09.022.03.02.009AB	UL20886	1000V	3X9AWG+2X12AWG	136/0.25	15.2	466.31	2.705 Ω/km
ANM09.022.03.02.008AB	UL20886	1000V	3X8AWG+2X11AWG	171/0.25	16.3	557.77	2.144 Ω/km
ANM09.022.03.02.007AB	UL20886	1000V	3X7AWG+2X10AWG	84/0.4	17.6	672.87	1.700 Ω/km
ANM09.022.03.02.006AB	UL20886	1000V	3X6AWG+2X9AWG	106/0.4	19.4	828.04	1.348 Ω/km
ANM09.022.03.02.005AB	UL20886	1000V	3X5AWG+2X8AWG	134/0.4	22.8	1100.17	1.070 Ω/km
ANM09.022.03.02.004AB	UL20886	1000V	3X4AWG+2X7AWG	169/0.4	25.4	1377.95	0.8481 Ω/km
ANM09.022.03.02.003AB	UL20886	1000V	3X3AWG+2X6AWG	213/0.4	27.4	1659.3	0.6727 Ω/km
ANM09.022.03.02.002AB	UL20886	1000V	3X2AWG+2X5AWG	268/0.4	29.5	2001.97	0.5335 Ω/km
ANM09.022.03.02.001AB	UL20886	1000V	3X1AWG+2X4AWG	338/0.4	34.5	2642.65	0.4230 Ω/km
ANM09.022.03.02.1/0AB	UL20886	1000V	3X1/0AWG+2X3AWG	426/0.4	37.7	3225.07	0.3354 Ω/km
ANM09.022.03.02.2/0AB	UL20886	1000V	3X2/0AWG+2X2AWG	537/0.4	40.8	3912.52	0.2660 Ω/km
ANM09.022.03.02.3/0AB	UL20886	1000V	3X3/0AWG+2X1AWG	677/0.4	45.7	4937.81	0.2110 Ω/km
ANM09.022.03.02.4/0AB	UL20886	1000V	3X4/0AWG+2X1/0AWG	854/0.4	49.7	6023.49	0.1673 Ω/km
ANM09.022.03.02.250kB	UL20886	1000V	3X250kcmil+2X2/0AWG	1007/0.4	54.5	7224.83	0.1416 Ω/km
ANM09.022.03.02.300kB	UL20886	1000V	3X300kcmil+2X3/0AWG	1184/0.4	57.7	8503.21	0.1180 Ω/km
ANM09.022.03.02.350kB	UL20886	1000V	3X350kcmil+2X4/0AWG	1406/0.4	61.9	9954.4	0.1011 Ω/km
ANM09.022.03.02.400kB	UL20886	1000V	3X400kcmil+2X250kcmil	1628/0.4	66.6	11486.9	0.08851 Ω/km
ANM09.022.03.02.450kB	UL20886	1000V	3X450kcmil+2X300kcmil	1830/0.4	69.7	12930.5	0.07867 Ω/km
ANM09.022.03.02.500kB	UL20886	1000V	3X500kcmil+2X350kcmil	2013/0.4	75.3	14816.6	0.07080 Ω/km
ANM09.022.01.01.013AB	UL20886	1000V	4X13AWG+1X15AWG	54/0.25	11	234.25	6.82 Ω/km
ANM09.022.01.01.012AB	UL20886	1000V	4X12AWG+1X14AWG	68/0.25	11.9	283.68	5.43 Ω/km
ANM09.022.01.01.011AB	UL20886	1000V	4X11AWG+1X14AWG	85/0.25	12.9	335.88	4.30 Ω/km
ANM09.022.01.01.010AB	UL20886	1000V	4X10AWG+1X13AWG	108/0.25	14.4	412.53	3.409 Ω/km
ANM09.022.01.01.009AB	UL20886	1000V	4X9AWG+1X12AWG	136/0.25	16.1	521.91	2.705 Ω/km
ANM09.022.01.01.008AB	UL20886	1000V	4X8AWG+1X11AWG	171/0.25	17.2	622.67	2.144 Ω/km
ANM09.022.01.01.007AB	UL20886	1000V	4X7AWG+1X10AWG	84/0.4	18.4	746.77	1.700 Ω/km
ANM09.022.01.01.006AB	UL20886	1000V	4X6AWG+1X9AWG	106/0.4	22.3	1018.64	1.348 Ω/km
ANM09.022.01.01.005AB	UL20886	1000V	4X5AWG+1X8AWG	134/0.4	23.8	1215.07	1.070 Ω/km



ANM09.022.01.01.001AB	UL20886	1000V	4X4AWG+1X7AWG	169/0.4	26.8	1538.95	0.8481 Ω/km
ANM09.022.01.01.003AB	UL20886	1000V	4X3AWG+1X6AWG	213/0.4	28.9	1854.9	0.6727 Ω/km
ANM09.022.01.01.002AB	UL20886	1000V	4X2AWG+1X5AWG	268/0.4	32.6	2349.97	0.5335 Ω/km
ANM09.022.01.01.001AB	UL20886	1000V	4X1AWG+1X4AWG	338/0.4	36.1	2929.95	0.4230 Ω/km
ANM09.022.01.01.1/0AB	UL20886	1000V	4X1/0AWG+1X3AWG	426/0.4	39.6	3588.37	0.3354 Ω/km
ANM09.022.01.01.2/0AB	UL20886	1000V	4X2/0AWG+1X2AWG	537/0.4	42.9	4358.52	0.2660 Ω/km
ANM09.022.01.01.3/0AB	UL20886	1000V	4X3/0AWG+1X1AWG	677/0.4	47.8	5471.61	0.2110 Ω/km
ANM09.022.01.01.4/0AB	UL20886	1000V	4X4/0AWG+1X1/0AWG	854/0.4	52	6684.69	0.1673 Ω/km
ANM09.022.01.01.250kB	UL20886	1000V	4X250kcmil+1X2/0AWG	1007/0.4	57.2	8001.53	0.1416 Ω/km
ANM09.022.01.01.300kB	UL20886	1000V	4X300kcmil+1X3/0AWG	1184/0.4	60.3	9350.81	0.1180 Ω/km
ANM09.022.01.01.350kB	UL20886	1000V	4X350kcmil+1X4/0AWG	1406/0.4	64.4	10827.5	0.1011 Ω/km
ANM09.022.01.01.400kB	UL20886	1000V	4X400kcmil+1X250kcmil	1628/0.4	68.8	12382.8	0.08851 Ω/km
ANM09.022.01.01.450kB	UL20886	1000V	4X450kcmil+1X300kcmil	1830/0.4	74.4	14260.2	0.07867 Ω/km
ANM09.022.01.01.500kB	UL20886	1000V	4X500kcmil+1X350kcmil	2013/0.4	77.3	15717.2	0.07080 Ω/km
ANM09.022.03.03.013AB	UL20886	1000V	3X13AWG+3X18AWG	54/0.25	10.1	201.43	6.82 Ω/km
ANM09.022.03.03.012AB	UL20886	1000V	3X12AWG+3X17AWG	68/0.25	11	245.04	5.43 Ω/km
ANM09.022.03.03.011AB	UL20886	1000V	3X11AWG+3X16AWG	85/0.25	12.1	299.61	4.30 Ω/km
ANM09.022.03.03.010AB	UL20886	1000V	3X10AWG+3X15AWG	108/0.25	13.2	361.15	3.409 Ω/km
ANM09.022.03.03.009AB	UL20886	1000V	3X9AWG+3X14AWG	136/0.25	14.5	446.28	2.705 Ω/km
ANM09.022.03.03.008AB	UL20886	1000V	3X8AWG+3X13AWG	171/0.25	15.5	532.43	2.144 Ω/km
ANM09.022.03.03.007AB	UL20886	1000V	3X7AWG+3X12AWG	84/0.4	16.7	645.51	1.700 Ω/km
ANM09.022.03.03.006AB	UL20886	1000V	3X6AWG+3X11AWG	106/0.4	18.4	789.37	1.348 Ω/km
ANM09.022.03.03.005AB	UL20886	1000V	3X5AWG+3X10AWG	134/0.4	22.2	1067.37	1.070 Ω/km
ANM09.022.03.03.004AB	UL20886	1000V	3X4AWG+3X9AWG	169/0.4	25.1	1358.54	0.8481 Ω/km
ANM09.022.03.03.003AB	UL20886	1000V	3X3AWG+3X8AWG	213/0.4	26.9	1628.07	0.6727 Ω/km
ANM09.022.03.03.002AB	UL20886	1000V	3X2AWG+3X7AWG	268/0.4	28.7	1947.05	0.5335 Ω/km
ANM09.022.03.03.001AB	UL20886	1000V	3X1AWG+3X6AWG	338/0.4	33.1	2522.4	0.4230 Ω/km
ANM09.022.03.03.1/0AB	UL20886	1000V	3X1/0AWG+3X5AWG	426/0.4	35.8	3047.27	0.3354 Ω/km
ANM09.022.03.03.2/0AB	UL20886	1000V	3X2/0AWG+3X4AWG	537/0.4	39.8	3825.65	0.2660 Ω/km
ANM09.022.03.03.3/0AB	UL20886	1000V	3X3/0AWG+3X3AWG	677/0.4	42.9	4641.27	0.2110 Ω/km
ANM09.022.03.03.4/0AB	UL20886	1000V	3X4/0AWG+3X2AWG	854/0.4	48	5822.82	0.1673 Ω/km
ANM09.022.03.03.250kB	UL20886	1000V	3X250kcmil+3X1AWG	1007/0.4	53	7030.21	0.1416 Ω/km
ANM09.022.03.03.300kB	UL20886	1000V	3X300kcmil+3X1/0AWG	1184/0.4	56.7	8331.39	0.1180 Ω/km
ANM09.022.03.03.350kB	UL20886	1000V	3X350kcmil+3X1/0AWG	1406/0.4	58.7	9124.19	0.1011 Ω/km
ANM09.022.03.03.400kB	UL20886	1000V	3X400kcmil+3X2/0AWG	1628/0.4	62.9	10573.63	0.08851 Ω/km
ANM09.022.03.03.450kB	UL20886	1000V	3X450kcmil+3X3/0AWG	1830/0.4	66.7	12097.31	0.07867 Ω/km
ANM09.022.03.03.500kB	UL20886	1000V	3X500kcmil+3X3/0AWG	2013/0.4	68.1	12875.21	0.07080 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
芯线 XLPE 材质							
ANM12.001.02.022AB	UL20886	1000V	2X22AWG	22/0.14	7.4	70.43	55.4 Ω/km
ANM12.001.03.022AB	UL20886	1000V	3X22AWG	22/0.14	7.8	79.73	55.4 Ω/km



ANM12.001.04.022AB	UL20886	1000V	4X22AWG	22/0.14	8.4	93.63	55.4 Ω /km
ANM12.001.05.022AB	UL20886	1000V	5X22AWG	22/0.14	9.1	110.53	55.4 Ω /km
ANM12.001.06.022AB	UL20886	1000V	6X22AWG	22/0.14	9.8	128.53	55.4 Ω /km
ANM12.001.07.022AB	UL20886	1000V	7X22AWG	22/0.14	9.8	130.63	55.4 Ω /km
ANM12.001.08.022AB	UL20886	1000V	8X22AWG	22/0.14	10.6	152.53	55.4 Ω /km
ANM12.001.09.022AB	UL20886	1000V	9X22AWG	22/0.14	11.5	178.63	55.4 Ω /km
ANM12.001.10.022AB	UL20886	1000V	10X22AWG	22/0.14	12.2	200.73	55.4 Ω /km
ANM12.001.11.022AB	UL20886	1000V	11X22AWG	22/0.14	12.6	215.03	55.4 Ω /km
ANM12.001.12.022AB	UL20886	1000V	12X22AWG	22/0.14	12.6	217.03	55.4 Ω /km
ANM12.001.13.022AB	UL20886	1000V	13X22AWG	22/0.14	13.3	241.03	55.4 Ω /km
ANM12.001.14.022AB	UL20886	1000V	14X22AWG	22/0.14	13.3	243.03	55.4 Ω /km
ANM12.001.15.022AB	UL20886	1000V	15X22AWG	22/0.14	14	268.33	55.4 Ω /km
ANM12.001.16.022AB	UL20886	1000V	16X22AWG	22/0.14	14	270.53	55.4 Ω /km
ANM12.001.17.022AB	UL20886	1000V	17X22AWG	22/0.14	14.7	296.83	55.4 Ω /km
ANM12.001.18.022AB	UL20886	1000V	18X22AWG	22/0.14	14.7	299.03	55.4 Ω /km
ANM12.001.19.022AB	UL20886	1000V	19X22AWG	22/0.14	14.7	301.23	55.4 Ω /km
ANM12.001.20.022AB	UL20886	1000V	20X22AWG	22/0.14	15.1	317.73	55.4 Ω /km
ANM12.001.21.022AB	UL20886	1000V	21X22AWG	22/0.14	15.5	334.53	55.4 Ω /km
ANM12.001.22.022AB	UL20886	1000V	22X22AWG	22/0.14	16.4	371.43	55.4 Ω /km
ANM12.001.23.022AB	UL20886	1000V	23X22AWG	22/0.14	17.1	401.83	55.4 Ω /km
ANM12.001.24.022AB	UL20886	1000V	24X22AWG	22/0.14	17.1	403.93	55.4 Ω /km
ANM12.001.25.022AB	UL20886	1000V	25X22AWG	22/0.14	17.5	422.93	55.4 Ω /km
ANM12.001.26.022AB	UL20886	1000V	26X22AWG	22/0.14	17.5	424.93	55.4 Ω /km
ANM12.001.27.022AB	UL20886	1000V	27X22AWG	22/0.14	17.5	427.13	55.4 Ω /km
ANM12.001.28.022AB	UL20886	1000V	28X22AWG	22/0.14	18.1	454.93	55.4 Ω /km
ANM12.001.29.022AB	UL20886	1000V	29X22AWG	22/0.14	18.1	457.13	55.4 Ω /km
ANM12.001.30.022AB	UL20886	1000V	30X22AWG	22/0.14	18.1	459.33	55.4 Ω /km
ANM12.001.31.022AB	UL20886	1000V	31X22AWG	22/0.14	18.8	492.63	55.4 Ω /km
ANM12.001.32.022AB	UL20886	1000V	32X22AWG	22/0.14	18.8	494.83	55.4 Ω /km
ANM12.001.33.022AB	UL20886	1000V	33X22AWG	22/0.14	18.8	497.03	55.4 Ω /km
ANM12.001.34.022AB	UL20886	1000V	34X22AWG	22/0.14	21.5	628.63	55.4 Ω /km
ANM12.001.35.022AB	UL20886	1000V	35X22AWG	22/0.14	21.5	630.73	55.4 Ω /km
ANM12.001.36.022AB	UL20886	1000V	36X22AWG	22/0.14	21.5	632.93	55.4 Ω /km
ANM12.001.37.022AB	UL20886	1000V	37X22AWG	22/0.14	21.5	635.03	55.4 Ω /km
ANM12.001.38.022AB	UL20886	1000V	38X22AWG	22/0.14	22.3	679.43	55.4 Ω /km
ANM12.001.39.022AB	UL20886	1000V	39X22AWG	22/0.14	22.3	681.53	55.4 Ω /km
ANM12.001.40.022AB	UL20886	1000V	40X22AWG	22/0.14	22.3	683.63	55.4 Ω /km
ANM12.001.41.022AB	UL20886	1000V	41X22AWG	22/0.14	23.9	774.93	55.4 Ω /km
ANM12.001.42.022AB	UL20886	1000V	42X22AWG	22/0.14	23.9	777.03	55.4 Ω /km
ANM12.001.43.022AB	UL20886	1000V	43X22AWG	22/0.14	23.9	779.23	55.4 Ω /km
ANM12.001.44.022AB	UL20886	1000V	44X22AWG	22/0.14	23.9	781.33	55.4 Ω /km
ANM12.001.45.022AB	UL20886	1000V	45X22AWG	22/0.14	24.3	806.73	55.4 Ω /km



ANM12.001.46.022AB	UL20886	1000V	46X22AWG	22/0.14	24.3	809.03	55.4 Ω /km
ANM12.001.47.022AB	UL20886	1000V	47X22AWG	22/0.14	24.3	811.13	55.4 Ω /km
ANM12.001.48.022AB	UL20886	1000V	48X22AWG	22/0.14	24.3	813.23	55.4 Ω /km
ANM12.001.49.022AB	UL20886	1000V	49X22AWG	22/0.14	24.9	850.93	55.4 Ω /km
ANM12.001.50.022AB	UL20886	1000V	50X22AWG	22/0.14	24.9	853.13	55.4 Ω /km
ANM12.001.51.022AB	UL20886	1000V	51X22AWG	22/0.14	24.9	855.13	55.4 Ω /km
ANM12.001.52.022AB	UL20886	1000V	52X22AWG	22/0.14	24.9	857.43	55.4 Ω /km
ANM12.001.53.022AB	UL20886	1000V	53X22AWG	22/0.14	25.6	902.13	55.4 Ω /km
ANM12.001.54.022AB	UL20886	1000V	54X22AWG	22/0.14	25.6	904.23	55.4 Ω /km
ANM12.001.55.022AB	UL20886	1000V	55X22AWG	22/0.14	25.6	906.53	55.4 Ω /km
ANM12.001.56.022AB	UL20886	1000V	56X22AWG	22/0.14	25.6	908.53	55.4 Ω /km
ANM12.001.57.022AB	UL20886	1000V	57X22AWG	22/0.14	26.3	954.53	55.4 Ω /km
ANM12.001.58.022AB	UL20886	1000V	58X22AWG	22/0.14	26.3	956.73	55.4 Ω /km
ANM12.001.59.022AB	UL20886	1000V	59X22AWG	22/0.14	26.3	958.83	55.4 Ω /km
ANM12.001.60.022AB	UL20886	1000V	60X22AWG	22/0.14	26.3	960.93	55.4 Ω /km
ANM12.001.61.022AB	UL20886	1000V	61X22AWG	22/0.14	26.3	963.23	55.4 Ω /km
ANM12.001.62.022AB	UL20886	1000V	62X22AWG	22/0.14	27.1	1016.93	55.4 Ω /km
ANM12.001.63.022AB	UL20886	1000V	63X22AWG	22/0.14	27.1	1019.03	55.4 Ω /km
ANM12.001.64.022AB	UL20886	1000V	64X22AWG	22/0.14	27.1	1021.13	55.4 Ω /km
ANM12.001.65.022AB	UL20886	1000V	65X22AWG	22/0.14	27.1	1023.33	55.4 Ω /km
ANM12.001.02.021AB	UL20886	1000V	2X21AWG	27/0.14	7.6	75.12	43.6 Ω /km
ANM12.001.03.021AB	UL20886	1000V	3X21AWG	27/0.14	8	85.52	43.6 Ω /km
ANM12.001.04.021AB	UL20886	1000V	4X21AWG	27/0.14	8.7	102.32	43.6 Ω /km
ANM12.001.05.021AB	UL20886	1000V	5X21AWG	27/0.14	9.4	120.42	43.6 Ω /km
ANM12.001.06.021AB	UL20886	1000V	6X21AWG	27/0.14	10.1	139.52	43.6 Ω /km
ANM12.001.07.021AB	UL20886	1000V	7X21AWG	27/0.14	10.1	142.32	43.6 Ω /km
ANM12.001.08.021AB	UL20886	1000V	8X21AWG	27/0.14	10.9	165.32	43.6 Ω /km
ANM12.001.09.021AB	UL20886	1000V	9X21AWG	27/0.14	11.9	195.52	43.6 Ω /km
ANM12.001.10.021AB	UL20886	1000V	10X21AWG	27/0.14	12.6	219.02	43.6 Ω /km
ANM12.001.11.021AB	UL20886	1000V	11X21AWG	27/0.14	13.1	237.22	43.6 Ω /km
ANM12.001.12.021AB	UL20886	1000V	12X21AWG	27/0.14	13.1	240.02	43.6 Ω /km
ANM12.001.13.021AB	UL20886	1000V	13X21AWG	27/0.14	13.8	265.52	43.6 Ω /km
ANM12.001.14.021AB	UL20886	1000V	14X21AWG	27/0.14	13.8	268.32	43.6 Ω /km
ANM12.001.15.021AB	UL20886	1000V	15X21AWG	27/0.14	14.5	294.92	43.6 Ω /km
ANM12.001.16.021AB	UL20886	1000V	16X21AWG	27/0.14	14.5	297.62	43.6 Ω /km
ANM12.001.17.021AB	UL20886	1000V	17X21AWG	27/0.14	15.2	325.42	43.6 Ω /km
ANM12.001.18.021AB	UL20886	1000V	18X21AWG	27/0.14	15.2	328.12	43.6 Ω /km
ANM12.001.19.021AB	UL20886	1000V	19X21AWG	27/0.14	15.2	331.02	43.6 Ω /km
ANM12.001.20.021AB	UL20886	1000V	20X21AWG	27/0.14	15.6	348.62	43.6 Ω /km
ANM12.001.21.021AB	UL20886	1000V	21X21AWG	27/0.14	16	366.72	43.6 Ω /km
ANM12.001.22.021AB	UL20886	1000V	22X21AWG	27/0.14	17	409.32	43.6 Ω /km
ANM12.001.23.021AB	UL20886	1000V	23X21AWG	27/0.14	17.7	441.22	43.6 Ω /km



ANM12.001.24.021AB	UL20886	1000V	24X21AWG	27/0.14	17.7	444.12	43.6 Ω /km
ANM12.001.25.021AB	UL20886	1000V	25X21AWG	27/0.14	18.1	464.02	43.6 Ω /km
ANM12.001.26.021AB	UL20886	1000V	26X21AWG	27/0.14	18.1	466.82	43.6 Ω /km
ANM12.001.27.021AB	UL20886	1000V	27X21AWG	27/0.14	18.1	469.62	43.6 Ω /km
ANM12.001.28.021AB	UL20886	1000V	28X21AWG	27/0.14	18.8	503.62	43.6 Ω /km
ANM12.001.29.021AB	UL20886	1000V	29X21AWG	27/0.14	18.8	506.32	43.6 Ω /km
ANM12.001.30.021AB	UL20886	1000V	30X21AWG	27/0.14	18.8	509.12	43.6 Ω /km
ANM12.001.31.021AB	UL20886	1000V	31X21AWG	27/0.14	21.5	641.32	43.6 Ω /km
ANM12.001.32.021AB	UL20886	1000V	32X21AWG	27/0.14	21.5	644.02	43.6 Ω /km
ANM12.001.33.021AB	UL20886	1000V	33X21AWG	27/0.14	21.5	646.92	43.6 Ω /km
ANM12.001.34.021AB	UL20886	1000V	34X21AWG	27/0.14	22.2	686.52	43.6 Ω /km
ANM12.001.35.021AB	UL20886	1000V	35X21AWG	27/0.14	22.2	689.32	43.6 Ω /km
ANM12.001.36.021AB	UL20886	1000V	36X21AWG	27/0.14	22.2	692.02	43.6 Ω /km
ANM12.001.37.021AB	UL20886	1000V	37X21AWG	27/0.14	22.2	694.82	43.6 Ω /km
ANM12.001.38.021AB	UL20886	1000V	38X21AWG	27/0.14	23	741.02	43.6 Ω /km
ANM12.001.39.021AB	UL20886	1000V	39X21AWG	27/0.14	23	743.82	43.6 Ω /km
ANM12.001.40.021AB	UL20886	1000V	40X21AWG	27/0.14	23	746.62	43.6 Ω /km
ANM12.001.41.021AB	UL20886	1000V	41X21AWG	27/0.14	24.7	847.12	43.6 Ω /km
ANM12.001.42.021AB	UL20886	1000V	42X21AWG	27/0.14	24.7	850.02	43.6 Ω /km
ANM12.001.43.021AB	UL20886	1000V	43X21AWG	27/0.14	24.7	852.72	43.6 Ω /km
ANM12.001.44.021AB	UL20886	1000V	44X21AWG	27/0.14	24.7	855.52	43.6 Ω /km
ANM12.001.45.021AB	UL20886	1000V	45X21AWG	27/0.14	25.1	882.22	43.6 Ω /km
ANM12.001.46.021AB	UL20886	1000V	46X21AWG	27/0.14	25.1	884.92	43.6 Ω /km
ANM12.001.47.021AB	UL20886	1000V	47X21AWG	27/0.14	25.1	887.72	43.6 Ω /km
ANM12.001.48.021AB	UL20886	1000V	48X21AWG	27/0.14	25.1	890.52	43.6 Ω /km
ANM12.001.49.021AB	UL20886	1000V	49X21AWG	27/0.14	25.8	936.22	43.6 Ω /km
ANM12.001.50.021AB	UL20886	1000V	50X21AWG	27/0.14	25.8	939.02	43.6 Ω /km
ANM12.001.51.021AB	UL20886	1000V	51X21AWG	27/0.14	25.8	941.72	43.6 Ω /km
ANM12.001.52.021AB	UL20886	1000V	52X21AWG	27/0.14	25.8	944.62	43.6 Ω /km
ANM12.001.53.021AB	UL20886	1000V	53X21AWG	27/0.14	26.5	991.42	43.6 Ω /km
ANM12.001.54.021AB	UL20886	1000V	54X21AWG	27/0.14	26.5	994.22	43.6 Ω /km
ANM12.001.55.021AB	UL20886	1000V	55X21AWG	27/0.14	26.5	996.92	43.6 Ω /km
ANM12.001.56.021AB	UL20886	1000V	56X21AWG	27/0.14	26.5	999.82	43.6 Ω /km
ANM12.001.57.021AB	UL20886	1000V	57X21AWG	27/0.14	27.2	1047.82	43.6 Ω /km
ANM12.001.58.021AB	UL20886	1000V	58X21AWG	27/0.14	27.2	1050.62	43.6 Ω /km
ANM12.001.59.021AB	UL20886	1000V	59X21AWG	27/0.14	27.2	1053.42	43.6 Ω /km
ANM12.001.60.021AB	UL20886	1000V	60X21AWG	27/0.14	27.2	1056.12	43.6 Ω /km
ANM12.001.61.021AB	UL20886	1000V	61X21AWG	27/0.14	27.2	1058.92	43.6 Ω /km
ANM12.001.62.021AB	UL20886	1000V	62X21AWG	27/0.14	28	1114.92	43.6 Ω /km
ANM12.001.63.021AB	UL20886	1000V	63X21AWG	27/0.14	28	1117.82	43.6 Ω /km
ANM12.001.64.021AB	UL20886	1000V	64X21AWG	27/0.14	28	1120.52	43.6 Ω /km
ANM12.001.65.021AB	UL20886	1000V	65X21AWG	27/0.14	28	1123.22	43.6 Ω /km



ANM12.001.02.020AB	UL20886	1000V	2X20AWG	34/0.14	7.8	80.62	34.6 Ω /km
ANM12.001.03.020AB	UL20886	1000V	3X20AWG	34/0.14	8.3	93.72	34.6 Ω /km
ANM12.001.04.020AB	UL20886	1000V	4X20AWG	34/0.14	8.9	109.62	34.6 Ω /km
ANM12.001.05.020AB	UL20886	1000V	5X20AWG	34/0.14	9.7	131.22	34.6 Ω /km
ANM12.001.06.020AB	UL20886	1000V	6X20AWG	34/0.14	10.4	151.72	34.6 Ω /km
ANM12.001.07.020AB	UL20886	1000V	7X20AWG	34/0.14	10.4	155.22	34.6 Ω /km
ANM12.001.08.020AB	UL20886	1000V	8X20AWG	34/0.14	11.2	179.52	34.6 Ω /km
ANM12.001.09.020AB	UL20886	1000V	9X20AWG	34/0.14	12.3	214.22	34.6 Ω /km
ANM12.001.10.020AB	UL20886	1000V	10X20AWG	34/0.14	13.1	242.32	34.6 Ω /km
ANM12.001.11.020AB	UL20886	1000V	11X20AWG	34/0.14	13.6	261.82	34.6 Ω /km
ANM12.001.12.020AB	UL20886	1000V	12X20AWG	34/0.14	13.6	265.42	34.6 Ω /km
ANM12.001.13.020AB	UL20886	1000V	13X20AWG	34/0.14	14.2	289.12	34.6 Ω /km
ANM12.001.14.020AB	UL20886	1000V	14X20AWG	34/0.14	14.2	292.72	34.6 Ω /km
ANM12.001.15.020AB	UL20886	1000V	15X20AWG	34/0.14	15	324.32	34.6 Ω /km
ANM12.001.16.020AB	UL20886	1000V	16X20AWG	34/0.14	15	327.92	34.6 Ω /km
ANM12.001.17.020AB	UL20886	1000V	17X20AWG	34/0.14	15.7	357.32	34.6 Ω /km
ANM12.001.18.020AB	UL20886	1000V	18X20AWG	34/0.14	15.7	360.82	34.6 Ω /km
ANM12.001.19.020AB	UL20886	1000V	19X20AWG	34/0.14	15.7	364.52	34.6 Ω /km
ANM12.001.20.020AB	UL20886	1000V	20X20AWG	34/0.14	16.2	387.22	34.6 Ω /km
ANM12.001.21.020AB	UL20886	1000V	21X20AWG	34/0.14	16.5	402.52	34.6 Ω /km
ANM12.001.22.020AB	UL20886	1000V	22X20AWG	34/0.14	17.6	451.32	34.6 Ω /km
ANM12.001.23.020AB	UL20886	1000V	23X20AWG	34/0.14	18.3	485.32	34.6 Ω /km
ANM12.001.24.020AB	UL20886	1000V	24X20AWG	34/0.14	18.3	488.82	34.6 Ω /km
ANM12.001.25.020AB	UL20886	1000V	25X20AWG	34/0.14	18.8	514.72	34.6 Ω /km
ANM12.001.26.020AB	UL20886	1000V	26X20AWG	34/0.14	18.8	518.22	34.6 Ω /km
ANM12.001.27.020AB	UL20886	1000V	27X20AWG	34/0.14	18.8	521.62	34.6 Ω /km
ANM12.001.28.020AB	UL20886	1000V	28X20AWG	34/0.14	19.4	552.92	34.6 Ω /km
ANM12.001.29.020AB	UL20886	1000V	29X20AWG	34/0.14	19.4	556.42	34.6 Ω /km
ANM12.001.30.020AB	UL20886	1000V	30X20AWG	34/0.14	19.4	559.92	34.6 Ω /km
ANM12.001.31.020AB	UL20886	1000V	31X20AWG	34/0.14	22.2	702.12	34.6 Ω /km
ANM12.001.32.020AB	UL20886	1000V	32X20AWG	34/0.14	22.2	705.72	34.6 Ω /km
ANM12.001.33.020AB	UL20886	1000V	33X20AWG	34/0.14	22.2	709.32	34.6 Ω /km
ANM12.001.34.020AB	UL20886	1000V	34X20AWG	34/0.14	22.9	750.82	34.6 Ω /km
ANM12.001.35.020AB	UL20886	1000V	35X20AWG	34/0.14	22.9	754.32	34.6 Ω /km
ANM12.001.36.020AB	UL20886	1000V	36X20AWG	34/0.14	22.9	757.92	34.6 Ω /km
ANM12.001.37.020AB	UL20886	1000V	37X20AWG	34/0.14	22.9	761.52	34.6 Ω /km
ANM12.001.38.020AB	UL20886	1000V	38X20AWG	34/0.14	23.7	809.92	34.6 Ω /km
ANM12.001.39.020AB	UL20886	1000V	39X20AWG	34/0.14	23.7	813.42	34.6 Ω /km
ANM12.001.40.020AB	UL20886	1000V	40X20AWG	34/0.14	23.7	816.92	34.6 Ω /km
ANM12.001.41.020AB	UL20886	1000V	41X20AWG	34/0.14	25.5	927.32	34.6 Ω /km
ANM12.001.42.020AB	UL20886	1000V	42X20AWG	34/0.14	25.5	930.82	34.6 Ω /km
ANM12.001.43.020AB	UL20886	1000V	43X20AWG	34/0.14	25.5	934.42	34.6 Ω /km



ANM12.001.44.020AB	UL20886	1000V	44X20AWG	34/0.14	25.5	937.92	34.6 Ω /km
ANM12.001.45.020AB	UL20886	1000V	45X20AWG	34/0.14	26	972.42	34.6 Ω /km
ANM12.001.46.020AB	UL20886	1000V	46X20AWG	34/0.14	26	976.12	34.6 Ω /km
ANM12.001.47.020AB	UL20886	1000V	47X20AWG	34/0.14	26	979.62	34.6 Ω /km
ANM12.001.48.020AB	UL20886	1000V	48X20AWG	34/0.14	26	983.12	34.6 Ω /km
ANM12.001.49.020AB	UL20886	1000V	49X20AWG	34/0.14	26.6	1024.72	34.6 Ω /km
ANM12.001.50.020AB	UL20886	1000V	50X20AWG	34/0.14	26.6	1028.32	34.6 Ω /km
ANM12.001.51.020AB	UL20886	1000V	51X20AWG	34/0.14	26.6	1031.92	34.6 Ω /km
ANM12.001.52.020AB	UL20886	1000V	52X20AWG	34/0.14	26.6	1035.42	34.6 Ω /km
ANM12.001.53.020AB	UL20886	1000V	53X20AWG	34/0.14	27.4	1090.92	34.6 Ω /km
ANM12.001.54.020AB	UL20886	1000V	54X20AWG	34/0.14	27.4	1094.42	34.6 Ω /km
ANM12.001.55.020AB	UL20886	1000V	55X20AWG	34/0.14	27.4	1098.02	34.6 Ω /km
ANM12.001.56.020AB	UL20886	1000V	56X20AWG	34/0.14	27.4	1101.52	34.6 Ω /km
ANM12.001.57.020AB	UL20886	1000V	57X20AWG	34/0.14	28.1	1151.92	34.6 Ω /km
ANM12.001.58.020AB	UL20886	1000V	58X20AWG	34/0.14	28.1	1155.42	34.6 Ω /km
ANM12.001.59.020AB	UL20886	1000V	59X20AWG	34/0.14	28.1	1159.02	34.6 Ω /km
ANM12.001.60.020AB	UL20886	1000V	60X20AWG	34/0.14	28.1	1162.52	34.6 Ω /km
ANM12.001.61.020AB	UL20886	1000V	61X20AWG	34/0.14	28.1	1166.12	34.6 Ω /km
ANM12.001.62.020AB	UL20886	1000V	62X20AWG	34/0.14	28.9	1224.52	34.6 Ω /km
ANM12.001.63.020AB	UL20886	1000V	63X20AWG	34/0.14	28.9	1228.12	34.6 Ω /km
ANM12.001.64.020AB	UL20886	1000V	64X20AWG	34/0.14	28.9	1231.72	34.6 Ω /km
ANM12.001.65.020AB	UL20886	1000V	65X20AWG	34/0.14	28.9	1235.22	34.6 Ω /km
ANM12.001.02.019AB	UL20886	1000V	2X19AWG	43/0.14	8	86.56	27.4 Ω /km
ANM12.001.03.019AB	UL20886	1000V	3X19AWG	43/0.14	8.5	101.06	27.4 Ω /km
ANM12.001.04.019AB	UL20886	1000V	4X19AWG	43/0.14	9.2	120.46	27.4 Ω /km
ANM12.001.05.019AB	UL20886	1000V	5X19AWG	43/0.14	9.9	141.06	27.4 Ω /km
ANM12.001.06.019AB	UL20886	1000V	6X19AWG	43/0.14	10.7	165.56	27.4 Ω /km
ANM12.001.07.019AB	UL20886	1000V	7X19AWG	43/0.14	10.7	170.06	27.4 Ω /km
ANM12.001.08.019AB	UL20886	1000V	8X19AWG	43/0.14	11.6	198.76	27.4 Ω /km
ANM12.001.09.019AB	UL20886	1000V	9X19AWG	43/0.14	12.6	232.36	27.4 Ω /km
ANM12.001.10.019AB	UL20886	1000V	10X19AWG	43/0.14	13.5	265.26	27.4 Ω /km
ANM12.001.11.019AB	UL20886	1000V	11X19AWG	43/0.14	14	286.26	27.4 Ω /km
ANM12.001.12.019AB	UL20886	1000V	12X19AWG	43/0.14	14	290.86	27.4 Ω /km
ANM12.001.13.019AB	UL20886	1000V	13X19AWG	43/0.14	14.7	319.56	27.4 Ω /km
ANM12.001.14.019AB	UL20886	1000V	14X19AWG	43/0.14	14.7	324.16	27.4 Ω /km
ANM12.001.15.019AB	UL20886	1000V	15X19AWG	43/0.14	15.4	354.06	27.4 Ω /km
ANM12.001.16.019AB	UL20886	1000V	16X19AWG	43/0.14	15.4	358.66	27.4 Ω /km
ANM12.001.17.019AB	UL20886	1000V	17X19AWG	43/0.14	16.2	393.56	27.4 Ω /km
ANM12.001.18.019AB	UL20886	1000V	18X19AWG	43/0.14	16.2	398.16	27.4 Ω /km
ANM12.001.19.019AB	UL20886	1000V	19X19AWG	43/0.14	16.2	402.66	27.4 Ω /km
ANM12.001.20.019AB	UL20886	1000V	20X19AWG	43/0.14	16.7	427.06	27.4 Ω /km
ANM12.001.21.019AB	UL20886	1000V	21X19AWG	43/0.14	17.1	447.76	27.4 Ω /km



ANM12.001.22.019AB	UL20886	1000V	22X19AWG	43/0.14	18.1	494.86	27.4Ω/km
ANM12.001.23.019AB	UL20886	1000V	23X19AWG	43/0.14	18.9	535.06	27.4Ω/km
ANM12.001.24.019AB	UL20886	1000V	24X19AWG	43/0.14	18.9	539.66	27.4Ω/km
ANM12.001.25.019AB	UL20886	1000V	25X19AWG	43/0.14	19.4	567.26	27.4Ω/km
ANM12.001.26.019AB	UL20886	1000V	26X19AWG	43/0.14	19.4	571.76	27.4Ω/km
ANM12.001.27.019AB	UL20886	1000V	27X19AWG	43/0.14	19.4	576.26	27.4Ω/km
ANM12.001.28.019AB	UL20886	1000V	28X19AWG	43/0.14	22.1	714.26	27.4Ω/km
ANM12.001.29.019AB	UL20886	1000V	29X19AWG	43/0.14	22.1	718.76	27.4Ω/km
ANM12.001.30.019AB	UL20886	1000V	30X19AWG	43/0.14	22.1	723.36	27.4Ω/km
ANM12.001.31.019AB	UL20886	1000V	31X19AWG	43/0.14	22.8	765.66	27.4Ω/km
ANM12.001.32.019AB	UL20886	1000V	32X19AWG	43/0.14	22.8	770.26	27.4Ω/km
ANM12.001.33.019AB	UL20886	1000V	33X19AWG	43/0.14	22.8	774.76	27.4Ω/km
ANM12.001.34.019AB	UL20886	1000V	34X19AWG	43/0.14	23.6	823.96	27.4Ω/km
ANM12.001.35.019AB	UL20886	1000V	35X19AWG	43/0.14	23.6	828.46	27.4Ω/km
ANM12.001.36.019AB	UL20886	1000V	36X19AWG	43/0.14	23.6	833.06	27.4Ω/km
ANM12.001.37.019AB	UL20886	1000V	37X19AWG	43/0.14	23.6	837.56	27.4Ω/km
ANM12.001.38.019AB	UL20886	1000V	38X19AWG	43/0.14	24.5	894.26	27.4Ω/km
ANM12.001.39.019AB	UL20886	1000V	39X19AWG	43/0.14	24.5	898.76	27.4Ω/km
ANM12.001.40.019AB	UL20886	1000V	40X19AWG	43/0.14	24.5	903.36	27.4Ω/km
ANM12.001.41.019AB	UL20886	1000V	41X19AWG	43/0.14	26.3	1017.96	27.4Ω/km
ANM12.001.42.019AB	UL20886	1000V	42X19AWG	43/0.14	26.3	1022.56	27.4Ω/km
ANM12.001.43.019AB	UL20886	1000V	43X19AWG	43/0.14	26.3	1027.06	27.4Ω/km
ANM12.001.44.019AB	UL20886	1000V	44X19AWG	43/0.14	26.3	1031.66	27.4Ω/km
ANM12.001.45.019AB	UL20886	1000V	45X19AWG	43/0.14	26.8	1068.16	27.4Ω/km
ANM12.001.46.019AB	UL20886	1000V	46X19AWG	43/0.14	26.8	1072.66	27.4Ω/km
ANM12.001.47.019AB	UL20886	1000V	47X19AWG	43/0.14	26.8	1077.16	27.4Ω/km
ANM12.001.48.019AB	UL20886	1000V	48X19AWG	43/0.14	26.8	1081.76	27.4Ω/km
ANM12.001.49.019AB	UL20886	1000V	49X19AWG	43/0.14	27.5	1132.06	27.4Ω/km
ANM12.001.50.019AB	UL20886	1000V	50X19AWG	43/0.14	27.5	1136.66	27.4Ω/km
ANM12.001.51.019AB	UL20886	1000V	51X19AWG	43/0.14	27.5	1141.16	27.4Ω/km
ANM12.001.52.019AB	UL20886	1000V	52X19AWG	43/0.14	27.5	1145.76	27.4Ω/km
ANM12.001.53.019AB	UL20886	1000V	53X19AWG	43/0.14	28.2	1197.26	27.4Ω/km
ANM12.001.54.019AB	UL20886	1000V	54X19AWG	43/0.14	28.2	1201.76	27.4Ω/km
ANM12.001.55.019AB	UL20886	1000V	55X19AWG	43/0.14	28.2	1206.36	27.4Ω/km
ANM12.001.56.019AB	UL20886	1000V	56X19AWG	43/0.14	28.2	1210.86	27.4Ω/km
ANM12.001.57.019AB	UL20886	1000V	57X19AWG	43/0.14	29	1270.66	27.4Ω/km
ANM12.001.58.019AB	UL20886	1000V	58X19AWG	43/0.14	29	1275.16	27.4Ω/km
ANM12.001.59.019AB	UL20886	1000V	59X19AWG	43/0.14	29	1279.76	27.4Ω/km
ANM12.001.60.019AB	UL20886	1000V	60X19AWG	43/0.14	29	1284.26	27.4Ω/km
ANM12.001.61.019AB	UL20886	1000V	61X19AWG	43/0.14	29	1288.76	27.4Ω/km
ANM12.001.62.019AB	UL20886	1000V	62X19AWG	43/0.14	31.3	1458.66	27.4Ω/km
ANM12.001.63.019AB	UL20886	1000V	63X19AWG	43/0.14	31.3	1463.16	27.4Ω/km



ANM12.001.64.019AB	UL20886	1000V	64X19AWG	43/0.14	31.3	1467.66	27.4 Ω /km
ANM12.001.65.019AB	UL20886	1000V	65X19AWG	43/0.14	31.3	1472.26	27.4 Ω /km
ANM12.001.02.018AB	UL20886	1000V	2X18AWG	29/0.19	8.2	93.23	21.8 Ω /km
ANM12.001.03.018AB	UL20886	1000V	3X18AWG	29/0.19	8.7	109.23	21.8 Ω /km
ANM12.001.04.018AB	UL20886	1000V	4X18AWG	29/0.19	9.4	130.43	21.8 Ω /km
ANM12.001.05.018AB	UL20886	1000V	5X18AWG	29/0.19	10.2	155.13	21.8 Ω /km
ANM12.001.06.018AB	UL20886	1000V	6X18AWG	29/0.19	11	181.33	21.8 Ω /km
ANM12.001.07.018AB	UL20886	1000V	7X18AWG	29/0.19	11	187.23	21.8 Ω /km
ANM12.001.08.018AB	UL20886	1000V	8X18AWG	29/0.19	11.9	217.93	21.8 Ω /km
ANM12.001.09.018AB	UL20886	1000V	9X18AWG	29/0.19	13.1	259.93	21.8 Ω /km
ANM12.001.10.018AB	UL20886	1000V	10X18AWG	29/0.19	13.9	291.83	21.8 Ω /km
ANM12.001.11.018AB	UL20886	1000V	11X18AWG	29/0.19	14.4	314.73	21.8 Ω /km
ANM12.001.12.018AB	UL20886	1000V	12X18AWG	29/0.19	14.4	320.53	21.8 Ω /km
ANM12.001.13.018AB	UL20886	1000V	13X18AWG	29/0.19	15.1	351.43	21.8 Ω /km
ANM12.001.14.018AB	UL20886	1000V	14X18AWG	29/0.19	15.1	357.23	21.8 Ω /km
ANM12.001.15.018AB	UL20886	1000V	15X18AWG	29/0.19	15.9	392.93	21.8 Ω /km
ANM12.001.16.018AB	UL20886	1000V	16X18AWG	29/0.19	15.9	398.83	21.8 Ω /km
ANM12.001.17.018AB	UL20886	1000V	17X18AWG	29/0.19	16.7	436.13	21.8 Ω /km
ANM12.001.18.018AB	UL20886	1000V	18X18AWG	29/0.19	16.7	442.03	21.8 Ω /km
ANM12.001.19.018AB	UL20886	1000V	19X18AWG	29/0.19	16.7	447.93	21.8 Ω /km
ANM12.001.20.018AB	UL20886	1000V	20X18AWG	29/0.19	17.2	474.13	21.8 Ω /km
ANM12.001.21.018AB	UL20886	1000V	21X18AWG	29/0.19	17.6	496.83	21.8 Ω /km
ANM12.001.22.018AB	UL20886	1000V	22X18AWG	29/0.19	18.7	550.83	21.8 Ω /km
ANM12.001.23.018AB	UL20886	1000V	23X18AWG	29/0.19	21.5	690.63	21.8 Ω /km
ANM12.001.24.018AB	UL20886	1000V	24X18AWG	29/0.19	21.5	696.53	21.8 Ω /km
ANM12.001.25.018AB	UL20886	1000V	25X18AWG	29/0.19	22	728.63	21.8 Ω /km
ANM12.001.26.018AB	UL20886	1000V	26X18AWG	29/0.19	22	734.43	21.8 Ω /km
ANM12.001.27.018AB	UL20886	1000V	27X18AWG	29/0.19	22	740.33	21.8 Ω /km
ANM12.001.28.018AB	UL20886	1000V	28X18AWG	29/0.19	22.7	783.83	21.8 Ω /km
ANM12.001.29.018AB	UL20886	1000V	29X18AWG	29/0.19	22.7	789.73	21.8 Ω /km
ANM12.001.30.018AB	UL20886	1000V	30X18AWG	29/0.19	22.7	795.63	21.8 Ω /km
ANM12.001.31.018AB	UL20886	1000V	31X18AWG	29/0.19	23.5	845.93	21.8 Ω /km
ANM12.001.32.018AB	UL20886	1000V	32X18AWG	29/0.19	23.5	851.93	21.8 Ω /km
ANM12.001.33.018AB	UL20886	1000V	33X18AWG	29/0.19	23.5	857.83	21.8 Ω /km
ANM12.001.34.018AB	UL20886	1000V	34X18AWG	29/0.19	24.3	909.63	21.8 Ω /km
ANM12.001.35.018AB	UL20886	1000V	35X18AWG	29/0.19	24.3	915.53	21.8 Ω /km
ANM12.001.36.018AB	UL20886	1000V	36X18AWG	29/0.19	24.3	921.43	21.8 Ω /km
ANM12.001.37.018AB	UL20886	1000V	37X18AWG	29/0.19	24.3	927.23	21.8 Ω /km
ANM12.001.38.018AB	UL20886	1000V	38X18AWG	29/0.19	25.2	986.83	21.8 Ω /km
ANM12.001.39.018AB	UL20886	1000V	39X18AWG	29/0.19	25.2	992.73	21.8 Ω /km
ANM12.001.40.018AB	UL20886	1000V	40X18AWG	29/0.19	25.2	998.53	21.8 Ω /km
ANM12.001.41.018AB	UL20886	1000V	41X18AWG	29/0.19	27.1	1124.13	21.8 Ω /km



ANM12.001.42.018AB	UL20886	1000V	42X18AWG	29/0.19	27.1	1129.93	21.8 Ω /km
ANM12.001.43.018AB	UL20886	1000V	43X18AWG	29/0.19	27.1	1135.83	21.8 Ω /km
ANM12.001.44.018AB	UL20886	1000V	44X18AWG	29/0.19	27.1	1141.83	21.8 Ω /km
ANM12.001.45.018AB	UL20886	1000V	45X18AWG	29/0.19	27.6	1180.53	21.8 Ω /km
ANM12.001.46.018AB	UL20886	1000V	46X18AWG	29/0.19	27.6	1186.43	21.8 Ω /km
ANM12.001.47.018AB	UL20886	1000V	47X18AWG	29/0.19	27.6	1192.33	21.8 Ω /km
ANM12.001.48.018AB	UL20886	1000V	48X18AWG	29/0.19	27.6	1198.13	21.8 Ω /km
ANM12.001.49.018AB	UL20886	1000V	49X18AWG	29/0.19	28.3	1251.23	21.8 Ω /km
ANM12.001.50.018AB	UL20886	1000V	50X18AWG	29/0.19	28.3	1257.13	21.8 Ω /km
ANM12.001.51.018AB	UL20886	1000V	51X18AWG	29/0.19	28.3	1262.83	21.8 Ω /km
ANM12.001.52.018AB	UL20886	1000V	52X18AWG	29/0.19	28.3	1268.73	21.8 Ω /km
ANM12.001.53.018AB	UL20886	1000V	53X18AWG	29/0.19	29.1	1330.03	21.8 Ω /km
ANM12.001.54.018AB	UL20886	1000V	54X18AWG	29/0.19	29.1	1335.83	21.8 Ω /km
ANM12.001.55.018AB	UL20886	1000V	55X18AWG	29/0.19	29.1	1341.73	21.8 Ω /km
ANM12.001.56.018AB	UL20886	1000V	56X18AWG	29/0.19	29.1	1347.43	21.8 Ω /km
ANM12.001.57.018AB	UL20886	1000V	57X18AWG	29/0.19	31.3	1511.73	21.8 Ω /km
ANM12.001.58.018AB	UL20886	1000V	58X18AWG	29/0.19	31.3	1517.63	21.8 Ω /km
ANM12.001.59.018AB	UL20886	1000V	59X18AWG	29/0.19	31.3	1523.53	21.8 Ω /km
ANM12.001.60.018AB	UL20886	1000V	60X18AWG	29/0.19	31.3	1529.43	21.8 Ω /km
ANM12.001.61.018AB	UL20886	1000V	61X18AWG	29/0.19	31.3	1535.23	21.8 Ω /km
ANM12.001.62.018AB	UL20886	1000V	62X18AWG	29/0.19	32.2	1609.93	21.8 Ω /km
ANM12.001.63.018AB	UL20886	1000V	63X18AWG	29/0.19	32.2	1615.83	21.8 Ω /km
ANM12.001.64.018AB	UL20886	1000V	64X18AWG	29/0.19	32.2	1621.73	21.8 Ω /km
ANM12.001.65.018AB	UL20886	1000V	65X18AWG	29/0.19	32.2	1627.63	21.8 Ω /km
ANM12.001.02.017AB	UL20886	1000V	2X17AWG	37/0.19	8.6	104.34	17.3 Ω /km
ANM12.001.03.017AB	UL20886	1000V	3X17AWG	37/0.19	9.1	122.34	17.3 Ω /km
ANM12.001.04.017AB	UL20886	1000V	4X17AWG	37/0.19	9.9	147.74	17.3 Ω /km
ANM12.001.05.017AB	UL20886	1000V	5X17AWG	37/0.19	10.7	174.84	17.3 Ω /km
ANM12.001.06.017AB	UL20886	1000V	6X17AWG	37/0.19	11.6	206.34	17.3 Ω /km
ANM12.001.07.017AB	UL20886	1000V	7X17AWG	37/0.19	11.6	213.54	17.3 Ω /km
ANM12.001.08.017AB	UL20886	1000V	8X17AWG	37/0.19	12.5	246.94	17.3 Ω /km
ANM12.001.09.017AB	UL20886	1000V	9X17AWG	37/0.19	13.8	295.54	17.3 Ω /km
ANM12.001.10.017AB	UL20886	1000V	10X17AWG	37/0.19	14.7	333.64	17.3 Ω /km
ANM12.001.11.017AB	UL20886	1000V	11X17AWG	37/0.19	15.2	358.94	17.3 Ω /km
ANM12.001.12.017AB	UL20886	1000V	12X17AWG	37/0.19	15.2	366.14	17.3 Ω /km
ANM12.001.13.017AB	UL20886	1000V	13X17AWG	37/0.19	16	403.44	17.3 Ω /km
ANM12.001.14.017AB	UL20886	1000V	14X17AWG	37/0.19	16	410.84	17.3 Ω /km
ANM12.001.15.017AB	UL20886	1000V	15X17AWG	37/0.19	16.8	449.64	17.3 Ω /km
ANM12.001.16.017AB	UL20886	1000V	16X17AWG	37/0.19	16.8	456.94	17.3 Ω /km
ANM12.001.17.017AB	UL20886	1000V	17X17AWG	37/0.19	17.7	501.64	17.3 Ω /km
ANM12.001.18.017AB	UL20886	1000V	18X17AWG	37/0.19	17.7	508.94	17.3 Ω /km
ANM12.001.19.017AB	UL20886	1000V	19X17AWG	37/0.19	17.7	516.34	17.3 Ω /km



ANM12.001.20.017AB	UL20886	1000V	20X17AWG	37/0.19	18.2	545.14	17.3 Ω /km
ANM12.001.21.017AB	UL20886	1000V	21X17AWG	37/0.19	18.6	570.14	17.3 Ω /km
ANM12.001.22.017AB	UL20886	1000V	22X17AWG	37/0.19	21.8	731.54	17.3 Ω /km
ANM12.001.23.017AB	UL20886	1000V	23X17AWG	37/0.19	22.7	786.94	17.3 Ω /km
ANM12.001.24.017AB	UL20886	1000V	24X17AWG	37/0.19	22.7	794.24	17.3 Ω /km
ANM12.001.25.017AB	UL20886	1000V	25X17AWG	37/0.19	23.2	829.14	17.3 Ω /km
ANM12.001.26.017AB	UL20886	1000V	26X17AWG	37/0.19	23.2	836.34	17.3 Ω /km
ANM12.001.27.017AB	UL20886	1000V	27X17AWG	37/0.19	23.2	843.74	17.3 Ω /km
ANM12.001.28.017AB	UL20886	1000V	28X17AWG	37/0.19	24	896.54	17.3 Ω /km
ANM12.001.29.017AB	UL20886	1000V	29X17AWG	37/0.19	24	903.84	17.3 Ω /km
ANM12.001.30.017AB	UL20886	1000V	30X17AWG	37/0.19	24	911.04	17.3 Ω /km
ANM12.001.31.017AB	UL20886	1000V	31X17AWG	37/0.19	24.8	965.24	17.3 Ω /km
ANM12.001.32.017AB	UL20886	1000V	32X17AWG	37/0.19	24.8	972.64	17.3 Ω /km
ANM12.001.33.017AB	UL20886	1000V	33X17AWG	37/0.19	24.8	979.84	17.3 Ω /km
ANM12.001.34.017AB	UL20886	1000V	34X17AWG	37/0.19	25.7	1041.84	17.3 Ω /km
ANM12.001.35.017AB	UL20886	1000V	35X17AWG	37/0.19	25.7	1049.14	17.3 Ω /km
ANM12.001.36.017AB	UL20886	1000V	36X17AWG	37/0.19	25.7	1056.44	17.3 Ω /km
ANM12.001.37.017AB	UL20886	1000V	37X17AWG	37/0.19	25.7	1063.74	17.3 Ω /km
ANM12.001.38.017AB	UL20886	1000V	38X17AWG	37/0.19	26.6	1127.74	17.3 Ω /km
ANM12.001.39.017AB	UL20886	1000V	39X17AWG	37/0.19	26.6	1134.94	17.3 Ω /km
ANM12.001.40.017AB	UL20886	1000V	40X17AWG	37/0.19	26.6	1142.24	17.3 Ω /km
ANM12.001.41.017AB	UL20886	1000V	41X17AWG	37/0.19	28.7	1289.34	17.3 Ω /km
ANM12.001.42.017AB	UL20886	1000V	42X17AWG	37/0.19	28.7	1296.64	17.3 Ω /km
ANM12.001.43.017AB	UL20886	1000V	43X17AWG	37/0.19	28.7	1303.94	17.3 Ω /km
ANM12.001.44.017AB	UL20886	1000V	44X17AWG	37/0.19	28.7	1311.14	17.3 Ω /km
ANM12.001.45.017AB	UL20886	1000V	45X17AWG	37/0.19	29.2	1353.54	17.3 Ω /km
ANM12.001.46.017AB	UL20886	1000V	46X17AWG	37/0.19	29.2	1360.74	17.3 Ω /km
ANM12.001.47.017AB	UL20886	1000V	47X17AWG	37/0.19	29.2	1367.94	17.3 Ω /km
ANM12.001.48.017AB	UL20886	1000V	48X17AWG	37/0.19	29.2	1375.24	17.3 Ω /km
ANM12.001.49.017AB	UL20886	1000V	49X17AWG	37/0.19	31.4	1541.34	17.3 Ω /km
ANM12.001.50.017AB	UL20886	1000V	50X17AWG	37/0.19	31.4	1548.64	17.3 Ω /km
ANM12.001.51.017AB	UL20886	1000V	51X17AWG	37/0.19	31.4	1555.94	17.3 Ω /km
ANM12.001.52.017AB	UL20886	1000V	52X17AWG	37/0.19	31.4	1563.14	17.3 Ω /km
ANM12.001.53.017AB	UL20886	1000V	53X17AWG	37/0.19	32.2	1631.84	17.3 Ω /km
ANM12.001.54.017AB	UL20886	1000V	54X17AWG	37/0.19	32.2	1639.04	17.3 Ω /km
ANM12.001.55.017AB	UL20886	1000V	55X17AWG	37/0.19	32.2	1646.24	17.3 Ω /km
ANM12.001.56.017AB	UL20886	1000V	56X17AWG	37/0.19	32.2	1653.54	17.3 Ω /km
ANM12.001.57.017AB	UL20886	1000V	57X17AWG	37/0.19	33.1	1731.64	17.3 Ω /km
ANM12.001.58.017AB	UL20886	1000V	58X17AWG	37/0.19	33.1	1738.94	17.3 Ω /km
ANM12.001.59.017AB	UL20886	1000V	59X17AWG	37/0.19	33.1	1746.14	17.3 Ω /km
ANM12.001.60.017AB	UL20886	1000V	60X17AWG	37/0.19	33.1	1753.44	17.3 Ω /km
ANM12.001.61.017AB	UL20886	1000V	61X17AWG	37/0.19	33.1	1760.74	17.3 Ω /km



ANM12.001.62.017AB	UL20886	1000V	62X17AWG	37/0.19	34	1840.74	17.3 Ω /km
ANM12.001.63.017AB	UL20886	1000V	63X17AWG	37/0.19	34	1847.94	17.3 Ω /km
ANM12.001.64.017AB	UL20886	1000V	64X17AWG	37/0.19	34	1855.24	17.3 Ω /km
ANM12.001.65.017AB	UL20886	1000V	65X17AWG	37/0.19	34	1862.44	17.3 Ω /km
ANM12.001.02.016AB	UL20886	1000V	2X16AWG	27/0.25	8.8	113.21	13.7 Ω /km
ANM12.001.03.016AB	UL20886	1000V	3X16AWG	27/0.25	9.3	133.51	13.7 Ω /km
ANM12.001.04.016AB	UL20886	1000V	4X16AWG	27/0.25	10.1	161.61	13.7 Ω /km
ANM12.001.05.016AB	UL20886	1000V	5X16AWG	27/0.25	11	193.91	13.7 Ω /km
ANM12.001.06.016AB	UL20886	1000V	6X16AWG	27/0.25	11.9	228.31	13.7 Ω /km
ANM12.001.07.016AB	UL20886	1000V	7X16AWG	27/0.25	11.9	237.71	13.7 Ω /km
ANM12.001.08.016AB	UL20886	1000V	8X16AWG	27/0.25	13	280.11	13.7 Ω /km
ANM12.001.09.016AB	UL20886	1000V	9X16AWG	27/0.25	14.2	329.01	13.7 Ω /km
ANM12.001.10.016AB	UL20886	1000V	10X16AWG	27/0.25	15.1	370.11	13.7 Ω /km
ANM12.001.11.016AB	UL20886	1000V	11X16AWG	27/0.25	15.6	398.01	13.7 Ω /km
ANM12.001.12.016AB	UL20886	1000V	12X16AWG	27/0.25	15.6	407.61	13.7 Ω /km
ANM12.001.13.016AB	UL20886	1000V	13X16AWG	27/0.25	16.4	447.91	13.7 Ω /km
ANM12.001.14.016AB	UL20886	1000V	14X16AWG	27/0.25	16.4	457.41	13.7 Ω /km
ANM12.001.15.016AB	UL20886	1000V	15X16AWG	27/0.25	17.3	503.31	13.7 Ω /km
ANM12.001.16.016AB	UL20886	1000V	16X16AWG	27/0.25	17.3	512.81	13.7 Ω /km
ANM12.001.17.016AB	UL20886	1000V	17X16AWG	27/0.25	18.2	560.71	13.7 Ω /km
ANM12.001.18.016AB	UL20886	1000V	18X16AWG	27/0.25	18.2	570.31	13.7 Ω /km
ANM12.001.19.016AB	UL20886	1000V	19X16AWG	27/0.25	18.2	579.71	13.7 Ω /km
ANM12.001.20.016AB	UL20886	1000V	20X16AWG	27/0.25	18.7	611.31	13.7 Ω /km
ANM12.001.21.016AB	UL20886	1000V	21X16AWG	27/0.25	19.2	643.71	13.7 Ω /km
ANM12.001.22.016AB	UL20886	1000V	22X16AWG	27/0.25	22.4	811.81	13.7 Ω /km
ANM12.001.23.016AB	UL20886	1000V	23X16AWG	27/0.25	23.3	870.91	13.7 Ω /km
ANM12.001.24.016AB	UL20886	1000V	24X16AWG	27/0.25	23.3	880.41	13.7 Ω /km
ANM12.001.25.016AB	UL20886	1000V	25X16AWG	27/0.25	23.8	918.21	13.7 Ω /km
ANM12.001.26.016AB	UL20886	1000V	26X16AWG	27/0.25	23.8	927.71	13.7 Ω /km
ANM12.001.27.016AB	UL20886	1000V	27X16AWG	27/0.25	23.8	937.01	13.7 Ω /km
ANM12.001.28.016AB	UL20886	1000V	28X16AWG	27/0.25	24.6	993.11	13.7 Ω /km
ANM12.001.29.016AB	UL20886	1000V	29X16AWG	27/0.25	24.6	1002.51	13.7 Ω /km
ANM12.001.30.016AB	UL20886	1000V	30X16AWG	27/0.25	24.6	1012.11	13.7 Ω /km
ANM12.001.31.016AB	UL20886	1000V	31X16AWG	27/0.25	25.5	1075.91	13.7 Ω /km
ANM12.001.32.016AB	UL20886	1000V	32X16AWG	27/0.25	25.5	1085.31	13.7 Ω /km
ANM12.001.33.016AB	UL20886	1000V	33X16AWG	27/0.25	25.5	1094.81	13.7 Ω /km
ANM12.001.34.016AB	UL20886	1000V	34X16AWG	27/0.25	26.4	1160.51	13.7 Ω /km
ANM12.001.35.016AB	UL20886	1000V	35X16AWG	27/0.25	26.4	1169.91	13.7 Ω /km
ANM12.001.36.016AB	UL20886	1000V	36X16AWG	27/0.25	26.4	1179.51	13.7 Ω /km
ANM12.001.37.016AB	UL20886	1000V	37X16AWG	27/0.25	26.4	1188.91	13.7 Ω /km
ANM12.001.38.016AB	UL20886	1000V	38X16AWG	27/0.25	27.4	1263.21	13.7 Ω /km
ANM12.001.39.016AB	UL20886	1000V	39X16AWG	27/0.25	27.4	1272.61	13.7 Ω /km



ANM12.001.40.016AB	UL20886	1000V	40X16AWG	27/0.25	27.4	1282.01	13.7 Ω /km
ANM12.001.41.016AB	UL20886	1000V	41X16AWG	27/0.25	29.5	1435.61	13.7 Ω /km
ANM12.001.42.016AB	UL20886	1000V	42X16AWG	27/0.25	29.5	1445.11	13.7 Ω /km
ANM12.001.43.016AB	UL20886	1000V	43X16AWG	27/0.25	29.5	1454.51	13.7 Ω /km
ANM12.001.44.016AB	UL20886	1000V	44X16AWG	27/0.25	29.5	1463.91	13.7 Ω /km
ANM12.001.45.016AB	UL20886	1000V	45X16AWG	27/0.25	31.4	1611.11	13.7 Ω /km
ANM12.001.46.016AB	UL20886	1000V	46X16AWG	27/0.25	31.4	1620.41	13.7 Ω /km
ANM12.001.47.016AB	UL20886	1000V	47X16AWG	27/0.25	31.4	1630.01	13.7 Ω /km
ANM12.001.48.016AB	UL20886	1000V	48X16AWG	27/0.25	31.4	1639.51	13.7 Ω /km
ANM12.001.49.016AB	UL20886	1000V	49X16AWG	27/0.25	32.2	1710.21	13.7 Ω /km
ANM12.001.50.016AB	UL20886	1000V	50X16AWG	27/0.25	32.2	1719.71	13.7 Ω /km
ANM12.001.51.016AB	UL20886	1000V	51X16AWG	27/0.25	32.2	1729.01	13.7 Ω /km
ANM12.001.52.016AB	UL20886	1000V	52X16AWG	27/0.25	32.2	1738.51	13.7 Ω /km
ANM12.001.53.016AB	UL20886	1000V	53X16AWG	27/0.25	33.1	1818.91	13.7 Ω /km
ANM12.001.54.016AB	UL20886	1000V	54X16AWG	27/0.25	33.1	1828.31	13.7 Ω /km
ANM12.001.55.016AB	UL20886	1000V	55X16AWG	27/0.25	33.1	1837.81	13.7 Ω /km
ANM12.001.56.016AB	UL20886	1000V	56X16AWG	27/0.25	33.1	1847.21	13.7 Ω /km
ANM12.001.57.016AB	UL20886	1000V	57X16AWG	27/0.25	34	1929.41	13.7 Ω /km
ANM12.001.58.016AB	UL20886	1000V	58X16AWG	27/0.25	34	1938.71	13.7 Ω /km
ANM12.001.59.016AB	UL20886	1000V	59X16AWG	27/0.25	34	1948.31	13.7 Ω /km
ANM12.001.60.016AB	UL20886	1000V	60X16AWG	27/0.25	34	1957.81	13.7 Ω /km
ANM12.001.61.016AB	UL20886	1000V	61X16AWG	27/0.25	34	1967.21	13.7 Ω /km
ANM12.001.62.016AB	UL20886	1000V	62X16AWG	27/0.25	35	2059.91	13.7 Ω /km
ANM12.001.63.016AB	UL20886	1000V	63X16AWG	27/0.25	35	2069.31	13.7 Ω /km
ANM12.001.64.016AB	UL20886	1000V	64X16AWG	27/0.25	35	2078.71	13.7 Ω /km
ANM12.001.65.016AB	UL20886	1000V	65X16AWG	27/0.25	35	2088.31	13.7 Ω /km
ANM12.001.02.015AB	UL20886	1000V	2X15AWG	34/0.25	9.2	126.95	10.9 Ω /km
ANM12.001.03.015AB	UL20886	1000V	3X15AWG	34/0.25	9.8	152.55	10.9 Ω /km
ANM12.001.04.015AB	UL20886	1000V	4X15AWG	34/0.25	10.6	184.15	10.9 Ω /km
ANM12.001.05.015AB	UL20886	1000V	5X15AWG	34/0.25	11.6	222.75	10.9 Ω /km
ANM12.001.06.015AB	UL20886	1000V	6X15AWG	34/0.25	12.5	260.65	10.9 Ω /km
ANM12.001.07.015AB	UL20886	1000V	7X15AWG	34/0.25	12.5	272.55	10.9 Ω /km
ANM12.001.08.015AB	UL20886	1000V	8X15AWG	34/0.25	13.6	319.05	10.9 Ω /km
ANM12.001.09.015AB	UL20886	1000V	9X15AWG	34/0.25	15	379.05	10.9 Ω /km
ANM12.001.10.015AB	UL20886	1000V	10X15AWG	34/0.25	15.9	424.55	10.9 Ω /km
ANM12.001.11.015AB	UL20886	1000V	11X15AWG	34/0.25	16.5	459.85	10.9 Ω /km
ANM12.001.12.015AB	UL20886	1000V	12X15AWG	34/0.25	16.5	471.75	10.9 Ω /km
ANM12.001.13.015AB	UL20886	1000V	13X15AWG	34/0.25	17.3	516.15	10.9 Ω /km
ANM12.001.14.015AB	UL20886	1000V	14X15AWG	34/0.25	17.3	528.15	10.9 Ω /km
ANM12.001.15.015AB	UL20886	1000V	15X15AWG	34/0.25	18.3	582.95	10.9 Ω /km
ANM12.001.16.015AB	UL20886	1000V	16X15AWG	34/0.25	18.3	594.85	10.9 Ω /km
ANM12.001.17.015AB	UL20886	1000V	17X15AWG	34/0.25	19.2	647.35	10.9 Ω /km



ANM12.001.18.015AB	UL20886	1000V	18X15AWG	34/0.25	19.2	659.15	10.9Ω/km
ANM12.001.19.015AB	UL20886	1000V	19X15AWG	34/0.25	19.2	671.15	10.9Ω/km
ANM12.001.20.015AB	UL20886	1000V	20X15AWG	34/0.25	21.8	809.75	10.9Ω/km
ANM12.001.21.015AB	UL20886	1000V	21X15AWG	34/0.25	22.2	842.75	10.9Ω/km
ANM12.001.22.015AB	UL20886	1000V	22X15AWG	34/0.25	23.6	931.95	10.9Ω/km
ANM12.001.23.015AB	UL20886	1000V	23X15AWG	34/0.25	24.5	996.05	10.9Ω/km
ANM12.001.24.015AB	UL20886	1000V	24X15AWG	34/0.25	24.5	1007.85	10.9Ω/km
ANM12.001.25.015AB	UL20886	1000V	25X15AWG	34/0.25	25.1	1055.45	10.9Ω/km
ANM12.001.26.015AB	UL20886	1000V	26X15AWG	34/0.25	25.1	1067.45	10.9Ω/km
ANM12.001.27.015AB	UL20886	1000V	27X15AWG	34/0.25	25.1	1079.25	10.9Ω/km
ANM12.001.28.015AB	UL20886	1000V	28X15AWG	34/0.25	25.9	1140.35	10.9Ω/km
ANM12.001.29.015AB	UL20886	1000V	29X15AWG	34/0.25	25.9	1152.25	10.9Ω/km
ANM12.001.30.015AB	UL20886	1000V	30X15AWG	34/0.25	25.9	1164.05	10.9Ω/km
ANM12.001.31.015AB	UL20886	1000V	31X15AWG	34/0.25	26.9	1239.55	10.9Ω/km
ANM12.001.32.015AB	UL20886	1000V	32X15AWG	34/0.25	26.9	1251.55	10.9Ω/km
ANM12.001.33.015AB	UL20886	1000V	33X15AWG	34/0.25	26.9	1263.25	10.9Ω/km
ANM12.001.34.015AB	UL20886	1000V	34X15AWG	34/0.25	27.8	1334.55	10.9Ω/km
ANM12.001.35.015AB	UL20886	1000V	35X15AWG	34/0.25	27.8	1346.45	10.9Ω/km
ANM12.001.36.015AB	UL20886	1000V	36X15AWG	34/0.25	27.8	1358.35	10.9Ω/km
ANM12.001.37.015AB	UL20886	1000V	37X15AWG	34/0.25	27.8	1370.15	10.9Ω/km
ANM12.001.38.015AB	UL20886	1000V	38X15AWG	34/0.25	28.8	1450.25	10.9Ω/km
ANM12.001.39.015AB	UL20886	1000V	39X15AWG	34/0.25	28.8	1462.15	10.9Ω/km
ANM12.001.40.015AB	UL20886	1000V	40X15AWG	34/0.25	28.8	1474.05	10.9Ω/km
ANM12.001.41.015AB	UL20886	1000V	41X15AWG	34/0.25	32.5	1757.45	10.9Ω/km
ANM12.001.42.015AB	UL20886	1000V	42X15AWG	34/0.25	32.5	1769.25	10.9Ω/km
ANM12.001.43.015AB	UL20886	1000V	43X15AWG	34/0.25	32.5	1781.15	10.9Ω/km
ANM12.001.44.015AB	UL20886	1000V	44X15AWG	34/0.25	32.5	1793.15	10.9Ω/km
ANM12.001.45.015AB	UL20886	1000V	45X15AWG	34/0.25	33.1	1852.35	10.9Ω/km
ANM12.001.46.015AB	UL20886	1000V	46X15AWG	34/0.25	33.1	1864.25	10.9Ω/km
ANM12.001.47.015AB	UL20886	1000V	47X15AWG	34/0.25	33.1	1876.15	10.9Ω/km
ANM12.001.48.015AB	UL20886	1000V	48X15AWG	34/0.25	33.1	1888.05	10.9Ω/km
ANM12.001.49.015AB	UL20886	1000V	49X15AWG	34/0.25	33.9	1964.45	10.9Ω/km
ANM12.001.50.015AB	UL20886	1000V	50X15AWG	34/0.25	33.9	1976.35	10.9Ω/km
ANM12.001.51.015AB	UL20886	1000V	51X15AWG	34/0.25	33.9	1988.15	10.9Ω/km
ANM12.001.52.015AB	UL20886	1000V	52X15AWG	34/0.25	33.9	2000.15	10.9Ω/km
ANM12.001.53.015AB	UL20886	1000V	53X15AWG	34/0.25	34.9	2094.85	10.9Ω/km
ANM12.001.54.015AB	UL20886	1000V	54X15AWG	34/0.25	34.9	2106.65	10.9Ω/km
ANM12.001.55.015AB	UL20886	1000V	55X15AWG	34/0.25	34.9	2118.55	10.9Ω/km
ANM12.001.56.015AB	UL20886	1000V	56X15AWG	34/0.25	34.9	2130.55	10.9Ω/km
ANM12.001.57.015AB	UL20886	1000V	57X15AWG	34/0.25	35.8	2218.95	10.9Ω/km
ANM12.001.58.015AB	UL20886	1000V	58X15AWG	34/0.25	35.8	2230.95	10.9Ω/km
ANM12.001.59.015AB	UL20886	1000V	59X15AWG	34/0.25	35.8	2242.75	10.9Ω/km



ANM12.001.60.015AB	UL20886	1000V	60X15AWG	34/0.25	35.8	2254.65	10.9 Ω /km
ANM12.001.61.015AB	UL20886	1000V	61X15AWG	34/0.25	35.8	2266.45	10.9 Ω /km
ANM12.001.62.015AB	UL20886	1000V	62X15AWG	34/0.25	37.1	2392.55	10.9 Ω /km
ANM12.001.63.015AB	UL20886	1000V	63X15AWG	34/0.25	37.1	2404.45	10.9 Ω /km
ANM12.001.64.015AB	UL20886	1000V	64X15AWG	34/0.25	37.1	2416.35	10.9 Ω /km
ANM12.001.65.015AB	UL20886	1000V	65X15AWG	34/0.25	37.1	2428.05	10.9 Ω /km
ANM12.001.02.014AB	UL20886	1000V	2X14AWG	43/0.25	9.6	142.78	8.62 Ω /km
ANM12.001.03.014AB	UL20886	1000V	3X14AWG	43/0.25	10.2	172.08	8.62 Ω /km
ANM12.001.04.014AB	UL20886	1000V	4X14AWG	43/0.25	11.1	210.18	8.62 Ω /km
ANM12.001.05.014AB	UL20886	1000V	5X14AWG	43/0.25	12.1	253.28	8.62 Ω /km
ANM12.001.06.014AB	UL20886	1000V	6X14AWG	43/0.25	13.2	301.78	8.62 Ω /km
ANM12.001.07.014AB	UL20886	1000V	7X14AWG	43/0.25	13.2	316.88	8.62 Ω /km
ANM12.001.08.014AB	UL20886	1000V	8X14AWG	43/0.25	14.3	368.28	8.62 Ω /km
ANM12.001.09.014AB	UL20886	1000V	9X14AWG	43/0.25	15.7	434.08	8.62 Ω /km
ANM12.001.10.014AB	UL20886	1000V	10X14AWG	43/0.25	16.7	488.18	8.62 Ω /km
ANM12.001.11.014AB	UL20886	1000V	11X14AWG	43/0.25	17.3	527.78	8.62 Ω /km
ANM12.001.12.014AB	UL20886	1000V	12X14AWG	43/0.25	17.3	542.78	8.62 Ω /km
ANM12.001.13.014AB	UL20886	1000V	13X14AWG	43/0.25	18.2	596.38	8.62 Ω /km
ANM12.001.14.014AB	UL20886	1000V	14X14AWG	43/0.25	18.2	611.48	8.62 Ω /km
ANM12.001.15.014AB	UL20886	1000V	15X14AWG	43/0.25	19.2	671.58	8.62 Ω /km
ANM12.001.16.014AB	UL20886	1000V	16X14AWG	43/0.25	19.2	686.68	8.62 Ω /km
ANM12.001.17.014AB	UL20886	1000V	17X14AWG	43/0.25	22.2	849.58	8.62 Ω /km
ANM12.001.18.014AB	UL20886	1000V	18X14AWG	43/0.25	22.2	864.68	8.62 Ω /km
ANM12.001.19.014AB	UL20886	1000V	19X14AWG	43/0.25	22.2	879.78	8.62 Ω /km
ANM12.001.20.014AB	UL20886	1000V	20X14AWG	43/0.25	22.8	927.28	8.62 Ω /km
ANM12.001.21.014AB	UL20886	1000V	21X14AWG	43/0.25	23.3	970.08	8.62 Ω /km
ANM12.001.22.014AB	UL20886	1000V	22X14AWG	43/0.25	24.7	1066.08	8.62 Ω /km
ANM12.001.23.014AB	UL20886	1000V	23X14AWG	43/0.25	25.7	1141.88	8.62 Ω /km
ANM12.001.24.014AB	UL20886	1000V	24X14AWG	43/0.25	25.7	1156.88	8.62 Ω /km
ANM12.001.25.014AB	UL20886	1000V	25X14AWG	43/0.25	26.3	1209.48	8.62 Ω /km
ANM12.001.26.014AB	UL20886	1000V	26X14AWG	43/0.25	26.3	1224.48	8.62 Ω /km
ANM12.001.27.014AB	UL20886	1000V	27X14AWG	43/0.25	26.3	1239.58	8.62 Ω /km
ANM12.001.28.014AB	UL20886	1000V	28X14AWG	43/0.25	27.2	1312.68	8.62 Ω /km
ANM12.001.29.014AB	UL20886	1000V	29X14AWG	43/0.25	27.2	1327.68	8.62 Ω /km
ANM12.001.30.014AB	UL20886	1000V	30X14AWG	43/0.25	27.2	1342.68	8.62 Ω /km
ANM12.001.31.014AB	UL20886	1000V	31X14AWG	43/0.25	28.2	1424.68	8.62 Ω /km
ANM12.001.32.014AB	UL20886	1000V	32X14AWG	43/0.25	28.2	1439.58	8.62 Ω /km
ANM12.001.33.014AB	UL20886	1000V	33X14AWG	43/0.25	28.2	1454.58	8.62 Ω /km
ANM12.001.34.014AB	UL20886	1000V	34X14AWG	43/0.25	29.2	1538.98	8.62 Ω /km
ANM12.001.35.014AB	UL20886	1000V	35X14AWG	43/0.25	29.2	1553.98	8.62 Ω /km
ANM12.001.36.014AB	UL20886	1000V	36X14AWG	43/0.25	29.2	1569.08	8.62 Ω /km
ANM12.001.37.014AB	UL20886	1000V	37X14AWG	43/0.25	29.2	1584.08	8.62 Ω /km



ANM12.001.38.014AB	UL20886	1000V	38X14AWG	43/0.25	31.7	1780.78	8.62 Ω /km
ANM12.001.39.014AB	UL20886	1000V	39X14AWG	43/0.25	31.7	1795.78	8.62 Ω /km
ANM12.001.40.014AB	UL20886	1000V	40X14AWG	43/0.25	31.7	1810.88	8.62 Ω /km
ANM12.001.41.014AB	UL20886	1000V	41X14AWG	43/0.25	34.1	2016.28	8.62 Ω /km
ANM12.001.42.014AB	UL20886	1000V	42X14AWG	43/0.25	34.1	2031.18	8.62 Ω /km
ANM12.001.43.014AB	UL20886	1000V	43X14AWG	43/0.25	34.1	2046.28	8.62 Ω /km
ANM12.001.44.014AB	UL20886	1000V	44X14AWG	43/0.25	34.1	2061.28	8.62 Ω /km
ANM12.001.45.014AB	UL20886	1000V	45X14AWG	43/0.25	34.7	2126.08	8.62 Ω /km
ANM12.001.46.014AB	UL20886	1000V	46X14AWG	43/0.25	34.7	2141.18	8.62 Ω /km
ANM12.001.47.014AB	UL20886	1000V	47X14AWG	43/0.25	34.7	2156.18	8.62 Ω /km
ANM12.001.48.014AB	UL20886	1000V	48X14AWG	43/0.25	34.7	2171.18	8.62 Ω /km
ANM12.001.49.014AB	UL20886	1000V	49X14AWG	43/0.25	35.6	2262.58	8.62 Ω /km
ANM12.001.50.014AB	UL20886	1000V	50X14AWG	43/0.25	35.6	2277.58	8.62 Ω /km
ANM12.001.51.014AB	UL20886	1000V	51X14AWG	43/0.25	35.6	2292.58	8.62 Ω /km
ANM12.001.52.014AB	UL20886	1000V	52X14AWG	43/0.25	35.6	2307.68	8.62 Ω /km
ANM12.001.02.013AB	UL20886	1000V	2X13AWG	54/0.25	10.2	165.03	6.82 Ω /km
ANM12.001.03.013AB	UL20886	1000V	3X13AWG	54/0.25	10.8	198.93	6.82 Ω /km
ANM12.001.04.013AB	UL20886	1000V	4X13AWG	54/0.25	11.8	244.83	6.82 Ω /km
ANM12.001.05.013AB	UL20886	1000V	5X13AWG	54/0.25	13	299.33	6.82 Ω /km
ANM12.001.06.013AB	UL20886	1000V	6X13AWG	54/0.25	14.1	354.03	6.82 Ω /km
ANM12.001.07.013AB	UL20886	1000V	7X13AWG	54/0.25	14.1	372.73	6.82 Ω /km
ANM12.001.08.013AB	UL20886	1000V	8X13AWG	54/0.25	15.3	433.93	6.82 Ω /km
ANM12.001.09.013AB	UL20886	1000V	9X13AWG	54/0.25	16.8	510.83	6.82 Ω /km
ANM12.001.10.013AB	UL20886	1000V	10X13AWG	54/0.25	17.9	575.63	6.82 Ω /km
ANM12.001.11.013AB	UL20886	1000V	11X13AWG	54/0.25	18.5	620.53	6.82 Ω /km
ANM12.001.12.013AB	UL20886	1000V	12X13AWG	54/0.25	18.5	639.33	6.82 Ω /km
ANM12.001.13.013AB	UL20886	1000V	13X13AWG	54/0.25	21.5	801.03	6.82 Ω /km
ANM12.001.14.013AB	UL20886	1000V	14X13AWG	54/0.25	21.5	819.63	6.82 Ω /km
ANM12.001.15.013AB	UL20886	1000V	15X13AWG	54/0.25	22.6	896.83	6.82 Ω /km
ANM12.001.16.013AB	UL20886	1000V	16X13AWG	54/0.25	22.6	915.53	6.82 Ω /km
ANM12.001.17.013AB	UL20886	1000V	17X13AWG	54/0.25	23.7	995.53	6.82 Ω /km
ANM12.001.18.013AB	UL20886	1000V	18X13AWG	54/0.25	23.7	1014.33	6.82 Ω /km
ANM12.001.19.013AB	UL20886	1000V	19X13AWG	54/0.25	23.7	1033.03	6.82 Ω /km
ANM12.001.20.013AB	UL20886	1000V	20X13AWG	54/0.25	24.3	1086.53	6.82 Ω /km
ANM12.001.21.013AB	UL20886	1000V	21X13AWG	54/0.25	24.9	1140.73	6.82 Ω /km
ANM12.001.22.013AB	UL20886	1000V	22X13AWG	54/0.25	26.4	1252.23	6.82 Ω /km
ANM12.001.23.013AB	UL20886	1000V	23X13AWG	54/0.25	27.5	1342.43	6.82 Ω /km
ANM12.001.24.013AB	UL20886	1000V	24X13AWG	54/0.25	27.5	1361.03	6.82 Ω /km
ANM12.001.25.013AB	UL20886	1000V	25X13AWG	54/0.25	28.1	1420.03	6.82 Ω /km
ANM12.001.26.013AB	UL20886	1000V	26X13AWG	54/0.25	28.1	1438.73	6.82 Ω /km
ANM12.001.27.013AB	UL20886	1000V	27X13AWG	54/0.25	28.1	1457.53	6.82 Ω /km
ANM12.001.28.013AB	UL20886	1000V	28X13AWG	54/0.25	29.1	1545.13	6.82 Ω /km



ANM12.001.29.013AB	UL20886	1000V	29X13AWG	54/0.25	29.1	1563.93	6.82 Ω /km
ANM12.001.30.013AB	UL20886	1000V	30X13AWG	54/0.25	29.1	1582.63	6.82 Ω /km
ANM12.001.31.013AB	UL20886	1000V	31X13AWG	54/0.25	31.6	1782.43	6.82 Ω /km
ANM12.001.32.013AB	UL20886	1000V	32X13AWG	54/0.25	31.6	1801.23	6.82 Ω /km
ANM12.001.33.013AB	UL20886	1000V	33X13AWG	54/0.25	31.6	1819.93	6.82 Ω /km
ANM12.001.34.013AB	UL20886	1000V	34X13AWG	54/0.25	32.7	1923.73	6.82 Ω /km
ANM12.001.35.013AB	UL20886	1000V	35X13AWG	54/0.25	32.7	1942.53	6.82 Ω /km
ANM12.001.36.013AB	UL20886	1000V	36X13AWG	54/0.25	32.7	1961.33	6.82 Ω /km
ANM12.001.37.013AB	UL20886	1000V	37X13AWG	54/0.25	32.7	1979.93	6.82 Ω /km
ANM12.001.38.013AB	UL20886	1000V	38X13AWG	54/0.25	33.9	2095.03	6.82 Ω /km
ANM12.001.39.013AB	UL20886	1000V	39X13AWG	54/0.25	33.9	2113.73	6.82 Ω /km
ANM12.001.40.013AB	UL20886	1000V	40X13AWG	54/0.25	33.9	2132.53	6.82 Ω /km
ANM12.001.41.013AB	UL20886	1000V	41X13AWG	54/0.25	36.8	2398.23	6.82 Ω /km
ANM12.001.42.013AB	UL20886	1000V	42X13AWG	54/0.25	36.8	2416.93	6.82 Ω /km
ANM12.001.43.013AB	UL20886	1000V	43X13AWG	54/0.25	36.8	2435.73	6.82 Ω /km
ANM12.001.44.013AB	UL20886	1000V	44X13AWG	54/0.25	36.8	2454.43	6.82 Ω /km
ANM12.001.45.013AB	UL20886	1000V	45X13AWG	54/0.25	37.4	2526.83	6.82 Ω /km
ANM12.001.46.013AB	UL20886	1000V	46X13AWG	54/0.25	37.4	2545.53	6.82 Ω /km
ANM12.001.47.013AB	UL20886	1000V	47X13AWG	54/0.25	37.4	2564.13	6.82 Ω /km
ANM12.001.48.013AB	UL20886	1000V	48X13AWG	54/0.25	37.4	2582.93	6.82 Ω /km
ANM12.001.49.013AB	UL20886	1000V	49X13AWG	54/0.25	38.4	2693.13	6.82 Ω /km
ANM12.001.50.013AB	UL20886	1000V	50X13AWG	54/0.25	38.4	2711.83	6.82 Ω /km
ANM12.001.51.013AB	UL20886	1000V	51X13AWG	54/0.25	38.4	2730.43	6.82 Ω /km
ANM12.001.52.013AB	UL20886	1000V	52X13AWG	54/0.25	38.4	2749.23	6.82 Ω /km
ANM12.001.02.012AB	UL20886	1000V	2X12AWG	68/0.25	10.6	186.31	5.43 Ω /km
ANM12.001.03.012AB	UL20886	1000V	3X12AWG	68/0.25	11.3	228.71	5.43 Ω /km
ANM12.001.04.012AB	UL20886	1000V	4X12AWG	68/0.25	12.3	281.31	5.43 Ω /km
ANM12.001.05.012AB	UL20886	1000V	5X12AWG	68/0.25	13.5	342.51	5.43 Ω /km
ANM12.001.06.012AB	UL20886	1000V	6X12AWG	68/0.25	14.7	407.21	5.43 Ω /km
ANM12.001.07.012AB	UL20886	1000V	7X12AWG	68/0.25	14.7	431.21	5.43 Ω /km
ANM12.001.08.012AB	UL20886	1000V	8X12AWG	68/0.25	15.9	499.61	5.43 Ω /km
ANM12.001.09.012AB	UL20886	1000V	9X12AWG	68/0.25	17.5	588.01	5.43 Ω /km
ANM12.001.10.012AB	UL20886	1000V	10X12AWG	68/0.25	18.7	664.31	5.43 Ω /km
ANM12.001.11.012AB	UL20886	1000V	11X12AWG	68/0.25	19.4	720.51	5.43 Ω /km
ANM12.001.12.012AB	UL20886	1000V	12X12AWG	68/0.25	19.4	744.61	5.43 Ω /km
ANM12.001.13.012AB	UL20886	1000V	13X12AWG	68/0.25	22.4	918.01	5.43 Ω /km
ANM12.001.14.012AB	UL20886	1000V	14X12AWG	68/0.25	22.4	941.91	5.43 Ω /km
ANM12.001.15.012AB	UL20886	1000V	15X12AWG	68/0.25	23.5	1026.81	5.43 Ω /km
ANM12.001.16.012AB	UL20886	1000V	16X12AWG	68/0.25	23.5	1050.91	5.43 Ω /km
ANM12.001.17.012AB	UL20886	1000V	17X12AWG	68/0.25	24.7	1144.51	5.43 Ω /km
ANM12.001.18.012AB	UL20886	1000V	18X12AWG	68/0.25	24.7	1168.51	5.43 Ω /km
ANM12.001.19.012AB	UL20886	1000V	19X12AWG	68/0.25	24.7	1192.61	5.43 Ω /km



ANM12.001.20.012AB	UL20886	1000V	20X12AWG	68/0.25	25.4	1258.81	5.43 Ω /km
ANM12.001.21.012AB	UL20886	1000V	21X12AWG	68/0.25	25.9	1313.71	5.43 Ω /km
ANM12.001.22.012AB	UL20886	1000V	22X12AWG	68/0.25	27.5	1440.61	5.43 Ω /km
ANM12.001.23.012AB	UL20886	1000V	23X12AWG	68/0.25	28.7	1546.01	5.43 Ω /km
ANM12.001.24.012AB	UL20886	1000V	24X12AWG	68/0.25	28.7	1569.91	5.43 Ω /km
ANM12.001.25.012AB	UL20886	1000V	25X12AWG	68/0.25	29.4	1643.01	5.43 Ω /km
ANM12.001.26.012AB	UL20886	1000V	26X12AWG	68/0.25	29.4	1666.91	5.43 Ω /km
ANM12.001.27.012AB	UL20886	1000V	27X12AWG	68/0.25	29.4	1691.01	5.43 Ω /km
ANM12.001.28.012AB	UL20886	1000V	28X12AWG	68/0.25	31.8	1890.21	5.43 Ω /km
ANM12.001.29.012AB	UL20886	1000V	29X12AWG	68/0.25	31.8	1914.31	5.43 Ω /km
ANM12.001.30.012AB	UL20886	1000V	30X12AWG	68/0.25	31.8	1938.21	5.43 Ω /km
ANM12.001.31.012AB	UL20886	1000V	31X12AWG	68/0.25	32.9	2048.01	5.43 Ω /km
ANM12.001.32.012AB	UL20886	1000V	32X12AWG	68/0.25	32.9	2072.01	5.43 Ω /km
ANM12.001.33.012AB	UL20886	1000V	33X12AWG	68/0.25	32.9	2096.01	5.43 Ω /km
ANM12.001.34.012AB	UL20886	1000V	34X12AWG	68/0.25	34.1	2217.01	5.43 Ω /km
ANM12.001.35.012AB	UL20886	1000V	35X12AWG	68/0.25	34.1	2240.91	5.43 Ω /km
ANM12.001.36.012AB	UL20886	1000V	36X12AWG	68/0.25	34.1	2265.01	5.43 Ω /km
ANM12.001.37.012AB	UL20886	1000V	37X12AWG	68/0.25	34.1	2288.91	5.43 Ω /km
ANM12.001.02.011AB	UL20886	1000V	2X11AWG	85/0.25	11.4	219.37	4.30 Ω /km
ANM12.001.03.011AB	UL20886	1000V	3X11AWG	85/0.25	12.1	268.87	4.30 Ω /km
ANM12.001.04.011AB	UL20886	1000V	4X11AWG	85/0.25	13.4	338.27	4.30 Ω /km
ANM12.001.05.011AB	UL20886	1000V	5X11AWG	85/0.25	14.6	408.37	4.30 Ω /km
ANM12.001.06.011AB	UL20886	1000V	6X11AWG	85/0.25	15.9	485.77	4.30 Ω /km
ANM12.001.07.011AB	UL20886	1000V	7X11AWG	85/0.25	15.9	515.37	4.30 Ω /km
ANM12.001.08.011AB	UL20886	1000V	8X11AWG	85/0.25	17.3	600.97	4.30 Ω /km
ANM12.001.09.011AB	UL20886	1000V	9X11AWG	85/0.25	19	704.87	4.30 Ω /km
ANM12.001.10.011AB	UL20886	1000V	10X11AWG	85/0.25	22.3	896.97	4.30 Ω /km
ANM12.001.11.011AB	UL20886	1000V	11X11AWG	85/0.25	23	964.77	4.30 Ω /km
ANM12.001.12.011AB	UL20886	1000V	12X11AWG	85/0.25	23	994.37	4.30 Ω /km
ANM12.001.13.011AB	UL20886	1000V	13X11AWG	85/0.25	24.2	1092.17	4.30 Ω /km
ANM12.001.14.011AB	UL20886	1000V	14X11AWG	85/0.25	24.2	1121.77	4.30 Ω /km
ANM12.001.15.011AB	UL20886	1000V	15X11AWG	85/0.25	25.4	1223.07	4.30 Ω /km
ANM12.001.16.011AB	UL20886	1000V	16X11AWG	85/0.25	25.4	1252.77	4.30 Ω /km
ANM12.001.17.011AB	UL20886	1000V	17X11AWG	85/0.25	26.7	1363.87	4.30 Ω /km
ANM12.001.18.011AB	UL20886	1000V	18X11AWG	85/0.25	26.7	1393.37	4.30 Ω /km
ANM12.001.19.011AB	UL20886	1000V	19X11AWG	85/0.25	26.7	1422.97	4.30 Ω /km
ANM12.001.20.011AB	UL20886	1000V	20X11AWG	85/0.25	27.4	1498.17	4.30 Ω /km
ANM12.001.21.011AB	UL20886	1000V	21X11AWG	85/0.25	28.1	1574.67	4.30 Ω /km
ANM12.001.22.011AB	UL20886	1000V	22X11AWG	85/0.25	31.2	1823.97	4.30 Ω /km
ANM12.001.23.011AB	UL20886	1000V	23X11AWG	85/0.25	32.5	1953.37	4.30 Ω /km
ANM12.001.24.011AB	UL20886	1000V	24X11AWG	85/0.25	32.5	1982.87	4.30 Ω /km
ANM12.001.25.011AB	UL20886	1000V	25X11AWG	85/0.25	33.2	2067.87	4.30 Ω /km



ANM12.001.26.011AB	UL20886	1000V	26X11AWG	85/0.25	33.2	2097.47	4.30 Ω /km
ANM12.001.27.011AB	UL20886	1000V	27X11AWG	85/0.25	33.2	2126.97	4.30 Ω /km
ANM12.001.28.011AB	UL20886	1000V	28X11AWG	85/0.25	34.4	2254.37	4.30 Ω /km
ANM12.001.29.011AB	UL20886	1000V	29X11AWG	85/0.25	34.4	2283.87	4.30 Ω /km
ANM12.001.30.011AB	UL20886	1000V	30X11AWG	85/0.25	34.4	2313.47	4.30 Ω /km
ANM12.001.31.011AB	UL20886	1000V	31X11AWG	85/0.25	35.6	2444.27	4.30 Ω /km
ANM12.001.32.011AB	UL20886	1000V	32X11AWG	85/0.25	35.6	2473.87	4.30 Ω /km
ANM12.001.33.011AB	UL20886	1000V	33X11AWG	85/0.25	35.6	2503.47	4.30 Ω /km
ANM12.001.34.011AB	UL20886	1000V	34X11AWG	85/0.25	37.2	2673.37	4.30 Ω /km
ANM12.001.35.011AB	UL20886	1000V	35X11AWG	85/0.25	37.2	2702.97	4.30 Ω /km
ANM12.001.36.011AB	UL20886	1000V	36X11AWG	85/0.25	37.2	2732.57	4.30 Ω /km
ANM12.001.37.011AB	UL20886	1000V	37X11AWG	85/0.25	37.2	2762.17	4.30 Ω /km
ANM12.001.02.010AB	UL20886	1000V	2X10AWG	108/0.25	12.6	266.77	3.409 Ω /km
ANM12.001.03.010AB	UL20886	1000V	3X10AWG	108/0.25	13.5	330.37	3.409 Ω /km
ANM12.001.04.010AB	UL20886	1000V	4X10AWG	108/0.25	14.8	410.07	3.409 Ω /km
ANM12.001.05.010AB	UL20886	1000V	5X10AWG	108/0.25	16.2	497.57	3.409 Ω /km
ANM12.001.06.010AB	UL20886	1000V	6X10AWG	108/0.25	17.7	594.37	3.409 Ω /km
ANM12.001.07.010AB	UL20886	1000V	7X10AWG	108/0.25	17.7	629.67	3.409 Ω /km
ANM12.001.08.010AB	UL20886	1000V	8X10AWG	108/0.25	19.2	731.67	3.409 Ω /km
ANM12.001.09.010AB	UL20886	1000V	9X10AWG	108/0.25	23.2	969.57	3.409 Ω /km
ANM12.001.10.010AB	UL20886	1000V	10X10AWG	108/0.25	24.7	1091.57	3.409 Ω /km
ANM12.001.11.010AB	UL20886	1000V	11X10AWG	108/0.25	25.5	1175.17	3.409 Ω /km
ANM12.001.12.010AB	UL20886	1000V	12X10AWG	108/0.25	25.5	1210.57	3.409 Ω /km
ANM12.001.13.010AB	UL20886	1000V	13X10AWG	108/0.25	26.8	1327.77	3.409 Ω /km
ANM12.001.14.010AB	UL20886	1000V	14X10AWG	108/0.25	26.8	1363.07	3.409 Ω /km
ANM12.001.15.010AB	UL20886	1000V	15X10AWG	108/0.25	28.2	1491.17	3.409 Ω /km
ANM12.001.16.010AB	UL20886	1000V	16X10AWG	108/0.25	28.2	1526.57	3.409 Ω /km
ANM12.001.17.010AB	UL20886	1000V	17X10AWG	108/0.25	31.1	1767.47	3.409 Ω /km
ANM12.001.18.010AB	UL20886	1000V	18X10AWG	108/0.25	31.1	1802.77	3.409 Ω /km
ANM12.001.19.010AB	UL20886	1000V	19X10AWG	108/0.25	31.1	1838.07	3.409 Ω /km
ANM12.001.20.010AB	UL20886	1000V	20X10AWG	108/0.25	31.9	1934.07	3.409 Ω /km
ANM12.001.21.010AB	UL20886	1000V	21X10AWG	108/0.25	32.6	2023.77	3.409 Ω /km
ANM12.001.22.010AB	UL20886	1000V	22X10AWG	108/0.25	34.6	2221.07	3.409 Ω /km
ANM12.001.23.010AB	UL20886	1000V	23X10AWG	108/0.25	36.1	2384.27	3.409 Ω /km
ANM12.001.24.010AB	UL20886	1000V	24X10AWG	108/0.25	36.1	2419.57	3.409 Ω /km
ANM12.001.25.010AB	UL20886	1000V	25X10AWG	108/0.25	37.2	2552.07	3.409 Ω /km
ANM12.001.26.010AB	UL20886	1000V	26X10AWG	108/0.25	37.2	2587.37	3.409 Ω /km
ANM12.001.27.010AB	UL20886	1000V	27X10AWG	108/0.25	37.2	2622.67	3.409 Ω /km
ANM12.001.28.010AB	UL20886	1000V	28X10AWG	108/0.25	38.5	2776.77	3.409 Ω /km
ANM12.001.29.010AB	UL20886	1000V	29X10AWG	108/0.25	38.5	2812.07	3.409 Ω /km
ANM12.001.30.010AB	UL20886	1000V	30X10AWG	108/0.25	38.5	2847.27	3.409 Ω /km
ANM12.001.31.010AB	UL20886	1000V	31X10AWG	108/0.25	39.9	3014.97	3.409 Ω /km



ANM12.001.32.010AB	UL20886	1000V	32X10AWG	108/0.25	39.9	3050.27	3.409 Ω/km
ANM12.001.33.010AB	UL20886	1000V	33X10AWG	108/0.25	39.9	3085.47	3.409 Ω/km
ANM12.001.34.010AB	UL20886	1000V	34X10AWG	108/0.25	41.4	3267.97	3.409 Ω/km
ANM12.001.35.010AB	UL20886	1000V	35X10AWG	108/0.25	41.4	3303.27	3.409 Ω/km
ANM12.001.36.010AB	UL20886	1000V	36X10AWG	108/0.25	41.4	3338.57	3.409 Ω/km
ANM12.001.37.010AB	UL20886	1000V	37X10AWG	108/0.25	41.4	3373.77	3.409 Ω/km
ANM12.001.02.009AB	UL20886	1000V	2X9AWG	136/0.25	13.3	310.64	2.705 Ω/km
ANM12.001.03.009AB	UL20886	1000V	3X9AWG	136/0.25	14.2	386.04	2.705 Ω/km
ANM12.001.04.009AB	UL20886	1000V	4X9AWG	136/0.25	15.5	478.24	2.705 Ω/km
ANM12.001.05.009AB	UL20886	1000V	5X9AWG	136/0.25	17.1	586.64	2.705 Ω/km
ANM12.001.06.009AB	UL20886	1000V	6X9AWG	136/0.25	18.6	697.04	2.705 Ω/km
ANM12.001.07.009AB	UL20886	1000V	7X9AWG	136/0.25	18.6	742.54	2.705 Ω/km
ANM12.001.02.008AB	UL20886	1000V	2X8AWG	171/0.25	15.7	420.87	2.144 Ω/km
ANM12.001.03.008AB	UL20886	1000V	3X8AWG	171/0.25	16.8	521.87	2.144 Ω/km
ANM12.001.04.008AB	UL20886	1000V	4X8AWG	171/0.25	18.4	647.87	2.144 Ω/km
ANM12.001.05.008AB	UL20886	1000V	5X8AWG	171/0.25	22.3	895.37	2.144 Ω/km
ANM12.001.06.008AB	UL20886	1000V	6X8AWG	171/0.25	24.2	1059.77	2.144 Ω/km
ANM12.001.07.008AB	UL20886	1000V	7X8AWG	171/0.25	24.2	1117.77	2.144 Ω/km
ANM12.001.02.007AB	UL20886	1000V	2X7AWG	84/0.4	16.5	486.85	1.700 Ω/km
ANM12.001.03.007AB	UL20886	1000V	3X7AWG	84/0.4	17.6	606.45	1.700 Ω/km
ANM12.001.04.007AB	UL20886	1000V	4X7AWG	84/0.4	19.4	761.25	1.700 Ω/km
ANM12.001.05.007AB	UL20886	1000V	5X7AWG	84/0.4	23.4	1040.15	1.700 Ω/km
ANM12.001.06.007AB	UL20886	1000V	6X7AWG	84/0.4	25.4	1232.05	1.700 Ω/km
ANM12.001.07.007AB	UL20886	1000V	7X7AWG	84/0.4	25.4	1306.55	1.700 Ω/km
ANM12.001.02.006AB	UL20886	1000V	2X6AWG	106/0.4	17.9	583	1.348 Ω/km
ANM12.001.03.006AB	UL20886	1000V	3X6AWG	106/0.4	19.1	728.6	1.348 Ω/km
ANM12.001.04.006AB	UL20886	1000V	4X6AWG	106/0.4	23.1	1022.3	1.348 Ω/km
ANM12.001.05.006AB	UL20886	1000V	5X6AWG	106/0.4	25.3	1242.6	1.348 Ω/km
ANM12.001.06.006AB	UL20886	1000V	6X6AWG	106/0.4	27.5	1474.6	1.348 Ω/km
ANM12.001.07.006AB	UL20886	1000V	7X6AWG	106/0.4	27.5	1566.5	1.348 Ω/km
ANM12.001.02.005AB	UL20886	1000V	2X5AWG	134/0.4	19.1	689.37	1.070 Ω/km
ANM12.001.03.005AB	UL20886	1000V	3X5AWG	134/0.4	22.4	969.37	1.070 Ω/km
ANM12.001.04.005AB	UL20886	1000V	4X5AWG	134/0.4	24.5	1204.77	1.070 Ω/km
ANM12.001.05.005AB	UL20886	1000V	5X5AWG	134/0.4	26.9	1470.07	1.070 Ω/km
ANM12.001.06.005AB	UL20886	1000V	6X5AWG	134/0.4	29.3	1749.37	1.070 Ω/km
ANM12.001.07.005AB	UL20886	1000V	7X5AWG	134/0.4	29.3	1866.07	1.070 Ω/km
ANM12.001.02.004AB	UL20886	1000V	2X4AWG	169/0.4	22.5	924.15	0.8481 Ω/km
ANM12.001.03.004AB	UL20886	1000V	3X4AWG	169/0.4	23.9	1149.95	0.8481 Ω/km
ANM12.001.04.004AB	UL20886	1000V	4X4AWG	169/0.4	26.2	1436.25	0.8481 Ω/km
ANM12.001.05.004AB	UL20886	1000V	5X4AWG	169/0.4	28.8	1756.15	0.8481 Ω/km
ANM12.001.06.004AB	UL20886	1000V	6X4AWG	169/0.4	32.8	2198.85	0.8481 Ω/km
ANM12.001.07.004AB	UL20886	1000V	7X4AWG	169/0.4	32.8	2346.35	0.8481 Ω/km



ANM12.001.02.003AB	UL20886	1000V	2X3AWG	213/0.4	24.1	1096.77	0.6727 Ω/km
ANM12.001.03.003AB	UL20886	1000V	3X3AWG	213/0.4	25.6	1372.67	0.6727 Ω/km
ANM12.001.04.003AB	UL20886	1000V	4X3AWG	213/0.4	28.2	1727.47	0.6727 Ω/km
ANM12.001.05.003AB	UL20886	1000V	5X3AWG	213/0.4	32.3	2210.87	0.6727 Ω/km
ANM12.001.06.003AB	UL20886	1000V	6X3AWG	213/0.4	35.2	2632.87	0.6727 Ω/km
ANM12.001.07.003AB	UL20886	1000V	7X3AWG	213/0.4	35.2	2818.97	0.6727 Ω/km
ANM12.001.02.002AB	UL20886	1000V	2X2AWG	268/0.4	25.9	1309.32	0.5335 Ω/km
ANM12.001.03.002AB	UL20886	1000V	3X2AWG	268/0.4	27.6	1653.82	0.5335 Ω/km
ANM12.001.04.002AB	UL20886	1000V	4X2AWG	268/0.4	31.7	2179.62	0.5335 Ω/km
ANM12.001.05.002AB	UL20886	1000V	5X2AWG	268/0.4	34.8	2662.72	0.5335 Ω/km
ANM12.001.06.002AB	UL20886	1000V	6X2AWG	268/0.4	38.2	3196.72	0.5335 Ω/km
ANM12.001.07.002AB	UL20886	1000V	7X2AWG	268/0.4	38.2	3431.32	0.5335 Ω/km
ANM12.001.02.001AB	UL20886	1000V	2X1AWG	338/0.4	28.5	1616.11	0.4230 Ω/km
ANM12.001.03.001AB	UL20886	1000V	3X1AWG	338/0.4	31.8	2152.61	0.4230 Ω/km
ANM12.001.04.001AB	UL20886	1000V	4X1AWG	338/0.4	34.9	2700.31	0.4230 Ω/km
ANM12.001.05.001AB	UL20886	1000V	5X1AWG	338/0.4	38.6	3326.61	0.4230 Ω/km
ANM12.001.06.001AB	UL20886	1000V	6X1AWG	338/0.4	42.1	3965.61	0.4230 Ω/km
ANM12.001.07.001AB	UL20886	1000V	7X1AWG	338/0.4	42.1	4264.11	0.4230 Ω/km
ANM12.001.02.1/0AB	UL20886	1000V	2X1/OAWG	426/0.4	32.5	2066.89	0.3354 Ω/km
ANM12.001.03.1/0AB	UL20886	1000V	3X1/OAWG	426/0.4	34.6	2608.79	0.3354 Ω/km
ANM12.001.04.1/0AB	UL20886	1000V	4X1/OAWG	426/0.4	38.3	3306.09	0.3354 Ω/km
ANM12.001.05.1/0AB	UL20886	1000V	5X1/OAWG	426/0.4	42.1	4046.79	0.3354 Ω/km
ANM12.001.06.1/0AB	UL20886	1000V	6X1/OAWG	426/0.4	47.4	4988.19	0.3354 Ω/km
ANM12.001.07.1/0AB	UL20886	1000V	7X1/OAWG	426/0.4	47.4	5360.39	0.3354 Ω/km
ANM12.001.02.2/0AB	UL20886	1000V	2X2/OAWG	537/0.4	35.1	2485.73	0.2660 Ω/km
ANM12.001.03.2/0AB	UL20886	1000V	3X2/OAWG	537/0.4	37.7	3182.83	0.2660 Ω/km
ANM12.001.04.2/0AB	UL20886	1000V	4X2/OAWG	537/0.4	41.5	4014.43	0.2660 Ω/km
ANM12.001.05.2/0AB	UL20886	1000V	5X2/OAWG	537/0.4	47	5067.33	0.2660 Ω/km
ANM12.001.06.2/0AB	UL20886	1000V	6X2/OAWG	537/0.4	51.3	6045.83	0.2660 Ω/km
ANM12.001.07.2/0AB	UL20886	1000V	7X2/OAWG	537/0.4	51.3	6514.53	0.2660 Ω/km
ANM12.001.02.3/0AB	UL20886	1000V	2X3/OAWG	677/0.4	38	3012.61	0.2110 Ω/km
ANM12.001.03.3/0AB	UL20886	1000V	3X3/OAWG	677/0.4	40.5	3844.81	0.2110 Ω/km
ANM12.001.04.3/0AB	UL20886	1000V	4X3/OAWG	677/0.4	46	5011.41	0.2110 Ω/km
ANM12.001.05.3/0AB	UL20886	1000V	5X3/OAWG	677/0.4	50.5	6130.51	0.2110 Ω/km
ANM12.001.06.3/0AB	UL20886	1000V	6X3/OAWG	677/0.4	55.2	7325.31	0.2110 Ω/km
ANM12.001.07.3/0AB	UL20886	1000V	7X3/OAWG	677/0.4	55.2	7920.81	0.2110 Ω/km
ANM12.001.02.4/0AB	UL20886	1000V	2X4/OAWG	854/0.4	41.2	3651.8	0.1673 Ω/km
ANM12.001.03.4/0AB	UL20886	1000V	3X4/OAWG	854/0.4	43.9	4680.1	0.1673 Ω/km
ANM12.001.04.4/0AB	UL20886	1000V	4X4/OAWG	854/0.4	49.9	6107.3	0.1673 Ω/km
ANM12.001.05.4/0AB	UL20886	1000V	5X4/OAWG	854/0.4	54.8	7477.5	0.1673 Ω/km
ANM12.001.06.4/0AB	UL20886	1000V	6X4/OAWG	854/0.4	60	8948.8	0.1673 Ω/km
ANM12.001.07.4/0AB	UL20886	1000V	7X4/OAWG	854/0.4	60	9700	0.1673 Ω/km



ANM12.001.02.250kV	UL20886	1000V	2X250kcmil	1007/0.4	46.8	4523.8	0.1416 Ω/km
ANM12.001.03.250kV	UL20886	1000V	3X250kcmil	1007/0.4	49.9	5766.8	0.1416 Ω/km
ANM12.001.04.250kV	UL20886	1000V	4X250kcmil	1007/0.4	54.9	7280.4	0.1416 Ω/km
ANM12.001.05.250kV	UL20886	1000V	5X250kcmil	1007/0.4	60.5	8941.5	0.1416 Ω/km
ANM12.001.02.300kV	UL20886	1000V	2X300kcmil	1184/0.4	49	5185.7	0.1180 Ω/km
ANM12.001.03.300kV	UL20886	1000V	3X300kcmil	1184/0.4	52.2	6649.1	0.1180 Ω/km
ANM12.001.04.300kV	UL20886	1000V	4X300kcmil	1184/0.4	57.6	8437.1	0.1180 Ω/km
ANM12.001.05.300kV	UL20886	1000V	5X300kcmil	1184/0.4	63.5	10372.2	0.1180 Ω/km
ANM12.001.02.350kV	UL20886	1000V	2X350kcmil	1406/0.4	52	5916.9	0.1011 Ω/km
ANM12.001.03.350kV	UL20886	1000V	3X350kcmil	1406/0.4	55.5	7614.1	0.1011 Ω/km
ANM12.001.04.350kV	UL20886	1000V	4X350kcmil	1406/0.4	61.2	9659.9	0.1011 Ω/km
ANM12.001.05.350kV	UL20886	1000V	5X350kcmil	1406/0.4	67.5	11881.8	0.1011 Ω/km
ANM12.001.02.400kV	UL20886	1000V	2X400kcmil	1628/0.4	55	6679.1	0.08851 Ω/km
ANM12.001.03.400kV	UL20886	1000V	3X400kcmil	1628/0.4	58.7	8604.4	0.08851 Ω/km
ANM12.001.04.400kV	UL20886	1000V	4X400kcmil	1628/0.4	64.8	10931.2	0.08851 Ω/km
ANM12.001.05.400kV	UL20886	1000V	5X400kcmil	1628/0.4	74	13882.3	0.08851 Ω/km
ANM12.001.02.450kV	UL20886	1000V	2X450kcmil	1830/0.4	57.4	7380	0.07867 Ω/km
ANM12.001.03.450kV	UL20886	1000V	3X450kcmil	1830/0.4	61.3	9531.6	0.07867 Ω/km
ANM12.001.04.450kV	UL20886	1000V	4X450kcmil	1830/0.4	67.7	12121	0.07867 Ω/km
ANM12.001.05.450kV	UL20886	1000V	5X450kcmil	1830/0.4	77.2	15367.2	0.07867 Ω/km
ANM12.001.02.500kV	UL20886	1000V	2X500kcmil	2013/0.4	59.4	8052.2	0.07080 Ω/km
ANM12.001.03.500kV	UL20886	1000V	3X500kcmil	2013/0.4	63.4	10420.6	0.07080 Ω/km
ANM12.001.04.500kV	UL20886	1000V	4X500kcmil	2013/0.4	70.1	13275.9	0.07080 Ω/km
ANM12.001.05.500kV	UL20886	1000V	5X500kcmil	2013/0.4	79.9	16817.5	0.07080 Ω/km
ANM12.001.03.01.013AB	UL20886	1000V	3X13AWG+1X15AWG	54/0.25	11.5	228.55	6.82 Ω/km
ANM12.001.03.01.012AB	UL20886	1000V	3X12AWG+1X14AWG	68/0.25	12	262.18	5.43 Ω/km
ANM12.001.03.01.011AB	UL20886	1000V	3X11AWG+1X14AWG	85/0.25	12.8	302.78	4.30 Ω/km
ANM12.001.03.01.010AB	UL20886	1000V	3X10AWG+1X13AWG	108/0.25	14.1	366.43	3.409 Ω/km
ANM12.001.03.01.009AB	UL20886	1000V	3X9AWG+1X12AWG	136/0.25	14.7	424.11	2.705 Ω/km
ANM12.001.03.01.008AB	UL20886	1000V	3X8AWG+1X11AWG	171/0.25	17.2	563.77	2.144 Ω/km
ANM12.001.03.01.007AB	UL20886	1000V	3X7AWG+1X10AWG	84/0.4	18.2	662.47	1.700 Ω/km
ANM12.001.03.01.006AB	UL20886	1000V	3X6AWG+1X9AWG	106/0.4	21.7	893.74	1.348 Ω/km
ANM12.001.03.01.005AB	UL20886	1000V	3X5AWG+1X8AWG	134/0.4	23.5	1079.87	1.070 Ω/km
ANM12.001.03.01.004AB	UL20886	1000V	3X4AWG+1X7AWG	169/0.4	25	1278.55	0.8481 Ω/km
ANM12.001.03.01.003AB	UL20886	1000V	3X3AWG+1X6AWG	213/0.4	26.9	1533.6	0.6727 Ω/km
ANM12.001.03.01.002AB	UL20886	1000V	3X2AWG+1X5AWG	268/0.4	28.9	1842.07	0.5335 Ω/km
ANM12.001.03.01.001AB	UL20886	1000V	3X1AWG+1X4AWG	338/0.4	33.1	2380.55	0.4230 Ω/km
ANM12.001.03.01.1/OAB	UL20886	1000V	3X1/OAWG+1X3AWG	426/0.4	35.9	2878.57	0.3354 Ω/km
ANM12.001.03.01.2/OAB	UL20886	1000V	3X2/OAWG+1X2AWG	537/0.4	39.1	3513.22	0.2660 Ω/km
ANM12.001.03.01.3/OAB	UL20886	1000V	3X3/OAWG+1X1AWG	677/0.4	42.3	4280.41	0.2110 Ω/km
ANM12.001.03.01.4/OAB	UL20886	1000V	3X4/OAWG+1X1/OAWG	854/0.4	47.4	5381.29	0.1673 Ω/km
ANM12.001.03.01.250kV	UL20886	1000V	3X250kcmil+1X2/OAWG	1007/0.4	52	6433.93	0.1416 Ω/km



ANM12.001.03.01.300kB	UL20886	1000V	3X300kcmil+1X3/OAWG	1184/0.4	54.7	7500.01	0.1180 Ω/km
ANM12.001.03.01.350kB	UL20886	1000V	3X350kcmil+1X4/OAWG	1406/0.4	58.4	8694.1	0.1011 Ω/km
ANM12.001.03.01.400kB	UL20886	1000V	3X400kcmil+1X250kcmil	1628/0.4	62.4	9950.5	0.08851 Ω/km
ANM12.001.03.01.450kB	UL20886	1000V	3X450kcmil+1X300kcmil	1830/0.4	65.3	11139.6	0.07867 Ω/km
ANM12.001.03.01.500kB	UL20886	1000V	3X500kcmil+1X350kcmil	2013/0.4	68	12317.4	0.07080 Ω/km
ANM12.001.03.02.013AB	UL20886	1000V	3X13AWG+2X15AWG	54/0.25	12.3	263.45	6.82 Ω/km
ANM12.001.03.02.012AB	UL20886	1000V	3X12AWG+2X14AWG	68/0.25	13	307.38	5.43 Ω/km
ANM12.001.03.02.011AB	UL20886	1000V	3X11AWG+2X14AWG	85/0.25	13.6	343.18	4.30 Ω/km
ANM12.001.03.02.010AB	UL20886	1000V	3X10AWG+2X13AWG	108/0.25	14.9	413.03	3.409 Ω/km
ANM12.001.03.02.009AB	UL20886	1000V	3X9AWG+2X12AWG	136/0.25	15.6	481.11	2.705 Ω/km
ANM12.001.03.02.008AB	UL20886	1000V	3X8AWG+2X11AWG	171/0.25	18	627.27	2.144 Ω/km
ANM12.001.03.02.007AB	UL20886	1000V	3X7AWG+2X10AWG	84/0.4	19.3	747.47	1.700 Ω/km
ANM12.001.03.02.006AB	UL20886	1000V	3X6AWG+2X9AWG	106/0.4	22.7	992.84	1.348 Ω/km
ANM12.001.03.02.005AB	UL20886	1000V	3X5AWG+2X8AWG	134/0.4	25	1225.37	1.070 Ω/km
ANM12.001.03.02.004AB	UL20886	1000V	3X4AWG+2X7AWG	169/0.4	26.6	1452.45	0.8481 Ω/km
ANM12.001.03.02.003AB	UL20886	1000V	3X3AWG+2X6AWG	213/0.4	28.6	1739.4	0.6727 Ω/km
ANM12.001.03.02.002AB	UL20886	1000V	3X2AWG+2X5AWG	268/0.4	32.1	2192.27	0.5335 Ω/km
ANM12.001.03.02.001AB	UL20886	1000V	3X1AWG+2X4AWG	338/0.4	35	2684.05	0.4230 Ω/km
ANM12.001.03.02.1/OAB	UL20886	1000V	3X1/OAWG+2X3AWG	426/0.4	38.3	3279.47	0.3354 Ω/km
ANM12.001.03.02.2/OAB	UL20886	1000V	3X2/OAWG+2X2AWG	537/0.4	41.3	3961.22	0.2660 Ω/km
ANM12.001.03.02.3/OAB	UL20886	1000V	3X3/OAWG+2X1AWG	677/0.4	46.2	4992.41	0.2110 Ω/km
ANM12.001.03.02.4/OAB	UL20886	1000V	3X4/OAWG+2X1/OAWG	854/0.4	50.2	6082.89	0.1673 Ω/km
ANM12.001.03.02.250kB	UL20886	1000V	3X250kcmil+2X2/OAWG	1007/0.4	55.1	7303.23	0.1416 Ω/km
ANM12.001.03.02.300kB	UL20886	1000V	3X300kcmil+2X3/OAWG	1184/0.4	58.2	8572.21	0.1180 Ω/km
ANM12.001.03.02.350kB	UL20886	1000V	3X350kcmil+2X4/OAWG	1406/0.4	62.4	10028.4	0.1011 Ω/km
ANM12.001.03.02.400kB	UL20886	1000V	3X400kcmil+2X250kcmil	1628/0.4	67.1	11566.5	0.08851 Ω/km
ANM12.001.03.02.450kB	UL20886	1000V	3X450kcmil+2X300kcmil	1830/0.4	70.2	13013.7	0.07867 Ω/km
ANM12.001.03.02.500kB	UL20886	1000V	3X500kcmil+2X350kcmil	2013/0.4	75.9	14924.8	0.07080 Ω/km
ANM12.001.01.01.013AB	UL20886	1000V	4X13AWG+1X15AWG	54/0.25	12.6	279.35	6.82 Ω/km
ANM12.001.01.01.012AB	UL20886	1000V	4X12AWG+1X14AWG	68/0.25	13.2	322.68	5.43 Ω/km
ANM12.001.01.01.011AB	UL20886	1000V	4X11AWG+1X14AWG	85/0.25	14.1	374.48	4.30 Ω/km
ANM12.001.01.01.010AB	UL20886	1000V	4X10AWG+1X13AWG	108/0.25	15.6	455.43	3.409 Ω/km
ANM12.001.01.01.009AB	UL20886	1000V	4X9AWG+1X12AWG	136/0.25	16.3	529.61	2.705 Ω/km
ANM12.001.01.01.008AB	UL20886	1000V	4X8AWG+1X11AWG	171/0.25	19.1	704.77	2.144 Ω/km
ANM12.001.01.01.007AB	UL20886	1000V	4X7AWG+1X10AWG	84/0.4	22.3	935.17	1.700 Ω/km
ANM12.001.01.01.006AB	UL20886	1000V	4X6AWG+1X9AWG	106/0.4	24	1112.34	1.348 Ω/km
ANM12.001.01.01.005AB	UL20886	1000V	4X5AWG+1X8AWG	134/0.4	25.9	1339.37	1.070 Ω/km
ANM12.001.01.01.001AB	UL20886	1000V	4X4AWG+1X7AWG	169/0.4	27.7	1597.55	0.8481 Ω/km
ANM12.001.01.01.003AB	UL20886	1000V	4X3AWG+1X6AWG	213/0.4	31.2	2019.1	0.6727 Ω/km
ANM12.001.01.01.002AB	UL20886	1000V	4X2AWG+1X5AWG	268/0.4	33.4	2412.87	0.5335 Ω/km
ANM12.001.01.01.001AB	UL20886	1000V	4X1AWG+1X4AWG	338/0.4	36.9	2999.75	0.4230 Ω/km
ANM12.001.01.01.1/OAB	UL20886	1000V	4X1/OAWG+1X3AWG	426/0.4	40.2	3645.37	0.3354 Ω/km



ANM12.001.01.01.2/0AB	UL20886	1000V	4X2/OAWG+1X2AWG	537/0.4	43.4	4409.82	0.2660 Ω/km
ANM12.001.01.01.3/0AB	UL20886	1000V	4X3/OAWG+1X1AWG	677/0.4	48.4	5540.41	0.2110 Ω/km
ANM12.001.01.01.4/0AB	UL20886	1000V	4X4/OAWG+1X1/OAWG	854/0.4	52.5	6746.89	0.1673 Ω/km
ANM12.001.01.01.250kB	UL20886	1000V	4X250kcmil+1X2/OAWG	1007/0.4	57.8	8083.83	0.1416 Ω/km
ANM12.001.01.01.300kB	UL20886	1000V	4X300kcmil+1X3/OAWG	1184/0.4	60.8	9422.81	0.1180 Ω/km
ANM12.001.01.01.350kB	UL20886	1000V	4X350kcmil+1X4/OAWG	1406/0.4	64.9	10904.4	0.1011 Ω/km
ANM12.001.01.01.400kB	UL20886	1000V	4X400kcmil+1X250kcmil	1628/0.4	69.3	12465	0.08851 Ω/km
ANM12.001.01.01.450kB	UL20886	1000V	4X450kcmil+1X300kcmil	1830/0.4	74.9	14349	0.07867 Ω/km
ANM12.001.01.01.500kB	UL20886	1000V	4X500kcmil+1X350kcmil	2013/0.4	77.9	15828.4	0.07080 Ω/km
ANM12.001.03.03.013AB	UL20886	1000V	3X13AWG+3X18AWG	54/0.25	12.5	262.43	6.82 Ω/km
ANM12.001.03.03.012AB	UL20886	1000V	3X12AWG+3X17AWG	68/0.25	13.2	304.34	5.43 Ω/km
ANM12.001.03.03.011AB	UL20886	1000V	3X11AWG+3X16AWG	85/0.25	13.9	350.61	4.30 Ω/km
ANM12.001.03.03.010AB	UL20886	1000V	3X10AWG+3X15AWG	108/0.25	15.1	417.45	3.409 Ω/km
ANM12.001.03.03.009AB	UL20886	1000V	3X9AWG+3X14AWG	136/0.25	15.8	484.58	2.705 Ω/km
ANM12.001.03.03.008AB	UL20886	1000V	3X8AWG+3X13AWG	171/0.25	17.9	618.43	2.144 Ω/km
ANM12.001.03.03.007AB	UL20886	1000V	3X7AWG+3X12AWG	84/0.4	18.8	723.81	1.700 Ω/km
ANM12.001.03.03.006AB	UL20886	1000V	3X6AWG+3X11AWG	106/0.4	22.4	971.47	1.348 Ω/km
ANM12.001.03.03.005AB	UL20886	1000V	3X5AWG+3X10AWG	134/0.4	24.2	1164.87	1.070 Ω/km
ANM12.001.03.03.004AB	UL20886	1000V	3X4AWG+3X9AWG	169/0.4	25.7	1379.94	0.8481 Ω/km
ANM12.001.03.03.003AB	UL20886	1000V	3X3AWG+3X8AWG	213/0.4	28.8	1738.17	0.6727 Ω/km
ANM12.001.03.03.002AB	UL20886	1000V	3X2AWG+3X7AWG	268/0.4	32.1	2175.65	0.5335 Ω/km
ANM12.001.03.03.001AB	UL20886	1000V	3X1AWG+3X6AWG	338/0.4	35	2657.2	0.4230 Ω/km
ANM12.001.03.03.1/0AB	UL20886	1000V	3X1/OAWG+3X5AWG	426/0.4	38.1	3228.87	0.3354 Ω/km
ANM12.001.03.03.2/0AB	UL20886	1000V	3X2/OAWG+3X4AWG	537/0.4	41	3892.05	0.2660 Ω/km
ANM12.001.03.03.3/0AB	UL20886	1000V	3X3/OAWG+3X3AWG	677/0.4	45.5	4860.67	0.2110 Ω/km
ANM12.001.03.03.4/0AB	UL20886	1000V	3X4/OAWG+3X2AWG	854/0.4	49.2	5903.02	0.1673 Ω/km
ANM12.001.03.03.250kB	UL20886	1000V	3X250kcmil+3X1AWG	1007/0.4	54.2	7117.41	0.1416 Ω/km
ANM12.001.03.03.300kB	UL20886	1000V	3X300kcmil+3X1/OAWG	1184/0.4	57.9	8423.89	0.1180 Ω/km
ANM12.001.03.03.350kB	UL20886	1000V	3X350kcmil+3X1/OAWG	1406/0.4	59.9	9219.69	0.1011 Ω/km
ANM12.001.03.03.400kB	UL20886	1000V	3X400kcmil+3X2/OAWG	1628/0.4	64.1	10675.03	0.08851 Ω/km
ANM12.001.03.03.450kB	UL20886	1000V	3X450kcmil+3X3/OAWG	1830/0.4	67.9	12204.31	0.07867 Ω/km
ANM12.001.03.03.500kB	UL20886	1000V	3X500kcmil+3X3/OAWG	2013/0.4	69.3	12984.21	0.07080 Ω/km